

UNITED STATES DEPARTMENT OF COMMERCE

C. R. Smith, Secretary,

NATIONAL BUREAU OF STANDARDS · A. V. ASTIN, Director

**Theoretical Mean Activity Coefficients
Of Strong Electrolytes in
Aqueous Solutions from 0 to 100 °C**

Walter J. Hamer
Institute for Basic Standards
National Bureau of Standards
Washington, D.C. 20234

This report was prepared in part under the
sponsorship of the National Aeronautics and
Space Administration - Contract: R-09-022-029



NSRDS—NBS 24
National Standard Reference Data Series-
National Bureau of Standards 24

Issued December 1968

For sale by the Superintendent of Documents, U.S. Government Printing Office
Washington, D.C., 20402 - Price \$4.25

Foreword

The National Standard Reference Data System is a Government-wide effort to provide for the technical community of the United States effective access to the quantitative data of physical science, critically evaluated and compiled for convenience, and readily accessible through a variety of distribution channels. The System was established in 1963 by action of the President's Office of Science and Technology and the Federal Council for Science and Technology.

The responsibility to administer the System was assigned to the National Bureau of Standards and an Office of Standard Reference Data was set up at the Bureau for this purpose. Since 1963, this Office has developed systematic plans for meeting high-priority needs for reliable reference data. It has undertaken to coordinate and integrate existing data evaluation and compilation activities (primarily those under sponsorship of Federal agencies) into a comprehensive program, supplementing and expanding technical coverage when necessary, establishing and maintaining standards for the output of the participating groups, and providing mechanisms for the dissemination of the output as required.

The System now comprises a complex of data centers and other activities, carried on in Government agencies, academic institutions, and nongovernmental laboratories. The independent operational status of existing critical data projects is maintained and encouraged. Data centers that are components of the NSRDS produce compilations of critically evaluated data, critical reviews of the state of quantitative knowledge in specialized areas, and computations of useful functions derived from standard reference data. In addition, the centers and projects establish criteria for evaluation and compilation of data and make recommendations on needed modifications or extensions of experimental techniques.

Data publications of the NSRDS take a variety of physical forms, including books, pamphlets, loose-leaf sheets and computer tapes. While most of the compilations have been issued by the Government Printing Office, several have appeared in scientific journals. Under some circumstances, private publishing houses are regarded as appropriate primary dissemination mechanisms.

The technical scope of the NSRDS is indicated by the principal categories of data compilation projects now active or being planned: nuclear properties, atomic and molecular properties, solid state properties, thermodynamic and transport properties, chemical kinetics, colloid and surface properties, and mechanical properties.

An important aspect of the NSRDS is the advice and planning assistance which the National Research Council of the National Academy of Sciences-National Academy of Engineering provides. These services are organized under an overall Review Committee which considers the program as a whole and makes recommendations on policy, long-term planning, and international collaboration. Advisory Panels, each concerned with a single technical area, meet regularly to examine major portions of the program, assign relative priorities, and identify specific key problems in need of further attention. For selected specific topics, the Advisory Panels sponsor subpanels which make detailed studies of users' needs, the present state of knowledge, and existing data resources as a basis for recommending one or more data compilation activities. This assembly of advisory services contributes greatly to the guidance of NSRDS activities.

The NSRDS-NBS series of publications is intended primarily to include evaluated reference data and critical reviews of long-term interest to the scientific and technical community.

A. V. ASTIN, *Director.*

Contents

	Page No.
Foreword.....	iii
1. Introduction.....	1
2. Chemical potentials, activities, and activity coefficients.....	1
3. Theoretical expressions for activity coefficients.....	2
4. Uncertainties.....	4
5. Other theoretical treatments.....	5
6. References.....	5

List of Tables

	Page No.
1. Relations between mean molality, mean activity coefficient, solute (or electrolyte) activity, and ionic strength! for various valence types of electrolytes.....	8
2. Dielectric constant and density of water.....	8
3. Values of the Debye-Hückel constants for activity coefficients for aqueous solutions from 0 to 100 °C.....	9
(a) Limiting law of Debye-Hückel (on volume basis)	
Table No.	Page
4. 1-1 electrolytes.....	10
5. 1-2 or 2-1 electrolytes.....	12
6. 1-3 or 3-1 electrolytes.....	14
7. 1-4, 4-1, or 2-2 electrolytes.....	16
8. 2-3 or 3-2 electrolytes.....	18
9. 2-4 or 4-2 electrolytes.....	20
10. 3-3 electrolytes.....	22
11. 3-4 or 4-3 electrolytes.....	24
12. 4-4 electrolytes.....	26
Table No.	Page
36. 2-4 or 4-2 electrolytes.....	74
37. 3-3 electrolytes.....	76
38. 3-4 or 4-3 electrolytes.....	78
39. 4-4 electrolytes.....	80
(e) Güntelberg extended (or modified) equation (on volume basis)	
Table No.	Page
40. 1-1 electrolytes.....	82
41. 1-2 or 2-1 electrolytes.....	84
42. 1-3 or 3-1 electrolytes.....	86
43. 1-4, 4-1, or 2-2 electrolytes.....	88
44. 2-3 or 3-2 electrolytes.....	90
45. 2-4 or 4-2 electrolytes.....	92
46. 3-3 electrolytes.....	94
47. 3-4 or 4-3 electrolytes.....	96
48. 4-4 electrolytes.....	98
(f) Güntelberg extended (or modified) equation (on weight basis)	
Table No.	Page
49. 1-1 electrolytes.....	100
50. 1-2 or 2-1 electrolytes.....	102
51. 1-3 or 3-1 electrolytes.....	104
52. 1-4, 4-1, or 2-2 electrolytes.....	106
53. 2-3 or 3-2 electrolytes.....	108
54. 2-4 or 4-2 electrolytes.....	110
55. 3-3 electrolytes.....	112
56. 3-4 or 4-3 electrolytes.....	114
57. 4-4 electrolytes.....	116
(g) Davies equation (on volume basis)	
Table No.	Page
58. 1-1 electrolytes.....	118
59. 1-2 or 2-1 electrolytes.....	120
60. 1-3 or 3-1 electrolytes.....	122
61. 1-4, 4-1, or 2-2 electrolytes.....	124
62. 2-3 or 3-2 electrolytes.....	126
63. 2-4 or 4-2 electrolytes.....	128
64. 3-3 electrolytes.....	130
65. 3-4 or 4-3 electrolytes.....	132
66. 4-4 electrolytes.....	134

Table No.	(h) Davies equation (on weight basis)	Page	Table No.	Page
			99.	200
67.	1-1 electrolytes.....	136	100.	202
68.	1-2 or 2-1 electrolytes.....	138	101.	204
69.	1-3 or 3-1 electrolytes.....	140	102.	206
70.	1-4, 4-1, or 2-2 electrolytes.....	142		
71.	2-3 or 3-2 electrolytes.....	144	(l) Scatchard extended (or modified) equation (on weight basis)	
72.	2-4 or 4-2 electrolytes.....	146		
73.	3-3 electrolytes.....	148	103.	208
74.	3-4 or 4-3 electrolytes.....	150	104.	210
75.	4-4 electrolytes.....	152	105.	212
	(i) Scatchard equation (on volume basis)		106.	214
76.	1-1 electrolytes.....	154	107.	216
77.	1-2 or 2-1 electrolytes.....	156	108.	218
78.	1-3 or 3-1 electrolytes.....	158	109.	220
79.	1-4, 4-1, or 2-2 electrolytes.....	160	110.	222
80.	2-3 or 3-2 electrolytes.....	162	111.	224
81.	2-4 or 4-2 electrolytes.....	164		
82.	3-3 electrolytes.....	166	112.	227
83.	3-4 or 4-3 electrolytes.....	168		
84.	4-4 electrolytes.....	170		
	(j) Scatchard equation (on weight basis)			
85.	1-1 electrolytes.....	172	113.	228
86.	1-2 or 2-1 electrolytes.....	174	114.	230
87.	1-3 or 3-1 electrolytes.....	176	115.	232
88.	1-4, 4-1, or 2-2 electrolytes.....	178	116.	234
89.	2-3 or 3-2 electrolytes.....	180	117.	236
90.	2-4 or 4-2 electrolytes.....	182	118.	238
91.	3-3 electrolytes.....	184	119.	240
92.	3-4 or 4-3 electrolytes.....	186	120.	242
93.	4-4 electrolytes.....	188	121.	244
	(k) Scatchard extended (or modified) equation (on volume basis)			
94.	1-1 electrolytes.....	190	122.	246
95.	1-2 or 2-1 electrolytes.....	192	123.	248
96.	1-3 or 3-1 electrolytes.....	194	124.	250
97.	1-4, 4-1, or 2-2 electrolytes.....	196	125.	252
98.	2-3 or 3-2 electrolytes.....	198	126.	254
			127.	256
131.	Uncertainties (\pm) in activity coefficients for solutions having an ionic strength of 0.1 arising from the established limits of error in the physical constants used in the theoretical equations.....		128.	258
132.	Values of the Debye-Hückel constants for activity coefficients based on the values of the dielectric constant of water determined by Owen et al. [12].....		129.	260
133.	Bjerrum's minimum ion parameter for uni-univalent electrolytes in aqueous solutions from 0 to 100 °C based on the dielectric constant of water determined by Owen et al. [12].....		130.	262
134.	Differences in activity coefficients for solutions having an ionic strength of 0.1 from those given in the main tables, if the dielectric constant of water determined by Owen et al. [12] is used instead of the values of Malmberg and Maryott [5], on volume basis.....			264
135.	Differences in activity coefficients for solutions having an ionic strength of 0.1 from those given in the main tables if the dielectric constant of water determined by Owen et al. [12] is used instead of the values of Malmberg and Maryott [5], on weight basis.....			266
				268
				270

Theoretical Mean Activity Coefficients of Strong Electrolytes in Aqueous Solutions from 0 to 100 °C

Walter J. Hamer

In determining the activity coefficients of electrolytes in aqueous solutions from the freezing point to the boiling point of the solvent, various equations have been used in the treatment of the data. This paper gives values for activity coefficients of electrolytes of various valence types from 0 to 100 °C, and for ionic strengths from zero to 0.1 molal or 0.1 molar, as calculated by seven different equations based on the theory of interionic attraction. These equations are those of Debye and Hückel, Güntelberg, Davies, Scatchard, and Bjerrum, and what may be termed an extended Güntelberg equation and an extended Scatchard equation.

Key words: Activity coefficients, electrolytes, interionic attraction expressions.

1. Introduction

The mean activity coefficients, on a volume and weight basis, for 1-1, 1-2 (or 2-1), 1-3 (or 3-1), 1-4 (or 4-1 or 2-2), 2-3 (or 3-2), 2-4 (or 4-2), 3-3, 3-4 (or 4-3), and 4-4 completely dissociated electrolytes in aqueous solutions, as calculated by seven widely referred to theoretical equations are given for ionic strengths of 0.1 and less and for temperatures from 0 °C to 100 °C, inclusive. The theoretical equations employed are those of (1) Debye and Hückel, frequently referred to as the limiting law of Debye and Hückel, (2) Güntelberg, (3) Davies, (4) Scatchard, (5) Bjerrum, and what may be called a (6) modified or extended Güntelberg expression and a (7) modified or extended Scatchard expression. Although these equations reproduce experimental results exactly only in rare cases, they are of value as an aid in rapid interpretations of literature data where expressions, such as "activity coefficients were calculated by the limiting law of Debye and Hückel," or "activity coefficients were calculated by the Davies equation," or "Bjerrum ion sizes were used to calculate activity coefficients," or "Scatchard has suggested that a better average of the higher virial coefficients would be provided by a $1 + 1.5 m^{1/2}$ term" [1]¹ are encountered. They are also of use in estimating a value for an activity coefficient if an experimental value is not available.

2. Chemical Potentials, Activities, and Activity Coefficients

For closed isolated systems to which no matter is added or withdrawn thermodynamics give:

$$dU = TdS - pdV$$

where U is energy, T the absolute temperature, S the entropy, p the pressure, and V the volume.

For an open system to which matter may be added or withdrawn (for example, addition of a salt to water or removal of water from a salt solution by evaporation) Gibbs gave (Gibbs used different symbols):

$$dU = TdS - pdV + \mu_A dn_A + \mu_B dn_B + \dots + \mu_Z dn_Z$$

where n represents the number of moles of component A, B , etc., represented by subscripts and the μ 's represent the Gibbs' "chemical potentials" of the various components. Since from thermodynamic considerations,

$$G = U - TS + pV = \text{Gibbs energy}$$

$$H = U + pV = \text{Heat content}$$

$$F(\text{or } A) = U - TS = \text{Helmholtz energy}$$

the Gibbs "chemical potentials" for component A , for example, may be defined in a multiplicity of ways as follows:

$$\begin{aligned} \mu_A &= (\partial U / \partial n_A)_{S, V, n'} = (\partial H / \partial n_A)_{S, p, n'} \\ &= (\partial F / \partial n_A)_{T, V, n'} = (\partial G / \partial n_A)_{T, p, n'} \end{aligned}$$

where n now represents the constancy of all components except component A . Thus, Gibbs' "chemical potentials" can be expressed in various ways depending on what conditions are held constant during an experiment. The last equality is the one generally used in defining the "chemical potential" in that experiments may easily be designed wherein the temperature and pressure are maintained constant. It is inconvenient to conduct experiments at constant volume and temperature, under which conditions the third equality applies; and it is indeed difficult to conceive of ways to conduct experiments either at constant entropy and volume (first equality) or at constant entropy and pressure (second equality).

¹ Figures in brackets indicate the literature references on page 5.

Since the energy, entropy, heat content, Helmholtz energy, and Gibbs energy are defined only by differential equations, we can determine only differences of these quantities between two states of a system containing the same quantity of matter. It is therefore customary to tabulate the differences from some standard state, which is equivalent to an arbitrary assumption that the various functions are each zero in the standard states. For general purposes it is customary to assume that the energy, or the heat content, of each element at some standard temperature, usually 25 °C, and some standard pressure, usually one atmosphere, and in its most stable form under these conditions is zero. This same standard state may be adopted for the entropy, Helmholtz energy, and Gibbs energy, although the entropy is sometimes taken as zero at absolute zero in accordance with the third law of thermodynamics. A knowledge of the individual heat capacities and volumes permits the calculation of these quantities under other conditions.

The same considerations apply to the chemical potential, i.e., only differences from an arbitrarily selected standard state can be determined. Throughout this evaluation the chemical potential shall be defined in terms of the partial molal Gibbs energy (fourth equality in equation above). The difference in chemical potential between two states (compositions) of an *ideal solution* is given by:

$$\mu_i - \mu'_i = RT \ln \frac{p_1}{p'_i} = RT \ln \frac{x_i}{x'_i}$$

where i = component i and p and x denote, respectively, the vapor pressure and mole fraction. If one of the compositions is the pure component with $x'_i = 1$, $p'_i = p_i^0$, and $\mu'_i = \mu_i^0$, then

$$\mu_i = \mu_i^0 + RT \ln \frac{p_i}{p_i^0} = \mu_i^0 + RT \ln x_i.$$

where the relative vapor pressure of component i is equal to the mole fraction of component i . For *real or nonideal solutions* this equation becomes

$$\mu_i = \mu_i^0 + RT \ln \frac{f_i}{f_i^0} = \mu_i^0 + RT \ln a_i$$

where a_i is the activity of component i and defined as the relative fugacity, where f denotes the fugacity or corrected pressure.

For solutions of electrolytes the standard state is usually chosen so that the ratio of the activity to the concentration is equal to unity at infinite dilution where the laws of ideal solutions are obeyed. G. N. Lewis [2] called this ratio the activity coefficient, thus $a = xy_x$.

It is more usual, however, to express the composition of a solution either in terms of concentration (molarity), c , i.e., moles of solute per liter, or as molalities, m , in moles of solute per 1000 grams of solvent. In each of these cases, the numerical values

of the activity coefficient differ from those expressed on the basis of mole fraction; γ_c and γ_m are used here to denote the activity coefficient on the molarity and molality scales, respectively. The relations between γ_x , γ_c , and γ_m are given by:

$$\gamma_x = \gamma_c (d - 0.001 Mc + 0.001 M_s c \nu) / d_0$$

$$\gamma_x = \gamma_m (1 + 0.001 \nu m M_s)$$

$$c \gamma_c = d_0 m \gamma_m$$

where d = density of solution, d_0 = density of solvent, M_s = molecular weight of solvent, M = molecular weight of solute, and ν = the number of ions into which one molecule of the solute dissociates.

As electroneutrality must prevail in electrolytic solutions, the activity of an electrolyte that ionizes into ν_+ cations and ν_- anions is given by:

$$a_{\text{salt}} = a_2 = a_{+}^{\nu_+} \cdot a_{-}^{\nu_-} = a_{\pm}^{\nu}$$

where $\nu = \nu_+ + \nu_-$. Therefore, for an electrolytic solution, the mean activity of the ionized electrolyte, a_{\pm} , would be given by:

$$\mu = \mu^0 + \nu RT \ln a_{\pm}$$

Thus $a_{\pm} = \gamma_{\pm} m_{\pm}$ and $a_2 = (\gamma_{\pm} m_{\pm})^{\nu}$ where m_{\pm} and γ_{\pm} denote, respectively, the mean molality and mean activity coefficient of the electrolyte. The mean activity coefficient of the electrolyte is given by:

$$\gamma_{\pm} = (\gamma_{+}^{\nu_+} \gamma_{-}^{\nu_-})^{1/\nu}$$

and the mean ionic concentration (in molality, for example) by:

$$m_{\pm} = (\nu_{+}^{\nu_+} \nu_{-}^{\nu_-})^{1/\nu} m = X m$$

The properties of electrolytic solutions are, in general, directly related to the ionic strength of the solution, defined by:

$$I = 1/2 \sum_i z_i^2 m_i = Y m$$

where z is the ionic valence.

Values of $X m$ and $Y m$ as well as γ_{\pm} and a_2 are given in table 1² for various valence types of electrolytes.

3. Theoretical Expressions for Activity Coefficients

Activity coefficients give a measure of the deviations of real solutions from ideality and include the magnitude of all effects that lead to these deviations.

² All tables are to be found at the end of the paper.

In dilute solutions the main effect is that of interionic attraction, i.e., the attraction between electrical (ionic) charges of unlike sign, and for which Debye and Hückel [3] assuming that ions are point charges derived a solution which led to the following expression for the mean activity coefficient, γ_{\pm} , of an electrolyte (γ shall be used hereafter for γ_{\pm}):

$$\log \gamma_c = -z_+ z_- A_c \sqrt{I_c} \quad (1)$$

where the subscript c refers to concentrations on the volume basis and

$$A_c = \left(\frac{2\pi N}{1000} \right)^{1/2} \frac{e^3}{2.302585 k^{3/2}} \left(\frac{1}{T^{3/2} \epsilon^{3/2}} \right) = \frac{1.824829238 \times 10^6}{(T\epsilon)^{3/2}},$$

where the symbols have the following meanings and numerical values [4]:

$$N \text{ (or } N_A) = \text{Avogadro constant} = 6.02252(28) \times 10^{23} \text{ mol}^{-1}.$$

$$e = \text{elementary charge (sometimes called the electronic or protonic charge)} = 4.80298(20) \text{ esu.}$$

$$k = \text{Boltzmann constant} = 1.38054(18) \times 10^{-16} \text{ erg K}^{-1}.$$

T = absolute temperature in K (defined in the thermodynamic scale by assigning 273.16 K (Kelvin) to the triple point of water (freezing point of water, 273.15 K = 0 °C (Celsius). (The 13th General Conference on Weights and Measures in 1967 changed the unit of temperature and temperature interval from "degrees Kelvin" to simply "Kelvin," symbol: K.)

ϵ = dielectric constant of the solvent.

The values given in parentheses above represent established limits of error based on three standard deviations applied to the last digits in the listed value.

The following values of π and $\ln 10$ were used in the calculations:

$$\pi = 3.14159265$$

$$\ln 10 = 2.302585$$

A_m on the molality (or weight) basis is given by $A_m = A_c(d_0)^{1/2}$ where d_0 is the density of the solvent. Values of ϵ , the dielectric constant, and of d_0 , the density of water, from 0 to 100 °C, inclusive, are given in table 2 [5, 6]. Values of A_c and A_m for aqueous solutions from 0 to 100 °C, inclusive, are given in table 3.

Values of γ_c as calculated by equation (1) for 1-1, 1-2 (or 2-1), 1-3 (or 3-1), 1-4 (or 4-1 or 2-2), 2-3 (or 3-2), 2-4 (or 4-2), 3-3, 3-4 (or 4-3), and 4-4 electrolytes are given, respectively, in tables 4 to 12, inclusive, for ionic strengths of 0.1 and below and for temperatures from 0 to 100 °C, inclusive. Similar data for γ_m are given in tables 13 to 21, inclusive.

When the size, a_i , of the ions is taken into account, the Debye-Hückel equation becomes:

$$\log \gamma_c = \frac{-z_+ z_- A_c \sqrt{I_c}}{1 + B_c a_i \sqrt{I_c}}$$

where

$$B_c = \left(\frac{8\pi N}{1000} \right)^{1/2} \frac{e}{k^{1/2}} \left(\frac{1}{T^{1/2} \epsilon^{1/2}} \right) = \frac{50.29158649 \times 10^8}{(T\epsilon)^{1/2}}$$

in which the symbols have the significances given above. B_m on the molality (or weight) basis is given by $B_m = B_c(d_0)^{1/2}$. Values of B_c and B_m for aqueous solutions from 0 to 100 °C, inclusive, are given in table 3.

Güntelberg [7] suggested the simpler form

$$\log \gamma_c = \frac{-z_+ z_- A_c \sqrt{I_c}}{1 + \sqrt{I_c}} \quad (2)$$

which is equivalent to assigning a value of approximately 3 Å as calculated by equation (2) to the ion size at all temperatures. Güntelberg values of γ_c for 1-1, 1-2 (or 2-1), 1-3 (or 3-1), 1-4 (or 4-1 or 2-2), 2-3 (or 3-2), 2-4 (or 4-2), 3-3, 3-4 (or 4-3), and 4-4 electrolytes are given, respectively, in tables 22 to 30, inclusive, for ionic strengths of 0.1 and below and for temperatures from 0 to 100 °C, inclusive. Güntelberg values for γ_m for these same valence types and ranges of ionic strength and temperature are given in tables 31 to 39, inclusive.

A modified or extended Güntelberg equation would be

$$\log \gamma_c = \frac{-z_+ z_- A_c \sqrt{I_c}}{1 + 3B_c \sqrt{I_c}} \quad (3)$$

where the denominator is now temperature dependent since B_c is a function of temperature. Extended Güntelberg values of γ_c as calculated by equation (3) for 1-1, 1-2 (or 2-1), 1-3 (or 3-1), 1-4 (or 4-1 or 2-2), 2-3 (or 3-2), 2-4 (or 4-2), 3-3, 3-4 (or 4-3), and 4-4 electrolytes are given, respectively, in tables 40 to 48, inclusive, for ionic strengths of 0.1 and below and for temperatures from 0 to 100 °C, inclusive. Extended Güntelberg values for γ_m for the same valence types and ranges of ionic strength and temperature are given in tables 49 to 57, inclusive.

These Güntelberg expressions for the activity coefficient give a fair representation of a number of electrolytes up to $I=0.1$. However, a better representation is obtained if a term linear in the ionic strength is added to the right side of the equations. Thus, Guggenheim [8] proposed the equation

$$\log \gamma_c = \frac{-z_+ z_- A_c \sqrt{I_c}}{1 + \sqrt{I_c}} + bI_c$$

where b is an adjustable parameter.

Davies [9] altered the Guggenheim equation by putting $b = 0.2A_{z+z_-}$, thus:

$$\log \gamma_c = \frac{-z_{+z_-} A_c \sqrt{I_c}}{1 + \sqrt{I_c}} + 0.2A_{z+z_-} I_c \quad (4)$$

where the denominator of the first term on the right is again independent of temperature. Davies values of γ_c as calculated by equation (4) for 1-1, 1-2 (or 2-1), 1-3 (or 3-1), 1-4 (or 4-1 or 2-2), 2-3 (or 3-2), 2-4 (or 4-2), 3-3, 3-4 (or 4-3), and 4-4 electrolytes are given, respectively, in tables 58 to 66, inclusive, for ionic strengths of 0.1 and below and for temperatures from 0 to 100 °C, inclusive. Davies values for γ_m for the same valence types and ranges of ionic strength and temperature are given in tables 67 to 75, inclusive.

Scatchard [10] suggested that a better average fit is obtained if $(1 + 1.5\sqrt{I})$ is used in the denominator of the first term on the right for the expression for $\log \gamma_c$, thus:

$$\log \gamma_c = \frac{-z_{+z_-} A_c \sqrt{I_c}}{1 + 1.5\sqrt{I_c}} \quad (5)$$

Scatchard actually used an additional linear term in I with an adjustable coefficient on the right side of the above equation but this additional term is omitted here. Scatchard values of γ_c as calculated by equation (5) for 1-1, 1-2 (or 2-1), 1-3 (or 3-1), 1-4 (or 4-1 or 2-2), 2-3 (or 3-2), 2-4 (or 4-2), 3-3, 3-4 (or 4-3), and 4-4 electrolytes are given, respectively, in tables 76 to 84, inclusive, for ionic strengths of 0.1 and below and for temperatures of 0 to 100 °C, inclusive. Scatchard values for γ_m for the same valence types and ranges of ionic strength and temperature are given in tables 85 to 93, inclusive.

A modified or extended Scatchard equation results if the denominator, $1 + 1.5\sqrt{I_c}$, in the above equation is made temperature dependent, thus:

$$\log \gamma_c = \frac{-z_{+z_-} A_c \sqrt{I_c}}{1 + 4.5B_c \sqrt{I_c}} \quad (6)$$

Extended Scatchard values for γ_c as calculated by equation (6) for 1-1, 1-2 (or 2-1), 1-3 (or 3-1), 1-4 (or 4-1 or 2-2), 2-3 (or 3-2), 2-4 (or 4-2), 3-3, 3-4 (or 4-3), and 4-4 electrolytes are given, respectively, in tables 94 to 102, inclusive, for ionic strengths of 0.1 and below and for temperatures from 0 to 100 °C, inclusive. Extended Scatchard values for γ_m for the same valence types and ranges of ionic strength and temperature are given in tables 103 to 111, inclusive.

Bjerrum [11] has shown that ion pairs (associated ions with charges of unlike sign) occur if the di-

ameter of the ion is less than

$$a_B = \frac{z_{+z_-} e^2}{2\epsilon kT}$$

Values of a_B for aqueous solutions from 0 to 100 °C, inclusive, are given in table 112. The Bjerrum expression for the activity coefficient is:

$$\log \gamma_c = \frac{-z_{+z_-} A_c \sqrt{I_c}}{1 + B_c a_B \sqrt{I_c}} \quad (7)$$

Bjerrum values of γ_c as calculated by equation (7) for 1-1, 1-2 (or 2-1), 1-3 (or 3-1), 1-4 (or 4-1 or 2-2), 2-3 (or 3-2), 2-4 (or 4-2), 3-3, 3-4 (or 4-3), and 4-4 electrolytes are given, respectively, in tables 113 to 121, inclusive, for ionic strengths of 0.1 and below and for temperatures of 0 to 100 °C, inclusive. Bjerrum values for γ_m for the same valence types and ranges of ionic strength and temperature are given in tables 122 to 130, inclusive.

4. Uncertainties

The uncertainties in values of the activity coefficients of electrolytes of various valence types for an ionic strength of 0.1 arising from the established limits of error for the physical constants employed in the above theoretical relations for the activity coefficients are given in table 131 for temperatures of 0, 25, 50, 75, and 100 °C. Uncertainties at intermediate temperatures may be obtained by interpolation. Uncertainties for more dilute solutions may be obtained by interpolation of the uncertainties on a linear plot of the uncertainties versus \sqrt{I} between 0 (where the uncertainties are zero) and $\sqrt{0.1}$. In determining these uncertainties, the limits of error for the dielectric constant of water were taken to be zero.

Owen, Miller, Milner, and Cogan [12] in 1961, and Vidulich and Kay [13] in 1962 reported values for the dielectric constant of water from 0 to 70 °C and 0 to 40 °C, respectively. The values of Owen et al. differed from those of Malmberg and Maryott, used herein, by +0.18 percent, +0.08 percent, 0 percent, -0.16 percent, and -0.25 percent at 0, 25, 40, 70, and 100 °C, (Owen et al. values were calculated from their equation expressing the dielectric constant as a function of temperature), respectively, whereas those of Vidulich and Kay differed from those of Malmberg and Maryott by +0.17 percent, +0.08 percent, and +0.03 percent at 0, 25, and 40 °C, respectively. In table 132, values of the Debye-Hückel constants A_c , A_m , B_c , and B_m based on the dielectric constant of water determined by Owen et al. are given for temperatures from 0 to 100 °C. In table 133, values for the Bjerrum minimum ion parameter, based on the dielectric constant of water as determined by Owen et al., are given for tempera-

tures from 0 to 100 °C. The required Bjerrum values needed to give a smooth difference, as a function of temperature, between those calculated using the dielectric constant of water, as determined by Malmberg and Maryott [5] or Owen et al. [12] are given in the parentheses.

The differences in values of the activity coefficients of electrolytes of various valence types for an ionic strength of 0.1 from those given in the main tables, if the dielectric constant of water determined by Owen et al. [12] is used instead of the values of Malmberg and Maryott [5], are given in table 134 on a volume basis and in table 135 on a weight basis for temperatures of 0, 25, 50, 75, and 100 °C. Differences at intermediate temperatures may be obtained by interpolation. Differences for more dilute solutions may be obtained by interpolation of the differences on a linear plot of the differences versus \sqrt{I} between 0 and $\sqrt{0.1}$.

5. Other Theoretical Treatments

The theoretical equations considered here are all general and in principle apply to all completely dissociated electrolytes and differ only in the ionic valence or in the choice of a common ion-size parameter. Those treatments which require, a priori, a specific value for the ion-size parameter [11, 14–17], or hydration number [18, 19], or some physical model for the interaction of ions in order to obtain numerical results [20–28], cannot be treated in a general numerical way and obviously are not included here. Applications of these extended treatments rest with specific cases. The equations given here are especially valuable as aids in extrapolations.

The author is greatly indebted to Woodward G. Eicke, Jr., for writing the program for this work for FORTRAN IV.

6. References

- [1] K. S. Pitzer and L. Brewer, Lewis and Randall's Thermodynamics, 2d ed., p. 327 (McGraw-Hill Book Company, Inc., New York, New York, 1961).
- [2] G. N. Lewis, Proc. Am. Acad. Arts Sci. **43**, 259 (1907); Z. physik. Chem. **61**, 129 (1907).
- [3] P. Debye and E. Hückel, Physik. Z. **24**, 185, 305 (1932).
- [4] Values recommended in 1963 by the committee on fundamental constants of the National Academy of Sciences—National Research Council, Chem. & Eng. News, Nov. 11, p. 39 (1963).
- [5] C. G. Malmberg and A. A. Maryott, J. Res. NBS **56**, No. 1, 1 (1956) RP2641.
- [6] M. Thiesen, Wiss. Abh. der Physikalisch-Technischen Reichsanstalt **4**, No. 1, 1904; International Critical Tables **3**, 25 (1928).
- [7] E. Güntelberg, Z. physik. Chem. **123**, 199 (1926).
- [8] E. A. Guggenheim, Phil. Mag. **19**, 588 (1935).
- [9] C. W. Davies, J. Chem. Soc. 2093 (1938).
- [10] G. Scatchard, The Structure of Electrolytic Solutions, Ed. W. J. Hamer, p. 9 (John Wiley & Sons, Inc., New York, New York, 1959); Chem. Rev. **19**, 309 (1936).
- [11] N. Bjerrum, Kgl. Danske Videnskab. Selskab. Math.-fys. Medd. **1**, No. 9 (1926).
- [12] B. B. Owen, R. C. Miller, C. E. Milner, and H. L. Cogan, J. Phys. Chem. **65**, 2065 (1961).
- [13] G. A. Vidulich and R. L. Kay, J. Phys. Chem. **66**, 383 (1962).
- [14] T. H. Gronwall, V. K. LaMer, and K. Sandved, Physik. Z. **29**, 358 (1928).
- [15] V. K. LaMer, T. H. Gronwall, and L. J. Greiff, J. Phys. Chem. **35**, 2245 (1931).
- [16] E. Hückel, Physik. Z. **26**, 93 (1925).
- [17] J. G. Kirkwood, Chem. Revs. **19**, 275 (1936).
- [18] E. Glueckauf, The Structure of Electrolytic Solutions, Ed. W. J. Hamer, Chap. 7 (John Wiley & Sons, Inc., New York, New York, 1959).
- [19] R. A. Robinson and R. H. Stokes, Electrolyte Solutions, 2d Ed., p. 8–9 (Butterworths Scientific Publications, London, 1959).
- [20] J. E. Mayer, J. Chem. Phys. **18**, 1426 (1950).
- [21] J. C. Poirier, J. Chem. Phys. **21**, 965, 972 (1953).
- [22] M. Eigen and E. Wicke, Z. Elektrochem. **55**, 354 (1951); **56**, 551 (1952).
- [23] E. Hückel and G. Krafft, Z. Physik. Chem. **3**, 135 (1955).
- [24] E. Wicke and M. Eigen, Z. Elektrochem. **57**, 319 (1953).
- [25] H. Falkenhagen and G. Kelbg, Ann. Physik. VI, **11**, 60 (1952); Z. Elektrochem. **56**, 834 (1952).
- [26] H. Falkenhagen, M. Leist, and G. Kelbg, Ann. Physik. VI, **11**, 51 (1952).
- [27] S. Levine and G. M. Bell, J. Phys. Chem. **64**, 1188 (1960).
- [28] G. Kelbg, Z. Physik. Chem. (Leipzig) **214**, 8, 26, 141, 153 (1960).

**Tables of Theoretical Activity Coefficients
For Ionic Strengths from 0 to 0.1 and
Temperatures from 0 to 100 °C**

TABLE 1.—Relations between mean molality, mean activity coefficient, solute (or electrolyte) activity, and ionic strength for various valence types of electrolytes

Type	Example	$m_{\pm} = Xm$	γ_{\pm}	$a_2 = a_{\pm}^{\nu}$	$I = Ym$ $= 1/2 \sum_i z_i^2 m$
1-1	KCl.....	m	$(\gamma_{+}\gamma_{-})^{1/2}$	$m^2\gamma_{\pm}^2$	m
1-2	Na ₂ SO ₄	$4^{1/3}m$	$(\gamma_{+}^2\gamma_{-})^{1/3}$	$4m^3\gamma_{\pm}^3$	$3m$
1-3	K ₃ Fe(CN) ₆	$27^{1/4}m$	$(\gamma_{+}^3\gamma_{-})^{1/4}$	$27m^4\gamma_{\pm}^4$	$6m$
1-4	K ₄ Fe(CN) ₆	$256^{1/5}m$	$(\gamma_{+}^4\gamma_{-})^{1/5}$	$256m^5\gamma_{\pm}^5$	$10m$
2-1	BaCl ₂	$4^{1/3}m$	$(\gamma_{+}\gamma_{-}^2)^{1/3}$	$4m^3\gamma_{\pm}^3$	$3m$
2-2	MgSO ₄	m	$(\gamma_{+}\gamma_{-})^{1/2}$	$m^2\gamma_{\pm}^2$	$4m$
2-3	Sn ₃ [Fe(CN) ₆] ₂	$108^{1/5}m$	$(\gamma_{+}^3\gamma_{-}^2)^{1/5}$	$108m^5\gamma_{\pm}^5$	$15m$
2-4	Mg ₂ Fe(CN) ₆	$4^{1/3}m$	$(\gamma_{+}^2\gamma_{-})^{1/3}$	$4m^3\gamma_{\pm}^3$	$12m$
3-1	AlCl ₃	$27^{1/4}m$	$(\gamma_{+}\gamma_{-}^3)^{1/4}$	$27m^4\gamma_{\pm}^4$	$6m$
3-2	Al ₂ (SO ₄) ₃	$108^{1/5}m$	$(\gamma_{+}^2\gamma_{-}^3)^{1/5}$	$108m^5\gamma_{\pm}^5$	$15m$
3-3	LaFe(CN) ₆	m	$(\gamma_{+}\gamma_{-})^{1/2}$	$m^2\gamma_{\pm}^2$	$9m$
3-4	Al ₄ [Fe(CN) ₆] ₃	$6912^{1/7}m$	$(\gamma_{+}^4\gamma_{-}^3)^{1/7}$	$6912m^7\gamma_{\pm}^7$	$42m$
4-1	Th(NO ₃) ₄	$256^{1/5}m$	$(\gamma_{+}\gamma_{-}^4)^{1/5}$	$256m^5\gamma_{\pm}^5$	$10m$
4-2	Th(SO ₄) ₂	$4^{1/3}m$	$(\gamma_{+}\gamma_{-}^2)^{1/3}$	$4m^3\gamma_{\pm}^3$	$12m$
4-3	Th ₃ (PO ₄) ₄	$6912^{1/7}m$	$(\gamma_{+}^3\gamma_{-}^4)^{1/7}$	$6912m^7\gamma_{\pm}^7$	$42m$
4-4	SnFe(CN) ₆	m	$(\gamma_{+}\gamma_{-})^{1/2}$	$m^2\gamma_{\pm}^2$	$16m$

TABLE 2. Dielectric constant and density of water

Temperature	Dielectric constant	Density	Temperature	Dielectric constant	Density
t	ϵ	d_0	t	ϵ	d_0
°C		g/ml	°C		g/ml
0	87.74	0.99987	50	69.91	0.98807
5	85.76	.99999	55	68.34	.98573
10	83.83	.99973	60	66.81	.98324
15	81.95	.99913	65	65.32	.98059
18	80.84	.99862	70	63.86	.97781
20	80.10	.99823	75	62.43	.97489
25	78.30	.99707	80	61.03	.97183
30	76.55	.99567	85	59.66	.96865
35	74.83	.99406	90	58.32	.96534
38	73.82	.99229	95	57.01	.96192
40	73.15	.99224	100	55.72	.95838
45	71.51	.99025			

TABLE 3. *Values of the Debye-Hückel constants for activity coefficients for aqueous solutions from 0 to 100 °C*

t °C	A		B	
	Weight basis	Volume basis	Weight basis	Volume basis
	$kg^{1/2} mol^{-1/2}$	$l^{1/2} mol^{-1/2}$	$kg^{1/2} 10^8 cm mol^{-1/2}$	$l^{1/2} 10^8 cm mol^{-1/2}$
0	0.4918	0.4918	0.3248	0.3249
5	.4953	.4953	.3256	.3256
10	.4989	.4990	.3264	.3264
15	.5027	.5029	.3271	.3273
18	.5050	.5054	.3276	.3278
20	.5067	.5072	.3279	.3282
25	.5108	.5116	.3287	.3292
30	.5151	.5162	.3294	.3301
35	.5196	.5212	.3302	.3312
38	.5224	.5242	.3307	.3318
40	.5243	.5263	.3310	.3323
45	.5292	.5318	.3318	.3334
50	.5342	.5374	.3326	.3346
55	.5395	.5434	.3334	.3358
60	.5449	.5495	.3343	.3371
65	.5505	.5559	.3351	.3384
70	.5563	.5625	.3359	.3397
75	.5623	.5695	.3368	.3411
80	.5685	.5767	.3377	.3426
85	.5750	.5843	.3386	.3440
90	.5817	.5921	.3395	.3456
95	.5886	.6001	.3405	.3471
100	.5959	.6087	.3414	.3488

TABLE 4. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Debye-Hückel limiting law
(Electrolyte, $z_+ z_- = 1$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9887	.9886	.9885	.9884	.9883	.9882	.9881	.9880	.9878
.0002	.9841	.9839	.9838	.9837	.9836	.9835	.9833	.9832	.9830
.0003	.9806	.9804	.9803	.9801	.9800	.9798	.9796	.9794	.9793
.0004	.9776	.9774	.9773	.9771	.9769	.9767	.9765	.9763	.9761
.0005	.9750	.9748	.9746	.9744	.9743	.9742	.9740	.9738	.9735
.0006	.9726	.9725	.9722	.9720	.9719	.9718	.9716	.9713	.9710
.0007	.9705	.9703	.9701	.9698	.9697	.9696	.9693	.9690	.9687
.0008	.9685	.9683	.9680	.9678	.9676	.9675	.9672	.9669	.9666
.0009	.9666	.9664	.9661	.9659	.9657	.9656	.9653	.9650	.9646
.0010	.9648	.9646	.9643	.9640	.9639	.9637	.9634	.9631	.9628
.0020	.9506	.9503	.9499	.9495	.9493	.9491	.9487	.9482	.9477
.0030	.9399	.9394	.9390	.9385	.9382	.9380	.9375	.9370	.9364
.0040	.9309	.9304	.9299	.9294	.9290	.9288	.9282	.9276	.9269
.0050	.9230	.9225	.9220	.9214	.9210	.9207	.9201	.9194	.9186
.0060	.9160	.9154	.9148	.9142	.9138	.9135	.9128	.9120	.9112
.0070	.9096	.9090	.9083	.9077	.9072	.9069	.9061	.9053	.9045
.0080	.9037	.9030	.9023	.9016	.9011	.9008	.9000	.8991	.8982
.0090	.8981	.8975	.8967	.8960	.8955	.8951	.8943	.8934	.8924
.0100	.8929	.8922	.8915	.8907	.8901	.8898	.8889	.8879	.8869
.0200	.8520	.8510	.8500	.8489	.8483	.8478	.8465	.8453	.8439
.0300	.8219	.8208	.8195	.8183	.8175	.8169	.8154	.8139	.8123
.0400	.7973	.7960	.7947	.7933	.7924	.7917	.7901	.7884	.7866
.0500	.7763	.7749	.7734	.7719	.7709	.7702	.7684	.7666	.7646
.0600	.7578	.7563	.7547	.7530	.7520	.7512	.7493	.7474	.7453
.0700	.7411	.7395	.7379	.7361	.7350	.7342	.7322	.7302	.7280
.0800	.7259	.7243	.7225	.7207	.7195	.7187	.7166	.7145	.7122
.0900	.7120	.7102	.7084	.7065	.7053	.7044	.7023	.7001	.6977
.1000	.6990	.6972	.6953	.6934	.6921	.6912	.6890	.6867	.6842

TABLE 4. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Debye-Hückel limiting law—Continued
(Electrolyte, $z_+ z_- = 1$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9877	.9876	.9874	.9873	.9871	.9870	.9868	.9866	.9865	.9863	.9861
.0002	.9827	.9825	.9823	.9821	.9818	.9816	.9814	.9812	.9809	.9806	.9804
.0003	.9788	.9786	.9783	.9781	.9778	.9775	.9773	.9770	.9767	.9764	.9760
.0004	.9756	.9753	.9750	.9747	.9744	.9741	.9738	.9735	.9731	.9727	.9724
.0005	.9727	.9724	.9721	.9718	.9715	.9711	.9707	.9704	.9700	.9696	.9691
.0006	.9701	.9698	.9695	.9691	.9688	.9684	.9680	.9676	.9672	.9667	.9663
.0007	.9678	.9674	.9671	.9667	.9663	.9659	.9655	.9650	.9646	.9641	.9636
.0008	.9656	.9652	.9648	.9644	.9640	.9636	.9631	.9627	.9622	.9617	.9611
.0009	.9636	.9632	.9628	.9623	.9619	.9614	.9609	.9604	.9599	.9594	.9588
.0010	.9616	.9612	.9608	.9603	.9599	.9594	.9589	.9583	.9578	.9572	.9566
.0020	.9462	.9456	.9450	.9444	.9437	.9430	.9423	.9416	.9409	.9401	.9392
.0030	.9345	.9338	.9330	.9323	.9315	.9307	.9298	.9290	.9280	.9271	.9261
.0040	.9247	.9239	.9231	.9222	.9213	.9204	.9194	.9184	.9174	.9163	.9152
.0050	.9162	.9153	.9144	.9135	.9125	.9114	.9104	.9093	.9081	.9069	.9056
.0060	.9086	.9076	.9066	.9056	.9045	.9034	.9023	.9010	.8998	.8985	.8971
.0070	.9016	.9006	.8996	.8984	.8973	.8961	.8948	.8935	.8922	.8908	.8893
.0080	.8952	.8941	.8930	.8918	.8906	.8893	.8880	.8866	.8852	.8837	.8822
.0090	.8892	.8881	.8869	.8857	.8844	.8830	.8816	.8802	.8787	.8771	.8755
.0100	.8836	.8824	.8812	.8799	.8785	.8771	.8756	.8741	.8725	.8709	.8692
.0200	.8395	.8378	.8362	.8344	.8326	.8307	.8288	.8267	.8246	.8225	.8202
.0300	.8071	.8052	.8032	.8012	.7990	.7968	.7945	.7921	.7897	.7872	.7845
.0400	.7808	.7786	.7764	.7741	.7718	.7693	.7668	.7641	.7613	.7585	.7555
.0500	.7583	.7559	.7536	.7511	.7486	.7459	.7431	.7402	.7372	.7342	.7310
.0600	.7385	.7360	.7335	.7309	.7281	.7253	.7223	.7192	.7161	.7129	.7094
.0700	.7208	.7182	.7155	.7127	.7099	.7068	.7038	.7005	.6972	.6938	.6902
.0800	.7047	.7019	.6992	.6963	.6933	.6901	.6869	.6835	.6800	.6765	.6727
.0900	.6899	.6870	.6841	.6811	.6780	.6748	.6714	.6679	.6643	.6606	.6567
.1000	.6762	.6732	.6702	.6671	.6639	.6606	.6571	.6535	.6498	.6460	.6420

TABLE 5. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Debye-Hückel limiting law*
(Electrolyte, $z_+z_- = 2$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9776	.9774	.9773	.9771	.9770	.9769	.9767	.9765	.9763
.0002	.9685	.9683	.9680	.9678	.9676	.9675	.9672	.9669	.9666
.0003	.9615	.9613	.9610	.9607	.9605	.9604	.9600	.9597	.9593
.0004	.9557	.9554	.9551	.9547	.9545	.9544	.9540	.9536	.9531
.0005	.9506	.9503	.9499	.9495	.9493	.9491	.9487	.9482	.9477
.0006	.9460	.9457	.9453	.9449	.9446	.9444	.9439	.9434	.9429
.0007	.9418	.9414	.9410	.9406	.9403	.9401	.9396	.9390	.9385
.0008	.9379	.9375	.9371	.9366	.9363	.9361	.9355	.9350	.9344
.0009	.9343	.9339	.9334	.9329	.9326	.9323	.9318	.9312	.9305
.0010	.9309	.9304	.9299	.9294	.9290	.9288	.9282	.9276	.9269
.0020	.9037	.9030	.9023	.9016	.9011	.9008	.9000	.8991	.8982
.0030	.8833	.8826	.8817	.8809	.8803	.8799	.8789	.8779	.8768
.0040	.8665	.8657	.8647	.8637	.8631	.8627	.8616	.8604	.8592
.0050	.8520	.8510	.8500	.8489	.8483	.8478	.8465	.8453	.8439
.0060	.8391	.8380	.8369	.8358	.8350	.8345	.8332	.8318	.8303
.0070	.8274	.8263	.8251	.8239	.8231	.8225	.8211	.8196	.8181
.0080	.8166	.8155	.8142	.8129	.8121	.8115	.8100	.8085	.8068
.0090	.8067	.8054	.8041	.8028	.8019	.8012	.7997	.7981	.7964
.0100	.7973	.7960	.7947	.7933	.7924	.7917	.7901	.7884	.7866
.0200	.7259	.7243	.7225	.7207	.7195	.7187	.7166	.7145	.7122
.0300	.6755	.6736	.6716	.6696	.6682	.6673	.6649	.6625	.6599
.0400	.6357	.6337	.6315	.6293	.6278	.6268	.6243	.6216	.6188
.0500	.6026	.6005	.5982	.5958	.5943	.5932	.5905	.5877	.5847
.0600	.5742	.5719	.5696	.5671	.5655	.5643	.5615	.5586	.5555
.0700	.5492	.5469	.5444	.5419	.5402	.5390	.5362	.5332	.5299
.0800	.5270	.5246	.5221	.5194	.5177	.5165	.5136	.5105	.5072
.0900	.5069	.5045	.5019	.4992	.4975	.4962	.4932	.4901	.4867
.1000	.4886	.4861	.4835	.4808	.4790	.4778	.4757	.4735	.4681

TABLE 5. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Debye-Hückel limiting law*—Continued
 (Electrolyte, $z_+ z_- = 2$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9756	.9753	.9750	.9747	.9744	.9741	.9738	.9735	.9731	.9727	.9724
.0002	.9656	.9652	.9648	.9644	.9640	.9636	.9631	.9627	.9622	.9617	.9611
.0003	.9580	.9576	.9571	.9566	.9561	.9556	.9550	.9545	.9539	.9533	.9526
.0004	.9517	.9512	.9506	.9501	.9495	.9489	.9483	.9476	.9469	.9462	.9455
.0005	.9462	.9456	.9450	.9444	.9437	.9430	.9423	.9416	.9409	.9401	.9392
.0006	.9412	.9405	.9399	.9392	.9385	.9378	.9370	.9362	.9354	.9345	.9336
.0007	.9366	.9359	.9352	.9345	.9338	.9330	.9321	.9313	.9304	.9295	.9285
.0008	.9324	.9317	.9309	.9302	.9294	.9285	.9276	.9267	.9258	.9248	.9238
.0009	.9284	.9277	.9269	.9261	.9252	.9243	.9234	.9224	.9215	.9204	.9193
.0010	.9247	.9239	.9231	.9222	.9213	.9204	.9194	.9184	.9174	.9163	.9152
.0020	.8952	.8941	.8930	.8918	.8906	.8893	.8880	.8866	.8852	.8837	.8822
.0030	.8732	.8719	.8706	.8692	.8677	.8662	.8646	.8630	.8613	.8595	.8577
.0040	.8551	.8536	.8521	.8505	.8489	.8472	.8454	.8435	.8416	.8396	.8375
.0050	.8395	.8378	.8362	.8344	.8326	.8307	.8288	.8267	.8246	.8225	.8202
.0060	.8256	.8238	.8220	.8201	.8182	.8162	.8141	.8119	.8096	.8073	.8048
.0070	.8130	.8111	.8092	.8072	.8051	.8030	.8008	.7984	.7960	.7936	.7909
.0080	.8014	.7995	.7974	.7953	.7932	.7909	.7886	.7861	.7836	.7810	.7782
.0090	.7907	.7887	.7866	.7844	.7821	.7797	.7773	.7747	.7721	.7694	.7665
.0100	.7808	.7786	.7764	.7741	.7718	.7693	.7668	.7641	.7613	.7585	.7555
.0200	.7047	.7019	.6992	.6963	.6933	.6901	.6869	.6835	.6800	.6765	.6727
.0300	.6514	.6483	.6451	.6418	.6385	.6349	.6313	.6275	.6236	.6196	.6154
.0400	.6096	.6062	.6028	.5993	.5957	.5918	.5879	.5838	.5796	.5754	.5708
.0500	.5750	.5715	.5679	.5641	.5603	.5563	.5522	.5479	.5435	.5390	.5343
.0600	.5454	.5417	.5380	.5342	.5302	.5260	.5218	.5173	.5128	.5082	.5033
.0700	.5196	.5158	.5120	.5080	.5039	.4996	.4953	.4907	.4861	.4813	.4763
.0800	.4966	.4927	.4888	.4848	.4806	.4763	.4718	.4672	.4624	.4576	.4526
.0900	.4759	.4720	.4681	.4639	.4597	.4553	.4508	.4461	.4413	.4365	.4313
.1000	.4572	.4532	.4492	.4451	.4408	.4363	.4318	.4270	.4222	.4173	.4121

TABLE 6. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Debye-Hückel limiting law
(Electrolyte, z.z. = 3)

Ionic strength	0	5	10	15	18	20	25	30	35	38	40	45	Temperature in degrees Celsius
.0001	.9666	.9664	.9661	.9659	.9657	.9656	.9653	.9650	.9646	.9644	.9643	.9639	
.0002	.9531	.9528	.9524	.9521	.9518	.9517	.9512	.9508	.9504	.9501	.9499	.9494	
.0003	.9429	.9425	.9420	.9416	.9413	.9411	.9406	.9401	.9395	.9392	.9390	.9384	
.0004	.9343	.9339	.9334	.9329	.9326	.9323	.9318	.9312	.9305	.9301	.9299	.9292	
.0005	.9268	.9263	.9258	.9253	.9249	.9246	.9240	.9234	.9226	.9222	.9219	.9211	
.0006	.9202	.9196	.9190	.9184	.9180	.9178	.9171	.9164	.9156	.9151	.9148	.9139	
.0007	.9140	.9135	.9128	.9122	.9118	.9115	.9107	.9100	.9091	.9086	.9083	.9074	
.0008	.9084	.9078	.9071	.9064	.9060	.9057	.9049	.9041	.9032	.9027	.9023	.9013	
.0009	.9031	.9024	.9018	.9010	.9006	.9002	.8994	.8985	.8976	.8971	.8967	.8956	
.0010	.8981	.8975	.8967	.8960	.8955	.8951	.8943	.8934	.8924	.8918	.8914	.8903	
.0020	.8590	.8581	.8571	.8561	.8554	.8550	.8538	.8526	.8513	.8505	.8499	.8485	
.0030	.8302	.8291	.8280	.8267	.8260	.8254	.8240	.8226	.8210	.8201	.8194	.8177	
.0040	.8067	.8054	.8041	.8028	.8019	.8012	.7997	.7981	.7964	.7953	.7946	.7927	
.0050	.7865	.7851	.7837	.7822	.7812	.7806	.7789	.7771	.7752	.7741	.7733	.7712	
.0060	.7686	.7672	.7657	.7641	.7631	.7623	.7605	.7587	.7566	.7554	.7546	.7524	
.0070	.7526	.7511	.7495	.7478	.7467	.7459	.7440	.7421	.7399	.7386	.7377	.7354	
.0080	.7380	.7364	.7347	.7329	.7318	.7310	.7290	.7269	.7247	.7233	.7224	.7200	
.0090	.7245	.7228	.7211	.7192	.7181	.7172	.7151	.7130	.7107	.7093	.7083	.7057	
.0100	.7120	.7102	.7084	.7065	.7053	.7044	.7023	.7001	.6977	.6962	.6952	.6926	
.0200	.6185	.6164	.6142	.6118	.6103	.6093	.6067	.6039	.6010	.5992	.5980	.5948	
.0300	.5552	.5529	.5504	.5479	.5462	.5451	.5422	.5392	.5360	.5341	.5328	.5293	
.0400	.5069	.5045	.5019	.4992	.4975	.4962	.4932	.4901	.4867	.4847	.4833	.4796	
.0500	.4678	.4653	.4627	.4599	.4581	.4568	.4537	.4505	.4471	.4450	.4436	.4398	
.0600	.4351	.4325	.4298	.4270	.4252	.4239	.4208	.4175	.4140	.4119	.4104	.4066	
.0700	.4070	.4045	.4017	.3989	.3971	.3958	.3926	.3893	.3858	.3836	.3822	.3784	
.0800	.3826	.3799	.3772	.3743	.3725	.3712	.3680	.3647	.3612	.3591	.3576	.3538	
.0900	.3609	.3583	.3555	.3527	.3509	.3496	.3464	.3431	.3396	.3375	.3360	.3322	
.1000	.3415	.3389	.3362	.3334	.3315	.3302	.3271	.3238	.3203	.3182	.3167	.3130	

TABLE 6. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Debye-Hückel limiting law*—Continued
 (Electrolyte, $z_+ z_- = 3$)

Ionic strength	Temperature in degrees Celsius									100
	50	55	60	65	70	75	80	85	90	
.0001	.9636	.9632	.9628	.9623	.9619	.9614	.9609	.9604	.9599	.9594
.0002	.9489	.9483	.9477	.9471	.9465	.9459	.9452	.9445	.9438	.9431
.0003	.9377	.9371	.9364	.9357	.9349	.9341	.9333	.9325	.9316	.9307
.0004	.9284	.9277	.9269	.9261	.9252	.9243	.9234	.9224	.9215	.9204
.0005	.9203	.9195	.9186	.9177	.9168	.9158	.9148	.9137	.9126	.9115
.0006	.9131	.9122	.9112	.9102	.9092	.9081	.9070	.9059	.9047	.9034
.0007	.9065	.9055	.9045	.9034	.9023	.9012	.9000	.8987	.8974	.8961
.0008	.9003	.8993	.8982	.8971	.8959	.8947	.8934	.8921	.8908	.8894
.0009	.8946	.8935	.8924	.8912	.8900	.8887	.8874	.8860	.8845	.8831
.0010	.8892	.8881	.8869	.8857	.8844	.8830	.8816	.8802	.8787	.8771
.0020	.8470	.8455	.8439	.8422	.8405	.8387	.8368	.8348	.8328	.8308
.0030	.8160	.8142	.8123	.8103	.8083	.8062	.8040	.8017	.7993	.7969
.0040	.7907	.7887	.7866	.7844	.7821	.7797	.7773	.7747	.7721	.7694
.0050	.7691	.7669	.7646	.7622	.7598	.7572	.7545	.7517	.7489	.7459
.0060	.7501	.7477	.7453	.7427	.7401	.7373	.7345	.7315	.7285	.7254
.0070	.7330	.7305	.7279	.7252	.7225	.7195	.7166	.7134	.7102	.7069
.0080	.7175	.7148	.7121	.7093	.7064	.7034	.7003	.6970	.6936	.6902
.0090	.7032	.7004	.6976	.6947	.6917	.6885	.6853	.6819	.6784	.6749
.0100	.6899	.6870	.6841	.6811	.6780	.6748	.6714	.6679	.6643	.6606
.0200	.5916	.5881	.5846	.5810	.5772	.5733	.5693	.5651	.5608	.5564
.0300	.5257	.5220	.5182	.5142	.5102	.5059	.5016	.4970	.4924	.4877
.0400	.4759	.4720	.4681	.4639	.4597	.4553	.4508	.4461	.4413	.4365
.0500	.4360	.4320	.4279	.4237	.4194	.4149	.4103	.4055	.4007	.3958
.0600	.4028	.3987	.3946	.3904	.3861	.3815	.3769	.3721	.3672	.3623
.0700	.3745	.3704	.3663	.3620	.3577	.3532	.3485	.3437	.3389	.3340
.0800	.3499	.3459	.3418	.3375	.3332	.3287	.3241	.3193	.3145	.3096
.0900	.3284	.3243	.3202	.3160	.3117	.3072	.3027	.2979	.2932	.2883
.1000	.3092	.3051	.3011	.2969	.2927	.2882	.2837	.2791	.2743	.2696

TABLE 7. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Debye-Hückel limiting law
(Electrolyte, $z_+ z_- = 4$)

Ionic strength	Temperature in degrees Celsius										45
	0	5	10	15	18	20	25	30	35	38	
.0001	.9557	.9554	.9551	.9547	.9544	.9540	.9536	.9531	.9529	.9527	.9522
.0002	.9379	.9375	.9371	.9366	.9363	.9361	.9355	.9350	.9344	.9340	.9337
.0003	.9245	.9240	.9235	.9229	.9225	.9223	.9216	.9210	.9202	.9198	.9195
.0004	.9134	.9128	.9122	.9115	.9111	.9108	.9101	.9093	.9085	.9080	.9076
.0005	.9037	.9030	.9023	.9016	.9011	.9008	.9000	.8991	.8982	.8977	.8963
.0006	.8950	.8943	.8935	.8927	.8922	.8919	.8910	.8901	.8891	.8885	.8869
.0007	.8871	.8863	.8855	.8847	.8841	.8837	.8828	.8818	.8807	.8801	.8796
.0008	.8797	.8789	.8781	.8772	.8766	.8762	.8752	.8742	.8730	.8724	.8719
.0009	.8729	.8721	.8712	.8703	.8697	.8692	.8682	.8671	.8659	.8652	.8647
.0010	.8665	.8657	.8647	.8637	.8631	.8627	.8616	.8604	.8592	.8584	.8579
.0020	.8166	.8155	.8142	.8129	.8121	.8115	.8100	.8085	.8068	.8058	.8051
.0030	.7803	.7789	.7775	.7759	.7749	.7742	.7725	.7707	.7688	.7676	.7668
.0040	.7509	.7494	.7478	.7461	.7450	.7442	.7423	.7403	.7382	.7369	.7360
.0050	.7259	.7243	.7225	.7207	.7195	.7187	.7166	.7145	.7122	.7108	.7098
.0060	.7041	.7023	.7005	.6985	.6973	.6964	.6942	.6919	.6895	.6880	.6870
.0070	.6846	.6827	.6808	.6787	.6774	.6765	.6742	.6718	.6692	.6677	.6666
.0080	.6669	.6650	.6629	.6608	.6595	.6585	.6561	.6536	.6509	.6493	.6482
.0090	.6507	.6487	.6466	.6444	.6430	.6420	.6395	.6370	.6342	.6325	.6314
.0100	.6357	.6337	.6315	.6293	.6278	.6268	.6243	.6216	.6188	.6170	.6159
.0200	.5270	.5246	.5221	.5194	.5177	.5165	.5136	.5105	.5072	.5052	.5038
.0300	.4563	.4538	.4511	.4483	.4465	.4452	.4421	.4389	.4354	.4333	.4319
.0400	.4042	.4016	.3988	.3960	.3942	.3929	.3897	.3864	.3829	.3808	.3793
.0500	.3632	.3606	.3578	.3550	.3531	.3518	.3487	.3454	.3418	.3397	.3383
.0600	.3297	.3271	.3244	.3216	.3198	.3185	.3153	.3121	.3086	.3065	.3050
.0700	.3017	.2991	.2964	.2936	.2918	.2906	.2875	.2843	.2808	.2788	.2773
.0800	.2777	.2752	.2725	.2698	.2680	.2668	.2637	.2606	.2572	.2552	.2538
.0900	.2569	.2545	.2519	.2492	.2475	.2462	.2433	.2402	.2369	.2349	.2336
.1000	.2387	.2363	.2338	.2311	.2295	.2283	.2254	.2224	.2191	.2172	.2159

TABLE 47 *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Debye-Hückel limiting law*—Continued
(Electrolyte, $z_+ z_- = 4$)

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9517	.9512	.9506	.9501	.9495	.9489	.9483	.9476	.9469
.0002	.9324	.9317	.9309	.9302	.9294	.9285	.9276	.9267	.9258
.0003	.9178	.9170	.9161	.9151	.9142	.9132	.9121	.9110	.9099
.0004	.9057	.9047	.9037	.9027	.9016	.9004	.8992	.8980	.8967
.0005	.8952	.8941	.8930	.8918	.8906	.8893	.8880	.8866	.8852
.0006	.8858	.8846	.8834	.8821	.8808	.8794	.8780	.8765	.8750
.0007	.8773	.8760	.8747	.8733	.8719	.8704	.8689	.8673	.8656
.0008	.8694	.8680	.8666	.8652	.8637	.8621	.8605	.8588	.8571
.0009	.8620	.8606	.8591	.8576	.8561	.8544	.8527	.8509	.8491
.0010	.8551	.8536	.8521	.8505	.8489	.8472	.8454	.8435	.8416
.0020	.8014	.7995	.7974	.7953	.7932	.7909	.7886	.7861	.7836
.0030	.7625	.7602	.7579	.7555	.7529	.7503	.7476	.7447	.7418
.0040	.7312	.7287	.7261	.7234	.7206	.7177	.7147	.7115	.7083
.0050	.7047	.7019	.6992	.6963	.6933	.6901	.6869	.6835	.6800
.0060	.6815	.6786	.6757	.6726	.6694	.6661	.6627	.6591	.6555
.0070	.6609	.6579	.6548	.6516	.6483	.6448	.6412	.6375	.6336
.0080	.6423	.6391	.6359	.6326	.6291	.6255	.6218	.6180	.6140
.0090	.6253	.6220	.6187	.6152	.6117	.6080	.6042	.6002	.5961
.0100	.6096	.6062	.6028	.5993	.5957	.5918	.5879	.5838	.5796
.0200	.4966	.4927	.4888	.4848	.4806	.4763	.4718	.4672	.4624
.0300	.4243	.4203	.4162	.4120	.4077	.4031	.3985	.3937	.3888
.0400	.3716	.3675	.3634	.3592	.3548	.3503	.3457	.3408	.3360
.0500	.3306	.3266	.3225	.3183	.3140	.3095	.3049	.3002	.2954
.0600	.2975	.2935	.2895	.2853	.2811	.2767	.2722	.2676	.2629
.0700	.2699	.2660	.2621	.2580	.2539	.2496	.2453	.2408	.2363
.0800	.2466	.2428	.2390	.2350	.2310	.2268	.2226	.2182	.2139
.0900	.2265	.2228	.2191	.2152	.2113	.2073	.2032	.1990	.1948
.1000	.2090	.2054	.2018	.1981	.1943	.1904	.1864	.1824	.1783

TABLE 8. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Debye-Hückel limiting law
(Electrolyte, $z_+ z_- = 6$)

Ionic strength	Temperature in degrees Celsius							45
	0	5	10	15	18	20	25	
.0001	.9343	.9339	.9334	.9329	.9323	.9318	.9312	.9301
.0002	.9084	.9078	.9071	.9064	.9060	.9057	.9049	.9027
.0003	.8890	.8882	.8874	.8866	.8861	.8857	.8848	.8827
.0004	.8729	.8721	.8712	.8703	.8697	.8692	.8682	.8659
.0005	.8590	.8581	.8571	.8561	.8554	.8550	.8538	.8526
.0006	.8467	.8457	.8446	.8435	.8428	.8423	.8410	.8397
.0007	.8355	.8344	.8333	.8321	.8313	.8308	.8294	.8280
.0008	.8252	.8240	.8228	.8216	.8208	.8202	.8188	.8173
.0009	.8156	.8144	.8132	.8119	.8110	.8104	.8089	.8074
.0010	.8067	.8054	.8041	.8028	.8019	.8012	.7997	.7981
.0020	.7380	.7364	.7347	.7329	.7318	.7310	.7290	.7269
.0030	.6893	.6874	.6855	.6835	.6822	.6813	.6790	.6766
.0040	.6507	.6487	.6466	.6444	.6430	.6420	.6395	.6370
.0050	.6185	.6164	.6142	.6118	.6103	.6093	.6067	.6039
.0060	.5908	.5886	.5863	.5838	.5823	.5811	.5784	.5756
.0070	.5664	.5641	.5617	.5592	.5576	.5564	.5536	.5506
.0080	.5446	.5422	.5398	.5372	.5355	.5343	.5314	.5284
.0090	.5249	.5225	.5200	.5173	.5156	.5144	.5114	.5084
.0100	.5069	.5045	.5019	.4992	.4975	.4962	.4932	.4901
.0200	.3826	.3799	.3772	.3743	.3725	.3712	.3680	.3647
.0300	.3083	.3057	.3030	.3002	.2984	.2971	.2940	.2908
.0400	.2569	.2545	.2519	.2492	.2475	.2462	.2433	.2402
.0500	.2189	.2165	.2141	.2115	.2099	.2077	.2059	.2030
.0600	.1893	.1871	.1848	.1823	.1808	.1797	.1771	.1743
.0700	.1657	.1636	.1614	.1591	.1577	.1566	.1541	.1516
.0800	.1463	.1444	.1423	.1401	.1388	.1378	.1355	.1330
.0900	.1302	.1284	.1264	.1244	.1231	.1222	.1200	.1177
.1000	.1166	.1149	.1130	.1111	.1099	.1091	.1070	.1049

TABLE 8. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Debye-Hückel limiting law—Continued
(Electrolyte, $z_+ z_- = 6$)

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9284	.9277	.9269	.9261	.9252	.9243	.9234	.9224	.9215
.0002	.9003	.8993	.8982	.8971	.8959	.8947	.8934	.8921	.8908
.0003	.8793	.8781	.8768	.8754	.8741	.8726	.8711	.8695	.8679
.0004	.8620	.8606	.8591	.8576	.8561	.8544	.8527	.8509	.8491
.0005	.8470	.8455	.8439	.8422	.8405	.8387	.8368	.8348	.8328
.0006	.8337	.8320	.8303	.8285	.8267	.8247	.8227	.8206	.8184
.0007	.8217	.8199	.8180	.8161	.8142	.8121	.8099	.8077	.8054
.0008	.8106	.8087	.8068	.8047	.8027	.8005	.7982	.7959	.7934
.0009	.8003	.7983	.7963	.7942	.7920	.7898	.7874	.7849	.7824
.0010	.7907	.7887	.7866	.7844	.7821	.7797	.7773	.7747	.7721
.0020	.7175	.7148	.7121	.7093	.7064	.7034	.7003	.6970	.6936
.0030	.6659	.6629	.6598	.6566	.6533	.6499	.6464	.6427	.6389
.0040	.6253	.6220	.6187	.6152	.6117	.6080	.6042	.6002	.5961
.0050	.5916	.5881	.5846	.5810	.5772	.5733	.5693	.5651	.5608
.0060	.5627	.5590	.5554	.5516	.5477	.5437	.5395	.5351	.5307
.0070	.5373	.5336	.5299	.5259	.5219	.5177	.5135	.5090	.5044
.0080	.5148	.5110	.5071	.5031	.4990	.4947	.4904	.4858	.4811
.0090	.4944	.4906	.4867	.4826	.4784	.4741	.4696	.4650	.4602
.0100	.4759	.4720	.4681	.4639	.4597	.4553	.4508	.4461	.4413
.0200	.3499	.3459	.3418	.3375	.3332	.3287	.3241	.3193	.3145
.0300	.2764	.2724	.2685	.2644	.2603	.2560	.2516	.2470	.2425
.0400	.2265	.2228	.2191	.2152	.2113	.2073	.2032	.1990	.1948
.0500	.1901	.1866	.1831	.1795	.1759	.1722	.1684	.1645	.1606
.0600	.1623	.1590	.1557	.1524	.1490	.1455	.1420	.1384	.1348
.0700	.1403	.1372	.1342	.1311	.1280	.1247	.1215	.1182	.1148
.0800	.1225	.1196	.1168	.1139	.1110	.1080	.1050	.1020	.0989
.0900	.1078	.1052	.1025	.0999	.0972	.0944	.0916	.0888	.0859
.1000	.0956	.0931	.0907	.0882	.0857	.0831	.0805	.0779	.0753

TABLE 9. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Debye-Hückel limiting law
(Electrolyte, $Z_+Z_- = 8$)

Ionic strength	Temperature in degrees Celsius									45
	0	5	10	15	18	20	25	30	35	
.0001	.9134	.9128	.9122	.9115	.9111	.9108	.9101	.9093	.9085	.9076
.0002	.8797	.8789	.8781	.8772	.8766	.8762	.8752	.8742	.8730	.8724
.0003	.8548	.8538	.8528	.8518	.8511	.8506	.8494	.8482	.8468	.8454
.0004	.8343	.8332	.8321	.8309	.8301	.8296	.8282	.8268	.8253	.8244
.0005	.8166	.8155	.8142	.8129	.8121	.8115	.8100	.8085	.8068	.8051
.0006	.8010	.7997	.7984	.7970	.7961	.7954	.7939	.7922	.7904	.7894
.0007	.7869	.7855	.7841	.7826	.7817	.7810	.7793	.7776	.7757	.7745
.0008	.7740	.7725	.7711	.7695	.7685	.7678	.7660	.7642	.7622	.7610
.0009	.7620	.7606	.7590	.7574	.7563	.7556	.7537	.7518	.7497	.7476
.0010	.7509	.7494	.7478	.7461	.7450	.7442	.7423	.7403	.7382	.7369
.0020	.6669	.6650	.6629	.6608	.6595	.6585	.6561	.6536	.6509	.6493
.0030	.6088	.6067	.6044	.6021	.6005	.5995	.5968	.5940	.5910	.5893
.0040	.5639	.5616	.5591	.5566	.5550	.5538	.5510	.5481	.5449	.5430
.0050	.5270	.5246	.5221	.5194	.5177	.5165	.5136	.5105	.5072	.5052
.0060	.4957	.4933	.4907	.4879	.4862	.4850	.4819	.4788	.4754	.4733
.0070	.4686	.4661	.4635	.4607	.4589	.4576	.4545	.4513	.4479	.4458
.0080	.4447	.4422	.4395	.4367	.4349	.4336	.4305	.4272	.4237	.4216
.0090	.4234	.4208	.4181	.4153	.4135	.4122	.4090	.4057	.4022	.4001
.0100	.4042	.4016	.3988	.3960	.3942	.3929	.3897	.3864	.3829	.3808
.0200	.2777	.2752	.2725	.2698	.2680	.2668	.2637	.2606	.2572	.2552
.0300	.2082	.2059	.2035	.2010	.1994	.1982	.1955	.1926	.1896	.1878
.0400	.1634	.1613	.1591	.1568	.1554	.1543	.1519	.1493	.1466	.1450
.0500	.1319	.1300	.1280	.1260	.1247	.1238	.1216	.1193	.1169	.1154
.0600	.1087	.1070	.1052	.1034	.1022	.1014	.0994	.0974	.0952	.0939
.0700	.0910	.0895	.0879	.0862	.0852	.0844	.0826	.0808	.0789	.0777
.0800	.0771	.0757	.0743	.0728	.0718	.0712	.0696	.0679	.0662	.0651
.0900	.0660	.0648	.0634	.0621	.0612	.0606	.0592	.0577	.0561	.0552
.1000	.0570	.0558	.0547	.0534	.0527	.0521	.0508	.0494	.0480	.0472

TABLE 9. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Debye-Hückel limiting law—Continued
 (Electrolyte, $z_+ z_- = 8$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9057	.9047	.9037	.9027	.9016	.9004	.8992	.8980	.8967	.8953	.8939
.0002	.8694	.8680	.8666	.8652	.8637	.8621	.8605	.8588	.8571	.8553	.8534
.0003	.8424	.8408	.8392	.8375	.8357	.8338	.8319	.8299	.8279	.8257	.8235
.0004	.8204	.8186	.8167	.8148	.8128	.8107	.8086	.8063	.8040	.8016	.7991
.0005	.8014	.7995	.7974	.7953	.7932	.7909	.7886	.7861	.7836	.7810	.7782
.0006	.7847	.7826	.7804	.7782	.7758	.7734	.7709	.7682	.7655	.7628	.7598
.0007	.7696	.7673	.7651	.7627	.7602	.7576	.7550	.7522	.7493	.7464	.7433
.0008	.7558	.7534	.7510	.7485	.7460	.7433	.7405	.7375	.7346	.7315	.7282
.0009	.7431	.7406	.7381	.7355	.7328	.7300	.7271	.7240	.7209	.7178	.7144
.0010	.7312	.7287	.7261	.7234	.7206	.7177	.7147	.7115	.7083	.7050	.7015
.0020	.6423	.6391	.6359	.6326	.6291	.6255	.6218	.6180	.6140	.6100	.6057
.0030	.5815	.5780	.5744	.5707	.5669	.5629	.5589	.5546	.5502	.5458	.5411
.0040	.5347	.5310	.5272	.5233	.5193	.5151	.5108	.5062	.5017	.4970	.4921
.0050	.4966	.4927	.4888	.4848	.4806	.4763	.4718	.4672	.4624	.4576	.4526
.0060	.4645	.4605	.4565	.4524	.4482	.4437	.4392	.4344	.4296	.4247	.4196
.0070	.4368	.4328	.4288	.4245	.4202	.4157	.4111	.4064	.4015	.3966	.3914
.0080	.4125	.4085	.4044	.4002	.3958	.3913	.3867	.3819	.3770	.3721	.3668
.0090	.3910	.3869	.3828	.3785	.3742	.3696	.3650	.3602	.3553	.3504	.3452
.0100	.3716	.3675	.3634	.3592	.3548	.3503	.3457	.3408	.3360	.3311	.3259
.0200	.2466	.2428	.2390	.2350	.2310	.2268	.2226	.2182	.2139	.2094	.2048
.0300	.1800	.1766	.1732	.1697	.1662	.1625	.1588	.1550	.1512	.1474	.1434
.0400	.1381	.1351	.1321	.1290	.1259	.1227	.1195	.1162	.1129	.1096	.1062
.0500	.1093	.1066	.1040	.1013	.986	.958	.930	.901	.873	.844	.815
.0600	.0885	.0861	.0838	.0814	.0790	.0766	.0741	.0716	.0691	.0667	.0641
.0700	.0729	.0708	.0687	.0666	.0645	.0623	.0602	.0580	.0558	.0537	.0515
.0800	.0608	.0589	.0571	.0552	.0534	.0514	.0496	.0476	.0457	.0439	.0419
.0900	.0513	.0496	.0480	.0463	.0447	.0430	.0413	.0396	.0379	.0363	.0346
.1000	.0437	.0422	.0407	.0392	.0378	.0362	.0348	.0333	.0318	.0303	.0288

TABLE 10. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Debye-Hückel limiting law
(Electrolyte, $z_+ z_- = 9$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9031	.9024	.9018	.9010	.9006	.9002	.8994	.8985	.8976
.0002	.8658	.8649	.8639	.8630	.8623	.8619	.8608	.8596	.8583
.0003	.8382	.8371	.8360	.8348	.8341	.8336	.8322	.8309	.8294
.0004	.8156	.8144	.8132	.8119	.8110	.8104	.8089	.8074	.8057
.0005	.7962	.7949	.7936	.7921	.7912	.7905	.7889	.7873	.7854
.0006	.7791	.7777	.7762	.7747	.7737	.7730	.7713	.7695	.7675
.0007	.7636	.7622	.7606	.7590	.7580	.7572	.7554	.7535	.7514
.0008	.7496	.7480	.7464	.7447	.7436	.7428	.7409	.7389	.7368
.0009	.7366	.7350	.7333	.7315	.7304	.7296	.7276	.7255	.7232
.0010	.7245	.7228	.7211	.7192	.7181	.7172	.7151	.7130	.7107
.0020	.6339	.6319	.6297	.6275	.6260	.6250	.6224	.6198	.6169
.0030	.5722	.5700	.5676	.5651	.5635	.5623	.5595	.5566	.5534
.0040	.5249	.5225	.5200	.5173	.5156	.5144	.5114	.5084	.5050
.0050	.4864	.4839	.4813	.4786	.4768	.4756	.4725	.4693	.4659
.0060	.4541	.4516	.4489	.4461	.4443	.4430	.4399	.4367	.4332
.0070	.4263	.4237	.4210	.4181	.4163	.4150	.4119	.4086	.4051
.0080	.4019	.3993	.3966	.3937	.3919	.3906	.3874	.3841	.3806
.0090	.3803	.3777	.3749	.3721	.3702	.3689	.3658	.3625	.3589
.0100	.3609	.3583	.3555	.3527	.3509	.3496	.3464	.3431	.3396
.0200	.2366	.2342	.2317	.2290	.2274	.2262	.2233	.2203	.2171
.0300	.1711	.1690	.1668	.1645	.1630	.1619	.1594	.1568	.1540
.0400	.1302	.1284	.1264	.1244	.1231	.1222	.1200	.1177	.1153
.0500	.1024	.1007	.9990	.9973	.9961	.9953	.9934	.9914	.9894
.0600	.0824	.0809	.0794	.0779	.0769	.0762	.0745	.0728	.0710
.0700	.0674	.0662	.0648	.0635	.0626	.0620	.0605	.0590	.0574
.0800	.0560	.0548	.0537	.0525	.0517	.0512	.0499	.0485	.0471
.0900	.0470	.0460	.0449	.0439	.0432	.0427	.0416	.0404	.0392
.1000	.0398	.0389	.0380	.0370	.0364	.0360	.0350	.0340	.0329

TABLE 10. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Debye-Hückel limiting law—Continued
(Electrolyte, $z_+ z_- = 9$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.8946	.8935	.8924	.8912	.8900	.8887	.8874	.8860	.8845	.8831	.8815
.0002	.8543	.8528	.8513	.8497	.8480	.8463	.8445	.8426	.8407	.8387	.8366
.0003	.8246	.8228	.8210	.8191	.8172	.8151	.8130	.8108	.8085	.8062	.8037
.0004	.8003	.7983	.7963	.7942	.7920	.7898	.7874	.7849	.7824	.7798	.7770
.0005	.7796	.7774	.7752	.7729	.7705	.7681	.7655	.7628	.7601	.7572	.7542
.0006	.7613	.7589	.7566	.7541	.7516	.7489	.7462	.7433	.7404	.7374	.7342
.0007	.7448	.7423	.7399	.7373	.7346	.7318	.7289	.7259	.7228	.7196	.7162
.0008	.7298	.7272	.7246	.7219	.7191	.7162	.7132	.7100	.7068	.7035	.6999
.0009	.7160	.7133	.7106	.7078	.7049	.7018	.6987	.6954	.6920	.6886	.6849
.0010	.7032	.7004	.6976	.6947	.6917	.6885	.6853	.6819	.6784	.6749	.6711
.0020	.6077	.6043	.6009	.5974	.5937	.5899	.5860	.5819	.5777	.5734	.5689
.0030	.5434	.5397	.5359	.5321	.5281	.5239	.5197	.5152	.5107	.5060	.5011
.0040	.4944	.4906	.4867	.4826	.4784	.4741	.4696	.4650	.4602	.4554	.4503
.0050	.4550	.4510	.4470	.4428	.4386	.4341	.4295	.4248	.4199	.4150	.4099
.0060	.4220	.4180	.4139	.4097	.4054	.4008	.3962	.3914	.3866	.3816	.3764
.0070	.3939	.3898	.3857	.3814	.3771	.3725	.3679	.3631	.3582	.3533	.3481
.0080	.3693	.3652	.3611	.3569	.3525	.3480	.3434	.3386	.3337	.3288	.3236
.0090	.3477	.3436	.3395	.3352	.3309	.3264	.3218	.3170	.3122	.3073	.3022
.0100	.3284	.3243	.3202	.3160	.3117	.3072	.3027	.2979	.2932	.2883	.2833
.0200	.2070	.2034	.1998	.1961	.1923	.1884	.1845	.1804	.1764	.1723	.1680
.0300	.1453	.1422	.1391	.1360	.1328	.1295	.1262	.1228	.1194	.1160	.1125
.0400	.1078	.1052	.1025	.0999	.0972	.0944	.0916	.0888	.0859	.0831	.0802
.0500	.0829	.0806	.0784	.0761	.0738	.0714	.0691	.0667	.0643	.0620	.0596
.0600	.0654	.0634	.0615	.0595	.0575	.0555	.0535	.0515	.0495	.0475	.0455
.0700	.0525	.0508	.0492	.0475	.0458	.0440	.0423	.0406	.0389	.0372	.0355
.0800	.0429	.0414	.0399	.0385	.0370	.0355	.0340	.0326	.0311	.0297	.0282
.0900	.0354	.0341	.0328	.0316	.0303	.0290	.0277	.0264	.0252	.0240	.0227
.1000	.0295	.0284	.0273	.0262	.0251	.0239	.0228	.0217	.0206	.0196	.0185

TABLE 11. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Debye-Hückel limiting law
(Electrolyte, $z_+z_- = 12$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.8729	.8712	.8703	.8697	.8692	.8682	.8671	.8659	.8652
.0002	.8252	.8240	.8228	.8216	.8208	.8202	.8188	.8173	.8157
.0003	.7903	.7890	.7876	.7861	.7852	.7845	.7828	.7811	.7792
.0004	.7620	.7606	.7590	.7574	.7563	.7556	.7537	.7518	.7497
.0005	.7380	.7364	.7347	.7329	.7318	.7310	.7290	.7269	.7247
.0006	.7169	.7152	.7134	.7115	.7103	.7094	.7073	.7051	.7027
.0007	.6980	.6962	.6943	.6924	.6911	.6902	.6880	.6857	.6832
.0008	.6809	.6790	.6771	.6750	.6737	.6727	.6704	.6680	.6654
.0009	.6652	.6633	.6612	.6591	.6577	.6568	.6544	.6519	.6492
.0010	.6507	.6487	.6466	.6444	.6430	.6420	.6395	.6370	.6342
.0020	.5446	.5422	.5398	.5372	.5355	.5343	.5314	.5284	.5252
.0030	.4751	.4726	.4699	.4672	.4654	.4641	.4610	.4578	.4544
.0040	.4234	.4208	.4181	.4153	.4135	.4122	.4090	.4057	.4022
.0050	.3826	.3799	.3772	.3743	.3725	.3712	.3680	.3647	.3612
.0060	.3490	.3464	.3437	.3408	.3390	.3377	.3345	.3313	.3277
.0070	.3208	.3182	.3155	.3127	.3109	.3096	.3064	.3032	.2997
.0080	.2966	.2940	.2914	.2886	.2868	.2855	.2824	.2792	.2758
.0090	.2755	.2730	.2704	.2676	.2659	.2646	.2616	.2584	.2551
.0100	.2569	.2545	.2519	.2492	.2475	.2462	.2433	.2402	.2369
.0200	.1463	.1444	.1423	.1401	.1388	.1378	.1355	.1330	.1305
.0300	.0950	.0934	.0918	.0901	.0890	.0883	.0864	.0845	.0825
.0400	.0660	.0648	.0634	.0621	.0612	.0606	.0592	.0577	.0561
.0500	.0479	.0469	.0458	.0447	.0440	.0436	.0424	.0412	.0399
.0600	.0358	.0350	.0341	.0332	.0327	.0323	.0313	.0304	.0294
.0700	.0275	.0268	.0260	.0253	.0249	.0245	.0238	.0230	.0221
.0800	.0214	.0208	.0202	.0196	.0193	.0190	.0183	.0177	.0170
.0900	.0170	.0165	.0160	.0155	.0152	.0149	.0144	.0139	.0133
.1000	.0136	.0132	.0128	.0123	.0121	.0119	.0114	.0110	.0105

TABLE 11. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Debye-Hückel limiting law—Continued
(Electrolyte, $\text{I}_+ \text{z}_- = 12$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.8620	.8606	.8591	.8576	.8561	.8544	.8527	.8509	.8491	.8472	.8452
.0002	.8106	.8087	.8068	.8047	.8027	.8005	.7982	.7959	.7934	.7910	.7883
.0003	.7732	.7710	.7688	.7664	.7640	.7614	.7588	.7561	.7532	.7504	.7473
.0004	.7431	.7406	.7381	.7355	.7328	.7300	.7271	.7240	.7209	.7178	.7144
.0005	.7175	.7148	.7121	.7093	.7064	.7034	.7003	.6970	.6936	.6902	.6865
.0006	.6951	.6923	.6894	.6864	.6834	.6801	.6768	.6734	.6698	.6662	.6623
.0007	.6751	.6722	.6692	.6661	.6628	.6595	.6560	.6524	.6487	.6449	.6408
.0008	.6571	.6540	.6509	.6476	.6443	.6408	.6372	.6334	.6296	.6256	.6214
.0009	.6405	.6373	.6341	.6308	.6273	.6237	.6200	.6161	.6121	.6081	.6038
.0010	.6253	.6220	.6187	.6152	.6117	.6080	.6042	.6002	.5961	.5919	.5875
.0020	.5148	.5110	.5071	.5031	.4990	.4947	.4904	.4858	.4811	.4764	.4713
.0030	.4334	.4394	.4353	.4311	.4269	.4224	.4178	.4130	.4082	.4032	.3980
.0040	.3910	.3869	.3828	.3785	.3742	.3696	.3650	.3602	.3553	.3504	.3452
.0050	.3499	.3459	.3418	.3375	.3332	.3287	.3241	.3193	.3145	.3096	.3044
.0060	.3166	.3125	.3085	.3043	.3000	.2956	.2910	.2863	.2816	.2768	.2718
.0070	.2887	.2847	.2807	.2766	.2724	.2681	.2636	.2590	.2544	.2497	.2448
.0080	.2650	.2611	.2572	.2531	.2490	.2448	.2404	.2360	.2315	.2269	.2222
.0090	.2445	.2406	.2368	.2329	.2289	.2247	.2205	.2162	.2118	.2074	.2028
.0100	.2265	.2228	.2191	.2152	.2113	.2073	.2032	.1990	.1948	.1905	.1860
.0200	.1225	.1196	.1168	.1139	.1110	.1080	.1050	.1020	.0989	.0959	.0927
.0300	.0764	.0742	.0721	.0699	.0677	.0655	.0633	.0610	.0588	.0566	.0543
.0400	.0513	.0496	.0480	.0463	.0447	.0430	.0413	.0396	.0379	.0363	.0346
.0500	.0361	.0348	.0335	.0322	.0309	.0296	.0283	.0270	.0258	.0245	.0233
.0600	.0263	.0253	.0243	.0232	.0222	.0212	.0202	.0192	.0182	.0172	.0162
.0700	.0197	.0188	.0180	.0172	.0164	.0156	.0148	.0140	.0132	.0124	.0117
.0800	.0150	.0143	.0136	.0130	.0123	.0117	.0110	.0104	.0098	.0092	.0086
.0900	.0116	.0111	.0105	.0100	.0094	.0089	.0084	.0079	.0074	.0069	.0064
.1000	.0091	.0087	.0082	.0078	.0073	.0069	.0065	.0061	.0057	.0053	.0049

TABLE 12. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Debye-Hückel limiting law*
(Electrolyte, $z_+ z_- = 16$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.8343	.8332	.8321	.8309	.8301	.8296	.8282	.8268	.8253
.0002	.7740	.7725	.7711	.7695	.7685	.7678	.7660	.7642	.7622
.0003	.7306	.7290	.7273	.7255	.7243	.7235	.7215	.7194	.7171
.0004	.6960	.6942	.6923	.6904	.6891	.6882	.6859	.6836	.6811
.0005	.6669	.6650	.6629	.6608	.6595	.6585	.6561	.6536	.6509
.0006	.6416	.6396	.6374	.6352	.6338	.6327	.6302	.6276	.6248
.0007	.6192	.6171	.6148	.6125	.6110	.6099	.6073	.6046	.6017
.0008	.5990	.5968	.5945	.5921	.5906	.5895	.5868	.5840	.5809
.0009	.5807	.5784	.5761	.5736	.5720	.5709	.5681	.5652	.5621
.0010	.5639	.5616	.5591	.5566	.5550	.5538	.5510	.5481	.5449
.0020	.4447	.4422	.4395	.4367	.4349	.4336	.4305	.4272	.4237
.0030	.3707	.3681	.3653	.3625	.3607	.3593	.3562	.3529	.3493
.0040	.3179	.3153	.3126	.3098	.3080	.3067	.3036	.3004	.2969
.0050	.2777	.2752	.2725	.2698	.2680	.2668	.2637	.2606	.2572
.0060	.2457	.2433	.2407	.2381	.2364	.2352	.2322	.2292	.2260
.0070	.2196	.2173	.2148	.2122	.2106	.2094	.2066	.2037	.2006
.0080	.1978	.1955	.1931	.1907	.1891	.1880	.1853	.1825	.1795
.0090	.1793	.1771	.1748	.1724	.1709	.1699	.1673	.1646	.1618
.0100	.1634	.1613	.1591	.1568	.1554	.1543	.1519	.1493	.1466
.0500	.0174	.0169	.0164	.0159	.0156	.0153	.0148	.0142	.0137
.0200	.0771	.0757	.0743	.0728	.0718	.0712	.0696	.0679	.0662
.0300	.0434	.0424	.0414	.0404	.0398	.0393	.0382	.0371	.0359
.0400	.0267	.0260	.0253	.0246	.0241	.0238	.0231	.0223	.0215
.0800	.0057	.0055	.0053	.0052	.0051	.0048	.0046	.0044	.0042
.0900	.0044	.0042	.0040	.0039	.0038	.0037	.0035	.0033	.0031
.1000	.0032	.0031	.0030	.0029	.0028	.0027	.0026	.0024	.0023

TABLE 12. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Debye-Hückel limiting law—Continued
(Electrolyte, $z_{+}z_{-} = 16$)

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.8204	.8186	.8167	.8148	.8128	.8107	.8086	.8063	.8040
.0002	.7558	.7534	.7510	.7485	.7460	.7433	.7405	.7375	.7346
.0003	.7097	.7070	.7042	.7014	.6984	.6953	.6921	.6888	.6854
.0004	.6730	.6701	.6671	.6639	.6607	.6573	.6538	.6502	.6464
.0005	.6423	.6391	.6359	.6326	.6291	.6255	.6218	.6180	.6140
.0006	.6157	.6124	.6090	.6055	.6019	.5981	.5943	.5902	.5861
.0007	.5923	.5888	.5853	.5817	.5779	.5740	.5700	.5658	.5615
.0008	.5712	.5677	.5641	.5603	.5565	.5524	.5483	.5440	.5396
.0009	.5521	.5485	.5448	.5410	.5370	.5329	.5287	.5242	.5197
.0010	.5347	.5310	.5272	.5233	.5193	.5151	.5108	.5062	.5017
.0020	.4125	.4085	.4044	.4002	.3958	.3913	.3867	.3819	.3770
.0030	.3381	.3340	.3299	.3257	.3214	.3169	.3123	.3076	.3028
.0040	.2859	.2819	.2779	.2738	.2696	.2653	.2609	.2563	.2517
.0050	.2466	.2428	.2390	.2350	.2310	.2268	.2226	.2182	.2139
.0060	.2158	.2121	.2084	.2047	.2008	.1969	.1929	.1887	.1846
.0070	.1908	.1873	.1838	.1802	.1766	.1728	.1690	.1651	.1612
.0080	.1702	.1669	.1635	.1601	.1567	.1531	.1495	.1458	.1421
.0090	.1529	.1497	.1465	.1433	.1400	.1366	.1332	.1297	.1263
.0100	.1381	.1351	.1321	.1290	.1259	.1227	.1195	.1162	.1129
.0200	.0608	.0589	.0571	.0552	.0534	.0514	.0496	.0476	.0457
.0300	.0324	.0312	.0300	.0288	.0276	.0264	.0252	.0240	.0229
.0400	.0191	.0182	.0174	.0166	.0158	.0151	.0143	.0135	.0127
.0500	.0119	.0114	.0108	.0103	.0097	.0092	.0086	.0081	.0076
.0600	.0078	.0074	.0070	.0066	.0062	.0059	.0055	.0051	.0048
.0700	.0053	.0050	.0047	.0044	.0042	.0039	.0036	.0034	.0031
.0800	.0037	.0035	.0033	.0030	.0028	.0026	.0025	.0023	.0021
.0900	.0026	.0025	.0023	.0021	.0020	.0018	.0017	.0016	.0014
.1000	.0019	.0018	.0017	.0015	.0014	.0013	.0012	.0011	.0010

TABLE 13. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Debye-Hückel limiting law
(Electrolyte, $z_+ z_- = 1$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9887	.9886	.9885	.9884	.9883	.9882	.9881	.9880	.9879
.0002	.9841	.9840	.9839	.9838	.9837	.9836	.9835	.9834	.9831
.0003	.9806	.9804	.9803	.9802	.9801	.9800	.9798	.9797	.9793
.0004	.9776	.9774	.9773	.9771	.9770	.9769	.9768	.9766	.9761
.0005	.9750	.9748	.9746	.9744	.9743	.9742	.9740	.9738	.9735
.0006	.9726	.9725	.9723	.9720	.9719	.9718	.9716	.9714	.9710
.0007	.9705	.9703	.9701	.9698	.9697	.9696	.9694	.9691	.9688
.0008	.9685	.9683	.9680	.9678	.9676	.9675	.9673	.9670	.9667
.0009	.9666	.9664	.9661	.9659	.9657	.9656	.9653	.9650	.9647
.0010	.9648	.9646	.9643	.9641	.9639	.9638	.9635	.9632	.9629
.0020	.9506	.9503	.9499	.9496	.9493	.9492	.9488	.9483	.9479
.0030	.9399	.9394	.9390	.9386	.9383	.9381	.9376	.9371	.9366
.0040	.9309	.9304	.9299	.9294	.9291	.9289	.9283	.9277	.9271
.0050	.9230	.9225	.9220	.9214	.9211	.9208	.9202	.9196	.9189
.0060	.9160	.9154	.9149	.9142	.9139	.9136	.9129	.9122	.9115
.0070	.9096	.9090	.9084	.9077	.9073	.9070	.9063	.9055	.9047
.0080	.9037	.9030	.9024	.9016	.9012	.9009	.9001	.8993	.8985
.0090	.8981	.8975	.8967	.8960	.8956	.8952	.8944	.8936	.8927
.0100	.8929	.8922	.8915	.8907	.8902	.8899	.8890	.8882	.8872
.0200	.8520	.8510	.8501	.8490	.8484	.8479	.8468	.8456	.8443
.0300	.8219	.8208	.8196	.8183	.8176	.8170	.8157	.8143	.8128
.0400	.7973	.7960	.7947	.7933	.7925	.7919	.7904	.7888	.7872
.0500	.7763	.7749	.7735	.7720	.7710	.7704	.7687	.7670	.7653
.0600	.7578	.7563	.7547	.7531	.7521	.7514	.7497	.7479	.7460
.0700	.7411	.7395	.7379	.7362	.7352	.7344	.7326	.7307	.7287
.0800	.7259	.7243	.7226	.7208	.7197	.7189	.7170	.7150	.7129
.0900	.7120	.7102	.7085	.7066	.7055	.7047	.7027	.7006	.6984
.1000	.6990	.6972	.6954	.6935	.6923	.6915	.6894	.6872	.6850

TABLE 13. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Debye-Hückel limiting law—Continued
(Electrolyte, $z_+ z_- = 1$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9878	.9877	.9875	.9874	.9873	.9871	.9870	.9868	.9867	.9865	.9864
.0002	.9828	.9826	.9824	.9822	.9820	.9819	.9817	.9815	.9812	.9810	.9808
.0003	.9789	.9787	.9785	.9783	.9781	.9778	.9776	.9773	.9771	.9768	.9765
.0004	.9757	.9755	.9752	.9750	.9747	.9744	.9742	.9739	.9736	.9733	.9729
.0005	.9729	.9726	.9723	.9721	.9718	.9715	.9712	.9708	.9705	.9701	.9698
.0006	.9703	.9700	.9697	.9694	.9691	.9688	.9684	.9681	.9677	.9673	.9669
.0007	.9680	.9677	.9673	.9670	.9667	.9663	.9660	.9656	.9652	.9648	.9643
.0008	.9658	.9655	.9651	.9648	.9644	.9640	.9637	.9632	.9628	.9624	.9619
.0009	.9638	.9634	.9631	.9627	.9623	.9619	.9615	.9611	.9606	.9602	.9597
.0010	.9618	.9615	.9611	.9607	.9603	.9599	.9595	.9590	.9585	.9580	.9575
.0020	.9465	.9460	.9454	.9449	.9443	.9437	.9431	.9425	.9419	.9412	.9405
.0030	.9348	.9342	.9336	.9329	.9322	.9315	.9308	.9300	.9293	.9285	.9276
.0040	.9252	.9244	.9237	.9230	.9222	.9214	.9205	.9197	.9188	.9179	.9169
.0050	.9167	.9159	.9151	.9143	.9134	.9125	.9116	.9106	.9096	.9086	.9075
.0060	.9091	.9083	.9074	.9065	.9055	.9046	.9036	.9025	.9015	.9003	.8992
.0070	.9022	.9013	.9003	.8994	.8984	.8973	.8963	.8951	.8940	.8928	.8915
.0080	.8958	.8948	.8938	.8928	.8917	.8906	.8895	.8883	.8871	.8858	.8845
.0090	.8899	.8888	.8878	.8867	.8856	.8844	.8832	.8820	.8807	.8793	.8779
.0100	.8843	.8832	.8821	.8809	.8798	.8786	.8773	.8760	.8746	.8733	.8718
.0200	.8403	.8389	.8374	.8359	.8343	.8327	.8310	.8292	.8274	.8256	.8236
.0300	.8081	.8064	.8047	.8029	.8010	.7991	.7971	.7951	.7930	.7908	.7885
.0400	.7819	.7800	.7781	.7761	.7740	.7719	.7697	.7674	.7650	.7626	.7600
.0500	.7595	.7575	.7554	.7532	.7509	.7486	.7462	.7437	.7412	.7386	.7358
.0600	.7399	.7376	.7354	.7331	.7307	.7282	.7257	.7230	.7203	.7175	.7146
.0700	.7222	.7199	.7175	.7151	.7126	.7100	.7073	.7045	.7016	.6987	.6956
.0800	.7062	.7037	.7013	.6987	.6961	.6934	.6906	.6876	.6847	.6816	.6784
.0900	.6914	.6889	.6863	.6837	.6809	.6781	.6752	.6722	.6691	.6659	.6626
.1000	.6778	.6751	.6725	.6698	.6669	.6640	.6610	.6579	.6547	.6514	.6480

TABLE 14. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Debye-Hückel limiting law*
(Electrolyte, $z_+z_- = 2$)

Ionic strength	Temperature in degrees Celsius							45
	0	5	10	15	18	20	25	
.0001	.9776	.9774	.9773	.9771	.9770	.9769	.9768	.9764
.0002	.9685	.9683	.9680	.9678	.9676	.9675	.9673	.9667
.0003	.9615	.9613	.9610	.9607	.9605	.9604	.9601	.9597
.0004	.9557	.9554	.9551	.9548	.9546	.9544	.9540	.9537
.0005	.9506	.9503	.9499	.9496	.9493	.9492	.9488	.9483
.0006	.9460	.9457	.9453	.9449	.9446	.9444	.9440	.9436
.0007	.9418	.9414	.9410	.9406	.9403	.9401	.9397	.9392
.0008	.9379	.9375	.9371	.9366	.9363	.9361	.9356	.9351
.0009	.9343	.9339	.9334	.9329	.9326	.9324	.9319	.9313
.0010	.9309	.9304	.9299	.9294	.9291	.9289	.9283	.9277
.0020	.9037	.9030	.9024	.9016	.9012	.9009	.9001	.8993
.0030	.8833	.8826	.8818	.8809	.8804	.8800	.8791	.8782
.0040	.8665	.8657	.8648	.8638	.8632	.8628	.8618	.8607
.0050	.8520	.8510	.8501	.8490	.8484	.8479	.8468	.8456
.0060	.8391	.8380	.8370	.8358	.8352	.8346	.8334	.8321
.0070	.8274	.8263	.8251	.8239	.8232	.8226	.8213	.8200
.0080	.8166	.8155	.8142	.8130	.8122	.8116	.8103	.8088
.0090	.8067	.8054	.8042	.8028	.8020	.8014	.8000	.7985
.0100	.7973	.7960	.7947	.7933	.7925	.7919	.7904	.7888
.0200	.7259	.7243	.7226	.7208	.7197	.7189	.7170	.7150
.0300	.6755	.6736	.6717	.6697	.6684	.6675	.6654	.6631
.0400	.6357	.6337	.6316	.6294	.6281	.6271	.6247	.6222
.0500	.6026	.6005	.5983	.5959	.5945	.5935	.5910	.5884
.0600	.5742	.5719	.5696	.5672	.5657	.5646	.5620	.5593
.0700	.5492	.5469	.5445	.5420	.5405	.5394	.5367	.5339
.0800	.5270	.5246	.5221	.5196	.5180	.5169	.5141	.5112
.0900	.5069	.5045	.5019	.4993	.4977	.4966	.4938	.4908
.1000	.4886	.4861	.4836	.4809	.4781	.4753	.4723	.4692

TABLE 14. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Debye-Hückel limiting law—Continued
(Electrolyte, $z_+ z_- = 2$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9757	.9755	.9752	.9750	.9747	.9744	.9742	.9739	.9736	.9733	.9729
.0002	.9658	.9655	.9651	.9648	.9644	.9640	.9637	.9632	.9628	.9624	.9619
.0003	.9583	.9579	.9575	.9570	.9566	.9561	.9557	.9552	.9547	.9541	.9536
.0004	.9520	.9515	.9511	.9506	.9501	.9495	.9490	.9484	.9478	.9472	.9466
.0005	.9465	.9460	.9454	.9449	.9443	.9437	.9431	.9425	.9419	.9412	.9405
.0006	.9415	.9410	.9404	.9398	.9392	.9385	.9379	.9372	.9365	.9358	.9350
.0007	.9370	.9364	.9358	.9351	.9345	.9338	.9331	.9323	.9316	.9308	.9300
.0008	.9328	.9321	.9315	.9308	.9301	.9294	.9286	.9278	.9270	.9262	.9253
.0009	.9289	.9282	.9275	.9268	.9260	.9253	.9245	.9236	.9228	.9219	.9210
.0010	.9252	.9244	.9237	.9230	.9222	.9214	.9205	.9197	.9188	.9179	.9169
.0020	.8958	.8948	.8938	.8928	.8917	.8906	.8895	.8883	.8871	.8858	.8845
.0030	.8739	.8728	.8716	.8704	.8691	.8678	.8664	.8650	.8635	.8620	.8604
.0040	.8559	.8546	.8532	.8519	.8504	.8489	.8474	.8458	.8442	.8425	.8407
.0050	.8403	.8389	.8374	.8359	.8343	.8327	.8310	.8292	.8274	.8256	.8236
.0060	.8265	.8249	.8233	.8217	.8200	.8183	.8164	.8146	.8126	.8106	.8085
.0070	.8140	.8123	.8106	.8089	.8071	.8052	.8033	.8013	.7992	.7971	.7949
.0080	.8025	.8007	.7990	.7971	.7952	.7933	.7912	.7891	.7869	.7847	.7824
.0090	.7918	.7900	.7882	.7862	.7842	.7822	.7801	.7779	.7756	.7733	.7708
.0100	.7819	.7800	.7781	.7761	.7740	.7719	.7697	.7674	.7650	.7626	.7600
.0200	.7062	.7037	.7013	.6987	.6961	.6934	.6906	.6876	.6847	.6816	.6784
.0300	.6531	.6503	.6475	.6446	.6416	.6386	.6354	.6321	.6288	.6253	.6217
.0400	.6114	.6084	.6054	.6023	.5991	.5958	.5924	.5888	.5852	.5815	.5776
.0500	.5769	.5738	.5706	.5673	.5639	.5604	.5569	.5532	.5494	.5455	.5414
.0600	.5474	.5441	.5408	.5374	.5339	.5303	.5266	.5228	.5188	.5148	.5106
.0700	.5216	.5182	.5148	.5113	.5077	.5040	.5002	.4963	.4923	.4881	.4838
.0800	.4987	.4952	.4918	.4882	.4845	.4807	.4769	.4729	.4687	.4646	.4602
.0900	.4781	.4746	.4710	.4674	.4637	.4599	.4559	.4519	.4477	.4434	.4390
.1000	.4593	.4558	.4522	.4486	.4448	.4409	.4370	.4329	.4286	.4244	.4199

TABLE 15. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Debye-Hückel limiting law
(Electrolyte, $z_+ z_- = 3$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9666	.9664	.9661	.9659	.9657	.9656	.9653	.9650	.9647
.0002	.9531	.9528	.9524	.9521	.9519	.9517	.9513	.9509	.9505
.0003	.9429	.9425	.9421	.9416	.9414	.9407	.9402	.9397	.9394
.0004	.9343	.9339	.9334	.9329	.9326	.9324	.9319	.9313	.9307
.0005	.9268	.9263	.9258	.9253	.9250	.9247	.9241	.9235	.9229
.0006	.9202	.9196	.9190	.9185	.9181	.9178	.9172	.9165	.9158
.0007	.9140	.9135	.9129	.9122	.9118	.9116	.9109	.9102	.9094
.0008	.9084	.9078	.9071	.9065	.9060	.9057	.9050	.9043	.9035
.0009	.9031	.9024	.9018	.9011	.9006	.9003	.8996	.8988	.8979
.0010	.8981	.8975	.8967	.8960	.8956	.8952	.8944	.8936	.8927
.0020	.8590	.8581	.8572	.8562	.8556	.8551	.8540	.8529	.8517
.0030	.8302	.8291	.8280	.8268	.8261	.8255	.8243	.8229	.8215
.0040	.8067	.8054	.8042	.8028	.8020	.8014	.8000	.7985	.7969
.0050	.7865	.7851	.7837	.7823	.7814	.7808	.7792	.7776	.7758
.0060	.7686	.7672	.7657	.7642	.7632	.7625	.7609	.7591	.7573
.0070	.7526	.7511	.7495	.7479	.7469	.7461	.7444	.7425	.7406
.0080	.7380	.7364	.7347	.7330	.7320	.7312	.7294	.7274	.7254
.0090	.7245	.7228	.7211	.7193	.7182	.7174	.7155	.7135	.7114
.0100	.7120	.7102	.7085	.7066	.7055	.7047	.7027	.7006	.6984
.0200	.6185	.6164	.6142	.6120	.6106	.6096	.6071	.6046	.6019
.0300	.5552	.5529	.5505	.5480	.5465	.5454	.5427	.5399	.5370
.0400	.5069	.5045	.5019	.4993	.4977	.4966	.4938	.4908	.4878
.0500	.4678	.4653	.4627	.4600	.4584	.4572	.4543	.4513	.4482
.0600	.4351	.4325	.4299	.4272	.4255	.4243	.4213	.4183	.4151
.0700	.4070	.4045	.4018	.3990	.3973	.3961	.3932	.3901	.3869
.0800	.3826	.3799	.3773	.3745	.3728	.3716	.3686	.3655	.3623
.0900	.3609	.3583	.3556	.3528	.3512	.3499	.3470	.3447	.3387
.1000	.3415	.3389	.3363	.3335	.3318	.3306	.3277	.3246	.3195

TABLE 15. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Debye-Hückel limiting law—Continued
(Electrolyte, z, $z_- = 3$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9638	.9634	.9631	.9627	.9623	.9619	.9615	.9611	.9606	.9602	.9597
.0002	.9492	.9487	.9482	.9476	.9471	.9466	.9460	.9454	.9448	.9441	.9434
.0003	.9381	.9375	.9369	.9363	.9356	.9349	.9342	.9335	.9328	.9320	.9312
.0004	.9289	.9282	.9275	.9268	.9260	.9253	.9245	.9236	.9228	.9219	.9210
.0005	.9208	.9200	.9193	.9185	.9177	.9168	.9159	.9150	.9141	.9131	.9121
.0006	.9136	.9128	.9119	.9111	.9102	.9092	.9083	.9073	.9063	.9052	.9041
.0007	.9070	.9061	.9052	.9043	.9033	.9023	.9013	.9002	.8991	.8980	.8968
.0008	.9009	.9000	.8990	.8980	.8970	.8960	.8949	.8937	.8926	.8914	.8901
.0009	.8952	.8942	.8932	.8922	.8911	.8900	.8889	.8877	.8864	.8852	.8838
.0010	.8899	.8888	.8878	.8867	.8856	.8844	.8832	.8820	.8807	.8793	.8779
.0020	.8479	.8465	.8451	.8436	.8421	.8405	.8389	.8373	.8355	.8337	.8319
.0030	.8170	.8154	.8137	.8120	.8102	.8084	.8065	.8045	.8024	.8004	.7981
.0040	.7918	.7900	.7882	.7862	.7842	.7822	.7801	.7779	.7756	.7733	.7708
.0050	.7703	.7683	.7663	.7642	.7621	.7598	.7575	.7551	.7527	.7501	.7475
.0060	.7514	.7493	.7471	.7449	.7426	.7402	.7377	.7352	.7325	.7298	.7270
.0070	.7344	.7321	.7298	.7275	.7251	.7225	.7200	.7173	.7145	.7116	.7086
.0080	.7189	.7165	.7141	.7117	.7091	.7065	.7038	.7010	.6981	.6951	.6920
.0090	.7046	.7022	.6997	.6971	.6945	.6918	.6890	.6860	.6830	.6800	.6767
.0100	.6914	.6889	.6863	.6837	.6809	.6781	.6752	.6722	.6691	.6659	.6626
.0200	.5934	.5903	.5872	.5840	.5807	.5773	.5739	.5702	.5665	.5627	.5587
.0300	.5277	.5244	.5210	.5175	.5140	.5103	.5065	.5026	.4986	.4945	.4902
.0400	.4781	.4746	.4710	.4674	.4637	.4599	.4559	.4519	.4477	.4434	.4390
.0500	.4382	.4346	.4310	.4273	.4235	.4196	.4156	.4114	.4072	.4029	.3983
.0600	.4050	.4014	.3977	.3940	.3901	.3862	.3822	.3780	.3737	.3694	.3648
.0700	.3767	.3731	.3694	.3656	.3618	.3578	.3538	.3496	.3454	.3410	.3365
.0800	.3521	.3485	.3449	.3411	.3373	.3333	.3293	.3252	.3209	.3166	.3121
.0900	.3305	.3269	.3233	.3196	.3157	.3118	.3079	.3037	.2996	.2953	.2909
.1000	.3113	.3077	.3041	.3004	.2967	.2928	.2889	.2848	.2806	.2764	.2721

TABLE 16. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Debye-Hückel limiting law*
(Electrolyte, $Z_+Z_- = 4$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9557	.9554	.9551	.9548	.9544	.9540	.9537	.9533	.9530
.0002	.9379	.9375	.9371	.9366	.9363	.9361	.9356	.9351	.9346
.0003	.9245	.9240	.9235	.9229	.9226	.9223	.9217	.9211	.9205
.0004	.9134	.9128	.9122	.9116	.9112	.9109	.9102	.9095	.9087
.0005	.9037	.9030	.9024	.9016	.9012	.9009	.9001	.8993	.8985
.0006	.8950	.8943	.8935	.8928	.8923	.8920	.8912	.8903	.8894
.0007	.8871	.8863	.8855	.8847	.8842	.8838	.8830	.8820	.8811
.0008	.8797	.8789	.8781	.8773	.8767	.8763	.8754	.8744	.8734
.0009	.8729	.8721	.8712	.8703	.8698	.8694	.8684	.8673	.8663
.0010	.8665	.8657	.8648	.8638	.8632	.8628	.8618	.8607	.8596
.0020	.8166	.8155	.8142	.8130	.8122	.8116	.8103	.8088	.8073
.0030	.7803	.7789	.7775	.7760	.7751	.7744	.7728	.7712	.7694
.0040	.7509	.7494	.7478	.7461	.7452	.7444	.7426	.7408	.7388
.0050	.7259	.7243	.7226	.7208	.7197	.7189	.7170	.7150	.7129
.0060	.7041	.7023	.7005	.6986	.6975	.6966	.6946	.6925	.6903
.0070	.6846	.6827	.6808	.6788	.6776	.6767	.6746	.6724	.6701
.0080	.6669	.6650	.6630	.6609	.6597	.6587	.6565	.6542	.6518
.0090	.6507	.6487	.6467	.6445	.6432	.6423	.6400	.6376	.6351
.0100	.6357	.6337	.6316	.6294	.6281	.6271	.6247	.6222	.6197
.0200	.5270	.5246	.5221	.5196	.5180	.5169	.5149	.5112	.5082
.0300	.4563	.4538	.4512	.4485	.4468	.4456	.4427	.4397	.4365
.0400	.4042	.4016	.3989	.3961	.3945	.3932	.3903	.3872	.3840
.0500	.3632	.3606	.3579	.3551	.3534	.3522	.3492	.3462	.3430
.0600	.3297	.3271	.3245	.3217	.3200	.3188	.3159	.3128	.3097
.0700	.3017	.2991	.2965	.2938	.2921	.2909	.2880	.2850	.2819
.0800	.2777	.2752	.2726	.2699	.2683	.2671	.2643	.2614	.2583
.0900	.2569	.2545	.2520	.2493	.2477	.2466	.2438	.2409	.2379
.1000	.2387	.2363	.2338	.2313	.2297	.2286	.2259	.2231	.2184

TABLE 16. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Debye-Hückel limiting law—Continued
(Electrolyte, $Z_{+}Z_{-} = 4$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9520	.9515	.9511	.9506	.9501	.9495	.9490	.9484	.9478	.9472	.9466
.0002	.9328	.9321	.9315	.9308	.9301	.9294	.9286	.9278	.9270	.9262	.9253
.0003	.9183	.9175	.9167	.9159	.9151	.9142	.9133	.9124	.9114	.9104	.9093
.0004	.9063	.9054	.9045	.9036	.9026	.9016	.9006	.8995	.8984	.8972	.8960
.0005	.8958	.8948	.8938	.8928	.8917	.8906	.8895	.8883	.8871	.8858	.8845
.0006	.8865	.8854	.8843	.8832	.8821	.8809	.8796	.8783	.8770	.8756	.8742
.0007	.8779	.8768	.8757	.8745	.8732	.8720	.8706	.8693	.8678	.8664	.8648
.0008	.8701	.8689	.8677	.8664	.8651	.8637	.8623	.8609	.8594	.8578	.8562
.0009	.8628	.8615	.8602	.8589	.8575	.8561	.8546	.8531	.8515	.8499	.8482
.0010	.8559	.8546	.8532	.8519	.8504	.8489	.8474	.8458	.8442	.8425	.8407
.0020	.8025	.8007	.7990	.7971	.7952	.7933	.7912	.7891	.7869	.7847	.7824
.0030	.7638	.7617	.7597	.7575	.7553	.7530	.7507	.7482	.7457	.7431	.7404
.0040	.7326	.7303	.7280	.7257	.7232	.7207	.7181	.7154	.7126	.7097	.7067
.0050	.7062	.7037	.7013	.6987	.6961	.6934	.6906	.6876	.6847	.6816	.6784
.0060	.6831	.6805	.6779	.6752	.6724	.6695	.6666	.6635	.6603	.6571	.6537
.0070	.6626	.6599	.6571	.6543	.6514	.6484	.6453	.6420	.6387	.6354	.6318
.0080	.6440	.6412	.6383	.6354	.6324	.6293	.6260	.6227	.6193	.6158	.6121
.0090	.6270	.6241	.6212	.6182	.6150	.6118	.6085	.6051	.6015	.5979	.5941
.0100	.6114	.6084	.6054	.6023	.5991	.5958	.5924	.5888	.5852	.5815	.5776
.0200	.4987	.4952	.4918	.4882	.4845	.4807	.4769	.4729	.4687	.4646	.4602
.0300	.4265	.4229	.4193	.4155	.4117	.4078	.4038	.3996	.3954	.3910	.3865
.0400	.3738	.3702	.3665	.3627	.3589	.3549	.3509	.3467	.3425	.3382	.3336
.0500	.3328	.3292	.3256	.3218	.3180	.3141	.3101	.3060	.3018	.2975	.2931
.0600	.2996	.2961	.2925	.2888	.2851	.2812	.2773	.2733	.2692	.2650	.2607
.0700	.2721	.2686	.2651	.2615	.2578	.2540	.2502	.2463	.2423	.2383	.2341
.0800	.2487	.2453	.2418	.2383	.2348	.2311	.2274	.2236	.2197	.2158	.2117
.0900	.2285	.2252	.2219	.2185	.2150	.2115	.2079	.2042	.2004	.1966	.1927
.1000	.2110	.2078	.2045	.2012	.1978	.1944	.1909	.1874	.1837	.1801	.1763

TABLE 17. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Debye-Hückel limiting law
(Electrolyte, $z_+ z_- = 6$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9343	.9339	.9334	.9329	.9326	.9319	.9313	.9307	.9304
.0002	.9084	.9078	.9071	.9065	.9060	.9057	.9043	.9035	.9030
.0003	.8890	.8882	.8875	.8867	.8862	.8858	.8849	.8840	.8831
.0004	.8729	.8721	.8712	.8703	.8698	.8694	.8684	.8673	.8663
.0005	.8590	.8581	.8572	.8562	.8556	.8551	.8540	.8529	.8517
.0006	.8467	.8457	.8447	.8436	.8429	.8424	.8413	.8400	.8388
.0007	.8355	.8344	.8333	.8321	.8314	.8309	.8297	.8284	.8270
.0008	.8252	.8240	.8229	.8217	.8209	.8204	.8191	.8177	.8162
.0009	.8156	.8144	.8132	.8119	.8111	.8106	.8092	.8078	.8063
.0010	.8067	.8054	.8042	.8028	.8020	.8014	.8000	.7985	.7969
.0020	.7380	.7364	.7347	.7330	.7320	.7312	.7294	.7274	.7254
.0030	.6833	.6874	.6856	.6836	.6824	.6815	.6794	.6772	.6749
.0040	.6507	.6487	.6467	.6445	.6432	.6423	.6400	.6376	.6351
.0050	.6185	.6164	.6142	.6120	.6106	.6096	.6071	.6046	.6019
.0060	.5908	.5886	.5863	.5839	.5825	.5814	.5789	.5762	.5735
.0070	.5664	.5641	.5618	.5593	.5578	.5567	.5541	.5513	.5485
.0080	.5446	.5422	.5398	.5373	.5358	.5347	.5320	.5291	.5262
.0090	.5249	.5225	.5200	.5174	.5159	.5147	.5120	.5091	.5061
.0100	.5069	.5045	.5019	.4993	.4977	.4966	.4938	.4878	.4859
.0200	.3826	.3799	.3773	.3745	.3728	.3716	.3686	.3655	.3623
.0300	.3083	.3057	.3031	.3003	.2987	.2975	.2946	.2915	.2884
.0400	.2569	.2545	.2520	.2493	.2477	.2466	.2438	.2409	.2379
.0500	.2189	.2165	.2141	.2116	.2101	.2090	.2064	.2037	.2009
.0600	.1893	.1871	.1848	.1825	.1811	.1800	.1775	.1750	.1723
.0700	.1657	.1636	.1614	.1592	.1579	.1569	.1546	.1522	.1497
.0800	.1463	.1444	.1423	.1402	.1390	.1381	.1359	.1336	.1313
.0900	.1302	.1284	.1265	.1245	.1233	.1224	.1204	.1183	.1161
.1000	.1166	.1149	.1131	.1112	.1101	.1093	.1074	.1054	.1033

TABLE 17. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Debye-Hückel limiting law—Continued
(Electrolyte, $z_+z_- = 6$)

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9289	.9282	.9275	.9268	.9260	.9253	.9245	.9236	.9228
.0002	.9009	.9000	.8990	.8980	.8970	.8960	.8949	.8937	.8926
.0003	.8800	.8789	.8778	.8766	.8754	.8741	.8728	.8715	.8701
.0004	.8628	.8615	.8602	.8589	.8575	.8561	.8546	.8531	.8515
.0005	.8479	.8465	.8451	.8436	.8421	.8405	.8389	.8373	.8355
.0006	.8346	.8331	.8316	.8300	.8284	.8267	.8250	.8232	.8213
.0007	.8226	.8210	.8194	.8177	.8160	.8142	.8124	.8104	.8085
.0008	.8116	.8099	.8082	.8064	.8046	.8027	.8008	.7988	.7967
.0009	.8014	.7996	.7978	.7960	.7941	.7921	.7901	.7880	.7858
.0010	.7918	.7900	.7882	.7862	.7842	.7822	.7801	.7779	.7756
.0020	.7189	.7165	.7141	.7117	.7091	.7065	.7038	.7010	.6981
.0030	.6675	.6648	.6621	.6593	.6564	.6534	.6504	.6472	.6439
.0040	.6270	.6241	.6212	.6182	.6150	.6118	.6085	.6051	.6015
.0050	.5934	.5903	.5872	.5840	.5807	.5773	.5739	.5702	.5665
.0060	.5646	.5614	.5582	.5548	.5514	.5479	.5442	.5405	.5366
.0070	.5393	.5360	.5327	.5292	.5257	.5221	.5183	.5145	.5105
.0080	.5168	.5134	.5100	.5065	.5029	.4992	.4953	.4914	.4873
.0090	.4965	.4931	.4896	.4860	.4823	.4786	.4747	.4707	.4665
.0100	.4781	.4746	.4710	.4674	.4637	.4599	.4559	.4519	.4477
.0200	.3521	.3485	.3449	.3411	.3373	.3333	.3293	.3252	.3209
.0300	.2785	.2750	.2715	.2679	.2642	.2604	.2566	.2526	.2486
.0400	.2285	.2252	.2219	.2185	.2150	.2115	.2079	.2042	.2004
.0500	.1920	.1889	.1858	.1826	.1793	.1760	.1727	.1693	.1658
.0600	.1640	.1611	.1582	.1552	.1522	.1491	.1460	.1429	.1397
.0700	.1419	.1392	.1365	.1337	.1309	.1280	.1252	.1222	.1193
.0800	.1240	.1215	.1189	.1164	.1137	.1111	.1084	.1057	.1030
.0900	.1093	.1069	.1045	.1021	.0997	.0972	.0948	.0923	.0897
.1000	.0969	.0947	.0925	.0903	.0880	.0857	.0834	.0811	.0788

TABLE 18. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Debye-Hückel limiting law*
(Electrolyte, $z_+z_- = 8$)

Ionic strength	Temperature in degrees Celsius						
	0	5	10	15	18	20	25
.0001	.9134	.9128	.9122	.9116	.9112	.9109	.9102
.0002	.8797	.8789	.8781	.8773	.8767	.8763	.8754
.0003	.8548	.8538	.8528	.8518	.8512	.8507	.8496
.0004	.8343	.8332	.8321	.8309	.8302	.8297	.8285
.0005	.8166	.8155	.8142	.8130	.8122	.8116	.8103
.0006	.8010	.7997	.7984	.7971	.7962	.7956	.7942
.0007	.7869	.7855	.7842	.7827	.7818	.7812	.7796
.0008	.7740	.7725	.7711	.7696	.7687	.7680	.7663
.0009	.7620	.7606	.7590	.7574	.7565	.7558	.7541
.0010	.7509	.7494	.7478	.7461	.7452	.7444	.7426
.0020	.6669	.6650	.6630	.6609	.6597	.6587	.6565
.0030	.6088	.6067	.6045	.6022	.6008	.5998	.5973
.0040	.5639	.5616	.5592	.5567	.5552	.5542	.5515
.0050	.5270	.5246	.5221	.5196	.5180	.5169	.5141
.0060	.4957	.4933	.4907	.4881	.4865	.4853	.4825
.0070	.4686	.4661	.4635	.4608	.4592	.4580	.4551
.0080	.4447	.4422	.4396	.4368	.4352	.4339	.4310
.0090	.4234	.4208	.4182	.4154	.4137	.4125	.4096
.0100	.4042	.4016	.3989	.3961	.3945	.3932	.3903
.0200	.2777	.2752	.2726	.2699	.2683	.2671	.2643
.0300	.2082	.2059	.2036	.2011	.1996	.1986	.1960
.0400	.1634	.1613	.1591	.1569	.1556	.1546	.1523
.0500	.1319	.1300	.1281	.1261	.1249	.1240	.1220
.0600	.1087	.1070	.1053	.1035	.1024	.1016	.0998
.0700	.0910	.0895	.0879	.0863	.0853	.0846	.0830
.0800	.0771	.0757	.0743	.0729	.0720	.0714	.0699
.0900	.0660	.0648	.0635	.0622	.0614	.0608	.0594
.1000	.0570	.0558	.0547	.0535	.0528	.0523	.0510

TABLE 18. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Debye-Hückel limiting law—Continued
(Electrolyte, $z_+ z_- = 8$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9063	.9054	.9045	.9036	.9026	.9016	.9006	.8995	.8984	.8972	.8960
.0002	.8701	.8689	.8677	.8664	.8651	.8637	.8623	.8609	.8594	.8578	.8562
.0003	.8433	.8419	.8404	.8389	.8374	.8358	.8341	.8324	.8306	.8288	.8269
.0004	.8213	.8197	.8181	.8164	.8147	.8129	.8110	.8091	.8071	.8051	.8029
.0005	.8025	.8007	.7990	.7971	.7952	.7933	.7912	.7891	.7869	.7847	.7824
.0006	.7858	.7839	.7820	.7801	.7780	.7759	.7737	.7715	.7691	.7668	.7642
.0007	.7708	.7688	.7668	.7647	.7625	.7603	.7580	.7556	.7531	.7506	.7479
.0008	.7570	.7550	.7528	.7506	.7484	.7460	.7436	.7411	.7385	.7359	.7331
.0009	.7444	.7422	.7400	.7377	.7353	.7329	.7304	.7278	.7251	.7223	.7194
.0010	.7326	.7303	.7280	.7257	.7232	.7207	.7181	.7154	.7126	.7097	.7067
.0020	.6440	.6412	.6383	.6354	.6324	.6293	.6260	.6227	.6193	.6158	.6121
.0030	.5833	.5802	.5771	.5738	.5705	.5670	.5635	.5598	.5560	.5522	.5481
.0040	.5367	.5334	.5300	.5266	.5230	.5194	.5157	.5118	.5078	.5037	.4995
.0050	.4987	.4952	.4918	.4882	.4845	.4807	.4769	.4729	.4687	.4646	.4602
.0060	.4666	.4631	.4596	.4559	.4521	.4483	.4443	.4402	.4360	.4318	.4273
.0070	.4390	.4354	.4318	.4281	.4243	.4204	.4164	.4122	.4080	.4037	.3992
.0080	.4147	.4111	.4075	.4037	.3999	.3960	.3919	.3878	.3835	.3792	.3746
.0090	.3932	.3895	.3859	.3821	.3783	.3743	.3703	.3661	.3618	.3575	.3530
.0100	.3738	.3702	.3665	.3627	.3589	.3549	.3509	.3467	.3425	.3382	.3336
.0200	.2487	.2453	.2418	.2383	.2348	.2311	.2274	.2236	.2197	.2158	.2117
.0300	.1819	.1788	.1758	.1727	.1695	.1663	.1630	.1597	.1563	.1529	.1494
.0400	.1397	.1370	.1343	.1316	.1288	.1260	.1231	.1202	.1173	.1144	.1113
.0500	.1108	.1084	.1060	.1036	.1011	.0987	.0962	.0936	.0911	.0885	.0859
.0600	.0898	.0877	.0855	.0834	.0813	.0791	.0769	.0747	.0725	.0702	.0680
.0700	.0740	.0721	.0703	.0684	.0665	.0645	.0626	.0607	.0587	.0568	.0548
.0800	.0618	.0602	.0585	.0568	.0551	.0534	.0517	.0500	.0483	.0466	.0448
.0900	.0522	.0507	.0492	.0477	.0462	.0447	.0432	.0417	.0402	.0387	.0371
.1000	.0445	.0432	.0418	.0405	.0391	.0378	.0365	.0351	.0338	.0324	.0311

TABLE 19. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Debye-Hückel limiting law
(Electrolyte, z_{z-} = 9)

Ionic strength	Temperature in degrees Celsius							45
	0	5	10	15	18	20	25	
.0001	.9031	.9024	.9018	.9011	.9006	.9003	.8996	.8974
.0002	.8658	.8649	.8640	.8630	.8624	.8620	.8610	.8580
.0003	.8382	.8371	.8360	.8349	.8342	.8337	.8325	.8299
.0004	.8156	.8144	.8132	.8119	.8111	.8106	.8092	.8078
.0005	.7962	.7949	.7936	.7922	.7914	.7907	.7892	.7877
.0006	.7791	.7777	.7763	.7748	.7739	.7732	.7716	.7699
.0007	.7636	.7622	.7607	.7591	.7581	.7574	.7557	.7540
.0008	.7496	.7480	.7465	.7448	.7438	.7430	.7413	.7394
.0009	.7366	.7350	.7333	.7316	.7306	.7298	.7279	.7260
.0010	.7245	.7228	.7211	.7193	.7182	.7174	.7155	.7135
.0020	.6339	.6319	.6298	.6276	.6262	.6253	.6229	.6204
.0030	.5722	.5700	.5676	.5652	.5637	.5626	.5600	.5573
.0040	.5249	.5225	.5200	.5174	.5159	.5147	.5120	.5091
.0050	.4864	.4839	.4814	.4787	.4771	.4759	.4731	.4701
.0060	.4541	.4516	.4490	.4462	.4446	.4434	.4405	.4374
.0070	.4263	.4237	.4210	.4183	.4166	.4154	.4124	.4094
.0080	.4019	.3993	.3966	.3939	.3922	.3909	.3880	.3849
.0090	.3803	.3777	.3750	.3722	.3705	.3693	.3663	.3632
.0100	.3609	.3583	.3556	.3528	.3512	.3499	.3470	.3439
.0200	.2366	.2342	.2317	.2292	.2276	.2265	.2238	.2210
.0300	.1711	.1690	.1668	.1646	.1632	.1622	.1599	.1574
.0400	.1302	.1284	.1265	.1245	.1233	.1224	.1204	.1183
.0500	.1024	.1007	.0991	.0973	.0963	.0956	.0938	.0919
.0600	.0824	.0809	.0795	.0779	.0770	.0764	.0748	.0732
.0700	.0674	.0662	.0649	.0635	.0627	.0622	.0608	.0594
.0800	.0560	.0548	.0537	.0525	.0518	.0513	.0501	.0488
.0900	.0470	.0460	.0450	.0439	.0433	.0428	.0418	.0407
.1000	.0398	.0389	.0380	.0371	.0365	.0361	.0352	.0342

TABLE 19. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Debye-Hückel limiting law—Continued

(Electrolyte, $z_+ z_- = 9$)

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.8952	.8942	.8932	.8922	.8911	.8900	.8889	.8877	.8864
.0002	.8551	.8538	.8524	.8510	.8496	.8481	.8465	.8449	.8433
.0003	.8255	.8239	.8224	.8207	.8190	.8172	.8154	.8135	.8116
.0004	.8014	.7996	.7978	.7960	.7941	.7921	.7880	.7858	.7835
.0005	.7807	.7788	.7769	.7748	.7728	.7706	.7684	.7661	.7637
.0006	.7625	.7604	.7584	.7562	.7540	.7517	.7493	.7469	.7443
.0007	.7461	.7439	.7417	.7395	.7371	.7347	.7322	.7296	.7269
.0008	.7312	.7289	.7266	.7242	.7218	.7192	.7166	.7139	.7111
.0009	.7174	.7150	.7127	.7102	.7076	.7050	.7023	.6994	.6965
.0010	.7046	.7022	.6997	.6971	.6945	.6918	.6890	.6860	.6830
.0020	.6095	.6065	.6035	.6004	.5972	.5939	.5905	.5869	.5833
.0030	.5453	.5421	.5388	.5353	.5318	.5282	.5245	.5207	.5167
.0040	.4965	.4931	.4896	.4860	.4823	.4786	.4747	.4707	.4665
.0050	.4571	.4536	.4500	.4463	.4426	.4387	.4347	.4306	.4264
.0060	.4242	.4206	.4170	.4133	.4094	.4055	.4015	.3973	.3931
.0070	.3961	.3924	.3888	.3850	.3812	.3772	.3732	.3690	.3647
.0080	.3715	.3679	.3642	.3605	.3566	.3527	.3486	.3445	.3402
.0090	.3499	.3462	.3426	.3388	.3350	.3311	.3270	.3229	.3187
.0100	.3305	.3269	.3233	.3196	.3157	.3118	.3079	.3037	.2996
.0200	.2090	.2057	.2025	.1992	.1959	.1924	.1890	.1854	.1818
.0300	.1470	.1442	.1414	.1386	.1358	.1329	.1300	.1270	.1239
.0400	.1093	.1069	.1045	.1021	.0997	.0972	.0948	.0923	.0897
.0500	.0841	.0821	.0801	.0780	.0759	.0739	.0718	.0696	.0675
.0600	.0664	.0647	.0629	.0612	.0594	.0576	.0558	.0540	.0522
.0700	.0535	.0519	.0504	.0489	.0474	.0458	.0443	.0427	.0412
.0800	.0437	.0423	.0410	.0397	.0384	.0370	.0357	.0344	.0331
.0900	.0361	.0349	.0338	.0326	.0315	.0303	.0292	.0280	.0269
.1000	.0302	.0291	.0281	.0271	.0261	.0251	.0241	.0231	.0221

TABLE 20. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Debye-Hückel limiting law*
(Electrolyte, z₊z₋ = 12)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.8729	.8721	.8712	.8703	.8698	.8694	.8684	.8673	.8663
.0002	.8252	.8240	.8229	.8217	.8209	.8204	.8191	.8177	.8162
.0003	.7903	.7890	.7876	.7862	.7853	.7847	.7831	.7815	.7798
.0004	.7620	.7606	.7590	.7574	.7565	.7558	.7541	.7523	.7504
.0005	.7380	.7364	.7347	.7330	.7320	.7312	.7294	.7274	.7254
.0006	.7169	.7152	.7134	.7116	.7105	.7097	.7077	.7057	.7035
.0007	.6980	.6962	.6944	.6925	.6913	.6904	.6884	.6862	.6840
.0008	.6809	.6790	.6771	.6751	.6739	.6730	.6709	.6686	.6663
.0009	.6652	.6633	.6613	.6592	.6580	.6570	.6548	.6525	.6500
.0010	.6507	.6487	.6467	.6445	.6432	.6423	.6400	.6376	.6351
.0020	.5446	.5422	.5398	.5373	.5358	.5347	.5320	.5291	.5262
.0030	.4751	.4726	.4700	.4673	.4657	.4645	.4616	.4586	.4555
.0040	.4234	.4208	.4182	.4154	.4137	.4125	.4096	.4065	.4033
.0050	.3826	.3799	.3773	.3745	.3728	.3716	.3686	.3655	.3623
.0060	.3490	.3464	.3438	.3410	.3393	.3381	.3351	.3321	.3289
.0070	.3208	.3182	.3156	.3128	.3112	.3099	.3070	.3040	.3008
.0080	.2966	.2940	.2914	.2887	.2871	.2859	.2830	.2800	.2769
.0090	.2755	.2730	.2704	.2677	.2661	.2649	.2621	.2592	.2561
.0100	.2569	.2545	.2520	.2493	.2477	.2466	.2438	.2409	.2379
.0200	.1463	.1444	.1423	.1402	.1390	.1381	.1359	.1336	.1313
.0300	.0950	.0934	.0918	.0902	.0892	.0885	.0868	.0850	.0832
.0400	.0660	.0648	.0635	.0622	.0614	.0608	.0594	.0580	.0566
.0500	.0479	.0469	.0458	.0448	.0442	.0437	.0426	.0415	.0403
.0600	.0358	.0350	.0342	.0333	.0328	.0324	.0315	.0306	.0297
.0700	.0275	.0268	.0261	.0253	.0249	.0246	.0239	.0232	.0224
.0800	.0214	.0208	.0203	.0197	.0193	.0191	.0185	.0179	.0172
.0900	.0170	.0165	.0160	.0155	.0152	.0150	.0145	.0140	.0135
.1000	.0136	.0132	.0128	.0124	.0121	.0119	.0115	.0111	.0107

TABLE 20. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Debye-Hückel limiting law*—Continued
 (Electrolyte, z₊z₋ = 12)

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.8628	.8615	.8602	.8589	.8575	.8561	.8546	.8531	.8515
.0002	.8116	.8099	.8082	.8064	.8046	.8027	.8008	.7988	.7967
.0003	.7744	.7724	.7705	.7684	.7663	.7641	.7618	.7594	.7570
.0004	.7444	.7422	.7400	.7377	.7353	.7329	.7304	.7278	.7251
.0005	.7189	.7165	.7141	.7117	.7091	.7065	.7038	.7010	.6981
.0006	.6966	.6941	.6916	.6889	.6862	.6835	.6806	.6776	.6746
.0007	.6767	.6741	.6714	.6687	.6659	.6629	.6599	.6568	.6536
.0008	.6587	.6560	.6532	.6504	.6474	.6444	.6413	.6380	.6347
.0009	.6422	.6394	.6366	.6336	.6306	.6274	.6242	.6209	.6174
.0010	.6270	.6241	.6212	.6182	.6150	.6118	.6085	.6051	.6015
.0020	.5168	.5134	.5100	.5065	.5029	.4992	.4953	.4914	.4873
.0030	.4455	.4420	.4384	.4347	.4309	.4270	.4230	.4189	.4146
.0040	.3932	.3895	.3859	.3821	.3783	.3743	.3703	.3661	.3618
.0050	.3521	.3485	.3449	.3411	.3373	.3333	.3293	.3252	.3209
.0060	.3188	.3152	.3115	.3078	.3040	.3001	.2962	.2921	.2879
.0070	.2908	.2873	.2837	.2801	.2764	.2726	.2687	.2647	.2606
.0080	.2671	.2636	.2601	.2565	.2529	.2492	.2454	.2415	.2375
.0090	.2465	.2431	.2397	.2362	.2326	.2290	.2253	.2215	.2177
.0100	.2285	.2252	.2219	.2185	.2150	.2115	.2079	.2042	.2004
.0200	.1240	.1215	.1189	.1164	.1137	.1111	.1084	.1057	.1030
.0300	.0776	.0756	.0737	.0717	.0698	.0678	.0658	.0638	.0618
.0400	.0522	.0507	.0492	.0477	.0462	.0447	.0432	.0417	.0402
.0500	.0369	.0357	.0345	.0333	.0322	.0310	.0298	.0286	.0275
.0600	.0269	.0260	.0250	.0241	.0232	.0222	.0213	.0204	.0195
.0700	.0201	.0194	.0186	.0179	.0171	.0164	.0157	.0149	.0142
.0800	.0154	.0148	.0141	.0135	.0129	.0123	.0118	.0112	.0106
.0900	.0119	.0114	.0109	.0104	.0099	.0095	.0090	.0085	.0081
.1000	.0094	.0090	.0086	.0081	.0077	.0073	.0070	.0066	.0062

TABLE 21. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Debye-Hückel limiting law*
(Electrolyte, $z_+ z_- = 16$)

Ionic strength	Temperature in degrees Celsius							
	0	5	10	15	18	20	25	30
.0001	.8343	.8332	.8321	.8309	.8302	.8297	.8285	.8271
.0002	.7740	.7725	.7711	.7696	.7687	.7680	.7663	.7646
.0003	.7306	.7290	.7273	.7256	.7245	.7237	.7218	.7199
.0004	.6960	.6942	.6924	.6905	.6893	.6884	.6863	.6842
.0005	.6669	.6650	.6630	.6609	.6597	.6587	.6565	.6542
.0006	.6416	.6396	.6375	.6353	.6340	.6330	.6307	.6282
.0007	.6192	.6171	.6149	.6126	.6113	.6102	.6078	.6053
.0008	.5990	.5968	.5946	.5922	.5908	.5898	.5873	.5846
.0009	.5807	.5784	.5761	.5737	.5723	.5712	.5686	.5659
.0010	.5639	.5616	.5592	.5567	.5552	.5542	.5515	.5488
.0020	.4447	.4422	.4396	.4368	.4352	.4339	.4310	.4280
.0030	.3707	.3681	.3654	.3626	.3609	.3597	.3567	.3537
.0040	.3179	.3153	.3127	.3100	.3083	.3071	.3042	.3011
.0050	.2777	.2752	.2726	.2699	.2683	.2671	.2643	.2614
.0060	.2457	.2433	.2408	.2382	.2367	.2355	.2328	.2299
.0070	.2196	.2173	.2149	.2124	.2109	.2098	.2071	.2044
.0080	.1978	.1955	.1932	.1908	.1894	.1883	.1858	.1832
.0090	.1793	.1771	.1749	.1726	.1712	.1702	.1677	.1652
.0100	.1634	.1613	.1591	.1569	.1556	.1546	.1523	.1499
.0200	.0771	.0757	.0743	.0729	.0720	.0714	.0699	.0683
.0300	.0434	.0424	.0414	.0404	.0399	.0394	.0384	.0374
.0400	.0267	.0260	.0253	.0246	.0242	.0239	.0232	.0225
.0500	.0174	.0169	.0164	.0159	.0156	.0154	.0149	.0144
.0600	.0118	.0115	.0111	.0107	.0105	.0103	.0100	.0096
.0700	.0083	.0080	.0077	.0074	.0073	.0072	.0069	.0066
.0800	.0059	.0057	.0055	.0053	.0052	.0051	.0049	.0047
.0900	.0044	.0042	.0040	.0039	.0038	.0037	.0035	.0034
.1000	.0032	.0031	.0030	.0029	.0028	.0027	.0026	.0025

TABLE 21. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Debye-Hückel limiting law—Continued
(Electrolyte, $z_+ z_- = 16$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.8213	.8197	.8181	.8164	.8147	.8129	.8110	.8091	.8071	.8051	.8029
.0002	.7570	.7550	.7528	.7506	.7484	.7460	.7436	.7411	.7385	.7359	.7331
.0003	.7111	.7087	.7063	.7038	.7012	.6985	.6957	.6929	.6899	.6869	.6837
.0004	.6746	.6720	.6693	.6666	.6637	.6608	.6578	.6546	.6514	.6481	.6446
.0005	.6440	.6412	.6383	.6354	.6324	.6293	.6260	.6227	.6193	.6158	.6121
.0006	.6175	.6146	.6116	.6085	.6053	.6020	.5987	.5952	.5916	.5879	.5841
.0007	.5941	.5910	.5879	.5847	.5814	.5781	.5746	.5709	.5672	.5634	.5594
.0008	.5731	.5700	.5668	.5635	.5601	.5566	.5530	.5493	.5454	.5415	.5374
.0009	.5541	.5509	.5476	.5442	.5407	.5372	.5335	.5297	.5258	.5218	.5176
.0010	.5367	.5334	.5300	.5266	.5230	.5194	.5157	.5118	.5078	.5037	.4995
.0020	.4147	.4111	.4075	.4037	.3999	.3960	.3919	.3878	.3835	.3792	.3746
.0030	.3403	.3367	.3330	.3293	.3254	.3215	.3175	.3134	.3092	.3049	.3005
.0040	.2880	.2845	.2809	.2773	.2736	.2698	.2659	.2619	.2578	.2537	.2495
.0050	.2487	.2453	.2418	.2383	.2348	.2311	.2274	.2236	.2197	.2158	.2117
.0060	.2177	.2145	.2112	.2078	.2044	.2010	.1974	.1938	.1901	.1864	.1826
.0070	.1927	.1896	.1865	.1833	.1800	.1767	.1734	.1699	.1665	.1630	.1593
.0080	.1720	.1690	.1660	.1630	.1599	.1568	.1536	.1504	.1471	.1438	.1404
.0090	.1546	.1517	.1489	.1460	.1431	.1401	.1371	.1340	.1309	.1278	.1246
.0100	.1397	.1370	.1343	.1316	.1288	.1260	.1231	.1202	.1173	.1144	.1113
.0200	.0618	.0602	.0585	.0568	.0551	.0534	.0517	.0500	.0483	.0466	.0448
.0300	.0331	.0320	.0309	.0298	.0287	.0277	.0266	.0255	.0244	.0234	.0223
.0400	.0195	.0188	.0180	.0173	.0166	.0159	.0152	.0145	.0138	.0131	.0124
.0500	.0123	.0117	.0112	.0107	.0102	.0097	.0092	.0088	.0083	.0078	.0074
.0600	.0081	.0077	.0073	.0070	.0066	.0063	.0059	.0056	.0053	.0049	.0046
.0700	.0055	.0052	.0049	.0047	.0044	.0042	.0039	.0037	.0034	.0032	.0030
.0800	.0038	.0036	.0034	.0032	.0030	.0029	.0027	.0025	.0023	.0022	.0020
.0900	.0027	.0026	.0024	.0023	.0021	.0020	.0019	.0017	.0016	.0015	.0014
.1000	.0020	.0019	.0017	.0016	.0015	.0014	.0013	.0012	.0011	.0011	.0010

TABLE 22. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—
Güntelberg*
(Electrolyte, $z_{+}z_{-} = 1$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9889	.9887	.9886	.9885	.9884	.9883	.9882	.9881	.9879
.0002	.9843	.9842	.9840	.9839	.9838	.9837	.9836	.9834	.9832
.0003	.9809	.9808	.9806	.9805	.9804	.9803	.9801	.9798	.9796
.0004	.9780	.9779	.9777	.9776	.9774	.9773	.9770	.9767	.9765
.0005	.9755	.9754	.9752	.9750	.9749	.9748	.9746	.9743	.9738
.0006	.9733	.9731	.9729	.9727	.9726	.9725	.9722	.9720	.9717
.0007	.9712	.9710	.9708	.9706	.9704	.9703	.9701	.9698	.9694
.0008	.9693	.9691	.9689	.9687	.9685	.9684	.9681	.9678	.9675
.0009	.9676	.9673	.9671	.9668	.9667	.9666	.9663	.9660	.9656
.0010	.9659	.9656	.9654	.9651	.9650	.9648	.9645	.9642	.9639
.0020	.9527	.9524	.9520	.9516	.9514	.9512	.9508	.9504	.9499
.0030	.9429	.9425	.9421	.9416	.9414	.9412	.9407	.9401	.9396
.0040	.9349	.9344	.9339	.9334	.9331	.9329	.9323	.9317	.9311
.0050	.9279	.9274	.9269	.9264	.9260	.9258	.9252	.9245	.9238
.0060	.9218	.9213	.9207	.9201	.9197	.9195	.9188	.9181	.9173
.0070	.9163	.9157	.9151	.9145	.9141	.9138	.9131	.9123	.9115
.0080	.9112	.9106	.9100	.9093	.9089	.9086	.9078	.9070	.9062
.0090	.9065	.9059	.9052	.9045	.9041	.9038	.9030	.9021	.9012
.0100	.9022	.9015	.9008	.9001	.8996	.8993	.8984	.8976	.8966
.0200	.8691	.8682	.8673	.8663	.8657	.8653	.8642	.8631	.8618
.0300	.8460	.8450	.8440	.8429	.8421	.8416	.8404	.8391	.8376
.0400	.8280	.8269	.8257	.8245	.8237	.8231	.8217	.8203	.8187
.0500	.8131	.8119	.8106	.8093	.8084	.8078	.8063	.8048	.8031
.0600	.8003	.7990	.7977	.7963	.7954	.7947	.7931	.7915	.7897
.0700	.7891	.7877	.7863	.7848	.7839	.7832	.7816	.7798	.7780
.0800	.7791	.7777	.7762	.7747	.7737	.7730	.7713	.7695	.7675
.0900	.7700	.7686	.7671	.7655	.7645	.7638	.7620	.7601	.7581
.1000	.7618	.7603	.7588	.7571	.7561	.7553	.7535	.7516	.7495

TABLE 22. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—
Günzelberg—Continued
(Electrolyte, z, z₋ = 1)*

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9878	.9877	.9876	.9874	.9873	.9871	.9869	.9868	.9866	.9864	.9862
.0002	.9829	.9827	.9825	.9823	.9821	.9819	.9817	.9814	.9812	.9809	.9806
.0003	.9792	.9789	.9787	.9784	.9782	.9779	.9776	.9774	.9771	.9767	.9764
.0004	.9760	.9758	.9755	.9752	.9749	.9746	.9743	.9740	.9736	.9733	.9729
.0005	.9733	.9730	.9727	.9724	.9721	.9717	.9714	.9710	.9706	.9702	.9698
.0006	.9708	.9705	.9702	.9699	.9695	.9691	.9687	.9683	.9679	.9675	.9670
.0007	.9686	.9683	.9679	.9675	.9672	.9668	.9664	.9659	.9655	.9650	.9645
.0008	.9665	.9662	.9658	.9654	.9650	.9646	.9641	.9637	.9632	.9627	.9622
.0009	.9646	.9642	.9638	.9634	.9630	.9625	.9621	.9616	.9611	.9606	.9600
.0010	.9628	.9624	.9620	.9615	.9611	.9606	.9601	.9596	.9591	.9585	.9579
.0020	.9484	.9478	.9473	.9467	.9461	.9454	.9447	.9440	.9433	.9426	.9418
.0030	.9378	.9371	.9364	.9357	.9350	.9342	.9334	.9325	.9317	.9308	.9298
.0040	.9290	.9283	.9275	.9267	.9258	.9250	.9241	.9231	.9221	.9211	.9200
.0050	.9215	.9207	.9198	.9189	.9180	.9170	.9160	.9150	.9139	.9128	.9116
.0060	.9149	.9140	.9131	.9121	.9111	.9100	.9090	.9078	.9066	.9054	.9041
.0070	.9089	.9079	.9069	.9059	.9048	.9037	.9026	.9013	.9001	.8988	.8974
.0080	.9034	.9024	.9013	.9002	.8991	.8979	.8967	.8954	.8941	.8928	.8913
.0090	.8983	.8973	.8962	.8950	.8938	.8926	.8913	.8900	.8886	.8872	.8856
.0100	.8936	.8925	.8913	.8902	.8889	.8876	.8863	.8849	.8834	.8820	.8804
.0200	.8579	.8564	.8549	.8533	.8517	.8500	.8483	.8465	.8446	.8427	.8406
.0300	.8330	.8313	.8296	.8278	.8260	.8240	.8220	.8199	.8177	.8155	.8131
.0400	.8136	.8118	.8099	.8079	.8058	.8037	.8015	.7991	.7967	.7943	.7917
.0500	.7976	.7956	.7936	.7914	.7892	.7869	.7845	.7820	.7795	.7768	.7740
.0600	.7839	.7818	.7796	.7774	.7750	.7726	.7701	.7674	.7647	.7620	.7590
.0700	.7719	.7697	.7674	.7651	.7626	.7601	.7574	.7547	.7518	.7489	.7458
.0800	.7612	.7589	.7566	.7541	.7516	.7489	.7462	.7433	.7404	.7374	.7342
.0900	.7516	.7492	.7468	.7442	.7416	.7389	.7361	.7331	.7301	.7270	.7237
.1000	.7428	.7379	.7353	.7326	.7326	.7298	.7269	.7238	.7207	.7175	.7141

TABLE 23. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Günzelberg*
(Electrolyte, z.z. = 2)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9778	.9777	.9775	.9773	.9772	.9771	.9769	.9767	.9764
.0002	.9689	.9687	.9685	.9682	.9681	.9680	.9677	.9674	.9669
.0003	.9622	.9619	.9616	.9613	.9611	.9610	.9607	.9603	.9597
.0004	.9566	.9563	.9559	.9556	.9554	.9552	.9549	.9545	.9540
.0005	.9517	.9513	.9510	.9506	.9504	.9502	.9498	.9493	.9489
.0006	.9473	.9469	.9465	.9461	.9459	.9457	.9452	.9447	.9442
.0007	.9433	.9429	.9425	.9421	.9418	.9416	.9411	.9406	.9400
.0008	.9396	.9392	.9387	.9383	.9380	.9378	.9373	.9367	.9361
.0009	.9362	.9357	.9353	.9348	.9345	.9342	.9337	.9331	.9325
.0010	.9329	.9325	.9320	.9315	.9311	.9309	.9303	.9297	.9291
.0020	.9076	.9070	.9063	.9056	.9052	.9049	.9041	.9032	.9024
.0030	.8890	.8883	.8875	.8867	.8862	.8858	.8848	.8839	.8828
.0040	.8740	.8731	.8722	.8713	.8707	.8703	.8692	.8681	.8670
.0050	.8611	.8602	.8592	.8582	.8575	.8571	.8559	.8547	.8534
.0060	.8497	.8488	.8477	.8466	.8459	.8454	.8442	.8429	.8415
.0070	.8396	.8385	.8374	.8363	.8355	.8350	.8337	.8323	.8308
.0080	.8303	.8292	.8281	.8268	.8261	.8255	.8241	.8227	.8211
.0090	.8218	.8207	.8195	.8182	.8174	.8168	.8153	.8139	.8122
.0100	.8139	.8127	.8115	.8101	.8093	.8087	.8072	.8056	.8040
.0200	.7553	.7538	.7522	.7506	.7495	.7487	.7468	.7449	.7428
.0300	.7158	.7141	.7123	.7104	.7092	.7083	.7062	.7040	.7016
.0400	.6856	.6838	.6818	.6798	.6785	.6775	.6753	.6729	.6703
.0500	.6611	.6591	.6571	.6549	.6536	.6526	.6502	.6476	.6449
.0600	.6404	.6384	.6363	.6340	.6326	.6316	.6290	.6264	.6236
.0700	.6226	.6205	.6183	.6160	.6145	.6134	.6108	.6081	.6052
.0800	.6069	.6048	.6025	.6001	.5986	.5975	.5948	.5921	.5891
.0900	.5929	.5907	.5884	.5860	.5844	.5833	.5806	.5778	.5747
.1000	.5803	.5781	.5757	.5733	.5717	.5705	.5678	.5649	.5618

TABLE 23. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—*
Güntelberg—Continued
 (Electrolyte, $z_{+}z_{-} = 2$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9758	.9755	.9753	.9750	.9747	.9744	.9740	.9737	.9734	.9730	.9726
.0002	.9661	.9657	.9653	.9649	.9645	.9641	.9636	.9632	.9627	.9622	.9617
.0003	.9587	.9583	.9578	.9574	.9569	.9563	.9558	.9552	.9546	.9540	.9534
.0004	.9526	.9521	.9516	.9510	.9505	.9499	.9493	.9486	.9479	.9473	.9465
.0005	.9473	.9467	.9462	.9455	.9449	.9443	.9436	.9428	.9421	.9413	.9405
.0006	.9425	.9419	.9413	.9406	.9399	.9392	.9385	.9377	.9369	.9361	.9352
.0007	.9382	.9375	.9369	.9361	.9354	.9346	.9338	.9330	.9321	.9312	.9303
.0008	.9342	.9335	.9328	.9320	.9312	.9304	.9296	.9287	.9277	.9268	.9258
.0009	.9305	.9297	.9289	.9281	.9273	.9265	.9256	.9246	.9237	.9227	.9216
.0010	.9269	.9262	.9254	.9245	.9237	.9228	.9218	.9208	.9198	.9188	.9177
.0020	.8995	.8984	.8973	.8962	.8950	.8938	.8925	.8912	.8898	.8884	.8869
.0030	.8794	.8781	.8769	.8755	.8741	.8727	.8712	.8696	.8680	.8663	.8645
.0040	.8631	.8617	.8603	.8587	.8572	.8556	.8539	.8521	.8503	.8484	.8464
.0050	.8492	.8477	.8461	.8445	.8428	.8410	.8391	.8372	.8352	.8332	.8310
.0060	.8370	.8354	.8337	.8319	.8301	.8282	.8262	.8241	.8220	.8198	.8175
.0070	.8261	.8243	.8225	.8207	.8187	.8167	.8146	.8124	.8102	.8079	.8054
.0080	.8161	.8143	.8124	.8104	.8084	.8063	.8041	.8018	.7994	.7970	.7944
.0090	.8070	.8051	.8031	.8011	.7990	.7967	.7944	.7920	.7896	.7871	.7844
.0100	.7985	.7965	.7945	.7924	.7902	.7879	.7855	.7830	.7805	.7778	.7750
.0200	.7359	.7334	.7309	.7282	.7255	.7226	.7196	.7165	.7133	.7101	.7066
.0300	.6939	.6911	.6883	.6853	.6822	.6790	.6756	.6722	.6686	.6650	.6611
.0400	.6620	.6590	.6559	.6527	.6494	.6459	.6423	.6386	.6348	.6309	.6268
.0500	.6362	.6330	.6297	.6264	.6229	.6192	.6155	.6116	.6076	.6035	.5991
.0600	.6145	.6112	.6078	.6043	.6007	.5969	.5930	.5889	.5848	.5806	.5761
.0700	.5958	.5924	.5889	.5853	.5816	.5777	.5737	.5695	.5653	.5609	.5563
.0800	.5795	.5759	.5724	.5687	.5649	.5609	.5568	.5525	.5482	.5437	.5390
.0900	.5649	.5613	.5577	.5539	.5500	.5460	.5418	.5374	.5330	.5285	.5237
.1000	.5518	.5481	.5445	.5406	.5367	.5325	.5283	.5239	.5194	.5148	.5099

TABLE 24. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—*
Günzelberg
 (Electrolyte, $z_+ z_- = 3$)

Ionic strength	Temperature in degrees Celsius							45
	0	5	10	15	18	20	25	
.0001	.9669	.9667	.9664	.9662	.9660	.9659	.9656	.9648
.0002	.9537	.9534	.9531	.9527	.9525	.9523	.9519	.9510
.0003	.9438	.9434	.9430	.9426	.9423	.9421	.9416	.9405
.0004	.9356	.9351	.9346	.9342	.9338	.9336	.9331	.9325
.0005	.9284	.9279	.9274	.9268	.9265	.9262	.9256	.9250
.0006	.9220	.9215	.9209	.9203	.9199	.9196	.9190	.9183
.0007	.9162	.9156	.9150	.9143	.9139	.9137	.9129	.9122
.0008	.9108	.9102	.9095	.9089	.9084	.9081	.9074	.9066
.0009	.9058	.9052	.9045	.9038	.9033	.9030	.9022	.9014
.0010	.9011	.9004	.8997	.8990	.8985	.8982	.8973	.8965
.0020	.8647	.8638	.8628	.8618	.8612	.8607	.8596	.8584
.0030	.8383	.8372	.8361	.8349	.8342	.8337	.8323	.8310
.0040	.8170	.8159	.8146	.8133	.8125	.8119	.8104	.8089
.0050	.7990	.7978	.7964	.7950	.7941	.7934	.7918	.7902
.0060	.7833	.7819	.7805	.7790	.7780	.7773	.7756	.7739
.0070	.7693	.7679	.7663	.7647	.7637	.7630	.7612	.7593
.0080	.7566	.7551	.7535	.7519	.7508	.7500	.7482	.7462
.0090	.7450	.7434	.7418	.7401	.7390	.7382	.7362	.7342
.0100	.7343	.7327	.7310	.7292	.7281	.7272	.7252	.7231
.0200	.6564	.6545	.6524	.6502	.6488	.6479	.6454	.6429
.0300	.6056	.6034	.6012	.5988	.5973	.5962	.5935	.5907
.0400	.5677	.5654	.5630	.5605	.5589	.5577	.5549	.5520
.0500	.5375	.5351	.5326	.5300	.5284	.5272	.5242	.5212
.0600	.5125	.5101	.5075	.5048	.5031	.5019	.4989	.4958
.0700	.4913	.4888	.4862	.4834	.4817	.4805	.4774	.4742
.0800	.4728	.4703	.4677	.4649	.4631	.4619	.4588	.4556
.0900	.4566	.4540	.4514	.4486	.4468	.4455	.4424	.4392
.1000	.4421	.4395	.4369	.4340	.4322	.4310	.4278	.4246

TABLE 24. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—*
Güntherberg—Continued
 (Electrolyte, $z_+ z_- = 3$)

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9639	.9635	.9631	.9627	.9623	.9618	.9613	.9608	.9603
.0002	.9496	.9490	.9484	.9479	.9473	.9466	.9460	.9453	.9446
.0003	.9388	.9381	.9374	.9367	.9360	.9352	.9344	.9336	.9327
.0004	.9298	.9290	.9283	.9275	.9266	.9258	.9249	.9239	.9229
.0005	.9220	.9212	.9203	.9194	.9185	.9176	.9166	.9155	.9144
.0006	.9151	.9142	.9132	.9123	.9113	.9102	.9091	.9080	.9068
.0007	.9088	.9078	.9068	.9058	.9047	.9036	.9024	.9012	.8999
.0008	.9029	.9019	.9009	.8998	.8986	.8974	.8962	.8949	.8936
.0009	.8975	.8964	.8953	.8942	.8930	.8917	.8904	.8891	.8877
.0010	.8924	.8913	.8902	.8890	.8877	.8864	.8850	.8836	.8822
.0020	.8531	.8516	.8500	.8484	.8468	.8450	.8432	.8413	.8394
.0030	.8247	.8229	.8211	.8192	.8173	.8152	.8131	.8109	.8086
.0040	.8019	.7999	.7979	.7958	.7936	.7914	.7890	.7866	.7840
.0050	.7826	.7804	.7783	.7760	.7737	.7712	.7687	.7660	.7633
.0060	.7658	.7635	.7612	.7588	.7563	.7537	.7510	.7481	.7452
.0070	.7508	.7484	.7460	.7434	.7408	.7381	.7352	.7323	.7292
.0080	.7373	.7348	.7322	.7296	.7269	.7240	.7210	.7179	.7148
.0090	.7249	.7223	.7197	.7170	.7141	.7112	.7081	.7049	.7016
.0100	.7136	.7109	.7082	.7053	.7024	.6993	.6962	.6929	.6895
.0200	.6313	.6281	.6248	.6214	.6179	.6142	.6104	.6065	.6024
.0300	.5781	.5745	.5673	.5635	.5595	.5554	.5511	.5467	.5423
.0400	.5386	.5349	.5312	.5273	.5233	.5191	.5148	.5103	.5058
.0500	.5074	.5036	.4997	.4957	.4916	.4873	.4829	.4783	.4736
.0600	.4817	.4778	.4739	.4698	.4656	.4612	.4567	.4520	.4472
.0700	.4599	.4560	.4520	.4478	.4435	.4391	.4345	.4298	.4250
.0800	.4411	.4371	.4330	.4288	.4246	.4201	.4155	.4107	.4058
.0900	.4246	.4205	.4165	.4122	.4079	.4034	.3988	.3940	.3891
.1000	.4099	.4058	.4017	.3975	.3932	.3886	.3840	.3792	.3743

TABLE 25. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—*
Güntelberg
 Electrolyte, $z_+ z_- = 4$

Ionic strength	Temperature in degrees Celsius										45
	0	5	10	15	18	20	25	30	35	38	
.0001	.9561	.9558	.9555	.9552	.9550	.9548	.9544	.9540	.9536	.9533	.9531
.0002	.9388	.9384	.9379	.9375	.9371	.9369	.9364	.9359	.9352	.9349	.9346
.0003	.9258	.9253	.9247	.9242	.9238	.9235	.9229	.9222	.9215	.9211	.9208
.0004	.9150	.9144	.9138	.9132	.9128	.9125	.9117	.9110	.9102	.9097	.9093
.0005	.9057	.9050	.9044	.9037	.9032	.9029	.9021	.9012	.9003	.8998	.8994
.0006	.8974	.8967	.8959	.8952	.8947	.8943	.8935	.8925	.8916	.8910	.8906
.0007	.8898	.8891	.8883	.8875	.8869	.8866	.8856	.8847	.8836	.8830	.8825
.0008	.8829	.8821	.8812	.8804	.8798	.8794	.8784	.8774	.8763	.8756	.8752
.0009	.8764	.8756	.8747	.8738	.8732	.8728	.8718	.8707	.8695	.8688	.8683
.0010	.8704	.8695	.8686	.8676	.8670	.8666	.8655	.8644	.8632	.8624	.8619
.0020	.8237	.8226	.8214	.8201	.8193	.8188	.8173	.8159	.8142	.8133	.8126
.0030	.7904	.7891	.7877	.7862	.7853	.7846	.7830	.7812	.7794	.7782	.7775
.0040	.7638	.7623	.7608	.7592	.7581	.7574	.7556	.7537	.7516	.7504	.7495
.0050	.7415	.7399	.7382	.7365	.7353	.7345	.7326	.7305	.7283	.7270	.7261
.0060	.7221	.7204	.7186	.7168	.7156	.7147	.7127	.7105	.7081	.7067	.7058
.0070	.7049	.7031	.7013	.6993	.6981	.6972	.6950	.6928	.6903	.6888	.6878
.0080	.6894	.6876	.6857	.6837	.6824	.6815	.6792	.6768	.6743	.6728	.6717
.0090	.6754	.6735	.6715	.6694	.6681	.6671	.6648	.6624	.6597	.6581	.6570
.0100	.6625	.6605	.6585	.6563	.6550	.6540	.6516	.6491	.6464	.6447	.6436
.0200	.5705	.5682	.5658	.5633	.5617	.5606	.5578	.5548	.5517	.5498	.5485
.0300	.5124	.5099	.5074	.5047	.5030	.5017	.4987	.4956	.4923	.4903	.4889
.0400	.4700	.4675	.4649	.4621	.4603	.4591	.4560	.4528	.4493	.4472	.4458
.0500	.4370	.4345	.4318	.4289	.4271	.4258	.4227	.4194	.4159	.4138	.4124
.0600	.4102	.4076	.4048	.4020	.4002	.3989	.3957	.3924	.3889	.3868	.3853
.0700	.3876	.3850	.3823	.3794	.3776	.3763	.3731	.3698	.3663	.3642	.3627
.0800	.3684	.3657	.3630	.3601	.3583	.3570	.3538	.3506	.3470	.3449	.3434
.0900	.3516	.3490	.3462	.3434	.3416	.3403	.3371	.3338	.3303	.3282	.3267
.1000	.3368	.3342	.3315	.3286	.3255	.3224	.3191	.3156	.3135	.3120	.3083

TABLE 25. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—
Günzelberg—Continued
 (Electrolyte, $z_+ z_- = 4$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9522	.9517	.9511	.9506	.9500	.9494	.9488	.9481	.9474	.9467	.9460
.0002	.9333	.9326	.9319	.9311	.9303	.9295	.9286	.9277	.9268	.9258	.9248
.0003	.9192	.9183	.9174	.9165	.9156	.9146	.9135	.9124	.9113	.9102	.9090
.0004	.9075	.9065	.9055	.9045	.9034	.9023	.9011	.8999	.8986	.8973	.8959
.0005	.8974	.8963	.8952	.8941	.8929	.8916	.8903	.8890	.8876	.8861	.8846
.0006	.8884	.8872	.8860	.8848	.8835	.8821	.8807	.8793	.8778	.8762	.8746
.0007	.8802	.8790	.8777	.8764	.8750	.8735	.8720	.8705	.8689	.8672	.8654
.0008	.8727	.8714	.8700	.8686	.8672	.8656	.8641	.8624	.8607	.8590	.8571
.0009	.8657	.8644	.8629	.8615	.8599	.8583	.8567	.8549	.8531	.8513	.8493
.0010	.8592	.8578	.8563	.8547	.8532	.8515	.8497	.8479	.8461	.8441	.8421
.0020	.8091	.8072	.8052	.8032	.8011	.7989	.7966	.7942	.7918	.7893	.7866
.0030	.7733	.7711	.7689	.7665	.7641	.7616	.7589	.7562	.7534	.7505	.7474
.0040	.7450	.7425	.7400	.7374	.7348	.7320	.7291	.7261	.7230	.7198	.7164
.0050	.7212	.7185	.7159	.7131	.7102	.7072	.7041	.7009	.6976	.6942	.6906
.0060	.7006	.6978	.6950	.6921	.6890	.6859	.6826	.6792	.6757	.6721	.6683
.0070	.6824	.6795	.6766	.6735	.6703	.6670	.6636	.6600	.6564	.6526	.6487
.0080	.6661	.6631	.6600	.6568	.6535	.6501	.6466	.6429	.6391	.6352	.6311
.0090	.6512	.6481	.6450	.6417	.6383	.6348	.6311	.6273	.6234	.6195	.6152
.0100	.6376	.6345	.6312	.6278	.6244	.6207	.6170	.6131	.6091	.6050	.6007
.0200	.5416	.5379	.5342	.5303	.5263	.5221	.5178	.5134	.5088	.5042	.4993
.0300	.4816	.4776	.4737	.4696	.4654	.4610	.4565	.4518	.4470	.4422	.4371
.0400	.4383	.4342	.4302	.4260	.4217	.4172	.4126	.4078	.4030	.3980	.3928
.0500	.4047	.4007	.3966	.3923	.3880	.3835	.3788	.3740	.3691	.3642	.3590
.0600	.3776	.3735	.3694	.3652	.3608	.3563	.3517	.3469	.3420	.3371	.3319
.0700	.3550	.3509	.3468	.3426	.3383	.3337	.3291	.3243	.3195	.3146	.3094
.0800	.3358	.3317	.3276	.3234	.3191	.3146	.3100	.3053	.3005	.2956	.2905
.0900	.3191	.3151	.3110	.3068	.3025	.2981	.2935	.2888	.2841	.2793	.2742
.1000	.3045	.3005	.2964	.2923	.2880	.2836	.2791	.2745	.2698	.2650	.2600

TABLE 26. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—*
Günteberg
 (Electrolyte, $z_+ z_- = 6$)

Ionic strength	Temperature in degrees Celsius											
	0	5	10	15	18	20	25	30	35	38	40	45
.0001	.9349	.9345	.9340	.9335	.9332	.9330	.9324	.9318	.9312	.9308	.9305	.9298
.0002	.9096	.9090	.9083	.9077	.9072	.9069	.9061	.9053	.9045	.9039	.9036	.9026
.0003	.8908	.8900	.8893	.8884	.8879	.8875	.8866	.8857	.8846	.8840	.8836	.8824
.0004	.8753	.8744	.8736	.8726	.8720	.8716	.8706	.8695	.8683	.8676	.8671	.8658
.0005	.8619	.8610	.8600	.8590	.8584	.8579	.8568	.8556	.8543	.8535	.8530	.8516
.0006	.8501	.8491	.8480	.8469	.8462	.8457	.8445	.8432	.8418	.8410	.8404	.8389
.0007	.8393	.8383	.8372	.8360	.8353	.8348	.8334	.8321	.8306	.8297	.8291	.8275
.0008	.8295	.8284	.8273	.8260	.8253	.8247	.8233	.8219	.8203	.8194	.8187	.8170
.0009	.8205	.8193	.8181	.8168	.8160	.8154	.8139	.8124	.8108	.8098	.8091	.8074
.0010	.8120	.8108	.8095	.8082	.8073	.8067	.8052	.8036	.8019	.8009	.8002	.7983
.0020	.7476	.7461	.7445	.7427	.7416	.7408	.7389	.7369	.7347	.7334	.7325	.7301
.0030	.7027	.7009	.6991	.6971	.6959	.6950	.6928	.6905	.6880	.6866	.6855	.6828
.0040	.6675	.6656	.6636	.6615	.6601	.6591	.6568	.6543	.6516	.6500	.6489	.6460
.0050	.6384	.6364	.6343	.6320	.6306	.6295	.6270	.6244	.6216	.6199	.6187	.6156
.0060	.6136	.6114	.6092	.6068	.6053	.6043	.6016	.5989	.5959	.5941	.5929	.5897
.0070	.5918	.5896	.5873	.5848	.5833	.5822	.5794	.5766	.5735	.5717	.5704	.5671
.0080	.5725	.5702	.5678	.5653	.5637	.5625	.5597	.5568	.5537	.5518	.5505	.5471
.0090	.5550	.5527	.5503	.5477	.5461	.5449	.5420	.5391	.5358	.5339	.5326	.5291
.0100	.5392	.5368	.5343	.5317	.5301	.5289	.5260	.5229	.5196	.5177	.5163	.5128
.0200	.4309	.4283	.4256	.4228	.4210	.4197	.4166	.4133	.4098	.4077	.4062	.4024
.0300	.3667	.3641	.3614	.3585	.3567	.3554	.3522	.3489	.3454	.3433	.3418	.3380
.0400	.3223	.3197	.3170	.3141	.3123	.3110	.3079	.3046	.3012	.2991	.2976	.2939
.0500	.2889	.2864	.2837	.2809	.2792	.2779	.2748	.2716	.2682	.2662	.2648	.2612
.0600	.2627	.2602	.2576	.2549	.2531	.2519	.2489	.2458	.2425	.2405	.2392	.2356
.0700	.2413	.2389	.2364	.2337	.2320	.2308	.2279	.2249	.2217	.2198	.2184	.2150
.0800	.2236	.2212	.2187	.2161	.2145	.2133	.2105	.2076	.2044	.2026	.2013	.1979
.0900	.2085	.2037	.2012	.1996	.1985	.1957	.1929	.1898	.1880	.1868	.1835	.1743
.1000	.1932	.1908	.1884	.1868	.1857	.1830	.1803	.1773	.1755	.1733	.1712	.1712

TABLE 26. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—*
Güntelberg—Continued
 (Electrolyte, z₊z₋ = 6)

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9291	.9284	.9276	.9268	.9259	.9251	.9241	.9232	.9222
.0002	.9016	.9006	.8995	.8984	.8973	.8961	.8948	.8935	.8922
.0003	.8813	.8800	.8788	.8774	.8761	.8746	.8731	.8716	.8700
.0004	.8645	.8631	.8617	.8602	.8587	.8570	.8554	.8536	.8518
.0005	.8501	.8486	.8470	.8454	.8437	.8419	.8401	.8382	.8362
.0006	.8374	.8357	.8340	.8322	.8304	.8285	.8266	.8245	.8224
.0007	.8258	.8241	.8223	.8204	.8185	.8164	.8144	.8121	.8099
.0008	.8153	.8134	.8115	.8096	.8075	.8054	.8032	.8009	.7985
.0009	.8055	.8036	.8016	.7996	.7974	.7952	.7929	.7905	.7880
.0010	.7965	.7944	.7924	.7902	.7880	.7857	.7833	.7808	.7782
.0020	.7277	.7252	.7225	.7198	.7170	.7140	.7110	.7078	.7046
.0030	.6801	.6772	.6742	.6711	.6679	.6646	.6612	.6576	.6539
.0040	.6430	.6398	.6366	.6333	.6299	.6262	.6226	.6187	.6147
.0050	.6124	.6091	.6057	.6022	.5986	.5948	.5909	.5868	.5826
.0060	.5864	.5829	.5794	.5757	.5720	.5680	.5640	.5597	.5554
.0070	.5637	.5601	.5565	.5527	.5488	.5447	.5406	.5362	.5318
.0080	.5436	.5399	.5362	.5323	.5283	.5242	.5199	.5154	.5109
.0090	.5255	.5218	.5180	.5140	.5100	.5057	.5014	.4969	.4922
.0100	.5092	.5054	.5015	.4975	.4934	.4891	.4847	.4801	.4754
.0200	.3986	.3945	.3904	.3861	.3818	.3773	.3726	.3678	.3629
.0300	.3342	.3301	.3260	.3218	.3175	.3130	.3084	.3037	.2989
.0400	.2901	.2862	.2822	.2780	.2738	.2695	.2650	.2604	.2558
.0500	.2575	.2536	.2497	.2457	.2417	.2374	.2332	.2287	.2243
.0600	.2321	.2283	.2245	.2207	.2167	.2127	.2085	.2043	.2000
.0700	.2115	.2079	.2043	.2005	.1967	.1928	.1888	.1847	.1806
.0800	.1946	.1910	.1875	.1839	.1803	.1764	.1726	.1687	.1647
.0900	.1803	.1768	.1734	.1699	.1664	.1627	.1590	.1552	.1514
.1000	.1680	.1647	.1614	.1580	.1546	.1510	.1475	.1438	.1401

TABLE 27. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—
Güntherberg
(Electrolyte, $z_+ z_- = 8$)*

Ionic strength	Temperature in degrees Celsius								45			
	0	5	10	15	18	20	25	30				
.0001	.9142	.9136	.9130	.9124	.9119	.9116	.9109	.9101	.9093	.9088	.9085	.9076
.0002	.8813	.8805	.8797	.8788	.8782	.8778	.8769	.8758	.8747	.8740	.8735	.8723
.0003	.8571	.8561	.8551	.8541	.8534	.8529	.8518	.8505	.8492	.8484	.8478	.8464
.0004	.8372	.8362	.8351	.8339	.8331	.8326	.8313	.8299	.8284	.8275	.8269	.8252
.0005	.8203	.8191	.8179	.8166	.8158	.8152	.8137	.8122	.8106	.8096	.8089	.8071
.0006	.8053	.8040	.8027	.8013	.8004	.7998	.7983	.7966	.7949	.7938	.7931	.7912
.0007	.7918	.7904	.7890	.7876	.7867	.7860	.7843	.7826	.7808	.7797	.7789	.7769
.0008	.7794	.7781	.7766	.7751	.7741	.7734	.7717	.7699	.7679	.7667	.7659	.7638
.0009	.7681	.7666	.7651	.7635	.7625	.7618	.7600	.7581	.7561	.7548	.7540	.7518
.0010	.7575	.7560	.7545	.7528	.7517	.7510	.7491	.7472	.7451	.7438	.7429	.7406
.0020	.6785	.6767	.6747	.6726	.6713	.6704	.6680	.6656	.6630	.6614	.6603	.6575
.0030	.6247	.6226	.6204	.6181	.6167	.6156	.6130	.6103	.6074	.6057	.6045	.6013
.0040	.5834	.5812	.5788	.5763	.5748	.5736	.5709	.5680	.5649	.5631	.5618	.5584
.0050	.5498	.5474	.5450	.5424	.5407	.5396	.5367	.5337	.5304	.5285	.5272	.5236
.0060	.5214	.5190	.5164	.5138	.5121	.5109	.5079	.5048	.5015	.4995	.4981	.4945
.0070	.4969	.4944	.4918	.4891	.4873	.4861	.4831	.4799	.4765	.4745	.4731	.4694
.0080	.4753	.4728	.4702	.4674	.4656	.4644	.4613	.4581	.4547	.4526	.4512	.4474
.0090	.4561	.4536	.4509	.4481	.4463	.4451	.4419	.4387	.4352	.4331	.4317	.4279
.0100	.4389	.4363	.4336	.4308	.4290	.4277	.4245	.4213	.4178	.4157	.4142	.4104
.0200	.3255	.3229	.3202	.3173	.3155	.3142	.3111	.3079	.3044	.3023	.3008	.2971
.0300	.2625	.2600	.2574	.2547	.2530	.2517	.2488	.2457	.2423	.2404	.2390	.2355
.0400	.2209	.2186	.2161	.2135	.2119	.2107	.2079	.2050	.2019	.2000	.1987	.1954
.0500	.1910	.1888	.1864	.1840	.1824	.1813	.1787	.1759	.1730	.1713	.1700	.1669
.0600	.1682	.1661	.1639	.1616	.1601	.1591	.1566	.1540	.1512	.1496	.1485	.1455
.0700	.1503	.1482	.1461	.1440	.1426	.1416	.1392	.1368	.1342	.1326	.1316	.1288
.0800	.1357	.1338	.1318	.1297	.1284	.1275	.1252	.1229	.1204	.1190	.1179	.1153
.0900	.1236	.1218	.1199	.1179	.1167	.1158	.1136	.1114	.1091	.1077	.1068	.1043
.1000	.1134	.1117	.1099	.1080	.1068	.1060	.1039	.1018	.0996	.0983	.0974	.0950

TABLE 27. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—*
Güntherberg—Continued
 (Electrolyte, $z_+ z_- = 8$)

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9066	.9056	.9046	.9036	.9025	.9013	.9002	.8989	.8976
.0002	.8711	.8697	.8684	.8669	.8655	.8639	.8623	.8606	.8589
.0003	.8449	.8433	.8417	.8400	.8383	.8364	.8345	.8326	.8305
.0004	.8236	.8218	.8200	.8181	.8161	.8141	.8120	.8097	.8075
.0005	.8053	.8034	.8014	.7993	.7972	.7950	.7927	.7898	.7852
.0006	.7892	.7872	.7850	.7828	.7806	.7782	.7757	.7731	.7705
.0007	.7748	.7726	.7704	.7680	.7656	.7631	.7605	.7577	.7549
.0008	.7616	.7593	.7570	.7545	.7520	.7493	.7466	.7437	.7408
.0009	.7495	.7471	.7447	.7421	.7395	.7367	.7339	.7309	.7278
.0010	.7383	.7358	.7332	.7306	.7279	.7250	.7221	.7190	.7158
.0020	.6546	.6515	.6484	.6451	.6418	.6382	.6346	.6308	.6269
.0030	.5981	.5946	.5912	.5876	.5839	.5800	.5760	.5718	.5676
.0040	.5550	.5513	.5477	.5438	.5399	.5358	.5316	.5272	.5227
.0050	.5201	.5163	.5125	.5085	.5044	.5002	.4958	.4912	.4866
.0060	.4908	.4869	.4830	.4789	.4748	.4704	.4659	.4613	.4565
.0070	.4657	.4617	.4577	.4536	.4493	.4449	.4404	.4356	.4308
.0080	.4436	.4396	.4356	.4314	.4271	.4226	.4180	.4133	.4084
.0090	.4241	.4201	.4160	.4118	.4075	.4029	.3983	.3935	.3887
.0100	.4066	.4025	.3984	.3942	.3899	.3853	.3807	.3759	.3710
.0200	.2933	.2893	.2853	.2812	.2770	.2726	.2682	.2635	.2589
.0300	.2319	.2281	.2244	.2205	.2166	.2125	.2084	.2041	.1998
.0400	.1921	.1886	.1851	.1815	.1778	.1740	.1702	.1663	.1624
.0500	.1638	.1605	.1573	.1539	.1505	.1470	.1435	.1399	.1363
.0600	.1426	.1395	.1365	.1334	.1302	.1269	.1237	.1203	.1170
.0700	.1260	.1232	.1203	.1174	.1144	.1114	.1083	.1052	.1021
.0800	.1127	.1100	.1073	.1046	.1018	.0990	.0961	.0932	.0903
.0900	.1018	.0993	.0967	.0941	.0915	.0888	.0862	.0834	.0807
.1000	.0927	.0903	.0879	.0854	.0830	.0804	.0779	.0753	.0728

TABLE 28. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—*
Güntelberg
 (Electrolyte, z_{z-} = 9)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9040	.9034	.9027	.9020	.9015	.9012	.9004	.8995	.8986
.0002	.8675	.8666	.8657	.8647	.8641	.8637	.8626	.8614	.8602
.0003	.8407	.8397	.8386	.8374	.8367	.8361	.8348	.8335	.8320
.0004	.8189	.8177	.8165	.8152	.8144	.8138	.8123	.8108	.8091
.0005	.8002	.7989	.7976	.7962	.7953	.7946	.7930	.7914	.7896
.0006	.7837	.7824	.7810	.7794	.7785	.7778	.7761	.7743	.7724
.0007	.7690	.7675	.7660	.7644	.7634	.7627	.7609	.7590	.7570
.0008	.7555	.7540	.7524	.7508	.7497	.7489	.7471	.7451	.7430
.0009	.7432	.7416	.7399	.7382	.7371	.7363	.7343	.7323	.7301
.0010	.7317	.7301	.7283	.7265	.7254	.7246	.7225	.7204	.7181
.0020	.6464	.6444	.6423	.6401	.6387	.6377	.6352	.6326	.6298
.0030	.5891	.5868	.5845	.5821	.5805	.5794	.5766	.5738	.5707
.0040	.5454	.5431	.5406	.5380	.5363	.5351	.5322	.5292	.5260
.0050	.5101	.5077	.5051	.5024	.5007	.4995	.4965	.4934	.4900
.0060	.4806	.4781	.4755	.4727	.4710	.4697	.4666	.4635	.4600
.0070	.4553	.4527	.4501	.4473	.4455	.4442	.4411	.4378	.4344
.0080	.4331	.4306	.4278	.4250	.4232	.4219	.4188	.4155	.4120
.0090	.4135	.4109	.4082	.4053	.4035	.4022	.3991	.3958	.3922
.0100	.3959	.3933	.3906	.3877	.3859	.3846	.3814	.3781	.3746
.0200	.2829	.2803	.2777	.2749	.2732	.2719	.2689	.2657	.2623
.0300	.2221	.2197	.2173	.2147	.2130	.2119	.2090	.2061	.2030
.0400	.1829	.1807	.1784	.1761	.1745	.1735	.1708	.1682	.1653
.0500	.1553	.1532	.1511	.1489	.1475	.1465	.1441	.1416	.1389
.0600	.1346	.1327	.1307	.1287	.1274	.1264	.1242	.1219	.1194
.0700	.1186	.1168	.1149	.1130	.1118	.1109	.1088	.1067	.1044
.0800	.1057	.1040	.1023	.1005	.0993	.0985	.0966	.0946	.0924
.0900	.0952	.0936	.0920	.0903	.0892	.0884	.0866	.0847	.0827
.1000	.0864	.0849	.0834	.0818	.0808	.0800	.0783	.0765	.0746

TABLE 28. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—*
Güntelberg—Continued
 (Electrolyte, z₊z₋ = 9)

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.8956	.8945	.8934	.8922	.8910	.8897	.8884	.8870	.8856
.0002	.8562	.8547	.8532	.8516	.8500	.8483	.8465	.8446	.8427
.0003	.8273	.8255	.8238	.8219	.8200	.8180	.8159	.8137	.8115
.0004	.8038	.8019	.7999	.7978	.7957	.7934	.7911	.7887	.7862
.0005	.7838	.7817	.7795	.7773	.7750	.7725	.7700	.7673	.7646
.0006	.7662	.7640	.7617	.7592	.7568	.7541	.7515	.7486	.7457
.0007	.7505	.7481	.7456	.7431	.7405	.7377	.7349	.7319	.7289
.0008	.7361	.7336	.7311	.7284	.7257	.7228	.7198	.7167	.7135
.0009	.7230	.7204	.7177	.7150	.7121	.7091	.7060	.7028	.6995
.0010	.7108	.7081	.7053	.7025	.6995	.6964	.6933	.6899	.6865
.0020	.6208	.6175	.6142	.6107	.6071	.6034	.5995	.5955	.5914
.0030	.5608	.5572	.5536	.5498	.5459	.5418	.5376	.5332	.5288
.0040	.5156	.5118	.5080	.5040	.4999	.4956	.4912	.4866	.4820
.0050	.4793	.4754	.4714	.4673	.4631	.4587	.4542	.4495	.4447
.0060	.4490	.4451	.4410	.4368	.4326	.4281	.4235	.4187	.4139
.0070	.4232	.4192	.4151	.4109	.4066	.4020	.3974	.3926	.3878
.0080	.4008	.3967	.3926	.3884	.3840	.3795	.3749	.3701	.3652
.0090	.3810	.3769	.3728	.3685	.3642	.3597	.3550	.3502	.3454
.0100	.3633	.3593	.3551	.3509	.3466	.3420	.3374	.3326	.3278
.0200	.2516	.2478	.2439	.2399	.2359	.2317	.2275	.2231	.2187
.0300	.1932	.1897	.1862	.1825	.1789	.1751	.1713	.1674	.1634
.0400	.1563	.1531	.1499	.1466	.1433	.1399	.1364	.1329	.1294
.0500	.1307	.1277	.1248	.1218	.1188	.1157	.1126	.1094	.1062
.0600	.1118	.1091	.1064	.1037	.1009	.0981	.0952	.0923	.0894
.0700	.0973	.0948	.0923	.0898	.0873	.0847	.0821	.0794	.0768
.0800	.0858	.0835	.0812	.0789	.0765	.0741	.0717	.0693	.0668
.0900	.0765	.0744	.0722	.0701	.0679	.0656	.0634	.0612	.0589
.1000	.0689	.0668	.0648	.0628	.0608	.0587	.0566	.0545	.0524

TABLE 29. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—*
Günzberg
 (Electrolyte, $z_+ z_- = 12$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.8741	.8733	.8724	.8715	.8709	.8704	.8694	.8683	.8671
.0002	.8274	.8263	.8251	.8238	.8231	.8225	.8211	.8196	.8181
.0003	.7935	.7921	.7908	.7893	.7884	.7877	.7861	.7844	.7826
.0004	.7661	.7646	.7631	.7615	.7605	.7597	.7579	.7560	.7540
.0005	.7429	.7413	.7397	.7379	.7368	.7360	.7341	.7320	.7298
.0006	.7226	.7209	.7192	.7173	.7161	.7153	.7132	.7110	.7087
.0007	.7045	.7027	.7009	.6990	.6977	.6968	.6946	.6924	.6899
.0008	.6881	.6863	.6844	.6823	.6811	.6801	.6778	.6755	.6729
.0009	.6731	.6713	.6693	.6672	.6658	.6649	.6625	.6601	.6574
.0010	.6593	.6574	.6553	.6531	.6518	.6508	.6484	.6458	.6431
.0020	.5589	.5566	.5542	.5517	.5500	.5489	.5460	.5430	.5398
.0030	.4938	.4913	.4887	.4860	.4842	.4830	.4800	.4768	.4734
.0040	.4456	.4431	.4404	.4376	.4358	.4345	.4313	.4281	.4246
.0050	.4076	.4050	.4023	.3994	.3976	.3963	.3932	.3899	.3863
.0060	.3765	.3739	.3711	.3683	.3664	.3651	.3619	.3587	.3551
.0070	.3502	.3476	.3449	.3420	.3402	.3389	.3357	.3325	.3289
.0080	.3277	.3251	.3224	.3196	.3177	.3165	.3133	.3101	.3066
.0090	.3081	.3055	.3028	.3000	.2982	.2969	.2938	.2906	.2871
.0100	.2907	.2882	.2855	.2827	.2810	.2797	.2766	.2734	.2700
.0200	.1857	.1835	.1812	.1788	.1772	.1762	.1735	.1708	.1679
.0300	.1345	.1326	.1306	.1285	.1272	.1263	.1241	.1218	.1193
.0400	.1038	.1022	.1005	.0987	.0975	.0967	.0948	.0928	.0907
.0500	.0835	.0820	.0805	.0789	.0779	.0772	.0755	.0738	.0720
.0600	.0690	.0677	.0663	.0650	.0641	.0635	.0620	.0604	.0588
.0700	.0582	.0571	.0559	.0546	.0538	.0533	.0519	.0506	.0491
.0800	.0500	.0489	.0478	.0467	.0460	.0455	.0443	.0431	.0418
.0900	.0435	.0425	.0415	.0405	.0399	.0394	.0383	.0372	.0360
.1000	.0382	.0373	.0364	.0355	.0349	.0345	.0335	.0325	.0314

TABLE 29. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—*
Güntelberg—Continued
(Electrolyte, z₊z₋ = 12)

Ionic strength	Temperature in degrees Celsius									95	100
	50	55	60	65	70	75	80	85	90		
.0001	.8633	.8619	.8604	.8589	.8574	.8557	.8540	.8523	.8505	.8486	.8466
.0002	.8130	.8111	.8092	.8072	.8051	.8030	.8007	.7984	.7960	.7936	.7909
.0003	.7766	.7744	.7722	.7699	.7675	.7650	.7624	.7597	.7569	.7540	.7510
.0004	.7474	.7450	.7425	.7399	.7373	.7345	.7317	.7286	.7256	.7224	.7191
.0005	.7227	.7201	.7174	.7147	.7118	.7088	.7057	.7025	.6992	.6958	.6922
.0006	.7012	.6984	.6956	.6926	.6896	.6864	.6832	.6798	.6763	.6727	.6689
.0007	.6820	.6791	.6761	.6731	.6699	.6666	.6632	.6596	.6559	.6522	.6482
.0008	.6647	.6617	.6586	.6554	.6521	.6487	.6451	.6414	.6376	.6338	.6296
.0009	.6489	.6458	.6426	.6393	.6359	.6323	.6287	.6249	.6209	.6170	.6127
.0010	.6343	.6311	.6279	.6245	.6210	.6173	.6136	.6096	.6056	.6015	.5972
.0020	.5296	.5259	.5221	.5181	.5141	.5099	.5055	.5010	.4964	.4917	.4868
.0030	.4625	.4586	.4546	.4504	.4462	.4417	.4372	.4324	.4276	.4227	.4175
.0040	.4134	.4094	.4053	.4010	.3967	.3922	.3876	.3828	.3779	.3729	.3677
.0050	.3751	.3710	.3669	.3626	.3583	*3537	.3491	.3443	.3394	.3345	.3293
.0060	.3439	.3398	.3357	.3315	.3271	.3226	.3180	.3133	.3085	.3036	.2985
.0070	.3178	.3137	.3097	.3055	.3012	.2967	.2922	.2875	.2828	.2780	.2729
.0080	.2955	.2915	.2875	.2834	.2791	.2747	.2703	.2657	.2610	.2563	.2514
.0090	.2762	.2723	.2683	.2642	.2601	.2558	.2514	.2469	.2423	.2377	.2329
.0100	.2593	.2554	.2515	.2475	.2434	.2392	.2349	.2305	.2260	.2215	.2168
.0200	.1589	.1556	.1524	.1491	.1458	.1423	.1389	.1353	.1317	.1282	.1244
.0300	.1117	.1090	.1063	.1036	.1008	.980	.951	.922	.893	.865	.835
.0400	.0842	.0819	.0796	.0773	.0750	.0726	.0702	.0678	.0654	.0631	.0606
.0500	.0663	.0643	.0624	.0604	.0584	.0564	.0544	.0523	.0503	.0483	.0463
.0600	.0538	.0521	.0504	.0487	.0470	.0452	.0435	.0417	.0400	.0383	.0365
.0700	.0447	.0432	.0417	.0402	.0387	.0372	.0357	.0341	.0326	.0311	.0296
.0800	.0375	.0365	.0352	.0338	.0325	.0311	.0298	.0284	.0271	.0258	.0245
.0900	.0325	.0313	.0301	.0289	.0277	.0265	.0253	.0241	.0229	.0218	.0206
.1000	.0282	.0271	.0260	.0250	.0239	.0228	.0217	.0207	.0196	.0186	.0176

TABLE 30. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Günzelberg*
(Electrolyte, $z_+ z_- = 16$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.8358	.8347	.8336	.8324	.8316	.8311	.8298	.8284	.8269
.0002	.7767	.7753	.7739	.7723	.7713	.7706	.7689	.7671	.7651
.0003	.7346	.7330	.7313	.7295	.7283	.7275	.7255	.7234	.7211
.0004	.7010	.6992	.6974	.6954	.6941	.6932	.6910	.6887	.6863
.0005	.6728	.6709	.6689	.6668	.6655	.6645	.6622	.6597	.6571
.0006	.6484	.6464	.6443	.6421	.6407	.6397	.6372	.6346	.6319
.0007	.6269	.6248	.6226	.6203	.6188	.6178	.6152	.6125	.6096
.0008	.6075	.6054	.6031	.6007	.5992	.5981	.5954	.5927	.5897
.0009	.5899	.5877	.5854	.5830	.5814	.5803	.5775	.5747	.5716
.0010	.5738	.5716	.5692	.5667	.5651	.5640	.5612	.5582	.5551
.0020	.4604	.4579	.4552	.4524	.4507	.4494	.4463	.4430	.4396
.0030	.3903	.3877	.3850	.3821	.3803	.3790	.3758	.3725	.3689
.0040	.3404	.3378	.3350	.3322	.3304	.3291	.3259	.3226	.3191
.0050	.3022	.2997	.2970	.2942	.2924	.2911	.2880	.2848	.2814
.0060	.2718	.2693	.2667	.2640	.2622	.2610	.2579	.2548	.2515
.0070	.2469	.2444	.2419	.2392	.2375	.2353	.2334	.2303	.2271
.0080	.2259	.2236	.2211	.2185	.2168	.2156	.2128	.2099	.2067
.0090	.2081	.2057	.2033	.2008	.1992	.1981	.1953	.1925	.1894
.0100	.1926	.1904	.1880	.1856	.1840	.1829	.1802	.1775	.1745
.0200	.1059	.1043	.1025	.1007	.0996	.0987	.0968	.0948	.0926
.0300	.0689	.0676	.0663	.0649	.0640	.0634	.0619	.0603	.0587
.0400	.0488	.0478	.0467	.0456	.0449	.0444	.0432	.0420	.0408
.0500	.0365	.0356	.0348	.0339	.0333	.0329	.0319	.0310	.0299
.0600	.0283	.0276	.0269	.0261	.0256	.0253	.0245	.0237	.0229
.0700	.0226	.0220	.0214	.0207	.0203	.0201	.0194	.0187	.0180
.0800	.0184	.0179	.0174	.0168	.0165	.0162	.0157	.0151	.0145
.0900	.0153	.0148	.0144	.0139	.0136	.0134	.0129	.0124	.0119
.1000	.0129	.0125	.0121	.0117	.0114	.0112	.0108	.0104	.0099

TABLE 30. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—*
Güntellberg—Continued
 (Electrolyte, $z_+z_- = 16$)

Ionic strength	50	55	60	65	70	75	80	85	90	95	100	Temperature in degrees Celsius
												81.65
.0001	.8220	.8202	.8184	.8165	.8145	.8124	.8103	.8080	.8058	.8034	.8009	.7587
.0002	.7564	.7540	.7516	.7490	.7463	.7436	.7407	.7377	.7347	.7315	.6783	
.0003	.7138	.7112	.7085	.7056	.7027	.6996	.6965	.6932	.6898	.6863	.6826	.6485
.0004	.6753	.6724	.6693	.6661	.6627	.6593	.6557	.6520	.6482	.6442	.6123	.6454
.0005	.6485	.6423	.6389	.6356	.6320	.6283	.6245	.6206	.6166	.5894	.5850	.6229
.0006	.6229	.6196	.6163	.6128	.6093	.6055	.6017	.5977	.5936	.5656	.5610	.5969
.0007	.6003	.5969	.5934	.5899	.5862	.5823	.5783	.5742	.5699	.5444	.5396	.5801
.0008	.5801	.5766	.5730	.5693	.5655	.5615	.5574	.5532	.5488	.5297	.5204	.5618
.0009	.5618	.5582	.5545	.5507	.5468	.5428	.5386	.5342	.5297	.5252	.5204	.5450
.0010	.5450	.5414	.5376	.5338	.5298	.5256	.5214	.5169	.5124	.5078	.5029	.4285
.0020	.4244	.4204	.4162	.4118	.4073	.4027	.3979	.3931	.3881	.3829	.3577	.3536
.0030	.3530	.3495	.3452	.3409	.3364	.3318	.3270	.3221	.3173	.3121	.3080	.3040
.0040	.3040	.2999	.2958	.2915	.2871	.2826	.2779	.2732	.2684	.2634	.2705	.2666
.0050	.2666	.2626	.2586	.2545	.2502	.2458	.2413	.2368	.2322	.2274	.2409	.2371
.0060	.2409	.2371	.2333	.2294	.2254	.2213	.2171	.2128	.2084	.2040	.1995	.2168
.0070	.2168	.2132	.2095	.2057	.2019	.1979	.1939	.1898	.1856	.1814	.1770	.1968
.0080	.1968	.1933	.1897	.1861	.1824	.1786	.1748	.1708	.1668	.1628	.1586	.1799
.0090	.1799	.1765	.1731	.1696	.1660	.1624	.1587	.1549	.1511	.1472	.1433	.1653
.0100	.1653	.1620	.1588	.1554	.1520	.1485	.1449	.1413	.1376	.1340	.1302	.0860
.0200	.0860	.0837	.0814	.0791	.0767	.0743	.0719	.0695	.0670	.0646	.0621	.0538
.0300	.0538	.0520	.0504	.0486	.0469	.0452	.0434	.0417	.0399	.0382	.0365	.0400
.0400	.0369	.0356	.0343	.0329	.0316	.0303	.0290	.0277	.0264	.0251	.0238	.0268
.0500	.0268	.0258	.0247	.0237	.0227	.0216	.0206	.0196	.0186	.0176	.0166	.0203
.0600	.0203	.0195	.0186	.0178	.0170	.0161	.0153	.0145	.0137	.0129	.0121	.0152
.0700	.0159	.0152	.0145	.0138	.0131	.0124	.0117	.0111	.0104	.0098	.0092	.0121
.0800	.0127	.0121	.0115	.0109	.0104	.0098	.0092	.0087	.0082	.0076	.0071	.0104
.0900	.0099	.0094	.0089	.0084	.0079	.0074	.0070	.0065	.0061	.0057	.0053	.0086
.1000	.0081	.0077	.0073	.0069	.0065	.0061	.0057	.0053	.0049	.0046	.0046	.0086

TABLE 31. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—
Güntelberg
(Electrolyte, $z_+ z_- = 1$)*

Ionic strength	Temperature in degrees Celsius									45
	0	5	10	15	18	20	25	30	35	
.0001	.9889	.9887	.9886	.9885	.9884	.9883	.9882	.9881	.9880	
.0002	.9843	.9842	.9840	.9839	.9837	.9836	.9835	.9834	.9833	.9832
.0003	.9809	.9808	.9806	.9805	.9803	.9802	.9800	.9798	.9797	.9795
.0004	.9780	.9779	.9777	.9776	.9774	.9772	.9770	.9768	.9767	.9764
.0005	.9755	.9754	.9752	.9750	.9749	.9748	.9746	.9744	.9740	.9737
.0006	.9733	.9731	.9729	.9727	.9726	.9725	.9723	.9720	.9718	.9713
.0007	.9712	.9710	.9708	.9706	.9705	.9704	.9701	.9699	.9696	.9691
.0008	.9693	.9691	.9689	.9687	.9685	.9684	.9682	.9679	.9676	.9670
.0009	.9676	.9673	.9671	.9668	.9667	.9666	.9663	.9660	.9658	.9654
.0010	.9659	.9656	.9654	.9651	.9650	.9649	.9646	.9643	.9640	.9637
.0020	.9527	.9524	.9520	.9517	.9514	.9513	.9509	.9505	.9501	.9498
.0030	.9429	.9425	.9421	.9417	.9414	.9412	.9408	.9403	.9398	.9392
.0040	.9349	.9344	.9340	.9335	.9332	.9330	.9324	.9319	.9313	.9309
.0050	.9279	.9274	.9269	.9264	.9261	.9258	.9253	.9247	.9240	.9236
.0060	.9218	.9213	.9207	.9202	.9198	.9195	.9189	.9183	.9176	.9172
.0070	.9163	.9157	.9151	.9145	.9141	.9139	.9132	.9125	.9118	.9113
.0080	.9112	.9106	.9100	.9093	.9089	.9087	.9080	.9072	.9064	.9056
.0090	.9065	.9059	.9053	.9046	.9042	.9038	.9031	.9023	.9015	.9010
.0100	.9022	.9015	.9008	.9001	.8997	.8994	.8986	.8978	.8969	.8964
.0200	.8691	.8682	.8673	.8664	.8658	.8654	.8644	.8633	.8622	.8615
.0300	.8460	.8450	.8440	.8429	.8423	.8418	.8406	.8394	.8381	.8373
.0400	.8280	.8269	.8258	.8245	.8238	.8233	.8220	.8206	.8192	.8183
.0500	.8131	.8119	.8106	.8093	.8086	.8080	.8066	.8051	.8036	.8027
.0600	.8003	.7990	.7977	.7963	.7955	.7949	.7934	.7919	.7903	.7893
.0700	.7891	.7877	.7864	.7849	.7840	.7834	.7819	.7802	.7786	.7775
.0800	.7791	.7777	.7763	.7748	.7739	.7732	.7716	.7699	.7681	.7670
.0900	.7700	.7686	.7671	.7656	.7646	.7640	.7623	.7606	.7587	.7576
.1000	.7618	.7603	.7588	.7572	.7563	.7556	.7538	.7520	.7490	.7482

TABLE 31. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—
Günzberg—Continued
(Electrolyte, z₊z₋ = 1)*

Ionic strength	Temperature in degrees Celsius									
	50	55	60	65	70	75	80	85	90	95
.0001	.9879	.9878	.9877	.9875	.9874	.9873	.9871	.9870	.9868	.9867
.0002	.9830	.9828	.9827	.9825	.9823	.9821	.9819	.9817	.9815	.9813
.0003	.9793	.9791	.9789	.9786	.9784	.9782	.9780	.9777	.9775	.9772
.0004	.9762	.9759	.9757	.9755	.9752	.9749	.9747	.9744	.9741	.9738
.0005	.9735	.9732	.9729	.9727	.9724	.9721	.9718	.9715	.9711	.9708
.0006	.9710	.9707	.9704	.9701	.9698	.9695	.9692	.9688	.9685	.9681
.0007	.9688	.9685	.9682	.9679	.9675	.9672	.9668	.9664	.9661	.9657
.0008	.9667	.9664	.9661	.9657	.9654	.9650	.9646	.9642	.9638	.9634
.0009	.9648	.9645	.9641	.9638	.9634	.9630	.9626	.9622	.9617	.9613
.0010	.9630	.9626	.9623	.9619	.9615	.9611	.9607	.9602	.9598	.9593
.0020	.9487	.9482	.9477	.9472	.9466	.9461	.9455	.9449	.9443	.9436
.0030	.9381	.9375	.9369	.9363	.9356	.9350	.9343	.9336	.9328	.9320
.0040	.9294	.9288	.9281	.9274	.9266	.9259	.9251	.9243	.9234	.9225
.0050	.9220	.9212	.9205	.9197	.9189	.9180	.9172	.9163	.9153	.9144
.0060	.9154	.9146	.9137	.9129	.9120	.9111	.9102	.9092	.9082	.9072
.0070	.9094	.9085	.9077	.9068	.9058	.9049	.9039	.9028	.9018	.9007
.0080	.9039	.9030	.9021	.9012	.9002	.8992	.8981	.8970	.8959	.8947
.0090	.8989	.8980	.8970	.8960	.8949	.8939	.8928	.8916	.8904	.8892
.0100	.8942	.8932	.8922	.8912	.8901	.8890	.8878	.8866	.8854	.8841
.0200	.8586	.8573	.8560	.8547	.8532	.8518	.8503	.8487	.8471	.8454
.0300	.8339	.8324	.8309	.8293	.8277	.8260	.8243	.8225	.8206	.8187
.0400	.8146	.8130	.8113	.8096	.8078	.8059	.8040	.8020	.7999	.7978
.0500	.7987	.7969	.7951	.7932	.7913	.7893	.7872	.7851	.7829	.7806
.0600	.7850	.7832	.7812	.7793	.7772	.7751	.7729	.7707	.7683	.7659
.0700	.7731	.7711	.7691	.7671	.7649	.7627	.7604	.7581	.7556	.7531
.0800	.7625	.7604	.7583	.7562	.7540	.7517	.7493	.7468	.7443	.7417
.0900	.7529	.7508	.7486	.7464	.7441	.7417	.7393	.7367	.7341	.7314
.1000	.7441	.7420	.7398	.7375	.7351	.7327	.7302	.7275	.7248	.7221

TABLE 32. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—
Günzelberg*
(Electrolyte, $z_+ z_- = 2$)

Ionic strength	Temperature in degrees Celsius							45
	0	5	10	15	18	20	25	
.0001	.9778	.9777	.9775	.9773	.9772	.9770	.9768	.9764
.0002	.9689	.9687	.9685	.9682	.9681	.9680	.9677	.9669
.0003	.9622	.9619	.9616	.9614	.9612	.9611	.9607	.9597
.0004	.9566	.9563	.9560	.9556	.9554	.9553	.9546	.9538
.0005	.9517	.9513	.9510	.9506	.9504	.9502	.9499	.9486
.0006	.9473	.9469	.9465	.9462	.9459	.9457	.9453	.9449
.0007	.9433	.9429	.9425	.9421	.9418	.9416	.9412	.9407
.0008	.9396	.9392	.9388	.9383	.9380	.9378	.9373	.9368
.0009	.9362	.9357	.9353	.9348	.9345	.9343	.9338	.9332
.0010	.9329	.9325	.9320	.9315	.9312	.9310	.9304	.9299
.0020	.9076	.9070	.9063	.9057	.9052	.9049	.9042	.9034
.0030	.8890	.8883	.8875	.8867	.8862	.8859	.8850	.8841
.0040	.8740	.8731	.8723	.8714	.8708	.8704	.8694	.8667
.0050	.8611	.8602	.8592	.8582	.8576	.8572	.8561	.8550
.0060	.8497	.8488	.8477	.8467	.8460	.8456	.8444	.8432
.0070	.8396	.8385	.8375	.8363	.8356	.8351	.8339	.8326
.0080	.8303	.8292	.8281	.8269	.8262	.8257	.8244	.8230
.0090	.8218	.8207	.8195	.8182	.8175	.8169	.8156	.8142
.0100	.8139	.8127	.8115	.8102	.8094	.8089	.8075	.8060
.0200	.7553	.7538	.7523	.7506	.7497	.7489	.7472	.7453
.0300	.7158	.7141	.7123	.7105	.7094	.7086	.7066	.7045
.0400	.6856	.6838	.6819	.6799	.6787	.6778	.6757	.6734
.0500	.6611	.6591	.6571	.6550	.6538	.6528	.6506	.6482
.0600	.6404	.6384	.6363	.6341	.6328	.6318	.6295	.6271
.0700	.6226	.6205	.6184	.6161	.6147	.6137	.6113	.6088
.0800	.6069	.6048	.6026	.6002	.5988	.5978	.5953	.5927
.0900	.5929	.5907	.5885	.5861	.5847	.5836	.5811	.5784
.1000	.5803	.5781	.5758	.5734	.5719	.5709	.5683	.5656

TABLE 32. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—*
Günellberg—C. Continued
 (Electrolyte, $z_+z_- = 2$)

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9759	.9757	.9752	.9750	.9747	.9744	.9741	.9738	.9735
.0002	.9663	.9659	.9656	.9653	.9649	.9645	.9642	.9637	.9629
.0003	.9590	.9586	.9582	.9578	.9573	.9569	.9564	.9559	.9549
.0004	.9529	.9525	.9520	.9515	.9510	.9505	.9500	.9494	.9488
.0005	.9476	.9471	.9466	.9461	.9455	.9449	.9443	.9437	.9431
.0006	.9429	.9423	.9418	.9412	.9406	.9400	.9393	.9387	.9380
.0007	.9386	.9380	.9374	.9367	.9361	.9354	.9347	.9340	.9333
.0008	.9346	.9339	.9333	.9326	.9320	.9313	.9305	.9298	.9290
.0009	.9309	.9302	.9295	.9288	.9281	.9274	.9266	.9258	.9249
.0010	.9274	.9267	.9260	.9252	.9245	.9237	.9229	.9220	.9212
.0020	.9000	.8991	.8982	.8972	.8961	.8951	.8940	.8928	.8917
.0030	.8801	.8790	.8778	.8767	.8754	.8742	.8729	.8715	.8701
.0040	.8639	.8626	.8613	.8600	.8587	.8572	.8558	.8543	.8527
.0050	.8500	.8487	.8473	.8458	.8444	.8428	.8412	.8396	.8379
.0060	.8379	.8364	.8349	.8334	.8318	.8301	.8284	.8267	.8248
.0070	.8270	.8255	.8239	.8222	.8205	.8188	.8170	.8151	.8132
.0080	.8171	.8155	.8138	.8121	.8103	.8085	.8066	.8046	.8026
.0090	.8080	.8063	.8046	.8028	.8009	.7990	.7970	.7950	.7929
.0100	.7996	.7978	.7960	.7942	.7922	.7902	.7882	.7861	.7839
.0200	.7373	.7350	.7328	.7304	.7280	.7255	.7230	.7203	.7176
.0300	.6955	.6930	.6904	.6878	.6851	.6823	.6794	.6764	.6734
.0400	.6636	.6609	.6582	.6554	.6525	.6495	.6464	.6432	.6399
.0500	.6379	.6351	.6322	.6292	.6262	.6230	.6198	.6164	.6129
.0600	.6163	.6133	.6103	.6073	.6041	.6008	.5974	.5939	.5903
.0700	.5977	.5946	.5915	.5884	.5851	.5817	.5783	.5746	.5709
.0800	.5814	.5782	.5751	.5718	.5685	.5650	.5615	.5578	.5540
.0900	.5668	.5636	.5604	.5571	.5537	.5501	.5465	.5428	.5389
.1000	.5537	.5505	.5472	.5439	.5404	.5368	.5331	.5293	.5254

TABLE 33. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—*
Güntelberg
 (Electrolyte, $z_{+} z_{-} = 3$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9669	.9667	.9665	.9662	.9661	.9659	.9657	.9654	.9649
.0002	.9537	.9534	.9531	.9527	.9525	.9524	.9520	.9516	.9512
.0003	.9438	.9434	.9430	.9426	.9423	.9421	.9417	.9412	.9407
.0004	.9356	.9351	.9347	.9342	.9339	.9337	.9332	.9326	.9320
.0005	.9284	.9279	.9274	.9269	.9265	.9263	.9257	.9251	.9245
.0006	.9220	.9215	.9209	.9203	.9200	.9197	.9191	.9184	.9178
.0007	.9162	.9156	.9150	.9144	.9140	.9137	.9131	.9124	.9116
.0008	.9108	.9102	.9096	.9089	.9085	.9082	.9075	.9068	.9060
.0009	.9058	.9052	.9045	.9038	.9034	.9031	.9023	.9016	.9007
.0010	.9004	.8997	.8990	.8986	.8983	.8975	.8967	.8958	.8953
.0020	.8647	.8638	.8628	.8619	.8613	.8609	.8598	.8587	.8576
.0030	.8383	.8372	.8361	.8350	.8343	.8338	.8326	.8313	.8300
.0040	.8170	.8159	.8147	.8134	.8126	.8120	.8107	.8092	.8078
.0050	.7990	.7978	.7964	.7951	.7942	.7936	.7921	.7906	.7890
.0060	.7833	.7819	.7805	.7791	.7782	.7775	.7760	.7743	.7726
.0070	.7693	.7679	.7664	.7648	.7639	.7632	.7615	.7598	.7580
.0080	.7566	.7551	.7536	.7519	.7510	.7502	.7485	.7467	.7448
.0090	.7450	.7434	.7418	.7402	.7391	.7384	.7366	.7347	.7327
.0100	.7343	.7327	.7310	.7293	.7282	.7275	.7256	.7236	.7216
.0200	.6564	.6545	.6525	.6504	.6491	.6481	.6459	.6435	.6410
.0300	.6056	.6034	.6012	.5989	.5975	.5965	.5940	.5914	.5887
.0400	.5677	.5654	.5631	.5606	.5591	.5580	.5554	.5526	.5498
.0500	.5375	.5351	.5327	.5302	.5286	.5275	.5248	.5219	.5190
.0600	.5125	.5101	.5076	.5050	.5034	.5022	.4995	.4965	.4935
.0700	.4913	.4888	.4862	.4836	.4820	.4808	.4780	.4750	.4719
.0800	.4728	.4703	.4677	.4650	.4634	.4622	.4593	.4563	.4532
.0900	.4566	.4540	.4514	.4487	.4471	.4459	.4430	.4399	.4368
.1000	.4421	.4395	.4369	.4342	.4325	.4313	.4284	.4253	.4202

TABLE 33. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—
 Gümmerberg—Continued
 (Electrolyte, $n_+ n_- = 3$)

Ionic strength	50	55	60	65	70	75	80	85	90	95	100	Temperature in degrees Celsius					
												50	55	60	65	70	75
.0001	.9641	.9638	.9634	.9630	.9627	.9623	.9619	.9614	.9610	.9605	.9601						
.0002	.9498	.9494	.9489	.9484	.9478	.9473	.9467	.9461	.9455	.9449	.9442						
.0003	.9391	.9385	.9379	.9373	.9367	.9360	.9353	.9346	.9339	.9331	.9323						
.0004	.9302	.9295	.9289	.9281	.9274	.9267	.9259	.9251	.9242	.9234	.9225						
.0005	.9225	.9217	.9210	.9202	.9194	.9186	.9177	.9168	.9159	.9149	.9139						
.0006	.9156	.9148	.9139	.9131	.9122	.9113	.9104	.9094	.9084	.9074	.9063						
.0007	.9093	.9084	.9075	.9066	.9057	.9047	.9037	.9027	.9016	.9005	.8993						
.0008	.9035	.9026	.9016	.9007	.8997	.8987	.8976	.8965	.8954	.8942	.8929						
.0009	.8981	.8971	.8962	.8952	.8941	.8930	.8919	.8908	.8896	.8883	.8870						
.0010	.8930	.8920	.8910	.8900	.8889	.8878	.8866	.8854	.8841	.8828	.8815						
.0020	.8539	.8525	.8512	.8498	.8483	.8468	.8453	.8436	.8420	.8403	.8384						
.0030	.8256	.8241	.8225	.8208	.8191	.8173	.8155	.8136	.8117	.8097	.8075						
.0040	.8029	.8012	.7994	.7976	.7957	.7937	.7917	.7896	.7874	.7852	.7828						
.0050	.7837	.7818	.7799	.7779	.7759	.7737	.7716	.7693	.7669	.7645	.7620						
.0060	.7670	.7650	.7629	.7608	.7586	.7564	.7540	.7516	.7491	.7465	.7438						
.0070	.7521	.7500	.7478	.7456	.7433	.7409	.7385	.7359	.7333	.7306	.7277						
.0080	.7386	.7364	.7342	.7318	.7294	.7270	.7244	.7217	.7190	.7162	.7132						
.0090	.7263	.7240	.7217	.7193	.7168	.7142	.7116	.7088	.7060	.7031	.7000						
.0100	.7150	.7126	.7102	.7077	.7052	.7025	.6998	.6969	.6940	.6910	.6878						
.0200	.6331	.6302	.6273	.6243	.6212	.6180	.6147	.6113	.6078	.6043	.6005						
.0300	.5800	.5768	.5737	.5704	.5670	.5636	.5600	.5563	.5525	.5487	.5446						
.0400	.5406	.5373	.5340	.5306	.5270	.5234	.5197	.5158	.5119	.5078	.5036						
.0500	.5095	.5061	.5027	.4991	.4955	.4917	.4879	.4839	.4798	.4757	.4713						
.0600	.4838	.4803	.4768	.4732	.4695	.4657	.4618	.4577	.4536	.4493	.4449						
.0700	.4621	.4585	.4550	.4513	.4475	.4437	.4397	.4356	.4314	.4271	.4226						
.0800	.4433	.4397	.4361	.4324	.4286	.4247	.4207	.4166	.4123	.4080	.4035						
.0900	.4267	.4232	.4195	.4158	.4120	.4081	.4040	.3999	.3956	.3913	.3868						
.1000	.4121	.4085	.4048	.4011	.3972	.3933	.3893	.3851	.3808	.3765	.3720						

TABLE 34. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—
Güntelberg
(Electrolyte, z₊z₋ = 4)

Ionic strength	0	5	10	15	18	20	25	30	35	38	40	45	Temperature in degrees Celsius					
													30	35	38	40	45	
.0001	.9561	.9558	.9555	.9552	.9550	.9548	.9545	.9541	.9537	.9535	.9533	.9529						
.0002	.9388	.9384	.9379	.9375	.9372	.9370	.9365	.9360	.9354	.9351	.9349	.9343						
.0003	.9258	.9253	.9247	.9242	.9239	.9236	.9230	.9224	.9218	.9213	.9211	.9204						
.0004	.9150	.9144	.9138	.9132	.9128	.9126	.9119	.9112	.9104	.9100	.9097	.9089						
.0005	.9057	.9050	.9044	.9037	.9033	.9030	.9022	.9014	.9006	.9001	.8998	.8989						
.0006	.8974	.8967	.8960	.8952	.8948	.8944	.8936	.8928	.8919	.8913	.8910	.8900						
.0007	.8898	.8891	.8883	.8875	.8870	.8867	.8858	.8849	.8840	.8834	.8830	.8819						
.0008	.8829	.8821	.8813	.8804	.8799	.8795	.8786	.8777	.8767	.8760	.8756	.8745						
.0009	.8764	.8756	.8747	.8738	.8733	.8729	.8719	.8709	.8699	.8692	.8688	.8677						
.0010	.8704	.8695	.8686	.8677	.8671	.8667	.8657	.8647	.8636	.8629	.8624	.8612						
.0020	.8237	.8226	.8214	.8202	.8195	.8189	.8176	.8162	.8148	.8139	.8133	.8117						
.0030	.7904	.7891	.7877	.7863	.7854	.7848	.7833	.7816	.7800	.7789	.7782	.7764						
.0040	.7638	.7623	.7608	.7593	.7583	.7576	.7559	.7541	.7523	.7511	.7503	.7483						
.0050	.7415	.7399	.7383	.7366	.7355	.7348	.7329	.7310	.7290	.7278	.7269	.7248						
.0060	.7221	.7204	.7187	.7169	.7158	.7150	.7130	.7110	.7089	.7076	.7067	.7044						
.0070	.7049	.7031	.7013	.6994	.6983	.6975	.6954	.6933	.6911	.6897	.6888	.6864						
.0080	.6894	.6876	.6857	.6838	.6826	.6817	.6796	.6774	.6751	.6737	.6727	.6702						
.0090	.6754	.6735	.6716	.6695	.6683	.6674	.6652	.6629	.6606	.6591	.6581	.6555						
.0100	.6625	.6605	.6585	.6564	.6552	.6543	.6520	.6497	.6472	.6457	.6447	.6420						
.0200	.5705	.5682	.5659	.5635	.5620	.5609	.5583	.5555	.5527	.5509	.5497	.5467						
.0300	.5124	.5099	.5074	.5048	.5032	.5021	.4993	.4964	.4934	.4915	.4902	.4870						
.0400	.4700	.4675	.4649	.4622	.4606	.4594	.4565	.4535	.4504	.4485	.4472	.4438						
.0500	.4370	.4345	.4318	.4291	.4274	.4262	.4233	.4202	.4170	.4151	.4138	.4104						
.0600	.4102	.4076	.4049	.4021	.4005	.3992	.3963	.3932	.3900	.3880	.3867	.3833						
.0700	.3876	.3850	.3824	.3796	.3779	.3757	.3737	.3706	.3674	.3654	.3641	.3607						
.0800	.3684	.3657	.3631	.3603	.3586	.3574	.3544	.3513	.3481	.3462	.3448	.3414						
.0900	.3516	.3490	.3463	.3435	.3419	.3406	.3377	.3346	.3314	.3294	.3281	.3247						
.1000	.3368	.3342	.3316	.3288	.3271	.3259	.3229	.3199	.3167	.3148	.3134	.3101						

TABLE 34. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—
 Guntelberg—Continued
 (Electrolyte, $z_{+}z_{-} = 4$)

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9525	.9520	.9515	.9510	.9505	.9500	.9495	.9489	.9483
.0002	.9337	.9331	.9324	.9317	.9310	.9303	.9296	.9288	.9280
.0003	.9196	.9189	.9181	.9173	.9165	.9156	.9147	.9138	.9128
.0004	.9080	.9072	.9063	.9054	.9044	.9034	.9024	.9014	.9003
.0005	.8980	.8970	.8960	.8950	.8940	.8929	.8918	.8906	.8894
.0006	.8890	.8880	.8869	.8858	.8847	.8835	.8823	.8811	.8798
.0007	.8809	.8798	.8787	.8775	.8763	.8750	.8737	.8724	.8710
.0008	.8734	.8723	.8711	.8698	.8685	.8672	.8659	.8644	.8630
.0009	.8665	.8653	.8640	.8627	.8614	.8600	.8586	.8571	.8555
.0010	.8600	.8587	.8574	.8561	.8547	.8532	.8517	.8502	.8485
.0020	.8101	.8084	.8067	.8049	.8031	.8012	.7992	.7972	.7951
.0030	.7745	.7726	.7706	.7685	.7664	.7642	.7619	.7596	.7571
.0040	.7463	.7441	.7419	.7396	.7373	.7349	.7324	.7298	.7271
.0050	.7226	.7203	.7179	.7154	.7129	.7103	.7077	.7049	.7020
.0060	.7021	.6996	.6971	.6945	.6919	.6891	.6863	.6834	.6803
.0070	.6840	.6814	.6788	.6761	.6733	.6704	.6675	.6644	.6612
.0080	.6677	.6650	.6623	.6595	.6566	.6536	.6506	.6474	.6441
.0090	.6529	.6501	.6474	.6445	.6415	.6384	.6353	.6320	.6286
.0100	.6394	.6365	.6337	.6307	.6276	.6245	.6213	.6179	.6144
.0200	.5436	.5403	.5370	.5335	.5300	.5264	.5227	.5188	.5149
.0300	.4837	.4802	.4767	.4731	.4693	.4655	.4616	.4576	.4534
.0400	.4404	.4369	.4332	.4295	.4257	.4218	.4178	.4137	.4094
.0500	.4069	.4033	.3997	.3959	.3921	.3881	.3841	.3799	.3757
.0600	.3798	.3762	.3725	.3688	.3649	.3610	.3569	.3527	.3485
.0700	.3572	.3536	.3499	.3462	.3423	.3384	.3344	.3302	.3260
.0800	.3380	.3344	.3307	.3270	.3231	.3192	.3152	.3111	.3069
.0900	.3213	.3177	.3141	.3103	.3065	.3027	.2987	.2946	.2904
.1000	.3066	.3031	.2995	.2958	.2920	.2882	.2842	.2802	.2760

TABLE 35. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—*
Güntherberg
 (Electrolyte, $z_+ z_- = 6$)

Ionic strength	Temperature in degrees Celsius											
	0	5	10	15	18	20	25	30	35	38	40	45
.0001	.9349	.9345	.9340	.9335	.9333	.9330	.9325	.9320	.9314	.9310	.9308	.9302
.0002	.9096	.9090	.9084	.9077	.9073	.9070	.9063	.9055	.9047	.9043	.9039	.9031
.0003	.8908	.8900	.8893	.8885	.8880	.8876	.8868	.8859	.8850	.8844	.8840	.8830
.0004	.8753	.8744	.8736	.8727	.8721	.8717	.8708	.8698	.8687	.8680	.8676	.8664
.0005	.8619	.8610	.8601	.8591	.8585	.8580	.8570	.8559	.8547	.8540	.8535	.8522
.0006	.8501	.8491	.8481	.8470	.8464	.8459	.8447	.8435	.8423	.8415	.8410	.8396
.0007	.8393	.8383	.8372	.8361	.8354	.8349	.8337	.8324	.8311	.8303	.8297	.8282
.0008	.8295	.8284	.8273	.8261	.8254	.8249	.8236	.8222	.8208	.8199	.8194	.8178
.0009	.8205	.8193	.8181	.8169	.8161	.8155	.8142	.8128	.8113	.8104	.8098	.8082
.0010	.8120	.8108	.8095	.8082	.8075	.8069	.8055	.8040	.8025	.8015	.8009	.7992
.0020	.7476	.7461	.7445	.7428	.7418	.7411	.7393	.7374	.7354	.7342	.7334	.7313
.0030	.7027	.7009	.6991	.6972	.6961	.6952	.6932	.6911	.6888	.6874	.6865	.6841
.0040	.6675	.6656	.6637	.6616	.6603	.6594	.6572	.6549	.6525	.6510	.6499	.6473
.0050	.6384	.6364	.6343	.6321	.6308	.6298	.6275	.6250	.6225	.6209	.6198	.6170
.0060	.6136	.6114	.6093	.6070	.6056	.6046	.6021	.5995	.5969	.5952	.5941	.5912
.0070	.5918	.5896	.5873	.5850	.5835	.5825	.5799	.5773	.5745	.5728	.5716	.5687
.0080	.5725	.5702	.5679	.5654	.5639	.5629	.5602	.5575	.5547	.5529	.5517	.5487
.0090	.5550	.5527	.5503	.5478	.5463	.5452	.5426	.5398	.5369	.5351	.5339	.5307
.0100	.5392	.5368	.5344	.5319	.5303	.5292	.5265	.5236	.5207	.5189	.5176	.5145
.0200	.4309	.4283	.4257	.4230	.4213	.4201	.4171	.4141	.4109	.4089	.4076	.4042
.0300	.3667	.3641	.3615	.3587	.3570	.3558	.3528	.3497	.3465	.3446	.3432	.3398
.0400	.3223	.3197	.3170	.3143	.3126	.3114	.3085	.3054	.3023	.3003	.2990	.2957
.0500	.2889	.2864	.2838	.2811	.2794	.2782	.2754	.2724	.2693	.2674	.2661	.2629
.0600	.2627	.2602	.2577	.2550	.2534	.2522	.2495	.2466	.2436	.2417	.2405	.2373
.0700	.2413	.2389	.2364	.2339	.2323	.2312	.2284	.2256	.2227	.2209	.2197	.2166
.0800	.2236	.2212	.2188	.2163	.2148	.2136	.2110	.2082	.2054	.2037	.2025	.1995
.0900	.2085	.2062	.2038	.2014	.1999	.1988	.1962	.1935	.1908	.1891	.1850	.1820
.1000	.1955	.1932	.1909	.1885	.1871	.1860	.1835	.1809	.1782	.1766	.1755	.1726

TABLE 35. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—
 Güntellberg—Continued
 (Electrolyte, $z_+ z_- = 6$)

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9295	.9289	.9282	.9275	.9267	.9260	.9252	.9244	.9235
.0002	.9022	.9013	.9003	.8994	.8984	.8973	.8963	.8951	.8940
.0003	.8819	.8808	.8797	.8785	.8773	.8761	.8748	.8735	.8721
.0004	.8653	.8640	.8628	.8615	.8601	.8587	.8573	.8558	.8542
.0005	.8509	.8496	.8482	.8468	.8453	.8437	.8422	.8405	.8388
.0006	.8382	.8368	.8353	.8337	.8321	.8305	.8288	.8270	.8252
.0007	.8268	.8252	.8236	.8220	.8203	.8185	.8167	.8148	.8129
.0008	.8163	.8146	.8130	.8112	.8094	.8076	.8057	.8037	.8017
.0009	.8066	.8049	.8031	.8013	.7994	.7975	.7955	.7934	.7913
.0010	.7975	.7957	.7939	.7920	.7901	.7881	.7860	.7839	.7817
.0020	.7291	.7268	.7245	.7221	.7196	.7171	.7145	.7117	.7089
.0030	.6816	.6791	.6764	.6737	.6709	.6680	.6651	.6620	.6588
.0040	.6447	.6419	.6390	.6361	.6331	.6300	.6268	.6234	.6200
.0050	.6142	.6113	.6083	.6052	.6020	.5987	.5953	.5918	.5882
.0060	.5883	.5852	.5820	.5788	.5755	.5721	.5686	.5649	.5612
.0070	.5656	.5624	.5592	.5559	.5525	.5489	.5453	.5415	.5377
.0080	.5456	.5423	.5390	.5356	.5321	.5285	.5248	.5209	.5170
.0090	.5276	.5242	.5208	.5174	.5138	.5101	.5063	.5024	.4984
.0100	.5112	.5078	.5044	.5009	.4972	.4935	.4897	.4857	.4816
.0200	.4008	.3971	.3935	.3897	.3859	.3819	.3779	.3737	.3695
.0300	.3364	.3327	.3291	.3254	.3215	.3176	.3136	.3095	.3053
.0400	.2923	.2887	.2852	.2815	.2778	.2740	.2701	.2661	.2620
.0500	.2596	.2561	.2527	.2491	.2455	.2418	.2380	.2342	.2302
.0600	.2341	.2307	.2274	.2239	.2204	.2169	.2132	.2095	.2057
.0700	.2135	.2103	.2070	.2037	.2003	.1968	.1934	.1898	.1861
.0800	.1965	.1933	.1902	.1870	.1837	.1804	.1770	.1735	.1700
.0900	.1821	.1791	.1760	.1729	.1697	.1665	.1632	.1599	.1565
.1000	.1698	.1668	.1639	.1609	.1578	.1547	.1515	.1483	.1450

TABLE 36. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Güntherberg*
(Electrolyte, $z_+ z_- = 8$)

Ionic strength	Temperature in degrees Celsius											
	0	5	10	15	18	20	25	30	35	38	40	45
.0001	.9142	.9136	.9130	.9124	.9120	.9117	.9110	.9103	.9096	.9091	.9088	.9080
.0002	.8813	.8805	.8797	.8789	.8783	.8770	.8761	.8751	.8744	.8740	.8729	
.0003	.8571	.8561	.8552	.8541	.8535	.8531	.8520	.8508	.8496	.8489	.8484	.8471
.0004	.8372	.8362	.8351	.8340	.8333	.8328	.8315	.8302	.8289	.8280	.8275	.8260
.0005	.8203	.8191	.8179	.8167	.8159	.8153	.8140	.8126	.8111	.8102	.8096	.8080
.0006	.8053	.8040	.8027	.8014	.8006	.8000	.7985	.7970	.7955	.7945	.7938	.7921
.0007	.7918	.7904	.7891	.7877	.7868	.7862	.7846	.7830	.7814	.7803	.7796	.7778
.0008	.7794	.7781	.7766	.7751	.7742	.7736	.7720	.7703	.7685	.7674	.7667	.7648
.0009	.7681	.7666	.7652	.7636	.7627	.7620	.7603	.7585	.7567	.7556	.7548	.7528
.0010	.7575	.7560	.7545	.7529	.7519	.7512	.7494	.7476	.7457	.7445	.7438	.7417
.0020	.6785	.6767	.6748	.6727	.6715	.6706	.6685	.6662	.6638	.6624	.6614	.6588
.0030	.6247	.6226	.6205	.6183	.6169	.6159	.6135	.6110	.6083	.6067	.6056	.6028
.0040	.5834	.5812	.5789	.5765	.5750	.5740	.5714	.5687	.5659	.5642	.5630	.5600
.0050	.5498	.5474	.5450	.5425	.5410	.5399	.5372	.5344	.5315	.5297	.5284	.5253
.0060	.5214	.5190	.5165	.5139	.5123	.5112	.5084	.5055	.5025	.5007	.4994	.4962
.0070	.4969	.4944	.4919	.4892	.4876	.4864	.4836	.4807	.4776	.4757	.4744	.4711
.0080	.4753	.4728	.4702	.4676	.4659	.4647	.4619	.4589	.4558	.4538	.4525	.4492
.0090	.4561	.4536	.4510	.4483	.4466	.4454	.4425	.4395	.4363	.4344	.4331	.4297
.0100	.4389	.4363	.4337	.4309	.4293	.4280	.4251	.4221	.4189	.4169	.4156	.4122
.0200	.3255	.3229	.3203	.3175	.3158	.3146	.3117	.3086	.3055	.3035	.3022	.2989
.0300	.2625	.2600	.2575	.2548	.2533	.2521	.2493	.2464	.2434	.2416	.2403	.2371
.0400	.2209	.2186	.2162	.2137	.2122	.2111	.2084	.2057	.2029	.2011	.2000	.1970
.0500	.1910	.1888	.1865	.1841	.1827	.1816	.1792	.1766	.1739	.1723	.1712	.1684
.0600	.1682	.1661	.1640	.1617	.1604	.1594	.1570	.1546	.1521	.1506	.1495	.1469
.0700	.1503	.1482	.1462	.1441	.1428	.1419	.1397	.1374	.1350	.1335	.1326	.1301
.0800	.1357	.1338	.1318	.1298	.1286	.1277	.1256	.1234	.1212	.1198	.1189	.1166
.0900	.1236	.1218	.1199	.1180	.1169	.1160	.1140	.1120	.1098	.1085	.1077	.1054
.1000	.1134	.1117	.1099	.1081	.1070	.1062	.1043	.1023	.1003	.0991	.0982	.0961

TABLE 36. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—

Güntherberg—Continued
(Electrolyte, z.z.=8)

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9072	.9063	.9054	.9045	.9035	.9025	.9015	.9004	.8993
.0002	.8718	.8706	.8694	.8681	.8668	.8655	.8641	.8627	.8612
.0003	.8457	.8443	.8429	.8414	.8399	.8383	.8367	.8350	.8332
.0004	.8245	.8229	.8213	.8197	.8180	.8162	.8144	.8125	.8105
.0005	.8064	.8046	.8029	.8011	.7992	.7973	.7953	.7932	.7911
.0006	.7904	.7885	.7866	.7847	.7827	.7806	.7785	.7763	.7740
.0007	.7760	.7740	.7720	.7700	.7679	.7657	.7634	.7611	.7587
.0008	.7629	.7608	.7587	.7566	.7544	.7521	.7497	.7473	.7447
.0009	.7508	.7487	.7465	.7443	.7420	.7396	.7371	.7345	.7319
.0010	.7396	.7374	.7351	.7328	.7304	.7280	.7254	.7228	.7200
.0020	.6562	.6535	.6507	.6479	.6449	.6419	.6387	.6355	.6321
.0030	.5999	.5969	.5938	.5906	.5874	.5840	.5805	.5769	.5733
.0040	.5569	.5537	.5504	.5471	.5436	.5400	.5364	.5326	.5287
.0050	.5221	.5188	.5154	.5119	.5083	.5046	.5008	.4968	.4928
.0060	.4929	.4895	.4860	.4824	.4787	.4749	.4710	.4670	.4629
.0070	.4678	.4643	.4607	.4571	.4533	.4495	.4455	.4414	.4372
.0080	.4458	.4422	.4386	.4349	.4311	.4273	.4233	.4191	.4149
.0090	.4263	.4227	.4191	.4153	.4115	.4076	.4036	.3994	.3952
.0100	.4088	.4052	.4015	.3978	.3939	.3900	.3860	.3818	.3775
.0200	.2955	.2919	.2883	.2847	.2809	.2771	.2732	.2692	.2651
.0300	.2339	.2306	.2272	.2238	.2203	.2167	.2131	.2094	.2056
.0400	.1940	.1908	.1877	.1845	.1812	.1779	.1746	.1711	.1676
.0500	.1656	.1627	.1597	.1567	.1537	.1506	.1475	.1443	.1411
.0600	.1443	.1415	.1388	.1360	.1332	.1303	.1274	.1244	.1214
.0700	.1276	.1250	.1225	.1198	.1172	.1145	.1118	.1090	.1063
.0800	.1142	.1118	.1094	.1069	.1044	.1019	.0994	.0968	.0942
.0900	.1032	.1009	.0986	.0963	.0940	.0916	.0892	.0868	.0844
.1000	.0940	.0918	.0897	.0875	.0853	.0830	.0808	.0785	.0762

TABLE 37. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis —*
Güntelberg
 (Electrolyte, $z_+ z_- = 9$)

Ionic strength	0	5	10	15	18	20	25	30	35	38	40	45	Temperature in degrees Celsius
.0001	.9040	.8666	.8657	.8648	.8638	.8628	.8617	.8606	.8599	.8594	.8582		
.0002	.8675	.8397	.8386	.8375	.8368	.8363	.8351	.8338	.8325	.8317	.8311	.8297	
.0003	.8407	.8177	.8165	.8152	.8145	.8139	.8126	.8111	.8097	.8087	.8081	.8065	
.0004	.8189	.7989	.7976	.7962	.7954	.7948	.7933	.7918	.7902	.7892	.7885	.7867	
.0005	.8002	.7837	.7824	.7810	.7795	.7786	.7780	.7764	.7747	.7730	.7719	.7712	.7694
.0006	.7690	.7675	.7661	.7645	.7636	.7629	.7612	.7595	.7576	.7565	.7557	.7538	
.0007	.7555	.7540	.7525	.7509	.7499	.7491	.7474	.7456	.7437	.7425	.7417	.7396	
.0008	.7432	.7416	.7400	.7383	.7373	.7365	.7347	.7328	.7308	.7296	.7287	.7266	
.0010	.7317	.7301	.7284	.7266	.7256	.7248	.7229	.7209	.7189	.7176	.7167	.7145	
.0020	.6464	.6444	.6424	.6402	.6389	.6380	.6356	.6332	.6307	.6291	.6281	.6253	
.0030	.5891	.5868	.5846	.5822	.5807	.5797	.5771	.5745	.5717	.5700	.5688	.5658	
.0040	.5454	.5431	.5406	.5381	.5366	.5355	.5328	.5300	.5270	.5252	.5240	.5208	
.0050	.5101	.5077	.5052	.5026	.5010	.4998	.4970	.4941	.4911	.4892	.4879	.4847	
.0060	.4806	.4781	.4756	.4729	.4713	.4701	.4672	.4642	.4611	.4592	.4579	.4546	
.0070	.4553	.4527	.4501	.4474	.4458	.4445	.4416	.4386	.4355	.4335	.4322	.4288	
.0080	.4331	.4306	.4279	.4252	.4235	.4223	.4193	.4163	.4131	.4112	.4098	.4064	
.0090	.4135	.4109	.4083	.4055	.4038	.4026	.3996	.3966	.3934	.3914	.3901	.3866	
.0100	.3959	.3933	.3907	.3879	.3862	.3850	.3820	.3789	.3757	.3738	.3724	.3690	
.0200	.2829	.2803	.2778	.2751	.2734	.2723	.2694	.2664	.2634	.2615	.2602	.2570	
.0300	.2221	.2197	.2173	.2148	.2133	.2122	.2096	.2068	.2040	.2022	.2011	.1981	
.0400	.1829	.1807	.1785	.1762	.1748	.1738	.1713	.1688	.1662	.1646	.1635	.1608	
.0500	.1553	.1532	.1512	.1490	.1477	.1468	.1445	.1422	.1398	.1383	.1373	.1348	
.0600	.1346	.1327	.1308	.1288	.1276	.1267	.1246	.1224	.1202	.1188	.1179	.1156	
.0700	.1186	.1168	.1150	.1131	.1120	.1111	.1092	.1072	.1051	.1038	.1030	.1008	
.0800	.1057	.1040	.1023	.1006	.995	.988	.969	.950	.931	.919	.911	.891	
.0900	.0952	.0936	.0920	.0904	.0894	.0886	.0869	.0851	.0833	.0822	.0815	.0796	
.1000	.0864	.0849	.0834	.0819	.0809	.0802	.0786	.0770	.0752	.0742	.0735	.0717	

TABLE 37. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—*
Güntherberg—Continued
 (Electrolyte, $z_+ z_- = 9$)

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.8962	.8952	.8942	.8932	.8921	.8910	.8899	.8887	.8862
.0002	.8570	.8556	.8543	.8529	.8515	.8500	.8485	.8469	.8436
.0003	.8282	.8267	.8251	.8235	.8218	.8200	.8183	.8164	.8145
.0004	.8049	.8031	.8014	.7996	.7977	.7957	.7937	.7916	.7895
.0005	.7850	.7831	.7812	.7792	.7771	.7750	.7728	.7706	.7682
.0006	.7674	.7654	.7634	.7613	.7591	.7568	.7545	.7521	.7496
.0007	.7518	.7496	.7475	.7452	.7429	.7406	.7381	.7355	.7329
.0008	.7375	.7353	.7330	.7307	.7283	.7258	.7232	.7205	.7178
.0009	.7244	.7221	.7197	.7173	.7148	.7122	.7095	.7068	.7039
.0010	.7122	.7098	.7074	.7049	.7023	.6996	.6969	.6940	.6911
.0020	.6226	.6197	.6167	.6136	.6105	.6072	.6039	.6004	.5969
.0030	.5628	.5596	.5563	.5530	.5496	.5460	.5424	.5386	.5347
.0040	.5176	.5143	.5108	.5073	.5037	.5000	.4962	.4922	.4882
.0050	.4814	.4779	.4744	.4708	.4670	.4632	.4593	.4552	.4511
.0060	.4512	.4476	.4441	.4404	.4366	.4327	.4287	.4246	.4204
.0070	.4254	.4218	.4182	.4145	.4106	.4067	.4027	.3985	.3943
.0080	.4030	.3994	.3957	.3920	.3881	.3842	.3801	.3760	.3717
.0090	.3832	.3796	.3759	.3721	.3683	.3643	.3603	.3561	.3519
.0100	.3655	.3619	.3582	.3545	.3506	.3467	.3427	.3385	.3342
.0200	.2537	.2503	.2468	.2433	.2397	.2360	.2323	.2285	.2246
.0300	.1951	.1919	.1888	.1856	.1823	.1790	.1756	.1722	.1687
.0400	.1580	.1551	.1523	.1494	.1464	.1434	.1404	.1372	.1341
.0500	.1323	.1296	.1269	.1243	.1216	.1189	.1161	.1133	.1105
.0600	.1133	.1108	.1084	.1060	.1035	.1010	.0985	.0959	.0933
.0700	.0987	.0964	.0942	.0919	.0896	.0873	.0850	.0827	.0803
.0800	.0871	.0850	.0829	.0808	.0787	.0766	.0745	.0723	.0701
.0900	.0777	.0758	.0738	.0719	.0699	.0679	.0660	.0639	.0619
.1000	.0700	.0681	.0663	.0645	.0627	.0608	.0590	.0571	.0552

TABLE 38. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—*
Günzelberg
 (Electrolyte, $z_+ z_- = 12$)

Ionic strength	Temperature in degrees Celsius											
	0	5	10	15	18	20	25	30	35	38	40	45
.0001	.8741	.8733	.8724	.8715	.8710	.8706	.8696	.8686	.8675	.8668	.8664	.8652
.0002	.8274	.8263	.8251	.8239	.8232	.8226	.8213	.8200	.8186	.8177	.8171	.8155
.0003	.7935	.7921	.7908	.7894	.7885	.7879	.7864	.7848	.7831	.7821	.7814	.7796
.0004	.7661	.7646	.7632	.7616	.7606	.7599	.7582	.7565	.7546	.7535	.7527	.7507
.0005	.7429	.7413	.7397	.7380	.7370	.7362	.7344	.7325	.7305	.7293	.7284	.7263
.0006	.7226	.7209	.7192	.7174	.7163	.7155	.7136	.7116	.7094	.7081	.7072	.7050
.0007	.7045	.7027	.7009	.6991	.6979	.6971	.6950	.6929	.6907	.6893	.6884	.6860
.0008	.6881	.6863	.6844	.6825	.6813	.6804	.6783	.6760	.6737	.6723	.6713	.6688
.0009	.6731	.6713	.6693	.6673	.6660	.6651	.6629	.6606	.6583	.6568	.6558	.6532
.0010	.6593	.6574	.6554	.6533	.6520	.6511	.6488	.6464	.6440	.6425	.6414	.6388
.0020	.5589	.5566	.5543	.5518	.5503	.5492	.5465	.5438	.5409	.5391	.5379	.5348
.0030	.4938	.4913	.4888	.4861	.4845	.4833	.4805	.4776	.4745	.4726	.4713	.4680
.0040	.4456	.4431	.4404	.4377	.4360	.4348	.4319	.4289	.4257	.4238	.4224	.4190
.0050	.4076	.4050	.4024	.3996	.3979	.3967	.3937	.3907	.3875	.3855	.3841	.3807
.0060	.3765	.3739	.3712	.3684	.3667	.3655	.3625	.3594	.3562	.3543	.3529	.3495
.0070	.3502	.3476	.3450	.3422	.3405	.3393	.3363	.3333	.3301	.3281	.3268	.3234
.0080	.3277	.3251	.3225	.3197	.3180	.3168	.3139	.3108	.3077	.3057	.3044	.3010
.0090	.3081	.3055	.3029	.3001	.2985	.2973	.2944	.2913	.2882	.2863	.2850	.2817
.0100	.2907	.2882	.2856	.2829	.2812	.2801	.2772	.2742	.2711	.2692	.2679	.2647
.0200	.1857	.1835	.1812	.1789	.1775	.1765	.1740	.1715	.1688	.1672	.1661	.1634
.0300	.1345	.1326	.1307	.1287	.1274	.1266	.1245	.1223	.1201	.1187	.1178	.1155
.0400	.1038	.1022	.1005	.0988	.0977	.0970	.0951	.0933	.0914	.0902	.0894	.0874
.0500	.0835	.0820	.0805	.0790	.0781	.0774	.0758	.0742	.0725	.0715	.0708	.0691
.0600	.0690	.0677	.0664	.0650	.0642	.0636	.0622	.0608	.0593	.0584	.0578	.0563
.0700	.0582	.0571	.0559	.0547	.0540	.0534	.0522	.0509	.0496	.0488	.0483	.0469
.0800	.0500	.0489	.0479	.0468	.0461	.0456	.0445	.0434	.0422	.0415	.0410	.0398
.0900	.0435	.0425	.0415	.0405	.0395	.0385	.0375	.0364	.0358	.0353	.0342	.0342
.1000	.0382	.0373	.0364	.0355	.0346	.0337	.0327	.0318	.0312	.0308	.0308	.0298

TABLE 38. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—
 Güntellberg—Continued
 (Electrolyte, z.z. = 12)

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.8640	.8628	.8615	.8602	.8588	.8574	.8560	.8544	.8529
.0002	.8140	.8123	.8106	.8089	.8071	.8052	.8033	.8013	.7992
.0003	.7778	.7758	.7739	.7718	.7697	.7676	.7653	.7630	.7606
.0004	.7487	.7465	.7444	.7421	.7398	.7374	.7349	.7323	.7297
.0005	.7241	.7218	.7194	.7170	.7145	.7119	.7092	.7065	.7036
.0006	.7026	.7002	.6977	.6951	.6925	.6897	.6869	.6840	.6809
.0007	.6835	.6810	.6784	.6757	.6729	.6700	.6671	.6640	.6608
.0008	.6663	.6636	.6609	.6581	.6552	.6522	.6492	.6460	.6427
.0009	.6506	.6478	.6450	.6421	.6391	.6360	.6329	.6295	.6262
.0010	.6361	.6332	.6303	.6273	.6243	.6211	.6178	.6145	.6110
.0020	.5316	.5283	.5249	.5215	.5179	.5142	.5105	.5066	.5026
.0030	.4646	.4611	.4576	.4539	.4501	.4463	.4423	.4382	.4340
.0040	.4156	.4120	.4084	.4046	.4008	.3969	.3928	.3887	.3844
.0050	.3773	.3736	.3700	.3662	.3624	.3584	.3544	.3502	.3459
.0060	.3461	.3424	.3388	.3350	.3312	.3273	.3233	.3191	.3149
.0070	.3199	.3163	.3127	.3090	.3052	.3013	.2974	.2933	.2891
.0080	.2977	.2941	.2905	.2868	.2831	.2793	.2754	.2713	.2672
.0090	.2783	.2748	.2713	.2677	.2640	.2602	.2564	.2524	.2484
.0100	.2614	.2579	.2544	.2509	.2472	.2435	.2398	.2359	.2320
.0200	.1606	.1577	.1548	.1519	.1489	.1459	.1428	.1397	.1365
.0300	.1131	.1107	.1083	.1059	.1034	.1009	.984	.958	.932
.0400	.0854	.0834	.0813	.0793	.0772	.0751	.0729	.0708	.0686
.0500	.0674	.0656	.0638	.0621	.0603	.0585	.0567	.0548	.0530
.0600	.0548	.0532	.0517	.0501	.0486	.0470	.0455	.0439	.0423
.0700	.0456	.0442	.0428	.0415	.0401	.0387	.0374	.0360	.0346
.0800	.0386	.0374	.0362	.0350	.0337	.0325	.0313	.0301	.0289
.0900	.0332	.0321	.0310	.0299	.0288	.0277	.0266	.0256	.0245
.1000	.0288	.0278	.0269	.0259	.0249	.0239	.0230	.0220	.0201

TABLE 39. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Günzberg*
(Electrolyte, $z_+ z_- = 16$)

Ionic strength	0	5	10	15	18	20	25	30	35	38	40	45	Temperature in degrees Celsius
													.8245
.0001	.8358	.8347	.8336	.8325	.8318	.8312	.8300	.8287	.8273	.8265	.8259	.8245	.8245
.0002	.7767	.7753	.7739	.7724	.7715	.7708	.7692	.7675	.7657	.7646	.7639	.7619	.7619
.0003	.7346	.7330	.7313	.7296	.7285	.7277	.7259	.7239	.7219	.7206	.7197	.7175	.7175
.0004	.7010	.6992	.6974	.6955	.6943	.6935	.6914	.6893	.6870	.6857	.6847	.6823	.6823
.0005	.6728	.6709	.6690	.6669	.6657	.6648	.6626	.6603	.6579	.6564	.6554	.6528	.6528
.0006	.6484	.6464	.6444	.6422	.6409	.6400	.6377	.6353	.6327	.6312	.6301	.6274	.6274
.0007	.6269	.6248	.6227	.6204	.6191	.6181	.6157	.6132	.6105	.6089	.6078	.6050	.6050
.0008	.6075	.6054	.6032	.6008	.5994	.5984	.5959	.5933	.5906	.5890	.5878	.5849	.5849
.0009	.5899	.5877	.5855	.5831	.5816	.5806	.5780	.5754	.5726	.5709	.5697	.5667	.5667
.0010	.5738	.5716	.5693	.5668	.5654	.5643	.5617	.5589	.5561	.5544	.5532	.5501	.5501
.0020	.4604	.4579	.4553	.4526	.4509	.4497	.4468	.4438	.4407	.4387	.4374	.4341	.4341
.0030	.3903	.3877	.3850	.3822	.3806	.3793	.3764	.3733	.3701	.3681	.3668	.3633	.3633
.0040	.3404	.3378	.3351	.3323	.3307	.3294	.3265	.3234	.3202	.3183	.3170	.3136	.3136
.0050	.3022	.2997	.2971	.2943	.2927	.2915	.2886	.2856	.2825	.2805	.2793	.2759	.2759
.0060	.2718	.2693	.2668	.2641	.2625	.2613	.2585	.2556	.2525	.2507	.2494	.2462	.2462
.0070	.2469	.2444	.2419	.2393	.2378	.2366	.2339	.2310	.2281	.2263	.2251	.2220	.2220
.0080	.2259	.2236	.2211	.2186	.2171	.2160	.2133	.2106	.2077	.2060	.2048	.2018	.2018
.0090	.2081	.2057	.2034	.2009	.1995	.1984	.1958	.1931	.1904	.1887	.1876	.1846	.1846
.0100	.1926	.1904	.1881	.1857	.1843	.1832	.1807	.1781	.1755	.1738	.1727	.1699	.1699
.0200	.1059	.1043	.1026	.1008	.0997	.0990	.0971	.0953	.0933	.0921	.0913	.0893	.0893
.0300	.0689	.0676	.0663	.0649	.0641	.0635	.0621	.0607	.0592	.0583	.0577	.0562	.0562
.0400	.0488	.0478	.0467	.0457	.0450	.0445	.0434	.0423	.0412	.0405	.0400	.0388	.0388
.0500	.0365	.0356	.0348	.0339	.0334	.0330	.0321	.0312	.0303	.0297	.0293	.0284	.0284
.0600	.0283	.0276	.0269	.0261	.0257	.0254	.0247	.0239	.0231	.0227	.0224	.0216	.0216
.0700	.0226	.0220	.0214	.0208	.0204	.0201	.0195	.0189	.0182	.0178	.0176	.0169	.0169
.0800	.0184	.0179	.0174	.0169	.0165	.0163	.0158	.0152	.0147	.0144	.0141	.0136	.0136
.0900	.0153	.0148	.0144	.0139	.0137	.0135	.0130	.0125	.0121	.0118	.0116	.0111	.0111
.1000	.0129	.0125	.0121	.0117	.0114	.0113	.0109	.0105	.0101	.0098	.0097	.0092	.0092

TABLE 39. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—

Güntelberg—Continued
(Electrolyte, $z_+ z_- = 16$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.8230	.8214	.8197	.8181	.8163	.8146	.8127	.8108	.8088	.8068	.8046
.0002	.7600	.7579	.7558	.7537	.7514	.7491	.7467	.7442	.7417	.7390	.7363
.0003	.7153	.7129	.7105	.7080	.7054	.7028	.7001	.6972	.6943	.6913	.6881
.0004	.6798	.6772	.6746	.6719	.6691	.6662	.6632	.6601	.6569	.6536	.6502
.0005	.6502	.6474	.6446	.6417	.6387	.6357	.6325	.6292	.6258	.6223	.6187
.0006	.6247	.6217	.6188	.6158	.6126	.6094	.6061	.6026	.5991	.5954	.5916
.0007	.6021	.5991	.5960	.5929	.5896	.5863	.5828	.5792	.5756	.5718	.5679
.0008	.5820	.5788	.5757	.5724	.5691	.5656	.5621	.5584	.5546	.5508	.5467
.0009	.5637	.5605	.5573	.5540	.5505	.5470	.5433	.5396	.5357	.5317	.5276
.0010	.5470	.5438	.5404	.5370	.5335	.5299	.5262	.5224	.5184	.5144	.5102
.0020	.4306	.4271	.4234	.4197	.4159	.4120	.4080	.4038	.3996	.3952	.3907
.0030	.3599	.3563	.3526	.3488	.3450	.3410	.3370	.3329	.3286	.3243	.3198
.0040	.3102	.3066	.3030	.2993	.2955	.2916	.2877	.2836	.2795	.2753	.2709
.0050	.2726	.2691	.2656	.2620	.2583	.2546	.2508	.2468	.2429	.2388	.2346
.0060	.2430	.2396	.2362	.2327	.2291	.2255	.2219	.2181	.2142	.2104	.2063
.0070	.2188	.2156	.2123	.2089	.2055	.2020	.1985	.1949	.1912	.1875	.1836
.0080	.1987	.1956	.1924	.1892	.1859	.1825	.1792	.1757	.1721	.1686	.1649
.0090	.1817	.1787	.1756	.1725	.1693	.1661	.1629	.1595	.1562	.1528	.1492
.0100	.1671	.1642	.1612	.1582	.1552	.1521	.1490	.1458	.1425	.1393	.1359
.0200	.0873	.0852	.0831	.0810	.0789	.0768	.0746	.0725	.0703	.0681	.0659
.0300	.0547	.0532	.0516	.0501	.0485	.0470	.0454	.0438	.0423	.0407	.0391
.0400	.0376	.0364	.0352	.0340	.0328	.0317	.0305	.0293	.0281	.0269	.0258
.0500	.0274	.0265	.0255	.0246	.0236	.0227	.0218	.0208	.0199	.0190	.0181
.0600	.0208	.0200	.0193	.0185	.0177	.0170	.0162	.0155	.0147	.0140	.0133
.0700	.0163	.0156	.0150	.0144	.0137	.0131	.0125	.0119	.0113	.0107	.0101
.0800	.0130	.0125	.0120	.0114	.0109	.0104	.0099	.0094	.0089	.0084	.0079
.0900	.0107	.0102	.0097	.0093	.0088	.0084	.0080	.0075	.0071	.0067	.0063
.1000	.0088	.0084	.0080	.0077	.0073	.0069	.0065	.0062	.0058	.0055	.0051

TABLE 40. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Extended*
Güntelberg
 (Electrolyte, $z_+ z_- = 1$)

Ionic strength	Temperature in degrees Celsius										45
	0	5	10	15	18	20	25	30	35	38	
.0001	.9888	.9887	.9886	.9885	.9884	.9883	.9882	.9881	.9881	.9881	.9879
.0002	.9843	.9842	.9841	.9840	.9839	.9838	.9837	.9836	.9834	.9833	.9831
.0003	.9809	.9808	.9806	.9805	.9804	.9803	.9801	.9800	.9798	.9797	.9794
.0004	.9780	.9779	.9777	.9775	.9774	.9772	.9770	.9767	.9766	.9765	.9763
.0005	.9755	.9754	.9752	.9750	.9749	.9748	.9746	.9743	.9741	.9739	.9738
.0006	.9733	.9731	.9729	.9727	.9725	.9722	.9720	.9717	.9716	.9714	.9711
.0007	.9712	.9710	.9708	.9706	.9704	.9703	.9701	.9698	.9695	.9694	.9689
.0008	.9693	.9691	.9689	.9686	.9685	.9684	.9681	.9678	.9675	.9673	.9669
.0009	.9675	.9673	.9671	.9668	.9667	.9665	.9663	.9660	.9656	.9655	.9650
.0010	.9659	.9656	.9654	.9651	.9649	.9648	.9645	.9642	.9639	.9637	.9632
.0020	.9526	.9523	.9520	.9516	.9514	.9512	.9508	.9504	.9499	.9496	.9489
.0030	.9428	.9424	.9420	.9416	.9413	.9411	.9406	.9401	.9396	.9392	.9384
.0040	.9348	.9343	.9339	.9334	.9331	.9328	.9323	.9317	.9311	.9307	.9298
.0050	.9278	.9273	.9268	.9263	.9259	.9257	.9251	.9245	.9238	.9234	.9223
.0060	.9217	.9212	.9206	.9200	.9197	.9194	.9187	.9180	.9173	.9169	.9157
.0070	.9161	.9156	.9150	.9144	.9140	.9137	.9130	.9123	.9115	.9110	.9107
.0080	.9110	.9105	.9098	.9092	.9088	.9085	.9077	.9070	.9061	.9056	.9053
.0090	.9063	.9057	.9051	.9044	.9040	.9036	.9029	.9021	.9012	.9007	.9003
.0100	.9020	.9013	.9006	.8999	.8995	.8991	.8983	.8975	.8966	.8960	.8957
.0200	.8687	.8679	.8670	.8661	.8655	.8650	.8640	.8629	.8617	.8610	.8605
.0300	.8455	.8446	.8435	.8425	.8418	.8413	.8401	.8388	.8375	.8367	.8361
.0400	.8273	.8263	.8252	.8240	.8233	.8227	.8214	.8200	.8185	.8176	.8170
.0500	.8123	.8112	.8100	.8087	.8079	.8073	.8059	.8045	.8029	.8019	.8012
.0600	.7994	.7982	.7969	.7956	.7948	.7942	.7927	.7911	.7894	.7884	.7877
.0700	.7881	.7868	.7855	.7841	.7832	.7826	.7811	.7794	.7777	.7766	.7759
.0800	.7780	.7767	.7753	.7739	.7730	.7723	.7707	.7690	.7672	.7661	.7654
.0900	.7688	.7675	.7661	.7646	.7637	.7630	.7614	.7596	.7578	.7567	.7559
.1000	.7605	.7592	.7577	.7562	.7552	.7546	.7529	.7511	.7492	.7480	.7472

40. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Extended
 Guntelberg—Continued
 (Electrolyte, $z_+ z_- = 1$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9878	.9877	.9876	.9874	.9873	.9871	.9869	.9868	.9866	.9864	.9862
.0002	.9829	.9827	.9825	.9823	.9821	.9819	.9817	.9814	.9812	.9809	.9807
.0003	.9792	.9789	.9787	.9784	.9782	.9779	.9777	.9774	.9771	.9768	.9764
.0004	.9760	.9758	.9755	.9752	.9749	.9746	.9743	.9740	.9736	.9733	.9729
.0005	.9733	.9730	.9727	.9724	.9721	.9717	.9714	.9710	.9706	.9703	.9698
.0006	.9709	.9705	.9702	.9699	.9695	.9692	.9688	.9684	.9680	.9675	.9671
.0007	.9686	.9683	.9679	.9676	.9672	.9668	.9664	.9659	.9655	.9650	.9646
.0008	.9665	.9662	.9658	.9654	.9650	.9646	.9642	.9637	.9632	.9627	.9622
.0009	.9646	.9642	.9638	.9634	.9630	.9626	.9621	.9616	.9611	.9606	.9601
.0010	.9628	.9624	.9620	.9615	.9611	.9606	.9601	.9596	.9591	.9586	.9580
.0020	.9484	.9479	.9473	.9467	.9461	.9455	.9448	.9441	.9434	.9427	.9419
.0030	.9378	.9371	.9364	.9357	.9350	.9342	.9335	.9326	.9318	.9309	.9300
.0040	.9291	.9283	.9275	.9268	.9259	.9251	.9242	.9232	.9223	.9213	.9202
.0050	.9215	.9207	.9199	.9190	.9181	.9172	.9162	.9152	.9141	.9130	.9119
.0060	.9149	.9140	.9131	.9122	.9112	.9102	.9091	.9080	.9069	.9057	.9045
.0070	.9089	.9080	.9070	.9060	.9050	.9039	.9028	.9016	.9004	.8991	.8978
.0080	.9034	.9024	.9014	.9004	.8993	.8981	.8969	.8957	.8944	.8931	.8917
.0090	.8984	.8973	.8963	.8951	.8940	.8928	.8916	.8902	.8889	.8875	.8861
.0100	.8936	.8926	.8914	.8903	.8891	.8878	.8866	.8852	.8838	.8824	.8808
.0200	.8579	.8565	.8551	.8536	.8521	.8504	.8488	.8470	.8452	.8434	.8414
.0300	.8331	.8315	.8299	.8282	.8264	.8245	.8226	.8206	.8186	.8165	.8142
.0400	.8137	.8120	.8102	.8083	.8064	.8044	.8023	.8001	.7978	.7955	.7931
.0500	.7977	.7958	.7939	.7919	.7899	.7877	.7855	.7831	.7808	.7783	.7757
.0600	.7840	.7821	.7801	.7779	.7758	.7735	.7712	.7687	.7662	.7636	.7609
.0700	.7721	.7700	.7679	.7657	.7635	.7611	.7586	.7561	.7535	.7508	.7479
.0800	.7614	.7593	.7571	.7548	.7525	.7500	.7475	.7449	.7422	.7394	.7365
.0900	.7518	.7496	.7473	.7450	.7426	.7401	.7375	.7348	.7320	.7292	.7261
.1000	.7430	.7408	.7385	.7361	.7336	.7310	.7284	.7256	.7228	.7198	.7168

TABLE 41. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Extended
Güntelberg*
(Electrolyte, $z_+ z_- = 2$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9778	.9777	.9775	.9773	.9772	.9771	.9769	.9767	.9764
.0002	.9689	.9687	.9685	.9682	.9681	.9679	.9677	.9674	.9671
.0003	.9622	.9619	.9616	.9613	.9611	.9610	.9607	.9603	.9600
.0004	.9565	.9562	.9559	.9556	.9554	.9552	.9548	.9544	.9540
.0005	.9516	.9513	.9510	.9506	.9504	.9502	.9498	.9493	.9489
.0006	.9473	.9469	.9465	.9461	.9459	.9457	.9452	.9447	.9442
.0007	.9433	.9429	.9425	.9420	.9417	.9415	.9411	.9406	.9400
.0008	.9396	.9391	.9387	.9383	.9380	.9377	.9372	.9367	.9361
.0009	.9361	.9357	.9352	.9347	.9344	.9342	.9337	.9331	.9325
.0010	.9329	.9324	.9319	.9314	.9311	.9309	.9303	.9297	.9291
.0020	.9075	.9069	.9062	.9055	.9051	.9048	.9040	.9032	.9023
.0030	.8889	.8882	.8874	.8866	.8861	.8857	.8848	.8838	.8828
.0040	.8738	.8730	.8721	.8712	.8706	.8702	.8691	.8681	.8669
.0050	.8609	.8600	.8590	.8580	.8574	.8569	.8558	.8546	.8534
.0060	.8495	.8485	.8475	.8464	.8458	.8453	.8441	.8428	.8414
.0070	.8393	.8383	.8372	.8361	.8353	.8348	.8335	.8322	.8318
.0080	.8300	.8289	.8278	.8266	.8258	.8253	.8240	.8226	.8211
.0090	.8215	.8203	.8192	.8179	.8171	.8166	.8152	.8137	.8121
.0100	.8135	.8124	.8111	.8099	.8090	.8084	.8070	.8055	.8039
.0200	.7547	.7532	.7517	.7501	.7490	.7483	.7465	.7446	.7426
.0300	.7149	.7133	.7116	.7098	.7086	.7078	.7058	.7037	.7014
.0400	.6845	.6827	.6809	.6790	.6777	.6769	.6747	.6724	.6700
.0500	.6598	.6580	.6560	.6540	.6527	.6518	.6495	.6471	.6446
.0600	.6390	.6371	.6351	.6330	.6316	.6307	.6283	.6259	.6232
.0700	.6210	.6191	.6170	.6148	.6135	.6125	.6101	.6075	.6048
.0800	.6052	.6032	.6011	.5989	.5975	.5965	.5940	.5914	.5886
.0900	.5911	.5891	.5869	.5847	.5832	.5822	.5797	.5771	.5742
.1000	.5784	.5763	.5741	.5719	.5704	.5694	.5668	.5641	.5613

TABLE 41. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Extended
 Günzelberg—Continued
 (Electrolyte, $z_+ z_- = 2$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9758	.9755	.9753	.9750	.9747	.9744	.9741	.9737	.9734	.9730	.9726
.0002	.9661	.9657	.9653	.9649	.9645	.9641	.9637	.9632	.9627	.9622	.9617
.0003	.9587	.9583	.9578	.9574	.9569	.9563	.9558	.9552	.9547	.9541	.9534
.0004	.9526	.9521	.9516	.9511	.9505	.9499	.9493	.9486	.9480	.9473	.9466
.0005	.9473	.9467	.9462	.9456	.9449	.9443	.9436	.9429	.9422	.9414	.9406
.0006	.9426	.9419	.9413	.9406	.9400	.9393	.9385	.9377	.9369	.9361	.9352
.0007	.9382	.9375	.9369	.9362	.9354	.9347	.9339	.9330	.9322	.9313	.9304
.0008	.9342	.9335	.9328	.9320	.9313	.9304	.9296	.9287	.9278	.9269	.9259
.0009	.9305	.9297	.9290	.9282	.9274	.9265	.9256	.9247	.9237	.9228	.9217
.0010	.9270	.9262	.9254	.9246	.9237	.9228	.9219	.9209	.9199	.9189	.9178
.0020	.8995	.8984	.8974	.8963	.8951	.8939	.8927	.8913	.8900	.8886	.8871
.0030	.8794	.8782	.8769	.8756	.8743	.8728	.8713	.8698	.8682	.8666	.8648
.0040	.8631	.8618	.8603	.8589	.8573	.8557	.8541	.8524	.8506	.8488	.8468
.0050	.8493	.8477	.8462	.8446	.8429	.8412	.8394	.8375	.8356	.8336	.8315
.0060	.8371	.8354	.8338	.8321	.8303	.8284	.8265	.8245	.8224	.8203	.8180
.0070	.8261	.8244	.8227	.8208	.8190	.8170	.8150	.8128	.8106	.8084	.8060
.0080	.8162	.8144	.8126	.8107	.8087	.8066	.8045	.8023	.8000	.7976	.7951
.0090	.8071	.8052	.8033	.8013	.7992	.7971	.7949	.7925	.7902	.7877	.7851
.0100	.7986	.7966	.7947	.7926	.7905	.7883	.7860	.7836	.7811	.7786	.7759
.0200	.7360	.7336	.7312	.7286	.7260	.7232	.7204	.7174	.7144	.7113	.7080
.0300	.6941	.6914	.6887	.6858	.6829	.6799	.6767	.6734	.6701	.6666	.6630
.0400	.6622	.6593	.6564	.6534	.6503	.6470	.6437	.6401	.6366	.6329	.6290
.0500	.6364	.6334	.6303	.6272	.6239	.6205	.6170	.6133	.6096	.6058	.6017
.0600	.6147	.6116	.6085	.6052	.6018	.5983	.5947	.5909	.5871	.5831	.5789
.0700	.5961	.5929	.5897	.5863	.5829	.5792	.5755	.5717	.5677	.5637	.5594
.0800	.5797	.5765	.5732	.5698	.5662	.5625	.5588	.5548	.5508	.5467	.5424
.0900	.5652	.5619	.5585	.5550	.5515	.5477	.5439	.5399	.5358	.5317	.5273
.1000	.5521	.5487	.5454	.5418	.5382	.5344	.5306	.5265	.5224	.5182	.5137

TABLE 42. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—*Extended*
Günellberg
 (Electrolyte, $z_{+z_-} = 3$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9669	.9667	.9664	.9662	.9660	.9659	.9656	.9653	.9650
.0002	.9537	.9534	.9531	.9527	.9525	.9523	.9519	.9515	.9510
.0003	.9438	.9434	.9430	.9426	.9423	.9421	.9416	.9411	.9405
.0004	.9355	.9351	.9346	.9341	.9338	.9336	.9330	.9325	.9318
.0005	.9284	.9279	.9273	.9268	.9265	.9262	.9256	.9250	.9243
.0006	.9219	.9214	.9209	.9203	.9199	.9196	.9190	.9183	.9175
.0007	.9161	.9155	.9149	.9143	.9139	.9136	.9129	.9122	.9114
.0008	.9107	.9101	.9095	.9088	.9084	.9081	.9073	.9066	.9057
.0009	.9057	.9051	.9044	.9037	.9033	.9029	.9022	.9013	.9004
.0010	.9010	.9004	.8997	.8989	.8985	.8981	.8973	.8964	.8955
.0020	.8645	.8636	.8627	.8617	.8611	.8606	.8595	.8584	.8571
.0030	.8381	.8370	.8359	.8348	.8341	.8335	.8322	.8309	.8294
.0040	.8168	.8156	.8144	.8131	.8123	.8117	.8103	.8088	.8072
.0050	.7987	.7975	.7962	.7948	.7939	.7932	.7917	.7901	.7883
.0060	.7830	.7816	.7802	.7787	.7778	.7771	.7755	.7737	.7719
.0070	.7689	.7675	.7660	.7645	.7635	.7628	.7610	.7592	.7572
.0080	.7562	.7547	.7532	.7515	.7505	.7498	.7479	.7460	.7440
.0090	.7445	.7430	.7414	.7397	.7386	.7379	.7360	.7340	.7319
.0100	.7338	.7322	.7306	.7288	.7277	.7269	.7250	.7229	.7207
.0200	.6556	.6537	.6517	.6496	.6483	.6473	.6450	.6425	.6399
.0300	.6045	.6024	.6002	.5980	.5965	.5955	.5929	.5903	.5874
.0400	.5663	.5641	.5619	.5595	.5580	.5569	.5542	.5514	.5484
.0500	.5360	.5337	.5314	.5289	.5273	.5262	.5235	.5206	.5175
.0600	.5108	.5085	.5061	.5036	.5020	.5009	.4981	.4951	.4920
.0700	.4894	.4871	.4846	.4821	.4805	.4793	.4765	.4735	.4704
.0800	.4708	.4685	.4660	.4635	.4618	.4607	.4578	.4548	.4516
.0900	.4545	.4521	.4496	.4471	.4454	.4442	.4414	.4384	.4351
.1000	.4399	.4375	.4350	.4325	.4308	.4296	.4267	.4237	.4205

TABLE 42. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Extended
 Güntelberg—Continued
 (Electrolyte, z, z₋ = 3)

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9639	.9635	.9631	.9627	.9623	.9618	.9613	.9608	.9603
.0002	.9496	.9490	.9485	.9479	.9473	.9466	.9460	.9453	.9446
.0003	.9388	.9381	.9374	.9367	.9360	.9352	.9345	.9336	.9328
.0004	.9298	.9291	.9283	.9275	.9267	.9258	.9249	.9240	.9230
.0005	.9220	.9212	.9204	.9195	.9186	.9176	.9166	.9156	.9145
.0006	.9151	.9142	.9133	.9123	.9113	.9103	.9092	.9081	.9069
.0007	.9088	.9078	.9068	.9058	.9047	.9036	.9025	.9013	.9000
.0008	.9029	.9019	.9009	.8998	.8987	.8975	.8963	.8950	.8937
.0009	.8975	.8965	.8954	.8942	.8931	.8918	.8905	.8892	.8878
.0010	.8925	.8913	.8902	.8890	.8878	.8865	.8851	.8837	.8823
.0020	.8531	.8516	.8501	.8485	.8469	.8452	.8434	.8415	.8396
.0030	.8247	.8230	.8212	.8193	.8174	.8154	.8134	.8112	.8090
.0040	.8019	.8000	.7980	.7960	.7938	.7916	.7893	.7869	.7845
.0050	.7826	.7805	.7784	.7762	.7739	.7715	.7690	.7664	.7638
.0060	.7658	.7636	.7613	.7590	.7566	.7540	.7514	.7486	.7458
.0070	.7509	.7485	.7462	.7437	.7411	.7385	.7357	.7328	.7299
.0080	.7374	.7349	.7325	.7299	.7272	.7244	.7216	.7186	.7155
.0090	.7250	.7225	.7199	.7173	.7145	.7116	.7087	.7056	.7024
.0100	.7137	.7110	.7084	.7057	.7028	.6999	.6968	.6936	.6903
.0200	.6315	.6284	.6252	.6220	.6186	.6151	.6115	.6077	.6038
.0300	.5783	.5749	.5715	.5680	.5644	.5606	.5567	.5526	.5485
.0400	.5389	.5353	.5318	.5281	.5244	.5204	.5164	.5122	.5079
.0500	.5077	.5041	.5005	.4967	.4928	.4888	.4847	.4803	.4759
.0600	.4820	.4783	.4746	.4708	.4669	.4628	.4586	.4542	.4498
.0700	.4602	.4565	.4528	.4489	.4450	.4408	.4366	.4322	.4278
.0800	.4414	.4377	.4340	.4301	.4261	.4219	.4177	.4133	.4088
.0900	.4249	.4212	.4174	.4135	.4095	.4054	.4011	.3967	.3922
.1000	.4102	.4065	.4027	.3988	.3948	.3907	.3865	.3820	.3776

TABLE 43. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—*Extended*
Günzberg
 (Electrolyte, z.z. = 4)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9561	.9558	.9555	.9552	.9550	.9548	.9544	.9540	.9536
.0002	.9388	.9383	.9379	.9374	.9371	.9369	.9364	.9358	.9352
.0003	.9257	.9252	.9247	.9241	.9238	.9235	.9229	.9222	.9215
.0004	.9150	.9144	.9138	.9132	.9127	.9124	.9117	.9110	.9102
.0005	.9056	.9050	.9043	.9036	.9032	.9028	.9020	.9012	.9003
.0006	.8973	.8966	.8959	.8951	.8946	.8943	.8934	.8925	.8916
.0007	.8897	.8890	.8882	.8874	.8869	.8865	.8856	.8846	.8836
.0008	.8828	.8820	.8812	.8803	.8798	.8794	.8784	.8774	.8763
.0009	.8763	.8755	.8746	.8737	.8732	.8727	.8717	.8706	.8695
.0010	.8703	.8694	.8685	.8676	.8670	.8665	.8655	.8643	.8631
.0020	.8236	.8224	.8213	.8200	.8192	.8186	.8172	.8158	.8142
.0030	.7902	.7889	.7875	.7860	.7851	.7844	.7828	.7811	.7793
.0040	.7635	.7621	.7605	.7590	.7579	.7572	.7554	.7535	.7515
.0050	.7411	.7395	.7379	.7362	.7351	.7343	.7324	.7304	.7282
.0060	.7216	.7200	.7183	.7165	.7153	.7145	.7124	.7103	.7080
.0070	.7044	.7027	.7009	.6990	.6978	.6969	.6948	.6926	.6902
.0080	.6889	.6871	.6853	.6833	.6820	.6811	.6789	.6766	.6741
.0090	.6748	.6730	.6710	.6690	.6677	.6668	.6645	.6621	.6596
.0100	.6618	.6599	.6580	.6559	.6545	.6536	.6513	.6488	.6462
.0200	.5695	.5673	.5650	.5626	.5611	.5600	.5573	.5545	.5514
.0300	.5111	.5087	.5063	.5038	.5021	.5010	.4981	.4951	.4920
.0400	.4685	.4661	.4636	.4610	.4593	.4581	.4552	.4522	.4489
.0500	.4353	.4329	.4304	.4277	.4260	.4248	.4219	.4188	.4155
.0600	.4083	.4059	.4033	.4007	.3990	.3978	.3948	.3917	.3884
.0700	.3857	.3832	.3807	.3780	.3763	.3751	.3722	.3691	.3658
.0800	.3663	.3639	.3613	.3587	.3570	.3558	.3528	.3498	.3465
.0900	.3494	.3470	.3445	.3419	.3402	.3390	.3360	.3330	.3297
.1000	.3346	.3322	.3296	.3270	.3242	.3213	.3182	.3150	.3131

TABLE 43. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Extended*
Güntelberg—Continued
 (Electrolyte, $z_+z_- = 4$)

Ionic strength	50	55	60	65	70	75	80	85	90	95	Temperature in degrees Celsius	
											50	55
.0001	.9522	.9517	.9511	.9506	.9500	.9494	.9488	.9481	.9475	.9468	.9460	.9259
.0002	.9333	.9326	.9319	.9311	.9303	.9295	.9286	.9277	.9268	.9259	.9248	.9090
.0003	.9192	.9183	.9175	.9165	.9156	.9146	.9136	.9125	.9114	.9102	.9090	.8960
.0004	.9075	.9065	.9055	.9045	.9034	.9023	.9011	.8999	.8987	.8974	.8967	.8847
.0005	.8974	.8963	.8952	.8941	.8929	.8917	.8904	.8890	.8876	.8862	.8853	.8763
.0006	.8884	.8872	.8861	.8848	.8835	.8822	.8808	.8794	.8779	.8763	.8747	.8656
.0007	.8802	.8790	.8777	.8764	.8751	.8736	.8721	.8706	.8690	.8673	.8656	.8573
.0008	.8727	.8714	.8701	.8687	.8672	.8657	.8642	.8625	.8608	.8591	.8573	.8495
.0009	.8658	.8644	.8630	.8615	.8600	.8584	.8568	.8550	.8533	.8515	.8495	.8443
.0010	.8592	.8578	.8563	.8548	.8532	.8516	.8499	.8481	.8462	.8443	.8423	.8290
.0020	.8091	.8072	.8053	.8033	.8012	.7991	.7968	.7945	.7921	.7896	.7870	.7740
.0030	.7734	.7712	.7690	.7667	.7643	.7618	.7593	.7565	.7538	.7510	.7479	.7340
.0040	.7450	.7426	.7402	.7377	.7350	.7323	.7295	.7265	.7235	.7204	.7171	.6949
.0050	.7212	.7187	.7161	.7133	.7106	.7076	.7046	.7014	.6982	.6950	.6913	.6692
.0060	.7007	.6979	.6952	.6923	.6894	.6863	.6831	.6798	.6764	.6729	.6692	.6497
.0070	.6825	.6796	.6768	.6738	.6707	.6675	.6642	.6607	.6571	.6535	.6497	.6362
.0080	.6662	.6632	.6603	.6572	.6540	.6506	.6472	.6436	.6399	.6362	.6322	.6164
.0090	.6513	.6483	.6453	.6421	.6388	.6354	.6318	.6281	.6244	.6205	.6164	.5957
.0100	.6377	.6346	.6315	.6283	.6249	.6214	.6178	.6140	.6101	.6062	.6020	.5821
.0200	.5417	.5382	.5346	.5309	.5271	.5231	.5190	.5147	.5104	.5059	.5012	.4846
.0300	.4818	.4780	.4743	.4704	.4664	.4622	.4580	.4535	.4490	.4444	.4395	.4223
.0400	.4385	.4347	.4309	.4269	.4229	.4186	.4143	.4098	.4052	.4006	.3957	.3762
.0500	.4050	.4012	.3973	.3933	.3893	.3850	.3807	.3762	.3716	.3670	.3621	.3352
.0600	.3779	.3741	.3702	.3663	.3622	.3580	.3537	.3492	.3446	.3400	.3352	.3130
.0700	.3553	.3515	.3477	.3438	.3397	.3355	.3313	.3268	.3223	.3178	.3130	.2942
.0800	.3361	.3323	.3285	.3246	.3206	.3165	.3122	.3078	.3034	.2989	.2942	.2780
.0900	.3194	.3157	.3120	.3081	.3041	.3000	.2958	.2915	.2871	.2827	.2780	.2639
.1000	.3048	.3011	.2974	.2936	.2897	.2856	.2815	.2772	.2729	.2685	.2639	.2446

TABLE 44. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Extended
Güntelberg*
(Electrolyte, $z_+z_- = 6$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9349	.9345	.9340	.9335	.9332	.9330	.9324	.9318	.9312
.0002	.9096	.9090	.9083	.9076	.9072	.9069	.9061	.9053	.9045
.0003	.8907	.8900	.8892	.8884	.8879	.8875	.8866	.8856	.8846
.0004	.8752	.8744	.8735	.8726	.8720	.8716	.8706	.8695	.8683
.0005	.8618	.8609	.8600	.8590	.8583	.8579	.8567	.8555	.8543
.0006	.8500	.8490	.8480	.8469	.8462	.8457	.8445	.8432	.8418
.0007	.8393	.8382	.8371	.8360	.8352	.8347	.8334	.8320	.8306
.0008	.8294	.8283	.8272	.8260	.8252	.8246	.8233	.8218	.8203
.0009	.8203	.8192	.8180	.8167	.8159	.8153	.8139	.8124	.8108
.0010	.8119	.8107	.8094	.8081	.8072	.8066	.8051	.8036	.8019
.0020	.7474	.7459	.7443	.7426	.7415	.7407	.7388	.7368	.7347
.0030	.7024	.7006	.6988	.6969	.6957	.6948	.6926	.6904	.6879
.0040	.6671	.6652	.6633	.6612	.6598	.6589	.6566	.6541	.6515
.0050	.6380	.6360	.6339	.6317	.6303	.6292	.6268	.6242	.6214
.0060	.6130	.6109	.6087	.6064	.6050	.6039	.6013	.5987	.5958
.0070	.5912	.5890	.5868	.5844	.5829	.5818	.5791	.5764	.5734
.0080	.5718	.5696	.5672	.5648	.5633	.5621	.5594	.5566	.5535
.0090	.5543	.5521	.5497	.5472	.5456	.5445	.5417	.5388	.5357
.0100	.5384	.5361	.5337	.5312	.5296	.5284	.5256	.5226	.5194
.0200	.4298	.4273	.4247	.4220	.4203	.4190	.4160	.4129	.4095
.0300	.3654	.3629	.3603	.3575	.3558	.3546	.3516	.3484	.3450
.0400	.3207	.3183	.3157	.3130	.3113	.3101	.3071	.3041	.3008
.0500	.2872	.2848	.2823	.2797	.2781	.2769	.2740	.2710	.2678
.0600	.2609	.2586	.2562	.2536	.2520	.2509	.2481	.2452	.2421
.0700	.2395	.2372	.2349	.2324	.2309	.2297	.2270	.2242	.2212
.0800	.2217	.2195	.2172	.2148	.2133	.2122	.2096	.2069	.2040
.0900	.2066	.2044	.2022	.1999	.1984	.1973	.1948	.1922	.1894
.1000	.1935	.1914	.1893	.1870	.1856	.1846	.1821	.1795	.1768

TABLE 44. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Extended
 Güntelberg—Continued
 (Electrolyte, $z_+ z_- = 6$)

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9291	.9284	.9276	.9268	.9260	.9251	.9242	.9232	.9222
.0002	.9017	.9006	.8996	.8985	.8973	.8961	.8949	.8936	.8922
.0003	.8813	.8800	.8788	.8775	.8761	.8747	.8732	.8717	.8701
.0004	.8645	.8631	.8617	.8602	.8587	.8571	.8554	.8537	.8519
.0005	.8501	.8486	.8470	.8454	.8438	.8420	.8402	.8383	.8363
.0006	.8374	.8357	.8341	.8323	.8305	.8286	.8267	.8246	.8225
.0007	.8258	.8241	.8223	.8205	.8186	.8165	.8145	.8123	.8101
.0008	.8153	.8135	.8116	.8096	.8076	.8055	.8033	.8010	.7987
.0009	.8056	.8036	.8017	.7996	.7975	.7953	.7930	.7907	.7882
.0010	.7965	.7945	.7924	.7903	.7881	.7858	.7835	.7810	.7784
.0020	.7278	.7252	.7227	.7200	.7172	.7143	.7113	.7082	.7050
.0030	.6801	.6773	.6744	.6713	.6682	.6649	.6616	.6580	.6544
.0040	.6431	.6399	.6368	.6335	.6302	.6267	.6230	.6192	.6154
.0050	.6125	.6092	.6059	.6025	.5990	.5952	.5914	.5874	.5834
.0060	.5865	.5831	.5797	.5761	.5724	.5685	.5646	.5605	.5563
.0070	.5638	.5603	.5568	.5531	.5493	.5453	.5413	.5370	.5327
.0080	.5437	.5401	.5365	.5327	.5289	.5248	.5207	.5163	.5119
.0090	.5257	.5220	.5183	.5145	.5106	.5064	.5022	.4978	.4933
.0100	.5093	.5056	.5019	.4980	.4940	.4898	.4855	.4811	.4766
.0200	.3987	.3948	.3909	.3868	.3827	.3783	.3739	.3693	.3646
.0300	.3344	.3305	.3266	.3226	.3185	.3142	.3099	.3054	.3008
.0400	.2904	.2866	.2828	.2789	.2750	.2708	.2667	.2623	.2579
.0500	.2577	.2541	.2505	.2467	.2429	.2389	.2349	.2307	.2265
.0600	.2323	.2288	.2253	.2217	.2180	.2142	.2103	.2063	.2023
.0700	.2118	.2084	.2050	.2015	.1980	.1943	.1907	.1868	.1830
.0800	.1948	.1916	.1883	.1850	.1816	.1780	.1745	.1708	.1671
.0900	.1805	.1774	.1742	.1710	.1677	.1643	.1609	.1574	.1538
.1000	.1683	.1652	.1622	.1591	.1559	.1526	.1493	.1459	.1425

TABLE 45. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—*Extended*
Günzberg
 (Electrolyte, $z_+ z_- = 8$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9142	.9136	.9130	.9123	.9119	.9116	.9109	.9101	.9093
.0002	.8813	.8805	.8797	.8788	.8778	.8768	.8758	.8747	.8740
.0003	.8570	.8561	.8551	.8540	.8534	.8529	.8517	.8505	.8492
.0004	.8372	.8361	.8350	.8338	.8331	.8326	.8312	.8299	.8284
.0005	.8202	.8190	.8178	.8165	.8157	.8151	.8137	.8122	.8106
.0006	.8051	.8039	.8026	.8012	.8004	.7997	.7982	.7966	.7949
.0007	.7916	.7903	.7889	.7875	.7866	.7859	.7843	.7826	.7807
.0008	.7793	.7779	.7765	.7750	.7740	.7733	.7716	.7698	.7679
.0009	.7679	.7665	.7650	.7634	.7624	.7617	.7599	.7580	.7560
.0010	.7574	.7559	.7543	.7527	.7516	.7509	.7490	.7471	.7450
.0020	.6783	.6764	.6745	.6724	.6711	.6702	.6679	.6655	.6629
.0030	.6243	.6223	.6201	.6179	.6164	.6154	.6128	.6102	.6073
.0040	.5829	.5807	.5784	.5760	.5745	.5733	.5706	.5678	.5648
.0050	.5492	.5469	.5445	.5420	.5404	.5392	.5364	.5335	.5303
.0060	.5208	.5184	.5159	.5133	.5117	.5105	.5076	.5046	.5013
.0070	.4962	.4938	.4912	.4886	.4869	.4857	.4827	.4797	.4763
.0080	.4746	.4721	.4696	.4669	.4652	.4639	.4609	.4578	.4545
.0090	.4553	.4529	.4503	.4476	.4458	.4446	.4416	.4384	.4350
.0100	.4380	.4355	.4329	.4302	.4284	.4272	.4241	.4210	.4176
.0200	.3243	.3218	.3192	.3165	.3148	.3135	.3105	.3074	.3041
.0300	.2612	.2588	.2563	.2538	.2521	.2510	.2481	.2452	.2420
.0400	.2195	.2173	.2150	.2125	.2110	.2099	.2072	.2045	.2015
.0500	.1895	.1874	.1852	.1830	.1815	.1805	.1780	.1754	.1726
.0600	.1667	.1647	.1627	.1605	.1592	.1582	.1559	.1534	.1509
.0700	.1488	.1469	.1449	.1429	.1416	.1407	.1385	.1362	.1338
.0800	.1342	.1324	.1306	.1286	.1274	.1266	.1245	.1223	.1201
.0900	.1221	.1204	.1187	.1169	.1157	.1149	.1129	.1109	.1087
.1000	.1119	.1103	.1087	.1070	.1059	.1051	.1032	.1013	.0992

TABLE 45. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—*Extended*
Güntherberg—Continued
 (Electrolyte, z.z. = 8)

Ionic strength	50	55	60	65	70	75	80	85	90	95	100	Temperature in degrees Celsius					
												.9002	.8989	.8977	.8964	.8950	.8590
.0001	.9066	.9057	.9046	.9036	.9025	.9014	.9002	.8989	.8977	.8964	.8950						
.0002	.8711	.8697	.8684	.8670	.8655	.8639	.8624	.8607	.8590	.8572	.8553						
.0003	.8449	.8433	.8417	.8400	.8383	.8365	.8346	.8326	.8306	.8286	.8263						
.0004	.8236	.8218	.8200	.8181	.8162	.8142	.8121	.8098	.8076	.8053	.8028						
.0005	.8053	.8034	.8014	.7994	.7973	.7951	.7928	.7904	.7879	.7854	.7827						
.0006	.7893	.7872	.7851	.7829	.7807	.7783	.7758	.7733	.7706	.7679	.7651						
.0007	.7748	.7726	.7704	.7681	.7657	.7632	.7606	.7579	.7551	.7523	.7493						
.0008	.7617	.7594	.7570	.7546	.7521	.7495	.7468	.7439	.7410	.7381	.7349						
.0009	.7495	.7472	.7447	.7422	.7396	.7369	.7341	.7311	.7281	.7250	.7217						
.0010	.7383	.7358	.7333	.7307	.7280	.7252	.7223	.7192	.7161	.7129	.7095						
.0020	.6546	.6516	.6485	.6453	.6420	.6385	.6350	.6312	.6274	.6235	.6194						
.0030	.5981	.5948	.5914	.5878	.5842	.5804	.5765	.5724	.5682	.5639	.5594						
.0040	.5550	.5515	.5479	.5441	.5403	.5363	.5321	.5278	.5234	.5190	.5142						
.0050	.5202	.5165	.5127	.5089	.5049	.5007	.4964	.4920	.4875	.4829	.4780						
.0060	.4909	.4871	.4833	.4793	.4753	.4710	.4666	.4621	.4575	.4528	.4478						
.0070	.4658	.4619	.4580	.4540	.4499	.4455	.4411	.4365	.4318	.4271	.4221						
.0080	.4438	.4399	.4359	.4319	.4277	.4233	.4189	.4142	.4095	.4048	.3997						
.0090	.4242	.4203	.4164	.4123	.4081	.4037	.3992	.3945	.3898	.3850	.3800						
.0100	.4067	.4028	.3988	.3947	.3905	.3861	.3816	.3770	.3722	.3674	.3624						
.0200	.2935	.2897	.2858	.2819	.2778	.2736	.2694	.2649	.2605	.2560	.2513						
.0300	.2321	.2285	.2249	.2213	.2175	.2136	.2097	.2057	.2016	.1975	.1932						
.0400	.1923	.1890	.1857	.1823	.1788	.1752	.1716	.1679	.1642	.1604	.1565						
.0500	.1640	.1609	.1579	.1547	.1515	.1482	.1449	.1415	.1381	.1347	.1311						
.0600	.1428	.1399	.1371	.1342	.1312	.1281	.1251	.1219	.1188	.1156	.1123						
.0700	.1263	.1236	.1209	.1182	.1154	.1126	.1097	.1068	.1039	.1010	.0979						
.0800	.1130	.1104	.1079	.1054	.1028	.1001	.0975	.0948	.0921	.0893	.0865						
.0900	.1020	.0997	.0973	.0949	.0925	.0900	.0875	.0850	.0824	.0799	.0773						
.1000	.0929	.0907	.0885	.0862	.0839	.0816	.0792	.0768	.0745	.0721	.0697						

TABLE 46. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Extended
Güntherberg*
(Electrolyte, z_{z-} = 9)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9040	.9033	.9027	.9019	.9011	.9003	.8995	.8986	.8976
.0002	.8675	.8666	.8657	.8647	.8641	.8636	.8625	.8614	.8594
.0003	.8406	.8396	.8385	.8374	.8366	.8361	.8348	.8335	.8320
.0004	.8188	.8176	.8164	.8151	.8143	.8137	.8123	.8108	.8091
.0005	.8001	.7988	.7975	.7961	.7952	.7946	.7930	.7913	.7896
.0006	.7836	.7823	.7809	.7794	.7784	.7777	.7760	.7743	.7724
.0007	.7688	.7674	.7659	.7643	.7633	.7626	.7608	.7590	.7570
.0008	.7554	.7539	.7523	.7507	.7496	.7488	.7470	.7450	.7429
.0009	.7430	.7414	.7398	.7381	.7370	.7362	.7342	.7322	.7300
.0010	.7315	.7299	.7282	.7264	.7253	.7244	.7224	.7204	.7181
.0020	.6461	.6442	.6421	.6399	.6385	.6375	.6350	.6325	.6297
.0030	.5886	.5865	.5842	.5818	.5802	.5791	.5764	.5736	.5706
.0040	.5449	.5426	.5402	.5376	.5360	.5348	.5320	.5290	.5259
.0050	.5096	.5072	.5047	.5020	.5004	.4991	.4962	.4932	.4899
.0060	.4800	.4775	.4750	.4723	.4706	.4693	.4663	.4632	.4599
.0070	.4546	.4521	.4495	.4468	.4450	.4438	.4407	.4376	.4342
.0080	.4324	.4299	.4272	.4245	.4227	.4215	.4184	.4152	.4118
.0090	.4127	.4102	.4075	.4048	.4030	.4017	.3987	.3955	.3920
.0100	.3951	.3926	.3899	.3871	.3854	.3841	.3810	.3778	.3744
.0200	.2818	.2793	.2768	.2741	.2724	.2712	.2683	.2653	.2620
.0300	.2208	.2186	.2162	.2138	.2122	.2111	.2084	.2057	.2027
.0400	.1816	.1795	.1774	.1751	.1737	.1727	.1702	.1677	.1650
.0500	.1540	.1520	.1500	.1480	.1466	.1457	.1434	.1411	.1386
.0600	.1333	.1315	.1296	.1277	.1265	.1256	.1236	.1214	.1191
.0700	.1172	.1156	.1138	.1121	.1109	.1101	.1082	.1062	.1041
.0800	.1044	.1028	.1012	.9996	.9985	.9978	.9959	.9941	.9921
.0900	.0939	.0924	.0909	.0894	.0884	.0877	.0860	.0842	.0824
.1000	.0851	.0838	.0823	.0809	.0799	.0793	.0777	.0761	.0744

TABLE 46. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Extended
 Guntelberg—Continued
 (Electrolyte, $z_{+}z_{-} = 9$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.8956	.8945	.8934	.8922	.8910	.8897	.8884	.8871	.8856	.8842	.8826
.0002	.8562	.8547	.8532	.8516	.8500	.8483	.8465	.8447	.8428	.8409	.8388
.0003	.8273	.8256	.8238	.8219	.8200	.8180	.8160	.8138	.8116	.8093	.8069
.0004	.8038	.8019	.7999	.7979	.7957	.7935	.7912	.7888	.7863	.7838	.7811
.0005	.7838	.7817	.7796	.7773	.7750	.7726	.7701	.7675	.7648	.7620	.7591
.0006	.7663	.7640	.7617	.7593	.7569	.7543	.7516	.7488	.7459	.7430	.7399
.0007	.7505	.7481	.7457	.7432	.7406	.7378	.7350	.7321	.7291	.7260	.7227
.0008	.7362	.7337	.7312	.7285	.7258	.7229	.7200	.7169	.7138	.7106	.7071
.0009	.7230	.7204	.7178	.7151	.7122	.7093	.7062	.7030	.6998	.6964	.6929
.0010	.7108	.7081	.7054	.7026	.6997	.6966	.6935	.6902	.6868	.6834	.6797
.0020	.6209	.6176	.6143	.6109	.6074	.6037	.5999	.5959	.5919	.5878	.5834
.0030	.5609	.5574	.5538	.5501	.5462	.5422	.5381	.5338	.5294	.5250	.5202
.0040	.5157	.5119	.5082	.5043	.5003	.4961	.4918	.4873	.4827	.4781	.4732
.0050	.4794	.4755	.4717	.4677	.4635	.4592	.4548	.4502	.4456	.4408	.4358
.0060	.4491	.4452	.4413	.4372	.4331	.4287	.4242	.4196	.4149	.4101	.4050
.0070	.4233	.4194	.4154	.4113	.4071	.4027	.3982	.3935	.3888	.3840	.3789
.0080	.4009	.3969	.3930	.3888	.3846	.3802	.3757	.3710	.3663	.3615	.3564
.0090	.3811	.3771	.3732	.3690	.3648	.3604	.3559	.3512	.3465	.3417	.3367
.0100	.3635	.3595	.3555	.3514	.3472	.3428	.3383	.3337	.3290	.3242	.3192
.0200	.2518	.2481	.2444	.2406	.2367	.2327	.2286	.2244	.2202	.2159	.2114
.0300	.1934	.1900	.1867	.1832	.1798	.1762	.1725	.1688	.1650	.1612	.1573
.0400	.1565	.1534	.1504	.1473	.1442	.1409	.1377	.1343	.1310	.1276	.1242
.0500	.1308	.1281	.1253	.1225	.1197	.1168	.1138	.1108	.1078	.1048	.1017
.0600	.1120	.1094	.1069	.1044	.1018	.991	.965	.937	.910	.883	.855
.0700	.0975	.0951	.0928	.0905	.0881	.0857	.0832	.0807	.0783	.0758	.0733
.0800	.0860	.0838	.0817	.0795	.0774	.0751	.0729	.0706	.0683	.0661	.0637
.0900	.0767	.0747	.0727	.0707	.0687	.0666	.0645	.0624	.0603	.0583	.0561
.1000	.0690	.0672	.0653	.0634	.0616	.0596	.0577	.0557	.0538	.0519	.0499

TABLE 47. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Extended*
Güntherberg
 (Electrolyte, $z_1 z_2 = 12$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.8741	.8733	.8724	.8714	.8708	.8704	.8694	.8683	.8671
.0002	.8273	.8262	.8250	.8238	.8230	.8224	.8211	.8196	.8180
.0003	.7934	.7921	.7907	.7893	.7883	.7877	.7861	.7844	.7825
.0004	.7660	.7645	.7630	.7614	.7604	.7597	.7579	.7560	.7540
.0005	.7428	.7412	.7396	.7378	.7367	.7359	.7340	.7320	.7298
.0006	.7225	.7208	.7191	.7172	.7160	.7152	.7131	.7110	.7087
.0007	.7043	.7026	.7008	.6988	.6976	.6967	.6946	.6923	.6899
.0008	.6879	.6861	.6842	.6822	.6809	.6800	.6778	.6754	.6729
.0009	.6729	.6711	.6691	.6670	.6657	.6647	.6624	.6600	.6574
.0010	.6591	.6572	.6551	.6530	.6516	.6506	.6482	.6457	.6430
.0020	.5586	.5563	.5539	.5514	.5498	.5486	.5458	.5429	.5398
.0030	.4933	.4909	.4883	.4857	.4839	.4827	.4797	.4766	.4733
.0040	.4451	.4426	.4399	.4372	.4354	.4341	.4311	.4279	.4244
.0050	.4070	.4045	.4018	.3990	.3972	.3959	.3929	.3896	.3862
.0060	.3758	.3732	.3706	.3678	.3660	.3647	.3616	.3584	.3549
.0070	.3495	.3470	.3443	.3415	.3397	.3385	.3354	.3322	.3288
.0080	.3269	.3244	.3218	.3190	.3173	.3160	.3129	.3098	.3064
.0090	.3073	.3048	.3021	.2994	.2977	.2964	.2934	.2903	.2869
.0100	.2899	.2874	.2848	.2821	.2804	.2792	.2762	.2731	.2698
.0200	.1847	.1826	.1804	.1781	.1766	.1756	.1731	.1704	.1677
.0300	.1335	.1317	.1298	.1278	.1266	.1257	.1236	.1214	.1191
.0400	.1029	.1013	.0997	.0980	.0969	.0962	.0943	.0925	.0905
.0500	.0825	.0811	.0797	.0783	.0773	.0767	.0751	.0735	.0717
.0600	.0681	.0669	.0656	.0643	.0635	.0629	.0615	.0601	.0586
.0700	.0574	.0563	.0552	.0540	.0533	.0528	.0515	.0503	.0489
.0800	.0491	.0482	.0472	.0461	.0455	.0450	.0439	.0428	.0416
.0900	.0427	.0418	.0409	.0399	.0394	.0389	.0379	.0369	.0359
.1000	.0374	.0366	.0358	.0350	.0344	.0341	.0332	.0322	.0313

TABLE 47. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Extended*
Günthersberg—Continued
 (Electrolyte, z₊z₋ = 12)

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.8633	.8619	.8604	.8589	.8574	.8558	.8541	.8523	.8505
.0002	.8130	.8111	.8092	.8072	.8052	.8030	.8008	.7985	.7961
.0003	.7766	.7744	.7722	.7699	.7676	.7651	.7625	.7598	.7570
.0004	.7474	.7450	.7426	.7400	.7374	.7346	.7318	.7288	.7257
.0005	.7227	.7201	.7175	.7147	.7119	.7089	.7059	.7027	.6994
.0006	.7012	.6984	.6956	.6927	.6897	.6866	.6834	.6800	.6765
.0007	.6820	.6791	.6762	.6732	.6700	.6667	.6634	.6598	.6562
.0008	.6647	.6617	.6587	.6555	.6523	.6488	.6453	.6417	.6379
.0009	.6489	.6458	.6427	.6394	.6361	.6325	.6289	.6251	.6213
.0010	.6344	.6312	.6280	.6246	.6212	.6175	.6138	.6099	.6060
.0020	.5297	.5260	.5222	.5184	.5144	.5102	.5060	.5015	.4970
.0030	.4626	.4587	.4548	.4507	.4465	.4421	.4377	.4330	.4283
.0040	.4135	.4095	.4055	.4014	.3971	.3927	.3882	.3835	.3787
.0050	.3752	.3712	.3672	.3630	.3587	.3543	.3498	.3451	.3403
.0060	.3440	.3400	.3360	.3319	.3276	.3232	.3188	.3141	.3094
.0070	.3179	.3139	.3100	.3059	.3017	.2974	.2930	.2884	.2838
.0080	.2956	.2917	.2878	.2838	.2797	.2754	.2711	.2666	.2621
.0090	.2763	.2725	.2687	.2647	.2607	.2565	.2522	.2478	.2434
.0100	.2594	.2556	.2519	.2480	.2440	.2399	.2358	.2314	.2271
.0200	.1590	.1559	.1528	.1496	.1464	.1431	.1398	.1364	.1329
.0300	.1118	.1092	.1067	.1041	.1015	.0987	.0960	.0933	.0905
.0400	.0843	.0821	.0800	.0778	.0756	.0734	.0711	.0688	.0665
.0500	.0664	.0646	.0627	.0609	.0590	.0571	.0552	.0532	.0513
.0600	.0540	.0523	.0508	.0491	.0475	.0459	.0442	.0426	.0409
.0700	.0449	.0434	.0420	.0406	.0392	.0378	.0363	.0349	.0335
.0800	.0380	.0367	.0355	.0342	.0330	.0317	.0304	.0292	.0279
.0900	.0326	.0315	.0304	.0292	.0281	.0270	.0259	.0248	.0237
.1000	.0283	.0273	.0263	.0253	.0243	.0233	.0223	.0213	.0194

TABLE 48. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Extended
 Güntelberg
 (Electrolyte, $z_+ z_- = 16$)

Ionic strength	0	5	10	15	18	20	25	30	35	38	40	45	Temperature in degrees Celsius
													8336
.0001	.8357	.8347	.8336	.8324	.8316	.8311	.8297	.8284	.8269	.8260	.8253	.8237	.8237
.0002	.7767	.7753	.7738	.7723	.7713	.7706	.7688	.7670	.7651	.7639	.7631	.7609	.7609
.0003	.7345	.7329	.7312	.7294	.7283	.7274	.7254	.7234	.7211	.7198	.7188	.7164	.7164
.0004	.7009	.6991	.6972	.6953	.6941	.6932	.6910	.6887	.6862	.6847	.6837	.6810	.6810
.0005	.6727	.6708	.6688	.6667	.6654	.6644	.6621	.6597	.6570	.6555	.6544	.6515	.6515
.0006	.6483	.6463	.6442	.6420	.6406	.6396	.6371	.6346	.6318	.6302	.6290	.6260	.6260
.0007	.6267	.6246	.6224	.6202	.6187	.6177	.6151	.6124	.6096	.6078	.6066	.6035	.6035
.0008	.6073	.6052	.6029	.6006	.5991	.5980	.5953	.5926	.5896	.5879	.5866	.5834	.5834
.0009	.5897	.5875	.5852	.5828	.5812	.5801	.5774	.5746	.5716	.5697	.5685	.5652	.5652
.0010	.5736	.5714	.5690	.5665	.5649	.5638	.5610	.5582	.5550	.5532	.5519	.5485	.5485
.0020	.4600	.4575	.4549	.4522	.4504	.4491	.4461	.4429	.4395	.4374	.4360	.4323	.4323
.0030	.3898	.3872	.3846	.3817	.3800	.3787	.3755	.3723	.3688	.3667	.3653	.3615	.3615
.0040	.3398	.3373	.3346	.3318	.3300	.3287	.3256	.3224	.3190	.3169	.3155	.3118	.3118
.0050	.3016	.2991	.2965	.2937	.2920	.2907	.2877	.2846	.2812	.2792	.2778	.2742	.2742
.0060	.2712	.2687	.2662	.2635	.2618	.2606	.2576	.2546	.2513	.2494	.2480	.2445	.2445
.0070	.2462	.2438	.2413	.2387	.2371	.2359	.2330	.2301	.2269	.2250	.2237	.2203	.2203
.0080	.2252	.2229	.2205	.2180	.2164	.2152	.2125	.2096	.2065	.2047	.2035	.2002	.2002
.0090	.2073	.2051	.2027	.2003	.1988	.1976	.1950	.1922	.1892	.1875	.1863	.1831	.1831
.0100	.1919	.1897	.1874	.1851	.1836	.1825	.1799	.1772	.1744	.1727	.1715	.1685	.1685
.0200	.1052	.1036	.1019	.1002	.0991	.0983	.0964	.0945	.0925	.0913	.0904	.0883	.0883
.0300	.0682	.0670	.0657	.0644	.0636	.0630	.0616	.0601	.0586	.0577	.0570	.0554	.0554
.0400	.0482	.0472	.0462	.0452	.0445	.0441	.0429	.0418	.0406	.0399	.0394	.0382	.0382
.0500	.0359	.0351	.0343	.0335	.0329	.0326	.0317	.0308	.0298	.0292	.0289	.0279	.0279
.0600	.0278	.0271	.0265	.0258	.0253	.0250	.0243	.0235	.0228	.0223	.0220	.0212	.0212
.0700	.0221	.0216	.0210	.0204	.0201	.0198	.0192	.0186	.0179	.0175	.0173	.0166	.0166
.0800	.0180	.0175	.0170	.0166	.0162	.0160	.0155	.0150	.0144	.0141	.0139	.0133	.0133
.0900	.0149	.0145	.0141	.0137	.0134	.0132	.0128	.0123	.0118	.0115	.0114	.0109	.0109
.1000	.0125	.0122	.0118	.0114	.0112	.0110	.0107	.0103	.0098	.0096	.0094	.0090	.0090

TABLE 48. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Extended
 Güntelberg—Continued
 (Electrolyte, $z+z=16$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.8220	.8202	.8184	.8165	.8145	.8125	.8103	.8081	.8058	.8035	.8010
.0002	.7588	.7564	.7541	.7516	.7491	.7464	.7437	.7408	.7378	.7348	.7316
.0003	.7139	.7112	.7085	.7057	.7028	.6997	.6966	.6933	.6899	.6865	.6828
.0004	.6783	.6754	.6724	.6693	.6662	.6628	.6594	.6559	.6522	.6485	.6445
.0005	.6486	.6455	.6423	.6390	.6357	.6321	.6285	.6247	.6208	.6169	.6126
.0006	.6229	.6197	.6164	.6129	.6094	.6057	.6019	.5979	.5939	.5897	.5853
.0007	.6003	.5970	.5935	.5900	.5863	.5825	.5785	.5744	.5702	.5659	.5614
.0008	.5801	.5766	.5731	.5694	.5657	.5617	.5577	.5534	.5491	.5447	.5401
.0009	.5618	.5582	.5546	.5509	.5470	.5430	.5388	.5345	.5301	.5256	.5209
.0010	.5451	.5414	.5378	.5339	.5300	.5259	.5217	.5173	.5128	.5082	.5034
.0020	.4285	.4246	.4206	.4164	.4121	.4077	.4032	.3984	.3936	.3888	.3836
.0030	.3578	.3537	.3497	.3455	.3413	.3368	.3323	.3276	.3228	.3180	.3130
.0040	.3081	.3041	.3002	.2961	.2919	.2876	.2832	.2786	.2740	.2693	.2644
.0050	.2706	.2667	.2629	.2589	.2549	.2507	.2465	.2420	.2376	.2331	.2284
.0060	.2410	.2373	.2336	.2298	.2259	.2218	.2178	.2135	.2093	.2050	.2005
.0070	.2169	.2134	.2098	.2061	.2024	.1985	.1946	.1905	.1865	.1824	.1781
.0080	.1969	.1935	.1900	.1865	.1829	.1792	.1755	.1716	.1677	.1638	.1598
.0090	.1800	.1767	.1734	.1700	.1665	.1629	.1594	.1557	.1520	.1483	.1444
.0100	.1654	.1622	.1591	.1558	.1525	.1491	.1456	.1421	.1386	.1350	.1313
.0200	.0861	.0839	.0817	.0794	.0772	.0749	.0726	.0702	.0679	.0655	.0631
.0300	.0539	.0522	.0506	.0490	.0473	.0456	.0440	.0423	.0406	.0390	.0373
.0400	.0370	.0357	.0345	.0332	.0320	.0307	.0295	.0282	.0270	.0257	.0245
.0500	.0269	.0259	.0249	.0239	.0230	.0220	.0210	.0200	.0191	.0181	.0172
.0600	.0204	.0196	.0188	.0180	.0172	.0164	.0156	.0149	.0141	.0134	.0126
.0700	.0159	.0153	.0146	.0140	.0133	.0127	.0120	.0114	.0108	.0102	.0096
.0800	.0128	.0122	.0117	.0111	.0106	.0100	.0095	.0090	.0085	.0080	.0075
.0900	.0104	.0099	.0095	.0090	.0086	.0081	.0077	.0072	.0068	.0064	.0060
.1000	.0086	.0082	.0078	.0074	.0070	.0067	.0063	.0059	.0055	.0052	.0049

TABLE 49. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended
 Güntelberg
 (Electrolyte, $z_+ z_- = 1$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9888	.9887	.9886	.9885	.9884	.9883	.9882	.9881	.9880
.0002	.9843	.9841	.9840	.9839	.9837	.9836	.9835	.9834	.9833
.0003	.9809	.9808	.9806	.9805	.9804	.9803	.9800	.9798	.9797
.0004	.9780	.9779	.9777	.9776	.9775	.9774	.9772	.9770	.9768
.0005	.9755	.9754	.9752	.9750	.9749	.9748	.9746	.9744	.9742
.0006	.9733	.9731	.9729	.9727	.9726	.9725	.9723	.9720	.9718
.0007	.9712	.9710	.9708	.9706	.9705	.9704	.9701	.9699	.9696
.0008	.9693	.9691	.9689	.9686	.9685	.9684	.9682	.9679	.9676
.0009	.9675	.9673	.9671	.9668	.9667	.9666	.9663	.9660	.9657
.0010	.9659	.9656	.9654	.9651	.9650	.9649	.9646	.9643	.9640
.0020	.9526	.9523	.9520	.9516	.9514	.9512	.9509	.9505	.9501
.0030	.9428	.9424	.9420	.9416	.9414	.9412	.9407	.9402	.9397
.0040	.9348	.9343	.9339	.9334	.9331	.9329	.9324	.9318	.9313
.0050	.9278	.9273	.9268	.9263	.9260	.9258	.9252	.9246	.9240
.0060	.9217	.9212	.9206	.9201	.9197	.9195	.9188	.9182	.9175
.0070	.9161	.9156	.9150	.9144	.9140	.9138	.9131	.9124	.9117
.0080	.9110	.9105	.9099	.9092	.9088	.9085	.9079	.9071	.9064
.0090	.9063	.9057	.9051	.9044	.9040	.9037	.9030	.9022	.9014
.0100	.9020	.9013	.9007	.9000	.8995	.8992	.8985	.8977	.8969
.0200	.8687	.8679	.8670	.8661	.8656	.8652	.8642	.8631	.8614
.0300	.8455	.8446	.8436	.8425	.8419	.8414	.8403	.8391	.8379
.0400	.8273	.8263	.8252	.8241	.8234	.8228	.8216	.8203	.8190
.0500	.8123	.8112	.8100	.8088	.8080	.8075	.8062	.8048	.8033
.0600	.7994	.7982	.7970	.7957	.7949	.7943	.7929	.7914	.7899
.0700	.7880	.7868	.7855	.7842	.7834	.7828	.7813	.7798	.7782
.0800	.7780	.7767	.7753	.7739	.7731	.7725	.7710	.7694	.7677
.0900	.7688	.7675	.7662	.7647	.7638	.7616	.7600	.7583	.7572
.1000	.7605	.7592	.7578	.7563	.7554	.7547	.7531	.7514	.7497

TABLE 49. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended
Günzberg—Continued
(Electrolyte, $z_+ z_- = 1$)

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9879	.9878	.9877	.9875	.9874	.9873	.9871	.9870	.9868
.0002	.9830	.9828	.9827	.9825	.9823	.9821	.9819	.9817	.9815
.0003	.9793	.9791	.9789	.9787	.9784	.9782	.9780	.9777	.9775
.0004	.9762	.9759	.9757	.9755	.9752	.9749	.9747	.9744	.9741
.0005	.9735	.9732	.9729	.9727	.9724	.9721	.9718	.9715	.9711
.0006	.9710	.9707	.9704	.9702	.9698	.9695	.9692	.9689	.9685
.0007	.9688	.9685	.9682	.9679	.9675	.9672	.9668	.9665	.9661
.0008	.9667	.9664	.9661	.9657	.9654	.9650	.9646	.9643	.9638
.0009	.9648	.9645	.9641	.9638	.9634	.9630	.9626	.9622	.9618
.0010	.9630	.9626	.9623	.9619	.9615	.9611	.9607	.9602	.9598
.0020	.9487	.9482	.9477	.9472	.9467	.9461	.9455	.9449	.9443
.0030	.9381	.9375	.9369	.9363	.9357	.9350	.9343	.9336	.9329
.0040	.9294	.9288	.9281	.9274	.9267	.9259	.9251	.9243	.9235
.0050	.9220	.9212	.9205	.9197	.9189	.9181	.9173	.9164	.9154
.0060	.9154	.9146	.9138	.9129	.9121	.9112	.9103	.9093	.9083
.0070	.9094	.9085	.9077	.9068	.9059	.9049	.9040	.9029	.9019
.0080	.9039	.9030	.9021	.9012	.9002	.8992	.8982	.8971	.8960
.0090	.8989	.8980	.8970	.8960	.8950	.8940	.8929	.8918	.8906
.0100	.8942	.8932	.8922	.8912	.8901	.8891	.8879	.8868	.8855
.0200	.8586	.8573	.8561	.8547	.8534	.8520	.8505	.8490	.8474
.0300	.8339	.8324	.8310	.8295	.8279	.8263	.8246	.8228	.8210
.0400	.8146	.8130	.8114	.8097	.8080	.8062	.8044	.8025	.8005
.0500	.7986	.7969	.7952	.7934	.7916	.7897	.7877	.7856	.7835
.0600	.7850	.7832	.7814	.7795	.7775	.7755	.7735	.7713	.7691
.0700	.7730	.7711	.7692	.7673	.7652	.7632	.7610	.7587	.7564
.0800	.7624	.7604	.7585	.7564	.7543	.7522	.7499	.7476	.7452
.0900	.7528	.7508	.7488	.7466	.7445	.7422	.7400	.7375	.7351
.1000	.7440	.7420	.7399	.7377	.7355	.7332	.7309	.7284	.7259

TABLE 50. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended*
Günzberg
 (Electrolyte, $Z_1 Z_2 = 2$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9778	.9777	.9775	.9773	.9772	.9770	.9768	.9766	.9764
.0002	.9689	.9687	.9685	.9682	.9681	.9677	.9675	.9672	.9670
.0003	.9622	.9619	.9616	.9613	.9612	.9610	.9607	.9604	.9599
.0004	.9565	.9562	.9559	.9556	.9554	.9553	.9549	.9545	.9542
.0005	.9516	.9513	.9510	.9506	.9504	.9502	.9498	.9494	.9490
.0006	.9473	.9469	.9465	.9461	.9459	.9457	.9453	.9448	.9444
.0007	.9433	.9429	.9425	.9420	.9418	.9416	.9411	.9407	.9402
.0008	.9396	.9391	.9387	.9383	.9380	.9378	.9373	.9368	.9363
.0009	.9361	.9357	.9352	.9348	.9345	.9343	.9338	.9332	.9327
.0010	.9329	.9324	.9320	.9315	.9312	.9309	.9304	.9298	.9293
.0020	.9075	.9069	.9063	.9056	.9052	.9049	.9042	.9034	.9026
.0030	.8889	.8882	.8874	.8866	.8861	.8858	.8849	.8840	.8831
.0040	.8738	.8730	.8721	.8712	.8707	.8703	.8693	.8683	.8673
.0050	.8609	.8600	.8590	.8581	.8575	.8570	.8560	.8549	.8537
.0060	.8495	.8485	.8475	.8465	.8459	.8454	.8443	.8431	.8419
.0070	.8393	.8383	.8372	.8361	.8354	.8349	.8338	.8325	.8312
.0080	.8300	.8289	.8278	.8267	.8260	.8254	.8242	.8229	.8215
.0090	.8215	.8203	.8192	.8180	.8172	.8167	.8154	.8140	.8126
.0100	.8135	.8124	.8112	.8099	.8092	.8086	.8073	.8058	.8044
.0200	.7546	.7532	.7517	.7501	.7492	.7485	.7468	.7450	.7432
.0300	.7149	.7133	.7116	.7098	.7088	.7080	.7061	.7041	.7020
.0400	.6845	.6827	.6810	.6791	.6779	.6771	.6751	.6729	.6707
.0500	.6598	.6580	.6561	.6541	.6529	.6520	.6499	.6476	.6453
.0600	.6390	.6371	.6351	.6331	.6318	.6309	.6287	.6264	.6240
.0700	.6210	.6191	.6171	.6149	.6137	.6127	.6104	.6080	.6055
.0800	.6052	.6032	.6012	.5990	.5977	.5967	.5944	.5919	.5894
.0900	.5911	.5891	.5870	.5848	.5834	.5824	.5801	.5776	.5750
.1000	.5784	.5763	.5742	.5720	.5696	.5672	.5647	.5620	.5604

TABLE 50. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended
 Güntelberg—Continued
 (Electrolyte, $z_+ z_- = 2$)

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9759	.9757	.9755	.9752	.9750	.9747	.9744	.9741	.9738
.0002	.9663	.9659	.9656	.9653	.9649	.9645	.9642	.9638	.9633
.0003	.9590	.9586	.9582	.9578	.9573	.9569	.9564	.9559	.9554
.0004	.9529	.9525	.9520	.9515	.9510	.9505	.9500	.9494	.9488
.0005	.9476	.9471	.9466	.9461	.9455	.9449	.9444	.9437	.9431
.0006	.9429	.9423	.9418	.9412	.9406	.9400	.9393	.9387	.9380
.0007	.9386	.9380	.9374	.9368	.9361	.9354	.9348	.9341	.9333
.0008	.9346	.9339	.9333	.9327	.9320	.9313	.9305	.9298	.9290
.0009	.9308	.9302	.9295	.9288	.9281	.9274	.9266	.9258	.9250
.0010	.9274	.9267	.9260	.9252	.9245	.9237	.9229	.9221	.9212
.0020	.9000	.8991	.8982	.8972	.8962	.8951	.8940	.8929	.8917
.0030	.8801	.8790	.8778	.8767	.8755	.8742	.8730	.8716	.8703
.0040	.8639	.8626	.8614	.8601	.8587	.8573	.8559	.8544	.8529
.0050	.8500	.8487	.8473	.8459	.8444	.8429	.8413	.8397	.8380
.0060	.8379	.8364	.8350	.8334	.8319	.8303	.8286	.8268	.8250
.0070	.8270	.8255	.8239	.8223	.8206	.8189	.8172	.8153	.8134
.0080	.8171	.8155	.8139	.8122	.8104	.8086	.8068	.8048	.8028
.0090	.8080	.8063	.8046	.8029	.8010	.7992	.7972	.7952	.7931
.0100	.7996	.7978	.7961	.7943	.7924	.7904	.7884	.7863	.7842
.0200	.7372	.7350	.7329	.7306	.7283	.7258	.7234	.7208	.7181
.0300	.6954	.6930	.6905	.6880	.6854	.6827	.6799	.6770	.6741
.0400	.6635	.6610	.6583	.6556	.6528	.6500	.6470	.6439	.6408
.0500	.6378	.6351	.6323	.6295	.6266	.6236	.6205	.6172	.6139
.0600	.6162	.6134	.6105	.6076	.6045	.6014	.5982	.5949	.5915
.0700	.5975	.5946	.5917	.5887	.5856	.5824	.5791	.5757	.5722
.0800	.5812	.5782	.5753	.5722	.5690	.5657	.5624	.5589	.5553
.0900	.5667	.5637	.5606	.5575	.5542	.5509	.5475	.5440	.5403
.1000	.5536	.5505	.5475	.5443	.5410	.5376	.5342	.5306	.5269

TABLE 51. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—*Extended*
Günzelberg
 (Electrolyte, $z_+ z_- = 3$)

Ionic strength	0	5	10	15	18	20	25	30	35	38	40	45	Temperature in degrees Celsius			
													35	38	40	45
.0001	.9669	.9667	.9664	.9662	.9660	.9659	.9657	.9654	.9651	.9649	.9648	.9645				
.0002	.9537	.9534	.9531	.9527	.9525	.9524	.9520	.9516	.9512	.9509	.9507	.9503				
.0003	.9438	.9434	.9430	.9426	.9423	.9421	.9417	.9412	.9407	.9404	.9402	.9397				
.0004	.9355	.9351	.9346	.9342	.9339	.9337	.9331	.9326	.9320	.9317	.9314	.9308				
.0005	.9284	.9279	.9274	.9268	.9265	.9263	.9257	.9251	.9245	.9241	.9238	.9232				
.0006	.9219	.9214	.9209	.9203	.9199	.9197	.9191	.9184	.9177	.9173	.9170	.9163				
.0007	.9161	.9155	.9150	.9143	.9140	.9137	.9130	.9123	.9116	.9112	.9109	.9101				
.0008	.9107	.9101	.9095	.9089	.9085	.9082	.9075	.9067	.9060	.9055	.9052	.9043				
.0009	.9057	.9051	.9044	.9038	.9033	.9030	.9023	.9015	.9007	.9002	.8999	.8990				
.0010	.9010	.9004	.8997	.8990	.8985	.8982	.8974	.8966	.8958	.8953	.8949	.8940				
.0020	.8645	.8636	.8627	.8618	.8612	.8608	.8597	.8587	.8575	.8568	.8563	.8551				
.0030	.8381	.8370	.8360	.8349	.8342	.8337	.8325	.8312	.8299	.8291	.8285	.8271				
.0040	.8168	.8156	.8144	.8132	.8124	.8119	.8105	.8091	.8077	.8067	.8061	.8045				
.0050	.7987	.7975	.7962	.7948	.7940	.7934	.7920	.7904	.7888	.7879	.7872	.7855				
.0060	.7830	.7816	.7803	.7788	.7779	.7773	.7758	.7741	.7724	.7714	.7707	.7688				
.0070	.7689	.7675	.7661	.7645	.7636	.7629	.7613	.7596	.7578	.7567	.7560	.7540				
.0080	.7562	.7547	.7532	.7516	.7507	.7500	.7483	.7465	.7446	.7434	.7427	.7406				
.0090	.7445	.7430	.7414	.7398	.7388	.7381	.7363	.7345	.7325	.7313	.7305	.7284				
.0100	.7338	.7322	.7306	.7289	.7279	.7271	.7253	.7234	.7214	.7202	.7193	.7172				
.0200	.6556	.6537	.6517	.6497	.6485	.6476	.6454	.6431	.6407	.6392	.6382	.6356				
.0300	.6044	.6024	.6003	.5980	.5967	.5957	.5933	.5908	.5882	.5866	.5855	.5827				
.0400	.5663	.5641	.5619	.5596	.5582	.5571	.5546	.5520	.5493	.5476	.5464	.5435				
.0500	.5359	.5337	.5314	.5290	.5276	.5265	.5239	.5212	.5184	.5166	.5155	.5124				
.0600	.5108	.5085	.5062	.5037	.5022	.5011	.4985	.4957	.4929	.4911	.4899	.4868				
.0700	.4894	.4871	.4847	.4822	.4807	.4796	.4769	.4741	.4712	.4694	.4682	.4651				
.0800	.4708	.4685	.4661	.4636	.4621	.4609	.4582	.4554	.4525	.4507	.4494	.4463				
.0900	.4545	.4521	.4497	.4472	.4456	.4445	.4418	.4390	.4360	.4342	.4329	.4298				
.1000	.4399	.4375	.4351	.4326	.4310	.4299	.4272	.4243	.4214	.4195	.4183	.4151				

TABLE 51. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended
 Güntelberg—Continued
 (Electrolyte, z.z. = 3)

Ionic strength	Temperature in degrees Celsius									
	50	55	60	65	70	75	80	85	90	95
.0001	.9641	.9638	.9631	.9627	.9623	.9619	.9614	.9610	.9606	.9601
.0002	.9498	.9494	.9489	.9484	.9478	.9473	.9467	.9461	.9455	.9449
.0003	.9391	.9385	.9379	.9373	.9367	.9360	.9353	.9346	.9339	.9331
.0004	.9302	.9295	.9289	.9282	.9274	.9267	.9259	.9251	.9243	.9234
.0005	.9225	.9217	.9210	.9202	.9194	.9186	.9177	.9168	.9159	.9149
.0006	.9155	.9148	.9139	.9131	.9122	.9113	.9104	.9094	.9084	.9074
.0007	.9093	.9084	.9075	.9066	.9057	.9048	.9038	.9027	.9017	.9006
.0008	.9035	.9026	.9017	.9007	.8997	.8987	.8976	.8965	.8954	.8942
.0009	.8981	.8971	.8962	.8952	.8941	.8931	.8920	.8908	.8896	.8884
.0010	.8930	.8920	.8910	.8900	.8889	.8878	.8866	.8854	.8842	.8815
.0020	.8539	.8525	.8512	.8498	.8484	.8469	.8453	.8437	.8421	.8386
.0030	.8256	.8241	.8225	.8209	.8192	.8174	.8156	.8138	.8118	.8078
.0040	.8029	.8012	.7994	.7976	.7957	.7938	.7918	.7897	.7876	.7854
.0050	.7837	.7818	.7799	.7780	.7760	.7739	.7717	.7695	.7672	.7648
.0060	.7670	.7650	.7630	.7609	.7587	.7565	.7542	.7518	.7494	.7469
.0070	.7521	.7500	.7479	.7457	.7434	.7411	.7387	.7362	.7336	.7310
.0080	.7386	.7364	.7342	.7319	.7296	.7272	.7247	.7220	.7194	.7166
.0090	.7263	.7240	.7218	.7194	.7170	.7144	.7119	.7091	.7064	.7035
.0100	.7150	.7126	.7103	.7078	.7053	.7027	.7001	.6973	.6944	.6915
.0200	.6330	.6302	.6274	.6245	.6215	.6184	.6152	.6119	.6085	.6051
.0300	.5799	.5768	.5738	.5707	.5674	.5641	.5607	.5571	.5534	.5497
.0400	.5405	.5374	.5342	.5309	.5275	.5240	.5204	.5167	.5129	.5090
.0500	.5094	.5061	.5028	.4994	.4960	.4924	.4887	.4849	.4810	.4771
.0600	.4837	.4804	.4770	.4736	.4700	.4664	.4627	.4588	.4549	.4466
.0700	.4619	.4586	.4552	.4517	.4481	.4445	.4407	.4368	.4328	.4288
.0800	.4431	.4397	.4363	.4328	.4292	.4255	.4217	.4178	.4138	.4097
.0900	.4266	.4232	.4198	.4162	.4126	.4089	.4051	.4012	.3972	.3931
.1000	.4119	.4085	.4051	.4015	.3979	.3942	.3865	.3825	.3784	.3741

TABLE 52. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended
Günzberg
 (Electrolyte, z.z. = 4)

Ionic strength	Temperature in degrees Celsius										45
	0	5	10	15	18	20	25	30	35	38	
.0001	.9561	.9558	.9555	.9552	.9548	.9545	.9541	.9537	.9535	.9533	.9529
.0002	.9388	.9383	.9379	.9375	.9372	.9370	.9365	.9360	.9354	.9349	.9343
.0003	.9257	.9252	.9247	.9242	.9238	.9236	.9230	.9224	.9217	.9213	.9204
.0004	.9150	.9144	.9138	.9132	.9128	.9125	.9119	.9112	.9104	.9100	.9088
.0005	.9056	.9050	.9043	.9037	.9032	.9029	.9022	.9014	.9006	.9001	.8989
.0006	.8973	.8966	.8959	.8952	.8947	.8944	.8936	.8927	.8919	.8913	.8900
.0007	.8897	.8890	.8882	.8875	.8870	.8866	.8858	.8849	.8839	.8833	.8819
.0008	.8828	.8820	.8812	.8804	.8799	.8795	.8786	.8776	.8766	.8760	.8745
.0009	.8763	.8755	.8747	.8738	.8732	.8728	.8719	.8709	.8699	.8688	.8676
.0010	.8703	.8694	.8685	.8676	.8671	.8666	.8656	.8646	.8635	.8628	.8612
.0020	.8236	.8224	.8213	.8201	.8193	.8188	.8175	.8161	.8147	.8138	.8116
.0030	.7902	.7889	.7875	.7861	.7853	.7846	.7831	.7815	.7799	.7788	.7763
.0040	.7635	.7621	.7606	.7590	.7581	.7574	.7557	.7540	.7521	.7510	.7483
.0050	.7411	.7395	.7380	.7363	.7353	.7345	.7327	.7308	.7289	.7277	.7247
.0060	.7216	.7200	.7183	.7166	.7155	.7147	.7128	.7108	.7087	.7074	.7043
.0070	.7044	.7027	.7009	.6991	.6980	.6971	.6952	.6931	.6909	.6896	.6886
.0080	.6889	.6871	.6853	.6834	.6822	.6814	.6793	.6771	.6749	.6735	.6725
.0090	.6748	.6730	.6711	.6691	.6679	.6670	.6649	.6627	.6603	.6589	.6579
.0100	.6618	.6599	.6580	.6560	.6548	.6538	.6517	.6494	.6470	.6455	.6445
.0200	.5695	.5673	.5651	.5627	.5613	.5602	.5577	.5551	.5523	.5506	.5495
.0300	.5111	.5087	.5064	.5039	.5024	.5012	.4986	.4958	.4929	.4911	.4898
.0400	.4685	.4661	.4637	.4611	.4596	.4584	.4557	.4528	.4498	.4480	.4467
.0500	.4353	.4329	.4305	.4278	.4263	.4251	.4223	.4194	.4164	.4146	.4101
.0600	.4083	.4059	.4034	.4008	.3992	.3980	.3953	.3923	.3893	.3875	.3862
.0700	.3857	.3832	.3808	.3781	.3766	.3754	.3726	.3697	.3667	.3648	.3636
.0800	.3663	.3639	.3614	.3588	.3572	.3561	.3533	.3504	.3474	.3455	.3443
.0900	.3494	.3470	.3446	.3419	.3404	.3392	.3365	.3336	.3306	.3288	.3275
.1000	.3345	.3322	.3297	.3271	.3256	.3244	.3217	.3188	.3159	.3141	.3096

TABLE 52. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Continued
Günthersberg—Continued
 (Electrolyte, z.z. = 4)

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9525	.9520	.9515	.9510	.9505	.9500	.9495	.9489	.9483
.0002	.9337	.9331	.9324	.9317	.9311	.9303	.9296	.9288	.9280
.0003	.9196	.9189	.9181	.9173	.9165	.9156	.9147	.9138	.9128
.0004	.9080	.9072	.9063	.9054	.9044	.9035	.9025	.9014	.9003
.0005	.8980	.8970	.8960	.8950	.8940	.8929	.8918	.8907	.8895
.0006	.8890	.8880	.8869	.8858	.8847	.8836	.8824	.8811	.8798
.0007	.8809	.8798	.8787	.8775	.8763	.8751	.8738	.8724	.8711
.0008	.8734	.8723	.8711	.8698	.8686	.8673	.8659	.8645	.8630
.0009	.8665	.8653	.8640	.8627	.8614	.8600	.8586	.8571	.8556
.0010	.8600	.8587	.8574	.8561	.8547	.8532	.8518	.8502	.8486
.0020	.8101	.8084	.8067	.8049	.8031	.8012	.7993	.7973	.7952
.0030	.7745	.7726	.7706	.7686	.7665	.7643	.7621	.7597	.7573
.0040	.7462	.7441	.7419	.7397	.7374	.7350	.7326	.7300	.7274
.0050	.7225	.7203	.7179	.7155	.7131	.7105	.7079	.7051	.7023
.0060	.7020	.6996	.6972	.6946	.6920	.6893	.6866	.6837	.6807
.0070	.6839	.6814	.6788	.6762	.6734	.6706	.6677	.6647	.6616
.0080	.6676	.6650	.6624	.6596	.6568	.6539	.6509	.6478	.6446
.0090	.6529	.6502	.6474	.6446	.6417	.6387	.6356	.6324	.6291
.0100	.6393	.6365	.6337	.6308	.6278	.6248	.6216	.6183	.6149
.0200	.5435	.5403	.5371	.5338	.5303	.5268	.5233	.5195	.5157
.0300	.4835	.4802	.4768	.4733	.4697	.4661	.4623	.4584	.4544
.0400	.4403	.4369	.4334	.4299	.4262	.4225	.4186	.4146	.4106
.0500	.4068	.4033	.3999	.3963	.3926	.3888	.3850	.3810	.3769
.0600	.3797	.3762	.3727	.3691	.3655	.3617	.3579	.3539	.3498
.0700	.3571	.3536	.3502	.3466	.3429	.3392	.3354	.3314	.3274
.0800	.3378	.3344	.3309	.3274	.3238	.3201	.3163	.3124	.3084
.0900	.3211	.3177	.3143	.3108	.3072	.3035	.2998	.2959	.2920
.1000	.3064	.3031	.2997	.2962	.2927	.2890	.2854	.2815	.2776

TABLE 53. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended
Günellberg
 (Electrolyte, $z_+ z_- = 6$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9349	.9345	.9340	.9335	.9332	.9330	.9325	.9320	.9314
.0002	.9096	.9090	.9083	.9077	.9073	.9070	.9063	.9055	.9047
.0003	.8907	.8900	.8892	.8884	.8880	.8876	.8868	.8859	.8849
.0004	.8752	.8744	.8735	.8726	.8721	.8717	.8707	.8697	.8687
.0005	.8618	.8609	.8600	.8590	.8584	.8580	.8569	.8558	.8547
.0006	.8500	.8490	.8480	.8469	.8463	.8458	.8447	.8435	.8423
.0007	.8392	.8382	.8371	.8360	.8353	.8348	.8336	.8324	.8310
.0008	.8294	.8283	.8272	.8260	.8253	.8248	.8235	.8222	.8208
.0009	.8203	.8192	.8180	.8168	.8160	.8155	.8141	.8127	.8113
.0010	.8119	.8107	.8094	.8081	.8074	.8068	.8054	.8039	.8024
.0020	.7474	.7459	.7443	.7426	.7417	.7409	.7391	.7373	.7353
.0030	.7024	.7006	.6989	.6970	.6959	.6950	.6930	.6909	.6887
.0040	.6671	.6652	.6633	.6613	.6601	.6591	.6570	.6547	.6523
.0050	.6380	.6360	.6339	.6318	.6305	.6295	.6272	.6248	.6223
.0060	.6130	.6109	.6088	.6066	.6052	.6042	.6018	.5993	.5967
.0070	.5912	.5890	.5868	.5845	.5831	.5821	.5796	.5770	.5743
.0080	.5718	.5696	.5673	.5649	.5635	.5624	.5599	.5572	.5544
.0090	.5543	.5521	.5497	.5473	.5458	.5448	.5422	.5394	.5366
.0100	.5384	.5361	.5338	.5313	.5298	.5287	.5261	.5233	.5204
.0200	.4298	.4273	.4248	.4221	.4205	.4193	.4165	.4135	.4105
.0300	.3653	.3629	.3603	.3577	.3561	.3549	.3520	.3491	.3460
.0400	.3207	.3183	.3158	.3131	.3116	.3104	.3076	.3047	.3017
.0500	.2872	.2848	.2824	.2798	.2783	.2772	.2745	.2716	.2687
.0600	.2609	.2586	.2562	.2537	.2522	.2511	.2485	.2458	.2429
.0700	.2395	.2372	.2350	.2325	.2311	.2300	.2275	.2248	.2220
.0800	.2217	.2195	.2173	.2149	.2135	.2125	.2100	.2074	.2047
.0900	.2065	.2044	.2022	.2000	.1986	.1976	.1952	.1927	.1901
.1000	.1935	.1914	.1893	.1871	.1858	.1848	.1825	.1800	.1775

TABLE 53. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—*Extended*
Güntherberg—Continued
 (Electrolyte, $z_+ z_- = 6$)

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9295	.9289	.9282	.9275	.9267	.9260	.9252	.9244	.9235
.0002	.9022	.9013	.9003	.8994	.8984	.8973	.8963	.8952	.8940
.0003	.8819	.8808	.8797	.8786	.8774	.8761	.8749	.8735	.8722
.0004	.8653	.8640	.8628	.8615	.8601	.8587	.8573	.8558	.8543
.0005	.8509	.8496	.8482	.8468	.8453	.8438	.8422	.8406	.8389
.0006	.8382	.8368	.8353	.8338	.8322	.8305	.8288	.8271	.8253
.0007	.8268	.8252	.8236	.8220	.8203	.8186	.8168	.8149	.8130
.0008	.8163	.8146	.8130	.8113	.8095	.8077	.8058	.8038	.8018
.0009	.8066	.8049	.8031	.8013	.7995	.7976	.7956	.7935	.7914
.0010	.7975	.7957	.7939	.7921	.7901	.7882	.7861	.7840	.7818
.0020	.7291	.7268	.7245	.7222	.7197	.7172	.7146	.7119	.7091
.0030	.6816	.6791	.6765	.6738	.6710	.6682	.6653	.6622	.6591
.0040	.6446	.6419	.6391	.6362	.6332	.6301	.6270	.6237	.6203
.0050	.6142	.6113	.6083	.6053	.6021	.5989	.5956	.5921	.5886
.0060	.5882	.5852	.5821	.5789	.5757	.5723	.5689	.5653	.5616
.0070	.5656	.5625	.5593	.5560	.5527	.5492	.5457	.5420	.5382
.0080	.5455	.5423	.5391	.5357	.5323	.5287	.5251	.5213	.5175
.0090	.5275	.5242	.5209	.5175	.5140	.5104	.5067	.5029	.4990
.0100	.5112	.5078	.5045	.5010	.4975	.4938	.4901	.4862	.4822
.0200	.4007	.3971	.3936	.3900	.3862	.3824	.3785	.3744	.3703
.0300	.3362	.3328	.3293	.3256	.3219	.3182	.3143	.3103	.3063
.0400	.2921	.2887	.2853	.2818	.2782	.2746	.2709	.2670	.2631
.0500	.2594	.2561	.2528	.2494	.2460	.2425	.2389	.2352	.2314
.0600	.2339	.2307	.2276	.2243	.2209	.2175	.2141	.2105	.2069
.0700	.2134	.2103	.2072	.2040	.2008	.1975	.1942	.1908	.1873
.0800	.1963	.1933	.1904	.1873	.1842	.1811	.1779	.1746	.1712
.0900	.1820	.1791	.1762	.1733	.1703	.1672	.1641	.1610	.1578
.1000	.1696	.1669	.1641	.1612	.1583	.1554	.1524	.1494	.1463

TABLE 54. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended
Güntelberg
 (Electrolyte, $z_+ z_- = 8$)

Ionic strength	Temperature in degrees Celsius											
	0	5	10	15	18	20	25	30	35			
.0001	.9142	.9136	.9130	.9124	.9120	.9117	.9110	.9103	.9096	.9091	.9088	.9080
.0002	.8813	.8805	.8797	.8788	.8783	.8779	.8770	.8760	.8750	.8744	.8740	.8729
.0003	.8570	.8561	.8551	.8541	.8535	.8530	.8519	.8508	.8496	.8489	.8484	.8471
.0004	.8372	.8361	.8350	.8339	.8332	.8327	.8315	.8302	.8289	.8280	.8275	.8260
.0005	.8202	.8190	.8178	.8166	.8158	.8153	.8139	.8125	.8111	.8102	.8096	.8080
.0006	.8051	.8039	.8026	.8013	.8005	.7999	.7985	.7970	.7954	.7944	.7938	.7921
.0007	.7916	.7903	.7890	.7876	.7867	.7861	.7846	.7830	.7813	.7803	.7796	.7778
.0008	.7793	.7779	.7765	.7750	.7741	.7735	.7719	.7702	.7685	.7674	.7667	.7648
.0009	.7679	.7665	.7650	.7635	.7626	.7619	.7602	.7585	.7566	.7555	.7548	.7528
.0010	.7574	.7559	.7544	.7528	.7518	.7511	.7493	.7475	.7457	.7445	.7437	.7417
.0020	.6783	.6764	.6745	.6725	.6713	.6704	.6683	.6661	.6637	.6623	.6613	.6588
.0030	.6243	.6223	.6202	.6180	.6166	.6156	.6133	.6108	.6082	.6066	.6055	.6027
.0040	.5829	.5807	.5785	.5761	.5747	.5736	.5711	.5685	.5657	.5640	.5629	.5599
.0050	.5492	.5469	.5446	.5421	.5406	.5395	.5369	.5341	.5313	.5295	.5283	.5252
.0060	.5208	.5184	.5160	.5134	.5119	.5108	.5081	.5052	.5023	.5005	.4992	.4961
.0070	.4962	.4938	.4913	.4887	.4872	.4860	.4832	.4803	.4773	.4755	.4742	.4710
.0080	.4746	.4721	.4696	.4670	.4654	.4643	.4615	.4585	.4555	.4536	.4523	.4490
.0090	.4553	.4529	.4503	.4477	.4461	.4449	.4421	.4391	.4360	.4341	.4329	.4296
.0100	.4380	.4355	.4330	.4303	.4287	.4275	.4247	.4217	.4186	.4167	.4154	.4121
.0200	.3243	.3218	.3193	.3166	.3150	.3139	.3110	.3081	.3051	.3032	.3019	.2986
.0300	.2612	.2588	.2564	.2539	.2524	.2513	.2486	.2458	.2429	.2411	.2400	.2369
.0400	.2195	.2173	.2150	.2126	.2112	.2102	.2077	.2050	.2024	.2007	.1996	.1967
.0500	.1895	.1874	.1853	.1830	.1817	.1807	.1784	.1759	.1734	.1719	.1708	.1681
.0600	.1667	.1647	.1627	.1606	.1594	.1584	.1562	.1539	.1516	.1501	.1491	.1466
.0700	.1487	.1469	.1450	.1430	.1418	.1409	.1389	.1367	.1345	.1331	.1322	.1298
.0800	.1342	.1324	.1306	.1287	.1276	.1268	.1248	.1228	.1207	.1194	.1185	.1163
.0900	.1221	.1204	.1187	.1169	.1159	.1151	.1132	.1113	.1093	.1081	.1073	.1052
.1000	.1119	.1103	.1087	.1070	.1060	.1053	.1035	.1017	.1000	.998	.996	.995

TABLE 54. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended
 Güntelberg—Continued
 (Electrolyte, $z_{+}z_{-} = 8$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9072	.9063	.9054	.9045	.9035	.9025	.9015	.9005	.8994	.8982	.8970
.0002	.8718	.8706	.8694	.8681	.8669	.8655	.8642	.8627	.8612	.8597	.8581
.0003	.8457	.8443	.8429	.8414	.8399	.8384	.8367	.8350	.8333	.8315	.8296
.0004	.8245	.8229	.8214	.8197	.8180	.8162	.8144	.8125	.8106	.8086	.8064
.0005	.8064	.8046	.8029	.8011	.7992	.7973	.7953	.7933	.7912	.7890	.7867
.0006	.7903	.7885	.7867	.7847	.7827	.7807	.7786	.7764	.7741	.7717	.7693
.0007	.7760	.7740	.7721	.7700	.7679	.7657	.7635	.7612	.7588	.7563	.7537
.0008	.7629	.7608	.7588	.7566	.7544	.7521	.7498	.7474	.7448	.7423	.7395
.0009	.7508	.7487	.7465	.7443	.7420	.7396	.7372	.7347	.7320	.7294	.7265
.0010	.7396	.7374	.7352	.7329	.7305	.7280	.7255	.7229	.7202	.7174	.7145
.0020	.6562	.6535	.6508	.6479	.6450	.6420	.6389	.6357	.6323	.6289	.6254
.0030	.5999	.5969	.5938	.5907	.5875	.5842	.5808	.5772	.5736	.5698	.5659
.0040	.5569	.5537	.5505	.5472	.5437	.5402	.5366	.5329	.5290	.5251	.5210
.0050	.5221	.5188	.5154	.5120	.5084	.5048	.5011	.4972	.4932	.4892	.4849
.0060	.4929	.4895	.4860	.4825	.4789	.4752	.4714	.4674	.4633	.4592	.4549
.0070	.4677	.4643	.4608	.4572	.4535	.4498	.4459	.4419	.4377	.4336	.4292
.0080	.4457	.4422	.4387	.4351	.4314	.4276	.4237	.4196	.4155	.4112	.4068
.0090	.4262	.4227	.4192	.4155	.4118	.4079	.4040	.3999	.3957	.3915	.3871
.0100	.4087	.4052	.4016	.3980	.3942	.3903	.3864	.3823	.3781	.3739	.3695
.0200	.2954	.2919	.2885	.2849	.2813	.2776	.2738	.2699	.2659	.2619	.2577
.0300	.2338	.2306	.2274	.2240	.2207	.2172	.2137	.2101	.2065	.2028	.1989
.0400	.1939	.1908	.1879	.1848	.1816	.1785	.1752	.1719	.1686	.1652	.1617
.0500	.1655	.1627	.1599	.1570	.1541	.1512	.1482	.1451	.1421	.1390	.1357
.0600	.1441	.1415	.1389	.1363	.1336	.1308	.1281	.1252	.1224	.1195	.1165
.0700	.1275	.1250	.1226	.1201	.1176	.1150	.1125	.1098	.1072	.1045	.1018
.0800	.1141	.1118	.1095	.1072	.1048	.1024	.1000	.0976	.0951	.0926	.0901
.0900	.1031	.1009	.0988	.0966	.0944	.0921	.0899	.0876	.0852	.0829	.0805
.1000	.0939	.0919	.0898	.0878	.0857	.0835	.0814	.0793	.0771	.0749	.0727

TABLE 55. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended*
Güntelberg
 (Electrolyte, $z_+ z_- = 9$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9040	.9033	.9027	.9020	.9016	.9012	.9005	.8997	.8984
.0002	.8675	.8666	.8657	.8648	.8642	.8638	.8627	.8617	.8599
.0003	.8406	.8396	.8385	.8374	.8368	.8363	.8350	.8338	.8317
.0004	.8188	.8176	.8164	.8152	.8144	.8139	.8125	.8111	.8096
.0005	.8001	.7988	.7975	.7962	.7953	.7947	.7933	.7917	.7901
.0006	.7836	.7823	.7809	.7794	.7786	.7779	.7763	.7747	.7730
.0007	.7688	.7674	.7660	.7644	.7635	.7628	.7611	.7594	.7576
.0008	.7554	.7539	.7524	.7507	.7498	.7490	.7473	.7455	.7436
.0009	.7430	.7414	.7398	.7382	.7371	.7364	.7346	.7327	.7307
.0010	.7315	.7299	.7282	.7265	.7254	.7247	.7228	.7208	.7188
.0020	.6461	.6442	.6421	.6400	.6387	.6378	.6355	.6331	.6306
.0030	.5886	.5865	.5842	.5819	.5805	.5794	.5769	.5743	.5715
.0040	.5449	.5426	.5402	.5377	.5363	.5351	.5325	.5297	.5268
.0050	.5096	.5072	.5047	.5022	.5006	.4995	.4967	.4939	.4909
.0060	.4800	.4775	.4750	.4724	.4708	.4696	.4668	.4639	.4609
.0070	.4546	.4521	.4495	.4469	.4453	.4441	.4413	.4383	.4352
.0080	.4324	.4299	.4273	.4246	.4230	.4218	.4189	.4159	.4128
.0090	.4127	.4102	.4076	.4049	.4033	.4021	.3992	.3962	.3931
.0100	.3951	.3926	.3900	.3873	.3856	.3844	.3815	.3785	.3754
.0200	.2817	.2793	.2768	.2742	.2717	.2715	.2688	.2659	.2630
.0300	.2208	.2186	.2163	.2139	.2125	.2114	.2089	.2062	.2035
.0400	.1816	.1795	.1774	.1752	.1739	.1729	.1706	.1682	.1657
.0500	.1539	.1520	.1501	.1480	.1468	.1459	.1438	.1416	.1393
.0600	.1333	.1315	.1297	.1278	.1267	.1259	.1239	.1218	.1197
.0700	.1172	.1156	.1139	.1121	.1111	.1103	.1085	.1066	.1046
.0800	.1044	.1028	.1013	.0996	.0987	.0979	.0962	.0945	.0926
.0900	.0939	.0924	.0910	.0884	.0885	.0878	.0862	.0846	.0829
.1000	.0851	.0838	.0824	.0809	.0801	.0794	.0779	.0764	.0748

TABLE 55. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended
 Güntelberg—Continued
 (Electrolyte, $z+z=9$)

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.8962	.8952	.8942	.8932	.8921	.8910	.8899	.8887	.8863
.0002	.8569	.8556	.8543	.8529	.8515	.8500	.8485	.8469	.8436
.0003	.8282	.8267	.8251	.8235	.8218	.8201	.8183	.8164	.8125
.0004	.8049	.8031	.8014	.7996	.7977	.7958	.7938	.7917	.7874
.0005	.7849	.7831	.7812	.7792	.7772	.7751	.7729	.7706	.7683
.0006	.7674	.7654	.7634	.7613	.7591	.7569	.7546	.7522	.7497
.0007	.7517	.7496	.7475	.7453	.7430	.7406	.7382	.7356	.7330
.0008	.7375	.7353	.7330	.7307	.7283	.7258	.7233	.7206	.7179
.0009	.7244	.7221	.7197	.7173	.7148	.7123	.7096	.7069	.7040
.0010	.7122	.7098	.7074	.7049	.7024	.6997	.6970	.6941	.6882
.0020	.6225	.6197	.6167	.6137	.6106	.6074	.6041	.6007	.5971
.0030	.5627	.5596	.5564	.5531	.5497	.5462	.5426	.5389	.5351
.0040	.5176	.5143	.5109	.5074	.5039	.5002	.4965	.4926	.4886
.0050	.4813	.4779	.4745	.4709	.4672	.4635	.4596	.4556	.4515
.0060	.4511	.4476	.4441	.4405	.4368	.4330	.4291	.4250	.4209
.0070	.4253	.4218	.4183	.4146	.4108	.4070	.4031	.3990	.3948
.0080	.4029	.3994	.3958	.3921	.3883	.3845	.3805	.3764	.3723
.0090	.3831	.3796	.3760	.3723	.3685	.3647	.3607	.3566	.3524
.0100	.3655	.3619	.3583	.3547	.3509	.3470	.3431	.3390	.3349
.0200	.2536	.2503	.2469	.2435	.2400	.2365	.2329	.2291	.2253
.0300	.1950	.1919	.1889	.1858	.1827	.1795	.1762	.1729	.1695
.0400	.1579	.1552	.1524	.1496	.1468	.1439	.1410	.1380	.1349
.0500	.1321	.1296	.1271	.1246	.1220	.1194	.1167	.1140	.1113
.0600	.1131	.1108	.1086	.1062	.1038	.1015	.0991	.0966	.0941
.0700	.0985	.0964	.0943	.0922	.0900	.0878	.0856	.0833	.0811
.0800	.0870	.0850	.0831	.0811	.0791	.0770	.0750	.0729	.0709
.0900	.0776	.0758	.0740	.0721	.0703	.0684	.0665	.0646	.0627
.1000	.0699	.0682	.0665	.0647	.0630	.0613	.0595	.0577	.0559

TABLE 56. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended*
Günthersberg
 (Electrolyte, $z_+ z_- = 12$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.8741	.8733	.8724	.8715	.8709	.8705	.8696	.8685	.8675
.0002	.8273	.8262	.8251	.8239	.8231	.8226	.8213	.8200	.8185
.0003	.7934	.7921	.7907	.7893	.7885	.7879	.7863	.7848	.7831
.0004	.7660	.7645	.7631	.7615	.7606	.7599	.7582	.7564	.7546
.0005	.7428	.7412	.7396	.7379	.7369	.7361	.7343	.7324	.7305
.0006	.7225	.7208	.7191	.7173	.7162	.7154	.7135	.7115	.7094
.0007	.7043	.7026	.7008	.6989	.6978	.6970	.6949	.6928	.6906
.0008	.6879	.6861	.6843	.6823	.6811	.6803	.6782	.6760	.6737
.0009	.6729	.6711	.6691	.6671	.6659	.6650	.6628	.6605	.6582
.0010	.6591	.6572	.6552	.6531	.6518	.6509	.6487	.6463	.6439
.0020	.5586	.5563	.5540	.5515	.5500	.5490	.5463	.5436	.5407
.0030	.4933	.4909	.4884	.4858	.4842	.4830	.4803	.4773	.4743
.0040	.4451	.4426	.4400	.4373	.4357	.4345	.4316	.4286	.4255
.0050	.4070	.4045	.4019	.3991	.3975	.3963	.3934	.3904	.3872
.0060	.3758	.3732	.3706	.3679	.3663	.3651	.3622	.3591	.3560
.0070	.3495	.3470	.3444	.3417	.3400	.3388	.3359	.3329	.3298
.0080	.3269	.3244	.3218	.3191	.3175	.3163	.3135	.3105	.3074
.0090	.3073	.3048	.3022	.2995	.2979	.2968	.2939	.2910	.2879
.0100	.2899	.2874	.2849	.2823	.2807	.2795	.2767	.2738	.2708
.0200	.1847	.1826	.1804	.1782	.1768	.1758	.1735	.1710	.1685
.0300	.1335	.1317	.1298	.1279	.1268	.1259	.1239	.1219	.1197
.0400	.1028	.1013	.0997	.0981	.0971	.0963	.0946	.0928	.0910
.0500	.0825	.0811	.0798	.0783	.0775	.0768	.0753	.0738	.0722
.0600	.0681	.0669	.0656	.0644	.0636	.0631	.0618	.0604	.0590
.0700	.0574	.0563	.0552	.0541	.0534	.0529	.0517	.0505	.0493
.0800	.0491	.0482	.0472	.0462	.0456	.0451	.0441	.0430	.0419
.0900	.0427	.0418	.0409	.0400	.0394	.0390	.0381	.0371	.0361
.1000	.0374	.0366	.0358	.0350	.0345	.0342	.0333	.0324	.0315

TABLE 56. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended
 Guntelberg—Continued
 (Electrolyte, z.z. = 12)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.8640	.8628	.8615	.8602	.8588	.8574	.8560	.8545	.8529	.8513	.8496
.0002	.8140	.8123	.8106	.8089	.8071	.8052	.8033	.8013	.7993	.7971	.7949
.0003	.7778	.7758	.7739	.7719	.7698	.7676	.7654	.7631	.7607	.7582	.7556
.0004	.7487	.7466	.7444	.7421	.7398	.7374	.7350	.7324	.7298	.7270	.7242
.0005	.7241	.7218	.7194	.7170	.7145	.7120	.7093	.7065	.7037	.7008	.6977
.0006	.7026	.7002	.6977	.6951	.6925	.6898	.6870	.6841	.6810	.6780	.6747
.0007	.6835	.6810	.6784	.6757	.6730	.6701	.6671	.6641	.6609	.6577	.6543
.0008	.6663	.6636	.6609	.6581	.6553	.6523	.6493	.6461	.6428	.6395	.6360
.0009	.6505	.6478	.6450	.6421	.6392	.6361	.6330	.6297	.6263	.6229	.6193
.0010	.6360	.6332	.6303	.6274	.6243	.6212	.6180	.6146	.6112	.6076	.6039
.0020	.5316	.5283	.5250	.5215	.5180	.5144	.5107	.5068	.5028	.4988	.4946
.0030	.4646	.4611	.4576	.4540	.4503	.4465	.4426	.4385	.4344	.4302	.4257
.0040	.4156	.4120	.4084	.4047	.4010	.3971	.3931	.3890	.3848	.3805	.3761
.0050	.3772	.3736	.3700	.3663	.3625	.3587	.3547	.3506	.3464	.3421	.3377
.0060	.3460	.3424	.3389	.3352	.3314	.3275	.3236	.3195	.3154	.3112	.3068
.0070	.3199	.3164	.3128	.3092	.3054	.3016	.2977	.2937	.2896	.2855	.2812
.0080	.2976	.2941	.2906	.2870	.2833	.2796	.2758	.2718	.2678	.2637	.2595
.0090	.2783	.2748	.2714	.2678	.2642	.2605	.2568	.2529	.2490	.2450	.2408
.0100	.2613	.2579	.2545	.2510	.2475	.2439	.2402	.2364	.2325	.2286	.2246
.0200	.1605	.1577	.1549	.1521	.1492	.1462	.1433	.1402	.1371	.1340	.1308
.0300	.1131	.1107	.1084	.1060	.1037	.1012	.988	.9663	.938	.913	.887
.0400	.0854	.0834	.0814	.0794	.0774	.0754	.0734	.0713	.0692	.0671	.0650
.0500	.0673	.0656	.0639	.0622	.0605	.0588	.0571	.0553	.0535	.0518	.0500
.0600	.0547	.0532	.0518	.0503	.0488	.0473	.0458	.0443	.0428	.0413	.0398
.0700	.0455	.0442	.0429	.0416	.0403	.0390	.0377	.0364	.0351	.0338	.0325
.0800	.0385	.0374	.0362	.0351	.0339	.0328	.0316	.0305	.0293	.0282	.0270
.0900	.0331	.0321	.0310	.0300	.0290	.0280	.0269	.0259	.0249	.0239	.0229
.1000	.0288	.0278	.0269	.0260	.0251	.0241	.0232	.0223	.0214	.0205	.0196

TABLE 57. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended*
Günthersberg
 (Electrolyte, z₊z₋ = 16)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.8357	.8347	.8336	.8324	.8317	.8312	.8300	.8287	.8273
.0002	.7767	.7753	.7738	.7723	.7714	.7708	.7691	.7675	.7657
.0003	.7345	.7329	.7312	.7295	.7284	.7277	.7258	.7239	.7218
.0004	.7009	.6991	.6973	.6954	.6942	.6934	.6914	.6892	.6870
.0005	.6727	.6708	.6689	.6668	.6656	.6647	.6625	.6602	.6579
.0006	.6483	.6463	.6442	.6421	.6408	.6399	.6376	.6352	.6327
.0007	.6267	.6246	.6225	.6203	.6189	.6179	.6156	.6131	.6105
.0008	.6073	.6052	.6030	.6007	.5993	.5983	.5958	.5932	.5906
.0009	.5897	.5875	.5853	.5829	.5815	.5804	.5779	.5753	.5725
.0010	.5736	.5714	.5691	.5666	.5652	.5641	.5615	.5588	.5560
.0020	.4600	.4575	.4550	.4523	.4507	.4495	.4466	.4436	.4405
.0030	.3898	.3872	.3846	.3819	.3802	.3790	.3761	.3731	.3699
.0040	.3398	.3373	.3347	.3319	.3303	.3291	.3262	.3232	.3200
.0050	.3016	.2991	.2966	.2939	.2923	.2911	.2882	.2853	.2822
.0060	.2712	.2687	.2662	.2636	.2621	.2609	.2581	.2553	.2523
.0070	.2462	.2438	.2414	.2388	.2373	.2362	.2335	.2307	.2279
.0080	.2252	.2229	.2206	.2181	.2166	.2155	.2129	.2102	.2075
.0090	.2073	.2051	.2028	.2004	.1990	.1979	.1954	.1928	.1901
.0100	.1919	.1897	.1875	.1852	.1838	.1828	.1803	.1778	.1752
.0200	.1052	.1036	.1020	.1003	.0993	.0985	.0967	.0949	.0931
.0300	.0682	.0670	.0657	.0645	.0637	.0631	.0618	.0604	.0590
.0400	.0482	.0472	.0462	.0452	.0446	.0442	.0431	.0420	.0409
.0500	.0359	.0351	.0343	.0335	.0330	.0327	.0318	.0309	.0301
.0600	.0278	.0271	.0265	.0258	.0254	.0251	.0244	.0237	.0230
.0700	.0221	.0216	.0210	.0204	.0201	.0199	.0193	.0187	.0181
.0800	.0180	.0175	.0171	.0166	.0163	.0161	.0156	.0151	.0146
.0900	.0149	.0145	.0141	.0137	.0134	.0132	.0128	.0124	.0119
.1000	.0125	.0122	.0118	.0115	.0112	.0111	.0107	.0103	.0100

TABLE 57. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended
Güntelberg—Continued
(Electrolyte, $z+z = 16$)*

Ionic strength	Temperature in degrees Celsius									
	50	55	60	65	70	75	80	85	90	95
.0001	.8229	.8214	.8198	.8181	.8164	.8146	.8127	.8108	.8088	.8047
.0002	.7600	.7579	.7558	.7537	.7514	.7491	.7468	.7443	.7417	.7391
.0003	.7153	.7129	.7105	.7080	.7055	.7028	.7001	.6973	.6944	.6914
.0004	.6798	.6772	.6746	.6719	.6691	.6662	.6633	.6602	.6570	.6538
.0005	.6502	.6474	.6447	.6418	.6388	.6357	.6326	.6293	.6259	.6225
.0006	.6246	.6218	.6188	.6158	.6127	.6095	.6062	.6027	.5992	.5956
.0007	.6021	.5991	.5961	.5929	.5897	.5864	.5829	.5794	.5757	.5720
.0008	.5819	.5789	.5757	.5725	.5691	.5657	.5622	.5585	.5548	.5509
.0009	.5637	.5605	.5573	.5540	.5506	.5471	.5435	.5397	.5359	.5320
.0010	.5470	.5438	.5405	.5371	.5336	.5300	.5264	.5225	.5186	.5146
.0020	.4306	.4271	.4235	.4198	.4160	.4121	.4082	.4041	.3999	.3956
.0030	.3598	.3563	.3526	.3489	.3451	.3412	.3373	.3332	.3290	.3247
.0040	.3101	.3066	.3030	.2994	.2957	.2919	.2880	.2840	.2799	.2758
.0050	.2726	.2691	.2657	.2621	.2585	.2548	.2511	.2472	.2433	.2393
.0060	.2429	.2396	.2362	.2328	.2293	.2258	.2222	.2185	.2147	.2109
.0070	.2188	.2156	.2123	.2090	.2057	.2023	.1988	.1952	.1916	.1880
.0080	.1987	.1956	.1925	.1893	.1861	.1828	.1795	.1761	.1726	.1691
.0090	.1817	.1787	.1757	.1726	.1695	.1664	.1632	.1599	.1566	.1533
.0100	.1670	.1642	.1613	.1584	.1554	.1524	.1493	.1462	.1430	.1398
.0200	.0872	.0852	.0832	.0812	.0791	.0770	.0750	.0728	.0707	.0686
.0300	.0547	.0532	.0517	.0502	.0487	.0472	.0457	.0441	.0426	.0411
.0400	.0376	.0364	.0353	.0341	.0330	.0319	.0307	.0296	.0284	.0273
.0500	.0274	.0265	.0256	.0247	.0238	.0229	.0220	.0211	.0202	.0193
.0600	.0208	.0200	.0193	.0186	.0178	.0171	.0164	.0157	.0150	.0143
.0700	.0163	.0156	.0150	.0144	.0138	.0132	.0127	.0121	.0115	.0109
.0800	.0130	.0125	.0120	.0115	.0110	.0105	.0100	.0095	.0090	.0086
.0900	.0106	.0102	.0098	.0093	.0089	.0085	.0081	.0077	.0073	.0069
.1000	.0084	.0081	.0077	.0073	.0070	.0066	.0063	.0059	.0056	.0053

TABLE 58. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Davies*
(Electrolyte, $Z_{+}Z_{-} = 1$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9889	.9888	.9887	.9886	.9885	.9884	.9883	.9882	.9881
.0002	.9844	.9843	.9842	.9840	.9839	.9838	.9836	.9835	.9834
.0003	.9810	.9808	.9807	.9805	.9804	.9802	.9800	.9798	.9797
.0004	.9781	.9780	.9778	.9776	.9775	.9773	.9771	.9768	.9767
.0005	.9756	.9755	.9753	.9751	.9750	.9749	.9747	.9745	.9742
.0006	.9734	.9732	.9730	.9728	.9727	.9726	.9724	.9721	.9719
.0007	.9714	.9712	.9710	.9708	.9706	.9705	.9703	.9700	.9697
.0008	.9695	.9693	.9691	.9688	.9687	.9686	.9683	.9680	.9677
.0009	.9678	.9675	.9673	.9670	.9669	.9668	.9665	.9662	.9659
.0010	.9661	.9659	.9656	.9654	.9652	.9651	.9648	.9645	.9641
.0020	.9531	.9528	.9524	.9521	.9518	.9517	.9513	.9508	.9504
.0030	.9435	.9431	.9427	.9423	.9420	.9418	.9413	.9408	.9403
.0040	.9357	.9353	.9348	.9343	.9340	.9338	.9332	.9326	.9320
.0050	.9290	.9285	.9280	.9275	.9271	.9269	.9262	.9256	.9249
.0060	.9231	.9221	.9220	.9214	.9210	.9208	.9201	.9194	.9187
.0070	.9177	.9172	.9166	.9160	.9156	.9153	.9146	.9138	.9130
.0080	.9129	.9123	.9117	.9110	.9106	.9103	.9095	.9088	.9079
.0090	.9084	.9078	.9071	.9064	.9060	.9057	.9049	.9041	.9032
.0100	.9042	.9036	.9029	.9022	.9017	.9014	.9006	.8997	.8988
.0200	.8730	.8722	.8713	.8704	.8698	.8693	.8672	.8660	.8653
.0300	.8518	.8508	.8498	.8487	.8480	.8475	.8463	.8451	.8437
.0400	.8355	.8345	.8333	.8322	.8314	.8309	.8295	.8281	.8266
.0500	.8223	.8212	.8200	.8187	.8179	.8173	.8159	.8144	.8128
.0600	.8112	.8100	.8087	.8074	.8065	.8059	.8044	.8028	.8011
.0700	.8017	.8004	.7991	.7977	.7968	.7961	.7946	.7929	.7911
.0800	.7933	.7920	.7906	.7892	.7882	.7876	.7859	.7842	.7824
.0900	.7859	.7845	.7831	.7816	.7807	.7800	.7783	.7765	.7746
.1000	.7793	.7779	.7764	.7749	.7739	.7732	.7715	.7697	.7666

TABLE 58. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—*
Davies—Continued
 (Electrolyte, $z_+ z_- = 1$)

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9878	.9877	.9876	.9874	.9873	.9871	.9870	.9868	.9866
.0002	.9829	.9828	.9826	.9824	.9822	.9819	.9817	.9815	.9812
.0003	.9792	.9790	.9788	.9785	.9783	.9780	.9777	.9774	.9771
.0004	.9761	.9759	.9756	.9753	.9750	.9747	.9744	.9741	.9737
.0005	.9734	.9731	.9728	.9725	.9722	.9719	.9715	.9711	.9708
.0006	.9710	.9707	.9703	.9700	.9697	.9693	.9689	.9685	.9681
.0007	.9688	.9684	.9681	.9677	.9673	.9669	.9665	.9661	.9657
.0008	.9667	.9664	.9660	.9656	.9652	.9648	.9643	.9639	.9634
.0009	.9648	.9644	.9640	.9636	.9632	.9628	.9623	.9618	.9613
.0010	.9630	.9626	.9622	.9618	.9613	.9609	.9604	.9599	.9593
.0020	.9489	.9483	.9478	.9472	.9466	.9459	.9452	.9445	.9438
.0030	.9385	.9378	.9371	.9364	.9357	.9349	.9341	.9333	.9324
.0040	.9300	.9292	.9284	.9276	.9268	.9259	.9250	.9241	.9231
.0050	.9227	.9218	.9210	.9201	.9192	.9182	.9173	.9162	.9151
.0060	.9162	.9153	.9144	.9135	.9125	.9115	.9104	.9093	.9081
.0070	.9105	.9095	.9085	.9075	.9065	.9054	.9042	.9030	.9018
.0080	.9052	.9042	.9032	.9021	.9010	.8998	.8986	.8974	.8961
.0090	.9003	.8993	.8982	.8971	.8959	.8947	.8934	.8921	.8908
.0100	.8958	.8947	.8936	.8924	.8912	.8900	.8886	.8873	.8858
.0200	.8621	.8607	.8592	.8577	.8562	.8545	.8528	.8510	.8492
.0300	.8392	.8376	.8359	.8342	.8324	.8305	.8286	.8265	.8244
.0400	.8217	.8199	.8181	.8162	.8142	.8122	.8100	.8078	.8055
.0500	.8075	.8056	.8037	.8016	.7995	.7973	.7950	.7926	.7902
.0600	.7956	.7936	.7915	.7894	.7872	.7848	.7824	.7799	.7773
.0700	.7854	.7833	.7811	.7789	.7766	.7741	.7716	.7690	.7663
.0800	.7764	.7743	.7720	.7697	.7673	.7648	.7622	.7595	.7567
.0900	.7685	.7663	.7640	.7616	.7591	.7565	.7539	.7511	.7482
.1000	.7614	.7591	.7568	.7543	.7518	.7491	.7464	.7435	.7406

TABLE 59. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Daniels*
(Electrolyte, $z_{+}z_{-} = 2$)

Ionic strength	Temperature in degrees Celsius							45
	0	5	10	15	18	20	25	
.0001	.9779	.9777	.9775	.9774	.9773	.9772	.9770	.9766
.0002	.9690	.9688	.9686	.9683	.9680	.9678	.9675	.9670
.0003	.9623	.9620	.9618	.9615	.9613	.9611	.9608	.9605
.0004	.9567	.9564	.9561	.9558	.9556	.9554	.9550	.9546
.0005	.9519	.9516	.9512	.9508	.9506	.9504	.9500	.9496
.0006	.9475	.9472	.9468	.9464	.9461	.9460	.9455	.9450
.0007	.9436	.9432	.9428	.9424	.9421	.9419	.9414	.9409
.0008	.9399	.9395	.9391	.9386	.9383	.9381	.9376	.9371
.0009	.9365	.9361	.9356	.9352	.9348	.9346	.9341	.9335
.0010	.9334	.9329	.9324	.9319	.9316	.9313	.9308	.9302
.0020	.9084	.9078	.9071	.9065	.9060	.9057	.9049	.9041
.0030	.8903	.8895	.8887	.8879	.8874	.8870	.8861	.8851
.0040	.8755	.8747	.8738	.8729	.8723	.8719	.8709	.8698
.0050	.8630	.8621	.8612	.8602	.8595	.8591	.8579	.8567
.0060	.8521	.8511	.8501	.8490	.8483	.8478	.8466	.8453
.0070	.8422	.8412	.8401	.8390	.8383	.8377	.8364	.8351
.0080	.8333	.8323	.8311	.8299	.8291	.8286	.8272	.8258
.0090	.8252	.8240	.8229	.8216	.8208	.8202	.8188	.8173
.0100	.8176	.8164	.8152	.8139	.8131	.8125	.8110	.8095
.0200	.7622	.7607	.7592	.7575	.7555	.7535	.7520	.7499
.0300	.7256	.7239	.7222	.7204	.7192	.7183	.7163	.7141
.0400	.6981	.6963	.6945	.6925	.6912	.6903	.6881	.6858
.0500	.6762	.6743	.6724	.6703	.6689	.6680	.6657	.6632
.0600	.6581	.6561	.6541	.6519	.6505	.6495	.6471	.6446
.0700	.6427	.6406	.6385	.6363	.6348	.6338	.6313	.6287
.0800	.6293	.6273	.6251	.6228	.6213	.6203	.6177	.6150
.0900	.6176	.6155	.6133	.6109	.6094	.6058	.6030	.6001
.1000	.6072	.6051	.6028	.6004	.5989	.5978	.5952	.5894

TABLE 59. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—*
Davies—Continued
 (Electrolyte, $z_+z_- = 2$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9758	.9756	.9753	.9750	.9747	.9744	.9741	.9738	.9734	.9731	.9727
.0002	.9662	.9658	.9654	.9650	.9646	.9642	.9637	.9633	.9628	.9623	.9618
.0003	.9589	.9584	.9580	.9575	.9570	.9565	.9559	.9554	.9548	.9542	.9536
.0004	.9528	.9523	.9518	.9512	.9507	.9501	.9495	.9488	.9481	.9475	.9467
.0005	.9475	.9470	.9464	.9458	.9452	.9445	.9438	.9431	.9424	.9416	.9408
.0006	.9428	.9422	.9416	.9409	.9402	.9395	.9388	.9380	.9372	.9364	.9355
.0007	.9385	.9379	.9372	.9365	.9358	.9350	.9342	.9333	.9325	.9316	.9307
.0008	.9346	.9339	.9331	.9324	.9316	.9308	.9299	.9291	.9281	.9272	.9262
.0009	.9309	.9301	.9294	.9286	.9278	.9269	.9260	.9251	.9241	.9231	.9221
.0010	.9274	.9266	.9258	.9250	.9241	.9232	.9223	.9213	.9203	.9193	.9182
.0020	.9004	.8993	.8982	.8971	.8960	.8947	.8935	.8922	.8908	.8894	.8879
.0030	.8807	.8795	.8782	.8769	.8755	.8741	.8726	.8710	.8694	.8678	.8660
.0040	.8648	.8634	.8620	.8605	.8590	.8574	.8557	.8539	.8521	.8503	.8483
.0050	.8513	.8498	.8482	.8466	.8449	.8432	.8414	.8394	.8375	.8355	.8333
.0060	.8395	.8379	.8362	.8345	.8327	.8308	.8288	.8268	.8247	.8225	.8202
.0070	.8289	.8272	.8254	.8236	.8217	.8197	.8176	.8155	.8133	.8110	.8086
.0080	.8194	.8175	.8157	.8138	.8118	.8097	.8075	.8052	.8029	.8005	.7980
.0090	.8106	.8087	.8068	.8048	.8027	.8005	.7982	.7959	.7935	.7910	.7883
.0100	.8025	.8005	.7985	.7964	.7943	.7920	.7897	.7872	.7847	.7822	.7794
.0200	.7432	.7408	.7383	.7357	.7330	.7302	.7273	.7242	.7211	.7180	.7146
.0300	.7043	.7016	.6988	.6959	.6929	.6897	.6865	.6831	.6796	.6761	.6723
.0400	.6753	.6723	.6693	.6662	.6630	.6596	.6561	.6525	.6488	.6450	.6410
.0500	.6521	.6490	.6459	.6426	.6392	.6357	.6321	.6282	.6244	.6204	.6162
.0600	.6330	.6298	.6265	.6231	.6197	.6160	.6122	.6083	.6042	.6001	.5958
.0700	.6168	.6135	.6102	.6067	.6031	.5993	.5954	.5914	.5872	.5830	.5785
.0800	.6029	.5995	.5960	.5925	.5888	.5849	.5810	.5768	.5726	.5683	.5637
.0900	.5906	.5872	.5837	.5800	.5763	.5723	.5683	.5641	.5598	.5554	.5508
.1000	.5798	.5763	.5727	.5690	.5652	.5612	.5571	.5529	.5485	.5441	.5393

TABLE 60. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Davies*
(Electrolyte, $z_{12-} = 3$)

Ionic strength	0	5	10	15	18	20	25	30	35	38	40	45	Temperature in degrees Celsius					
													32	34	36	38	40	42
.0001	.9670	.9668	.9665	.9663	.9661	.9660	.9657	.9654	.9651	.9649	.9647	.9644						
.0002	.9539	.9535	.9532	.9528	.9526	.9525	.9520	.9516	.9512	.9509	.9507	.9502						
.0003	.9440	.9436	.9432	.9428	.9425	.9423	.9418	.9413	.9407	.9404	.9402	.9396						
.0004	.9358	.9354	.9349	.9344	.9341	.9339	.9333	.9327	.9321	.9317	.9315	.9308						
.0005	.9287	.9282	.9277	.9272	.9268	.9266	.9259	.9253	.9246	.9242	.9239	.9231						
.0006	.9224	.9218	.9213	.9207	.9203	.9200	.9194	.9187	.9179	.9175	.9171	.9163						
.0007	.9166	.9160	.9154	.9148	.9144	.9141	.9134	.9126	.9118	.9114	.9110	.9101						
.0008	.9113	.9107	.9100	.9094	.9089	.9086	.9079	.9071	.9062	.9057	.9054	.9044						
.0009	.9063	.9057	.9050	.9043	.9039	.9036	.9028	.9019	.9010	.9005	.9001	.8991						
.0010	.9017	.9011	.9003	.8996	.8991	.8988	.8980	.8971	.8962	.8956	.8952	.8942						
.0020	.8658	.8649	.8640	.8630	.8624	.8619	.8608	.8597	.8584	.8577	.8571	.8557						
.0030	.8400	.8389	.8378	.8367	.8359	.8354	.8341	.8327	.8313	.8304	.8298	.8282						
.0040	.8193	.8181	.8169	.8156	.8147	.8142	.8127	.8112	.8095	.8086	.8079	.8061						
.0050	.8017	.8005	.7992	.7978	.7969	.7962	.7946	.7930	.7912	.7902	.7894	.7875						
.0060	.7865	.7852	.7837	.7823	.7813	.7806	.7789	.7772	.7753	.7742	.7734	.7713						
.0070	.7730	.7715	.7700	.7685	.7675	.7667	.7650	.7631	.7611	.7600	.7591	.7569						
.0080	.7607	.7593	.7577	.7560	.7550	.7542	.7524	.7505	.7484	.7471	.7463	.7440						
.0090	.7496	.7480	.7464	.7447	.7436	.7428	.7409	.7389	.7368	.7355	.7346	.7322						
.0100	.7393	.7377	.7360	.7343	.7332	.7323	.7304	.7283	.7261	.7247	.7238	.7214						
.0200	.6654	.6635	.6615	.6593	.6580	.6570	.6546	.6521	.6494	.6478	.6467	.6437						
.0300	.6181	.6160	.6137	.6114	.6099	.6088	.6062	.6035	.6005	.5988	.5975	.5943						
.0400	.5833	.5811	.5787	.5763	.5747	.5736	.5708	.5679	.5648	.5630	.5617	.5583						
.0500	.5561	.5538	.5513	.5488	.5471	.5459	.5431	.5401	.5369	.5350	.5336	.5302						
.0600	.5338	.5315	.5290	.5263	.5247	.5235	.5205	.5175	.5142	.5122	.5108	.5073						
.0700	.5152	.5128	.5102	.5075	.5058	.5046	.5016	.4985	.4952	.4932	.4918	.4881						
.0800	.4992	.4968	.4942	.4915	.4897	.4885	.4855	.4823	.4789	.4769	.4755	.4718						
.0900	.4854	.4829	.4803	.4775	.4758	.4745	.4715	.4683	.4649	.4628	.4614	.4577						
.1000	.4732	.4707	.4680	.4653	.4635	.4622	.4592	.4559	.4525	.4504	.4490	.4453						

TABLE 60. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—*
Davies—Continued
 (Electrolyte, z, z₋ = 3)

Ionic strength	50	55	60	65	70	75	80	85	90	95	100	Temperature in degrees Celsius					
												50	55	60	65	70	75
.0001	.9640	.9636	.9632	.9628	.9623	.9619	.9614	.9609	.9604	.9599	.9593						
.0002	.9497	.9491	.9486	.9480	.9474	.9468	.9461	.9454	.9447	.9440	.9432						
.0003	.9390	.9383	.9376	.9369	.9362	.9354	.9346	.9338	.9330	.9321	.9311						
.0004	.9301	.9293	.9286	.9278	.9269	.9261	.9252	.9242	.9232	.9222	.9212						
.0005	.9224	.9215	.9207	.9198	.9189	.9179	.9169	.9159	.9148	.9137	.9125						
.0006	.9155	.9146	.9137	.9127	.9117	.9107	.9096	.9084	.9073	.9061	.9048						
.0007	.9092	.9083	.9073	.9062	.9052	.9041	.9029	.9017	.9005	.8992	.8978						
.0008	.9035	.9024	.9014	.9003	.8992	.8980	.8968	.8955	.8942	.8928	.8914						
.0009	.8981	.8970	.8959	.8948	.8936	.8924	.8911	.8897	.8883	.8869	.8854						
.0010	.8931	.8920	.8908	.8896	.8884	.8871	.8858	.8843	.8829	.8814	.8798						
.0020	.8543	.8528	.8513	.8497	.8481	.8463	.8446	.8427	.8408	.8388	.8367						
.0030	.8265	.8248	.8230	.8211	.8192	.8172	.8151	.8129	.8106	.8083	.8059						
.0040	.8042	.8023	.8003	.7982	.7961	.7939	.7915	.7891	.7866	.7841	.7813						
.0050	.7855	.7834	.7812	.7790	.7767	.7742	.7717	.7691	.7664	.7637	.7607						
.0060	.7692	.7669	.7647	.7623	.7598	.7572	.7546	.7518	.7489	.7460	.7429						
.0070	.7547	.7524	.7500	.7474	.7449	.7421	.7393	.7364	.7334	.7303	.7271						
.0080	.7417	.7392	.7367	.7341	.7314	.7286	.7257	.7226	.7195	.7163	.7129						
.0090	.7298	.7272	.7246	.7219	.7191	.7162	.7132	.7100	.7068	.7035	.6999						
.0100	.7189	.7162	.7136	.7108	.7079	.7049	.7017	.6985	.6951	.6917	.6881						
.0200	.6408	.6376	.6344	.6310	.6276	.6240	.6202	.6164	.6124	.6083	.6040						
.0300	.5911	.5876	.5841	.5805	.5768	.5728	.5688	.5646	.5603	.5559	.5513						
.0400	.5549	.5512	.5476	.5437	.5398	.5357	.5315	.5271	.5226	.5180	.5132						
.0500	.5266	.5229	.5191	.5151	.5111	.5068	.5025	.4980	.4933	.4887	.4837						
.0600	.5037	.4998	.4959	.4919	.4878	.4834	.4790	.4744	.4697	.4649	.4599						
.0700	.4845	.4806	.4766	.4725	.4683	.4639	.4595	.4548	.4500	.4452	.4401						
.0800	.4681	.4641	.4602	.4560	.4518	.4473	.4428	.4381	.4333	.4284	.4232						
.0900	.4539	.4499	.4459	.4417	.4375	.4330	.4284	.4237	.4188	.4140	.4088						
.1000	.4415	.4375			.4292	.4249			.4159	.4062	.4013						

TABLE 61. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Davies*
(Electrolyte, $z_{+}z_{-} = 4$)

Ionic strength	0	5	10	15	18	20	25	30	35	38	40	45	Temperature in degrees Celsius
.0001	.9562	.9559	.9556	.9553	.9550	.9549	.9545	.9541	.9537	.9534	.9532	.9528	
.0002	.9390	.9385	.9381	.9376	.9373	.9371	.9366	.9360	.9354	.9351	.9348	.9342	
.0003	.9260	.9255	.9250	.9244	.9241	.9238	.9232	.9225	.9218	.9214	.9211	.9203	
.0004	.9153	.9148	.9142	.9135	.9131	.9128	.9121	.9113	.9105	.9100	.9097	.9088	
.0005	.9061	.9055	.9048	.9041	.9036	.9033	.9025	.9017	.9008	.9002	.8998	.8989	
.0006	.8978	.8972	.8964	.8957	.8952	.8948	.8940	.8931	.8921	.8915	.8911	.8900	
.0007	.8904	.8896	.8889	.8880	.8875	.8871	.8862	.8853	.8842	.8836	.8831	.8820	
.0008	.8835	.8827	.8819	.8810	.8805	.8801	.8791	.8781	.8770	.8763	.8759	.8746	
.0009	.8771	.8763	.8754	.8745	.8739	.8735	.8725	.8714	.8703	.8696	.8691	.8678	
.0010	.8711	.8703	.8694	.8684	.8678	.8674	.8663	.8652	.8640	.8633	.8628	.8614	
.0020	.8252	.8241	.8229	.8217	.8209	.8203	.8189	.8174	.8158	.8149	.8142	.8124	
.0030	.7926	.7912	.7899	.7884	.7875	.7868	.7852	.7835	.7816	.7805	.7797	.7777	
.0040	.7666	.7651	.7636	.7620	.7610	.7602	.7584	.7565	.7545	.7533	.7524	.7502	
.0050	.7448	.7433	.7416	.7399	.7388	.7380	.7360	.7340	.7318	.7305	.7296	.7272	
.0060	.7260	.7243	.7226	.7208	.7196	.7188	.7167	.7146	.7122	.7108	.7099	.7073	
.0070	.7094	.7076	.7058	.7039	.7027	.7018	.6996	.6974	.6950	.6935	.6925	.6898	
.0080	.6945	.6927	.6908	.6888	.6875	.6866	.6843	.6820	.6795	.6780	.6769	.6742	
.0090	.6809	.6790	.6771	.6750	.6737	.6728	.6705	.6680	.6654	.6639	.6628	.6599	
.0100	.6685	.6666	.6646	.6624	.6611	.6601	.6577	.6553	.6526	.6510	.6499	.6470	
.0200	.5809	.5787	.5763	.5739	.5723	.5711	.5684	.5655	.5624	.5605	.5592	.5558	
.0300	.5265	.5241	.5216	.5189	.5172	.5160	.5131	.5100	.5067	.5047	.5033	.4997	
.0400	.4874	.4849	.4823	.4795	.4778	.4765	.4735	.4703	.4669	.4648	.4634	.4597	
.0500	.4573	.4547	.4521	.4493	.4475	.4462	.4431	.4399	.4364	.4343	.4329	.4291	
.0600	.4331	.4305	.4278	.4250	.4232	.4219	.4187	.4155	.4119	.4098	.4084	.4046	
.0700	.4130	.4104	.4077	.4049	.4030	.4017	.3986	.3953	.3917	.3896	.3882	.3843	
.0800	.3960	.3934	.3907	.3879	.3860	.3847	.3815	.3783	.3747	.3726	.3711	.3673	
.0900	.3815	.3788	.3761	.3732	.3714	.3701	.3669	.3636	.3601	.3580	.3565	.3527	
.1000	.3687	.3661	.3634	.3605	.3587	.3554	.3527	.3509	.3474	.3453	.3438	.3400	

TABLE 61. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—*
Davies—Continued
 (Electrolyte, $z_{+}z_{-} = 4$)

Ionic strength	50	55	60	65	70	75	80	85	90	95	Temperature in degrees Celsius	
											100	9469
.0001	.9523	.9517	.9512	.9507	.9501	.9495	.9489	.9482	.9475	.9469	.9461	.9461
.0002	.9335	.9328	.9320	.9313	.9305	.9297	.9288	.9279	.9270	.9260	.9250	.9250
.0003	.9195	.9186	.9177	.9168	.9159	.9149	.9138	.9127	.9116	.9105	.9093	.9093
.0004	.9079	.9069	.9059	.9049	.9038	.9026	.9015	.9002	.8990	.8977	.8963	.8963
.0005	.8978	.8968	.8957	.8945	.8933	.8921	.8908	.8894	.8880	.8866	.8851	.8851
.0006	.8889	.8878	.8866	.8853	.8840	.8827	.8813	.8798	.8783	.8768	.8751	.8751
.0007	.8808	.8796	.8783	.8770	.8756	.8742	.8727	.8711	.8695	.8679	.8661	.8661
.0008	.8734	.8721	.8707	.8693	.8679	.8664	.8648	.8632	.8615	.8597	.8579	.8579
.0009	.8665	.8651	.8637	.8623	.8607	.8591	.8575	.8558	.8540	.8522	.8502	.8502
.0010	.8601	.8586	.8572	.8556	.8540	.8524	.8506	.8488	.8470	.8451	.8430	.8430
.0020	.8107	.8088	.8068	.8048	.8028	.8006	.7983	.7960	.7935	.7911	.7884	.7884
.0030	.7756	.7735	.7712	.7689	.7665	.7640	.7614	.7586	.7558	.7530	.7499	.7499
.0040	.7479	.7455	.7430	.7405	.7378	.7351	.7322	.7292	.7261	.7230	.7196	.7196
.0050	.7247	.7221	.7195	.7168	.7139	.7109	.7079	.7047	.7014	.6980	.6944	.6944
.0060	.7048	.7020	.6992	.6963	.6933	.6902	.6870	.6836	.6801	.6766	.6728	.6728
.0070	.6871	.6843	.6814	.6783	.6752	.6719	.6685	.6650	.6614	.6577	.6538	.6538
.0080	.6714	.6684	.6654	.6622	.6590	.6556	.6521	.6484	.6447	.6409	.6368	.6368
.0090	.6571	.6540	.6509	.6476	.6443	.6408	.6372	.6334	.6296	.6256	.6215	.6215
.0100	.6440	.6408	.6376	.6343	.6309	.6273	.6236	.6197	.6158	.6118	.6075	.6075
.0200	.5524	.5488	.5451	.5412	.5373	.5332	.5290	.5245	.5200	.5155	.5106	.5106
.0300	.4961	.4922	.4883	.4842	.4801	.4757	.4713	.4666	.4619	.4571	.4520	.4520
.0400	.4560	.4520	.4480	.4438	.4395	.4351	.4305	.4258	.4209	.4160	.4108	.4108
.0500	.4253	.4212	.4172	.4129	.4086	.4041	.3995	.3947	.3898	.3849	.3797	.3797
.0600	.4007	.3967	.3926	.3883	.3840	.3794	.3748	.3700	.3651	.3602	.3549	.3549
.0700	.3805	.3764	.3723	.3681	.3637	.3592	.3545	.3497	.3449	.3399	.3347	.3347
.0800	.3635	.3594	.3553	.3510	.3467	.3421	.3375	.3327	.3279	.3230	.3178	.3178
.0900	.3488	.3448	.3407	.3364	.3321	.3276	.3230	.3182	.3134	.3085	.3034	.3034
.1000	.3362	.3321	.3280	.3238	.3195	.3150	.3104	.3057	.3009	.2960	.2909	.2909

TABLE 62. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Davies*
(Electrolyte, $Z_{+}Z_{-} = 6$)

Ionic strength	Temperature in degrees Celsius											
	0	5	10	15	18	20	25	30	35	38	40	45
.0001	.9351	.9346	.9341	.9337	.9333	.9331	.9325	.9320	.9313	.9309	.9307	.9300
.0002	.9098	.9092	.9086	.9079	.9075	.9072	.9064	.9056	.9047	.9042	.9038	.9029
.0003	.8911	.8904	.8896	.8888	.8883	.8879	.8870	.8860	.8850	.8844	.8839	.8828
.0004	.8757	.8749	.8740	.8731	.8725	.8721	.8711	.8700	.8688	.8681	.8676	.8663
.0005	.8625	.8616	.8606	.8596	.8590	.8585	.8574	.8562	.8549	.8541	.8536	.8522
.0006	.8508	.8498	.8487	.8477	.8470	.8465	.8452	.8440	.8426	.8417	.8412	.8396
.0007	.8401	.8391	.8380	.8368	.8361	.8356	.8343	.8329	.8314	.8306	.8299	.8283
.0008	.8304	.8293	.8282	.8270	.8262	.8256	.8242	.8228	.8213	.8203	.8197	.8180
.0009	.8215	.8203	.8191	.8178	.8170	.8164	.8150	.8135	.8119	.8109	.8102	.8084
.0010	.8131	.8119	.8106	.8093	.8084	.8078	.8063	.8048	.8031	.8021	.8014	.7995
.0020	.7497	.7481	.7465	.7448	.7437	.7429	.7410	.7390	.7369	.7356	.7347	.7323
.0030	.7056	.7038	.7020	.7000	.6988	.6979	.6957	.6935	.6910	.6895	.6885	.6858
.0040	.6712	.6693	.6673	.6652	.6638	.6628	.6605	.6580	.6554	.6538	.6527	.6498
.0050	.6428	.6408	.6387	.6364	.6350	.6340	.6315	.6289	.6260	.6244	.6232	.6201
.0060	.6186	.6165	.6143	.6119	.6104	.6094	.6067	.6040	.6011	.5993	.5981	.5949
.0070	.5975	.5953	.5930	.5906	.5890	.5879	.5852	.5824	.5793	.5775	.5763	.5730
.0080	.5787	.5765	.5741	.5716	.5700	.5689	.5661	.5632	.5601	.5582	.5569	.5535
.0090	.5619	.5596	.5571	.5546	.5530	.5518	.5490	.5460	.5428	.5409	.5396	.5361
.0100	.5466	.5442	.5418	.5392	.5375	.5363	.5334	.5304	.5272	.5252	.5239	.5204
.0200	.4428	.4402	.4375	.4347	.4329	.4316	.4285	.4253	.4217	.4197	.4182	.4144
.0300	.3820	.3794	.3767	.3738	.3720	.3707	.3675	.3642	.3606	.3585	.3571	.3532
.0400	.3403	.3377	.3349	.3321	.3303	.3290	.3258	.3225	.3190	.3169	.3155	.3117
.0500	.3092	.3066	.3040	.3011	.2993	.2981	.2949	.2917	.2883	.2862	.2848	.2811
.0600	.2850	.2825	.2798	.2770	.2753	.2740	.2709	.2678	.2644	.2624	.2610	.2573
.0700	.2654	.2629	.2603	.2576	.2559	.2546	.2516	.2485	.2452	.2432	.2418	.2383
.0800	.2492	.2468	.2442	.2415	.2398	.2386	.2357	.2326	.2294	.2274	.2261	.2226
.0900	.2356	.2332	.2307	.2280	.2264	.2252	.2223	.2193	.2161	.2142	.2129	.2095
.1000	.2239	.2215	.2191	.2165	.2148	.2137	.2108	.2079	.2048	.2029	.2016	.1983

TABLE 62. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—*
Davies—Continued
 (Electrolyte, $z+z_-=6$)

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9293	.9285	.9277	.9269	.9261	.9252	.9243	.9233	.9213
.0002	.9019	.9009	.8998	.8987	.8976	.8964	.8951	.8938	.8911
.0003	.8816	.8804	.8792	.8778	.8765	.8750	.8736	.8720	.8704
.0004	.8650	.8636	.8622	.8607	.8592	.8576	.8559	.8542	.8524
.0005	.8507	.8492	.8477	.8460	.8443	.8426	.8407	.8388	.8369
.0006	.8381	.8364	.8348	.8330	.8312	.8293	.8273	.8253	.8232
.0007	.8267	.8249	.8232	.8213	.8194	.8173	.8153	.8131	.8108
.0008	.8163	.8144	.8125	.8106	.8085	.8064	.8042	.8019	.7996
.0009	.8066	.8047	.8027	.8007	.7986	.7963	.7940	.7916	.7892
.0010	.7976	.7956	.7936	.7915	.7893	.7869	.7846	.7821	.7795
.0020	.7299	.7273	.7247	.7220	.7192	.7163	.7133	.7101	.7069
.0030	.6831	.6802	.6773	.6742	.6711	.6677	.6643	.6608	.6571
.0040	.6468	.6437	.6405	.6372	.6338	.6302	.6265	.6227	.6188
.0050	.6170	.6137	.6103	.6068	.6032	.5995	.5956	.5915	.5874
.0060	.5916	.5882	.5847	.5811	.5773	.5734	.5694	.5652	.5609
.0070	.5696	.5660	.5624	.5587	.5548	.5508	.5466	.5423	.5379
.0080	.5501	.5464	.5427	.5389	.5350	.5308	.5266	.5221	.5176
.0090	.5326	.5289	.5251	.5212	.5172	.5129	.5086	.5041	.4995
.0100	.5168	.5130	.5092	.5052	.5011	.4968	.4924	.4879	.4832
.0200	.4106	.4065	.4024	.3982	.3939	.3893	.3847	.3799	.3750
.0300	.3494	.3453	.3412	.3370	.3326	.3281	.3235	.3188	.3139
.0400	.3079	.3039	.2998	.2957	.2914	.2870	.2825	.2778	.2731
.0500	.2773	.2734	.2694	.2654	.2612	.2569	.2525	.2480	.2434
.0600	.2537	.2498	.2460	.2420	.2379	.2337	.2295	.2251	.2206
.0700	.2347	.2309	.2272	.2233	.2193	.2152	.2111	.2068	.2025
.0800	.2191	.2154	.2118	.2080	.2041	.2001	.1961	.1919	.1877
.0900	.2060	.2024	.1988	.1951	.1914	.1875	.1836	.1795	.1754
.1000	.1949	.1879	.1842	.1806	.1768	.1729	.1690	.1650	.1610

TABLE 63. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis-Davies*
(Electrolyte, z₊z₋ = 8)

Ionic strength	0	5	10	15	18	20	25	30	35	38	40	45	Temperature in degrees Celsius
.0001	.9144	.9138	.9132	.9125	.9118	.9111	.9103	.9095	.9090	.9087	.9077	.9077	
.0002	.8816	.8809	.8800	.8791	.8786	.8782	.8772	.8761	.8750	.8744	.8739	.8727	
.0003	.8575	.8566	.8556	.8546	.8539	.8534	.8522	.8510	.8497	.8489	.8483	.8469	
.0004	.8379	.8368	.8357	.8345	.8338	.8332	.8319	.8305	.8290	.8281	.8275	.8259	
.0005	.8210	.8198	.8186	.8174	.8165	.8159	.8145	.8130	.8114	.8104	.8097	.8079	
.0006	.8061	.8049	.8036	.8022	.8013	.8007	.7992	.7976	.7958	.7948	.7940	.7921	
.0007	.7928	.7914	.7901	.7886	.7877	.7870	.7854	.7837	.7818	.7807	.7799	.7779	
.0008	.7806	.7792	.7777	.7762	.7752	.7745	.7728	.7710	.7691	.7679	.7671	.7650	
.0009	.7693	.7679	.7664	.7648	.7638	.7630	.7613	.7594	.7574	.7562	.7553	.7531	
.0010	.7589	.7574	.7558	.7542	.7531	.7524	.7505	.7486	.7465	.7452	.7444	.7421	
.0020	.6810	.6792	.6772	.6751	.6738	.6729	.6706	.6682	.6655	.6640	.6629	.6601	
.0030	.6281	.6261	.6239	.6216	.6201	.6191	.6165	.6138	.6109	.6092	.6080	.6048	
.0040	.5876	.5854	.5831	.5806	.5791	.5779	.5752	.5723	.5693	.5674	.5661	.5628	
.0050	.5548	.5524	.5500	.5474	.5458	.5446	.5418	.5388	.5356	.5336	.5323	.5288	
.0060	.5271	.5247	.5222	.5195	.5178	.5166	.5137	.5106	.5073	.5053	.5039	.5003	
.0070	.5032	.5008	.4982	.4955	.4937	.4925	.4895	.4864	.4830	.4809	.4795	.4759	
.0080	.4823	.4798	.4771	.4744	.4726	.4714	.4683	.4651	.4617	.4596	.4582	.4545	
.0090	.4636	.4611	.4584	.4557	.4539	.4526	.4495	.4463	.4428	.4407	.4393	.4355	
.0100	.4469	.4443	.4416	.4388	.4370	.4358	.4326	.4294	.4259	.4238	.4223	.4185	
.0200	.3375	.3349	.3322	.3293	.3275	.3262	.3231	.3198	.3163	.3142	.3127	.3090	
.0300	.2772	.2747	.2720	.2693	.2675	.2663	.2632	.2601	.2567	.2547	.2533	.2497	
.0400	.2375	.2351	.2326	.2300	.2283	.2271	.2242	.2212	.2180	.2161	.2148	.2113	
.0500	.2091	.2068	.2044	.2018	.2002	.1991	.1963	.1935	.1904	.1886	.1874	.1841	
.0600	.1875	.1853	.1830	.1806	.1791	.1780	.1753	.1726	.1697	.1680	.1668	.1637	
.0700	.1706	.1684	.1662	.1639	.1624	.1614	.1589	.1562	.1535	.1518	.1507	.1477	
.0800	.1569	.1548	.1527	.1504	.1490	.1480	.1456	.1431	.1404	.1388	.1377	.1349	
.0900	.1455	.1435	.1415	.1393	.1380	.1370	.1346	.1322	.1297	.1282	.1271	.1244	
.1000	.1360	.1341	.1321	.1300	.1287	.1277	.1255	.1232	.1207	.1192	.1182	.1156	

TABLE 63. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—*
Davies—Continued
 (Electrolyte, $Z_+Z_- = 8$)

Ionic strength	Temperature in degrees Celsius								100
	50	55	60	65	70	75	80	85	
.0001	.9068	.9058	.9048	.9038	.9027	.9015	.9004	.8991	.8978
.0002	.8714	.8701	.8687	.8673	.8658	.8643	.8627	.8610	.8593
.0003	.8454	.8438	.8422	.8405	.8388	.8370	.8351	.8331	.8311
.0004	.8242	.8224	.8206	.8188	.8168	.8148	.8127	.8104	.8082
.0005	.8061	.8042	.8022	.8002	.7980	.7958	.7935	.7911	.7886
.0006	.7902	.7881	.7860	.7838	.7815	.7791	.7767	.7741	.7715
.0007	.7759	.7737	.7714	.7691	.7667	.7642	.7616	.7589	.7561
.0008	.7628	.7605	.7582	.7558	.7533	.7506	.7479	.7450	.7421
.0009	.7509	.7485	.7460	.7435	.7409	.7381	.7353	.7323	.7293
.0010	.7397	.7372	.7347	.7321	.7294	.7265	.7236	.7205	.7174
.0020	.6572	.6541	.6510	.6478	.6444	.6409	.6373	.6335	.6297
.0030	.6016	.5982	.5948	.5912	.5875	.5836	.5797	.5755	.5713
.0040	.5594	.5558	.5521	.5483	.5444	.5403	.5361	.5317	.5273
.0050	.5253	.5215	.5177	.5137	.5097	.5054	.5011	.4966	.4919
.0060	.4967	.4928	.4889	.4849	.4807	.4764	.4719	.4673	.4625
.0070	.4722	.4682	.4643	.4601	.4559	.4515	.4470	.4422	.4374
.0080	.4507	.4467	.4427	.4385	.4343	.4298	.4252	.4204	.4156
.0090	.4317	.4277	.4237	.4194	.4151	.4106	.4060	.4012	.3964
.0100	.4147	.4107	.4066	.4023	.3980	.3935	.3889	.3841	.3792
.0200	.3052	.3011	.2971	.2929	.2887	.2843	.2798	.2751	.2704
.0300	.2461	.2423	.2384	.2345	.2305	.2263	.2221	.2177	.2134
.0400	.2079	.2043	.2007	.1970	.1932	.1893	.1853	.1813	.1772
.0500	.1809	.1774	.1740	.1705	.1670	.1633	.1596	.1558	.1520
.0600	.1606	.1573	.1541	.1508	.1474	.1440	.1405	.1369	.1333
.0700	.1448	.1417	.1386	.1355	.1323	.1290	.1257	.1223	.1189
.0800	.1321	.1291	.1262	.1232	.1202	.1171	.1139	.1107	.1075
.0900	.1217	.1189	.1161	.1132	.1103	.1073	.1043	.1013	.982
.1000	.1130	.1103	.1076	.1048	.1021	.992	.963	.934	.905

TABLE 64. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Davies
 (Electrolyte, $z_{+}z_{-} = 9$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9042	.9036	.9029	.9021	.9017	.9014	.9005	.8997	.8988
.0002	.8679	.8670	.8661	.8651	.8645	.8640	.8629	.8618	.8605
.0003	.8412	.8402	.8391	.8379	.8372	.8367	.8354	.8340	.8326
.0004	.8195	.8184	.8171	.8159	.8150	.8144	.8130	.8115	.8098
.0005	.8010	.7997	.7984	.7970	.7961	.7955	.7939	.7922	.7904
.0006	.7847	.7833	.7819	.7804	.7795	.7788	.7771	.7753	.7734
.0007	.7701	.7686	.7671	.7655	.7645	.7638	.7620	.7602	.7581
.0008	.7568	.7553	.7537	.7520	.7510	.7502	.7483	.7464	.7443
.0009	.7445	.7430	.7413	.7396	.7385	.7377	.7357	.7337	.7315
.0010	.7332	.7316	.7299	.7281	.7269	.7261	.7241	.7220	.7197
.0020	.6491	.6471	.6450	.6428	.6414	.6404	.6379	.6353	.6325
.0030	.5927	.5905	.5881	.5857	.5842	.5830	.5803	.5775	.5744
.0040	.5499	.5475	.5451	.5425	.5408	.5397	.5368	.5338	.5306
.0050	.5154	.5129	.5104	.5077	.5060	.5048	.5018	.4987	.4953
.0060	.4865	.4840	.4814	.4787	.4769	.4757	.4726	.4694	.4660
.0070	.4618	.4593	.4566	.4538	.4521	.4508	.4477	.4444	.4410
.0080	.4402	.4377	.4350	.4322	.4304	.4291	.4259	.4227	.4192
.0090	.4212	.4186	.4159	.4130	.4112	.4099	.4067	.4035	.3999
.0100	.4041	.4015	.3988	.3959	.3941	.3928	.3896	.3863	.3828
.0200	.2946	.2921	.2894	.2866	.2849	.2836	.2805	.2773	.2739
.0300	.2361	.2337	.2312	.2285	.2269	.2257	.2228	.2198	.2166
.0400	.1985	.1962	.1938	.1914	.1898	.1887	.1860	.1832	.1802
.0500	.1719	.1698	.1676	.1653	.1638	.1627	.1602	.1576	.1548
.0600	.1521	.1501	.1480	.1458	.1444	.1434	.1410	.1386	.1359
.0700	.1367	.1348	.1328	.1307	.1294	.1285	.1262	.1239	.1214
.0800	.1244	.1226	.1207	.1187	.1175	.1166	.1144	.1122	.1099
.0900	.1144	.1126	.1108	.1089	.1077	.1068	.1048	.1027	.1004
.1000	.1060	.1043	.1025	.1007	.996	.988	.968	.948	.926

TABLE 64. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis —
 Davies — Continued
 (Electrolyte, $z_+ z_- = 9$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.8938	.8947	.8936	.8924	.8912	.8899	.8886	.8872	.8858	.8844	.8828
.0002	.8565	.8551	.8536	.8520	.8504	.8487	.8469	.8450	.8431	.8412	.8391
.0003	.8278	.8261	.8243	.8225	.8206	.8185	.8165	.8143	.8121	.8098	.8073
.0004	.8045	.8026	.8006	.7985	.7964	.7942	.7919	.7894	.7869	.7844	.7817
.0005	.7847	.7826	.7804	.7782	.7759	.7734	.7709	.7683	.7656	.7628	.7599
.0006	.7673	.7650	.7627	.7603	.7578	.7552	.7525	.7497	.7468	.7439	.7408
.0007	.7516	.7493	.7468	.7443	.7417	.7389	.7361	.7331	.7301	.7270	.7237
.0008	.7375	.7350	.7324	.7298	.7270	.7242	.7212	.7181	.7149	.7117	.7083
.0009	.7244	.7218	.7192	.7164	.7136	.7106	.7076	.7043	.7010	.6977	.6941
.0010	.7124	.7097	.7070	.7041	.7012	.6981	.6949	.6916	.6882	.6847	.6810
.0020	.6236	.6203	.6170	.6135	.6100	.6062	.6024	.5984	.5943	.5902	.5857
.0030	.5646	.5610	.5574	.5536	.5497	.5457	.5415	.5371	.5327	.5282	.5234
.0040	.5202	.5164	.5126	.5086	.5046	.5003	.4959	.4914	.4867	.4820	.4770
.0050	.4846	.4807	.4768	.4727	.4685	.4641	.4596	.4550	.4502	.4454	.4402
.0060	.4551	.4511	.4471	.4429	.4387	.4342	.4296	.4249	.4200	.4151	.4100
.0070	.4299	.4259	.4218	.4176	.4133	.4087	.4041	.3994	.3945	.3896	.3843
.0080	.4080	.4039	.3998	.3956	.3913	.3867	.3821	.3773	.3724	.3675	.3622
.0090	.3887	.3846	.3805	.3763	.3719	.3674	.3628	.3579	.3531	.3481	.3429
.0100	.3715	.3674	.3633	.3591	.3547	.3502	.3456	.3408	.3359	.3310	.3258
.0200	.2631	.2592	.2553	.2513	.2472	.2429	.2386	.2341	.2297	.2251	.2204
.0300	.2065	.2029	.1993	.1956	.1919	.1880	.1840	.1800	.1759	.1718	.1675
.0400	.1708	.1675	.1642	.1608	.1573	.1537	.1501	.1464	.1427	.1390	.1351
.0500	.1461	.1429	.1399	.1367	.1335	.1302	.1269	.1235	.1201	.1167	.1132
.0600	.1278	.1249	.1220	.1190	.1161	.1130	.1099	.1068	.1036	.1005	.0972
.0700	.1137	.1110	.1083	.1055	.1027	.9999	.9970	.9941	.9911	.0882	.0852
.0800	.1026	.1000	.9974	.9948	.9922	.9895	.9868	.9841	.9813	.0786	.0758
.0900	.0935	.0911	.0887	.0862	.0837	.0812	.0786	.0761	.0735	.0709	.0683
.1000	.0860	.0837	.0814	.0791	.0767	.0743	.0719	.0695	.0670	.0646	.0621

TABLE 65. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Davies*
(Electrolyte, $z_+ z_- = 12$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.8744	.8735	.8726	.8717	.8711	.8707	.8696	.8685	.8674
.0002	.8278	.8267	.8255	.8243	.8225	.8229	.8216	.8201	.8185
.0003	.7941	.7928	.7914	.7900	.7891	.7884	.7868	.7851	.7832
.0004	.7669	.7655	.7640	.7623	.7613	.7606	.7588	.7569	.7549
.0005	.7439	.7423	.7407	.7389	.7378	.7370	.7351	.7331	.7309
.0006	.7238	.7221	.7204	.7185	.7173	.7165	.7144	.7123	.7099
.0007	.7058	.7041	.7023	.7003	.6991	.6982	.6960	.6938	.6913
.0008	.6896	.6878	.6859	.6839	.6826	.6816	.6794	.6770	.6745
.0009	.6748	.6729	.6709	.6688	.6675	.6665	.6642	.6618	.6591
.0010	.6611	.6592	.6571	.6550	.6536	.6526	.6502	.6477	.6450
.0020	.5620	.5597	.5573	.5547	.5531	.5519	.5491	.5462	.5430
.0030	.4978	.4954	.4928	.4901	.4883	.4871	.4840	.4809	.4775
.0040	.4505	.4479	.4452	.4424	.4407	.4394	.4362	.4330	.4295
.0050	.4132	.4106	.4079	.4050	.4032	.4019	.3988	.3955	.3919
.0060	.3827	.3801	.3773	.3745	.3726	.3713	.3681	.3648	.3613
.0070	.3570	.3544	.3516	.3488	.3469	.3456	.3425	.3392	.3356
.0080	.3349	.3323	.3296	.3267	.3249	.3226	.3205	.3172	.3137
.0090	.3157	.3131	.3104	.3076	.3058	.3045	.3014	.2981	.2947
.0100	.2987	.2962	.2935	.2907	.2889	.2876	.2846	.2814	.2779
.0200	.1961	.1938	.1914	.1890	.1874	.1863	.1836	.1808	.1779
.0300	.1459	.1439	.1419	.1397	.1384	.1374	.1350	.1326	.1301
.0400	.1158	.1140	.1122	.1103	.1091	.1082	.1061	.1040	.1018
.0500	.0956	.0940	.0924	.0907	.0896	.0888	.0870	.0851	.0831
.0600	.0812	.0798	.0783	.0767	.0758	.0751	.0734	.0717	.0699
.0700	.0705	.0691	.0678	.0664	.0655	.0648	.0633	.0618	.0601
.0800	.0621	.0609	.0596	.0583	.0575	.0569	.0555	.0541	.0526
.0900	.0555	.0544	.0532	.0520	.0512	.0507	.0494	.0481	.0467
.1000	.0501	.0491	.0480	.0469	.0462	.0457	.0444	.0432	.0419

TABLE 65. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—*
Davies—Continued
 (Electrolyte, $z_+ z_- = 12$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.8635	.8621	.8607	.8592	.8576	.8560	.8543	.8525	.8507	.8489	.8469
.0002	.8134	.8116	.8097	.8077	.8056	.8035	.8013	.7989	.7965	.7941	.7915
.0003	.7773	.7751	.7729	.7706	.7682	.7657	.7631	.7604	.7576	.7548	.7518
.0004	.7483	.7459	.7434	.7409	.7382	.7354	.7326	.7296	.7265	.7234	.7200
.0005	.7238	.7212	.7185	.7158	.7129	.7099	.7069	.7036	.7003	.6970	.6934
.0006	.7024	.6996	.6968	.6939	.6909	.6877	.6845	.6811	.6776	.6740	.6702
.0007	.6834	.6805	.6776	.6745	.6714	.6680	.6646	.6611	.6574	.6537	.6498
.0008	.6663	.6633	.6602	.6570	.6538	.6503	.6468	.6431	.6393	.6354	.6313
.0009	.6506	.6475	.6444	.6411	.6377	.6341	.6305	.6267	.6228	.6188	.6146
.0010	.6362	.6330	.6298	.6264	.6229	.6193	.6155	.6116	.6076	.6035	.5992
.0020	.5328	.5290	.5253	.5213	.5173	.5131	.5088	.5043	.4997	.4950	.4901
.0030	.4667	.4627	.4587	.4546	.4503	.4459	.4414	.4366	.4318	.4269	.4218
.0040	.4184	.4143	.4102	.4060	.4017	.3972	.3925	.3877	.3829	.3779	.3727
.0050	.3807	.3766	.3725	.3682	.3639	.3593	.3547	.3499	.3450	.3401	.3349
.0060	.3500	.3460	.3419	.3376	.3333	.3288	.3242	.3194	.3146	.3097	.3045
.0070	.3244	.3204	.3163	.3121	.3078	.3033	.2988	.2941	.2893	.2845	.2794
.0080	.3026	.2986	.2946	.2904	.2862	.2818	.2773	.2726	.2679	.2632	.2582
.0090	.2837	.2797	.2757	.2716	.2675	.2631	.2587	.2541	.2495	.2449	.2400
.0100	.2671	.2632	.2593	.2552	.2511	.2468	.2425	.2380	.2335	.2290	.2242
.0200	.1686	.1653	.1620	.1586	.1551	.1516	.1480	.1443	.1406	.1370	.1331
.0300	.1221	.1192	.1164	.1136	.1107	.1077	.1047	.1016	.0986	.0955	.0924
.0400	.0948	.0923	.0899	.0874	.0849	.0824	.0798	.0772	.0746	.0720	.0693
.0500	.0769	.0747	.0726	.0704	.0682	.0660	.0638	.0615	.0592	.0570	.0547
.0600	.0644	.0624	.0605	.0586	.0566	.0546	.0527	.0506	.0487	.0467	.0447
.0700	.0551	.0533	.0516	.0499	.0481	.0463	.0446	.0428	.0410	.0393	.0375
.0800	.0480	.0464	.0448	.0432	.0417	.0400	.0385	.0368	.0352	.0337	.0321
.0900	.0425	.0410	.0395	.0381	.0366	.0352	.0337	.0322	.0308	.0294	.0279
.1000	.0380	.0366	.0353	.0339	.0326	.0312	.0299	.0286	.0272	.0259	.0246

TABLE 66. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Davies*
(Electrolyte, $z_{+}z_{-} = 16$)

Ionic strength	Temperature in degrees Celsius							
	0	5	10	15	18	20	25	30
.0001	.8361	.8350	.8339	.8327	.8314	.8301	.8287	.8272
.0002	.7773	.7759	.7744	.7729	.7719	.7712	.7694	.7676
.0003	.7354	.7338	.7321	.7303	.7291	.7283	.7263	.7242
.0004	.7020	.7002	.6984	.6964	.6952	.6943	.6921	.6898
.0005	.6740	.6721	.6702	.6681	.6667	.6658	.6634	.6610
.0006	.6498	.6479	.6458	.6435	.6421	.6411	.6387	.6361
.0007	.6285	.6264	.6242	.6219	.6204	.6194	.6168	.6141
.0008	.6093	.6071	.6049	.6025	.6010	.5999	.5972	.5945
.0009	.5919	.5897	.5873	.5849	.5834	.5822	.5795	.5767
.0010	.5759	.5737	.5713	.5688	.5672	.5661	.5633	.5604
.0020	.4638	.4612	.4586	.4558	.4540	.4528	.4496	.4464
.0030	.3946	.3920	.3892	.3864	.3845	.3832	.3801	.3768
.0040	.3453	.3427	.3400	.3371	.3353	.3340	.3309	.3276
.0050	.3078	.3052	.3025	.2997	.2979	.2966	.2935	.2903
.0060	.2778	.2753	.2726	.2699	.2681	.2669	.2638	.2607
.0070	.2532	.2508	.2482	.2455	.2438	.2426	.2396	.2365
.0080	.2326	.2302	.2277	.2250	.2234	.2222	.2193	.2163
.0090	.2150	.2126	.2102	.2076	.2060	.2049	.2021	.1992
.0100	.1997	.1974	.1951	.1926	.1910	.1899	.1872	.1844
.0200	.1139	.1122	.1103	.1085	.1073	.1064	.1044	.1023
.0300	.0768	.0754	.0740	.0725	.0716	.0709	.0693	.0676
.0400	.0564	.0553	.0541	.0529	.0521	.0516	.0503	.0489
.0500	.0437	.0428	.0418	.0407	.0401	.0396	.0385	.0374
.0600	.0352	.0343	.0335	.0326	.0321	.0317	.0307	.0298
.0700	.0291	.0284	.0276	.0269	.0264	.0260	.0252	.0244
.0800	.0246	.0240	.0233	.0226	.0222	.0219	.0212	.0205
.0900	.0212	.0206	.0200	.0194	.0190	.0188	.0181	.0175
.1000	.0185	.0180	.0174	.0169	.0166	.0163	.0157	.0152

TABLE 66. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—*
Davies—Continued
 (Electrolyte, $z+z=16$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.8223	.8205	.8187	.8168	.8148	.8128	.8106	.8084	.8061	.8038	.8012
.0002	.7593	.7570	.7547	.7522	.7496	.7470	.7442	.7413	.7384	.7353	.7321
.0003	.7147	.7120	.7093	.7065	.7036	.7005	.6974	.6941	.6907	.6872	.6835
.0004	.6793	.6764	.6735	.6704	.6672	.6638	.6604	.6568	.6531	.6494	.6454
.0005	.6498	.6467	.6436	.6403	.6369	.6333	.6297	.6258	.6219	.6180	.6137
.0006	.6244	.6211	.6178	.6143	.6108	.6071	.6032	.5992	.5952	.5910	.5866
.0007	.6020	.5986	.5951	.5915	.5879	.5840	.5800	.5759	.5717	.5674	.5628
.0008	.5819	.5784	.5749	.5712	.5674	.5634	.5593	.5551	.5507	.5463	.5416
.0009	.5638	.5602	.5566	.5528	.5489	.5448	.5406	.5363	.5318	.5273	.5225
.0010	.5472	.5435	.5398	.5360	.5320	.5278	.5236	.5192	.5146	.5100	.5051
.0020	.4319	.4279	.4238	.4196	.4153	.4108	.4062	.4014	.3965	.3916	.3864
.0030	.3620	.3579	.3538	.3495	.3452	.3406	.3360	.3312	.3264	.3215	.3163
.0040	.3129	.3089	.3048	.3006	.2964	.2919	.2874	.2827	.2780	.2732	.2682
.0050	.2759	.2720	.2680	.2639	.2598	.2555	.2511	.2466	.2420	.2374	.2326
.0060	.2467	.2429	.2390	.2351	.2311	.2269	.2227	.2183	.2139	.2095	.2049
.0070	.2229	.2192	.2155	.2117	.2078	.2038	.1998	.1956	.1914	.1871	.1827
.0080	.2032	.1996	.1960	.1923	.1886	.1847	.1808	.1768	.1727	.1687	.1644
.0090	.1864	.1829	.1795	.1759	.1723	.1686	.1649	.1610	.1571	.1532	.1492
.0100	.1720	.1687	.1653	.1619	.1584	.1548	.1512	.1475	.1438	.1401	.1362
.0200	.0931	.0907	.0883	.0858	.0834	.0808	.0783	.0757	.0731	.0706	.0680
.0300	.0606	.0587	.0569	.0550	.0531	.0512	.0493	.0474	.0455	.0437	.0417
.0400	.0432	.0417	.0403	.0388	.0373	.0358	.0344	.0329	.0314	.0300	.0285
.0500	.0327	.0315	.0303	.0291	.0279	.0267	.0255	.0243	.0231	.0219	.0208
.0600	.0258	.0248	.0237	.0227	.0217	.0207	.0197	.0187	.0178	.0168	.0159
.0700	.0210	.0201	.0192	.0183	.0175	.0166	.0158	.0150	.0141	.0134	.0126
.0800	.0174	.0167	.0159	.0152	.0144	.0137	.0130	.0123	.0116	.0109	.0102
.0900	.0148	.0141	.0135	.0128	.0122	.0115	.0109	.0103	.0096	.0091	.0085
.1000	.0128	.0122	.0116	.0110	.0104	.0104	.0098	.0093	.0087	.0082	.0077

TABLE 67. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Davies*
(Electrolyte, $z_+z_- = 1$)

Ionic strength	Temperature in degrees Celsius							
	0	5	10	15	18	20	25	30
.0001	.9889	.9888	.9887	.9886	.9885	.9884	.9883	.9882
.0002	.9844	.9843	.9842	.9840	.9839	.9838	.9836	.9835
.0003	.9810	.9808	.9807	.9806	.9805	.9804	.9802	.9799
.0004	.9781	.9780	.9778	.9776	.9775	.9773	.9771	.9769
.0005	.9756	.9755	.9753	.9751	.9750	.9749	.9747	.9745
.0006	.9734	.9732	.9730	.9728	.9727	.9726	.9724	.9722
.0007	.9714	.9712	.9710	.9708	.9706	.9705	.9703	.9701
.0008	.9695	.9693	.9691	.9688	.9687	.9686	.9683	.9681
.0009	.9678	.9675	.9673	.9670	.9669	.9668	.9665	.9663
.0010	.9661	.9659	.9656	.9654	.9652	.9651	.9648	.9645
.0020	.9531	.9528	.9525	.9521	.9519	.9517	.9513	.9509
.0030	.9435	.9431	.9427	.9423	.9421	.9419	.9414	.9409
.0040	.9357	.9353	.9348	.9343	.9340	.9338	.9333	.9328
.0050	.9290	.9285	.9280	.9275	.9272	.9269	.9264	.9258
.0060	.9231	.9225	.9220	.9214	.9211	.9208	.9202	.9196
.0070	.9177	.9172	.9166	.9160	.9156	.9154	.9147	.9140
.0080	.9129	.9123	.9117	.9110	.9106	.9104	.9097	.9089
.0090	.9084	.9078	.9071	.9065	.9060	.9057	.9050	.9043
.0100	.9042	.9036	.9029	.9022	.9018	.9015	.9007	.8999
.0200	.8730	.8722	.8713	.8704	.8699	.8695	.8685	.8674
.0300	.8518	.8508	.8498	.8488	.8482	.8477	.8466	.8454
.0400	.8355	.8345	.8334	.8322	.8315	.8310	.8298	.8285
.0500	.8223	.8212	.8200	.8188	.8175	.8170	.8161	.8147
.0600	.8112	.8100	.8088	.8075	.8067	.8061	.8047	.8032
.0700	.8017	.8004	.7991	.7977	.7969	.7963	.7948	.7933
.0800	.7933	.7920	.7907	.7892	.7884	.7878	.7862	.7846
.0900	.7859	.7845	.7832	.7817	.7808	.7786	.7770	.7753
.1000	.7793	.7779	.7765	.7750	.7741	.7718	.7701	.7683

TABLE 67. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—
 Davies—Continued
 (Electrolyte, $z+z_-=1$)

Ionic strength	Temperature in degrees Celsius									
	50	55	60	65	70	75	80	85	90	95
.0001	.9879	.9878	.9877	.9876	.9874	.9873	.9871	.9870	.9869	.9867
.0002	.9830	.9829	.9827	.9825	.9823	.9822	.9820	.9818	.9815	.9813
.0003	.9793	.9791	.9789	.9787	.9785	.9783	.9780	.9778	.9775	.9773
.0004	.9763	.9760	.9758	.9756	.9753	.9750	.9748	.9745	.9742	.9739
.0005	.9736	.9733	.9731	.9728	.9725	.9722	.9719	.9716	.9713	.9709
.0006	.9712	.9709	.9706	.9703	.9700	.9697	.9693	.9690	.9686	.9683
.0007	.9690	.9687	.9683	.9680	.9677	.9674	.9670	.9666	.9662	.9659
.0008	.9669	.9666	.9663	.9659	.9656	.9652	.9648	.9644	.9640	.9636
.0009	.9650	.9647	.9643	.9640	.9636	.9632	.9628	.9624	.9620	.9615
.0010	.9632	.9629	.9625	.9621	.9617	.9613	.9609	.9605	.9600	.9596
.0020	.9492	.9487	.9482	.9477	.9471	.9466	.9460	.9454	.9448	.9441
.0030	.9388	.9382	.9376	.9370	.9364	.9357	.9350	.9343	.9336	.9328
.0040	.9304	.9297	.9290	.9283	.9276	.9268	.9261	.9252	.9244	.9235
.0050	.9231	.9224	.9216	.9209	.9201	.9192	.9184	.9175	.9166	.9156
.0060	.9167	.9159	.9151	.9143	.9134	.9125	.9116	.9107	.9097	.9086
.0070	.9110	.9101	.9093	.9084	.9075	.9065	.9055	.9045	.9034	.9024
.0080	.9057	.9048	.9039	.9030	.9020	.9010	.9000	.8989	.8978	.8966
.0090	.9009	.9000	.8990	.8980	.8970	.8960	.8949	.8937	.8926	.8914
.0100	.8964	.8954	.8944	.8934	.8924	.8913	.8901	.8889	.8877	.8865
.0200	.8629	.8616	.8603	.8590	.8576	.8562	.8547	.8532	.8516	.8500
.0300	.8401	.8387	.8372	.8357	.8341	.8325	.8308	.8290	.8272	.8253
.0400	.8227	.8211	.8195	.8178	.8161	.8143	.8125	.8105	.8085	.8065
.0500	.8086	.8069	.8051	.8033	.8015	.7996	.7976	.7956	.7934	.7913
.0600	.7967	.7949	.7931	.7912	.7893	.7873	.7852	.7830	.7808	.7785
.0700	.7865	.7847	.7828	.7808	.7788	.7767	.7745	.7722	.7699	.7675
.0800	.7776	.7757	.7737	.7717	.7696	.7674	.7652	.7628	.7604	.7580
.0900	.7697	.7677	.7657	.7636	.7614	.7592	.7569	.7545	.7520	.7495
.1000	.7627	.7606	.7585	.7564	.7542	.7519	.7495	.7471	.7445	.7419

TABLE 68. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Davies
(Electrolyte, $z_+ z_- = 2$)

Ionic strength	Temperature in degrees Celsius.								
	0	5	10	15	18	20	25	30	35
.0001	.9779	.9777	.9776	.9774	.9773	.9772	.9770	.9768	.9766
.0002	.9690	.9688	.9686	.9683	.9682	.9681	.9678	.9676	.9675
.0003	.9623	.9620	.9618	.9615	.9613	.9612	.9609	.9606	.9602
.0004	.9567	.9564	.9561	.9558	.9556	.9555	.9551	.9547	.9543
.0005	.9519	.9516	.9512	.9508	.9506	.9505	.9501	.9497	.9492
.0006	.9475	.9472	.9468	.9464	.9462	.9460	.9456	.9451	.9447
.0007	.9436	.9432	.9428	.9424	.9421	.9419	.9415	.9410	.9405
.0008	.9399	.9395	.9391	.9387	.9384	.9382	.9377	.9372	.9367
.0009	.9365	.9361	.9357	.9352	.9349	.9347	.9342	.9336	.9331
.0010	.9334	.9329	.9324	.9319	.9316	.9314	.9309	.9303	.9297
.0020	.9084	.9078	.9072	.9065	.9061	.9058	.9051	.9043	.9035
.0030	.8903	.8895	.8888	.8880	.8875	.8871	.8863	.8854	.8844
.0040	.8755	.8747	.8739	.8730	.8724	.8720	.8711	.8701	.8690
.0050	.8630	.8621	.8612	.8602	.8596	.8592	.8581	.8570	.8559
.0060	.8521	.8511	.8501	.8490	.8484	.8479	.8468	.8456	.8444
.0070	.8422	.8412	.8402	.8390	.8384	.8379	.8367	.8354	.8341
.0080	.8333	.8323	.8311	.8300	.8293	.8287	.8275	.8262	.8248
.0090	.8252	.8240	.8229	.8217	.8209	.8204	.8191	.8177	.8163
.0100	.8176	.8164	.8152	.8140	.8132	.8126	.8113	.8099	.8084
.0200	.7622	.7607	.7592	.7576	.7567	.7552	.7542	.7525	.7506
.0300	.7256	.7239	.7222	.7204	.7194	.7186	.7166	.7146	.7125
.0400	.6981	.6963	.6945	.6926	.6914	.6906	.6885	.6863	.6841
.0500	.6762	.6743	.6724	.6704	.6692	.6683	.6661	.6638	.6614
.0600	.6581	.6561	.6541	.6520	.6507	.6498	.6475	.6452	.6427
.0700	.6427	.6406	.6386	.6364	.6351	.6341	.6318	.6293	.6268
.0800	.6293	.6273	.6251	.6229	.6215	.6206	.6182	.6157	.6131
.0900	.6176	.6155	.6133	.6111	.6097	.6087	.6062	.6037	.6010
.1000	.6072	.6051	.6029	.6006	.5992	.5981	.5962	.5931	.5887

TABLE 68. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—
Davies—Continued
 (Electrolyte, z.z. = 2)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9760	.9757	.9755	.9753	.9750	.9747	.9745	.9742	.9739	.9736	.9732
.0002	.9664	.9660	.9657	.9654	.9650	.9646	.9643	.9638	.9634	.9630	.9626
.0003	.9591	.9587	.9583	.9579	.9575	.9570	.9566	.9561	.9556	.9551	.9545
.0004	.9531	.9526	.9522	.9517	.9512	.9507	.9502	.9496	.9490	.9484	.9478
.0005	.9478	.9473	.9468	.9463	.9458	.9452	.9446	.9440	.9433	.9427	.9420
.0006	.9432	.9426	.9421	.9415	.9409	.9403	.9396	.9389	.9383	.9376	.9368
.0007	.9389	.9383	.9377	.9371	.9364	.9358	.9351	.9344	.9336	.9329	.9321
.0008	.9349	.9343	.9337	.9330	.9323	.9316	.9309	.9301	.9294	.9286	.9277
.0009	.9313	.9306	.9299	.9292	.9285	.9278	.9270	.9262	.9254	.9245	.9236
.0010	.9278	.9271	.9264	.9257	.9249	.9242	.9234	.9225	.9217	.9208	.9198
.0020	.9009	.9000	.8991	.8981	.8971	.8960	.8949	.8938	.8926	.8914	.8901
.0030	.8814	.8803	.8791	.8780	.8768	.8755	.8743	.8729	.8715	.8701	.8686
.0040	.8656	.8643	.8631	.8618	.8604	.8590	.8576	.8561	.8545	.8529	.8513
.0050	.8521	.8508	.8494	.8480	.8465	.8450	.8434	.8418	.8401	.8384	.8365
.0060	.8404	.8389	.8375	.8359	.8344	.8327	.8310	.8293	.8275	.8256	.8237
.0070	.8299	.8283	.8268	.8252	.8235	.8218	.8200	.8181	.8162	.8143	.8122
.0080	.8203	.8187	.8171	.8154	.8136	.8118	.8100	.8080	.8060	.8040	.8018
.0090	.8116	.8099	.8082	.8065	.8046	.8027	.8008	.7988	.7967	.7945	.7923
.0100	.8035	.8018	.8000	.7982	.7963	.7944	.7923	.7902	.7881	.7858	.7835
.0200	.7446	.7424	.7402	.7379	.7355	.7331	.7306	.7280	.7253	.7225	.7196
.0300	.7058	.7034	.7009	.6983	.6957	.6930	.6902	.6873	.6843	.6812	.6780
.0400	.6768	.6742	.6716	.6688	.6660	.6631	.6601	.6570	.6537	.6505	.6470
.0500	.6538	.6510	.6483	.6454	.6424	.6393	.6362	.6329	.6295	.6261	.6225
.0600	.6348	.6319	.6290	.6260	.6229	.6198	.6165	.6131	.6096	.6060	.6023
.0700	.6186	.6157	.6127	.6096	.6065	.6032	.5998	.5963	.5928	.5891	.5852
.0800	.6047	.6017	.5986	.5955	.5922	.5889	.5855	.5819	.5782	.5745	.5706
.0900	.5925	.5894	.5863	.5831	.5798	.5764	.5729	.5693	.5655	.5617	.5577
.1000	.5817	.5786	.5754	.5721	.5688	.5653	.5618	.5581	.5543	.5505	.5464

TABLE 69. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Daniels*
(Electrolyte, $z_+ z_- = 3$)

Ionic strength	Temperature in degrees Celsius							45
	0	5	10	15	18	20	25	
.0001	.9670	.9668	.9665	.9663	.9661	.9660	.9657	.9652
.0002	.9539	.9535	.9532	.9529	.9527	.9525	.9521	.9513
.0003	.9440	.9436	.9432	.9428	.9425	.9423	.9419	.9409
.0004	.9358	.9354	.9349	.9344	.9341	.9339	.9334	.9329
.0005	.9287	.9282	.9277	.9272	.9269	.9266	.9261	.9255
.0006	.9224	.9218	.9213	.9207	.9204	.9201	.9195	.9188
.0007	.9166	.9160	.9154	.9148	.9145	.9142	.9135	.9128
.0008	.9113	.9107	.9101	.9094	.9090	.9087	.9080	.9073
.0009	.9063	.9057	.9051	.9044	.9040	.9036	.9029	.9021
.0010	.9017	.9011	.9004	.8996	.8992	.8989	.8981	.8973
.0020	.8658	.8649	.8640	.8631	.8625	.8621	.8610	.8599
.0030	.8400	.8389	.8379	.8367	.8361	.8356	.8343	.8331
.0040	.8193	.8181	.8169	.8156	.8149	.8143	.8130	.8116
.0050	.8017	.8005	.7992	.7978	.7970	.7964	.7949	.7934
.0060	.7865	.7852	.7838	.7823	.7815	.7808	.7792	.7776
.0070	.7730	.7715	.7701	.7686	.7676	.7669	.7653	.7636
.0080	.7607	.7593	.7577	.7561	.7552	.7545	.7527	.7509
.0090	.7496	.7480	.7465	.7448	.7438	.7431	.7413	.7394
.0100	.7393	.7377	.7361	.7344	.7333	.7326	.7307	.7288
.0200	.6654	.6635	.6615	.6594	.6582	.6573	.6550	.6527
.0300	.6181	.6160	.6138	.6115	.6101	.6091	.6067	.6041
.0400	.5833	.5811	.5788	.5764	.5749	.5739	.5713	.5686
.0500	.5561	.5538	.5514	.5489	.5474	.5463	.5436	.5408
.0600	.5338	.5315	.5290	.5265	.5249	.5238	.5211	.5182
.0700	.5152	.5128	.5103	.5077	.5061	.5049	.5022	.4993
.0800	.4992	.4968	.4943	.4916	.4900	.4888	.4860	.4831
.0900	.4854	.4829	.4803	.4777	.4761	.4749	.4720	.4690
.1000	.4732	.4707	.4681	.4654	.4638	.4626	.4597	.4567

TABLE 69. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—*
Davies—Continued
 (Electrolyte, $z_+ z_- = 3$)

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9642	.9638	.9635	.9631	.9627	.9619	.9615	.9611	.9606
.0002	.9500	.9495	.9490	.9485	.9480	.9474	.9469	.9463	.9457
.0003	.9393	.9387	.9381	.9375	.9369	.9362	.9355	.9348	.9341
.0004	.9305	.9298	.9291	.9284	.9277	.9270	.9262	.9254	.9245
.0005	.9228	.9221	.9213	.9205	.9197	.9189	.9181	.9172	.9162
.0006	.9160	.9152	.9143	.9135	.9126	.9117	.9108	.9098	.9088
.0007	.9097	.9089	.9080	.9071	.9062	.9052	.9042	.9032	.9021
.0008	.9040	.9031	.9022	.9012	.9002	.8992	.8982	.8971	.8959
.0009	.8987	.8977	.8968	.8958	.8947	.8937	.8925	.8914	.8902
.0010	.8937	.8927	.8917	.8906	.8896	.8884	.8873	.8861	.8848
.0020	.8551	.8538	.8525	.8511	.8496	.8481	.8466	.8450	.8433
.0030	.8274	.8259	.8243	.8227	.8210	.8192	.8174	.8156	.8136
.0040	.8053	.8036	.8018	.8000	.7981	.7962	.7942	.7921	.7899
.0050	.7866	.7848	.7828	.7809	.7788	.7768	.7746	.7723	.7700
.0060	.7704	.7684	.7664	.7643	.7621	.7599	.7576	.7552	.7527
.0070	.7560	.7539	.7518	.7496	.7473	.7449	.7425	.7400	.7374
.0080	.7430	.7408	.7386	.7363	.7339	.7315	.7290	.7263	.7236
.0090	.7312	.7289	.7266	.7242	.7218	.7192	.7166	.7139	.7111
.0100	.7203	.7180	.7156	.7131	.7106	.7080	.7053	.7025	.6996
.0200	.6425	.6397	.6368	.6338	.6308	.6277	.6245	.6211	.6177
.0300	.5929	.5899	.5868	.5836	.5803	.5769	.5734	.5697	.5660
.0400	.5568	.5536	.5503	.5470	.5435	.5399	.5363	.5325	.5286
.0500	.5286	.5253	.5219	.5185	.5149	.5112	.5074	.5035	.4995
.0600	.5057	.5023	.4989	.4953	.4917	.4879	.4841	.4801	.4760
.0700	.4866	.4831	.4796	.4760	.4723	.4685	.4646	.4605	.4564
.0800	.4702	.4667	.4632	.4595	.4558	.4519	.4480	.4439	.4397
.0900	.4561	.4525	.4489	.4453	.4415	.4376	.4336	.4295	.4253
.1000	.4436	.4401	.4365	.4328	.4290	.4251	.4211	.4169	.4127

TABLE 70. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Davies*
(Electrolyte, $z_+ z_- = 4$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9562	.9559	.9556	.9553	.9551	.9549	.9546	.9542	.9538
.0002	.9390	.9385	.9381	.9376	.9374	.9372	.9367	.9362	.9356
.0003	.9260	.9255	.9250	.9245	.9241	.9239	.9233	.9227	.9220
.0004	.9153	.9148	.9142	.9136	.9132	.9129	.9122	.9115	.9108
.0005	.9061	.9055	.9048	.9041	.9037	.9034	.9026	.9019	.9011
.0006	.8978	.8972	.8965	.8957	.8953	.8949	.8941	.8933	.8924
.0007	.8904	.8896	.8889	.8881	.8876	.8872	.8864	.8855	.8845
.0008	.8835	.8827	.8819	.8811	.8806	.8802	.8793	.8783	.8773
.0009	.8771	.8763	.8755	.8746	.8740	.8736	.8727	.8717	.8706
.0010	.8711	.8703	.8694	.8685	.8679	.8675	.8665	.8655	.8644
.0020	.8252	.8241	.8229	.8217	.8210	.8204	.8191	.8178	.8163
.0030	.7926	.7912	.7899	.7885	.7876	.7870	.7855	.7839	.7822
.0040	.7666	.7651	.7636	.7621	.7611	.7604	.7587	.7570	.7551
.0050	.7448	.7433	.7417	.7400	.7390	.7382	.7364	.7345	.7325
.0060	.7260	.7243	.7227	.7209	.7198	.7190	.7171	.7151	.7130
.0070	.7094	.7076	.7059	.7040	.7029	.7020	.7000	.6979	.6957
.0080	.6945	.6927	.6908	.6889	.6877	.6868	.6847	.6826	.6803
.0090	.6809	.6790	.6771	.6751	.6739	.6730	.6709	.6686	.6663
.0100	.6685	.6666	.6646	.6626	.6613	.6604	.6582	.6559	.6534
.0200	.5809	.5787	.5764	.5740	.5725	.5715	.5689	.5662	.5634
.0300	.5265	.5241	.5216	.5190	.5175	.5163	.5136	.5107	.5077
.0400	.4874	.4849	.4824	.4797	.4781	.4769	.4740	.4711	.4680
.0500	.4573	.4547	.4521	.4494	.4478	.4466	.4437	.4406	.4375
.0600	.4331	.4305	.4279	.4251	.4234	.4222	.4193	.4162	.4131
.0700	.4130	.4104	.4078	.4050	.4033	.4021	.3991	.3961	.3929
.0800	.3960	.3934	.3908	.3880	.3863	.3851	.3821	.3790	.3758
.0900	.3815	.3788	.3762	.3734	.3717	.3705	.3675	.3644	.3612
.1000	.3687	.3661	.3635	.3607	.3590	.3578	.3548	.3517	.3485

TABLE 70. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—*
Davies—Continued
 (Electrolyte, $z_+ z_- = 4$)

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9525	.9521	.9516	.9511	.9506	.9501	.9496	.9490	.9484
.0002	.9339	.9332	.9326	.9319	.9312	.9305	.9298	.9290	.9282
.0003	.9199	.9192	.9184	.9176	.9167	.9159	.9150	.9141	.9131
.0004	.9084	.9075	.9066	.9057	.9048	.9038	.9028	.9017	.9007
.0005	.8984	.8975	.8965	.8955	.8944	.8934	.8923	.8911	.8899
.0006	.8895	.8885	.8875	.8864	.8852	.8841	.8829	.8816	.8803
.0007	.8815	.8804	.8793	.8781	.8769	.8757	.8744	.8730	.8717
.0008	.8741	.8729	.8718	.8705	.8693	.8679	.8666	.8652	.8637
.0009	.8673	.8660	.8648	.8635	.8622	.8608	.8594	.8579	.8563
.0010	.8608	.8596	.8583	.8569	.8555	.8541	.8526	.8511	.8495
.0020	.8117	.8100	.8083	.8065	.8047	.8028	.8009	.7988	.7968
.0030	.7768	.7749	.7729	.7709	.7687	.7666	.7643	.7620	.7596
.0040	.7492	.7471	.7449	.7426	.7403	.7379	.7355	.7329	.7302
.0050	.7261	.7238	.7215	.7191	.7166	.7140	.7114	.7086	.7058
.0060	.7062	.7038	.7013	.6988	.6961	.6934	.6906	.6877	.6847
.0070	.6887	.6861	.6836	.6809	.6781	.6753	.6724	.6693	.6662
.0080	.6730	.6703	.6676	.6649	.6620	.6591	.6561	.6529	.6497
.0090	.6587	.6560	.6532	.6504	.6474	.6444	.6413	.6380	.6347
.0100	.6457	.6429	.6400	.6371	.6341	.6310	.6278	.6245	.6210
.0200	.5544	.5511	.5479	.5445	.5410	.5374	.5338	.5299	.5260
.0300	.4981	.4947	.4912	.4877	.4840	.4802	.4763	.4723	.4682
.0400	.4581	.4546	.4510	.4473	.4435	.4397	.4357	.4316	.4274
.0500	.4274	.4239	.4202	.4165	.4127	.4088	.4047	.4006	.3963
.0600	.4029	.3993	.3956	.3919	.3880	.3841	.3801	.3759	.3716
.0700	.3827	.3791	.3754	.3716	.3678	.3638	.3598	.3556	.3514
.0800	.3656	.3620	.3584	.3546	.3507	.3468	.3428	.3386	.3344
.0900	.3510	.3474	.3438	.3400	.3362	.3322	.3282	.3241	.3198
.1000	.3383	.3347	.3311	.3273	.3235	.3196	.3156	.3115	.3073

TABLE 71. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Davies
(Electrolyte, $z_+ z_- = 6$)

Ionic strength	Temperature in degrees Celsius											
	0	5	10	15	18	20	25	30	35	38	40	45
.0001	.9351	.9346	.9342	.9337	.9334	.9332	.9326	.9321	.9315	.9312	.9309	.9303
.0002	.9098	.9092	.9086	.9079	.9075	.9072	.9065	.9058	.9050	.9045	.9042	.9033
.0003	.8911	.8904	.8896	.8888	.8884	.8880	.8872	.8863	.8853	.8848	.8844	.8833
.0004	.8757	.8749	.8741	.8732	.8726	.8722	.8713	.8703	.8692	.8685	.8681	.8670
.0005	.8625	.8616	.8607	.8597	.8591	.8586	.8576	.8565	.8553	.8546	.8541	.8528
.0006	.8508	.8498	.8488	.8477	.8471	.8466	.8455	.8443	.8430	.8422	.8417	.8404
.0007	.8401	.8391	.8380	.8369	.8362	.8357	.8345	.8332	.8319	.8311	.8305	.8291
.0008	.8304	.8293	.8282	.8270	.8263	.8258	.8245	.8232	.8218	.8209	.8203	.8188
.0009	.8215	.8203	.8191	.8179	.8171	.8166	.8152	.8138	.8124	.8115	.8109	.8093
.0010	.8131	.8119	.8107	.8094	.8086	.8080	.8066	.8052	.8036	.8027	.8020	.8004
.0020	.7497	.7481	.7466	.7449	.7439	.7431	.7414	.7395	.7376	.7363	.7355	.7334
.0030	.7055	.7038	.7020	.7001	.6990	.6982	.6961	.6940	.6918	.6895	.6871	
.0040	.6712	.6693	.6673	.6653	.6640	.6631	.6609	.6586	.6562	.6547	.6537	.6511
.0050	.6428	.6408	.6387	.6365	.6352	.6343	.6319	.6295	.6269	.6254	.6243	.6216
.0060	.6186	.6165	.6143	.6120	.6107	.6097	.6072	.6047	.6020	.6004	.5993	.5964
.0070	.5975	.5953	.5930	.5907	.5893	.5882	.5857	.5831	.5803	.5786	.5775	.5745
.0080	.5787	.5765	.5742	.5717	.5703	.5692	.5666	.5639	.5611	.5593	.5582	.5551
.0090	.5619	.5596	.5572	.5547	.5532	.5521	.5495	.5467	.5438	.5421	.5409	.5378
.0100	.5466	.5442	.5418	.5393	.5378	.5367	.5340	.5312	.5282	.5264	.5252	.5220
.0200	.4428	.4402	.4376	.4349	.4332	.4320	.4291	.4260	.4229	.4209	.4196	.4162
.0300	.3820	.3794	.3767	.3739	.3723	.3710	.3681	.3650	.3618	.3598	.3585	.3550
.0400	.3403	.3377	.3350	.3322	.3306	.3293	.3264	.3233	.3201	.3182	.3169	.3135
.0500	.3092	.3066	.3040	.3013	.2996	.2984	.2955	.2925	.2894	.2874	.2861	.2828
.0600	.2850	.2825	.2799	.2772	.2755	.2744	.2715	.2685	.2655	.2636	.2623	.2590
.0700	.2654	.2629	.2604	.2577	.2561	.2550	.2522	.2493	.2463	.2444	.2432	.2400
.0800	.2492	.2468	.2443	.2417	.2401	.2390	.2362	.2334	.2304	.2286	.2274	.2242
.0900	.2356	.2332	.2307	.2282	.2266	.2255	.2228	.2200	.2171	.2153	.2141	.2111
.1000	.2239	.2215	.2191	.2166	.2140	.2113	.2086	.2057	.2036	.2028	.2028	.1998

TABLE 71. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—*
Davies—Continued
 (Electrolyte, $z_+ z_- = 6$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9297	.9290	.9283	.9276	.9269	.9261	.9253	.9245	.9237	.9228	.9219
.0002	.9025	.9015	.9006	.8996	.8986	.8976	.8965	.8954	.8943	.8931	.8918
.0003	.8823	.8812	.8801	.8789	.8778	.8765	.8752	.8739	.8725	.8711	.8696
.0004	.8658	.8645	.8633	.8620	.8606	.8592	.8578	.8563	.8548	.8532	.8515
.0005	.8516	.8502	.8488	.8474	.8459	.8444	.8428	.8412	.8395	.8377	.8359
.0006	.8390	.8375	.8360	.8345	.8329	.8313	.8296	.8278	.8260	.8241	.8221
.0007	.8276	.8261	.8245	.8229	.8212	.8194	.8176	.8158	.8138	.8118	.8097
.0008	.8172	.8156	.8139	.8122	.8104	.8086	.8067	.8047	.8027	.8006	.7984
.0009	.8076	.8059	.8042	.8024	.8005	.7986	.7966	.7946	.7925	.7903	.7880
.0010	.7987	.7969	.7951	.7933	.7913	.7893	.7873	.7851	.7829	.7806	.7782
.0020	.7313	.7290	.7267	.7243	.7219	.7193	.7167	.7140	.7112	.7083	.7053
.0030	.6847	.6821	.6795	.6768	.6740	.6712	.6682	.6651	.6620	.6588	.6554
.0040	.6485	.6457	.6429	.6400	.6370	.6339	.6307	.6274	.6240	.6205	.6169
.0050	.6188	.6158	.6129	.6098	.6066	.6033	.6000	.5965	.5929	.5893	.5854
.0060	.5935	.5904	.5873	.5841	.5808	.5774	.5739	.5703	.5666	.5628	.5588
.0070	.5715	.5683	.5651	.5618	.5584	.5549	.5513	.5476	.5438	.5399	.5357
.0080	.5521	.5488	.5455	.5421	.5387	.5351	.5314	.5276	.5236	.5196	.5154
.0090	.5346	.5313	.5280	.5245	.5209	.5173	.5136	.5097	.5057	.5016	.4973
.0100	.5188	.5155	.5121	.5085	.5049	.5012	.4974	.4935	.4894	.4853	.4810
.0200	.4128	.4092	.4055	.4018	.3979	.3940	.3900	.3858	.3815	.3772	.3727
.0300	.3516	.3480	.3443	.3406	.3367	.3328	.3288	.3246	.3204	.3161	.3116
.0400	.3101	.3065	.3029	.2992	.2954	.2915	.2876	.2835	.2794	.2752	.2708
.0500	.2795	.2759	.2724	.2688	.2651	.2613	.2575	.2535	.2495	.2454	.2412
.0600	.2558	.2523	.2489	.2453	.2417	.2381	.2343	.2305	.2266	.2226	.2185
.0700	.2367	.2334	.2300	.2266	.2230	.2195	.2158	.2121	.2083	.2044	.2005
.0800	.2211	.2178	.2145	.2112	.2077	.2042	.2007	.1970	.1933	.1896	.1857
.0900	.2080	.2048	.2015	.1983	.1949	.1915	.1880	.1845	.1809	.1772	.1735
.1000	.1968	.1937	.1905	.1873	.1840	.1807	.1773	.1738	.1703	.1668	.1631

TABLE 72. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Davies
(Electrolyte, $z_+ z_- = 8$)

Ionic strength	0	5	10	15	18	20	25	30	35	38	40	45	Temperature in degrees Celsius
.0001	.9144	.9138	.9132	.9126	.9122	.9119	.9112	.9105	.9098	.9093	.9090	.9082	
.0002	.8816	.8809	.8800	.8792	.8787	.8783	.8774	.8764	.8754	.8748	.8743	.8732	
.0003	.8575	.8566	.8556	.8546	.8540	.8535	.8525	.8513	.8501	.8494	.8489	.8476	
.0004	.8379	.8368	.8357	.8346	.8339	.8334	.8321	.8309	.8295	.8287	.8281	.8267	
.0005	.8210	.8198	.8187	.8174	.8167	.8161	.8148	.8134	.8119	.8110	.8104	.8088	
.0006	.8061	.8049	.8036	.8023	.8015	.8009	.7994	.7979	.7964	.7954	.7947	.7930	
.0007	.7928	.7914	.7901	.7887	.7878	.7872	.7857	.7841	.7824	.7814	.7807	.7789	
.0008	.7806	.7792	.7778	.7763	.7754	.7747	.7731	.7715	.7697	.7686	.7679	.7660	
.0009	.7693	.7679	.7664	.7649	.7639	.7632	.7616	.7598	.7580	.7569	.7561	.7541	
.0010	.7589	.7574	.7559	.7543	.7533	.7526	.7509	.7490	.7472	.7460	.7452	.7431	
.0020	.6810	.6792	.6772	.6752	.6740	.6731	.6710	.6687	.6664	.6649	.6639	.6614	
.0030	.6281	.6261	.6239	.6217	.6203	.6194	.6170	.6145	.6118	.6102	.6091	.6063	
.0040	.5876	.5854	.5832	.5808	.5793	.5783	.5757	.5730	.5702	.5685	.5674	.5644	
.0050	.5548	.5524	.5501	.5476	.5461	.5449	.5423	.5395	.5366	.5348	.5336	.5304	
.0060	.5271	.5247	.5222	.5196	.5181	.5169	.5142	.5113	.5083	.5065	.5052	.5020	
.0070	.5032	.5008	.4982	.4956	.4940	.4928	.4900	.4871	.4840	.4822	.4809	.4776	
.0080	.4823	.4798	.4772	.4745	.4729	.4717	.4689	.4659	.4628	.4609	.4596	.4562	
.0090	.4636	.4611	.4585	.4558	.4542	.4530	.4501	.4471	.4439	.4420	.4407	.4373	
.0100	.4469	.4443	.4417	.4390	.4373	.4361	.4332	.4302	.4270	.4250	.4237	.4203	
.0200	.3375	.3349	.3322	.3295	.3278	.3266	.3236	.3206	.3174	.3154	.3141	.3107	
.0300	.2772	.2747	.2721	.2694	.2678	.2666	.2638	.2608	.2578	.2559	.2546	.2514	
.0400	.2375	.2351	.2327	.2301	.2286	.2274	.2247	.2219	.2190	.2172	.2160	.2129	
.0500	.2091	.2068	.2044	.2020	.2005	.1994	.1968	.1942	.1914	.1897	.1886	.1856	
.0600	.1875	.1853	.1831	.1807	.1793	.1783	.1758	.1732	.1706	.1690	.1679	.1651	
.0700	.1706	.1684	.1663	.1640	.1627	.1617	.1593	.1569	.1544	.1528	.1518	.1491	
.0800	.1569	.1548	.1527	.1505	.1492	.1483	.1460	.1437	.1413	.1398	.1388	.1362	
.0900	.1455	.1435	.1415	.1394	.1382	.1373	.1351	.1328	.1305	.1291	.1281	.1257	
.1000	.1360	.1341	.1321	.1301	.1289	.1279	.1259	.1237	.1215	.1201	.1192	.1168	

TABLE 72. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—*
Davies—Continued
(Electrolyte, z₊z₋ = 8)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9073	.9065	.9056	.9047	.9037	.9027	.9017	.9006	.8995	.8984	.8972
.0002	.8721	.8709	.8697	.8685	.8672	.8659	.8645	.8631	.8616	.8601	.8584
.0003	.8462	.8448	.8434	.8419	.8404	.8388	.8372	.8355	.8338	.8320	.8301
.0004	.8252	.8236	.8220	.8204	.8186	.8169	.8151	.8132	.8112	.8092	.8071
.0005	.8072	.8054	.8037	.8019	.8000	.7981	.7961	.7941	.7919	.7897	.7874
.0006	.7913	.7895	.7876	.7857	.7837	.7816	.7795	.7773	.7750	.7726	.7702
.0007	.7770	.7751	.7731	.7711	.7690	.7668	.7646	.7622	.7598	.7573	.7547
.0008	.7641	.7620	.7600	.7578	.7556	.7533	.7510	.7485	.7460	.7434	.7407
.0009	.7521	.7500	.7479	.7456	.7433	.7409	.7385	.7359	.7333	.7306	.7278
.0010	.7411	.7389	.7366	.7343	.7319	.7295	.7269	.7243	.7216	.7188	.7159
.0020	.6588	.6561	.6533	.6505	.6475	.6445	.6414	.6382	.6348	.6314	.6278
.0030	.6035	.6004	.5974	.5942	.5910	.5876	.5842	.5806	.5770	.5732	.5693
.0040	.5613	.5581	.5549	.5515	.5481	.5445	.5409	.5371	.5332	.5293	.5251
.0050	.5273	.5239	.5206	.5171	.5135	.5098	.5061	.5021	.4981	.4940	.4897
.0060	.4988	.4953	.4919	.4883	.4846	.4808	.4770	.4730	.4688	.4647	.4603
.0070	.4743	.4708	.4672	.4636	.4599	.4560	.4521	.4480	.4438	.4396	.4351
.0080	.4529	.4493	.4457	.4421	.4383	.4344	.4304	.4263	.4221	.4178	.4133
.0090	.4339	.4303	.4267	.4230	.4192	.4153	.4113	.4071	.4029	.3985	.3940
.0100	.4169	.4133	.4097	.4059	.4021	.3982	.3941	.3900	.3857	.3814	.3768
.0200	.3073	.3037	.3001	.2965	.2927	.2888	.2849	.2808	.2767	.2725	.2682
.0300	.2481	.2447	.2413	.2378	.2342	.2306	.2269	.2231	.2192	.2153	.2113
.0400	.2099	.2066	.2034	.2001	.1967	.1933	.1898	.1863	.1827	.1790	.1752
.0500	.1827	.1797	.1766	.1735	.1703	.1671	.1638	.1605	.1571	.1537	.1501
.0600	.1623	.1594	.1565	.1536	.1506	.1475	.1445	.1413	.1381	.1349	.1316
.0700	.1465	.1437	.1409	.1381	.1353	.1324	.1295	.1265	.1235	.1204	.1173
.0800	.1337	.1311	.1284	.1257	.1230	.1203	.1175	.1147	.1118	.1089	.1060
.0900	.1232	.1207	.1182	.1156	.1130	.1104	.1077	.1050	.1023	.0996	.0968
.1000	.1145	.1120	.1096	.1072	.1047	.1021	.0996	.0970	.0944	.0918	.0891

TABLE 73. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis-Davies*
 (Electrolyte, $z_+z_- = 9$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9042	.9036	.9029	.9022	.9018	.9014	.9007	.8999	.8991
.0002	.8679	.8670	.8661	.8651	.8646	.8642	.8631	.8621	.8609
.0003	.8412	.8402	.8391	.8380	.8373	.8368	.8356	.8344	.8330
.0004	.8195	.8184	.8172	.8159	.8152	.8146	.8133	.8118	.8104
.0005	.8010	.7997	.7984	.7971	.7962	.7956	.7942	.7926	.7910
.0006	.7847	.7833	.7820	.7805	.7796	.7790	.7774	.7757	.7740
.0007	.7701	.7686	.7672	.7656	.7647	.7640	.7623	.7606	.7588
.0008	.7568	.7553	.7537	.7521	.7511	.7504	.7487	.7468	.7449
.0009	.7445	.7430	.7414	.7397	.7387	.7379	.7361	.7342	.7322
.0010	.7322	.7316	.7299	.7281	.7271	.7263	.7244	.7225	.7204
.0020	.6491	.6471	.6450	.6429	.6416	.6406	.6383	.6359	.6334
.0030	.5927	.5905	.5882	.5858	.5844	.5833	.5808	.5782	.5754
.0040	.5499	.5475	.5451	.5426	.5411	.5400	.5373	.5345	.5316
.0050	.5154	.5129	.5105	.5079	.5063	.5051	.5023	.4994	.4964
.0060	.4865	.4840	.4815	.4788	.4772	.4760	.4732	.4702	.4671
.0070	.4618	.4593	.4567	.4540	.4523	.4511	.4482	.4452	.4421
.0080	.4402	.4377	.4351	.4323	.4307	.4294	.4265	.4235	.4203
.0090	.4212	.4186	.4159	.4132	.4115	.4103	.4073	.4043	.4011
.0100	.4041	.4015	.3988	.3960	.3944	.3931	.3902	.3871	.3849
.0200	.2946	.2921	.2895	.2868	.2851	.2839	.2811	.2781	.2750
.0300	.2361	.2337	.2312	.2287	.2271	.2260	.2233	.2205	.2176
.0400	.1985	.1962	.1939	.1915	.1900	.1890	.1865	.1838	.1811
.0500	.1719	.1698	.1676	.1654	.1640	.1630	.1606	.1582	.1557
.0600	.1521	.1501	.1481	.1459	.1446	.1437	.1415	.1392	.1368
.0700	.1367	.1348	.1329	.1308	.1296	.1287	.1266	.1244	.1222
.0800	.1244	.1226	.1207	.1188	.1177	.1168	.1148	.1127	.1106
.0900	.1144	.1126	.1108	.1090	.1079	.1071	.1052	.1032	.1012
.1000	.1060	.1043	.1026	.1008	.0998	.0990	.0972	.0953	.0933

TABLE 73. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—*
Danies—Continued
 (Electrolyte, $z_+ z_- = 9$)

Ionic strength	Temperature in degrees Celsius									100
	50	55	60	65	70	75	80	85	90	
.0001	.8964	.8954	.8944	.8934	.8923	.8912	.8901	.8889	.8877	.8851
.0002	.8573	.8560	.8547	.8533	.8519	.8504	.8489	.8473	.8457	.8422
.0003	.8288	.8272	.8257	.8240	.8224	.8206	.8188	.8170	.8150	.8110
.0004	.8056	.8039	.8021	.8003	.7984	.7965	.7945	.7924	.7903	.7880
.0005	.7858	.7839	.7820	.7801	.7780	.7759	.7738	.7715	.7692	.7668
.0006	.7685	.7665	.7644	.7623	.7601	.7579	.7556	.7532	.7507	.7481
.0007	.7529	.7508	.7487	.7464	.7441	.7418	.7393	.7368	.7342	.7315
.0008	.7388	.7366	.7343	.7320	.7296	.7271	.7246	.7219	.7192	.7164
.0009	.7258	.7235	.7212	.7188	.7163	.7137	.7110	.7083	.7054	.7025
.0010	.7138	.7114	.7090	.7065	.7039	.7013	.6985	.6957	.6927	.6897
.0020	.6253	.6224	.6195	.6164	.6133	.6101	.6068	.6033	.5998	.5961
.0030	.5665	.5633	.5601	.5568	.5534	.5498	.5462	.5425	.5386	.5347
.0040	.5222	.5189	.5155	.5120	.5084	.5047	.5009	.4970	.4929	.4888
.0050	.4867	.4833	.4798	.4762	.4725	.4686	.4647	.4607	.4566	.4523
.0060	.4572	.4537	.4501	.4464	.4427	.4388	.4348	.4307	.4265	.4222
.0070	.4321	.4285	.4249	.4211	.4173	.4134	.4094	.4052	.4010	.3967
.0080	.4102	.4066	.4029	.3992	.3953	.3914	.3874	.3832	.3789	.3746
.0090	.3909	.3873	.3836	.3799	.3760	.3721	.3680	.3638	.3596	.3552
.0100	.3737	.3701	.3664	.3627	.3588	.3549	.3508	.3467	.3424	.3381
.0200	.2652	.2617	.2582	.2547	.2510	.2473	.2435	.2396	.2357	.2275
.0300	.2085	.2053	.2020	.1987	.1954	.1920	.1885	.1849	.1813	.1777
.0400	.1726	.1697	.1667	.1636	.1605	.1574	.1542	.1510	.1477	.1444
.0500	.1477	.1450	.1422	.1394	.1365	.1336	.1307	.1277	.1246	.1216
.0600	.1293	.1267	.1242	.1215	.1188	.1161	.1134	.1106	.1078	.1050
.0700	.1152	.1127	.1103	.1078	.1053	.1028	.1003	.0977	.0951	.0924
.0800	.1040	.1017	.0994	.0970	.0947	.0923	.0899	.0875	.0850	.0826
.0900	.0949	.0927	.0905	.0883	.0860	.0838	.0815	.0792	.0769	.0746
.1000	.0873	.0852	.0831	.0811	.0789	.0768	.0747	.0725	.0703	.0681

TABLE 74. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Davies
 (Electrolyte, z.z. = 12)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.8744	.8735	.8727	.8718	.8712	.8708	.8698	.8688	.8677
.0002	.8278	.8267	.8256	.8244	.8236	.8231	.8218	.8204	.8190
.0003	.7941	.7928	.7915	.7901	.7892	.7886	.7871	.7855	.7838
.0004	.7669	.7655	.7640	.7624	.7615	.7608	.7591	.7573	.7555
.0005	.7439	.7423	.7407	.7390	.7380	.7373	.7354	.7335	.7316
.0006	.7238	.7221	.7204	.7186	.7175	.7167	.7148	.7128	.7107
.0007	.7058	.7041	.7023	.7004	.6993	.6984	.6964	.6943	.6921
.0008	.6896	.6878	.6859	.6840	.6828	.6819	.6798	.6776	.6753
.0009	.6748	.6729	.6710	.6689	.6677	.6668	.6646	.6623	.6600
.0010	.6611	.6592	.6572	.6551	.6538	.6529	.6506	.6483	.6458
.0020	.5620	.5597	.5573	.5549	.5534	.5523	.5496	.5469	.5440
.0030	.4978	.4954	.4928	.4902	.4886	.4874	.4846	.4816	.4786
.0040	.4505	.4479	.4453	.4426	.4409	.4397	.4368	.4338	.4306
.0050	.4132	.4106	.4080	.4052	.4035	.4023	.3993	.3963	.3931
.0060	.3827	.3801	.3774	.3746	.3729	.3717	.3687	.3656	.3624
.0070	.3570	.3544	.3517	.3489	.3472	.3460	.3430	.3400	.3368
.0080	.3349	.3323	.3297	.3269	.3252	.3240	.3210	.3180	.3148
.0090	.3157	.3131	.3105	.3077	.3061	.3049	.3019	.2989	.2958
.0100	.2987	.2962	.2936	.2908	.2892	.2880	.2851	.2821	.2790
.0200	.1961	.1938	.1915	.1891	.1877	.1866	.1841	.1815	.1788
.0300	.1459	.1439	.1419	.1398	.1386	.1377	.1355	.1332	.1309
.0400	.1158	.1140	.1122	.1104	.1093	.1085	.1065	.1045	.1025
.0500	.0956	.0940	.0924	.0908	.0898	.0891	.0873	.0856	.0837
.0600	.0812	.0798	.0783	.0768	.0759	.0753	.0737	.0721	.0705
.0700	.0705	.0691	.0678	.0664	.0656	.0650	.0636	.0621	.0606
.0800	.0621	.0609	.0597	.0584	.0577	.0571	.0558	.0545	.0531
.0900	.0555	.0544	.0532	.0521	.0514	.0508	.0496	.0484	.0471
.1000	.0501	.0491	.0480	.0469	.0458	.0463	.0447	.0435	.0423

TABLE 74. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—
 Davies—Continued
 (Electrolyte, z₊z₋ = 12)

Ionic strength	Temperature in degrees Celsius									
	50	55	60	65	70	75	80	85	90	95
.0001	.8643	.8630	.8618	.8605	.8591	.8577	.8562	.8547	.8532	.8515
.0002	.8144	.8128	.8111	.8094	.8076	.8057	.8038	.8018	.7997	.7976
.0003	.7785	.7765	.7746	.7725	.7704	.7683	.7661	.7637	.7613	.7589
.0004	.7496	.7474	.7453	.7430	.7407	.7383	.7358	.7333	.7306	.7279
.0005	.7252	.7229	.7205	.7181	.7156	.7130	.7104	.7076	.7047	.7018
.0006	.7039	.7014	.6990	.6964	.6937	.6910	.6882	.6853	.6822	.6792
.0007	.6850	.6824	.6798	.6771	.6743	.6715	.6685	.6654	.6623	.6591
.0008	.6679	.6652	.6625	.6597	.6568	.6539	.6508	.6476	.6443	.6410
.0009	.6523	.6495	.6467	.6438	.6409	.6378	.6346	.6314	.6280	.6245
.0010	.6379	.6351	.6322	.6293	.6262	.6230	.6198	.6164	.6129	.6094
.0020	.5348	.5314	.5281	.5246	.5211	.5174	.5137	.5098	.5058	.5017
.0030	.4688	.4653	.4617	.4581	.4543	.4505	.4465	.4424	.4382	.4340
.0040	.4205	.4169	.4133	.4096	.4057	.4018	.3978	.3936	.3894	.3850
.0050	.3829	.3792	.3756	.3718	.3680	.3640	.3600	.3558	.3516	.3472
.0060	.3522	.3486	.3450	.3412	.3374	.3334	.3294	.3253	.3210	.3167
.0070	.3266	.3230	.3194	.3157	.3119	.3080	.3040	.2999	.2957	.2914
.0080	.3048	.3012	.2976	.2939	.2901	.2863	.2824	.2783	.2742	.2700
.0090	.2858	.2823	.2787	.2751	.2714	.2676	.2637	.2597	.2557	.2516
.0100	.2692	.2657	.2622	.2586	.2550	.2512	.2474	.2435	.2395	.2355
.0200	.1704	.1674	.1644	.1614	.1583	.1552	.1521	.1488	.1456	.1423
.0300	.1236	.1211	.1185	.1160	.1134	.1107	.1081	.1054	.1026	.0999
.0400	.0961	.0939	.0917	.0895	.0873	.0850	.0827	.0804	.0781	.0757
.0500	.0781	.0761	.0742	.0723	.0703	.0683	.0663	.0643	.0623	.0602
.0600	.0654	.0637	.0619	.0602	.0584	.0567	.0549	.0531	.0513	.0496
.0700	.0560	.0545	.0529	.0513	.0497	.0482	.0466	.0450	.0434	.0418
.0800	.0489	.0474	.0460	.0446	.0431	.0417	.0403	.0388	.0374	.0360
.0900	.0433	.0419	.0406	.0393	.0380	.0367	.0354	.0340	.0327	.0314
.1000	.0387	.0375	.0363	.0351	.0339	.0326	.0314	.0302	.0290	.0266

TABLE 75. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Davies
(Electrolyte, $z_+ z_- = 16$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.8361	.8350	.8339	.8328	.8321	.8316	.8303	.8290	.8277
.0002	.7773	.7759	.7745	.7730	.7721	.7714	.7698	.7681	.7663
.0003	.7354	.7338	.7321	.7304	.7293	.7285	.7267	.7247	.7227
.0004	.7020	.7002	.6984	.6965	.6954	.6945	.6925	.6903	.6881
.0005	.6740	.6721	.6702	.6682	.6669	.6660	.6638	.6616	.6592
.0006	.6498	.6479	.6458	.6437	.6424	.6414	.6391	.6367	.6342
.0007	.6285	.6264	.6243	.6220	.6207	.6197	.6173	.6148	.6122
.0008	.6093	.6071	.6049	.6026	.6012	.6002	.5977	.5951	.5925
.0009	.5919	.5897	.5874	.5850	.5836	.5825	.5800	.5773	.5746
.0010	.5759	.5737	.5714	.5689	.5675	.5664	.5638	.5611	.5582
.0020	.4638	.4612	.4587	.4559	.4543	.4531	.4502	.4472	.4441
.0030	.3946	.3920	.3893	.3865	.3848	.3836	.3806	.3776	.3744
.0040	.3453	.3427	.3401	.3373	.3356	.3344	.3314	.3284	.3252
.0050	.3078	.3052	.3026	.2998	.2982	.2970	.2941	.2910	.2879
.0060	.2778	.2753	.2727	.2700	.2684	.2672	.2644	.2615	.2584
.0070	.2532	.2508	.2482	.2456	.2441	.2429	.2401	.2373	.2343
.0080	.2326	.2302	.2277	.2252	.2236	.2225	.2198	.2170	.2142
.0090	.2150	.2126	.2102	.2078	.2063	.2052	.2026	.1999	.1971
.0100	.1997	.1974	.1951	.1927	.1913	.1902	.1877	.1850	.1823
.0200	.1139	.1122	.1104	.1085	.1075	.1066	.1047	.1028	.1007
.0300	.0768	.0754	.0740	.0726	.0717	.0711	.0696	.0680	.0665
.0400	.0564	.0553	.0541	.0529	.0522	.0517	.0505	.0492	.0480
.0500	.0437	.0428	.0418	.0408	.0402	.0398	.0387	.0377	.0366
.0600	.0352	.0343	.0335	.0327	.0322	.0318	.0309	.0300	.0291
.0700	.0291	.0284	.0276	.0269	.0265	.0261	.0254	.0246	.0238
.0800	.0246	.0240	.0233	.0227	.0223	.0220	.0213	.0206	.0200
.0900	.0212	.0206	.0200	.0194	.0188	.0182	.0176	.0170	.0167
.1000	.0185	.0180	.0175	.0169	.0166	.0164	.0158	.0153	.0148

TABLE 75. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—*
Davies—Continued
 (Electrolyte, $z_+ z_- = 16$)

Ionic strength	50	55	60	65	70	75	80	85	90	95	100	Temperature in degrees Celsius
												50
.0001	.8233	.8217	.8201	.8184	.8167	.8149	.8131	.8111	.8092	.8071	.8050	.8050
.0002	.7606	.7585	.7564	.7543	.7520	.7497	.7473	.7449	.7423	.7397	.7369	.7369
.0003	.7161	.7138	.7114	.7089	.7063	.7037	.7009	.6981	.6952	.6922	.6890	.6890
.0004	.6809	.6783	.6757	.6730	.6702	.6673	.6643	.6612	.6580	.6548	.6513	.6513
.0005	.6515	.6487	.6459	.6430	.6401	.6370	.6338	.6305	.6271	.6237	.6200	.6200
.0006	.6261	.6232	.6203	.6173	.6141	.6109	.6076	.6041	.6006	.5970	.5932	.5932
.0007	.6038	.6008	.5977	.5946	.5913	.5880	.5845	.5810	.5773	.5736	.5696	.5696
.0008	.5838	.5807	.5775	.5743	.5709	.5675	.5640	.5603	.5565	.5527	.5486	.5486
.0009	.5657	.5625	.5593	.5560	.5525	.5490	.5454	.5416	.5378	.5338	.5297	.5297
.0010	.5492	.5459	.5426	.5392	.5357	.5321	.5284	.5246	.5207	.5167	.5124	.5124
.0020	.4340	.4305	.4269	.4231	.4193	.4154	.4114	.4072	.4030	.3987	.3942	.3942
.0030	.3642	.3605	.3569	.3531	.3493	.3453	.3413	.3371	.3329	.3286	.3241	.3241
.0040	.3151	.3115	.3079	.3042	.3004	.2965	.2926	.2885	.2843	.2801	.2757	.2757
.0050	.2780	.2745	.2710	.2674	.2637	.2599	.2561	.2521	.2481	.2440	.2398	.2398
.0060	.2488	.2454	.2419	.2384	.2349	.2312	.2275	.2237	.2198	.2159	.2118	.2118
.0070	.2249	.2216	.2183	.2149	.2115	.2080	.2044	.2007	.1970	.1932	.1893	.1893
.0080	.2051	.2019	.1987	.1954	.1921	.1887	.1853	.1817	.1781	.1745	.1708	.1708
.0090	.1883	.1852	.1821	.1789	.1757	.1724	.1691	.1657	.1623	.1588	.1552	.1552
.0100	.1738	.1708	.1678	.1648	.1617	.1585	.1553	.1521	.1488	.1454	.1420	.1420
.0200	.0944	.0923	.0901	.0879	.0857	.0834	.0812	.0789	.0766	.0743	.0719	.0719
.0300	.0616	.0599	.0582	.0566	.0549	.0532	.0515	.0498	.0481	.0464	.0446	.0446
.0400	.0440	.0427	.0414	.0400	.0387	.0374	.0360	.0347	.0334	.0320	.0307	.0307
.0500	.0334	.0323	.0312	.0301	.0290	.0279	.0268	.0257	.0247	.0236	.0225	.0225
.0600	.0264	.0254	.0245	.0236	.0227	.0218	.0209	.0200	.0191	.0182	.0173	.0173
.0700	.0214	.0206	.0199	.0191	.0183	.0175	.0168	.0160	.0152	.0145	.0138	.0138
.0800	.0179	.0172	.0165	.0158	.0151	.0145	.0138	.0131	.0125	.0119	.0112	.0112
.0900	.0152	.0146	.0140	.0134	.0128	.0122	.0116	.0110	.0105	.0099	.0094	.0094
.1000	.0131	.0126	.0120	.0115	.0110	.0104	.0099	.0094	.0089	.0084	.0079	.0079

TABLE 76. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Scatchard
(Electrolyte, $z_{+}z_{-} = 1$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9889	.9888	.9887	.9886	.9885	.9884	.9882	.9881	.9880
.0002	.9844	.9843	.9842	.9841	.9840	.9838	.9837	.9835	.9834
.0003	.9811	.9809	.9808	.9806	.9805	.9803	.9801	.9799	.9797
.0004	.9783	.9781	.9779	.9778	.9777	.9774	.9772	.9770	.9768
.0005	.9758	.9756	.9754	.9753	.9751	.9750	.9748	.9746	.9744
.0006	.9736	.9734	.9732	.9730	.9729	.9728	.9726	.9723	.9720
.0007	.9716	.9714	.9712	.9710	.9708	.9707	.9705	.9702	.9699
.0008	.9697	.9695	.9693	.9691	.9689	.9688	.9685	.9683	.9680
.0009	.9680	.9678	.9676	.9673	.9671	.9670	.9667	.9665	.9661
.0010	.9664	.9662	.9659	.9656	.9655	.9654	.9651	.9648	.9644
.0020	.9536	.9533	.9530	.9526	.9524	.9522	.9518	.9514	.9514
.0030	.9443	.9439	.9435	.9431	.9428	.9426	.9421	.9416	.9411
.0040	.9367	.9362	.9358	.9353	.9350	.9348	.9342	.9336	.9330
.0050	.9302	.9297	.9292	.9286	.9283	.9281	.9275	.9268	.9261
.0060	.9244	.9239	.9234	.9228	.9224	.9222	.9215	.9208	.9201
.0070	.9193	.9187	.9181	.9175	.9171	.9168	.9162	.9154	.9147
.0080	.9146	.9140	.9134	.9127	.9123	.9120	.9113	.9105	.9097
.0090	.9102	.9096	.9090	.9083	.9079	.9076	.9068	.9060	.9051
.0100	.9062	.9056	.9049	.9042	.9038	.9034	.9026	.9018	.9009
.0200	.8762	.8754	.8745	.8736	.8730	.8726	.8716	.8705	.8693
.0300	.8558	.8549	.8539	.8528	.8521	.8517	.8505	.8492	.8479
.0400	.8401	.8391	.8380	.8368	.8361	.8355	.8342	.8329	.8314
.0500	.8273	.8262	.8250	.8237	.8230	.8224	.8210	.8195	.8180
.0600	.8164	.8152	.8140	.8127	.8118	.8112	.8098	.8082	.8066
.0700	.8070	.8057	.8044	.8031	.8022	.8016	.8000	.7984	.7967
.0800	.7986	.7973	.7960	.7946	.7937	.7930	.7914	.7897	.7879
.0900	.7911	.7898	.7884	.7870	.7860	.7853	.7837	.7820	.7801
.1000	.7844	.7830	.7816	.7801	.7784	.7767	.7750	.7731	.7711

TABLE 76. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—
Scaatchard—Continued
(Electrolyte, $z_+ z_- = 1$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	
.0001	.9879	.9877	.9876	.9875	.9873	.9872	.9870	.9868	.9867	.9865	.9863
.0002	.9830	.9828	.9826	.9824	.9822	.9820	.9818	.9815	.9813	.9810	.9808
.0003	.9793	.9791	.9789	.9786	.9784	.9781	.9778	.9775	.9772	.9769	.9766
.0004	.9763	.9760	.9757	.9755	.9752	.9749	.9745	.9742	.9739	.9735	.9732
.0005	.9736	.9733	.9730	.9727	.9724	.9720	.9717	.9713	.9709	.9705	.9701
.0006	.9712	.9709	.9705	.9702	.9699	.9695	.9691	.9687	.9683	.9679	.9674
.0007	.9690	.9687	.9683	.9680	.9676	.9672	.9668	.9663	.9659	.9654	.9650
.0008	.9670	.9666	.9663	.9659	.9655	.9650	.9646	.9642	.9637	.9632	.9627
.0009	.9651	.9647	.9643	.9639	.9635	.9631	.9626	.9621	.9616	.9611	.9606
.0010	.9633	.9629	.9625	.9621	.9617	.9612	.9607	.9602	.9597	.9591	.9586
.0020	.9495	.9489	.9484	.9478	.9472	.9465	.9459	.9452	.9445	.9437	.9430
.0030	.9393	.9386	.9380	.9373	.9365	.9358	.9350	.9342	.9333	.9325	.9315
.0040	.9310	.9303	.9295	.9287	.9279	.9270	.9262	.9252	.9243	.9233	.9222
.0050	.9239	.9231	.9223	.9214	.9205	.9196	.9186	.9176	.9165	.9155	.9143
.0060	.9177	.9168	.9159	.9150	.9140	.9130	.9120	.9109	.9097	.9086	.9073
.0070	.9121	.9112	.9102	.9092	.9082	.9071	.9060	.9048	.9036	.9024	.9011
.0080	.9070	.9060	.9050	.9040	.9029	.9018	.9006	.8993	.8981	.8968	.8954
.0090	.9023	.9013	.9003	.8992	.8980	.8968	.8956	.8943	.8929	.8916	.8901
.0100	.8980	.8969	.8958	.8947	.8935	.8922	.8909	.8896	.8882	.8868	.8853
.0200	.8656	.8642	.8628	.8613	.8598	.8581	.8565	.8547	.8529	.8511	.8491
.0300	.8436	.8420	.8403	.8386	.8369	.8350	.8331	.8311	.8291	.8270	.8247
.0400	.8267	.8249	.8231	.8213	.8193	.8173	.8152	.8130	.8108	.8085	.8060
.0500	.8129	.8110	.8091	.8071	.8050	.8029	.8006	.7983	.7959	.7934	.7908
.0600	.8012	.7992	.7972	.7951	.7929	.7907	.7883	.7858	.7833	.7807	.7780
.0700	.7911	.7890	.7869	.7847	.7825	.7801	.7776	.7750	.7724	.7697	.7668
.0800	.7821	.7800	.7778	.7755	.7732	.7707	.7682	.7655	.7628	.7600	.7570
.0900	.7741	.7719	.7697	.7673	.7649	.7624	.7598	.7570	.7542	.7513	.7483
.1000	.7669	.7646	.7623	.7599	.7574	.7552	.7493	.7465	.7435	.7404	

TABLE 77. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Scatchard*
(Electrolyte, $z_+ z_- = 2$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9779	.9778	.9776	.9774	.9773	.9771	.9769	.9766	.9765
.0002	.9691	.9689	.9687	.9684	.9683	.9682	.9679	.9676	.9673
.0003	.9625	.9622	.9619	.9617	.9615	.9613	.9610	.9607	.9603
.0004	.9570	.9567	.9564	.9560	.9558	.9557	.9553	.9549	.9545
.0005	.9522	.9518	.9515	.9511	.9509	.9507	.9503	.9499	.9494
.0006	.9479	.9475	.9472	.9468	.9465	.9463	.9459	.9454	.9449
.0007	.9440	.9436	.9432	.9428	.9425	.9423	.9418	.9413	.9407
.0008	.9404	.9400	.9396	.9391	.9388	.9386	.9381	.9375	.9370
.0009	.9370	.9366	.9362	.9357	.9354	.9351	.9346	.9340	.9334
.0010	.9339	.9335	.9330	.9325	.9321	.9319	.9313	.9307	.9301
.0020	.9094	.9088	.9082	.9075	.9071	.9067	.9060	.9052	.9043
.0030	.8917	.8910	.8902	.8894	.8889	.8885	.8876	.8866	.8856
.0040	.8774	.8766	.8757	.8748	.8742	.8738	.8728	.8717	.8705
.0050	.8652	.8643	.8634	.8624	.8617	.8613	.8602	.8590	.8577
.0060	.8546	.8536	.8526	.8515	.8509	.8504	.8492	.8479	.8466
.0070	.8450	.8440	.8430	.8418	.8411	.8406	.8393	.8380	.8366
.0080	.8364	.8354	.8342	.8331	.8323	.8318	.8304	.8291	.8275
.0090	.8285	.8274	.8263	.8250	.8242	.8237	.8223	.8208	.8193
.0100	.8212	.8201	.8189	.8176	.8168	.8162	.8148	.8133	.8116
.0200	.7678	.7663	.7648	.7632	.7622	.7615	.7597	.7578	.7545
.0300	.7324	.7308	.7291	.7273	.7262	.7253	.7233	.7212	.7189
.0400	.7058	.7040	.7022	.7003	.6990	.6981	.6960	.6937	.6912
.0500	.6844	.6825	.6806	.6786	.6772	.6763	.6740	.6716	.6690
.0600	.6665	.6646	.6626	.6604	.6591	.6581	.6557	.6532	.6505
.0700	.6512	.6492	.6471	.6449	.6435	.6425	.6400	.6375	.6347
.0800	.6378	.6357	.6336	.6313	.6299	.6289	.6263	.6237	.6209
.0900	.6259	.6238	.6216	.6193	.6178	.6168	.6142	.6115	.6086
.1000	.6152	.6131	.6109	.6085	.6070	.6059	.6033	.6006	.5976

TABLE 77. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis —*
 Scatchard — Continued
 (Electrolyte, $z_+ z_- = 2$)

Ionic strength	Temperature in degrees Celsius									100
	50	55	60	65	70	75	80	85	90	
.0001	.9759	.9756	.9754	.9751	.9748	.9745	.9742	.9738	.9735	.9728
.0002	.9663	.9659	.9656	.9652	.9648	.9643	.9639	.9634	.9629	.9619
.0003	.9591	.9586	.9582	.9577	.9572	.9567	.9562	.9556	.9550	.9538
.0004	.9531	.9526	.9521	.9515	.9509	.9503	.9497	.9491	.9484	.9470
.0005	.9479	.9473	.9467	.9461	.9455	.9448	.9442	.9434	.9427	.9412
.0006	.9432	.9426	.9420	.9413	.9406	.9399	.9392	.9384	.9376	.9359
.0007	.9390	.9383	.9376	.9369	.9362	.9354	.9346	.9338	.9330	.9312
.0008	.9351	.9344	.9336	.9329	.9321	.9313	.9305	.9296	.9287	.9268
.0009	.9314	.9307	.9299	.9291	.9283	.9275	.9266	.9257	.9247	.9237
.0010	.9280	.9272	.9264	.9256	.9248	.9239	.9229	.9220	.9210	.9189
.0020	.9015	.9004	.8994	.8983	.8971	.8959	.8947	.8934	.8920	.8892
.0030	.8823	.8810	.8798	.8785	.8771	.8757	.8742	.8727	.8711	.8677
.0040	.8668	.8654	.8640	.8625	.8610	.8594	.8578	.8560	.8543	.8525
.0050	.8537	.8522	.8506	.8490	.8474	.8456	.8438	.8420	.8400	.8381
.0060	.8422	.8406	.8389	.8372	.8355	.8336	.8317	.8297	.8276	.8255
.0070	.8320	.8303	.8285	.8267	.8248	.8229	.8208	.8187	.8165	.8143
.0080	.8227	.8209	.8191	.8172	.8152	.8132	.8110	.8088	.8065	.8042
.0090	.8142	.8123	.8105	.8085	.8064	.8043	.8021	.7997	.7974	.7949
.0100	.8064	.8044	.8025	.8004	.7983	.7961	.7938	.7914	.7899	.7864
.0200	.7492	.7468	.7444	.7418	.7392	.7364	.7336	.7306	.7275	.7244
.0300	.7116	.7089	.7062	.7033	.7004	.6973	.6941	.6908	.6874	.6839
.0400	.6834	.6805	.6775	.6745	.6713	.6680	.6646	.6610	.6574	.6537
.0500	.6607	.6577	.6546	.6514	.6481	.6446	.6410	.6373	.6335	.6296
.0600	.6419	.6387	.6355	.6322	.6287	.6251	.6214	.6175	.6136	.6095
.0700	.6258	.6225	.6192	.6158	.6122	.6085	.6047	.6007	.5966	.5925
.0800	.6117	.6084	.6050	.6015	.5978	.5940	.5901	.5860	.5819	.5776
.0900	.5993	.5959	.5924	.5888	.5851	.5812	.5773	.5731	.5688	.5645
.1000	.5881	.5846	.5811	.5775	.5737	.5698	.5657	.5615	.5572	.5528

TABLE 78. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Scatchard
(Electrolyte, $z_+ z_- = 3$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9671	.9669	.9666	.9664	.9662	.9661	.9658	.9652	.9648
.0002	.9540	.9537	.9534	.9530	.9528	.9526	.9522	.9518	.9511
.0003	.9443	.9439	.9435	.9430	.9428	.9426	.9421	.9416	.9405
.0004	.9362	.9357	.9353	.9348	.9345	.9342	.9337	.9331	.9325
.0005	.9291	.9287	.9281	.9276	.9273	.9270	.9264	.9258	.9251
.0006	.9229	.9223	.9218	.9212	.9208	.9206	.9199	.9192	.9185
.0007	.9172	.9166	.9160	.9154	.9150	.9147	.9140	.9133	.9125
.0008	.9119	.9113	.9107	.9100	.9096	.9093	.9086	.9078	.9069
.0009	.9071	.9064	.9058	.9051	.9046	.9043	.9035	.9027	.9018
.0010	.9025	.9019	.9012	.9004	.9000	.8996	.8988	.8979	.8970
.0020	.8673	.8664	.8655	.8645	.8639	.8634	.8623	.8612	.8599
.0030	.8420	.8410	.8399	.8388	.8380	.8375	.8362	.8349	.8334
.0040	.8218	.8207	.8195	.8182	.8174	.8168	.8153	.8139	.8122
.0050	.8048	.8035	.8022	.8008	.8000	.7993	.7978	.7962	.7944
.0060	.7900	.7886	.7873	.7858	.7848	.7842	.7825	.7808	.7789
.0070	.7768	.7754	.7740	.7724	.7714	.7707	.7690	.7672	.7652
.0080	.7650	.7635	.7620	.7604	.7593	.7586	.7568	.7549	.7528
.0090	.7542	.7527	.7511	.7494	.7483	.7475	.7456	.7437	.7416
.0100	.7442	.7427	.7410	.7393	.7382	.7374	.7354	.7334	.7312
.0200	.6728	.6709	.6689	.6668	.6654	.6645	.6621	.6597	.6570
.0300	.6268	.6248	.6226	.6203	.6188	.6177	.6152	.6125	.6096
.0400	.5929	.5907	.5884	.5860	.5844	.5833	.5806	.5778	.5747
.0500	.5662	.5639	.5615	.5590	.5573	.5562	.5534	.5504	.5472
.0600	.5441	.5418	.5393	.5367	.5351	.5339	.5310	.5280	.5247
.0700	.5255	.5231	.5205	.5179	.5162	.5150	.5120	.5090	.5056
.0800	.5093	.5069	.5043	.5016	.4999	.4987	.4957	.4926	.4892
.0900	.4952	.4927	.4901	.4874	.4856	.4844	.4813	.4782	.4748
.1000	.4826	.4801	.4774	.4747	.4729	.4717	.4686	.4654	.4599

TABLE 78. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—
Scaichard—Continued
(Electrolyte, $z_+ z_- = 3$)

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9641	.9637	.9633	.9629	.9624	.9620	.9615	.9610	.9605
.0002	.9499	.9493	.9488	.9482	.9476	.9470	.9463	.9456	.9449
.0003	.9393	.9386	.9379	.9372	.9365	.9357	.9350	.9341	.9333
.0004	.9305	.9297	.9289	.9281	.9273	.9265	.9256	.9246	.9237
.0005	.9228	.9220	.9212	.9203	.9194	.9184	.9174	.9164	.9153
.0006	.9160	.9151	.9142	.9133	.9123	.9112	.9102	.9090	.9079
.0007	.9099	.9089	.9079	.9069	.9059	.9047	.9036	.9024	.9012
.0008	.9042	.9032	.9021	.9011	.8999	.8988	.8975	.8963	.8950
.0009	.8989	.8978	.8968	.8956	.8944	.8932	.8919	.8906	.8892
.0010	.8940	.8929	.8917	.8905	.8893	.8880	.8867	.8853	.8838
.0020	.8559	.8544	.8529	.8513	.8497	.8480	.8462	.8444	.8425
.0030	.8287	.8270	.8252	.8234	.8215	.8195	.8174	.8152	.8130
.0040	.8070	.8051	.8031	.8011	.7990	.7967	.7944	.7920	.7896
.0050	.7887	.7866	.7845	.7823	.7800	.7776	.7752	.7726	.7699
.0060	.7729	.7707	.7684	.7661	.7636	.7611	.7585	.7557	.7529
.0070	.7588	.7565	.7541	.7517	.7491	.7464	.7437	.7408	.7378
.0080	.7462	.7438	.7413	.7387	.7361	.7333	.7304	.7274	.7243
.0090	.7347	.7322	.7296	.7269	.7242	.7213	.7183	.7152	.7120
.0100	.7241	.7215	.7189	.7161	.7133	.7103	.7072	.7040	.7007
.0200	.6485	.6454	.6422	.6389	.6355	.6319	.6283	.6244	.6205
.0300	.6003	.5969	.5934	.5898	.5861	.5822	.5783	.5741	.5699
.0400	.5649	.5613	.5577	.5539	.5500	.5460	.5418	.5374	.5330
.0500	.5371	.5334	.5296	.5257	.5217	.5175	.5132	.5087	.5042
.0600	.5143	.5105	.5066	.5026	.4986	.4943	.4899	.4853	.4806
.0700	.4950	.4912	.4873	.4832	.4790	.4747	.4702	.4656	.4608
.0800	.4784	.4745	.4706	.4665	.4623	.4578	.4533	.4486	.4439
.0900	.4639	.4600	.4560	.4518	.4476	.4431	.4386	.4338	.4290
.1000	.4510	.4470	.4430	.4388	.4346	.4301	.4255	.4208	.4159

TABLE 79. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Scatchard
(Electrolyte, $z_+ z_- = 4$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9564	.9561	.9557	.9554	.9552	.9550	.9546	.9542	.9538
.0002	.9392	.9388	.9383	.9379	.9376	.9374	.9368	.9363	.9357
.0003	.9264	.9259	.9253	.9248	.9244	.9242	.9235	.9229	.9222
.0004	.9158	.9152	.9146	.9140	.9136	.9133	.9126	.9118	.9110
.0005	.9066	.9060	.9053	.9046	.9042	.9039	.9031	.9023	.9014
.0006	.8985	.8978	.8971	.8963	.8959	.8955	.8946	.8937	.8928
.0007	.8911	.8904	.8896	.8888	.8883	.8879	.8870	.8860	.8850
.0008	.8843	.8836	.8828	.8819	.8813	.8810	.8800	.8790	.8779
.0009	.8781	.8773	.8764	.8755	.8749	.8745	.8735	.8724	.8713
.0010	.8722	.8713	.8704	.8695	.8689	.8685	.8674	.8663	.8651
.0020	.8271	.8260	.8248	.8236	.8228	.8222	.8208	.8193	.8178
.0030	.7951	.7938	.7925	.7910	.7901	.7894	.7878	.7861	.7843
.0040	.7698	.7683	.7668	.7652	.7642	.7635	.7617	.7598	.7578
.0050	.7486	.7470	.7454	.7437	.7426	.7418	.7399	.7379	.7357
.0060	.7303	.7286	.7269	.7251	.7239	.7231	.7211	.7190	.7167
.0070	.7141	.7124	.7106	.7087	.7075	.7066	.7045	.7023	.6999
.0080	.6996	.6978	.6960	.6940	.6927	.6918	.6896	.6873	.6848
.0090	.6865	.6846	.6827	.6807	.6794	.6784	.6762	.6738	.6712
.0100	.6744	.6725	.6706	.6685	.6671	.6662	.6638	.6614	.6587
.0200	.5895	.5873	.5850	.5825	.5809	.5798	.5771	.5742	.5712
.0300	.5365	.5341	.5316	.5290	.5273	.5261	.5232	.5201	.5169
.0400	.4981	.4957	.4931	.4904	.4886	.4874	.4844	.4812	.4778
.0500	.4684	.4659	.4632	.4604	.4587	.4574	.4543	.4511	.4476
.0600	.4442	.4417	.4390	.4362	.4344	.4311	.4290	.4267	.4232
.0700	.4240	.4215	.4187	.4159	.4141	.4128	.4096	.4064	.4028
.0800	.4068	.4042	.4014	.3986	.3968	.3955	.3923	.3890	.3855
.0900	.3917	.3891	.3864	.3835	.3817	.3804	.3772	.3739	.3704
.1000	.3785	.3759	.3731	.3703	.3685	.3672	.3640	.3607	.3571

TABLE 79. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—
Scaichard—Continued
 (Electrolyte, $z_+z_- = 4$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9524	.9519	.9514	.9508	.9502	.9496	.9490	.9484	.9477	.9470	.9463
.0002	.9338	.9330	.9323	.9316	.9308	.9299	.9291	.9282	.9273	.9263	.9253
.0003	.9198	.9190	.9181	.9172	.9163	.9153	.9142	.9132	.9120	.9109	.9097
.0004	.9084	.9074	.9064	.9054	.9043	.9032	.9020	.9008	.8995	.8982	.8969
.0005	.8984	.8974	.8963	.8951	.8940	.8927	.8914	.8901	.8887	.8873	.8858
.0006	.8896	.8885	.8873	.8861	.8848	.8834	.8821	.8806	.8791	.8776	.8759
.0007	.8817	.8804	.8792	.8778	.8765	.8750	.8736	.8720	.8704	.8688	.8670
.0008	.8743	.8730	.8717	.8703	.8689	.8673	.8658	.8641	.8625	.8607	.8589
.0009	.8675	.8662	.8648	.8633	.8618	.8602	.8586	.8568	.8551	.8533	.8513
.0010	.8612	.8598	.8583	.8568	.8552	.8535	.8518	.8500	.8482	.8463	.8443
.0020	.8127	.8108	.8089	.8069	.8048	.8027	.8004	.7981	.7957	.7932	.7906
.0030	.7784	.7762	.7740	.7717	.7693	.7668	.7643	.7616	.7588	.7560	.7529
.0040	.7513	.7489	.7465	.7440	.7414	.7386	.7358	.7328	.7298	.7267	.7234
.0050	.7287	.7262	.7236	.7209	.7181	.7151	.7121	.7089	.7056	.7023	.6988
.0060	.7093	.7066	.7038	.7010	.6980	.6949	.6917	.6883	.6849	.6814	.6777
.0070	.6922	.6893	.6864	.6834	.6804	.6771	.6738	.6703	.6667	.6631	.6592
.0080	.6768	.6739	.6709	.6678	.6646	.6612	.6578	.6542	.6505	.6467	.6427
.0090	.6629	.6599	.6568	.6536	.6503	.6469	.6433	.6396	.6358	.6319	.6278
.0100	.6502	.6471	.6440	.6407	.6373	.6337	.6301	.6263	.6224	.6184	.6142
.0200	.5613	.5577	.5541	.5503	.5464	.5423	.5381	.5337	.5298	.5247	.5199
.0300	.5064	.5025	.4987	.4946	.4905	.4862	.4818	.4772	.4725	.4677	.4626
.0400	.4670	.4630	.4590	.4549	.4507	.4462	.4417	.4369	.4321	.4273	.4221
.0500	.4366	.4326	.4285	.4243	.4200	.4155	.4109	.4061	.4013	.3963	.3911
.0600	.4120	.4080	.4039	.3997	.3953	.3908	.3862	.3814	.3765	.3715	.3663
.0700	.3916	.3875	.3834	.3792	.3748	.3703	.3657	.3608	.3560	.3510	.3458
.0800	.3742	.3701	.3660	.3618	.3574	.3529	.3483	.3434	.3386	.3337	.3285
.0900	.3591	.3551	.3509	.3467	.3424	.3378	.3332	.3284	.3236	.3187	.3135
.1000	.3459	.3418	.3377	.3335	.3292	.3246	.3201	.3153	.3105	.3056	.3004

TABLE 80. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Scatchard
(Electrolyte, $z_{+}z_{-}=6$)

Ionic strength	Temperature in degrees Celsius											
	0	5	10	15	18	20	25	30	35	38	40	45
.0001	.9353	.9348	.9338	.9335	.9333	.9327	.9321	.9315	.9311	.9309	.9302	.9302
.0002	.9102	.9096	.9089	.9083	.9078	.9075	.9068	.9060	.9051	.9046	.9042	.9033
.0003	.8916	.8909	.8901	.8893	.8888	.8884	.8875	.8866	.8855	.8849	.8845	.8834
.0004	.8764	.8756	.8747	.8738	.8732	.8728	.8718	.8707	.8695	.8688	.8683	.8670
.0005	.8633	.8624	.8614	.8604	.8598	.8593	.8582	.8570	.8557	.8550	.8544	.8530
.0006	.8517	.8507	.8497	.8486	.8479	.8474	.8462	.8449	.8436	.8427	.8422	.8406
.0007	.8412	.8402	.8391	.8379	.8372	.8367	.8354	.8340	.8326	.8317	.8311	.8295
.0008	.8316	.8306	.8294	.8282	.8274	.8269	.8255	.8241	.8225	.8216	.8210	.8193
.0009	.8228	.8216	.8204	.8192	.8184	.8178	.8164	.8149	.8132	.8123	.8116	.8098
.0010	.8145	.8134	.8121	.8108	.8099	.8093	.8078	.8063	.8046	.8036	.8029	.8011
.0020	.7522	.7507	.7491	.7474	.7463	.7455	.7436	.7416	.7395	.7382	.7373	.7350
.0030	.7090	.7073	.7054	.7035	.7023	.7014	.6993	.6970	.6946	.6931	.6921	.6894
.0040	.6754	.6735	.6715	.6694	.6681	.6671	.6648	.6624	.6597	.6581	.6570	.6542
.0050	.6477	.6457	.6436	.6414	.6399	.6389	.6364	.6339	.6311	.6294	.6282	.6252
.0060	.6241	.6220	.6198	.6175	.6160	.6149	.6123	.6096	.6067	.6050	.6038	.6006
.0070	.6035	.6013	.5990	.5966	.5951	.5940	.5913	.5885	.5855	.5837	.5825	.5792
.0080	.5852	.5830	.5806	.5782	.5766	.5754	.5727	.5698	.5667	.5649	.5636	.5602
.0090	.5688	.5665	.5641	.5616	.5600	.5588	.5560	.5531	.5499	.5480	.5467	.5433
.0100	.5539	.5515	.5491	.5465	.5449	.5437	.5409	.5379	.5347	.5327	.5314	.5279
.0200	.4526	.4501	.4474	.4446	.4428	.4415	.4384	.4352	.4317	.4296	.4281	.4244
.0300	.3929	.3903	.3876	.3847	.3829	.3816	.3784	.3751	.3716	.3695	.3680	.3642
.0400	.3516	.3490	.3462	.3434	.3416	.3403	.3371	.3338	.3303	.3282	.3267	.3229
.0500	.3206	.3180	.3153	.3124	.3106	.3093	.3062	.3030	.2995	.2974	.2960	.2922
.0600	.2961	.2935	.2909	.2881	.2863	.2850	.2819	.2787	.2753	.2733	.2719	.2682
.0700	.2761	.2736	.2710	.2682	.2665	.2652	.2622	.2590	.2557	.2537	.2523	.2487
.0800	.2594	.2569	.2543	.2516	.2499	.2487	.2457	.2426	.2393	.2374	.2360	.2325
.0900	.2452	.2427	.2402	.2375	.2358	.2346	.2317	.2287	.2254	.2235	.2222	.2187
.1000	.2329	.2305	.2279	.2253	.2237	.2225	.2196	.2166	.2134	.2115	.2102	.2068

TABLE 80. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—
Schaichard—Continued
 (Electrolyte, $z_+ z_- = 6$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9295	.9287	.9279	.9271	.9263	.9254	.9245	.9235	.9226	.9216	.9205
.0002	.9023	.9013	.9002	.8991	.8980	.8968	.8955	.8942	.8929	.8915	.8901
.0003	.8822	.8810	.8797	.8784	.8770	.8756	.8741	.8726	.8710	.8694	.8676
.0004	.8657	.8644	.8629	.8615	.8599	.8583	.8567	.8549	.8531	.8513	.8493
.0005	.8516	.8501	.8485	.8469	.8452	.8435	.8417	.8398	.8378	.8358	.8337
.0006	.8391	.8375	.8358	.8341	.8323	.8304	.8284	.8264	.8243	.8221	.8198
.0007	.8278	.8261	.8243	.8225	.8206	.8186	.8165	.8143	.8121	.8098	.8073
.0008	.8175	.8157	.8138	.8119	.8099	.8078	.8056	.8033	.8010	.7986	.7960
.0009	.8080	.8061	.8042	.8021	.8000	.7978	.7955	.7931	.7907	.7882	.7855
.0010	.7992	.7972	.7952	.7931	.7909	.7886	.7862	.7837	.7812	.7786	.7758
.0020	.7326	.7301	.7275	.7248	.7220	.7191	.7161	.7130	.7098	.7065	.7030
.0030	.6868	.6839	.6810	.6779	.6748	.6715	.6681	.6646	.6610	.6573	.6534
.0040	.6512	.6481	.6450	.6417	.6383	.6348	.6311	.6273	.6234	.6195	.6152
.0050	.6221	.6188	.6155	.6120	.6085	.6047	.6009	.5969	.5928	.5886	.5841
.0060	.5974	.5939	.5905	.5869	.5832	.5793	.5753	.5711	.5668	.5625	.5579
.0070	.5758	.5723	.5687	.5650	.5612	.5572	.5531	.5488	.5444	.5399	.5352
.0080	.5568	.5532	.5495	.5457	.5418	.5377	.5335	.5291	.5246	.5201	.5152
.0090	.5398	.5361	.5323	.5284	.5245	.5203	.5160	.5115	.5069	.5023	.4974
.0100	.5243	.5206	.5168	.5128	.5088	.5045	.5002	.4956	.4910	.4863	.4813
.0200	.4205	.4165	.4124	.4082	.4039	.3993	.3947	.3899	.3850	.3801	.3749
.0300	.3603	.3562	.3521	.3479	.3435	.3390	.3344	.3296	.3248	.3199	.3147
.0400	.3191	.3151	.3110	.3068	.3025	.2981	.2935	.2888	.2841	.2793	.2742
.0500	.2885	.2845	.2805	.2764	.2722	.2678	.2634	.2588	.2542	.2495	.2446
.0600	.2645	.2606	.2567	.2527	.2486	.2443	.2400	.2355	.2310	.2265	.2217
.0700	.2451	.2412	.2374	.2335	.2295	.2253	.2211	.2168	.2124	.2080	.2034
.0800	.2289	.2252	.2214	.2176	.2137	.2096	.2055	.2013	.1970	.1927	.1882
.0900	.2152	.2116	.2079	.2041	.2003	.1964	.1924	.1882	.1841	.1799	.1755
.1000	.2034	.1998	.1963	.1926	.1888	.1850	.1811	.1770	.1730	.1689	.1647

TABLE 81. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Scatchard
(Electrolyte, $z_+ z_- = 8$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9146	.9140	.9134	.9128	.9124	.9121	.9113	.9106	.9097
.0002	.8821	.8813	.8805	.8796	.8790	.8786	.8777	.8766	.8755
.0003	.8582	.8572	.8563	.8552	.8546	.8541	.8529	.8517	.8504
.0004	.8387	.8376	.8365	.8354	.8346	.8341	.8328	.8314	.8299
.0005	.8220	.8209	.8197	.8184	.8176	.8170	.8156	.8141	.8124
.0006	.8073	.8061	.8048	.8034	.8026	.8019	.8004	.7988	.7971
.0007	.7941	.7928	.7914	.7900	.7891	.7884	.7868	.7851	.7832
.0008	.7821	.7807	.7793	.7777	.7768	.7761	.7744	.7726	.7707
.0009	.7710	.7696	.7681	.7665	.7655	.7647	.7630	.7611	.7591
.0010	.7607	.7592	.7577	.7560	.7550	.7542	.7524	.7505	.7484
.0020	.6841	.6822	.6803	.6782	.6769	.6760	.6737	.6713	.6687
.0030	.6322	.6302	.6280	.6257	.6242	.6232	.6207	.6180	.6151
.0040	.5926	.5904	.5880	.5856	.5840	.5829	.5802	.5774	.5743
.0050	.5604	.5581	.5556	.5531	.5515	.5503	.5475	.5445	.5413
.0060	.5333	.5309	.5284	.5258	.5241	.5229	.5200	.5169	.5136
.0070	.5100	.5075	.5049	.5023	.5005	.4993	.4963	.4932	.4898
.0080	.4895	.4870	.4844	.4816	.4799	.4786	.4756	.4724	.4690
.0090	.4712	.4687	.4661	.4633	.4615	.4603	.4572	.4540	.4505
.0100	.4549	.4523	.4496	.4468	.4451	.4438	.4407	.4374	.4339
.0200	.3475	.3449	.3422	.3393	.3375	.3362	.3330	.3298	.3262
.0300	.2878	.2853	.2826	.2798	.2780	.2768	.2737	.2705	.2671
.0400	.2481	.2457	.2431	.2405	.2388	.2375	.2346	.2316	.2283
.0500	.2194	.2170	.2146	.2120	.2104	.2092	.2064	.2035	.2004
.0600	.1973	.1951	.1927	.1902	.1887	.1876	.1849	.1821	.1791
.0700	.1798	.1776	.1753	.1730	.1715	.1704	.1678	.1651	.1623
.0800	.1655	.1633	.1612	.1589	.1574	.1564	.1539	.1513	.1486
.0900	.1535	.1514	.1493	.1471	.1457	.1447	.1423	.1398	.1372
.1000	.1433	.1413	.1392	.1371	.1358	.1348	.1325	.1301	.1275

TABLE 81. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—
Scatchard—Continued
(Electrolyte, z+z = 8)

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9071	.9061	.9051	.9040	.9030	.9018	.9006	.8994	.8981
.0002	.8719	.8706	.8692	.8678	.8663	.8648	.8632	.8615	.8598
.0003	.8461	.8445	.8429	.8412	.8395	.8377	.8358	.8338	.8318
.0004	.8251	.8234	.8216	.8197	.8178	.8157	.8136	.8114	.8091
.0005	.8072	.8053	.8033	.8013	.7992	.7969	.7947	.7923	.7898
.0006	.7915	.7894	.7873	.7851	.7829	.7805	.7780	.7755	.7728
.0007	.7773	.7751	.7729	.7706	.7682	.7657	.7631	.7604	.7576
.0008	.7645	.7622	.7598	.7574	.7549	.7523	.7496	.7467	.7438
.0009	.7526	.7502	.7478	.7453	.7427	.7400	.7371	.7342	.7312
.0010	.7417	.7392	.7367	.7341	.7314	.7285	.7256	.7226	.7194
.0020	.6604	.6574	.6543	.6511	.6477	.6443	.6407	.6369	.6331
.0030	.6059	.6025	.5991	.5955	.5919	.5880	.5841	.5800	.5758
.0040	.5645	.5609	.5573	.5535	.5496	.5455	.5414	.5370	.5326
.0050	.5311	.5273	.5236	.5196	.5156	.5114	.5071	.5025	.4979
.0060	.5031	.4993	.4954	.4913	.4872	.4829	.4784	.4738	.4691
.0070	.4791	.4752	.4712	.4671	.4629	.4585	.4540	.4493	.4445
.0080	.4581	.4541	.4501	.4459	.4417	.4372	.4327	.4279	.4231
.0090	.4395	.4355	.4314	.4272	.4229	.4184	.4138	.4091	.4042
.0100	.4228	.4188	.4147	.4105	.4062	.4016	.3970	.3922	.3874
.0200	.3151	.3110	.3070	.3028	.2985	.2941	.2896	.2849	.2801
.0300	.2564	.2525	.2487	.2447	.2406	.2364	.2321	.2277	.2232
.0400	.2181	.2144	.2107	.2069	.2031	.1991	.1951	.1909	.1868
.0500	.1906	.1871	.1836	.1800	.1764	.1726	.1688	.1649	.1610
.0600	.1698	.1664	.1631	.1597	.1563	.1527	.1491	.1454	.1417
.0700	.1534	.1502	.1470	.1438	.1405	.1371	.1337	.1302	.1267
.0800	.1400	.1370	.1340	.1309	.1277	.1245	.1213	.1180	.1146
.0900	.1290	.1261	.1232	.1202	.1172	.1141	.1110	.1079	.1047
.1000	.1196	.1168	.1141	.1112	.1083	.1054	.1024	.0994	.0964

TABLE 82. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Scatchard
(Electrolyte, $z_+ z_- = 9$)

Ionic strength	Temperature in degrees Celsius											
	0	5	10	15	18	20	25	30	35	38	40	45
.0001	.9045	.9038	.9031	.9024	.9020	.9016	.9008	.9000	.8991	.8985	.8981	.8971
.0002	.8684	.8675	.8666	.8656	.8650	.8645	.8634	.8623	.8611	.8603	.8598	.8585
.0003	.8419	.8409	.8398	.8387	.8379	.8374	.8361	.8348	.8333	.8324	.8318	.8302
.0004	.8205	.8193	.8181	.8168	.8160	.8154	.8139	.8124	.8108	.8098	.8091	.8074
.0005	.8021	.8009	.7995	.7981	.7972	.7966	.7950	.7934	.7916	.7906	.7898	.7879
.0006	.7860	.7847	.7832	.7817	.7808	.7801	.7784	.7767	.7748	.7736	.7728	.7708
.0007	.7715	.7701	.7686	.7670	.7660	.7653	.7635	.7617	.7597	.7585	.7576	.7554
.0008	.7584	.7569	.7553	.7537	.7526	.7519	.7500	.7481	.7460	.7447	.7438	.7415
.0009	.7463	.7448	.7431	.7414	.7403	.7395	.7376	.7356	.7334	.7321	.7312	.7288
.0010	.7351	.7335	.7318	.7301	.7289	.7281	.7261	.7240	.7204	.7194	.7170	
.0020	.6524	.6504	.6483	.6461	.6447	.6437	.6413	.6387	.6359	.6343	.6331	.6301
.0030	.5970	.5948	.5925	.5901	.5885	.5874	.5847	.5819	.5789	.5771	.5758	.5725
.0040	.5550	.5527	.5503	.5477	.5461	.5449	.5420	.5391	.5358	.5339	.5326	.5291
.0050	.5212	.5188	.5163	.5136	.5119	.5107	.5077	.5047	.5013	.4993	.4979	.4943
.0060	.4930	.4905	.4879	.4852	.4834	.4822	.4791	.4760	.4726	.4705	.4691	.4654
.0070	.4688	.4663	.4636	.4608	.4591	.4578	.4547	.4515	.4480	.4460	.4445	.4408
.0080	.4477	.4451	.4424	.4396	.4378	.4365	.4334	.4302	.4267	.4246	.4231	.4193
.0090	.4289	.4264	.4237	.4208	.4190	.4177	.4146	.4113	.4078	.4057	.4042	.4004
.0100	.4122	.4096	.4069	.4040	.4022	.4009	.3978	.3945	.3909	.3888	.3874	.3835
.0200	.3045	.3019	.2992	.2964	.2947	.2934	.2903	.2871	.2836	.2816	.2801	.2764
.0300	.2463	.2439	.2413	.2386	.2369	.2357	.2328	.2298	.2265	.2246	.2232	.2198
.0400	.2085	.2062	.2037	.2012	.1996	.1985	.1957	.1929	.1898	.1880	.1868	.1835
.0500	.1815	.1793	.1770	.1746	.1731	.1720	.1694	.1668	.1639	.1622	.1610	.1580
.0600	.1611	.1590	.1569	.1546	.1532	.1522	.1497	.1472	.1445	.1429	.1417	.1389
.0700	.1451	.1431	.1411	.1389	.1376	.1366	.1342	.1318	.1293	.1278	.1267	.1240
.0800	.1321	.1302	.1283	.1262	.1249	.1238	.1218	.1195	.1171	.1156	.1146	.1121
.0900	.1214	.1196	.1177	.1158	.1145	.1136	.1115	.1093	.1070	.1057	.1047	.1023
.1000	.1124	.1106	.1088	.1070	.1058	.1049	.1029	.1008	.986	.973	.964	.0941

TABLE 82. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Scatchard—Continued*
(Electrolyte, $z_+ z_- = 9$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.8961	.8950	.8939	.8927	.8915	.8902	.8889	.8875	.8861	.8847	.8831
.0002	.8571	.8556	.8541	.8525	.8509	.8492	.8475	.8456	.8437	.8418	.8397
.0003	.8286	.8269	.8251	.8233	.8214	.8194	.8173	.8151	.8129	.8106	.8082
.0004	.8055	.8036	.8016	.7996	.7974	.7952	.7929	.7905	.7880	.7855	.7828
.0005	.7859	.7838	.7816	.7794	.7771	.7747	.7722	.7695	.7668	.7641	.7612
.0006	.7686	.7664	.7641	.7617	.7593	.7567	.7540	.7512	.7483	.7454	.7423
.0007	.7532	.7508	.7484	.7459	.7433	.7406	.7378	.7348	.7318	.7287	.7254
.0008	.7392	.7367	.7342	.7316	.7289	.7260	.7231	.7200	.7168	.7136	.7102
.0009	.7264	.7238	.7211	.7184	.7156	.7126	.7096	.7064	.7031	.6998	.6962
.0010	.7145	.7118	.7091	.7062	.7033	.7003	.6971	.6938	.6904	.6870	.6833
.0020	.6270	.6238	.6205	.6170	.6135	.6098	.6060	.6020	.5980	.5938	.5894
.0030	.5691	.5655	.5619	.5582	.5543	.5503	.5461	.5418	.5374	.5329	.5281
.0040	.5255	.5218	.5180	.5140	.5100	.5057	.5014	.4969	.4922	.4875	.4826
.0050	.4907	.4868	.4829	.4788	.4746	.4702	.4658	.4611	.4564	.4516	.4465
.0060	.4617	.4577	.4537	.4496	.4453	.4409	.4363	.4316	.4268	.4219	.4167
.0070	.4370	.4330	.4289	.4247	.4204	.4159	.4113	.4065	.4017	.3967	.3915
.0080	.4155	.4114	.4074	.4031	.3988	.3943	.3897	.3848	.3800	.3750	.3698
.0090	.3966	.3925	.3884	.3841	.3798	.3753	.3706	.3658	.3609	.3560	.3508
.0100	.3797	.3756	.3715	.3672	.3629	.3588	.3537	.3489	.3440	.3391	.3339
.0200	.2727	.2688	.2649	.2608	.2567	.2523	.2480	.2435	.2389	.2344	.2295
.0300	.2163	.2126	.2090	.2052	.2014	.1974	.1934	.1892	.1851	.1809	.1765
.0400	.1803	.1768	.1734	.1699	.1664	.1627	.1590	.1552	.1514	.1476	.1436
.0500	.1549	.1517	.1486	.1453	.1420	.1386	.1352	.1317	.1281	.1246	.1210
.0600	.1360	.1330	.1300	.1270	.1239	.1207	.1176	.1143	.1110	.1078	.1044
.0700	.1213	.1185	.1157	.1128	.1099	.1070	.1040	.1009	.979	.948	.917
.0800	.1095	.1069	.1042	.1015	.988	.960	.932	.903	.874	.846	.817
.0900	.0998	.0973	.0948	.0922	.0897	.0870	.0844	.0817	.0790	.0763	.0735
.1000	.0918	.0893	.0869	.0845	.0821	.0796	.0770	.0745	.0719	.0694	.0668

TABLE 83. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Scatchard*
(Electrolyte, $z_+z_- = 12$)

Ionic strength	0	5	10	15	18	20	25	30	Temperature in degrees Celsius			
									35	38	40	45
.0001	.8747	.8739	.8730	.8721	.8715	.8710	.8700	.8689	.8677	.8670	.8665	.8652
.0002	.8285	.8274	.8262	.8250	.8242	.8236	.8222	.8208	.8192	.8183	.8176	.8159
.0003	.7950	.7937	.7923	.7909	.7900	.7893	.7877	.7860	.7842	.7831	.7823	.7803
.0004	.7681	.7666	.7651	.7635	.7625	.7618	.7600	.7581	.7561	.7548	.7540	.7518
.0005	.7453	.7437	.7421	.7403	.7392	.7384	.7365	.7345	.7323	.7310	.7301	.7277
.0006	.7254	.7237	.7220	.7201	.7190	.7181	.7161	.7139	.7116	.7102	.7092	.7067
.0007	.7076	.7059	.7041	.7021	.7009	.7000	.6979	.6956	.6932	.6917	.6907	.6880
.0008	.6916	.6898	.6879	.6859	.6846	.6837	.6814	.6791	.6765	.6750	.6740	.6712
.0009	.6770	.6751	.6731	.6710	.6697	.6688	.6664	.6640	.6614	.6598	.6587	.6558
.0010	.6635	.6615	.6595	.6574	.6560	.6550	.6526	.6501	.6474	.6458	.6447	.6417
.0020	.5658	.5635	.5611	.5586	.5570	.5558	.5530	.5500	.5469	.5450	.5436	.5402
.0030	.5027	.5002	.4976	.4949	.4932	.4920	.4890	.4858	.4824	.4804	.4790	.4753
.0040	.4561	.4536	.4509	.4481	.4463	.4451	.4419	.4387	.4352	.4331	.4317	.4279
.0050	.4195	.4169	.4142	.4113	.4095	.4082	.4051	.4018	.3983	.3961	.3947	.3909
.0060	.3894	.3868	.3841	.3812	.3794	.3781	.3749	.3716	.3681	.3660	.3645	.3607
.0070	.3642	.3616	.3588	.3560	.3541	.3528	.3496	.3464	.3428	.3407	.3392	.3354
.0080	.3424	.3398	.3371	.3343	.3324	.3311	.3280	.3247	.3212	.3191	.3176	.3139
.0090	.3235	.3209	.3182	.3154	.3136	.3123	.3091	.3059	.3024	.3003	.2989	.2951
.0100	.3068	.3042	.3015	.2987	.2969	.2956	.2925	.2893	.2859	.2838	.2824	.2787
.0200	.2049	.2026	.2002	.1977	.1961	.1949	.1922	.1894	.1863	.1845	.1833	.1801
.0300	.1544	.1523	.1502	.1480	.1466	.1456	.1432	.1407	.1381	.1365	.1354	.1326
.0400	.1236	.1218	.1199	.1179	.1167	.1158	.1136	.1114	.1091	.1077	.1068	.1043
.0500	.1028	.1011	.0994	.0976	.0965	.0957	.0938	.0918	.0897	.0885	.0876	.0854
.0600	.0877	.0862	.0846	.0830	.0820	.0812	.0795	.0777	.0758	.0747	.0739	.0719
.0700	.0762	.0749	.0734	.0719	.0710	.0703	.0687	.0671	.0654	.0644	.0636	.0618
.0800	.0673	.0660	.0647	.0633	.0625	.0618	.0604	.0589	.0573	.0563	.0557	.0540
.0900	.0601	.0589	.0577	.0564	.0556	.0550	.0537	.0523	.0508	.0500	.0494	.0478
.1000	.0542	.0531	.0520	.0508	.0500	.0495	.0482	.0469	.0456	.0447	.0442	.0428

TABLE 83. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—
 Scatchard—Continued
 (Electrolyte, $z_+z_- = 12$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.8639	.8625	.8611	.8596	.8580	.8564	.8547	.8529	.8511	.8493	.8473
.0002	.8141	.8123	.8104	.8084	.8063	.8042	.8020	.7997	.7973	.7948	.7922
.0003	.7783	.7761	.7739	.7716	.7692	.7667	.7641	.7614	.7587	.7558	.7528
.0004	.7495	.7471	.7447	.7421	.7395	.7367	.7339	.7309	.7278	.7247	.7214
.0005	.7252	.7226	.7200	.7173	.7144	.7115	.7084	.7052	.7019	.6986	.6950
.0006	.7041	.7013	.6986	.6956	.6927	.6895	.6863	.6829	.6794	.6759	.6721
.0007	.6853	.6824	.6795	.6765	.6733	.6700	.6666	.6631	.6595	.6558	.6518
.0008	.6684	.6654	.6623	.6592	.6559	.6525	.6490	.6453	.6415	.6377	.6336
.0009	.6529	.6498	.6467	.6434	.6401	.6365	.6329	.6291	.6252	.6213	.6170
.0010	.6387	.6355	.6323	.6289	.6255	.6218	.6181	.6142	.6102	.6062	.6018
.0020	.5367	.5330	.5292	.5253	.5213	.5171	.5128	.5083	.5038	.4991	.4942
.0030	.4716	.4677	.4637	.4596	.4554	.4509	.4464	.4417	.4369	.4320	.4269
.0040	.4241	.4201	.4160	.4118	.4075	.4029	.3983	.3935	.3887	.3837	.3785
.0050	.3870	.3829	.3788	.3746	.3702	.3657	.3611	.3562	.3514	.3464	.3412
.0060	.3568	.3528	.3487	.3444	.3401	.3355	.3309	.3262	.3213	.3164	.3112
.0070	.3316	.3275	.3235	.3192	.3149	.3104	.3059	.3011	.2964	.2915	.2864
.0080	.3101	.3060	.3020	.2978	.2935	.2891	.2846	.2799	.2752	.2705	.2654
.0090	.2914	.2874	.2834	.2792	.2751	.2707	.2662	.2616	.2570	.2523	.2474
.0100	.2749	.2710	.2671	.2630	.2588	.2545	.2502	.2456	.2411	.2365	.2317
.0200	.1769	.1735	.1701	.1666	.1631	.1595	.1558	.1520	.1483	.1445	.1405
.0300	.1298	.1269	.1240	.1210	.1180	.1149	.1118	.1086	.1055	.1023	.0990
.0400	.1018	.0993	.0967	.0941	.0915	.0888	.0862	.0834	.0807	.0780	.0752
.0500	.0832	.0809	.0787	.0764	.0741	.0717	.0694	.0670	.0646	.0623	.0598
.0600	.0700	.0679	.0659	.0638	.0618	.0597	.0576	.0555	.0534	.0513	.0492
.0700	.0601	.0582	.0564	.0545	.0527	.0508	.0489	.0470	.0451	.0433	.0414
.0800	.0524	.0507	.0490	.0473	.0457	.0439	.0422	.0405	.0388	.0371	.0354
.0900	.0463	.0448	.0432	.0417	.0401	.0386	.0370	.0354	.0339	.0324	.0308
.0414	.0399	.0385	.0371	.0357	.0342	.0328	.0313	.0299	.0285	.0271	.0255

TABLE 84. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Scatchard
(Electrolyte, $z_+ z_- = 16$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.8365	.8355	.8343	.8332	.8324	.8319	.8305	.8291	.8276
.0002	.7781	.7767	.7752	.7737	.7727	.7720	.7703	.7685	.7665
.0003	.7365	.7349	.7332	.7314	.7303	.7295	.7275	.7254	.7231
.0004	.7034	.7016	.6998	.6978	.6966	.6957	.6935	.6912	.6888
.0005	.6757	.6738	.6718	.6698	.6684	.6675	.6651	.6627	.6601
.0006	.6518	.6498	.6477	.6455	.6441	.6431	.6406	.6381	.6353
.0007	.6306	.6285	.6264	.6241	.6226	.6216	.6190	.6163	.6135
.0008	.6116	.6095	.6073	.6049	.6034	.6023	.5997	.5969	.5939
.0009	.5944	.5922	.5899	.5875	.5859	.5848	.5821	.5793	.5762
.0010	.5787	.5764	.5741	.5716	.5700	.5688	.5661	.5632	.5601
.0020	.4680	.4654	.4628	.4600	.4582	.4570	.4539	.4507	.4472
.0030	.3997	.3971	.3944	.3915	.3897	.3884	.3852	.3819	.3784
.0040	.3511	.3485	.3458	.3429	.3411	.3398	.3366	.3334	.3298
.0050	.3140	.3114	.3087	.3059	.3041	.3028	.2997	.2965	.2930
.0060	.2844	.2819	.2792	.2764	.2747	.2734	.2704	.2672	.2638
.0070	.2601	.2576	.2550	.2523	.2505	.2493	.2463	.2432	.2399
.0080	.2396	.2372	.2346	.2320	.2303	.2291	.2262	.2232	.2200
.0090	.2221	.2197	.2172	.2147	.2130	.2119	.2090	.2061	.2030
.0100	.2069	.2046	.2022	.1997	.1981	.1969	.1942	.1913	.1883
.0200	.1208	.1190	.1171	.1151	.1139	.1130	.1109	.1087	.1064
.0300	.0828	.0814	.0799	.0783	.0773	.0766	.0749	.0732	.0714
.0400	.0616	.0604	.0591	.0578	.0570	.0564	.0550	.0536	.0521
.0500	.0481	.0471	.0460	.0449	.0443	.0438	.0426	.0414	.0401
.0600	.0389	.0381	.0371	.0362	.0356	.0352	.0342	.0332	.0321
.0700	.0323	.0315	.0307	.0299	.0294	.0290	.0282	.0273	.0263
.0800	.0274	.0267	.0260	.0252	.0248	.0245	.0237	.0229	.0221
.0900	.0235	.0229	.0223	.0216	.0212	.0209	.0203	.0196	.0188
.1000	.0205	.0200	.0194	.0188	.0184	.0176	.0169	.0163	.0159

TABLE 84. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—
 Scatchard—Continued
 (Electrolyte, $z_+z_- = 16$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.8228	.8210	.8192	.8173	.8153	.8133	.8111	.8089	.8066	.8043	.8018
.0002	.7602	.7579	.7555	.7531	.7505	.7478	.7451	.7422	.7393	.7363	.7330
.0003	.7159	.7132	.7105	.7077	.7048	.7017	.6986	.6953	.6919	.6885	.6848
.0004	.6808	.6779	.6750	.6719	.6687	.6654	.6620	.6584	.6547	.6510	.6470
.0005	.6516	.6485	.6453	.6421	.6387	.6351	.6315	.6277	.6238	.6198	.6156
.0006	.6264	.6231	.6198	.6164	.6129	.6091	.6053	.6013	.5973	.5931	.5887
.0007	.6042	.6008	.5974	.5938	.5902	.5863	.5824	.5782	.5740	.5697	.5651
.0008	.5844	.5809	.5774	.5737	.5699	.5659	.5619	.5576	.5533	.5489	.5442
.0009	.5664	.5629	.5592	.5555	.5516	.5475	.5434	.5390	.5346	.5301	.5253
.0010	.5501	.5464	.5427	.5389	.5349	.5308	.5265	.5221	.5176	.5130	.5081
.0020	.4362	.4321	.4281	.4239	.4196	.4151	.4105	.4057	.4008	.3959	.3907
.0030	.3671	.3630	.3589	.3547	.3503	.3458	.3412	.3364	.3315	.3266	.3214
.0040	.3186	.3146	.3105	.3063	.3021	.2976	.2931	.2884	.2836	.2788	.2738
.0050	.2820	.2781	.2741	.2700	.2658	.2615	.2571	.2525	.2479	.2433	.2384
.0060	.2531	.2493	.2454	.2414	.2374	.2332	.2289	.2245	.2201	.2156	.2109
.0070	.2295	.2258	.2220	.2182	.2143	.2102	.2061	.2019	.1976	.1933	.1888
.0080	.2099	.2062	.2026	.1989	.1951	.1912	.1872	.1831	.1790	.1749	.1706
.0090	.1932	.1896	.1861	.1825	.1789	.1751	.1713	.1673	.1634	.1594	.1553
.0100	.1788	.1754	.1720	.1685	.1650	.1613	.1576	.1538	.1500	.1462	.1423
.0200	.0993	.0967	.0942	.0917	.0891	.0865	.0838	.0811	.0785	.0758	.0731
.0300	.0657	.0638	.0618	.0599	.0579	.0559	.0539	.0518	.0498	.0479	.0458
.0400	.0476	.0460	.0444	.0428	.0412	.0396	.0381	.0365	.0349	.0333	.0317
.0500	.0363	.0350	.0337	.0324	.0311	.0298	.0285	.0272	.0259	.0247	.0234
.0600	.0288	.0277	.0266	.0255	.0244	.0233	.0222	.0212	.0201	.0191	.0180
.0700	.0235	.0226	.0216	.0207	.0197	.0188	.0179	.0170	.0161	.0152	.0143
.0800	.0196	.0188	.0179	.0171	.0163	.0155	.0147	.0139	.0131	.0124	.0116
.0900	.0166	.0159	.0152	.0144	.0137	.0130	.0123	.0116	.0110	.0103	.0097
.1000	.0143	.0137	.0130	.0124	.0117	.0111	.0105	.0099	.0093	.0087	.0081

TABLE 85. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Scatchard*
(Electrolyte, $z_+ z_- = 1$)

Ionic strength	Temperature in degrees Celsius										45
	0	5	10	15	18	20	25	30	35	38	
.0001	.9889	.9888	.9887	.9886	.9885	.9884	.9883	.9882	.9882	.9882	.9881
.0002	.9844	.9843	.9842	.9841	.9840	.9840	.9838	.9837	.9836	.9835	.9833
.0003	.9811	.9809	.9808	.9806	.9806	.9805	.9803	.9802	.9800	.9799	.9796
.0004	.9783	.9781	.9779	.9778	.9777	.9776	.9774	.9772	.9770	.9769	.9766
.0005	.9758	.9756	.9755	.9753	.9752	.9751	.9749	.9747	.9744	.9743	.9740
.0006	.9736	.9734	.9732	.9730	.9729	.9728	.9726	.9724	.9721	.9720	.9716
.0007	.9716	.9714	.9712	.9710	.9708	.9707	.9705	.9703	.9700	.9699	.9697
.0008	.9697	.9695	.9693	.9691	.9689	.9688	.9686	.9683	.9681	.9679	.9678
.0009	.9680	.9678	.9676	.9673	.9672	.9671	.9668	.9665	.9662	.9661	.9659
.0010	.9664	.9662	.9659	.9657	.9655	.9654	.9651	.9648	.9645	.9643	.9642
.0020	.9536	.9533	.9530	.9526	.9524	.9523	.9519	.9515	.9511	.9508	.9507
.0030	.9443	.9439	.9435	.9431	.9428	.9427	.9422	.9417	.9412	.9409	.9407
.0040	.9367	.9362	.9358	.9353	.9350	.9348	.9343	.9338	.9332	.9329	.9326
.0050	.9302	.9297	.9292	.9287	.9284	.9281	.9276	.9270	.9264	.9260	.9257
.0060	.9244	.9239	.9234	.9228	.9225	.9222	.9216	.9210	.9203	.9199	.9196
.0070	.9193	.9187	.9181	.9176	.9172	.9169	.9163	.9156	.9149	.9145	.9142
.0080	.9146	.9140	.9134	.9128	.9124	.9121	.9114	.9107	.9100	.9095	.9092
.0090	.9102	.9096	.9090	.9083	.9079	.9077	.9069	.9062	.9054	.9049	.9046
.0100	.9062	.9056	.9049	.9042	.9038	.9035	.9028	.9020	.9012	.9007	.9003
.0200	.8762	.8754	.8746	.8737	.8731	.8727	.8718	.8708	.8697	.8691	.8686
.0300	.8558	.8549	.8539	.8529	.8523	.8518	.8507	.8495	.8483	.8476	.8458
.0400	.8401	.8391	.8380	.8369	.8362	.8357	.8345	.8332	.8319	.8311	.8305
.0500	.8273	.8262	.8250	.8238	.8231	.8225	.8212	.8199	.8185	.8176	.8154
.0600	.8164	.8152	.8140	.8127	.8120	.8114	.8100	.8086	.8071	.8062	.8039
.0700	.8070	.8057	.8045	.8031	.8023	.8017	.8003	.7988	.7972	.7963	.7939
.0800	.7986	.7973	.7960	.7946	.7938	.7932	.7917	.7901	.7885	.7875	.7868
.0900	.7911	.7898	.7885	.7870	.7862	.7855	.7840	.7824	.7807	.7797	.7772
.1000	.7844	.7830	.7816	.7801	.7793	.7786	.7770	.7754	.7737	.7726	.7700

TABLE 85. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—
 Scaichard—Continued
 (Electrolyte, $z_+ z_- = 1$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9880	.9878	.9877	.9876	.9875	.9873	.9872	.9870	.9869	.9867	.9866
.0002	.9831	.9829	.9828	.9826	.9824	.9822	.9820	.9818	.9816	.9814	.9812
.0003	.9794	.9792	.9790	.9788	.9786	.9784	.9781	.9779	.9776	.9774	.9771
.0004	.9764	.9762	.9759	.9757	.9754	.9752	.9749	.9746	.9743	.9740	.9737
.0005	.9737	.9735	.9732	.9729	.9727	.9724	.9721	.9718	.9714	.9711	.9708
.0006	.9714	.9711	.9708	.9705	.9702	.9699	.9695	.9692	.9688	.9685	.9681
.0007	.9692	.9689	.9686	.9683	.9679	.9676	.9672	.9669	.9665	.9661	.9657
.0008	.9672	.9669	.9665	.9662	.9658	.9655	.9651	.9647	.9643	.9639	.9635
.0009	.9653	.9650	.9646	.9643	.9639	.9635	.9631	.9627	.9623	.9618	.9614
.0010	.9635	.9632	.9628	.9625	.9621	.9617	.9613	.9608	.9604	.9599	.9594
.0020	.9498	.9493	.9488	.9483	.9477	.9472	.9466	.9460	.9454	.9448	.9441
.0030	.9396	.9391	.9385	.9379	.9372	.9366	.9359	.9352	.9345	.9337	.9329
.0040	.9314	.9308	.9301	.9294	.9287	.9279	.9272	.9264	.9255	.9247	.9238
.0050	.9244	.9237	.9229	.9222	.9214	.9206	.9197	.9188	.9179	.9170	.9160
.0060	.9182	.9174	.9166	.9158	.9149	.9141	.9132	.9122	.9112	.9102	.9092
.0070	.9126	.9118	.9109	.9101	.9092	.9082	.9073	.9063	.9052	.9042	.9030
.0080	.9076	.9067	.9058	.9049	.9039	.9029	.9019	.9009	.8998	.8986	.8974
.0090	.9029	.9020	.9010	.9001	.8991	.8981	.8970	.8959	.8947	.8935	.8923
.0100	.8986	.8976	.8966	.8956	.8946	.8935	.8924	.8913	.8901	.8888	.8875
.0200	.8663	.8651	.8638	.8625	.8612	.8598	.8584	.8569	.8553	.8537	.8521
.0300	.8444	.8430	.8416	.8401	.8385	.8369	.8353	.8336	.8318	.8300	.8281
.0400	.8276	.8260	.8245	.8228	.8211	.8194	.8176	.8157	.8138	.8118	.8097
.0500	.8139	.8122	.8105	.8088	.8070	.8051	.8032	.8012	.7991	.7970	.7947
.0600	.8022	.8005	.7987	.7969	.7950	.7930	.7910	.7889	.7867	.7844	.7821
.0700	.7922	.7903	.7885	.7866	.7846	.7825	.7804	.7782	.7759	.7736	.7711
.0800	.7833	.7814	.7795	.7775	.7754	.7733	.7711	.7688	.7664	.7640	.7615
.0900	.7753	.7734	.7714	.7693	.7672	.7650	.7627	.7604	.7580	.7555	.7529
.1000	.7681	.7661	.7641	.7619	.7598	.7575	.7552	.7528	.7503	.7477	.7451

TABLE 86. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Scatchard*
(Electrolyte, $z_{+}z_{-} = 2$)

Ionic strength	Temperature in degrees Celsius							45
	0	5	10	15	18	20	25	
.0001	.9779	.9778	.9776	.9775	.9773	.9771	.9769	.9766
.0002	.9691	.9689	.9687	.9684	.9683	.9682	.9679	.9672
.0003	.9625	.9622	.9620	.9617	.9615	.9614	.9611	.9607
.0004	.9570	.9567	.9564	.9560	.9558	.9557	.9554	.9546
.0005	.9522	.9518	.9515	.9511	.9509	.9508	.9504	.9500
.0006	.9479	.9475	.9472	.9468	.9465	.9464	.9459	.9455
.0007	.9440	.9436	.9432	.9428	.9425	.9423	.9419	.9414
.0008	.9404	.9400	.9396	.9391	.9388	.9386	.9382	.9377
.0009	.9370	.9366	.9362	.9357	.9354	.9352	.9347	.9342
.0010	.9339	.9335	.9330	.9325	.9322	.9320	.9314	.9309
.0020	.9094	.9088	.9082	.9075	.9071	.9068	.9061	.9054
.0030	.8917	.8910	.8902	.8894	.8890	.8886	.8878	.8869
.0040	.8774	.8766	.8757	.8748	.8743	.8739	.8729	.8719
.0050	.8652	.8643	.8634	.8624	.8618	.8614	.8604	.8593
.0060	.8546	.8536	.8526	.8516	.8510	.8505	.8494	.8482
.0070	.8450	.8440	.8430	.8419	.8412	.8408	.8396	.8383
.0080	.8364	.8354	.8343	.8331	.8324	.8319	.8307	.8294
.0090	.8285	.8274	.8263	.8251	.8244	.8238	.8225	.8212
.0100	.8212	.8201	.8189	.8177	.8169	.8164	.8150	.8136
.0200	.7678	.7663	.7649	.7633	.7624	.7617	.7600	.7582
.0300	.7324	.7308	.7292	.7274	.7263	.7256	.7237	.7217
.0400	.7058	.7040	.7023	.7004	.6992	.6984	.6964	.6942
.0500	.6844	.6825	.6807	.6787	.6775	.6766	.6744	.6722
.0600	.6665	.6646	.6626	.6605	.6593	.6584	.6561	.6538
.0700	.6512	.6492	.6472	.6450	.6437	.6428	.6405	.6381
.0800	.6378	.6357	.6336	.6314	.6301	.6291	.6268	.6243
.0900	.6259	.6238	.6217	.6194	.6181	.6171	.6147	.6121
.1000	.6152	.6131	.6109	.6086	.6073	.6062	.6038	.6012

TABLE 86. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—
 Scatchard—Continued
 (Electrolyte, $z_+ z_- = 2$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9761	.9758	.9756	.9753	.9751	.9748	.9745	.9742	.9740	.9736	.9733
.0002	.9665	.9662	.9658	.9655	.9651	.9648	.9644	.9640	.9636	.9632	.9627
.0003	.9593	.9589	.9585	.9581	.9577	.9572	.9568	.9563	.9558	.9553	.9547
.0004	.9534	.9529	.9524	.9520	.9515	.9510	.9504	.9499	.9493	.9487	.9481
.0005	.9482	.9477	.9472	.9466	.9461	.9455	.9449	.9443	.9437	.9430	.9424
.0006	.9435	.9430	.9424	.9419	.9413	.9407	.9400	.9394	.9387	.9380	.9372
.0007	.9393	.9387	.9381	.9375	.9369	.9362	.9355	.9348	.9341	.9333	.9325
.0008	.9354	.9348	.9342	.9335	.9328	.9322	.9314	.9307	.9299	.9291	.9282
.0009	.9318	.9312	.9305	.9298	.9291	.9284	.9276	.9268	.9260	.9251	.9242
.0010	.9284	.9277	.9270	.9263	.9256	.9248	.9240	.9232	.9223	.9214	.9205
.0020	.9020	.9011	.9002	.8992	.8982	.8972	.8961	.8950	.8938	.8926	.8914
.0030	.8829	.8818	.8807	.8796	.8784	.8772	.8759	.8746	.8732	.8718	.8703
.0040	.8675	.8663	.8651	.8638	.8624	.8611	.8596	.8582	.8566	.8551	.8534
.0050	.8545	.8531	.8518	.8504	.8489	.8474	.8459	.8443	.8426	.8409	.8391
.0060	.8431	.8416	.8402	.8387	.8371	.8355	.8339	.8321	.8304	.8285	.8266
.0070	.8329	.8314	.8298	.8282	.8266	.8249	.8232	.8213	.8194	.8175	.8155
.0080	.8237	.8221	.8205	.8188	.8171	.8153	.8135	.8115	.8096	.8075	.8054
.0090	.8152	.8136	.8119	.8101	.8083	.8065	.8046	.8026	.8005	.7984	.7962
.0100	.8074	.8057	.8040	.8022	.8003	.7984	.7964	.7943	.7922	.7900	.7877
.0200	.7505	.7484	.7462	.7440	.7416	.7392	.7368	.7342	.7316	.7289	.7260
.0300	.7130	.7106	.7082	.7057	.7031	.7005	.6977	.6949	.6919	.6889	.6857
.0400	.6849	.6823	.6797	.6770	.6743	.6714	.6685	.6654	.6622	.6590	.6556
.0500	.6624	.6597	.6569	.6541	.6512	.6482	.6451	.6419	.6386	.6352	.6316
.0600	.6436	.6408	.6379	.6350	.6320	.6289	.6256	.6223	.6199	.6154	.6117
.0700	.6275	.6246	.6217	.6187	.6156	.6123	.6090	.6056	.6021	.5985	.5947
.0800	.6135	.6106	.6075	.6044	.6012	.5980	.5946	.5910	.5874	.5837	.5799
.0900	.6011	.5981	.5950	.5918	.5886	.5852	.5818	.5782	.5745	.5707	.5668
.1000	.5900	.5869	.5838	.5772	.5738	.5703	.5667	.5629	.5591	.5551	

TABLE 87. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Scatchard*
(Electrolyte, $z_+ z_- = 3$)

Ionic strength	Temperature in degrees Celsius						
	0	5	10	15	18	20	25
.0001	.9671	.9669	.9666	.9662	.9661	.9658	.9656
.0002	.9540	.9537	.9534	.9530	.9528	.9523	.9519
.0003	.9443	.9439	.9435	.9431	.9428	.9422	.9417
.0004	.9362	.9357	.9353	.9348	.9345	.9338	.9332
.0005	.9291	.9287	.9282	.9276	.9273	.9265	.9259
.0006	.9229	.9223	.9218	.9212	.9209	.9206	.9194
.0007	.9172	.9166	.9160	.9154	.9151	.9148	.9141
.0008	.9119	.9113	.9107	.9101	.9097	.9094	.9087
.0009	.9071	.9064	.9058	.9051	.9047	.9044	.9037
.0010	.9025	.9019	.9012	.9005	.9000	.8997	.8990
.0020	.8673	.8664	.8655	.8646	.8640	.8636	.8625
.0030	.8420	.8410	.8399	.8388	.8381	.8376	.8364
.0040	.8218	.8207	.8195	.8182	.8175	.8169	.8156
.0050	.8048	.8035	.8023	.8009	.8001	.7995	.7981
.0060	.7900	.7886	.7873	.7859	.7850	.7844	.7828
.0070	.7768	.7754	.7740	.7725	.7716	.7709	.7693
.0080	.7650	.7635	.7620	.7604	.7595	.7588	.7571
.0090	.7542	.7527	.7511	.7495	.7485	.7477	.7460
.0100	.7442	.7427	.7411	.7394	.7383	.7376	.7358
.0200	.6728	.6709	.6689	.6669	.6656	.6647	.6625
.0300	.6268	.6248	.6226	.6204	.6190	.6180	.6156
.0400	.5929	.5907	.5885	.5861	.5847	.5836	.5811
.0500	.5662	.5639	.5615	.5591	.5576	.5565	.5539
.0600	.5441	.5418	.5394	.5368	.5353	.5342	.5315
.0700	.5255	.5231	.5206	.5180	.5165	.5153	.5126
.0800	.5093	.5069	.5044	.5018	.5002	.4990	.4962
.0900	.4952	.4927	.4902	.4875	.4859	.4847	.4819
.1000	.4826	.4801	.4775	.4748	.4732	.4720	.4692

TABLE 87. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—
Scauchard—Continued
(Electrolyte, $z_+ z_- = 3$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9643	.9639	.9636	.9632	.9628	.9625	.9620	.9616	.9612	.9607	.9603
.0002	.9502	.9497	.9492	.9487	.9482	.9476	.9471	.9465	.9459	.9452	.9446
.0003	.9396	.9390	.9384	.9378	.9372	.9365	.9359	.9351	.9344	.9337	.9329
.0004	.9309	.9302	.9295	.9288	.9281	.9274	.9266	.9258	.9249	.9241	.9232
.0005	.9233	.9225	.9218	.9210	.9202	.9194	.9185	.9177	.9167	.9158	.9148
.0006	.9165	.9157	.9149	.9141	.9132	.9123	.9114	.9104	.9094	.9084	.9073
.0007	.9104	.9095	.9087	.9078	.9068	.9059	.9049	.9039	.9028	.9017	.9005
.0008	.9047	.9038	.9029	.9020	.9010	.9000	.8989	.8978	.8967	.8955	.8943
.0009	.8995	.8985	.8976	.8966	.8955	.8945	.8934	.8922	.8910	.8898	.8885
.0010	.8946	.8936	.8926	.8915	.8905	.8893	.8882	.8870	.8858	.8845	.8831
.0020	.8567	.8554	.8541	.8527	.8512	.8498	.8482	.8467	.8450	.8433	.8415
.0030	.8296	.8281	.8265	.8249	.8232	.8215	.8197	.8179	.8160	.8140	.8119
.0040	.8080	.8063	.8046	.8028	.8009	.7990	.7970	.7950	.7929	.7907	.7884
.0050	.7899	.7880	.7861	.7842	.7822	.7801	.7780	.7757	.7735	.7711	.7686
.0060	.7741	.7721	.7701	.7681	.7659	.7637	.7615	.7591	.7567	.7542	.7515
.0070	.7601	.7580	.7559	.7538	.7515	.7492	.7468	.7443	.7418	.7392	.7364
.0080	.7475	.7454	.7432	.7409	.7386	.7362	.7337	.7311	.7284	.7257	.7228
.0090	.7360	.7338	.7315	.7292	.7268	.7243	.7217	.7190	.7163	.7134	.7104
.0100	.7255	.7232	.7209	.7184	.7159	.7134	.7107	.7079	.7051	.7022	.6991
.0200	.6502	.6474	.6446	.6417	.6387	.6356	.6324	.6291	.6257	.6223	.6186
.0300	.6021	.5991	.5960	.5928	.5896	.5862	.5828	.5792	.5755	.5718	.5678
.0400	.5668	.5636	.5604	.5571	.5537	.5501	.5465	.5428	.5389	.5350	.5308
.0500	.5391	.5358	.5325	.5290	.5255	.5218	.5181	.5142	.5103	.5062	.5019
.0600	.5163	.5130	.5095	.5060	.5024	.4987	.4949	.4909	.4869	.4827	.4784
.0700	.4971	.4937	.4902	.4866	.4829	.4792	.4753	.4713	.4672	.4630	.4586
.0800	.4771	.4736	.4699	.4662	.4624	.4585	.4544	.4502	.4460	.4416	.4367
.0900	.4660	.4625	.4590	.4553	.4516	.4477	.4437	.4396	.4355	.4312	.4267
.1000	.4532	.4496	.4460	.4424	.4386	.4347	.4307	.4266	.4224	.4181	.4136

TABLE 88. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Scatchard
(Electrolyte, $z_+ z_- = 4$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9564	.9561	.9557	.9554	.9552	.9551	.9547	.9543	.9539
.0002	.9392	.9388	.9383	.9379	.9376	.9374	.9369	.9364	.9359
.0003	.9264	.9259	.9254	.9248	.9245	.9242	.9236	.9230	.9224
.0004	.9158	.9152	.9146	.9140	.9136	.9134	.9127	.9120	.9113
.0005	.9066	.9060	.9054	.9047	.9043	.9040	.9032	.9025	.9016
.0006	.8985	.8978	.8971	.8964	.8959	.8956	.8948	.8940	.8931
.0007	.8911	.8904	.8896	.8889	.8884	.8880	.8872	.8863	.8853
.0008	.8843	.8836	.8828	.8819	.8814	.8811	.8802	.8792	.8782
.0009	.8781	.8773	.8764	.8755	.8750	.8746	.8737	.8727	.8716
.0010	.8722	.8713	.8705	.8695	.8690	.8686	.8676	.8666	.8655
.0020	.8271	.8260	.8248	.8236	.8229	.8224	.8210	.8197	.8183
.0030	.7951	.7938	.7925	.7911	.7902	.7896	.7881	.7865	.7849
.0040	.7698	.7683	.7669	.7653	.7644	.7637	.7620	.7603	.7585
.0050	.7486	.7470	.7455	.7438	.7428	.7420	.7403	.7384	.7364
.0060	.7303	.7286	.7270	.7252	.7241	.7233	.7215	.7195	.7174
.0070	.7141	.7124	.7106	.7088	.7077	.7069	.7049	.7028	.7006
.0080	.6996	.6978	.6960	.6941	.6929	.6921	.6900	.6879	.6856
.0090	.6865	.6846	.6828	.6808	.6796	.6787	.6766	.6743	.6720
.0100	.6744	.6725	.6706	.6686	.6673	.6664	.6642	.6620	.6596
.0200	.5895	.5873	.5850	.5826	.5812	.5801	.5776	.5749	.5721
.0300	.5365	.5341	.5317	.5291	.5276	.5264	.5237	.5209	.5179
.0400	.4981	.4957	.4932	.4905	.4889	.4877	.4849	.4820	.4789
.0500	.4684	.4659	.4633	.4606	.4589	.4577	.4549	.4519	.4487
.0600	.4442	.4417	.4391	.4363	.4347	.4334	.4305	.4275	.4243
.0700	.4240	.4215	.4188	.4160	.4144	.4132	.4102	.4071	.4040
.0800	.4068	.4042	.4015	.3987	.3971	.3958	.3929	.3898	.3866
.0900	.3917	.3891	.3865	.3837	.3820	.3808	.3778	.3747	.3715
.1000	.3785	.3759	.3732	.3704	.3688	.3675	.3646	.3615	.3583

TABLE 88. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Scatchard—Continued*
(Electrolyte, $z_+ z_- = 4$)

Ionic strength	50	55	60	65	70	75	80	85	90	95	100	Temperature in degrees Celsius
												.9474 .9277 .9125 .9115 .8989 .8880 .8798 .8784 .8696 .8616 .8542 .8473
.0001	.9527	.9522	.9518	.9513	.9508	.9503	.9497	.9492	.9486	.9480	.9474	.9474
.0002	.9341	.9335	.9329	.9322	.9315	.9308	.9301	.9293	.9285	.9277	.9268	.9268
.0003	.9203	.9195	.9188	.9180	.9171	.9163	.9154	.9145	.9135	.9125	.9115	.9115
.0004	.9089	.9080	.9071	.9062	.9053	.9043	.9033	.9023	.9012	.9001	.8989	.8989
.0005	.8990	.8981	.8971	.8961	.8951	.8940	.8929	.8917	.8906	.8893	.8880	.8880
.0006	.8903	.8892	.8882	.8871	.8860	.8848	.8836	.8824	.8811	.8798	.8784	.8784
.0007	.8823	.8812	.8801	.8790	.8778	.8765	.8753	.8739	.8725	.8711	.8696	.8696
.0008	.8750	.8739	.8727	.8715	.8702	.8689	.8676	.8662	.8647	.8632	.8616	.8616
.0009	.8683	.8671	.8658	.8645	.8632	.8618	.8604	.8590	.8574	.8559	.8542	.8542
.0010	.8620	.8607	.8594	.8581	.8567	.8553	.8538	.8522	.8507	.8490	.8473	.8473
.0020	.8137	.8120	.8103	.8086	.8068	.8049	.8030	.8010	.7999	.7968	.7945	.7945
.0030	.7796	.7776	.7757	.7737	.7716	.7694	.7672	.7649	.7625	.7600	.7575	.7575
.0040	.7526	.7505	.7483	.7461	.7438	.7414	.7390	.7364	.7338	.7311	.7283	.7283
.0050	.7301	.7278	.7255	.7231	.7207	.7181	.7155	.7128	.7100	.7071	.7041	.7041
.0060	.7107	.7083	.7059	.7034	.7008	.6981	.6953	.6924	.6895	.6865	.6833	.6833
.0070	.6937	.6912	.6886	.6860	.6833	.6805	.6776	.6746	.6715	.6683	.6650	.6650
.0080	.6784	.6758	.6732	.6704	.6676	.6647	.6617	.6586	.6554	.6521	.6487	.6487
.0090	.6646	.6619	.6591	.6563	.6534	.6504	.6474	.6441	.6409	.6375	.6339	.6339
.0100	.6519	.6492	.6464	.6435	.6405	.6374	.6343	.6310	.6276	.6241	.6205	.6205
.0200	.5632	.5600	.5568	.5535	.5500	.5465	.5429	.5391	.5352	.5313	.5271	.5271
.0300	.5084	.5050	.5016	.4980	.4944	.4906	.4868	.4828	.4787	.4746	.4702	.4702
.0400	.4691	.4656	.4620	.4584	.4546	.4508	.4468	.4427	.4386	.4343	.4298	.4298
.0500	.4387	.4352	.4316	.4278	.4240	.4201	.4161	.4120	.4077	.4034	.3989	.3989
.0600	.4142	.4106	.4070	.4032	.3994	.3955	.3914	.3873	.3830	.3787	.3741	.3741
.0700	.3938	.3902	.3865	.3828	.3789	.3750	.3709	.3667	.3625	.3581	.3536	.3536
.0800	.3764	.3728	.3691	.3653	.3615	.3575	.3535	.3493	.3451	.3408	.3362	.3362
.0900	.3613	.3577	.3540	.3503	.3464	.3425	.3385	.3343	.3301	.3257	.3212	.3212
.1000	.3481	.3445	.3408	.3371	.3332	.3293	.3253	.3211	.3169	.3126	.3081	.3081

TABLE 89. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Scatchard
(Electrolyte, $z_{+}z_{-}=6$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9353	.9348	.9343	.9339	.9336	.9334	.9328	.9323	.9317
.0002	.9102	.9096	.9090	.9083	.9079	.9076	.9069	.9062	.9054
.0003	.8916	.8909	.8902	.8894	.8889	.8885	.8877	.8868	.8859
.0004	.8764	.8756	.8747	.8738	.8733	.8729	.8719	.8709	.8699
.0005	.8633	.8624	.8615	.8605	.8599	.8595	.8584	.8573	.8562
.0006	.8517	.8507	.8497	.8487	.8480	.8476	.8464	.8452	.8440
.0007	.8412	.8402	.8391	.8380	.8373	.8368	.8356	.8344	.8330
.0008	.8316	.8306	.8294	.8282	.8275	.8270	.8257	.8244	.8230
.0009	.8228	.8216	.8205	.8192	.8185	.8179	.8166	.8152	.8138
.0010	.8145	.8134	.8121	.8108	.8101	.8095	.8081	.8067	.8052
.0020	.7522	.7507	.7491	.7475	.7465	.7457	.7440	.7421	.7402
.0030	.7090	.7073	.7055	.7036	.7025	.7017	.6996	.6975	.6954
.0040	.6754	.6735	.6716	.6695	.6683	.6674	.6652	.6629	.6606
.0050	.6477	.6457	.6436	.6415	.6402	.6392	.6369	.6345	.6320
.0060	.6241	.6220	.6198	.6176	.6162	.6152	.6128	.6103	.6076
.0070	.6035	.6013	.5991	.5967	.5953	.5943	.5918	.5892	.5865
.0080	.5852	.5830	.5807	.5783	.5768	.5758	.5732	.5705	.5677
.0090	.5688	.5665	.5642	.5617	.5602	.5591	.5565	.5538	.5509
.0100	.5539	.5515	.5492	.5467	.5452	.5440	.5414	.5386	.5357
.0200	.4526	.4501	.4475	.4447	.4431	.4419	.4390	.4359	.4328
.0300	.3929	.3903	.3877	.3849	.3832	.3800	.3790	.3759	.3727
.0400	.3516	.3490	.3463	.3435	.3419	.3406	.3377	.3346	.3314
.0500	.3206	.3180	.3153	.3126	.3109	.3097	.3068	.3037	.3006
.0600	.2961	.2935	.2909	.2882	.2866	.2854	.2825	.2795	.2764
.0700	.2761	.2736	.2710	.2684	.2667	.2656	.2627	.2598	.2567
.0800	.2594	.2569	.2544	.2518	.2502	.2490	.2462	.2434	.2404
.0900	.2452	.2427	.2403	.2377	.2361	.2350	.2322	.2294	.2265
.1000	.2329	.2305	.2280	.2255	.2239	.2228	.2201	.2173	.2144

TABLE 89. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—
Scatchard—Continued
(Electrolyte, $z+z_-=6$)

Ionic strength	Temperature in degrees Celsius									
	50	55	60	65	70	75	80	85	90	95
.0001	.9299	.9292	.9285	.9278	.9271	.9263	.9255	.9247	.9239	.9230
.0002	.9028	.9019	.9010	.8990	.8980	.8969	.8958	.8947	.8935	.8922
.0003	.8829	.8818	.8807	.8795	.8771	.8758	.8745	.8731	.8717	.8702
.0004	.8665	.8653	.8640	.8627	.8614	.8600	.8586	.8571	.8555	.8539
.0005	.8524	.8511	.8497	.8483	.8468	.8453	.8437	.8421	.8404	.8387
.0006	.8400	.8385	.8371	.8355	.8339	.8323	.8306	.8289	.8271	.8252
.0007	.8288	.8272	.8257	.8240	.8224	.8206	.8188	.8170	.8150	.8131
.0008	.8185	.8169	.8153	.8135	.8118	.8100	.8081	.8061	.8041	.8020
.0009	.8091	.8074	.8056	.8039	.8020	.8001	.7981	.7961	.7940	.7918
.0010	.8003	.7985	.7967	.7948	.7929	.7909	.7889	.7868	.7846	.7823
.0020	.7340	.7317	.7294	.7271	.7246	.7221	.7195	.7168	.7140	.7112
.0030	.6883	.6857	.6832	.6805	.6777	.6749	.6720	.6689	.6658	.6626
.0040	.6529	.6501	.6474	.6445	.6415	.6384	.6353	.6320	.6286	.6252
.0050	.6239	.6210	.6180	.6149	.6118	.6086	.6053	.6018	.5982	.5946
.0060	.5992	.5962	.5931	.5899	.5866	.5833	.5798	.5762	.5725	.5687
.0070	.5777	.5746	.5714	.5682	.5648	.5613	.5577	.5540	.5502	.5464
.0080	.5588	.5555	.5523	.5489	.5455	.5419	.5383	.5345	.5306	.5266
.0090	.5418	.5385	.5352	.5317	.5282	.5246	.5209	.5170	.5130	.5090
.0100	.5264	.5230	.5196	.5162	.5126	.5089	.5051	.5012	.4972	.4931
.0200	.4227	.4191	.4155	.4118	.4079	.4040	.4000	.3958	.3916	.3872
.0300	.3625	.3589	.3552	.3515	.3476	.3437	.3397	.3355	.3312	.3269
.0400	.3213	.3177	.3141	.3103	.3065	.3027	.2987	.2946	.2904	.2862
.0500	.2906	.2871	.2835	.2799	.2761	.2723	.2684	.2644	.2604	.2562
.0600	.2666	.2631	.2596	.2561	.2524	.2487	.2449	.2410	.2370	.2330
.0700	.2471	.2437	.2403	.2368	.2332	.2296	.2259	.2221	.2182	.2143
.0800	.2309	.2276	.2243	.2208	.2173	.2138	.2102	.2065	.2027	.1989
.0900	.2172	.2139	.2107	.2073	.2039	.2004	.1969	.1933	.1896	.1859
.1000	.2054	.2022	.1990	.1957	.1923	.1890	.1855	.1820	.1784	.1748

TABLE 90. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Scatchard
(Electrolyte, $z_+ z_- = 8$)

Ionic strength	Temperature in degrees Celsius						
	0	5	10	15	18	20	25
.0001	.9146	.9140	.9134	.9128	.9124	.9121	.9115
.0002	.8821	.8813	.8805	.8796	.8791	.8787	.8778
.0003	.8582	.8572	.8563	.8553	.8547	.8542	.8531
.0004	.8387	.8376	.8366	.8354	.8347	.8342	.8330
.0005	.8220	.8209	.8197	.8185	.8177	.8171	.8158
.0006	.8073	.8061	.8048	.8035	.8027	.8021	.8007
.0007	.7941	.7928	.7915	.7901	.7892	.7886	.7871
.0008	.7821	.7807	.7793	.7778	.7769	.7763	.7747
.0009	.7710	.7696	.7681	.7666	.7656	.7649	.7633
.0010	.7607	.7592	.7577	.7561	.7551	.7544	.7527
.0020	.6841	.6822	.6803	.6784	.6771	.6763	.6741
.0030	.6322	.6302	.6280	.6258	.6245	.6235	.6211
.0040	.5926	.5904	.5881	.5857	.5843	.5832	.5807
.0050	.5604	.5581	.5557	.5532	.5517	.5506	.5480
.0060	.5333	.5309	.5285	.5259	.5244	.5232	.5205
.0070	.5100	.5075	.5050	.5024	.5008	.4997	.4969
.0080	.4895	.4870	.4844	.4818	.4802	.4790	.4761
.0090	.4712	.4687	.4662	.4635	.4618	.4606	.4577
.0100	.4549	.4523	.4497	.4470	.4453	.4441	.4412
.0200	.3475	.3449	.3422	.3395	.3378	.3366	.3356
.0300	.2878	.2853	.2827	.2800	.2783	.2771	.2743
.0400	.2481	.2457	.2432	.2406	.2390	.2379	.2351
.0500	.2194	.2170	.2146	.2121	.2106	.2095	.2069
.0600	.1973	.1951	.1928	.1904	.1889	.1879	.1854
.0700	.1798	.1776	.1754	.1731	.1717	.1707	.1683
.0800	.1655	.1633	.1612	.1590	.1577	.1567	.1543
.0900	.1535	.1514	.1494	.1472	.1459	.1450	.1427
.1000	.1433	.1413	.1393	.1372	.1360	.1351	.1329

TABLE 90. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—*
Scatchard—Continued
 (Electrolyte, $z_+ z_- = 8$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9076	.9067	.9058	.9049	.9040	.9030	.9020	.9009	.8998	.8987	.8975
.0002	.8726	.8714	.8702	.8690	.8677	.8664	.8650	.8636	.8621	.8606	.8590
.0003	.8469	.8455	.8441	.8427	.8411	.8396	.8380	.8363	.8345	.8327	.8308
.0004	.8261	.8245	.8229	.8213	.8196	.8178	.8160	.8141	.8122	.8102	.8080
.0005	.8082	.8065	.8048	.8030	.8012	.7992	.7973	.7952	.7931	.7909	.7886
.0006	.7926	.7907	.7889	.7870	.7850	.7829	.7808	.7786	.7763	.7740	.7716
.0007	.7785	.7765	.7746	.7726	.7705	.7683	.7661	.7637	.7613	.7589	.7563
.0008	.7657	.7636	.7616	.7595	.7573	.7550	.7527	.7502	.7477	.7451	.7424
.0009	.7539	.7518	.7496	.7474	.7451	.7428	.7403	.7378	.7352	.7325	.7297
.0010	.7430	.7408	.7386	.7363	.7339	.7315	.7289	.7263	.7236	.7208	.7179
.0020	.6621	.6594	.6566	.6538	.6509	.6478	.6448	.6415	.6382	.6348	.6313
.0030	.6077	.6047	.6017	.5985	.5953	.5920	.5886	.5850	.5814	.5777	.5737
.0040	.5664	.5632	.5600	.5567	.5532	.5497	.5461	.5423	.5385	.5346	.5304
.0050	.5331	.5298	.5264	.5229	.5194	.5157	.5120	.5081	.5041	.5000	.4957
.0060	.5052	.5017	.4983	.4947	.4911	.4873	.4835	.4795	.4754	.4712	.4668
.0070	.4812	.4777	.4742	.4706	.4668	.4630	.4591	.4550	.4509	.4466	.4422
.0080	.4602	.4567	.4531	.4495	.4457	.4418	.4379	.4337	.4295	.4253	.4208
.0090	.4416	.4381	.4345	.4308	.4270	.4231	.4191	.4149	.4107	.4064	.4019
.0100	.4250	.4214	.4178	.4140	.4102	.4063	.4023	.3981	.3939	.3895	.3850
.0200	.3172	.3137	.3100	.3063	.3025	.2987	.2947	.2906	.2865	.2822	.2778
.0300	.2585	.2550	.2516	.2480	.2444	.2407	.2370	.2331	.2292	.2252	.2211
.0400	.2201	.2168	.2135	.2101	.2067	.2032	.1997	.1960	.1923	.1886	.1848
.0500	.1925	.1894	.1862	.1831	.1798	.1765	.1732	.1697	.1663	.1628	.1591
.0600	.1716	.1686	.1656	.1626	.1595	.1564	.1532	.1500	.1467	.1434	.1400
.0700	.1551	.1522	.1494	.1465	.1436	.1406	.1376	.1345	.1314	.1283	.1250
.0800	.1417	.1390	.1362	.1335	.1307	.1278	.1250	.1220	.1191	.1161	.1131
.0900	.1306	.1279	.1253	.1227	.1200	.1173	.1146	.1118	.1089	.1061	.1032
.1000	.1212	.1187	.1161	.1136	.1110	.1084	.1058	.1031	.1004	.0977	.0950

TABLE 91. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Scatchard*
(Electrolyte, $z_+ z_- = 9$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9045	.9038	.9032	.9025	.9020	.9017	.9010	.9002	.8993
.0002	.8684	.8675	.8666	.8657	.8651	.8647	.8636	.8626	.8615
.0003	.8419	.8409	.8398	.8387	.8381	.8376	.8364	.8351	.8338
.0004	.8205	.8193	.8181	.8169	.8161	.8155	.8142	.8128	.8113
.0005	.8021	.8009	.7996	.7982	.7974	.7968	.7953	.7938	.7922
.0006	.7860	.7847	.7833	.7818	.7809	.7787	.7771	.7754	.7743
.0007	.7715	.7701	.7687	.7671	.7662	.7655	.7639	.7621	.7603
.0008	.7584	.7569	.7554	.7538	.7528	.7521	.7503	.7485	.7466
.0009	.7463	.7448	.7432	.7415	.7405	.7397	.7379	.7361	.7341
.0010	.7351	.7335	.7319	.7301	.7291	.7283	.7265	.7245	.7225
.0020	.6524	.6504	.6484	.6462	.6449	.6440	.6417	.6393	.6368
.0030	.5970	.5948	.5926	.5902	.5888	.5877	.5852	.5826	.5798
.0040	.5550	.5527	.5503	.5478	.5463	.5452	.5426	.5398	.5369
.0050	.5212	.5188	.5164	.5138	.5122	.5110	.5083	.5054	.5024
.0060	.4930	.4905	.4880	.4853	.4837	.4825	.4797	.4767	.4737
.0070	.4688	.4663	.4637	.4610	.4593	.4581	.4553	.4523	.4491
.0080	.4477	.4451	.4425	.4397	.4381	.4369	.4340	.4309	.4278
.0090	.4289	.4264	.4237	.4210	.4193	.4181	.4151	.4121	.4089
.0100	.4122	.4096	.4070	.4042	.4025	.4013	.3983	.3953	.3921
.0200	.3045	.3019	.2993	.2966	.2949	.2937	.2908	.2878	.2847
.0300	.2463	.2439	.2414	.2388	.2372	.2361	.2333	.2305	.2275
.0400	.2085	.2062	.2038	.2014	.1999	.1988	.1962	.1935	.1908
.0500	.1815	.1793	.1771	.1748	.1734	.1723	.1699	.1674	.1648
.0600	.1611	.1590	.1569	.1547	.1524	.1501	.1478	.1453	.1428
.0700	.1451	.1431	.1411	.1390	.1378	.1369	.1347	.1324	.1301
.0800	.1321	.1302	.1283	.1263	.1251	.1243	.1222	.1201	.1178
.0900	.1214	.1196	.1178	.1159	.1147	.1139	.1119	.1099	.1078
.1000	.1124	.1106	.1089	.1071	.1052	.1060	.1033	.1013	.0993

TABLE 91. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—
Scatchard—Continued
(Electrolyte, $z_+z_- = 9$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.8967	.8957	.8947	.8937	.8926	.8915	.8904	.8892	.8880	.8868	.8854
.0002	.8579	.8566	.8552	.8539	.8524	.8510	.8495	.8479	.8463	.8446	.8428
.0003	.8295	.8280	.8264	.8248	.8231	.8214	.8196	.8178	.8159	.8139	.8118
.0004	.8066	.8049	.8031	.8013	.7994	.7975	.7955	.7934	.7913	.7891	.7868
.0005	.7870	.7851	.7832	.7813	.7793	.7772	.7750	.7727	.7704	.7681	.7655
.0006	.7699	.7679	.7658	.7637	.7616	.7593	.7570	.7546	.7522	.7496	.7469
.0007	.7545	.7524	.7502	.7480	.7457	.7434	.7410	.7384	.7358	.7332	.7303
.0008	.7405	.7383	.7361	.7338	.7314	.7289	.7264	.7237	.7210	.7182	.7153
.0009	.7277	.7255	.7231	.7207	.7182	.7157	.7130	.7103	.7075	.7046	.7015
.0010	.7159	.7135	.7111	.7086	.7061	.7034	.7007	.6979	.6949	.6919	.6888
.0020	.6288	.6259	.6230	.6200	.6168	.6136	.6103	.6069	.6034	.5998	.5960
.0030	.5710	.5679	.5647	.5613	.5579	.5544	.5509	.5471	.5433	.5394	.5352
.0040	.5276	.5242	.5208	.5174	.5138	.5101	.5063	.5024	.4984	.4943	.4900
.0050	.4928	.4893	.4858	.4822	.4785	.4748	.4709	.4668	.4627	.4585	.4541
.0060	.4638	.4603	.4567	.4531	.4493	.4455	.4415	.4374	.4332	.4289	.4244
.0070	.4391	.4356	.4320	.4283	.4244	.4205	.4165	.4124	.4082	.4038	.3993
.0080	.4177	.4141	.4104	.4067	.4029	.3989	.3949	.3907	.3865	.3822	.3776
.0090	.3988	.3951	.3915	.3877	.3839	.3799	.3759	.3717	.3675	.3631	.3586
.0100	.3819	.3783	.3746	.3708	.3670	.3630	.3590	.3548	.3506	.3462	.3417
.0200	.2748	.2713	.2678	.2642	.2605	.2568	.2530	.2490	.2450	.2410	.2367
.0300	.2183	.2150	.2117	.2084	.2050	.2015	.1980	.1943	.1906	.1869	.1831
.0400	.1821	.1791	.1760	.1729	.1697	.1665	.1632	.1599	.1565	.1531	.1496
.0500	.1567	.1538	.1510	.1480	.1451	.1421	.1391	.1360	.1329	.1297	.1265
.0600	.1376	.1350	.1323	.1296	.1268	.1240	.1212	.1183	.1154	.1125	.1095
.0700	.1228	.1203	.1178	.1152	.1126	.1100	.1074	.1047	.1020	.0992	.0964
.0800	.1110	.1086	.1062	.1038	.1013	.0989	.0964	.0938	.0913	.0887	.0861
.0900	.1012	.0989	.0967	.0944	.0921	.0897	.0874	.0850	.0826	.0802	.0777
.1000	.0931	.0909	.0887	.0866	.0844	.0821	.0799	.0776	.0754	.0731	.0707

TABLE 92. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Scatchard*
(Electrolyte, $z_+ z_- = 12$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.8747	.8739	.8730	.8721	.8716	.8712	.8702	.8692	.8681
.0002	.8285	.8274	.8262	.8250	.8243	.8238	.8225	.8211	.8197
.0003	.7950	.7937	.7924	.7910	.7901	.7895	.7880	.7864	.7848
.0004	.7681	.7666	.7652	.7636	.7627	.7620	.7603	.7585	.7567
.0005	.7453	.7437	.7421	.7404	.7394	.7387	.7369	.7350	.7330
.0006	.7254	.7237	.7220	.7202	.7192	.7184	.7164	.7144	.7123
.0007	.7076	.7059	.7041	.7022	.7011	.7003	.6983	.6962	.6940
.0008	.6916	.6898	.6880	.6860	.6848	.6839	.6818	.6796	.6774
.0009	.6770	.6751	.6732	.6712	.6699	.6690	.6669	.6646	.6622
.0010	.6635	.6615	.6596	.6575	.6562	.6553	.6530	.6507	.6483
.0020	.5658	.5635	.5612	.5587	.5572	.5561	.5535	.5507	.5479
.0030	.5027	.5002	.4977	.4951	.4935	.4923	.4895	.4866	.4835
.0040	.4561	.4536	.4510	.4483	.4466	.4454	.4425	.4395	.4363
.0050	.4195	.4169	.4143	.4115	.4098	.4086	.4056	.4026	.3994
.0060	.3894	.3868	.3842	.3814	.3797	.3785	.3755	.3724	.3692
.0070	.3642	.3616	.3589	.3561	.3544	.3532	.3502	.3471	.3439
.0080	.3424	.3398	.3372	.3344	.3327	.3315	.3286	.3255	.3223
.0090	.3235	.3209	.3183	.3155	.3138	.3126	.3097	.3067	.3035
.0100	.3068	.3042	.3016	.2988	.2972	.2960	.2931	.2901	.2870
.0200	.2049	.2026	.2002	.1978	.1963	.1952	.1927	.1900	.1873
.0300	.1544	.1523	.1503	.1481	.1468	.1459	.1436	.1413	.1389
.0400	.1236	.1218	.1199	.1180	.1169	.1160	.1140	.1120	.1098
.0500	.1028	.1011	.0994	.0977	.0967	.0959	.0941	.0923	.0904
.0600	.0877	.0862	.0846	.0831	.0821	.0814	.0798	.0781	.0764
.0700	.0762	.0749	.0735	.0720	.0712	.0705	.0690	.0675	.0659
.0800	.0673	.0660	.0647	.0634	.0626	.0620	.0606	.0592	.0578
.0900	.0601	.0589	.0577	.0565	.0557	.0552	.0539	.0526	.0513
.1000	.0542	.0531	.0520	.0508	.0501	.0496	.0484	.0472	.0460

TABLE 92. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Scatchard—Continued*
 (Electrolyte, $z_+z_- = 12$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.8647	.8634	.8621	.8608	.8595	.8581	.8566	.8551	.8535	.8519	.8503
.0002	.8151	.8135	.8118	.8101	.8083	.8064	.8045	.8025	.8004	.7983	.7961
.0003	.7794	.7775	.7756	.7735	.7714	.7693	.7671	.7647	.7624	.7599	.7573
.0004	.7508	.7487	.7465	.7443	.7420	.7396	.7371	.7345	.7319	.7292	.7264
.0005	.7266	.7243	.7220	.7196	.7171	.7145	.7119	.7091	.7063	.7034	.7003
.0006	.7056	.7031	.7007	.6981	.6955	.6927	.6900	.6870	.6840	.6810	.6777
.0007	.6869	.6843	.6817	.6790	.6763	.6734	.6705	.6674	.6643	.6611	.6577
.0008	.6700	.6673	.6646	.6618	.6590	.6560	.6530	.6498	.6465	.6432	.6397
.0009	.6546	.6518	.6491	.6462	.6432	.6402	.6370	.6337	.6304	.6269	.6233
.0010	.6404	.6376	.6347	.6318	.6287	.6256	.6224	.6190	.6155	.6120	.6083
.0020	.5387	.5354	.5321	.5286	.5251	.5214	.5177	.5138	.5099	.5058	.5015
.0030	.4737	.4702	.4667	.4631	.4593	.4555	.4516	.4475	.4433	.4390	.4346
.0040	.4263	.4227	.4191	.4153	.4115	.4076	.4036	.3994	.3952	.3908	.3863
.0050	.3892	.3856	.3819	.3782	.3743	.3704	.3663	.3621	.3579	.3535	.3490
.0060	.3590	.3554	.3517	.3480	.3441	.3402	.3362	.3320	.3278	.3235	.3190
.0070	.3338	.3302	.3265	.3228	.3190	.3151	.3111	.3070	.3028	.2985	.2941
.0080	.3122	.3086	.3050	.3013	.2975	.2937	.2897	.2857	.2815	.2773	.2729
.0090	.2935	.2900	.2864	.2827	.2790	.2752	.2713	.2673	.2632	.2591	.2548
.0100	.2771	.2736	.2700	.2664	.2627	.2590	.2551	.2512	.2472	.2431	.2389
.0200	.1787	.1757	.1726	.1695	.1664	.1632	.1600	.1567	.1533	.1499	.1465
.0300	.1314	.1288	.1262	.1235	.1208	.1181	.1154	.1126	.1097	.1069	.1040
.0400	.1032	.1009	.0986	.0963	.0940	.0916	.0892	.0868	.0844	.0819	.0794
.0500	.0845	.0824	.0804	.0783	.0762	.0742	.0721	.0699	.0678	.0657	.0635
.0600	.0711	.0692	.0674	.0656	.0637	.0618	.0600	.0581	.0562	.0543	.0524
.0700	.0611	.0594	.0577	.0561	.0544	.0527	.0510	.0493	.0476	.0459	.0442
.0800	.0533	.0518	.0503	.0488	.0472	.0457	.0442	.0426	.0411	.0396	.0380
.0900	.0472	.0458	.0444	.0430	.0416	.0402	.0388	.0374	.0360	.0346	.0332
.1000	.0422	.0409	.0396	.0383	.0370	.0357	.0344	.0331	.0318	.0306	.0293

TABLE 93. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Scatchard
 (Electrolyte, $z_+ z_- = 16$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.8365	.8355	.8344	.8332	.8325	.8320	.8308	.8295	.8281
.0002	.7781	.7767	.7753	.7738	.7729	.7722	.7706	.7689	.7671
.0003	.7365	.7349	.7332	.7315	.7305	.7297	.7278	.7259	.7239
.0004	.7034	.7016	.6998	.6979	.6968	.6960	.6939	.6918	.6896
.0005	.6757	.6738	.6719	.6699	.6686	.6677	.6656	.6633	.6609
.0006	.6518	.6498	.6477	.6456	.6443	.6434	.6411	.6387	.6362
.0007	.6306	.6285	.6264	.6242	.6228	.6219	.6195	.6170	.6144
.0008	.6116	.6095	.6073	.6050	.6036	.6026	.6001	.5976	.5949
.0009	.5944	.5922	.5900	.5876	.5862	.5851	.5826	.5800	.5772
.0010	.5787	.5764	.5741	.5717	.5702	.5692	.5666	.5639	.5611
.0020	.4680	.4654	.4629	.4602	.4585	.4573	.4544	.4514	.4483
.0030	.3997	.3971	.3944	.3917	.3900	.3887	.3858	.3827	.3795
.0040	.3511	.3485	.3459	.3431	.3414	.3402	.3372	.3341	.3309
.0050	.3140	.3114	.3088	.3061	.3044	.3032	.3003	.2972	.2941
.0060	.2844	.2819	.2793	.2766	.2750	.2738	.2709	.2680	.2649
.0070	.2601	.2576	.2550	.2524	.2508	.2497	.2469	.2440	.2410
.0080	.2396	.2372	.2347	.2321	.2306	.2294	.2267	.2239	.2210
.0090	.2221	.2197	.2173	.2148	.2133	.2122	.2095	.2068	.2040
.0100	.2069	.2046	.2022	.1998	.1983	.1973	.1947	.1920	.1893
.0200	.1208	.1190	.1171	.1152	.1141	.1133	.1113	.1093	.1072
.0300	.0828	.0814	.0799	.0784	.0775	.0768	.0752	.0736	.0719
.0400	.0616	.0604	.0591	.0579	.0571	.0566	.0553	.0540	.0526
.0500	.0481	.0471	.0461	.0450	.0444	.0439	.0428	.0417	.0405
.0600	.0389	.0381	.0372	.0362	.0357	.0353	.0344	.0334	.0324
.0700	.0323	.0315	.0308	.0300	.0295	.0291	.0283	.0275	.0266
.0800	.0274	.0267	.0260	.0253	.0249	.0245	.0238	.0231	.0223
.0900	.0235	.0229	.0223	.0217	.0213	.0210	.0204	.0197	.0191
.1000	.0205	.0194	.0188	.0185	.0182	.0177	.0171	.0165	.0161

TABLE 93. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Scatchard—Continued
(Electrolyte, $z_+z_- = 16$)*

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.8237	.8222	.8205	.8189	.8172	.8154	.8135	.8116	.8097	.8076	.8055
.0002	.7614	.7594	.7573	.7551	.7529	.7506	.7482	.7458	.7432	.7406	.7378
.0003	.7173	.7149	.7126	.7101	.7075	.7049	.7022	.6993	.6964	.6934	.6903
.0004	.6824	.6798	.6772	.6745	.6717	.6688	.6659	.6628	.6596	.6563	.6529
.0005	.6533	.6505	.6477	.6448	.6418	.6388	.6356	.6324	.6290	.6255	.6219
.0006	.6281	.6252	.6223	.6193	.6162	.6130	.6097	.6062	.6027	.5991	.5953
.0007	.6060	.6030	.6000	.5968	.5936	.5903	.5869	.5833	.5796	.5759	.5720
.0008	.5863	.5832	.5800	.5768	.5734	.5700	.5665	.5628	.5591	.5552	.5512
.0009	.5684	.5652	.5620	.5586	.5552	.5517	.5481	.5444	.5405	.5366	.5325
.0010	.5520	.5488	.5455	.5421	.5386	.5350	.5314	.5275	.5236	.5196	.5154
.0020	.4383	.4347	.4311	.4274	.4236	.4197	.4157	.4116	.4073	.4030	.3985
.0030	.3693	.3657	.3620	.3583	.3544	.3505	.3464	.3423	.3380	.3337	.3292
.0040	.3208	.3172	.3136	.3099	.3061	.3022	.2982	.2941	.2900	.2858	.2813
.0050	.2842	.2806	.2771	.2735	.2698	.2660	.2621	.2581	.2541	.2500	.2457
.0060	.2552	.2517	.2483	.2448	.2412	.2375	.2338	.2299	.2260	.2221	.2179
.0070	.2315	.2282	.2249	.2214	.2179	.2144	.2108	.2071	.2033	.1995	.1955
.0080	.2118	.2086	.2053	.2020	.1986	.1952	.1917	.1881	.1845	.1808	.1770
.0090	.1951	.1919	.1888	.1856	.1823	.1790	.1756	.1722	.1687	.1651	.1615
.0100	.1806	.1776	.1745	.1714	.1683	.1651	.1618	.1585	.1551	.1517	.1482
.0200	.1006	.0984	.0961	.0938	.0915	.0892	.0868	.0845	.0821	.0797	.0772
.0300	.0668	.0650	.0633	.0615	.0597	.0580	.0562	.0543	.0525	.0507	.0489
.0400	.0484	.0470	.0456	.0441	.0427	.0413	.0399	.0384	.0370	.0356	.0341
.0500	.0371	.0359	.0347	.0335	.0323	.0312	.0300	.0288	.0276	.0265	.0253
.0600	.0294	.0284	.0274	.0264	.0254	.0245	.0235	.0225	.0215	.0206	.0196
.0700	.0240	.0232	.0223	.0215	.0206	.0198	.0189	.0181	.0173	.0165	.0156
.0800	.0201	.0193	.0186	.0178	.0171	.0163	.0156	.0149	.0142	.0135	.0128
.0900	.0170	.0164	.0157	.0151	.0144	.0138	.0131	.0125	.0119	.0113	.0107
.1000	.0147	.0141	.0135	.0129	.0123	.0118	.0112	.0106	.0101	.0096	.0090

TABLE 94. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—*Extended*
Scatchard
 (Electrolyte, $z_+z_- = 1$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9889	.9888	.9887	.9887	.9886	.9886	.9885	.9884	.9882
.0002	.9844	.9843	.9842	.9841	.9840	.9840	.9838	.9837	.9835
.0003	.9811	.9809	.9808	.9806	.9805	.9805	.9803	.9801	.9799
.0004	.9782	.9781	.9779	.9778	.9776	.9776	.9774	.9772	.9770
.0005	.9758	.9756	.9754	.9752	.9751	.9750	.9748	.9746	.9744
.0006	.9736	.9734	.9732	.9730	.9729	.9728	.9725	.9723	.9720
.0007	.9716	.9714	.9712	.9709	.9708	.9707	.9705	.9702	.9699
.0008	.9697	.9695	.9693	.9690	.9689	.9688	.9685	.9683	.9680
.0009	.9680	.9678	.9675	.9673	.9671	.9670	.9667	.9664	.9661
.0010	.9664	.9661	.9659	.9656	.9655	.9653	.9650	.9647	.9644
.0020	.9536	.9533	.9529	.9526	.9523	.9522	.9518	.9514	.9509
.0030	.9442	.9438	.9434	.9430	.9427	.9425	.9421	.9416	.9410
.0040	.9365	.9361	.9357	.9352	.9349	.9347	.9341	.9336	.9330
.0050	.9300	.9295	.9290	.9285	.9282	.9280	.9274	.9268	.9261
.0060	.9242	.9237	.9232	.9226	.9223	.9220	.9214	.9207	.9200
.0070	.9190	.9185	.9180	.9174	.9170	.9167	.9160	.9153	.9146
.0080	.9143	.9138	.9132	.9125	.9121	.9119	.9112	.9104	.9096
.0090	.9100	.9094	.9088	.9081	.9077	.9074	.9067	.9059	.9051
.0100	.9059	.9053	.9047	.9040	.9036	.9032	.9025	.9017	.9008
.0200	.8757	.8749	.8741	.8733	.8727	.8723	.8713	.8703	.8692
.0300	.8551	.8542	.8533	.8523	.8517	.8512	.8501	.8490	.8477
.0400	.8393	.8383	.8373	.8362	.8355	.8350	.8338	.8325	.8312
.0500	.8263	.8252	.8242	.8230	.8223	.8218	.8205	.8191	.8177
.0600	.8153	.8142	.8130	.8118	.8111	.8105	.8092	.8078	.8063
.0700	.8057	.8046	.8034	.8021	.8013	.8008	.7994	.7979	.7963
.0800	.7972	.7961	.7949	.7936	.7927	.7922	.7907	.7892	.7876
.0900	.7897	.7885	.7872	.7859	.7850	.7844	.7830	.7814	.7797
.1000	.7828	.7816	.7803	.7789	.7774	.7761	.7743	.7726	.7709

TABLE 94. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Extended
Scatchard—Continued
(Electrolyte, $Z_+ Z_- = 1$)

Ionic strength	Temperature in degrees Celsius									
	50	55	60	65	70	75	80	85	90	95
.0001	.9879	.9877	.9876	.9875	.9873	.9872	.9870	.9868	.9867	.9865
.0002	.9830	.9828	.9826	.9824	.9822	.9820	.9818	.9816	.9813	.9811
.0003	.9793	.9791	.9789	.9786	.9784	.9781	.9778	.9776	.9773	.9770
.0004	.9763	.9760	.9757	.9755	.9752	.9749	.9746	.9742	.9739	.9736
.0005	.9736	.9733	.9730	.9727	.9724	.9720	.9717	.9713	.9710	.9706
.0006	.9712	.9709	.9706	.9702	.9699	.9695	.9691	.9687	.9683	.9679
.0007	.9690	.9687	.9683	.9680	.9676	.9672	.9668	.9664	.9659	.9655
.0008	.9670	.9666	.9663	.9659	.9655	.9651	.9647	.9642	.9637	.9633
.0009	.9651	.9647	.9643	.9639	.9635	.9631	.9626	.9622	.9617	.9612
.0010	.9633	.9629	.9625	.9621	.9617	.9612	.9608	.9603	.9597	.9592
.0020	.9495	.9489	.9484	.9478	.9472	.9466	.9460	.9453	.9446	.9439
.0030	.9393	.9387	.9380	.9373	.9366	.9359	.9351	.9343	.9335	.9327
.0040	.9310	.9303	.9296	.9288	.9280	.9272	.9263	.9254	.9245	.9235
.0050	.9240	.9232	.9224	.9215	.9207	.9198	.9188	.9178	.9168	.9158
.0060	.9177	.9169	.9160	.9151	.9142	.9132	.9122	.9111	.9101	.9089
.0070	.9122	.9113	.9103	.9094	.9084	.9074	.9063	.9051	.9040	.9028
.0080	.9071	.9061	.9052	.9041	.9031	.9020	.9009	.8997	.8985	.8972
.0090	.9024	.9014	.9004	.8993	.8982	.8971	.8959	.8947	.8934	.8921
.0100	.8980	.8970	.8960	.8949	.8937	.8925	.8913	.8900	.8887	.8874
.0200	.8657	.8643	.8630	.8616	.8602	.8587	.8571	.8555	.8538	.8521
.0300	.8437	.8422	.8407	.8391	.8375	.8358	.8340	.8321	.8302	.8283
.0400	.8268	.8252	.8235	.8218	.8201	.8182	.8163	.8143	.8122	.8101
.0500	.8130	.8113	.8096	.8077	.8059	.8039	.8019	.7997	.7976	.7953
.0600	.8014	.7996	.7977	.7958	.7939	.7918	.7897	.7875	.7852	.7829
.0700	.7913	.7894	.7875	.7855	.7835	.7813	.7792	.7768	.7745	.7721
.0800	.7823	.7804	.7785	.7764	.7743	.7721	.7699	.7675	.7651	.7626
.0900	.7744	.7724	.7704	.7683	.7661	.7639	.7616	.7591	.7566	.7541
.1000	.7671	.7651	.7631	.7609	.7587	.7564	.7541	.7515	.7490	.7464

TABLE 95. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—*Extended*
 Scatchard
 (Electrolyte, $z_+ z_- = 2$)

Ionic strength	Temperature in degrees Celsius							45
	0	5	10	15	18	20	25	
.0001	.9779	.9778	.9776	.9774	.9773	.9772	.9771	.9765
.0002	.9691	.9689	.9687	.9684	.9683	.9682	.9679	.9673
.0003	.9625	.9622	.9619	.9616	.9615	.9613	.9610	.9603
.0004	.9569	.9566	.9563	.9560	.9558	.9556	.9553	.9545
.0005	.9521	.9518	.9515	.9511	.9509	.9507	.9503	.9499
.0006	.9479	.9475	.9471	.9467	.9465	.9463	.9458	.9454
.0007	.9439	.9436	.9432	.9427	.9425	.9423	.9418	.9413
.0008	.9403	.9399	.9395	.9391	.9388	.9386	.9380	.9375
.0009	.9370	.9366	.9361	.9356	.9353	.9351	.9346	.9340
.0010	.9338	.9334	.9329	.9324	.9321	.9319	.9313	.9307
.0020	.9093	.9087	.9081	.9074	.9070	.9067	.9059	.9051
.0030	.8915	.8908	.8900	.8892	.8887	.8884	.8875	.8866
.0040	.8771	.8763	.8755	.8746	.8740	.8736	.8726	.8716
.0050	.8649	.8640	.8631	.8622	.8615	.8611	.8600	.8589
.0060	.8542	.8533	.8523	.8513	.8506	.8501	.8490	.8478
.0070	.8446	.8437	.8426	.8416	.8409	.8404	.8391	.8379
.0080	.8360	.8350	.8339	.8327	.8320	.8315	.8302	.8289
.0090	.8280	.8270	.8258	.8247	.8239	.8234	.8220	.8206
.0100	.8207	.8196	.8184	.8172	.8164	.8159	.8145	.8130
.0200	.7669	.7655	.7641	.7626	.7616	.7609	.7592	.7574
.0300	.7312	.7297	.7281	.7264	.7254	.7246	.7227	.7207
.0400	.7043	.7027	.7010	.6992	.6981	.6972	.6952	.6931
.0500	.6827	.6810	.6792	.6774	.6761	.6753	.6732	.6710
.0600	.6647	.6629	.6610	.6591	.6578	.6570	.6548	.6525
.0700	.6492	.6473	.6454	.6434	.6422	.6412	.6390	.6367
.0800	.6356	.6337	.6318	.6298	.6284	.6275	.6252	.6228
.0900	.6236	.6217	.6197	.6176	.6163	.6153	.6130	.6106
.1000	.6128	.6108	.6088	.6067	.6054	.6044	.6021	.5996

TABLE 95. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Extended
 Scatchard—Continued
 (Electrolyte, $z_+ z_- = 2$)

Ionic strength	Temperature in degrees Celsius									
	50	55	60	65	70	75	80	85	90	95
.0001	.9759	.9756	.9754	.9751	.9748	.9742	.9739	.9735	.9732	.9728
.0002	.9663	.9659	.9656	.9652	.9648	.9643	.9639	.9634	.9630	.9625
.0003	.9591	.9586	.9582	.9577	.9572	.9567	.9562	.9556	.9551	.9538
.0004	.9531	.9526	.9521	.9515	.9510	.9504	.9498	.9491	.9485	.9478
.0005	.9479	.9473	.9467	.9461	.9455	.9449	.9442	.9435	.9428	.9420
.0006	.9432	.9426	.9420	.9413	.9407	.9400	.9392	.9385	.9377	.9369
.0007	.9390	.9383	.9377	.9370	.9363	.9355	.9347	.9339	.9331	.9322
.0008	.9351	.9344	.9337	.9329	.9322	.9314	.9306	.9297	.9288	.9279
.0009	.9314	.9307	.9300	.9292	.9284	.9275	.9267	.9258	.9248	.9239
.0010	.9280	.9273	.9265	.9257	.9248	.9240	.9230	.9221	.9211	.9201
.0020	.9015	.9005	.8994	.8984	.8972	.8961	.8948	.8936	.8922	.8909
.0030	.8823	.8811	.8799	.8786	.8773	.8759	.8745	.8730	.8714	.8698
.0040	.8668	.8655	.8641	.8627	.8612	.8597	.8581	.8564	.8547	.8529
.0050	.8537	.8523	.8508	.8492	.8476	.8460	.8442	.8424	.8405	.8386
.0060	.8423	.8407	.8391	.8375	.8358	.8340	.8321	.8302	.8282	.8262
.0070	.8320	.8304	.8287	.8270	.8252	.8233	.8213	.8193	.8172	.8151
.0080	.8228	.8210	.8193	.8175	.8156	.8136	.8116	.8094	.8073	.8050
.0090	.8143	.8125	.8107	.8088	.8068	.8048	.8027	.8004	.7982	.7959
.0100	.8065	.8046	.8027	.8008	.7988	.7966	.7945	.7921	.7898	.7874
.0200	.7494	.7471	.7448	.7424	.7399	.7373	.7347	.7318	.7290	.7261
.0300	.7118	.7093	.7067	.7041	.7014	.6985	.6956	.6924	.6893	.6861
.0400	.6836	.6809	.6782	.6754	.6725	.6694	.6663	.6630	.6597	.6563
.0500	.6610	.6582	.6554	.6524	.6494	.6462	.6430	.6396	.6361	.6326
.0600	.6422	.6393	.6364	.6334	.6302	.6270	.6236	.6201	.6165	.6129
.0700	.6261	.6231	.6202	.6171	.6139	.6105	.6071	.6035	.5998	.5961
.0800	.6121	.6090	.6060	.6028	.5996	.5962	.5927	.5890	.5853	.5815
.0900	.5996	.5966	.5935	.5903	.5870	.5835	.5800	.5762	.5725	.5686
.1000	.5885	.5854	.5823	.5790	.5757	.5722	.5686	.5648	.5610	.5571

TABLE 96. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—*Extended*
Scaichard
 (Electrolyte, $n_{+}z_{-} = 3$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9671	.9668	.9666	.9663	.9662	.9661	.9658	.9655	.9651
.0002	.9540	.9537	.9534	.9530	.9528	.9526	.9522	.9518	.9514
.0003	.9442	.9438	.9434	.9430	.9427	.9425	.9421	.9416	.9410
.0004	.9361	.9357	.9352	.9347	.9344	.9342	.9337	.9331	.9325
.0005	.9291	.9286	.9281	.9276	.9272	.9270	.9264	.9257	.9250
.0006	.9228	.9223	.9217	.9212	.9208	.9205	.9199	.9192	.9184
.0007	.9171	.9165	.9160	.9153	.9149	.9147	.9140	.9132	.9124
.0008	.9119	.9113	.9106	.9100	.9096	.9093	.9085	.9077	.9069
.0009	.9070	.9064	.9057	.9050	.9046	.9043	.9035	.9027	.9018
.0010	.9024	.9018	.9011	.9004	.8999	.8996	.8987	.8979	.8970
.0020	.8671	.8662	.8653	.8644	.8638	.8633	.8622	.8611	.8599
.0030	.8417	.8407	.8397	.8386	.8378	.8373	.8361	.8348	.8333
.0040	.8215	.8203	.8192	.8179	.8171	.8166	.8152	.8137	.8121
.0050	.8044	.8031	.8019	.8005	.7997	.7991	.7976	.7960	.7943
.0060	.7895	.7882	.7868	.7854	.7845	.7839	.7823	.7806	.7788
.0070	.7763	.7749	.7735	.7720	.7710	.7704	.7687	.7669	.7650
.0080	.7644	.7630	.7615	.7599	.7589	.7582	.7565	.7546	.7527
.0090	.7535	.7520	.7505	.7489	.7479	.7471	.7453	.7434	.7414
.0100	.7435	.7420	.7404	.7388	.7377	.7369	.7351	.7331	.7310
.0200	.6716	.6698	.6679	.6659	.6646	.6637	.6615	.6592	.6567
.0300	.6253	.6233	.6213	.6192	.6178	.6168	.6144	.6119	.6092
.0400	.5911	.5891	.5869	.5847	.5832	.5822	.5797	.5771	.5742
.0500	.5641	.5620	.5598	.5575	.5560	.5549	.5523	.5496	.5467
.0600	.5419	.5397	.5374	.5351	.5336	.5325	.5298	.5271	.5241
.0700	.5230	.5208	.5185	.5161	.5146	.5135	.5108	.5080	.5050
.0800	.5067	.5045	.5022	.4998	.4982	.4971	.4944	.4916	.4885
.0900	.4924	.4902	.4878	.4854	.4838	.4827	.4800	.4771	.4741
.1000	.4797	.4774	.4751	.4726	.4710	.4699	.4672	.4643	.4612

TABLE 96. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Extended
 Scatchard—Continued
 (Electrolyte, $z_+ z_- = 3$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9641	.9637	.9633	.9629	.9625	.9620	.9615	.9610	.9605	.9600	.9594
.0002	.9499	.9494	.9488	.9482	.9476	.9470	.9464	.9457	.9450	.9443	.9435
.0003	.9393	.9386	.9379	.9373	.9365	.9358	.9350	.9342	.9333	.9325	.9316
.0004	.9305	.9297	.9290	.9282	.9274	.9265	.9256	.9247	.9237	.9228	.9217
.0005	.9228	.9220	.9212	.9203	.9194	.9185	.9175	.9165	.9154	.9143	.9132
.0006	.9160	.9152	.9143	.9133	.9123	.9113	.9103	.9091	.9080	.9068	.9056
.0007	.9099	.9089	.9080	.9070	.9059	.9048	.9037	.9025	.9013	.9000	.8987
.0008	.9042	.9032	.9022	.9011	.9000	.8988	.8977	.8964	.8951	.8938	.8924
.0009	.8989	.8979	.8968	.8957	.8945	.8933	.8921	.8907	.8894	.8880	.8865
.0010	.8940	.8929	.8918	.8906	.8894	.8881	.8868	.8854	.8840	.8826	.8810
.0020	.8560	.8545	.8530	.8515	.8499	.8482	.8465	.8447	.8428	.8409	.8389
.0030	.8288	.8271	.8253	.8235	.8217	.8197	.8177	.8156	.8135	.8113	.8089
.0040	.8071	.8052	.8033	.8013	.7992	.7971	.7949	.7925	.7902	.7877	.7851
.0050	.7888	.7868	.7847	.7826	.7804	.7781	.7757	.7732	.7706	.7680	.7652
.0060	.7730	.7708	.7687	.7664	.7641	.7616	.7591	.7564	.7537	.7509	.7480
.0070	.7589	.7567	.7544	.7520	.7496	.7470	.7444	.7416	.7387	.7358	.7327
.0080	.7463	.7440	.7416	.7391	.7366	.7339	.7312	.7283	.7253	.7223	.7191
.0090	.7348	.7324	.7299	.7274	.7247	.7220	.7191	.7161	.7131	.7100	.7067
.0100	.7242	.7217	.7192	.7166	.7139	.7110	.7081	.7050	.7019	.6987	.6953
.0200	.6487	.6457	.6428	.6397	.6365	.6331	.6297	.6261	.6224	.6187	.6147
.0300	.6005	.5973	.5941	.5908	.5874	.5838	.5801	.5762	.5723	.5683	.5641
.0400	.5652	.5619	.5585	.5550	.5515	.5477	.5439	.5399	.5358	.5317	.5273
.0500	.5374	.5340	.5306	.5270	.5233	.5195	.5156	.5115	.5073	.5031	.4986
.0600	.5146	.5112	.5077	.5041	.5003	.4964	.4925	.4883	.4841	.4798	.4752
.0700	.4954	.4919	.4884	.4847	.4810	.4770	.4730	.4688	.4646	.4602	.4556
.0800	.4788	.4753	.4718	.4681	.4643	.4603	.4563	.4520	.4478	.4434	.4388
.0900	.4643	.4608	.4572	.4535	.4497	.4457	.4417	.4374	.4332	.4288	.4242
.1000	.4515	.4479	.4443	.4406	.4368	.4328	.4288	.4245	.4202	.4158	.4112

TABLE 97. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—*Extended Scatchard*
(Electrolyte, $z_+ z_- = 4$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9563	.9560	.9557	.9554	.9552	.9550	.9546	.9542	.9538
.0002	.9392	.9388	.9383	.9378	.9376	.9373	.9368	.9363	.9357
.0003	.9263	.9258	.9253	.9248	.9244	.9241	.9235	.9229	.9221
.0004	.9157	.9152	.9146	.9139	.9135	.9132	.9125	.9118	.9110
.0005	.9066	.9060	.9053	.9046	.9041	.9038	.9030	.9022	.9013
.0006	.8984	.8977	.8970	.8963	.8958	.8954	.8946	.8937	.8928
.0007	.8910	.8903	.8895	.8887	.8882	.8879	.8870	.8860	.8850
.0008	.8842	.8835	.8827	.8818	.8813	.8809	.8799	.8789	.8778
.0009	.8779	.8771	.8763	.8754	.8748	.8744	.8734	.8724	.8712
.0010	.8720	.8712	.8703	.8694	.8688	.8684	.8673	.8662	.8650
.0020	.8268	.8257	.8246	.8234	.8226	.8220	.8207	.8192	.8177
.0030	.7948	.7935	.7922	.7918	.7899	.7892	.7876	.7860	.7842
.0040	.7693	.7679	.7665	.7649	.7639	.7632	.7615	.7597	.7577
.0050	.7481	.7466	.7450	.7433	.7423	.7415	.7396	.7377	.7356
.0060	.7297	.7281	.7264	.7247	.7235	.7227	.7208	.7187	.7165
.0070	.7134	.7118	.7100	.7082	.7070	.7062	.7042	.7020	.6997
.0080	.6989	.6972	.6953	.6935	.6922	.6914	.6893	.6870	.6846
.0090	.6857	.6839	.6820	.6801	.6788	.6779	.6757	.6735	.6713
.0100	.6736	.6717	.6698	.6678	.6665	.6656	.6634	.6610	.6585
.0200	.5881	.5860	.5838	.5815	.5800	.5790	.5764	.5737	.5708
.0300	.5347	.5325	.5301	.5277	.5261	.5250	.5223	.5195	.5164
.0400	.4961	.4938	.4914	.4889	.4873	.4861	.4834	.4804	.4773
.0500	.4661	.4638	.4613	.4588	.4572	.4560	.4532	.4502	.4470
.0600	.4418	.4394	.4370	.4344	.4328	.4316	.4287	.4258	.4226
.0700	.4214	.4190	.4166	.4140	.4124	.4112	.4083	.4054	.4022
.0800	.4040	.4016	.3992	.3966	.3949	.3938	.3909	.3879	.3848
.0900	.3888	.3865	.3840	.3815	.3798	.3786	.3758	.3728	.3697
.1000	.3755	.3731	.3707	.3681	.3665	.3653	.3625	.3595	.3564

TABLE 97. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Extended
 Scatchard—Continued
 (Electrolyte, $z_+ z_- = 4$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	
.0001	.9524	.9519	.9514	.9508	.9503	.9497	.9490	.9484	.9477	.9470	.9463
.0002	.9338	.9330	.9323	.9316	.9308	.9300	.9291	.9282	.9273	.9264	.9254
.0003	.9198	.9190	.9181	.9172	.9163	.9153	.9143	.9132	.9121	.9110	.9098
.0004	.9084	.9074	.9064	.9054	.9043	.9032	.9021	.9009	.8996	.8984	.8970
.0005	.8985	.8974	.8963	.8952	.8940	.8928	.8915	.8902	.8888	.8874	.8859
.0006	.8896	.8885	.8873	.8861	.8849	.8835	.8822	.8807	.8793	.8777	.8761
.0007	.8817	.8804	.8792	.8779	.8766	.8751	.8737	.8722	.8706	.8690	.8673
.0008	.8743	.8731	.8717	.8704	.8690	.8675	.8659	.8643	.8626	.8610	.8591
.0009	.8676	.8662	.8648	.8634	.8619	.8603	.8587	.8570	.8553	.8535	.8516
.0010	.8612	.8598	.8584	.8569	.8553	.8537	.8520	.8502	.8484	.8466	.8446
.0020	.8127	.8109	.8090	.8070	.8050	.8029	.8007	.7984	.7961	.7937	.7911
.0030	.7785	.7763	.7742	.7719	.7696	.7672	.7647	.7621	.7594	.7566	.7537
.0040	.7514	.7491	.7467	.7443	.7417	.7391	.7363	.7334	.7305	.7275	.7243
.0050	.7288	.7263	.7238	.7212	.7185	.7156	.7127	.7096	.7065	.7033	.6999
.0060	.7094	.7068	.7041	.7013	.6985	.6955	.6924	.6892	.6859	.6825	.6790
.0070	.6923	.6895	.6868	.6839	.6809	.6778	.6746	.6712	.6678	.6643	.6606
.0080	.6769	.6741	.6713	.6683	.6652	.6620	.6587	.6552	.6517	.6481	.6442
.0090	.6631	.6602	.6572	.6542	.6510	.6477	.6443	.6407	.6371	.6334	.6294
.0100	.6504	.6474	.6444	.6412	.6380	.6346	.6312	.6275	.6238	.6200	.6160
.0200	.5615	.5581	.5547	.5511	.5475	.5436	.5397	.5356	.5314	.5272	.5227
.0300	.5066	.5031	.4995	.4957	.4919	.4879	.4838	.4795	.4752	.4707	.4660
.0400	.4673	.4636	.4600	.4561	.4522	.4481	.4440	.4396	.4352	.4307	.4260
.0500	.4369	.4332	.4295	.4257	.4217	.4176	.4134	.4090	.4046	.4001	.3954
.0600	.4124	.4087	.4050	.4011	.3972	.3931	.3889	.3845	.3801	.3756	.3709
.0700	.3920	.3883	.3846	.3808	.3768	.3727	.3686	.3642	.3598	.3553	.3506
.0800	.3746	.3709	.3673	.3634	.3595	.3554	.3513	.3469	.3426	.3381	.3335
.0900	.3596	.3559	.3522	.3484	.3445	.3405	.3364	.3320	.3277	.3233	.3187
.1000	.3463	.3427	.3391	.3353	.3314	.3274	.3233	.3190	.3147	.3104	.3058

TABLE 98. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—*Extended Scatchard*
(Electrolyte, $z_+z_- = 6$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9352	.9348	.9338	.9335	.9333	.9327	.9321	.9315	.9311
.0002	.9102	.9095	.9089	.9082	.9078	.9075	.9067	.9059	.9051
.0003	.8916	.8908	.8901	.8893	.8888	.8884	.8875	.8865	.8855
.0004	.8763	.8755	.8746	.8737	.8732	.8727	.8717	.8706	.8695
.0005	.8632	.8623	.8614	.8604	.8597	.8593	.8581	.8570	.8557
.0006	.8516	.8506	.8496	.8485	.8478	.8473	.8461	.8449	.8435
.0007	.8411	.8401	.8390	.8378	.8371	.8366	.8353	.8340	.8325
.0008	.8315	.8304	.8293	.8281	.8273	.8268	.8254	.8240	.8225
.0009	.8226	.8215	.8203	.8190	.8182	.8177	.8163	.8148	.8132
.0010	.8143	.8132	.8119	.8106	.8098	.8092	.8077	.8062	.8046
.0020	.7519	.7504	.7488	.7471	.7461	.7453	.7435	.7415	.7394
.0030	.7085	.7068	.7051	.7032	.7020	.7011	.6990	.6968	.6945
.0040	.6748	.6730	.6710	.6690	.6677	.6668	.6645	.6621	.6596
.0050	.6470	.6450	.6430	.6409	.6395	.6385	.6361	.6336	.6309
.0060	.6233	.6213	.6191	.6169	.6155	.6144	.6119	.6093	.6065
.0070	.6026	.6005	.5983	.5960	.5945	.5935	.5909	.5882	.5853
.0080	.5842	.5821	.5798	.5775	.5760	.5749	.5722	.5695	.5665
.0090	.5678	.5656	.5633	.5608	.5593	.5582	.5555	.5527	.5496
.0100	.5528	.5506	.5482	.5458	.5442	.5431	.5403	.5374	.5344
.0200	.4510	.4486	.4461	.4434	.4417	.4405	.4376	.4345	.4313
.0300	.3910	.3886	.3860	.3834	.3816	.3804	.3775	.3744	.3711
.0400	.3494	.3470	.3445	.3419	.3402	.3390	.3360	.3330	.3297
.0500	.3182	.3158	.3134	.3108	.3091	.3079	.3051	.3021	.2989
.0600	.2936	.2913	.2888	.2863	.2847	.2835	.2807	.2778	.2747
.0700	.2736	.2713	.2689	.2664	.2648	.2637	.2609	.2581	.2550
.0800	.2568	.2545	.2522	.2498	.2482	.2471	.2444	.2416	.2387
.0900	.2425	.2403	.2380	.2356	.2341	.2330	.2304	.2276	.2248
.1000	.2301	.2279	.2257	.2234	.2219	.2208	.2183	.2156	.2128

TABLE 98. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Extended
 Scatchard—Continued
 (Electrolyte, $z_{+}z_{-} = 6$)

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9295	.9287	.9279	.9271	.9263	.9254	.9245	.9236	.9226
.0002	.9023	.9013	.9002	.8991	.8980	.8968	.8956	.8943	.8930
.0003	.8822	.8810	.8797	.8784	.8771	.8757	.8742	.8727	.8711
.0004	.8658	.8644	.8630	.8615	.8600	.8584	.8568	.8550	.8533
.0005	.8516	.8501	.8486	.8470	.8453	.8436	.8418	.8399	.8380
.0006	.8391	.8375	.8359	.8341	.8324	.8305	.8286	.8265	.8245
.0007	.8279	.8261	.8244	.8226	.8207	.8187	.8167	.8145	.8123
.0008	.8176	.8158	.8139	.8120	.8100	.8079	.8058	.8035	.8012
.0009	.8081	.8062	.8043	.8022	.8002	.7980	.7958	.7934	.7910
.0010	.7992	.7973	.7953	.7932	.7910	.7888	.7864	.7840	.7815
.0020	.7327	.7302	.7276	.7250	.7223	.7195	.7165	.7135	.7103
.0030	.6868	.6840	.6812	.6782	.6752	.6720	.6687	.6653	.6617
.0040	.6513	.6483	.6453	.6421	.6388	.6354	.6318	.6281	.6244
.0050	.6222	.6190	.6158	.6125	.6090	.6054	.6017	.5978	.5939
.0060	.5975	.5942	.5908	.5874	.5838	.5800	.5762	.5722	.5681
.0070	.5760	.5726	.5691	.5656	.5619	.5580	.5541	.5499	.5457
.0080	.5570	.5535	.5500	.5463	.5426	.5386	.5346	.5304	.5261
.0090	.5399	.5364	.5328	.5291	.5253	.5212	.5172	.5129	.5085
.0100	.5245	.5209	.5173	.5135	.5096	.5056	.5014	.4971	.4927
.0200	.4208	.4170	.4131	.4092	.4051	.4008	.3965	.3920	.3874
.0300	.3606	.3568	.3530	.3490	.3450	.3408	.3365	.3320	.3275
.0400	.3194	.3157	.3120	.3081	.3041	.3000	.2958	.2915	.2871
.0500	.2888	.2852	.2815	.2777	.2739	.2699	.2658	.2616	.2574
.0600	.2648	.2613	.2577	.2541	.2503	.2464	.2425	.2384	.2343
.0700	.2454	.2420	.2385	.2349	.2313	.2275	.2237	.2198	.2158
.0800	.2293	.2259	.2226	.2191	.2156	.2119	.2082	.2043	.2005
.0900	.2156	.2123	.2090	.2057	.2022	.1987	.1951	.1913	.1876
.1000	.2038	.2006	.1974	.1941	.1908	.1873	.1838	.1802	.1766

TABLE 99. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—*Extended Scatchard*
(Electrolyte, $z_+ z_- = 8$)

Ionic strength	Temperature in degrees Celsius										45
	0	5	10	15	18	20	25	30	35	38	
.0001	.9146	.9140	.9134	.9128	.9123	.9120	.9113	.9106	.9097	.9092	.9089
.0002	.8820	.8813	.8804	.8796	.8790	.8786	.8776	.8766	.8755	.8748	.8744
.0003	.8581	.8572	.8562	.8552	.8545	.8540	.8529	.8517	.8504	.8496	.8490
.0004	.8386	.8375	.8364	.8353	.8346	.8340	.8327	.8314	.8299	.8290	.8284
.0005	.8219	.8207	.8195	.8183	.8175	.8169	.8155	.8140	.8124	.8114	.8108
.0006	.8072	.8059	.8047	.8033	.8024	.8018	.8003	.7987	.7970	.7960	.7953
.0007	.7939	.7926	.7913	.7899	.7883	.7867	.7850	.7832	.7821	.7813	.7794
.0008	.7819	.7805	.7791	.7776	.7766	.7760	.7743	.7725	.7706	.7695	.7687
.0009	.7708	.7694	.7679	.7663	.7653	.7646	.7629	.7610	.7590	.7579	.7570
.0010	.7605	.7590	.7575	.7559	.7548	.7541	.7523	.7504	.7483	.7471	.7462
.0020	.6837	.6819	.6799	.6779	.6767	.6757	.6735	.6712	.6686	.6671	.6661
.0030	.6317	.6296	.6275	.6253	.6239	.6229	.6204	.6178	.6150	.6133	.6121
.0040	.5919	.5897	.5875	.5851	.5836	.5825	.5799	.5771	.5741	.5723	.5711
.0050	.5596	.5573	.5550	.5525	.5509	.5498	.5471	.5442	.5411	.5392	.5380
.0060	.5324	.5301	.5277	.5251	.5235	.5224	.5195	.5166	.5134	.5115	.5102
.0070	.5090	.5066	.5041	.5016	.4999	.4987	.4958	.4928	.4896	.4876	.4863
.0080	.4884	.4860	.4835	.4809	.4792	.4780	.4751	.4720	.4687	.4668	.4654
.0090	.4701	.4677	.4652	.4625	.4608	.4596	.4566	.4535	.4502	.4483	.4469
.0100	.4537	.4512	.4487	.4460	.4443	.4411	.4401	.4370	.4336	.4316	.4303
.0200	.3459	.3434	.3408	.3382	.3364	.3352	.3322	.3291	.3258	.3238	.3225
.0300	.2859	.2835	.2811	.2785	.2768	.2757	.2728	.2698	.2667	.2648	.2635
.0400	.2461	.2438	.2415	.2390	.2375	.2363	.2336	.2308	.2278	.2260	.2248
.0500	.2173	.2151	.2128	.2105	.2090	.2079	.2054	.2027	.1998	.1981	.1970
.0600	.1952	.1931	.1909	.1887	.1873	.1863	.1838	.1813	.1786	.1770	.1759
.0700	.1776	.1756	.1735	.1714	.1700	.1691	.1667	.1643	.1617	.1602	.1592
.0800	.1632	.1613	.1593	.1573	.1560	.1551	.1528	.1505	.1480	.1466	.1456
.0900	.1512	.1494	.1475	.1453	.1434	.1412	.1390	.1366	.1352	.1343	.1318
.1000	.1410	.1392	.1374	.1355	.1343	.1335	.1314	.1293	.1270	.1257	.1247

TABLE 99. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Extended
 Scatchard—Continued
 (Electrolyte, $z_+ z_- = 8$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9071	.9061	.9051	.9041	.9030	.9018	.9007	.8994	.8982	.8969	.8955
.0002	.8719	.8706	.8692	.8678	.8664	.8648	.8633	.8616	.8599	.8582	.8563
.0003	.8461	.8445	.8430	.8413	.8396	.8378	.8359	.8340	.8320	.8299	.8277
.0004	.8251	.8234	.8216	.8198	.8178	.8158	.8137	.8116	.8093	.8070	.8046
.0005	.8072	.8053	.8034	.8014	.7993	.7971	.7948	.7925	.7900	.7875	.7849
.0006	.7915	.7894	.7874	.7852	.7830	.7806	.7782	.7757	.7731	.7704	.7676
.0007	.7773	.7752	.7730	.7707	.7684	.7659	.7633	.7607	.7579	.7551	.7521
.0008	.7645	.7622	.7599	.7575	.7551	.7525	.7498	.7470	.7442	.7412	.7381
.0009	.7527	.7503	.7479	.7454	.7429	.7402	.7374	.7345	.7315	.7285	.7252
.0010	.7417	.7393	.7368	.7342	.7316	.7288	.7259	.7229	.7198	.7167	.7133
.0020	.6605	.6575	.6545	.6513	.6481	.6447	.6412	.6375	.6338	.6300	.6259
.0030	.6060	.6027	.5994	.5959	.5923	.5886	.5848	.5807	.5767	.5725	.5681
.0040	.5646	.5611	.5576	.5539	.5502	.5462	.5422	.5379	.5336	.5293	.5246
.0050	.5312	.5276	.5239	.5201	.5162	.5121	.5080	.5036	.4992	.4946	.4899
.0060	.5032	.4995	.4958	.4919	.4879	.4837	.4795	.4750	.4705	.4659	.4610
.0070	.4792	.4755	.4717	.4677	.4637	.4594	.4551	.4506	.4460	.4413	.4364
.0080	.4583	.4544	.4506	.4466	.4425	.4382	.4339	.4293	.4247	.4200	.4150
.0090	.4397	.4358	.4319	.4279	.4238	.4195	.4151	.4105	.4059	.4012	.3962
.0100	.4230	.4191	.4152	.4112	.4071	.4027	.3984	.3937	.3891	.3844	.3794
.0200	.3153	.3115	.3077	.3037	.2997	.2955	.2913	.2869	.2824	.2779	.2732
.0300	.2567	.2531	.2495	.2457	.2420	.2380	.2341	.2299	.2258	.2216	.2172
.0400	.2184	.2150	.2116	.2081	.2045	.2008	.1971	.1933	.1894	.1855	.1815
.0500	.1909	.1877	.1845	.1812	.1779	.1744	.1709	.1673	.1637	.1601	.1563
.0600	.1701	.1670	.1640	.1609	.1578	.1545	.1512	.1478	.1445	.1411	.1375
.0700	.1537	.1508	.1479	.1450	.1420	.1389	.1358	.1326	.1294	.1263	.1229
.0800	.1403	.1376	.1349	.1321	.1292	.1263	.1234	.1204	.1174	.1143	.1112
.0900	.1293	.1267	.1241	.1214	.1187	.1159	.1131	.1103	.1074	.1045	.1016
.1000	.1200	.1174	.1150	.1124	.1098	.1072	.1045	.1018	.9991	.9963	.9935

TABLE 100. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Extended Scatchard*

(Electrolyte, $z_+ z_- = 9$)

Ionic strength	0	5	10	15	18	20	25	30	35	38	40	45	Temperature in degrees Celsius
.0001	.9044	.9038	.9031	.9024	.9019	.9016	.9008	.9000	.8990	.8985	.8981	.8971	
.0002	.8683	.8674	.8665	.8656	.8649	.8645	.8634	.8623	.8611	.8603	.8598	.8585	
.0003	.8418	.8408	.8397	.8386	.8379	.8374	.8361	.8347	.8333	.8324	.8318	.8302	
.0004	.8203	.8192	.8180	.8167	.8159	.8153	.8139	.8124	.8108	.8098	.8091	.8074	
.0005	.8020	.8007	.7994	.7980	.7971	.7965	.7950	.7933	.7916	.7905	.7898	.7879	
.0006	.7858	.7845	.7831	.7816	.7807	.7800	.7783	.7766	.7747	.7736	.7728	.7708	
.0007	.7714	.7699	.7685	.7669	.7659	.7652	.7634	.7616	.7596	.7584	.7576	.7554	
.0008	.7582	.7567	.7552	.7535	.7525	.7517	.7499	.7480	.7459	.7447	.7438	.7415	
.0009	.7461	.7446	.7429	.7412	.7402	.7394	.7375	.7355	.7333	.7320	.7311	.7288	
.0010	.7349	.7333	.7316	.7299	.7287	.7279	.7260	.7239	.7217	.7203	.7194	.7170	
.0020	.6519	.6500	.6479	.6458	.6444	.6434	.6410	.6385	.6358	.6342	.6331	.6301	
.0030	.5964	.5943	.5920	.5897	.5881	.5871	.5844	.5817	.5787	.5769	.5757	.5725	
.0040	.5543	.5521	.5497	.5472	.5456	.5445	.5417	.5388	.5357	.5338	.5325	.5291	
.0050	.5204	.5181	.5156	.5130	.5114	.5102	.5073	.5043	.5011	.4992	.4978	.4943	
.0060	.4921	.4897	.4872	.4845	.4828	.4816	.4787	.4756	.4723	.4704	.4690	.4654	
.0070	.4678	.4653	.4628	.4601	.4584	.4572	.4542	.4511	.4478	.4458	.4444	.4408	
.0080	.4466	.4441	.4415	.4388	.4371	.4359	.4329	.4297	.4264	.4244	.4230	.4193	
.0090	.4278	.4253	.4227	.4200	.4183	.4170	.4140	.4109	.4075	.4055	.4041	.4004	
.0100	.4110	.4085	.4059	.4032	.4014	.4002	.3972	.3940	.3906	.3886	.3872	.3835	
.0200	.3029	.3005	.2979	.2953	.2936	.2924	.2895	.2864	.2832	.2813	.2799	.2764	
.0300	.2445	.2422	.2398	.2374	.2358	.2346	.2319	.2291	.2261	.2243	.2230	.2198	
.0400	.2066	.2044	.2022	.1999	.1984	.1973	.1948	.1922	.1894	.1877	.1865	.1835	
.0500	.1795	.1775	.1754	.1732	.1719	.1709	.1685	.1660	.1634	.1619	.1608	.1580	
.0600	.1591	.1572	.1552	.1532	.1519	.1510	.1487	.1464	.1440	.1425	.1415	.1389	
.0700	.1431	.1413	.1394	.1375	.1363	.1354	.1333	.1311	.1288	.1274	.1265	.1240	
.0800	.1301	.1284	.1266	.1248	.1237	.1228	.1208	.1188	.1166	.1153	.1144	.1121	
.0900	.1194	.1178	.1161	.1144	.1132	.1125	.1106	.1086	.1066	.1053	.1045	.1023	
.1000	.1104	.1088	.1072	.1056	.1045	.1038	.1020	.1001	.0981	.0970	.0962	.0941	

TABLE 100. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Extended
 Scatchard—Continued
 (Electrolyte, z₊z₋ = 9)

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.8961	.8950	.8939	.8927	.8915	.8903	.8890	.8876	.8862
.0002	.8571	.8556	.8541	.8526	.8510	.8493	.8475	.8457	.8438
.0003	.8286	.8269	.8252	.8233	.8214	.8195	.8174	.8153	.8131
.0004	.8056	.8036	.8017	.7996	.7975	.7953	.7930	.7907	.7882
.0005	.7859	.7838	.7817	.7795	.7772	.7748	.7723	.7697	.7671
.0006	.7687	.7664	.7642	.7618	.7594	.7568	.7542	.7514	.7486
.0007	.7532	.7509	.7485	.7460	.7435	.7408	.7380	.7351	.7321
.0008	.7392	.7368	.7343	.7317	.7290	.7262	.7233	.7203	.7172
.0009	.7264	.7238	.7213	.7186	.7158	.7129	.7099	.7067	.7035
.0010	.7145	.7119	.7092	.7064	.7035	.7005	.6974	.6942	.6909
.0020	.6271	.6239	.6207	.6173	.6139	.6102	.6065	.6026	.5987
.0030	.5692	.5657	.5622	.5586	.5548	.5509	.5468	.5426	.5383
.0040	.5257	.5220	.5183	.5145	.5106	.5064	.5022	.4978	.4933
.0050	.4908	.4870	.4833	.4793	.4753	.4710	.4667	.4622	.4576
.0060	.4618	.4580	.4542	.4501	.4460	.4417	.4374	.4328	.4282
.0070	.4371	.4333	.4294	.4253	.4212	.4168	.4124	.4078	.4032
.0080	.4157	.4118	.4079	.4038	.3996	.3953	.3909	.3862	.3816
.0090	.3967	.3928	.3889	.3848	.3807	.3763	.3719	.3673	.3626
.0100	.3799	.3760	.3720	.3680	.3638	.3595	.3551	.3504	.3458
.0200	.2729	.2692	.2655	.2617	.2578	.2538	.2497	.2454	.2411
.0300	.2166	.2131	.2097	.2062	.2026	.1989	.1952	.1913	.1874
.0400	.1805	.1774	.1742	.1710	.1677	.1643	.1609	.1574	.1538
.0500	.1552	.1523	.1494	.1464	.1433	.1402	.1371	.1338	.1306
.0600	.1363	.1336	.1309	.1281	.1252	.1223	.1194	.1164	.1134
.0700	.1216	.1190	.1165	.1139	.1113	.1085	.1058	.1030	.1003
.0800	.1098	.1074	.1050	.1025	.1001	.0975	.0950	.0924	.0898
.0900	.1001	.0978	.0956	.0933	.0909	.0885	.0862	.0837	.0813
.1000	.0920	.0899	.0877	.0855	.0833	.0811	.0788	.0765	.0742

TABLE 101. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Extended Scatchard*
(Electrolyte, $z_{+}z_{-} = 12$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.8747	.8738	.8729	.8720	.8714	.8710	.8700	.8689	.8677
.0002	.8284	.8273	.8261	.8249	.8241	.8235	.8222	.8207	.8192
.0003	.7949	.7936	.7922	.7908	.7899	.7892	.7876	.7860	.7841
.0004	.7679	.7665	.7650	.7634	.7624	.7617	.7599	.7580	.7560
.0005	.7451	.7436	.7419	.7402	.7391	.7383	.7364	.7344	.7322
.0006	.7252	.7235	.7218	.7200	.7188	.7180	.7160	.7138	.7115
.0007	.7074	.7057	.7039	.7020	.7008	.6999	.6977	.6955	.6931
.0008	.6914	.6896	.6877	.6857	.6844	.6835	.6813	.6790	.6765
.0009	.6767	.6748	.6729	.6708	.6695	.6686	.6663	.6639	.6613
.0010	.6632	.6613	.6592	.6571	.6558	.6548	.6525	.6500	.6473
.0020	.5653	.5630	.5607	.5582	.5566	.5555	.5527	.5498	.5467
.0030	.5020	.4996	.4971	.4945	.4928	.4916	.4886	.4856	.4823
.0040	.4553	.4529	.4503	.4476	.4458	.4446	.4416	.4384	.4350
.0050	.4186	.4161	.4134	.4107	.4089	.4077	.4046	.4014	.3980
.0060	.3885	.3860	.3833	.3806	.3788	.3775	.3745	.3713	.3679
.0070	.3631	.3606	.3580	.3552	.3534	.3522	.3491	.3460	.3426
.0080	.3413	.3388	.3362	.3335	.3317	.3305	.3274	.3243	.3209
.0090	.3223	.3199	.3173	.3145	.3128	.3116	.3086	.3054	.3021
.0100	.3056	.3031	.3005	.2978	.2961	.2949	.2919	.2889	.2856
.0200	.2034	.2012	.1990	.1966	.1951	.1941	.1915	.1888	.1860
.0300	.1529	.1510	.1490	.1470	.1457	.1447	.1425	.1402	.1377
.0400	.1221	.1204	.1187	.1169	.1157	.1149	.1129	.1109	.1087
.0500	.1013	.0998	.0982	.0966	.0956	.0948	.0931	.0913	.0893
.0600	.0862	.0848	.0834	.0820	.0810	.0804	.0788	.0772	.0755
.0700	.0748	.0736	.0723	.0710	.0701	.0695	.0681	.0666	.0650
.0800	.0659	.0648	.0636	.0624	.0616	.0611	.0597	.0584	.0570
.0900	.0588	.0577	.0566	.0555	.0548	.0543	.0531	.0518	.0505
.1000	.0529	.0519	.0509	.0499	.0492	.0488	.0476	.0465	.0453

TABLE 101. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Extended
 Scatchard—Continued
 (Electrolyte, $z_+ z_- = 12$)

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.8639	.8625	.8611	.8596	.8581	.8564	.8548	.8530	.8512
.0002	.8141	.8123	.8104	.8084	.8064	.8043	.8021	.7998	.7974
.0003	.7783	.7761	.7739	.7717	.7693	.7668	.7643	.7616	.7589
.0004	.7495	.7472	.7447	.7422	.7396	.7369	.7341	.7311	.7281
.0005	.7253	.7227	.7201	.7174	.7146	.7116	.7086	.7054	.7022
.0006	.7041	.7014	.6987	.6958	.6928	.6897	.6865	.6832	.6797
.0007	.6854	.6825	.6796	.6766	.6735	.6703	.6669	.6634	.6598
.0008	.6684	.6655	.6625	.6593	.6561	.6528	.6493	.6457	.6420
.0009	.6530	.6499	.6468	.6436	.6403	.6368	.6332	.6295	.6257
.0010	.6388	.6356	.6324	.6291	.6257	.6221	.6185	.6146	.6107
.0020	.5368	.5331	.5295	.5256	.5217	.5176	.5134	.5090	.5046
.0030	.4717	.4679	.4640	.4600	.4559	.4516	.4472	.4426	.4379
.0040	.4242	.4203	.4164	.4123	.4081	.4037	.3992	.3945	.3898
.0050	.3871	.3832	.3792	.3751	.3709	.3665	.3620	.3574	.3527
.0060	.3570	.3530	.3491	.3450	.3408	.3364	.3320	.3274	.3227
.0070	.3318	.3278	.3239	.3199	.3157	.3114	.3070	.3024	.2978
.0080	.3102	.3063	.3025	.2984	.2944	.2901	.2858	.2813	.2768
.0090	.2915	.2877	.2839	.2799	.2759	.2717	.2675	.2630	.2586
.0100	.2751	.2713	.2676	.2637	.2597	.2556	.2514	.2471	.2427
.0200	.1771	.1739	.1707	.1674	.1641	.1607	.1572	.1536	.1501
.0300	.1300	.1273	.1246	.1218	.1190	.1161	.1132	.1102	.1073
.0400	.1020	.0997	.0973	.0949	.0925	.0900	.0875	.0850	.0824
.0500	.0834	.0813	.0792	.0771	.0750	.0728	.0707	.0684	.0662
.0600	.0701	.0683	.0664	.0646	.0627	.0607	.0588	.0568	.0549
.0700	.0602	.0585	.0569	.0552	.0535	.0518	.0501	.0483	.0466
.0800	.0526	.0510	.0495	.0480	.0465	.0449	.0433	.0418	.0402
.0900	.0465	.0451	.0437	.0423	.0409	.0395	.0381	.0366	.0352
.1000	.0415	.0402	.0390	.0377	.0364	.0351	.0338	.0325	.0312

TABLE 102. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—*Extended*
 Scatchard
 (Electrolyte, $z_+ z_- = 16$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.8365	.8354	.8343	.8331	.8324	.8318	.8305	.8291	.8276
.0002	.7780	.7766	.7752	.7736	.7726	.7719	.7702	.7684	.7665
.0003	.7363	.7347	.7331	.7313	.7302	.7294	.7274	.7253	.7231
.0004	.7032	.7015	.6996	.6977	.6965	.6956	.6934	.6912	.6887
.0005	.6755	.6736	.6717	.6696	.6683	.6673	.6650	.6626	.6600
.0006	.6515	.6495	.6475	.6453	.6439	.6429	.6405	.6380	.6352
.0007	.6303	.6283	.6261	.6239	.6224	.6214	.6189	.6162	.6134
.0008	.6113	.6092	.6070	.6047	.6032	.6021	.5995	.5968	.5938
.0009	.5941	.5919	.5896	.5872	.5857	.5846	.5819	.5792	.5761
.0010	.5783	.5761	.5738	.5713	.5697	.5686	.5659	.5630	.5600
.0020	.4674	.4649	.4623	.4596	.4579	.4566	.4536	.4504	.4471
.0030	.3990	.3964	.3938	.3910	.3892	.3880	.3849	.3816	.3782
.0040	.3503	.3478	.3451	.3423	.3406	.3393	.3362	.3330	.3296
.0050	.3131	.3106	.3080	.3053	.3035	.3023	.2993	.2961	.2928
.0060	.2835	.2810	.2784	.2758	.2741	.2729	.2699	.2668	.2636
.0070	.2591	.2567	.2542	.2516	.2499	.2487	.2458	.2429	.2397
.0080	.2386	.2362	.2338	.2312	.2296	.2285	.2257	.2228	.2197
.0090	.2210	.2187	.2164	.2139	.2123	.2112	.2085	.2057	.2027
.0100	.2058	.2036	.2013	.1989	.1974	.1963	.1937	.1909	.1880
.0200	.1196	.1179	.1162	.1143	.1132	.1124	.1104	.1083	.1062
.0300	.0817	.0804	.0790	.0776	.0766	.0760	.0744	.0728	.0711
.0400	.0606	.0595	.0583	.0571	.0564	.0559	.0546	.0533	.0519
.0500	.0472	.0463	.0453	.0443	.0437	.0432	.0422	.0411	.0399
.0600	.0381	.0373	.0365	.0356	.0351	.0347	.0338	.0329	.0319
.0700	.0315	.0308	.0301	.0294	.0289	.0286	.0278	.0270	.0262
.0800	.0266	.0260	.0254	.0247	.0243	.0240	.0234	.0226	.0219
.0900	.0229	.0223	.0217	.0212	.0208	.0206	.0199	.0193	.0187
.1000	.0199	.0194	.0189	.0184	.0180	.0178	.0173	.0167	.0161

TABLE 102. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—*Extended*
 Scatchard—Continued
 (Electrolyte, z.z. = 16)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.8228	.8210	.8192	.8173	.8154	.8133	.8112	.8090	.8067	.8044	.8019
.0002	.7602	.7579	.7556	.7531	.7506	.7480	.7452	.7424	.7394	.7365	.7333
.0003	.7159	.7133	.7106	.7078	.7049	.7019	.6988	.6955	.6922	.6888	.6851
.0004	.6809	.6780	.6751	.6720	.6689	.6656	.6622	.6586	.6550	.6513	.6474
.0005	.6516	.6485	.6454	.6422	.6389	.6353	.6318	.6280	.6241	.6202	.6160
.0006	.6264	.6232	.6199	.6165	.6131	.6094	.6056	.6017	.5977	.5936	.5892
.0007	.6043	.6009	.5975	.5940	.5904	.5866	.5827	.5786	.5745	.5702	.5657
.0008	.5844	.5810	.5775	.5739	.5702	.5662	.5622	.5580	.5538	.5494	.5448
.0009	.5665	.5630	.5594	.5557	.5519	.5479	.5438	.5395	.5351	.5307	.5260
.0010	.5501	.5465	.5429	.5391	.5352	.5311	.5270	.5226	.5182	.5136	.5088
.0020	.4362	.4323	.4283	.4242	.4200	.4156	.4111	.4064	.4017	.3969	.3918
.0030	.3672	.3632	.3592	.3551	.3509	.3464	.3419	.3373	.3325	.3278	.3227
.0040	.3188	.3148	.3109	.3068	.3027	.2983	.2939	.2894	.2848	.2801	.2752
.0050	.2822	.2783	.2745	.2705	.2665	.2623	.2580	.2536	.2492	.2447	.2400
.0060	.2532	.2495	.2458	.2420	.2381	.2340	.2299	.2256	.2213	.2170	.2125
.0070	.2297	.2261	.2225	.2187	.2150	.2111	.2071	.2030	.1989	.1948	.1904
.0080	.2100	.2065	.2030	.1994	.1958	.1920	.1882	.1843	.1804	.1764	.1722
.0090	.1933	.1899	.1866	.1831	.1796	.1760	.1723	.1685	.1647	.1609	.1570
.0100	.1789	.1757	.1724	.1691	.1657	.1622	.1587	.1550	.1514	.1478	.1439
.0200	.0994	.0970	.0947	.0923	.0898	.0873	.0849	.0823	.0798	.0772	.0746
.0300	.0659	.0640	.0622	.0604	.0585	.0567	.0548	.0529	.0510	.0491	.0472
.0400	.0477	.0462	.0448	.0433	.0418	.0403	.0389	.0373	.0359	.0344	.0329
.0500	.0364	.0352	.0340	.0328	.0316	.0304	.0292	.0280	.0268	.0256	.0244
.0600	.0289	.0279	.0269	.0259	.0249	.0239	.0229	.0219	.0209	.0199	.0189
.0700	.0236	.0227	.0219	.0210	.0202	.0193	.0185	.0176	.0168	.0159	.0151
.0800	.0197	.0189	.0182	.0174	.0167	.0160	.0152	.0145	.0138	.0131	.0124
.0900	.0167	.0160	.0154	.0147	.0141	.0134	.0128	.0122	.0115	.0109	.0103
.1000	.0144	.0138	.0132	.0126	.0121	.0115	.0109	.0104	.0098	.0093	.0087

TABLE 103. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended*
Scaatchard
 (Electrolyte, $z_+ z_- = 1$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9889	.9888	.9887	.9886	.9885	.9884	.9883	.9882	.9881
.0002	.9844	.9843	.9842	.9841	.9840	.9838	.9837	.9836	.9834
.0003	.9811	.9809	.9808	.9806	.9805	.9803	.9802	.9800	.9798
.0004	.9782	.9781	.9779	.9778	.9776	.9774	.9772	.9770	.9768
.0005	.9758	.9756	.9754	.9753	.9751	.9749	.9747	.9744	.9742
.0006	.9736	.9734	.9732	.9730	.9729	.9728	.9726	.9724	.9721
.0007	.9716	.9714	.9712	.9710	.9708	.9707	.9705	.9703	.9700
.0008	.9697	.9695	.9693	.9691	.9689	.9688	.9686	.9683	.9679
.0009	.9680	.9678	.9675	.9673	.9671	.9670	.9668	.9665	.9660
.0010	.9664	.9661	.9659	.9656	.9655	.9654	.9651	.9648	.9645
.0020	.9536	.9533	.9529	.9526	.9524	.9522	.9519	.9515	.9511
.0030	.9442	.9438	.9434	.9430	.9428	.9426	.9421	.9417	.9409
.0040	.9365	.9361	.9357	.9352	.9349	.9347	.9342	.9337	.9332
.0050	.9300	.9295	.9291	.9285	.9282	.9280	.9275	.9269	.9263
.0060	.9242	.9237	.9232	.9227	.9223	.9221	.9215	.9209	.9203
.0070	.9190	.9185	.9180	.9174	.9170	.9168	.9162	.9155	.9148
.0080	.9143	.9138	.9132	.9126	.9122	.9119	.9113	.9106	.9099
.0090	.9100	.9094	.9088	.9081	.9078	.9075	.9068	.9061	.9053
.0100	.9059	.9053	.9047	.9040	.9036	.9033	.9026	.9019	.9011
.0200	.8757	.8749	.8741	.8733	.8728	.8724	.8715	.8705	.8695
.0300	.8551	.8542	.8533	.8524	.8518	.8513	.8503	.8492	.8481
.0400	.8392	.8383	.8373	.8362	.8356	.8351	.8340	.8328	.8315
.0500	.8263	.8252	.8242	.8231	.8224	.8219	.8207	.8194	.8181
.0600	.8153	.8142	.8131	.8119	.8112	.8107	.8094	.8080	.8067
.0700	.8057	.8046	.8034	.8022	.8015	.8009	.7996	.7982	.7967
.0800	.7972	.7961	.7949	.7936	.7929	.7923	.7909	.7895	.7880
.0900	.7896	.7885	.7872	.7859	.7852	.7846	.7832	.7817	.7802
.1000	.7828	.7816	.7803	.7790	.7782	.7766	.7746	.7731	.7721

TABLE 103. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended
 Scatchard—Continued
 (Electrolyte, $z_+ z_- = 1$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9880	.9878	.9877	.9876	.9875	.9873	.9872	.9870	.9869	.9867	.9866
.0002	.9831	.9829	.9828	.9826	.9824	.9822	.9820	.9818	.9816	.9814	.9812
.0003	.9794	.9792	.9790	.9788	.9786	.9784	.9782	.9779	.9777	.9774	.9771
.0004	.9764	.9762	.9759	.9757	.9754	.9752	.9749	.9746	.9743	.9740	.9737
.0005	.9737	.9735	.9732	.9730	.9727	.9724	.9721	.9718	.9715	.9711	.9708
.0006	.9714	.9711	.9708	.9705	.9702	.9699	.9696	.9692	.9689	.9685	.9681
.0007	.9692	.9689	.9686	.9683	.9679	.9676	.9673	.9669	.9665	.9661	.9657
.0008	.9672	.9669	.9665	.9662	.9659	.9655	.9651	.9647	.9643	.9639	.9635
.0009	.9653	.9650	.9646	.9643	.9639	.9635	.9631	.9627	.9623	.9619	.9614
.0010	.9635	.9632	.9628	.9625	.9621	.9617	.9613	.9608	.9604	.9599	.9595
.0020	.9497	.9493	.9488	.9483	.9478	.9472	.9467	.9461	.9455	.9449	.9442
.0030	.9396	.9391	.9385	.9379	.9373	.9366	.9360	.9353	.9345	.9338	.9330
.0040	.9314	.9308	.9301	.9294	.9287	.9280	.9273	.9265	.9257	.9248	.9240
.0050	.9244	.9237	.9229	.9222	.9214	.9206	.9198	.9190	.9181	.9172	.9162
.0060	.9182	.9174	.9166	.9158	.9150	.9142	.9133	.9124	.9114	.9104	.9094
.0070	.9126	.9118	.9110	.9101	.9092	.9083	.9074	.9064	.9054	.9044	.9033
.0080	.9075	.9067	.9058	.9049	.9040	.9030	.9021	.9010	.9000	.8989	.8977
.0090	.9029	.9020	.9011	.9001	.8992	.8982	.8971	.8961	.8950	.8938	.8926
.0100	.8985	.8976	.8967	.8957	.8947	.8937	.8926	.8915	.8903	.8891	.8879
.0200	.8663	.8651	.8639	.8626	.8614	.8600	.8587	.8572	.8558	.8542	.8526
.0300	.8443	.8430	.8416	.8402	.8388	.8373	.8357	.8341	.8324	.8307	.8289
.0400	.8275	.8260	.8246	.8230	.8214	.8198	.8181	.8163	.8145	.8126	.8106
.0500	.8138	.8122	.8106	.8090	.8073	.8055	.8037	.8019	.7999	.7979	.7958
.0600	.8021	.8005	.7989	.7971	.7953	.7935	.7916	.7897	.7876	.7855	.7833
.0700	.7921	.7904	.7886	.7868	.7850	.7831	.7811	.7791	.7770	.7748	.7725
.0800	.7831	.7814	.7796	.7778	.7759	.7739	.7719	.7697	.7676	.7653	.7630
.0900	.7752	.7734	.7715	.7696	.7677	.7657	.7636	.7614	.7592	.7569	.7544
.1000	.7680	.7661	.7642	.7623	.7603	.7582	.7561	.7539	.7516	.7492	.7467

TABLE 104. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended
 Scatchard
 (Electrolyte, $z_{+}z_{-} = 2$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9779	.9778	.9776	.9774	.9773	.9771	.9769	.9767	.9765
.0002	.9691	.9689	.9687	.9684	.9683	.9679	.9677	.9672	.9671
.0003	.9625	.9622	.9619	.9617	.9615	.9614	.9611	.9607	.9601
.0004	.9569	.9566	.9563	.9560	.9558	.9557	.9553	.9550	.9546
.0005	.9521	.9518	.9515	.9511	.9509	.9507	.9504	.9500	.9495
.0006	.9478	.9475	.9471	.9467	.9465	.9463	.9459	.9455	.9450
.0007	.9439	.9436	.9432	.9428	.9425	.9423	.9419	.9414	.9409
.0008	.9403	.9399	.9395	.9391	.9388	.9386	.9381	.9376	.9368
.0009	.9370	.9366	.9361	.9357	.9354	.9352	.9347	.9341	.9336
.0010	.9338	.9334	.9329	.9324	.9321	.9319	.9314	.9309	.9303
.0020	.9093	.9087	.9081	.9074	.9070	.9067	.9060	.9053	.9045
.0030	.8915	.8908	.8901	.8893	.8888	.8885	.8876	.8868	.8859
.0040	.8771	.8763	.8755	.8746	.8741	.8737	.8728	.8718	.8708
.0050	.8649	.8640	.8631	.8622	.8616	.8612	.8602	.8591	.8580
.0060	.8542	.8533	.8523	.8513	.8507	.8503	.8492	.8480	.8469
.0070	.8446	.8437	.8427	.8416	.8410	.8405	.8393	.8381	.8369
.0080	.8360	.8350	.8339	.8328	.8321	.8316	.8304	.8292	.8279
.0090	.8280	.8270	.8259	.8247	.8240	.8235	.8223	.8209	.8196
.0100	.8207	.8196	.8185	.8173	.8165	.8160	.8147	.8134	.8119
.0200	.7669	.7655	.7641	.7626	.7617	.7611	.7595	.7578	.7561
.0300	.7312	.7297	.7282	.7265	.7255	.7248	.7230	.7211	.7192
.0400	.7043	.7027	.7011	.6993	.6982	.6974	.6955	.6935	.6915
.0500	.6827	.6810	.6793	.6774	.6763	.6755	.6735	.6714	.6692
.0600	.6646	.6629	.6611	.6592	.6580	.6572	.6551	.6529	.6507
.0700	.6491	.6473	.6455	.6435	.6423	.6414	.6393	.6371	.6348
.0800	.6356	.6337	.6318	.6298	.6286	.6277	.6256	.6233	.6209
.0900	.6235	.6217	.6198	.6177	.6165	.6156	.6134	.6110	.6086
.1000	.6127	.6108	.6089	.6068	.6056	.6046	.6024	.6001	.5976

TABLE 104. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended
 Scatchard—Continued
 (Electrolyte, $z_+ z_- = 2$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9761	.9758	.9756	.9753	.9751	.9748	.9745	.9743	.9740	.9737	.9733
.0002	.9665	.9662	.9658	.9655	.9651	.9648	.9644	.9640	.9636	.9632	.9627
.0003	.9593	.9589	.9585	.9581	.9577	.9572	.9568	.9563	.9558	.9553	.9548
.0004	.9534	.9529	.9524	.9520	.9515	.9510	.9505	.9499	.9493	.9488	.9481
.0005	.9482	.9477	.9472	.9466	.9461	.9455	.9450	.9443	.9437	.9431	.9424
.0006	.9435	.9430	.9424	.9419	.9413	.9407	.9400	.9394	.9387	.9380	.9373
.0007	.9393	.9387	.9381	.9375	.9369	.9363	.9356	.9349	.9341	.9334	.9326
.0008	.9354	.9348	.9342	.9335	.9329	.9322	.9315	.9307	.9299	.9292	.9283
.0009	.9318	.9312	.9305	.9298	.9291	.9284	.9276	.9268	.9260	.9252	.9243
.0010	.9284	.9277	.9270	.9263	.9256	.9248	.9240	.9232	.9224	.9215	.9206
.0020	.9020	.9011	.9002	.8992	.8982	.8972	.8962	.8951	.8939	.8928	.8915
.0030	.8829	.8818	.8808	.8796	.8785	.8773	.8760	.8747	.8734	.8720	.8705
.0040	.8675	.8663	.8651	.8638	.8625	.8612	.8598	.8583	.8568	.8553	.8537
.0050	.8544	.8531	.8518	.8505	.8490	.8476	.8461	.8445	.8429	.8412	.8394
.0060	.8430	.8416	.8402	.8388	.8372	.8357	.8341	.8324	.8307	.8289	.8270
.0070	.8328	.8314	.8299	.8283	.8267	.8251	.8234	.8216	.8198	.8179	.8159
.0080	.8236	.8221	.8205	.8189	.8172	.8155	.8137	.8119	.8099	.8080	.8059
.0090	.8152	.8136	.8119	.8103	.8085	.8067	.8049	.8029	.8009	.7989	.7967
.0100	.8074	.8057	.8040	.8023	.8005	.7986	.7967	.7947	.7926	.7905	.7883
.0200	.7504	.7484	.7463	.7442	.7419	.7397	.7373	.7348	.7323	.7297	.7270
.0300	.7129	.7107	.7084	.7060	.7035	.7010	.6984	.6957	.6929	.6900	.6870
.0400	.6848	.6824	.6799	.6774	.6747	.6720	.6693	.6664	.6634	.6604	.6571
.0500	.6622	.6597	.6571	.6545	.6517	.6489	.6460	.6430	.6399	.6367	.6334
.0600	.6434	.6408	.6382	.6354	.6326	.6297	.6267	.6235	.6203	.6171	.6136
.0700	.6274	.6247	.6219	.6191	.6162	.6132	.6102	.6070	.6037	.6003	.5968
.0800	.6133	.6106	.6078	.6049	.6019	.5989	.5958	.5925	.5892	.5857	.5821
.0900	.6009	.5981	.5953	.5924	.5893	.5862	.5831	.5797	.5763	.5729	.5692
.1000	.5898	.5869	.5841	.5811	.5780	.5749	.5717	.5683	.5649	.5614	.5576

TABLE 105. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended*
Scatchard
 (Electrolyte, $z_+ z_- = 3$)

Ionic strength	Temperature in degrees Celsius						
	0	5	10	15	18	20	25
.0001	.9671	.9668	.9664	.9662	.9661	.9658	.9653
.0002	.9540	.9537	.9534	.9530	.9528	.9523	.9515
.0003	.9442	.9438	.9435	.9430	.9428	.9426	.9417
.0004	.9361	.9357	.9352	.9348	.9345	.9343	.9338
.0005	.9291	.9286	.9281	.9276	.9273	.9270	.9265
.0006	.9228	.9223	.9217	.9212	.9208	.9206	.9200
.0007	.9171	.9165	.9160	.9154	.9150	.9147	.9141
.0008	.9119	.9113	.9107	.9100	.9096	.9093	.9087
.0009	.9070	.9064	.9057	.9050	.9046	.9043	.9036
.0010	.9024	.9018	.9011	.9004	.9000	.8996	.8989
.0020	.8671	.8662	.8653	.8644	.8638	.8634	.8624
.0030	.8417	.8407	.8397	.8386	.8380	.8375	.8363
.0040	.8215	.8203	.8192	.8180	.8172	.8167	.8154
.0050	.8044	.8031	.8019	.8006	.7998	.7992	.7978
.0060	.7895	.7882	.7869	.7855	.7846	.7840	.7825
.0070	.7763	.7749	.7735	.7721	.7712	.7705	.7690
.0080	.7644	.7630	.7615	.7600	.7591	.7584	.7568
.0090	.7535	.7520	.7505	.7490	.7480	.7473	.7456
.0100	.7435	.7420	.7405	.7388	.7378	.7371	.7354
.0200	.6716	.6698	.6679	.6660	.6648	.6640	.6619
.0300	.6253	.6233	.6214	.6192	.6180	.6170	.6148
.0400	.5911	.5891	.5870	.5848	.5834	.5824	.5801
.0500	.5641	.5620	.5598	.5576	.5562	.5552	.5527
.0600	.5418	.5397	.5375	.5352	.5338	.5327	.5302
.0700	.5230	.5208	.5186	.5162	.5148	.5137	.5112
.0800	.5067	.5045	.5022	.4998	.4984	.4973	.4948
.0900	.4924	.4902	.4879	.4855	.4840	.4829	.4804
.1000	.4796	.4774	.4751	.4727	.4712	.4676	.4648

TABLE 105. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended
 Scatchard—Continued
 (Electrolyte, $z_+ z_- = 3$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9643	.9639	.9636	.9632	.9629	.9625	.9621	.9616	.9612	.9607	.9603
.0002	.9502	.9497	.9492	.9487	.9482	.9476	.9471	.9465	.9459	.9453	.9446
.0003	.9396	.9390	.9384	.9378	.9372	.9365	.9359	.9352	.9344	.9337	.9329
.0004	.9308	.9302	.9295	.9288	.9281	.9274	.9266	.9258	.9250	.9241	.9232
.0005	.9233	.9225	.9218	.9210	.9202	.9194	.9186	.9177	.9168	.9158	.9149
.0006	.9165	.9157	.9149	.9141	.9132	.9123	.9114	.9105	.9095	.9085	.9074
.0007	.9104	.9095	.9087	.9078	.9069	.9059	.9049	.9039	.9029	.9018	.9006
.0008	.9047	.9038	.9029	.9020	.9010	.9000	.8990	.8979	.8968	.8956	.8944
.0009	.8995	.8985	.8976	.8966	.8956	.8945	.8934	.8923	.8911	.8899	.8887
.0010	.8946	.8936	.8926	.8916	.8905	.8894	.8883	.8871	.8858	.8846	.8833
.0020	.8567	.8554	.8541	.8527	.8513	.8499	.8484	.8468	.8452	.8435	.8418
.0030	.8296	.8281	.8266	.8250	.8233	.8216	.8199	.8181	.8162	.8143	.8122
.0040	.8080	.8063	.8046	.8029	.8010	.7992	.7972	.7952	.7931	.7910	.7888
.0050	.7898	.7880	.7862	.7843	.7823	.7803	.7782	.7760	.7738	.7715	.7691
.0060	.7740	.7721	.7702	.7682	.7661	.7639	.7617	.7594	.7571	.7546	.7521
.0070	.7600	.7580	.7560	.7539	.7517	.7495	.7471	.7447	.7422	.7397	.7370
.0080	.7475	.7454	.7432	.7410	.7388	.7364	.7340	.7315	.7289	.7263	.7235
.0090	.7360	.7338	.7316	.7293	.7270	.7246	.7221	.7195	.7168	.7141	.7112
.0100	.7254	.7232	.7210	.7186	.7162	.7137	.7111	.7084	.7057	.7029	.6999
.0200	.6501	.6474	.6447	.6419	.6391	.6361	.6331	.6299	.6267	.6234	.6199
.0300	.6020	.5991	.5962	.5932	.5901	.5869	.5836	.5802	.5767	.5732	.5694
.0400	.5667	.5637	.5606	.5575	.5542	.5509	.5475	.5440	.5403	.5366	.5327
.0500	.5389	.5358	.5327	.5295	.5261	.5227	.5192	.5156	.5119	.5081	.5040
.0600	.5161	.5130	.5098	.5065	.5031	.4996	.4961	.4924	.4886	.4847	.4807
.0700	.4969	.4937	.4905	.4872	.4837	.4802	.4766	.4729	.4690	.4651	.4610
.0800	.4803	.4771	.4739	.4705	.4670	.4635	.4599	.4561	.4522	.4483	.4441
.0900	.4658	.4626	.4593	.4559	.4524	.4489	.4452	.4414	.4375	.4336	.4294
.1000	.4529	.4464	.4430	.4395	.4359	.4322	.4284	.4245	.4206	.4164	

TABLE 106. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended*
 Scatchard
 (Electrolyte, $z_+ z_- = 4$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9563	.9560	.9557	.9554	.9552	.9551	.9547	.9543	.9539
.0002	.9392	.9388	.9383	.9379	.9376	.9374	.9369	.9364	.9359
.0003	.9263	.9258	.9253	.9248	.9245	.9242	.9236	.9230	.9224
.0004	.9157	.9152	.9146	.9140	.9136	.9133	.9127	.9120	.9112
.0005	.9066	.9060	.9053	.9046	.9042	.9039	.9032	.9024	.9016
.0006	.8984	.8977	.8970	.8963	.8959	.8955	.8948	.8939	.8931
.0007	.8910	.8903	.8896	.8888	.8883	.8880	.8871	.8862	.8853
.0008	.8842	.8835	.8827	.8819	.8814	.8810	.8801	.8792	.8782
.0009	.8779	.8771	.8763	.8754	.8749	.8745	.8736	.8726	.8716
.0010	.8720	.8712	.8704	.8694	.8689	.8685	.8675	.8665	.8654
.0020	.8268	.8257	.8246	.8234	.8227	.8222	.8209	.8196	.8182
.0030	.7948	.7935	.7922	.7908	.7900	.7894	.7879	.7864	.7847
.0040	.7693	.7679	.7665	.7650	.7641	.7634	.7618	.7601	.7583
.0050	.7480	.7466	.7450	.7434	.7424	.7417	.7400	.7381	.7362
.0060	.7297	.7281	.7265	.7247	.7237	.7229	.7211	.7192	.7172
.0070	.7134	.7118	.7101	.7083	.7072	.7064	.7045	.7025	.7004
.0080	.6989	.6972	.6954	.6935	.6924	.6916	.6896	.6875	.6853
.0090	.6856	.6839	.6821	.6802	.6790	.6782	.6761	.6740	.6717
.0100	.6735	.6717	.6699	.6679	.6667	.6659	.6638	.6615	.6592
.0200	.5881	.5860	.5839	.5816	.5802	.5792	.5768	.5743	.5716
.0300	.5347	.5325	.5302	.5278	.5264	.5253	.5227	.5200	.5172
.0400	.4961	.4938	.4915	.4890	.4875	.4864	.4838	.4810	.4781
.0500	.4661	.4638	.4614	.4589	.4574	.4563	.4536	.4508	.4479
.0600	.4417	.4394	.4370	.4345	.4330	.4319	.4292	.4263	.4234
.0700	.4214	.4190	.4167	.4141	.4126	.4115	.4088	.4059	.4030
.0800	.4040	.4016	.3992	.3967	.3952	.3940	.3913	.3885	.3856
.0900	.3888	.3865	.3841	.3815	.3800	.3789	.3762	.3734	.3686
.1000	.3755	.3731	.3708	.3682	.3667	.3656	.3629	.3601	.3572

TABLE 106. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended
 Satchard—Continued
 (Electrolyte, $z_+ z_- = 4$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9527	.9522	.9518	.9513	.9508	.9503	.9497	.9492	.9486	.9480	.9474
.0002	.9341	.9335	.9329	.9322	.9315	.9308	.9301	.9293	.9285	.9277	.9268
.0003	.9203	.9195	.9188	.9180	.9172	.9163	.9154	.9145	.9136	.9126	.9116
.0004	.9089	.9080	.9072	.9063	.9053	.9044	.9034	.9023	.9012	.9001	.8990
.0005	.8990	.8981	.8971	.8961	.8951	.8940	.8929	.8918	.8906	.8894	.8881
.0006	.8902	.8892	.8882	.8871	.8860	.8849	.8837	.8824	.8812	.8799	.8785
.0007	.8823	.8812	.8801	.8790	.8778	.8766	.8753	.8740	.8726	.8712	.8698
.0008	.8750	.8739	.8727	.8715	.8702	.8690	.8676	.8662	.8648	.8633	.8618
.0009	.8683	.8671	.8658	.8646	.8633	.8619	.8605	.8590	.8575	.8560	.8544
.0010	.8619	.8607	.8594	.8581	.8567	.8553	.8539	.8523	.8508	.8492	.8475
.0020	.8136	.8120	.8103	.8086	.8068	.8050	.8031	.8011	.7991	.7970	.7948
.0030	.7795	.7776	.7757	.7737	.7717	.7696	.7674	.7651	.7628	.7604	.7578
.0040	.7526	.7505	.7484	.7462	.7440	.7416	.7392	.7368	.7342	.7316	.7288
.0050	.7301	.7279	.7256	.7233	.7209	.7184	.7158	.7132	.7104	.7076	.7046
.0060	.7107	.7083	.7060	.7035	.7010	.6984	.6957	.6929	.6900	.6870	.6839
.0070	.6936	.6912	.6887	.6861	.6835	.6808	.6780	.6750	.6720	.6690	.6657
.0080	.6783	.6758	.6732	.6706	.6678	.6650	.6621	.6591	.6560	.6528	.6495
.0090	.6645	.6619	.6592	.6565	.6537	.6508	.6478	.6447	.6415	.6382	.6348
.0100	.6518	.6492	.6465	.6437	.6408	.6378	.6347	.6316	.6283	.6249	.6214
.0200	.5631	.5601	.5570	.5538	.5505	.5471	.5436	.5400	.5363	.5325	.5285
.0300	.5083	.5050	.5018	.4984	.4949	.4914	.4878	.4840	.4801	.4761	.4720
.0400	.4689	.4656	.4623	.4588	.4553	.4516	.4479	.4441	.4401	.4361	.4318
.0500	.4385	.4352	.4318	.4283	.4247	.4211	.4173	.4134	.4094	.4054	.4011
.0600	.4140	.4106	.4073	.4038	.4001	.3965	.3927	.3888	.3848	.3808	.3765
.0700	.3936	.3902	.3868	.3833	.3797	.3760	.3723	.3684	.3644	.3604	.3561
.0800	.3762	.3728	.3694	.3659	.3623	.3587	.3554	.3511	.3471	.3431	.3389
.0900	.3611	.3577	.3544	.3509	.3473	.3437	.3400	.3361	.3322	.3282	.3240
.1000	.3478	.3445	.3411	.3377	.3341	.3305	.3268	.3230	.3191	.3151	.3110

TABLE 107. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—*Extended Scatchard*
(Electrolyte, z_{+z₋} = 6)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9352	.9348	.9343	.9338	.9336	.9333	.9328	.9323	.9317
.0002	.9102	.9095	.9089	.9083	.9079	.9076	.9069	.9061	.9054
.0003	.8916	.8908	.8901	.8893	.8888	.8885	.8877	.8868	.8858
.0004	.8763	.8755	.8747	.8738	.8732	.8728	.8719	.8709	.8699
.0005	.8632	.8623	.8614	.8604	.8598	.8594	.8583	.8573	.8561
.0006	.8516	.8506	.8496	.8486	.8479	.8475	.8464	.8452	.8439
.0007	.8411	.8401	.8390	.8379	.8372	.8367	.8355	.8343	.8330
.0008	.8315	.8304	.8293	.8281	.8274	.8269	.8256	.8243	.8230
.0009	.8226	.8215	.8203	.8191	.8184	.8178	.8165	.8151	.8137
.0010	.8143	.8132	.8120	.8107	.8099	.8094	.8080	.8066	.8051
.0020	.7519	.7504	.7488	.7472	.7462	.7455	.7438	.7420	.7401
.0030	.7085	.7068	.7051	.7033	.7022	.7013	.6994	.6973	.6952
.0040	.6748	.6730	.6711	.6691	.6679	.6670	.6649	.6627	.6603
.0050	.6470	.6450	.6431	.6410	.6397	.6388	.6365	.6342	.6317
.0060	.6233	.6213	.6192	.6170	.6157	.6147	.6124	.6099	.6073
.0070	.6026	.6005	.5984	.5961	.5947	.5937	.5913	.5888	.5861
.0080	.5842	.5821	.5799	.5776	.5762	.5751	.5727	.5701	.5674
.0090	.5677	.5656	.5633	.5609	.5595	.5585	.5559	.5533	.5505
.0100	.5528	.5506	.5483	.5459	.5444	.5433	.5408	.5381	.5353
.0200	.4510	.4486	.4461	.4435	.4420	.4408	.4381	.4352	.4322
.0300	.3910	.3886	.3861	.3835	.3819	.3807	.3779	.3750	.3720
.0400	.3494	.3470	.3446	.3419	.3404	.3392	.3365	.3336	.3306
.0500	.3182	.3158	.3134	.3109	.3093	.3082	.3055	.3027	.2997
.0600	.2936	.2913	.2889	.2864	.2849	.2838	.2812	.2784	.2755
.0700	.2735	.2713	.2689	.2665	.2650	.2639	.2613	.2586	.2558
.0800	.2567	.2545	.2523	.2498	.2484	.2473	.2448	.2421	.2394
.0900	.2424	.2403	.2380	.2357	.2343	.2332	.2308	.2281	.2255
.1000	.2301	.2279	.2258	.2234	.2221	.2210	.2186	.2161	.2134

TABLE 107. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended
Schaichard—Continued
 (Electrolyte, $Z_+Z_- = 6$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9299	.9292	.9285	.9278	.9271	.9263	.9256	.9247	.9239	.9230	.9221
.0002	.9028	.9019	.9010	.9000	.8991	.8980	.8970	.8959	.8947	.8935	.8923
.0003	.8829	.8818	.8807	.8795	.8783	.8771	.8759	.8745	.8732	.8718	.8703
.0004	.8665	.8653	.8640	.8627	.8614	.8600	.8586	.8571	.8556	.8540	.8524
.0005	.8524	.8511	.8497	.8483	.8468	.8453	.8438	.8422	.8405	.8388	.8370
.0006	.8400	.8385	.8371	.8356	.8340	.8324	.8307	.8290	.8272	.8253	.8234
.0007	.8288	.8272	.8257	.8241	.8224	.8207	.8189	.8171	.8152	.8132	.8111
.0008	.8185	.8169	.8153	.8136	.8118	.8100	.8082	.8062	.8042	.8022	.8000
.0009	.8091	.8074	.8057	.8039	.8021	.8002	.7982	.7962	.7941	.7920	.7897
.0010	.8002	.7985	.7967	.7949	.7930	.7910	.7890	.7869	.7847	.7825	.7801
.0020	.7339	.7317	.7295	.7271	.7247	.7223	.7197	.7171	.7143	.7115	.7086
.0030	.6882	.6857	.6832	.6806	.6779	.6751	.6722	.6693	.6662	.6630	.6597
.0040	.6529	.6502	.6474	.6446	.6417	.6387	.6356	.6324	.6291	.6257	.6222
.0050	.6238	.6210	.6181	.6151	.6120	.6089	.6056	.6022	.5988	.5952	.5915
.0060	.5991	.5962	.5932	.5901	.5869	.5836	.5802	.5767	.5731	.5695	.5656
.0070	.5777	.5746	.5715	.5683	.5651	.5617	.5582	.5546	.5509	.5471	.5432
.0080	.5587	.5556	.5524	.5491	.5458	.5423	.5388	.5351	.5313	.5275	.5234
.0090	.5417	.5385	.5353	.5319	.5285	.5250	.5214	.5177	.5138	.5099	.5058
.0100	.5263	.5230	.5198	.5164	.5129	.5094	.5057	.5019	.4980	.4940	.4899
.0200	.4226	.4191	.4157	.4121	.4084	.4047	.4008	.3968	.3927	.3886	.3842
.0300	.3624	.3589	.3554	.3519	.3482	.3445	.3406	.3367	.3326	.3285	.3242
.0400	.3211	.3177	.3143	.3108	.3072	.3035	.2998	.2959	.2920	.2880	.2838
.0500	.2904	.2871	.2838	.2803	.2768	.2732	.2696	.2658	.2620	.2581	.2541
.0600	.2664	.2631	.2599	.2565	.2531	.2496	.2461	.2424	.2387	.2350	.2310
.0700	.2469	.2437	.2406	.2373	.2340	.2306	.2272	.2236	.2200	.2163	.2125
.0800	.2307	.2276	.2245	.2214	.2181	.2148	.2115	.2080	.2045	.2010	.1973
.0900	.2170	.2140	.2110	.2078	.2047	.2015	.1982	.1948	.1914	.1880	.1844
.1000	.2051	.2022	.1993	.1962	.1931	.1900	.1868	.1836	.1802	.1769	.1734

TABLE 108. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—*Extended*
 Scatchard
 Electrolyte, $z_+ z_- = 8$

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9146	.9140	.9134	.9128	.9124	.9121	.9114	.9107	.9100
.0002	.8820	.8813	.8804	.8796	.8791	.8787	.8778	.8768	.8758
.0003	.8581	.8572	.8562	.8552	.8546	.8542	.8531	.8519	.8508
.0004	.8386	.8375	.8365	.8353	.8347	.8342	.8330	.8317	.8304
.0005	.8219	.8207	.8196	.8184	.8176	.8171	.8157	.8144	.8129
.0006	.8072	.8059	.8047	.8034	.8026	.8020	.8006	.7991	.7975
.0007	.7939	.7926	.7913	.7899	.7891	.7885	.7870	.7854	.7838
.0008	.7819	.7805	.7791	.7777	.7768	.7761	.7746	.7729	.7712
.0009	.7708	.7694	.7679	.7664	.7655	.7648	.7632	.7614	.7597
.0010	.7605	.7590	.7575	.7559	.7550	.7543	.7526	.7508	.7489
.0020	.6837	.6819	.6800	.6780	.6769	.6760	.6739	.6717	.6694
.0030	.6317	.6296	.6276	.6254	.6241	.6231	.6208	.6184	.6158
.0040	.5919	.5897	.5875	.5852	.5838	.5828	.5803	.5777	.5750
.0050	.5596	.5573	.5551	.5526	.5512	.5501	.5475	.5448	.5420
.0060	.5324	.5301	.5277	.5253	.5238	.5227	.5200	.5172	.5143
.0070	.5090	.5066	.5042	.5017	.5002	.4990	.4963	.4935	.4905
.0080	.4884	.4860	.4836	.4810	.4795	.4783	.4756	.4727	.4697
.0090	.4701	.4677	.4652	.4626	.4611	.4599	.4571	.4542	.4512
.0100	.4537	.4512	.4487	.4461	.4445	.4434	.4406	.4376	.4346
.0200	.3459	.3434	.3409	.3383	.3367	.3355	.3327	.3298	.3268
.0300	.2859	.2835	.2811	.2786	.2771	.2759	.2733	.2704	.2675
.0400	.2461	.2438	.2416	.2391	.2377	.2366	.2340	.2314	.2286
.0500	.2172	.2151	.2129	.2106	.2092	.2082	.2058	.2032	.2006
.0600	.1951	.1931	.1910	.1888	.1875	.1865	.1842	.1818	.1793
.0700	.1776	.1756	.1736	.1715	.1702	.1693	.1671	.1648	.1624
.0800	.1632	.1613	.1594	.1574	.1562	.1553	.1531	.1509	.1487
.0900	.1512	.1494	.1475	.1456	.1444	.1436	.1415	.1394	.1372
.1000	.1410	.1392	.1375	.1356	.1345	.1337	.1317	.1296	.1276

TABLE 108. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended
Scatchard—Continued
(Electrolyte, $z_+z_- = 8$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9076	.9067	.9058	.9049	.9040	.9030	.9020	.9009	.8998	.8987	.8975
.0002	.8726	.8714	.8702	.8690	.8677	.8664	.8650	.8636	.8621	.8606	.8590
.0003	.8469	.8455	.8441	.8427	.8412	.8396	.8380	.8363	.8346	.8328	.8309
.0004	.8261	.8245	.8229	.8213	.8196	.8179	.8161	.8142	.8122	.8103	.8082
.0005	.8082	.8065	.8048	.8030	.8012	.7993	.7973	.7953	.7932	.7910	.7888
.0006	.7925	.7907	.7889	.7870	.7850	.7830	.7809	.7787	.7765	.7742	.7717
.0007	.7785	.7765	.7746	.7726	.7705	.7684	.7662	.7639	.7615	.7591	.7565
.0008	.7657	.7637	.7616	.7595	.7573	.7551	.7528	.7504	.7479	.7453	.7426
.0009	.7539	.7518	.7497	.7475	.7452	.7429	.7405	.7380	.7354	.7327	.7299
.0010	.7430	.7408	.7386	.7363	.7340	.7316	.7291	.7265	.7238	.7211	.7182
.0020	.6620	.6594	.6567	.6539	.6510	.6480	.6450	.6418	.6385	.6352	.6317
.0030	.6077	.6047	.6017	.5987	.5955	.5922	.5889	.5854	.5818	.5782	.5743
.0040	.5664	.5632	.5601	.5568	.5535	.5500	.5465	.5428	.5390	.5352	.5311
.0050	.5330	.5298	.5265	.5231	.5196	.5161	.5124	.5086	.5047	.5007	.4965
.0060	.5051	.5018	.4984	.4949	.4914	.4877	.4840	.4801	.4761	.4720	.4677
.0070	.4811	.4777	.4743	.4708	.4671	.4634	.4596	.4557	.4516	.4475	.4432
.0080	.4601	.4567	.4533	.4497	.4460	.4423	.4384	.4344	.4303	.4262	.4218
.0090	.4415	.4381	.4346	.4310	.4273	.4235	.4197	.4156	.4115	.4074	.4030
.0100	.4249	.4214	.4179	.4143	.4106	.4068	.4029	.3989	.3947	.3906	.3862
.0200	.3171	.3137	.3102	.3067	.3030	.2993	.2955	.2916	.2876	.2836	.2794
.0300	.2583	.2551	.2518	.2484	.2450	.2415	.2379	.2342	.2305	.2267	.2228
.0400	.2199	.2168	.2137	.2105	.2073	.2040	.2006	.1972	.1937	.1902	.1865
.0500	.1923	.1894	.1865	.1835	.1804	.1773	.1742	.1709	.1676	.1644	.1609
.0600	.1714	.1686	.1659	.1630	.1601	.1572	.1542	.1512	.1481	.1450	.1418
.0700	.1549	.1523	.1496	.1469	.1442	.1414	.1386	.1357	.1328	.1299	.1268
.0800	.1415	.1390	.1365	.1339	.1313	.1287	.1260	.1232	.1205	.1177	.1148
.0900	.1304	.1280	.1256	.1231	.1206	.1181	.1156	.1130	.1103	.1077	.1050
.1000	.1210	.1187	.1164	.1140	.1116	.1092	.1068	.1043	.1018	.0993	.0967

TABLE 109. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—*Extended*
Scaichard
 (Electrolyte, $z_+z_- = 9$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9044	.9038	.9031	.9024	.9020	.9017	.9009	.9002	.8993
.0002	.8683	.8674	.8665	.8656	.8650	.8646	.8636	.8626	.8614
.0003	.8418	.8408	.8398	.8387	.8380	.8375	.8363	.8351	.8337
.0004	.8203	.8192	.8180	.8168	.8160	.8155	.8141	.8127	.8113
.0005	.8020	.8007	.7994	.7981	.7973	.7967	.7952	.7937	.7921
.0006	.7858	.7845	.7831	.7817	.7808	.7802	.7786	.7770	.7753
.0007	.7714	.7699	.7685	.7670	.7661	.7654	.7637	.7620	.7602
.0008	.7582	.7567	.7552	.7536	.7527	.7519	.7502	.7484	.7466
.0009	.7461	.7446	.7430	.7413	.7403	.7396	.7378	.7359	.7340
.0010	.7349	.7333	.7317	.7299	.7289	.7281	.7263	.7244	.7224
.0020	.6519	.6500	.6480	.6459	.6446	.6437	.6415	.6391	.6366
.0030	.5964	.5943	.5921	.5898	.5884	.5874	.5849	.5823	.5796
.0040	.5543	.5521	.5497	.5473	.5458	.5448	.5422	.5394	.5366
.0050	.5204	.5181	.5157	.5131	.5116	.5105	.5078	.5050	.5021
.0060	.4921	.4897	.4872	.4846	.4831	.4819	.4792	.4763	.4733
.0070	.4678	.4653	.4629	.4602	.4587	.4575	.4547	.4518	.4488
.0080	.4466	.4441	.4416	.4389	.4374	.4362	.4334	.4304	.4274
.0090	.4278	.4253	.4228	.4201	.4185	.4173	.4145	.4115	.4085
.0100	.4110	.4085	.4060	.4033	.4017	.4005	.3977	.3947	.3916
.0200	.3029	.3005	.2980	.2954	.2939	.2927	.2900	.2871	.2841
.0300	.2445	.2422	.2399	.2374	.2360	.2349	.2323	.2297	.2269
.0400	.2065	.2044	.2022	.2000	.1986	.1976	.1952	.1927	.1901
.0500	.1795	.1775	.1755	.1733	.1721	.1711	.1689	.1665	.1641
.0600	.1591	.1572	.1553	.1533	.1521	.1512	.1491	.1469	.1446
.0700	.1431	.1413	.1395	.1376	.1364	.1356	.1336	.1315	.1294
.0800	.1301	.1284	.1267	.1249	.1238	.1220	.1211	.1192	.1171
.0900	.1194	.1178	.1161	.1144	.1134	.1126	.1108	.1090	.1071
.1000	.1103	.1088	.1073	.1056	.1046	.1039	.1022	.1004	.0986

TABLE 109. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended
 Scatchard—Continued
 (Electrolyte, $z_+z_- = 9$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.8967	.8957	.8947	.8937	.8926	.8916	.8904	.8893	.8880	.8868	.8855
.0002	.8579	.8566	.8552	.8539	.8525	.8510	.8495	.8479	.8463	.8446	.8429
.0003	.8295	.8280	.8264	.8248	.8232	.8215	.8197	.8178	.8159	.8140	.8119
.0004	.8066	.8049	.8031	.8013	.7995	.7976	.7956	.7935	.7914	.7892	.7869
.0005	.7870	.7851	.7833	.7813	.7793	.7772	.7751	.7729	.7706	.7682	.7657
.0006	.7698	.7679	.7659	.7638	.7616	.7594	.7571	.7547	.7523	.7498	.7471
.0007	.7545	.7524	.7503	.7481	.7458	.7435	.7411	.7386	.7360	.7333	.7305
.0008	.7405	.7383	.7361	.7338	.7315	.7290	.7265	.7239	.7212	.7184	.7155
.0009	.7277	.7255	.7232	.7208	.7183	.7158	.7132	.7105	.7077	.7048	.7018
.0010	.7159	.7135	.7111	.7087	.7061	.7035	.7008	.6980	.6951	.6922	.6891
.0020	.6287	.6259	.6230	.6200	.6170	.6138	.6106	.6072	.6037	.6002	.5965
.0030	.5710	.5679	.5647	.5615	.5581	.5547	.5512	.5475	.5437	.5399	.5359
.0040	.5275	.5242	.5209	.5175	.5140	.5104	.5067	.5029	.4990	.4950	.4907
.0050	.4927	.4893	.4859	.4824	.4788	.4751	.4713	.4674	.4633	.4592	.4549
.0060	.4637	.4603	.4569	.4533	.4496	.4458	.4420	.4380	.4339	.4297	.4254
.0070	.4391	.4356	.4321	.4285	.4248	.4210	.4171	.4130	.4089	.4047	.4003
.0080	.4176	.4141	.4106	.4069	.4032	.3994	.3955	.3914	.3873	.3831	.3787
.0090	.3987	.3951	.3916	.3880	.3842	.3804	.3765	.3724	.3683	.3641	.3597
.0100	.3818	.3783	.3747	.3711	.3673	.3635	.3596	.3556	.3514	.3473	.3429
.0200	.2747	.2713	.2680	.2645	.2610	.2574	.2538	.2500	.2461	.2422	.2382
.0300	.2181	.2150	.2119	.2087	.2055	.2022	.1988	.1954	.1918	.1883	.1846
.0400	.1820	.1791	.1762	.1733	.1703	.1672	.1641	.1610	.1578	.1545	.1512
.0500	.1565	.1538	.1512	.1484	.1456	.1428	.1400	.1371	.1341	.1311	.1281
.0600	.1375	.1350	.1325	.1299	.1273	.1247	.1221	.1194	.1166	.1139	.1110
.0700	.1227	.1203	.1180	.1156	.1132	.1107	.1083	.1057	.1032	.1006	.0980
.0800	.1108	.1086	.1064	.1041	.1019	.0996	.0972	.0949	.0925	.0901	.0876
.0900	.1011	.0990	.0969	.0948	.0926	.0904	.0882	.0860	.0838	.0815	.0792
.1000	.0929	.0909	.0889	.0869	.0849	.0828	.0808	.0786	.0765	.0744	.0722

TABLE 110. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—*Extended*
Scatchard
(Electrolyte, $z_+ z_- = 12$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.8746	.8738	.8730	.8721	.8715	.8711	.8702	.8691	.8681
.0002	.8284	.8273	.8261	.8250	.8242	.8237	.8224	.8211	.8197
.0003	.7949	.7936	.7923	.7909	.7900	.7894	.7879	.7864	.7847
.0004	.7679	.7665	.7650	.7635	.7626	.7619	.7602	.7585	.7566
.0005	.7451	.7436	.7420	.7403	.7393	.7386	.7368	.7349	.7329
.0006	.7252	.7235	.7218	.7201	.7190	.7182	.7163	.7143	.7123
.0007	.7074	.7057	.7039	.7021	.7009	.7001	.6981	.6960	.6939
.0008	.6914	.6896	.6877	.6858	.6846	.6838	.6817	.6795	.6773
.0009	.6767	.6748	.6729	.6709	.6697	.6688	.6667	.6644	.6621
.0010	.6632	.6613	.6593	.6572	.6560	.6551	.6529	.6506	.6481
.0020	.5653	.5630	.5607	.5583	.5569	.5558	.5532	.5505	.5477
.0030	.5020	.4996	.4972	.4946	.4930	.4919	.4891	.4863	.4833
.0040	.4553	.4529	.4503	.4477	.4461	.4449	.4421	.4391	.4360
.0050	.4186	.4161	.4135	.4108	.4092	.4080	.4051	.4022	.3990
.0060	.3885	.3860	.3834	.3807	.3791	.3779	.3750	.3720	.3689
.0070	.3631	.3606	.3580	.3553	.3537	.3525	.3497	.3467	.3436
.0080	.3413	.3388	.3363	.3336	.3320	.3308	.3280	.3250	.3219
.0090	.3223	.3199	.3173	.3147	.3131	.3119	.3091	.3061	.3031
.0100	.3056	.3031	.3006	.2980	.2964	.2952	.2924	.2895	.2865
.0200	.2034	.2012	.1990	.1967	.1954	.1943	.1919	.1894	.1868
.0300	.1529	.1510	.1491	.1470	.1458	.1449	.1428	.1406	.1384
.0400	.1221	.1204	.1187	.1169	.1159	.1151	.1132	.1113	.1093
.0500	.1013	.0998	.0982	.0966	.0957	.0950	.0933	.0916	.0898
.0600	.0862	.0848	.0835	.0820	.0812	.0805	.0790	.0775	.0759
.0700	.0748	.0736	.0723	.0710	.0702	.0697	.0683	.0669	.0654
.0800	.0659	.0648	.0636	.0624	.0617	.0612	.0599	.0586	.0573
.0900	.0588	.0577	.0567	.0555	.0549	.0544	.0532	.0521	.0508
.1000	.0529	.0519	.0510	.0499	.0493	.0489	.0478	.0467	.0456

TABLE 110. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended
 Scatchard—Continued
 (Electrolyte, z₁z₋ = 12)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.8647	.8634	.8621	.8608	.8595	.8581	.8566	.8551	.8536	.8520	.8503
.0002	.8151	.8135	.8118	.8101	.8083	.8064	.8045	.8026	.8005	.7984	.7962
.0003	.7794	.7775	.7756	.7736	.7715	.7693	.7671	.7648	.7625	.7600	.7575
.0004	.7508	.7487	.7465	.7443	.7420	.7396	.7372	.7347	.7320	.7294	.7265
.0005	.7266	.7243	.7220	.7196	.7171	.7146	.7120	.7092	.7064	.7035	.7005
.0006	.7056	.7031	.7007	.6982	.6955	.6928	.6901	.6872	.6842	.6812	.6779
.0007	.6868	.6843	.6817	.6791	.6764	.6735	.6706	.6676	.6645	.6613	.6580
.0008	.6700	.6673	.6647	.6619	.6591	.6561	.6531	.6500	.6468	.6435	.6400
.0009	.6546	.6518	.6491	.6462	.6433	.6403	.6372	.6339	.6306	.6272	.6236
.0010	.6404	.6376	.6348	.6318	.6288	.6257	.6225	.6192	.6158	.6123	.6086
.0020	.5386	.5354	.5321	.5287	.5252	.5217	.5180	.5142	.5103	.5063	.5021
.0030	.4737	.4703	.4668	.4632	.4595	.4558	.4519	.4479	.4438	.4396	.4352
.0040	.4262	.4227	.4192	.4155	.4118	.4079	.4040	.3999	.3957	.3915	.3871
.0050	.3891	.3856	.3820	.3783	.3746	.3707	.3668	.3627	.3585	.3543	.3499
.0060	.3590	.3554	.3519	.3482	.3444	.3406	.3367	.3326	.3285	.3243	.3199
.0070	.3337	.3302	.3267	.3230	.3193	.3155	.3116	.3076	.3035	.2994	.2950
.0080	.3121	.3086	.3051	.3016	.2979	.2941	.2903	.2863	.2823	.2782	.2740
.0090	.2934	.2900	.2865	.2830	.2793	.2756	.2719	.2680	.2640	.2600	.2558
.0100	.2770	.2736	.2702	.2667	.2631	.2594	.2557	.2519	.2480	.2441	.2400
.0200	.1786	.1757	.1728	.1698	.1668	.1637	.1607	.1575	.1542	.1510	.1476
.0300	.1313	.1288	.1263	.1238	.1212	.1187	.1160	.1134	.1106	.1079	.1051
.0400	.1031	.1009	.0988	.0966	.0944	.0921	.0899	.0876	.0852	.0829	.0805
.0500	.0843	.0824	.0805	.0786	.0766	.0747	.0727	.0707	.0686	.0666	.0645
.0600	.0710	.0692	.0675	.0658	.0641	.0623	.0606	.0588	.0570	.0552	.0534
.0700	.0610	.0594	.0579	.0563	.0547	.0532	.0516	.0500	.0484	.0468	.0452
.0800	.0532	.0518	.0504	.0490	.0476	.0461	.0447	.0433	.0418	.0404	.0389
.0900	.0471	.0458	.0445	.0432	.0419	.0406	.0393	.0380	.0366	.0353	.0340
.1000	.0421	.0409	.0397	.0385	.0373	.0361	.0349	.0337	.0325	.0313	.0301

TABLE 111. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended*
Scatchard
 (Electrolyte, z.z. = 16)

Ionic strength	0	5	10	15	18	20	25	30	35	38	40	45	Temperature in degrees Celsius
.0001	.8365	.8354	.8343	.8332	.8325	.8320	.8307	.8294	.8281	.8273	.8267	.8252	
.0002	.7780	.7766	.7752	.7737	.7728	.7721	.7705	.7688	.7671	.7660	.7653	.7634	
.0003	.7363	.7347	.7331	.7314	.7304	.7296	.7277	.7258	.7238	.7225	.7217	.7195	
.0004	.7032	.7015	.6997	.6978	.6967	.6958	.6938	.6917	.6895	.6881	.6872	.6848	
.0005	.6755	.6736	.6717	.6697	.6685	.6676	.6654	.6632	.6608	.6594	.6584	.6558	
.0006	.6515	.6495	.6475	.6454	.6441	.6432	.6409	.6386	.6361	.6345	.6335	.6308	
.0007	.6303	.6283	.6262	.6240	.6227	.6217	.6193	.6168	.6143	.6127	.6116	.6088	
.0008	.6113	.6092	.6071	.6048	.6034	.6024	.6000	.5974	.5948	.5931	.5920	.5891	
.0009	.5941	.5919	.5897	.5874	.5860	.5849	.5824	.5798	.5771	.5754	.5742	.5713	
.0010	.5783	.5761	.5738	.5714	.5700	.5689	.5664	.5637	.5609	.5592	.5580	.5550	
.0020	.4674	.4649	.4624	.4597	.4581	.4570	.4541	.4512	.4481	.4462	.4449	.4416	
.0030	.3990	.3964	.3939	.3911	.3895	.3883	.3854	.3824	.3792	.3773	.3760	.3726	
.0040	.3503	.3478	.3452	.3425	.3408	.3396	.3368	.3338	.3307	.3287	.3274	.3241	
.0050	.3131	.3106	.3081	.3054	.3038	.3026	.2998	.2968	.2938	.2919	.2906	.2874	
.0060	.2834	.2810	.2785	.2759	.2743	.2732	.2704	.2675	.2645	.2627	.2615	.2583	
.0070	.2591	.2567	.2542	.2517	.2502	.2490	.2463	.2435	.2406	.2388	.2376	.2346	
.0080	.2385	.2362	.2338	.2314	.2299	.2288	.2262	.2234	.2206	.2189	.2177	.2147	
.0090	.2210	.2187	.2164	.2140	.2126	.2115	.2090	.2063	.2036	.2019	.2008	.1979	
.0100	.2058	.2036	.2014	.1990	.1976	.1966	.1941	.1915	.1889	.1873	.1862	.1833	
.0200	.1196	.1179	.1162	.1144	.1134	.1126	.1107	.1088	.1068	.1056	.1047	.1026	
.0300	.0817	.0804	.0790	.0776	.0768	.0761	.0747	.0731	.0716	.0706	.0700	.0684	
.0400	.0606	.0595	.0583	.0572	.0565	.0560	.0548	.0535	.0523	.0515	.0510	.0497	
.0500	.0472	.0463	.0453	.0443	.0438	.0433	.0423	.0413	.0402	.0396	.0392	.0381	
.0600	.0381	.0373	.0365	.0356	.0351	.0348	.0339	.0330	.0321	.0316	.0312	.0303	
.0700	.0315	.0308	.0301	.0294	.0290	.0287	.0279	.0271	.0264	.0259	.0256	.0248	
.0800	.0266	.0260	.0254	.0248	.0244	.0241	.0235	.0228	.0221	.0217	.0214	.0207	
.0900	.0229	.0223	.0218	.0212	.0209	.0206	.0200	.0194	.0188	.0185	.0182	.0176	
.1000	.0199	.0194	.0184	.0181	.0179	.0173	.0168	.0163	.0159	.0157	.0152		

TABLE 111. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended
 Scatchard—Continued
 (Electrolyte, $z_+ z_- = 16$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.8237	.8222	.8206	.8189	.8172	.8154	.8136	.8117	.8097	.8077	.8056
.0002	.7614	.7594	.7573	.7552	.7529	.7506	.7483	.7458	.7433	.7407	.7380
.0003	.7173	.7150	.7126	.7101	.7076	.7049	.7023	.6994	.6965	.6936	.6905
.0004	.6824	.6798	.6772	.6745	.6718	.6689	.6660	.6629	.6597	.6565	.6531
.0005	.6532	.6505	.6477	.6449	.6419	.6389	.6358	.6325	.6292	.6257	.6221
.0006	.6281	.6253	.6223	.6193	.6163	.6131	.6098	.6064	.6029	.5993	.5956
.0007	.6060	.6030	.6000	.5969	.5937	.5904	.5870	.5835	.5799	.5762	.5723
.0008	.5862	.5832	.5801	.5769	.5735	.5702	.5667	.5630	.5593	.5555	.5515
.0009	.5683	.5652	.5620	.5587	.5553	.5519	.5483	.5446	.5408	.5369	.5328
.0010	.5520	.5488	.5455	.5422	.5387	.5352	.5316	.5278	.5239	.5199	.5158
.0020	.4383	.4347	.4312	.4275	.4238	.4199	.4160	.4119	.4077	.4035	.3990
.0030	.3693	.3657	.3621	.3584	.3546	.3507	.3468	.3427	.3385	.3343	.3298
.0040	.3208	.3172	.3137	.3101	.3063	.3025	.2986	.2946	.2906	.2864	.2821
.0050	.2841	.2807	.2772	.2736	.2700	.2663	.2626	.2587	.2547	.2507	.2465
.0060	.2551	.2518	.2484	.2450	.2414	.2379	.2342	.2305	.2266	.2228	.2188
.0070	.2315	.2282	.2250	.2216	.2182	.2148	.2113	.2076	.2040	.2003	.1964
.0080	.2117	.2086	.2054	.2022	.1989	.1956	.1922	.1887	.1852	.1816	.1779
.0090	.1950	.1919	.1889	.1858	.1826	.1794	.1761	.1728	.1694	.1659	.1624
.0100	.1805	.1776	.1746	.1716	.1686	.1655	.1623	.1591	.1558	.1525	.1491
.0200	.1006	.0984	.0962	.0940	.0918	.0896	.0873	.0850	.0827	.0804	.0780
.0300	.0667	.0651	.0634	.0617	.0600	.0583	.0566	.0549	.0531	.0514	.0496
.0400	.0483	.0470	.0457	.0443	.0430	.0416	.0403	.0389	.0375	.0362	.0348
.0500	.0370	.0359	.0348	.0337	.0325	.0314	.0303	.0292	.0281	.0270	.0259
.0600	.0294	.0284	.0275	.0266	.0256	.0247	.0238	.0229	.0219	.0210	.0201
.0700	.0240	.0232	.0224	.0216	.0208	.0200	.0192	.0184	.0176	.0169	.0161
.0800	.0200	.0193	.0186	.0179	.0172	.0166	.0159	.0152	.0145	.0139	.0132
.0900	.0170	.0164	.0158	.0152	.0145	.0140	.0134	.0128	.0122	.0116	.0110
.1000	.0146	.0141	.0135	.0130	.0125	.0119	.0114	.0109	.0104	.0099	.0093

TABLE 112. *Bjerrum's minimum ion-parameter**
for uni-univalent electrolytes in aqueous solutions
from 0 to 100 °C

Temperature <i>t</i>	Ion-parameter a_B	Temperature <i>t</i>	Ion-parameter a_B
°C	10^8 cm	°C	10^8 cm
(On weight or volume basis)			
0	3.49	50	3.70
5	3.50	55	3.73
10	3.52	60	3.75
15	3.54	65	3.78
18	3.55	70	3.81
20	3.56	75	3.84
25	3.58	80	3.88
30	3.60	85	3.91
35	3.62	90	3.94
38	3.64	95	3.98
40	3.65	100	4.02
45	3.67		

*Sometimes called the ion size.

TABLE 113. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Bjerrum*
(Electrolyte, $z_+ z_- = 1$)

Ionic strength	0	5	10	15	18	20	25	30	35	38	40	45	Temperature in degrees Celsius
.0001	.9889	.9888	.9887	.9886	.9885	.9884	.9883	.9882	.9881	.9881	.9881	.9880	
.0002	.9844	.9843	.9841	.9840	.9839	.9837	.9836	.9834	.9834	.9833	.9833	.9831	
.0003	.9809	.9808	.9807	.9805	.9804	.9802	.9800	.9798	.9797	.9797	.9797	.9794	
.0004	.9781	.9779	.9778	.9776	.9775	.9772	.9770	.9768	.9767	.9766	.9766	.9764	
.0005	.9756	.9754	.9753	.9751	.9750	.9749	.9747	.9744	.9742	.9741	.9740	.9737	
.0006	.9734	.9732	.9730	.9728	.9727	.9726	.9723	.9721	.9718	.9717	.9716	.9713	
.0007	.9713	.9711	.9709	.9707	.9706	.9705	.9702	.9700	.9697	.9695	.9694	.9691	
.0008	.9694	.9692	.9690	.9688	.9686	.9685	.9683	.9680	.9677	.9675	.9674	.9671	
.0009	.9677	.9675	.9672	.9670	.9668	.9667	.9664	.9662	.9658	.9657	.9655	.9652	
.0010	.9660	.9658	.9655	.9653	.9651	.9650	.9647	.9644	.9641	.9639	.9638	.9634	
.0020	.9529	.9526	.9523	.9520	.9517	.9516	.9512	.9508	.9503	.9501	.9499	.9494	
.0030	.9433	.9429	.9425	.9421	.9418	.9417	.9412	.9407	.9402	.9399	.9397	.9391	
.0040	.9354	.9349	.9345	.9340	.9337	.9335	.9330	.9325	.9319	.9315	.9313	.9306	
.0050	.9286	.9281	.9276	.9271	.9268	.9266	.9260	.9254	.9248	.9244	.9241	.9234	
.0060	.9225	.9220	.9215	.9210	.9206	.9204	.9198	.9191	.9185	.9181	.9178	.9170	
.0070	.9171	.9166	.9160	.9155	.9151	.9148	.9142	.9135	.9128	.9124	.9121	.9113	
.0080	.9121	.9116	.9110	.9104	.9100	.9098	.9091	.9084	.9076	.9072	.9068	.9060	
.0090	.9076	.9070	.9064	.9058	.9054	.9051	.9044	.9036	.9028	.9024	.9020	.9011	
.0100	.9033	.9027	.9021	.9014	.9010	.9007	.9000	.8992	.8984	.8979	.8976	.8966	
.0200	.8711	.8703	.8695	.8687	.8682	.8678	.8669	.8660	.8649	.8643	.8639	.8628	
.0300	.8488	.8479	.8471	.8462	.8456	.8452	.8441	.8430	.8419	.8412	.8408	.8395	
.0400	.8314	.8305	.8296	.8286	.8279	.8275	.8264	.8252	.8240	.8233	.8228	.8214	
.0500	.8171	.8161	.8151	.8141	.8134	.8130	.8118	.8106	.8093	.8086	.8080	.8066	
.0600	.8049	.8038	.8028	.8018	.8011	.8006	.7994	.7981	.7967	.7960	.7954	.7939	
.0700	.7942	.7931	.7921	.7910	.7902	.7898	.7885	.7872	.7858	.7850	.7845	.7829	
.0800	.7847	.7835	.7825	.7814	.7806	.7801	.7789	.7775	.7761	.7753	.7748	.7731	
.0900	.7761	.7749	.7739	.7728	.7720	.7715	.7702	.7688	.7674	.7666	.7660	.7644	
.1000	.7683	.7671	.7660	.7649	.7641	.7636	.7623	.7609	.7594	.7587	.7581	.7574	

TABLE 113. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—
Bjerrum—Continued
(Electrolyte, $z_+ z_- = 1$)*

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9879	.9877	.9876	.9874	.9873	.9871	.9870	.9868	.9866	.9865	.9863
.0002	.9829	.9828	.9826	.9824	.9820	.9817	.9815	.9813	.9810	.9808	.9808
.0003	.9792	.9790	.9788	.9785	.9783	.9780	.9778	.9775	.9772	.9769	.9766
.0004	.9761	.9759	.9756	.9753	.9751	.9748	.9745	.9741	.9738	.9735	.9731
.0005	.9734	.9732	.9729	.9726	.9722	.9719	.9716	.9712	.9708	.9705	.9701
.0006	.9710	.9707	.9704	.9701	.9697	.9694	.9690	.9686	.9682	.9678	.9674
.0007	.9688	.9685	.9681	.9678	.9674	.9670	.9666	.9662	.9658	.9653	.9649
.0008	.9668	.9664	.9660	.9657	.9653	.9649	.9644	.9640	.9635	.9631	.9626
.0009	.9648	.9645	.9641	.9637	.9633	.9629	.9624	.9619	.9615	.9610	.9605
.0010	.9630	.9627	.9623	.9618	.9614	.9610	.9605	.9600	.9595	.9590	.9584
.0020	.9489	.9484	.9479	.9473	.9467	.9461	.9455	.9448	.9441	.9435	.9427
.0030	.9385	.9379	.9372	.9366	.9359	.9352	.9345	.9337	.9329	.9321	.9312
.0040	.9300	.9293	.9286	.9278	.9271	.9263	.9255	.9246	.9237	.9228	.9218
.0050	.9227	.9219	.9212	.9203	.9195	.9186	.9178	.9168	.9158	.9148	.9138
.0060	.9163	.9154	.9146	.9137	.9128	.9119	.9110	.9099	.9089	.9078	.9067
.0070	.9105	.9096	.9087	.9078	.9069	.9059	.9049	.9038	.9027	.9016	.9004
.0080	.9052	.9043	.9033	.9024	.9014	.9003	.8993	.8982	.8970	.8958	.8946
.0090	.9003	.8993	.8984	.8974	.8963	.8952	.8942	.8930	.8918	.8906	.8893
.0100	.8957	.8948	.8938	.8927	.8917	.8905	.8894	.8882	.8869	.8857	.8843
.0200	.8616	.8604	.8592	.8579	.8566	.8552	.8538	.8523	.8507	.8492	.8475
.0300	.8382	.8369	.8354	.8340	.8326	.8310	.8295	.8278	.8261	.8244	.8226
.0400	.8201	.8186	.8171	.8156	.8140	.8124	.8107	.8089	.8071	.8053	.8034
.0500	.8052	.8037	.8021	.8005	.7988	.7971	.7954	.7935	.7916	.7897	.7877
.0600	.7925	.7909	.7893	.7876	.7859	.7841	.7824	.7804	.7785	.7766	.7745
.0700	.7814	.7799	.7781	.7764	.7747	.7729	.7711	.7691	.7671	.7651	.7630
.0800	.7717	.7700	.7683	.7666	.7648	.7629	.7611	.7591	.7570	.7550	.7529
.0900	.7629	.7612	.7594	.7577	.7559	.7540	.7522	.7501	.7480	.7460	.7438
.1000	.7549	.7532	.7514	.7496	.7478	.7459	.7441	.7419	.7398	.7378	.7356

TABLE 114. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis-Bjerrum*
 (Electrolyte, $\gamma_{+}\gamma_{-} = 2$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9781	.9779	.9776	.9775	.9774	.9772	.9770	.9768	.9766
.0002	.9694	.9692	.9690	.9688	.9686	.9685	.9683	.9680	.9677
.0003	.9630	.9627	.9624	.9622	.9620	.9619	.9616	.9612	.9609
.0004	.9576	.9573	.9570	.9567	.9565	.9564	.9560	.9556	.9550
.0005	.9529	.9526	.9523	.9520	.9517	.9516	.9512	.9508	.9503
.0006	.9488	.9485	.9481	.9477	.9475	.9473	.9469	.9465	.9460
.0007	.9450	.9447	.9443	.9439	.9436	.9435	.9430	.9425	.9420
.0008	.9416	.9412	.9408	.9404	.9401	.9399	.9394	.9389	.9384
.0009	.9384	.9380	.9375	.9371	.9368	.9366	.9361	.9356	.9350
.0010	.9354	.9349	.9345	.9340	.9337	.9335	.9330	.9325	.9319
.0020	.9121	.9116	.9110	.9104	.9100	.9098	.9091	.9084	.9076
.0030	.8955	.8949	.8942	.8935	.8931	.8928	.8920	.8912	.8903
.0040	.8823	.8815	.8808	.8801	.8796	.8792	.8784	.8775	.8765
.0050	.8711	.8703	.8695	.8687	.8682	.8678	.8669	.8660	.8649
.0060	.8614	.8606	.8598	.8589	.8583	.8580	.8570	.8560	.8549
.0070	.8528	.8519	.8511	.8502	.8496	.8492	.8482	.8471	.8460
.0080	.8450	.8441	.8432	.8423	.8417	.8413	.8403	.8392	.8380
.0090	.8379	.8370	.8361	.8352	.8345	.8341	.8330	.8319	.8307
.0100	.8314	.8305	.8296	.8286	.8279	.8275	.8264	.8252	.8240
.0200	.7847	.7835	.7825	.7814	.7806	.7801	.7789	.7775	.7761
.0300	.7545	.7533	.7522	.7511	.7503	.7498	.7484	.7470	.7455
.0400	.7323	.7310	.7299	.7287	.7279	.7273	.7260	.7245	.7229
.0500	.7146	.7133	.7122	.7110	.7101	.7096	.7082	.7067	.7051
.0600	.7000	.6987	.6976	.6964	.6955	.6950	.6936	.6921	.6905
.0700	.6876	.6863	.6852	.6840	.6831	.6826	.6812	.6797	.6780
.0800	.6769	.6755	.6744	.6732	.6723	.6718	.6704	.6689	.6673
.0900	.6674	.6660	.6649	.6637	.6629	.6624	.6610	.6595	.6578
.1000	.6590	.6576	.6565	.6553	.6544	.6539	.6526	.6510	.6494

TABLE 114. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—
Bjerrum—Continued
 (Electrolyte, $z_+ z_- = 2$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	
.0001	.9761	.9759	.9756	.9753	.9751	.9748	.9745	.9741	.9738	.9735	.9731
.0002	.9668	.9664	.9660	.9657	.9653	.9649	.9644	.9640	.9635	.9631	.9626
.0003	.9597	.9593	.9589	.9584	.9580	.9575	.9570	.9564	.9559	.9553	.9548
.0004	.9539	.9535	.9530	.9525	.9519	.9514	.9508	.9502	.9496	.9490	.9483
.0005	.9489	.9484	.9479	.9473	.9467	.9461	.9455	.9448	.9441	.9435	.9427
.0006	.9444	.9439	.9433	.9427	.9421	.9414	.9408	.9400	.9393	.9386	.9378
.0007	.9404	.9398	.9392	.9385	.9379	.9372	.9365	.9357	.9349	.9341	.9333
.0008	.9367	.9360	.9354	.9347	.9340	.9333	.9325	.9317	.9309	.9301	.9292
.0009	.9332	.9326	.9319	.9312	.9304	.9297	.9289	.9280	.9272	.9263	.9254
.0010	.9300	.9293	.9286	.9278	.9271	.9263	.9255	.9246	.9237	.9228	.9218
.0020	.9052	.9043	.9033	.9024	.9014	.9003	.8993	.8982	.8970	.8958	.8946
.0030	.8875	.8865	.8854	.8843	.8831	.8819	.8808	.8795	.8781	.8768	.8754
.0040	.8734	.8723	.8711	.8699	.8687	.8674	.8661	.8646	.8632	.8618	.8602
.0050	.8616	.8604	.8592	.8579	.8566	.8552	.8538	.8523	.8507	.8492	.8475
.0060	.8514	.8502	.8488	.8475	.8461	.8446	.8432	.8416	.8399	.8383	.8366
.0070	.8424	.8411	.8397	.8383	.8368	.8353	.8338	.8321	.8304	.8288	.8270
.0080	.8343	.8329	.8314	.8300	.8285	.8269	.8254	.8237	.8219	.8202	.8184
.0090	.8269	.8255	.8240	.8225	.8209	.8193	.8177	.8160	.8142	.8124	.8105
.0100	.8201	.8186	.8171	.8156	.8140	.8124	.8107	.8089	.8071	.8053	.8034
.0200	.7717	.7700	.7683	.7666	.7648	.7629	.7611	.7591	.7570	.7550	.7529
.0300	.7408	.7391	.7373	.7355	.7336	.7316	.7298	.7277	.7255	.7234	.7212
.0400	.7182	.7165	.7145	.7127	.7108	.7088	.7070	.7048	.7025	.7005	.6982
.0500	.7003	.6986	.6966	.6948	.6929	.6909	.6890	.6868	.6846	.6825	.6803
.0600	.6857	.6839	.6820	.6801	.6782	.6762	.6744	.6721	.6699	.6678	.6656
.0700	.6733	.6715	.6695	.6677	.6658	.6638	.6620	.6597	.6575	.6555	.6533
.0800	.6625	.6608	.6588	.6570	.6551	.6531	.6513	.6491	.6468	.6448	.6427
.0900	.6531	.6514	.6494	.6476	.6457	.6437	.6420	.6397	.6375	.6355	.6334
.1000	.6447	.6430	.6410	.6392	.6373	.6353	.6337	.6314	.6292	.6273	.6251

TABLE 115. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Bjerrum
(Electrolyte, $z_+ z_- = 3$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9677	.9675	.9672	.9668	.9667	.9664	.9662	.9658	.9657
.0002	.9552	.9549	.9546	.9543	.9539	.9535	.9531	.9527	.9523
.0003	.9459	.9456	.9452	.9448	.9446	.9444	.9440	.9435	.9425
.0004	.9384	.9380	.9375	.9371	.9368	.9366	.9361	.9356	.9347
.0005	.9318	.9314	.9309	.9305	.9301	.9299	.9294	.9288	.9278
.0006	.9261	.9256	.9251	.9246	.9242	.9240	.9234	.9228	.9221
.0007	.9208	.9203	.9198	.9193	.9189	.9187	.9181	.9174	.9167
.0008	.9161	.9155	.9150	.9144	.9140	.9138	.9131	.9125	.9117
.0009	.9117	.9111	.9105	.9099	.9095	.9093	.9086	.9079	.9071
.0010	.9076	.9070	.9064	.9058	.9054	.9051	.9044	.9036	.9028
.0020	.8765	.8757	.8750	.8742	.8737	.8733	.8724	.8715	.8705
.0030	.8548	.8540	.8532	.8523	.8517	.8513	.8503	.8493	.8481
.0040	.8379	.8370	.8361	.8352	.8345	.8341	.8330	.8319	.8307
.0050	.8240	.8230	.8220	.8210	.8204	.8199	.8188	.8176	.8163
.0060	.8120	.8110	.8100	.8090	.8083	.8078	.8066	.8054	.8040
.0070	.8015	.8004	.7994	.7984	.7977	.7972	.7960	.7947	.7933
.0080	.7922	.7911	.7901	.7890	.7882	.7877	.7865	.7852	.7838
.0090	.7838	.7826	.7816	.7805	.7797	.7792	.7780	.7766	.7752
.0100	.7761	.7749	.7739	.7728	.7720	.7715	.7702	.7688	.7674
.0200	.7230	.7217	.7206	.7194	.7185	.7180	.7166	.7152	.7136
.0300	.6906	.6892	.6881	.6869	.6855	.6841	.6826	.6810	.6802
.0400	.6674	.6660	.6649	.6637	.6629	.6624	.6610	.6595	.6578
.0500	.6496	.6482	.6471	.6459	.6451	.6446	.6432	.6417	.6401
.0600	.6351	.6337	.6327	.6315	.6307	.6302	.6288	.6273	.6257
.0700	.6231	.6217	.6206	.6195	.6187	.6182	.6169	.6154	.6138
.0800	.6128	.6114	.6104	.6093	.6084	.6067	.6052	.6036	.6020
.0900	.6039	.6025	.6015	.6004	.5996	.5991	.5978	.5964	.5948
.1000	.5960	.5946	.5936	.5925	.5917	.5913	.5900	.5886	.5870

TABLE 115. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—*
Bjerrum—Continued
 (Electrolyte, $z_+ z_- = 3$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9648	.9645	.9641	.9637	.9633	.9629	.9624	.9619	.9615	.9610	.9605
.0002	.9513	.9508	.9503	.9498	.9492	.9487	.9481	.9474	.9468	.9461	.9454
.0003	.9414	.9408	.9402	.9395	.9389	.9382	.9375	.9367	.9360	.9352	.9344
.0004	.9332	.9326	.9319	.9312	.9304	.9297	.9289	.9280	.9272	.9263	.9254
.0005	.9262	.9255	.9247	.9240	.9232	.9223	.9215	.9206	.9196	.9187	.9177
.0006	.9200	.9193	.9184	.9176	.9168	.9159	.9149	.9140	.9130	.9119	.9109
.0007	.9145	.9136	.9128	.9119	.9110	.9100	.9091	.9080	.9070	.9059	.9047
.0008	.9094	.9085	.9076	.9067	.9057	.9047	.9037	.9026	.9015	.9004	.8992
.0009	.9047	.9038	.9028	.9018	.9009	.8998	.8988	.8976	.8965	.8953	.8940
.0010	.9003	.8993	.8984	.8974	.8963	.8952	.8942	.8930	.8918	.8906	.8893
.0020	.8673	.8661	.8649	.8637	.8624	.8610	.8597	.8582	.8567	.8552	.8536
.0030	.8445	.8432	.8419	.8405	.8390	.8375	.8360	.8344	.8327	.8311	.8293
.0040	.8269	.8255	.8240	.8225	.8209	.8193	.8177	.8160	.8142	.8124	.8105
.0050	.8123	.8108	.8092	.8077	.8061	.8044	.8027	.8009	.7990	.7972	.7952
.0060	.7999	.7983	.7967	.7951	.7934	.7917	.7900	.7881	.7861	.7842	.7822
.0070	.7890	.7875	.7858	.7841	.7824	.7806	.7789	.7769	.7749	.7730	.7709
.0080	.7794	.7778	.7761	.7744	.7726	.7708	.7690	.7670	.7650	.7630	.7609
.0090	.7707	.7691	.7673	.7656	.7638	.7620	.7602	.7581	.7561	.7541	.7519
.0100	.7629	.7612	.7594	.7577	.7559	.7540	.7522	.7501	.7480	.7460	.7438
.0200	.7088	.7071	.7051	.7033	.7014	.6993	.6975	.6953	.6931	.6910	.6888
.0300	.6762	.6745	.6725	.6706	.6687	.6667	.6649	.6627	.6604	.6584	.6562
.0400	.6531	.6514	.6494	.6476	.6457	.6437	.6420	.6397	.6375	.6355	.6334
.0500	.6354	.6337	.6317	.6299	.6281	.6261	.6244	.6222	.6200	.6181	.6160
.0600	.6212	.6195	.6175	.6158	.6140	.6120	.6104	.6082	.6061	.6042	.6021
.0700	.6093	.6077	.6057	.6040	.6022	.6003	.5988	.5966	.5945	.5927	.5907
.0800	.5993	.5977	.5957	.5940	.5923	.5904	.5889	.5868	.5847	.5829	.5809
.0900	.5905	.5890	.5870	.5854	.5836	.5818	.5803	.5782	.5762	.5744	.5725
.1000	.5828	.5813	.5794	.5778	.5761	.5742	.5728	.5708	.5687	.5670	.5652

TABLE 116. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Bjerrum
(Electrolyte, $z_+ z_- = 4$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9576	.9573	.9570	.9567	.9564	.9560	.9556	.9552	.9548
.0002	.9416	.9412	.9408	.9404	.9401	.9399	.9394	.9389	.9381
.0003	.9298	.9294	.9289	.9284	.9281	.9279	.9273	.9267	.9257
.0004	.9203	.9198	.9193	.9187	.9184	.9181	.9175	.9168	.9157
.0005	.9121	.9116	.9110	.9104	.9100	.9098	.9091	.9084	.9076
.0006	.9050	.9044	.9038	.9031	.9027	.9024	.9017	.9009	.9001
.0007	.8985	.8979	.8973	.8966	.8961	.8958	.8951	.8943	.8934
.0008	.8927	.8920	.8913	.8906	.8902	.8898	.8891	.8882	.8873
.0009	.8873	.8866	.8859	.8852	.8847	.8843	.8835	.8826	.8817
.0010	.8823	.8815	.8808	.8801	.8796	.8792	.8784	.8775	.8765
.0020	.8450	.8441	.8432	.8423	.8417	.8413	.8403	.8392	.8380
.0030	.8198	.8188	.8178	.8168	.8161	.8157	.8145	.8133	.8120
.0040	.7904	.7994	.7983	.7973	.7966	.7961	.7949	.7936	.7922
.0050	.7847	.7835	.7825	.7814	.7806	.7801	.7789	.7775	.7761
.0060	.7713	.7702	.7691	.7680	.7672	.7667	.7654	.7640	.7625
.0070	.7598	.7586	.7575	.7564	.7556	.7550	.7537	.7523	.7508
.0080	.7496	.7484	.7473	.7461	.7453	.7448	.7434	.7420	.7405
.0090	.7405	.7392	.7381	.7370	.7361	.7356	.7343	.7328	.7312
.0100	.7323	.7310	.7299	.7287	.7279	.7273	.7260	.7245	.7229
.0200	.6769	.6755	.6744	.6732	.6723	.6718	.6704	.6689	.6673
.0300	.6444	.6430	.6420	.6408	.6399	.6394	.6381	.6366	.6350
.0400	.6219	.6205	.6194	.6183	.6175	.6170	.6157	.6142	.6126
.0500	.6048	.6034	.6024	.6013	.6005	.6000	.5987	.5973	.5957
.0600	.5912	.5898	.5888	.5878	.5865	.5853	.5839	.5823	.5818
.0700	.5800	.5786	.5777	.5767	.5759	.5754	.5742	.5728	.5713
.0800	.5705	.5691	.5682	.5673	.5665	.5661	.5649	.5635	.5620
.0900	.5623	.5610	.5601	.5592	.5584	.5580	.5568	.5555	.5540
.1000	.5552	.5538	.5530	.5521	.5513	.5509	.5498	.5485	.5470

TABLE 116. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—
Bjerrum—Continued
 (Electrolyte, $z_+z_- = 4$)

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9539	.9535	.9530	.9525	.9519	.9514	.9508	.9502	.9496
.0002	.9367	.9360	.9354	.9347	.9340	.9333	.9325	.9317	.9309
.0003	.9241	.9233	.9226	.9218	.9209	.9201	.9192	.9183	.9173
.0004	.9139	.9130	.9122	.9113	.9104	.9094	.9084	.9074	.9063
.0005	.9052	.9043	.9033	.9024	.9014	.9003	.8993	.8982	.8970
.0006	.8975	.8966	.8956	.8945	.8935	.8924	.8913	.8901	.8888
.0007	.8907	.8897	.8886	.8875	.8864	.8853	.8841	.8828	.8815
.0008	.8844	.8834	.8823	.8812	.8800	.8788	.8776	.8762	.8749
.0009	.8787	.8776	.8765	.8753	.8741	.8729	.8716	.8702	.8688
.0010	.8734	.8723	.8711	.8699	.8687	.8674	.8661	.8646	.8632
.0020	.8343	.8329	.8314	.8300	.8285	.8269	.8254	.8237	.8219
.0030	.8079	.8065	.8049	.8033	.8017	.7999	.7983	.7964	.7945
.0040	.7879	.7863	.7846	.7830	.7813	.7794	.7777	.7757	.7737
.0050	.7717	.7700	.7683	.7666	.7648	.7629	.7611	.7591	.7570
.0060	.7580	.7563	.7545	.7527	.7509	.7490	.7472	.7451	.7430
.0070	.7462	.7445	.7426	.7408	.7390	.7370	.7352	.7331	.7309
.0080	.7358	.7341	.7322	.7304	.7285	.7265	.7247	.7226	.7204
.0090	.7265	.7248	.7229	.7211	.7192	.7172	.7154	.7132	.7110
.0100	.7182	.7165	.7145	.7127	.7108	.7088	.7070	.7048	.7025
.0200	.6625	.6608	.6588	.6570	.6551	.6531	.6513	.6491	.6468
.0300	.6304	.6287	.6267	.6249	.6231	.6211	.6194	.6172	.6151
.0400	.6081	.6065	.6046	.6028	.6011	.5991	.5976	.5954	.5933
.0500	.5914	.5899	.5879	.5863	.5845	.5827	.5812	.5791	.5771
.0600	.5782	.5767	.5748	.5732	.5715	.5697	.5683	.5662	.5642
.0700	.5673	.5659	.5640	.5624	.5608	.5590	.5577	.5557	.5537
.0800	.5581	.5567	.5549	.5534	.5518	.5500	.5488	.5468	.5449
.0900	.5502	.5489	.5470	.5456	.5440	.5423	.5412	.5392	.5373
.1000	.5434	.5420	.5402	.5388	.5373	.5356	.5345	.5326	.5308

TABLE 117. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Bjerrum*
 (Electrolyte, $z_+ z_- = 6$)

Ionic strength	Temperature in degrees Celsius											
	0	5	10	15	18	20	25	30	35	38	40	45
.0001	.9384	.9380	.9375	.9371	.9368	.9366	.9361	.9356	.9350	.9347	.9345	.9338
.0002	.9161	.9155	.9150	.9144	.9140	.9138	.9131	.9125	.9117	.9113	.9110	.9102
.0003	.9001	.8995	.8988	.8982	.8977	.8974	.8967	.8959	.8950	.8945	.8942	.8932
.0004	.8873	.8866	.8859	.8852	.8847	.8843	.8835	.8826	.8817	.8812	.8808	.8797
.0005	.8765	.8757	.8750	.8742	.8737	.8733	.8724	.8715	.8705	.8699	.8695	.8684
.0006	.8671	.8663	.8655	.8647	.8641	.8637	.8628	.8618	.8607	.8601	.8597	.8585
.0007	.8587	.8579	.8570	.8562	.8556	.8552	.8543	.8532	.8521	.8515	.8510	.8498
.0008	.8512	.8503	.8494	.8486	.8480	.8476	.8465	.8455	.8443	.8437	.8432	.8419
.0009	.8443	.8434	.8425	.8416	.8410	.8406	.8395	.8384	.8372	.8366	.8361	.8347
.0010	.8379	.8370	.8361	.8352	.8345	.8341	.8330	.8319	.8307	.8300	.8295	.8282
.0020	.7922	.7911	.7901	.7890	.7882	.7877	.7865	.7852	.7838	.7830	.7824	.7809
.0030	.7625	.7613	.7603	.7591	.7583	.7578	.7565	.7551	.7536	.7528	.7522	.7505
.0040	.7405	.7392	.7381	.7370	.7361	.7356	.7343	.7328	.7312	.7305	.7298	.7281
.0050	.7230	.7217	.7206	.7194	.7185	.7180	.7166	.7152	.7136	.7128	.7122	.7104
.0060	.7085	.7071	.7060	.7048	.7040	.7034	.7021	.7006	.6989	.6982	.6975	.6957
.0070	.6961	.6948	.6936	.6924	.6916	.6911	.6897	.6882	.6865	.6858	.6851	.6833
.0080	.6854	.6840	.6829	.6817	.6808	.6803	.6789	.6774	.6758	.6750	.6744	.6726
.0090	.6759	.6745	.6734	.6722	.6713	.6708	.6694	.6679	.6663	.6655	.6649	.6631
.0100	.6674	.6660	.6649	.6637	.6629	.6624	.6610	.6595	.6578	.6571	.6565	.6546
.0200	.6128	.6114	.6104	.6093	.6084	.6080	.6067	.6052	.6036	.6030	.6024	.6006
.0300	.5826	.5812	.5803	.5793	.5785	.5780	.5768	.5754	.5739	.5734	.5728	.5711
.0400	.5623	.5610	.5601	.5592	.5584	.5580	.5568	.5555	.5540	.5536	.5531	.5514
.0500	.5474	.5461	.5452	.5443	.5436	.5432	.5421	.5408	.5394	.5390	.5386	.5369
.0600	.5357	.5344	.5336	.5328	.5320	.5317	.5306	.5294	.5280	.5277	.5273	.5256
.0700	.5262	.5249	.5242	.5234	.5227	.5223	.5213	.5201	.5188	.5185	.5181	.5165
.0800	.5183	.5170	.5163	.5156	.5149	.5146	.5136	.5124	.5111	.5108	.5105	.5089
.0900	.5116	.5103	.5096	.5089	.5082	.5079	.5070	.5058	.5046	.5043	.5040	.5024
.1000	.5057	.5044	.5038	.5031	.5024	.5022	.5012	.5001	.4989	.4987	.4983	.4968

TABLE 117. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis*—
Bjerrum—Continued
 (Electrolyte, $z_+ z_- = 6$)

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9332	.9326	.9319	.9312	.9304	.9297	.9289	.9280	.9272
.0002	.9094	.9085	.9076	.9067	.9057	.9047	.9037	.9026	.9015
.0003	.8923	.8913	.8903	.8892	.8881	.8870	.8858	.8846	.8833
.0004	.8787	.8776	.8765	.8753	.8741	.8729	.8716	.8702	.8688
.0005	.8673	.8661	.8649	.8637	.8624	.8610	.8597	.8582	.8567
.0006	.8574	.8562	.8549	.8535	.8522	.8508	.8494	.8478	.8462
.0007	.8486	.8473	.8460	.8446	.8432	.8417	.8402	.8386	.8370
.0008	.8407	.8394	.8380	.8365	.8351	.8335	.8320	.8304	.8287
.0009	.8335	.8321	.8307	.8292	.8277	.8261	.8246	.8229	.8211
.0010	.8269	.8255	.8240	.8225	.8209	.8193	.8177	.8160	.8142
.0020	.7794	.7778	.7761	.7744	.7726	.7708	.7690	.7670	.7650
.0030	.7490	.7473	.7454	.7437	.7418	.7399	.7381	.7359	.7338
.0040	.7265	.7248	.7229	.7211	.7192	.7172	.7154	.7132	.7110
.0050	.7088	.7071	.7051	.7033	.7014	.6993	.6975	.6953	.6931
.0060	.6942	.6924	.6904	.6886	.6867	.6847	.6829	.6806	.6784
.0070	.6818	.6800	.6780	.6762	.6743	.6722	.6704	.6682	.6660
.0080	.6710	.6693	.6673	.6654	.6635	.6615	.6597	.6575	.6552
.0090	.6615	.6598	.6578	.6560	.6541	.6521	.6503	.6481	.6459
.0100	.6531	.6514	.6494	.6476	.6457	.6437	.6420	.6397	.6375
.0200	.5993	.5977	.5957	.5940	.5923	.5904	.5889	.5868	.5847
.0300	.5698	.5684	.5665	.5649	.5633	.5615	.5602	.5582	.5562
.0400	.5502	.5489	.5470	.5456	.5440	.5423	.5412	.5392	.5373
.0500	.5359	.5346	.5328	.5314	.5299	.5283	.5273	.5254	.5236
.0600	.5247	.5234	.5217	.5204	.5190	.5174	.5165	.5147	.5129
.0700	.5156	.5144	.5127	.5115	.5101	.5086	.5077	.5060	.5043
.0800	.5080	.5069	.5053	.5041	.5028	.5013	.5005	.4988	.4972
.0900	.5016	.5006	.4989	.4977	.4965	.4951	.4933	.4927	.4911
.1000	.4961	.4950	.4934	.4923	.4911	.4897	.4890	.4874	.4859

TABLE 118. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis-Bjerrum
 (Electrolyte, $\gamma_{+z-} = 8$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9203	.9198	.9193	.9187	.9184	.9181	.9175	.9168	.9161
.0002	.8927	.8920	.8913	.8906	.8902	.8898	.8891	.8882	.8873
.0003	.8732	.8724	.8717	.8709	.8703	.8700	.8691	.8681	.8671
.0004	.8578	.8570	.8562	.8553	.8547	.8543	.8534	.8523	.8512
.0005	.8450	.8441	.8432	.8423	.8417	.8413	.8403	.8392	.8380
.0006	.8340	.8330	.8321	.8312	.8305	.8301	.8290	.8279	.8266
.0007	.8242	.8233	.8223	.8213	.8207	.8202	.8191	.8179	.8166
.0008	.8155	.8145	.8136	.8125	.8119	.8114	.8102	.8090	.8077
.0009	.8076	.8066	.8056	.8046	.8039	.8034	.8022	.8009	.7996
.0010	.8004	.7994	.7983	.7973	.7966	.7961	.7949	.7936	.7922
.0020	.7496	.7484	.7473	.7461	.7453	.7448	.7434	.7420	.7405
.0030	.7179	.7166	.7154	.7142	.7134	.7129	.7115	.7100	.7084
.0040	.6948	.6935	.6924	.6912	.6903	.6898	.6884	.6869	.6853
.0050	.6769	.6755	.6744	.6732	.6723	.6718	.6704	.6689	.6673
.0060	.6622	.6609	.6597	.6586	.6577	.6572	.6558	.6543	.6527
.0070	.6499	.6485	.6474	.6463	.6454	.6449	.6435	.6420	.6404
.0080	.6393	.6379	.6369	.6357	.6349	.6344	.6330	.6315	.6299
.0090	.6301	.6287	.6276	.6265	.6256	.6251	.6238	.6223	.6207
.0100	.6219	.6205	.6194	.6183	.6175	.6170	.6157	.6142	.6126
.0200	.5705	.5691	.5682	.5673	.5665	.5661	.5649	.5635	.5620
.0300	.5432	.5419	.5411	.5402	.5394	.5391	.5380	.5367	.5353
.0400	.5253	.5240	.5232	.5225	.5217	.5214	.5204	.5192	.5179
.0500	.5123	.5110	.5103	.5096	.5089	.5086	.5076	.5065	.5053
.0600	.5022	.5010	.5003	.4997	.4990	.4987	.4978	.4967	.4955
.0700	.4941	.4929	.4923	.4917	.4910	.4908	.4899	.4889	.4877
.0800	.4874	.4862	.4857	.4851	.4844	.4842	.4834	.4824	.4812
.0900	.4818	.4805	.4800	.4795	.4788	.4786	.4778	.4769	.4758
.1000	.4769	.4757		.4746	.4738	.4731	.4721	.4711	.4707

TABLE 118. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—
Bjerrum—Continued
 (Electrolyte, $Z_{+}Z_{-} = 8$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9139	.9130	.9122	.9113	.9104	.9094	.9084	.9074	.9063	.9053	.9041
.0002	.8844	.8834	.8823	.8812	.8800	.8788	.8776	.8762	.8749	.8735	.8721
.0003	.8639	.8627	.8614	.8601	.8588	.8575	.8561	.8546	.8531	.8515	.8499
.0004	.8477	.8464	.8450	.8437	.8422	.8408	.8393	.8377	.8360	.8344	.8326
.0005	.8343	.8329	.8314	.8300	.8285	.8269	.8254	.8237	.8219	.8202	.8184
.0006	.8227	.8213	.8198	.8183	.8167	.8151	.8135	.8117	.8099	.8081	.8062
.0007	.8126	.8111	.8095	.8080	.8064	.8047	.8030	.8012	.7993	.7975	.7955
.0008	.8035	.8020	.8004	.7988	.7972	.7954	.7937	.7918	.7899	.7880	.7860
.0009	.7954	.7938	.7922	.7905	.7889	.7871	.7854	.7834	.7814	.7795	.7775
.0010	.7879	.7863	.7846	.7830	.7813	.7794	.7777	.7757	.7737	.7718	.7697
.0020	.7358	.7341	.7322	.7304	.7285	.7265	.7247	.7226	.7204	.7183	.7161
.0030	.7036	.7019	.6999	.6981	.6962	.6941	.6923	.6901	.6879	.6858	.6836
.0040	.6805	.6788	.6768	.6749	.6730	.6710	.6692	.6669	.6647	.6627	.6604
.0050	.6625	.6608	.6588	.6570	.6551	.6531	.6513	.6491	.6468	.6448	.6427
.0060	.6480	.6463	.6443	.6425	.6406	.6386	.6369	.6346	.6324	.6304	.6283
.0070	.6358	.6341	.6321	.6303	.6284	.6265	.6248	.6226	.6204	.6185	.6164
.0080	.6253	.6237	.6217	.6199	.6181	.6161	.6145	.6123	.6101	.6082	.6062
.0090	.6162	.6146	.6126	.6108	.6090	.6071	.6055	.6033	.6012	.5993	.5973
.0100	.6081	.6065	.6046	.6028	.6011	.5991	.5976	.5954	.5933	.5915	.5895
.0200	.5581	.5567	.5549	.5534	.5518	.5500	.5488	.5468	.5449	.5434	.5417
.0300	.5318	.5306	.5288	.5274	.5260	.5244	.5234	.5215	.5198	.5184	.5169
.0400	.5147	.5135	.5118	.5106	.5092	.5078	.5069	.5051	.5035	.5022	.5009
.0500	.5023	.5012	.4996	.4984	.4971	.4958	.4950	.4933	.4917	.4906	.4894
.0600	.4927	.4918	.4901	.4890	.4879	.4865	.4859	.4843	.4827	.4817	.4805
.0700	.4851	.4842	.4826	.4815	.4804	.4791	.4785	.4770	.4755	.4746	.4735
.0800	.4788	.4779	.4763	.4753	.4743	.4730	.4725	.4710	.4696	.4687	.4677
.0900	.4734	.4726	.4711	.4701	.4691	.4679	.4674	.4659	.4646	.4637	.4627
.1000	.4688	.4680	.4665	.4656	.4646	.4635	.4630	.4616	.4603	.4595	.4585

TABLE 119. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Bjerrum
 (Electrolyte, z_v, z_r = 9)

Ionic strength	Temperature in degrees Celsius									
	0	5	10	15	18	20	25	30	35	
.0001	.9117	.9111	.9105	.9099	.9093	.9086	.9079	.9071	.9063	.9055
.0002	.8817	.8809	.8795	.8790	.8786	.8778	.8769	.8759	.8753	.8738
.0003	.8607	.8599	.8591	.8582	.8577	.8573	.8563	.8553	.8542	.8531
.0004	.8443	.8434	.8425	.8416	.8410	.8406	.8395	.8384	.8372	.8361
.0005	.8306	.8297	.8288	.8278	.8272	.8267	.8256	.8245	.8232	.8220
.0006	.8190	.8180	.8170	.8160	.8153	.8149	.8137	.8125	.8112	.8099
.0007	.8087	.8077	.8067	.8056	.8049	.8045	.8033	.8020	.8007	.7994
.0008	.7996	.7985	.7975	.7964	.7957	.7952	.7940	.7927	.7913	.7906
.0009	.7913	.7902	.7892	.7881	.7873	.7869	.7856	.7843	.7829	.7815
.0010	.7838	.7826	.7816	.7805	.7797	.7792	.7780	.7766	.7752	.7738
.0020	.7313	.7300	.7289	.7277	.7269	.7264	.7250	.7235	.7219	.7205
.0030	.6990	.6977	.6966	.6954	.6945	.6940	.6926	.6911	.6895	.6887
.0040	.6759	.6745	.6734	.6722	.6713	.6708	.6694	.6679	.6663	.6649
.0050	.6580	.6566	.6555	.6543	.6535	.6529	.6516	.6501	.6484	.6477
.0060	.6434	.6421	.6410	.6398	.6390	.6385	.6371	.6356	.6340	.6333
.0070	.6313	.6299	.6288	.6277	.6269	.6264	.6250	.6235	.6219	.6207
.0080	.6209	.6195	.6185	.6174	.6165	.6160	.6147	.6132	.6116	.6104
.0090	.6119	.6105	.6094	.6083	.6075	.6070	.6057	.6043	.6027	.6015
.0100	.6039	.6025	.6015	.6004	.5996	.5991	.5978	.5964	.5948	.5937
.0200	.5544	.5530	.5522	.5513	.5505	.5501	.5490	.5477	.5462	.5453
.0300	.5284	.5271	.5264	.5256	.5248	.5245	.5235	.5223	.5210	.5206
.0400	.5116	.5103	.5096	.5089	.5082	.5079	.5070	.5058	.5046	.5043
.0500	.4994	.4981	.4975	.4969	.4962	.4959	.4950	.4940	.4928	.4926
.0600	.4900	.4888	.4882	.4876	.4870	.4867	.4859	.4849	.4837	.4833
.0700	.4825	.4813	.4808	.4802	.4796	.4794	.4786	.4776	.4765	.4761
.0800	.4763	.4751	.4746	.4741	.4735	.4733	.4725	.4716	.4705	.4702
.0900	.4710	.4699	.4694	.4688	.4681	.4674	.4665	.4655	.4651	.4638
.1000	.4665	.4654	.4649	.4645	.4639	.4637	.4630	.4621	.4611	.4596

TABLE 119. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis —*
Bjerrum — Continued
 (Electrolyte, $z_{+}z_{-} = 9$)

Ionic strength	50	55	60	65	70	75	80	85	90	95	100	Temperature in degrees Celsius
												.9009
.0001	.9047	.9038	.9028	.9018	.9009	.8998	.8988	.8976	.8965	.8953	.8940	.8940
.0002	.8728	.8717	.8705	.8693	.8680	.8667	.8654	.8640	.8625	.8611	.8595	.8595
.0003	.8507	.8494	.8481	.8467	.8453	.8439	.8424	.8408	.8392	.8376	.8359	.8359
.0004	.8335	.8321	.8307	.8292	.8277	.8261	.8246	.8229	.8211	.8194	.8176	.8176
.0005	.8193	.8178	.8163	.8148	.8132	.8115	.8099	.8081	.8063	.8045	.8025	.8025
.0006	.8071	.8056	.8040	.8024	.8008	.7991	.7974	.7955	.7936	.7918	.7898	.7898
.0007	.7965	.7949	.7933	.7917	.7900	.7882	.7865	.7845	.7826	.7807	.7786	.7786
.0008	.7870	.7854	.7837	.7821	.7804	.7785	.7768	.7748	.7728	.7709	.7688	.7688
.0009	.7785	.7769	.7752	.7735	.7717	.7699	.7681	.7661	.7640	.7621	.7599	.7599
.0010	.7707	.7691	.7673	.7656	.7638	.7620	.7602	.7581	.7561	.7541	.7519	.7519
.0020	.7172	.7155	.7135	.7117	.7098	.7078	.7060	.7038	.7015	.6995	.6973	.6973
.0030	.6847	.6829	.6810	.6791	.6772	.6752	.6734	.6711	.6689	.6668	.6646	.6646
.0040	.6615	.6598	.6578	.6560	.6541	.6521	.6503	.6481	.6459	.6438	.6417	.6417
.0050	.6437	.6421	.6400	.6382	.6364	.6344	.6327	.6304	.6282	.6263	.6242	.6242
.0060	.6294	.6277	.6257	.6239	.6221	.6201	.6185	.6163	.6141	.6122	.6101	.6101
.0070	.6174	.6158	.6138	.6120	.6102	.6083	.6067	.6045	.6024	.6005	.5985	.5985
.0080	.6072	.6056	.6036	.6019	.6001	.5982	.5967	.5945	.5924	.5906	.5886	.5886
.0090	.5983	.5968	.5948	.5931	.5914	.5895	.5880	.5859	.5838	.5820	.5800	.5800
.0100	.5905	.5890	.5870	.5854	.5836	.5818	.5803	.5782	.5762	.5744	.5725	.5725
.0200	.5426	.5412	.5394	.5380	.5365	.5348	.5337	.5318	.5300	.5286	.5270	.5270
.0300	.5177	.5165	.5148	.5135	.5122	.5107	.5098	.5080	.5063	.5051	.5037	.5037
.0400	.5016	.5006	.4989	.4977	.4965	.4951	.4943	.4927	.4911	.4900	.4887	.4887
.0500	.4901	.4891	.4875	.4864	.4852	.4839	.4833	.4817	.4802	.4792	.4781	.4781
.0600	.4812	.4803	.4787	.4777	.4766	.4754	.4748	.4733	.4719	.4710	.4699	.4699
.0700	.4741	.4733	.4717	.4708	.4697	.4686	.4681	.4666	.4652	.4644	.4634	.4634
.0800	.4683	.4675	.4660	.4651	.4641	.4629	.4625	.4611	.4598	.4590	.4580	.4580
.0900	.4633	.4626	.4611	.4602	.4593	.4582	.4578	.4564	.4551	.4544	.4535	.4535
.1000	.4591	.4584	.4569	.4552	.4541	.4538	.4524	.4512	.4505	.4496	.4495	.4495

TABLE 120. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Bjerrum*
(Electrolyte, $z_+z_- = 12$)

Ionic strength	Temperature in degrees Celsius						38	40	45
	0	5	10	15	18	20			
.0001	.8873	.8866	.8859	.8852	.8847	.8843	.8835	.8826	.8817
.0002	.8512	.8503	.8494	.8486	.8480	.8476	.8465	.8455	.8443
.0003	.8266	.8256	.8247	.8237	.8226	.8215	.8203	.8190	.8183
.0004	.8076	.8066	.8056	.8046	.8039	.8034	.8022	.8009	.7996
.0005	.7922	.7911	.7901	.7890	.7882	.7877	.7865	.7852	.7838
.0006	.7791	.7779	.7769	.7758	.7750	.7745	.7732	.7719	.7704
.0007	.7677	.7665	.7654	.7643	.7635	.7630	.7617	.7603	.7588
.0008	.7576	.7564	.7554	.7542	.7534	.7529	.7516	.7502	.7486
.0009	.7486	.7474	.7463	.7452	.7443	.7438	.7425	.7411	.7395
.0010	.7405	.7392	.7381	.7370	.7361	.7356	.7343	.7328	.7312
.0020	.6854	.6840	.6829	.6817	.6808	.6803	.6789	.6774	.6758
.0030	.6528	.6514	.6503	.6492	.6483	.6478	.6464	.6449	.6433
.0040	.6301	.6287	.6276	.6265	.6256	.6251	.6238	.6223	.6207
.0050	.6128	.6114	.6104	.6093	.6084	.6080	.6067	.6052	.6036
.0060	.5990	.5976	.5966	.5956	.5947	.5943	.5930	.5916	.5900
.0070	.5876	.5862	.5853	.5843	.5834	.5830	.5817	.5803	.5788
.0080	.5780	.5766	.5757	.5747	.5739	.5734	.5722	.5708	.5693
.0090	.5696	.5683	.5674	.5664	.5656	.5652	.5640	.5627	.5612
.0100	.5623	.5610	.5601	.5592	.5584	.5580	.5568	.5555	.5540
.0200	.5183	.5170	.5163	.5156	.5149	.5146	.5136	.5124	.5111
.0300	.4960	.4948	.4942	.4935	.4929	.4926	.4917	.4907	.4895
.0400	.4818	.4805	.4800	.4795	.4788	.4786	.4778	.4769	.4758
.0500	.4716	.4704	.4700	.4695	.4689	.4687	.4679	.4670	.4660
.0600	.4638	.4627	.4623	.4618	.4613	.4611	.4604	.4595	.4585
.0700	.4577	.4565	.4562	.4558	.4552	.4551	.4544	.4536	.4526
.0800	.4526	.4515	.4512	.4508	.4502	.4501	.4495	.4487	.4478
.0900	.4484	.4473	.4469	.4466	.4461	.4459	.4454	.4445	.4437
.1000	.4447	.4436	.4433	.4425	.4424	.4418	.4410	.4402	.4401

TABLE 120. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—
Bjerrum*—Continued
(Electrolyte, $z_+ z_- = 12$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.8787	.8776	.8765	.8753	.8741	.8729	.8716	.8702	.8688	.8674	.8659
.0002	.8407	.8394	.8380	.8365	.8351	.8335	.8320	.8304	.8287	.8270	.8252
.0003	.8150	.8136	.8120	.8104	.8089	.8072	.8055	.8037	.8018	.8000	.7981
.0004	.7954	.7938	.7922	.7905	.7889	.7871	.7854	.7834	.7814	.7795	.7775
.0005	.7794	.7778	.7761	.7744	.7726	.7708	.7690	.7670	.7650	.7630	.7609
.0006	.7659	.7643	.7625	.7608	.7590	.7571	.7553	.7532	.7511	.7491	.7470
.0007	.7543	.7526	.7508	.7490	.7472	.7452	.7434	.7413	.7392	.7372	.7350
.0008	.7440	.7423	.7404	.7387	.7368	.7348	.7330	.7309	.7287	.7267	.7245
.0009	.7348	.7331	.7312	.7294	.7275	.7256	.7237	.7216	.7194	.7173	.7151
.0010	.7265	.7248	.7229	.7211	.7192	.7172	.7154	.7132	.7110	.7089	.7067
.0020	.6710	.6693	.6673	.6654	.6635	.6615	.6597	.6575	.6552	.6532	.6510
.0030	.6386	.6370	.6349	.6332	.6313	.6293	.6276	.6254	.6232	.6213	.6192
.0040	.6162	.6146	.6126	.6108	.6090	.6071	.6055	.6033	.6012	.5993	.5973
.0050	.5993	.5977	.5957	.5940	.5923	.5904	.5889	.5868	.5847	.5829	.5809
.0060	.5858	.5843	.5823	.5807	.5790	.5771	.5757	.5736	.5716	.5699	.5680
.0070	.5747	.5732	.5713	.5697	.5681	.5663	.5649	.5629	.5609	.5592	.5574
.0080	.5654	.5639	.5620	.5605	.5589	.5571	.5558	.5538	.5518	.5503	.5485
.0090	.5573	.5559	.5540	.5525	.5509	.5492	.5480	.5460	.5441	.5426	.5409
.0100	.5502	.5489	.5470	.5456	.5440	.5423	.5412	.5392	.5373	.5359	.5342
.0200	.5080	.5069	.5053	.5041	.5028	.5013	.5005	.4988	.4972	.4960	.4947
.0300	.4869	.4859	.4843	.4833	.4821	.4809	.4802	.4787	.4772	.4762	.4751
.0400	.4734	.4726	.4711	.4701	.4691	.4679	.4674	.4659	.4646	.4637	.4627
.0500	.4638	.4631	.4616	.4607	.4598	.4587	.4583	.4569	.4556	.4549	.4540
.0600	.4566	.4559	.4545	.4536	.4527	.4517	.4514	.4501	.4488	.4482	.4474
.0700	.4508	.4501	.4488	.4480	.4472	.4462	.4459	.4446	.4435	.4429	.4421
.0800	.4460	.4454	.4441	.4434	.4426	.4416	.4414	.4402	.4391	.4385	.4378
.0900	.4420	.4415	.4402	.4395	.4387	.4378	.4377	.4365	.4354	.4348	.4342
.1000	.4386	.4381	.4368	.4362	.4354	.4345	.4344	.4333	.4322	.4317	.4311

TABLE 121. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis-Bjerrum
(Electrolyte, $z_+z_- = 16$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.8578	.8570	.8562	.8553	.8547	.8543	.8534	.8523	.8512
.0002	.8155	.8145	.8136	.8125	.8119	.8114	.8102	.8090	.8077
.0003	.7876	.7865	.7854	.7843	.7836	.7831	.7819	.7805	.7791
.0004	.7665	.7653	.7643	.7631	.7624	.7618	.7605	.7591	.7576
.0005	.7496	.7484	.7473	.7461	.7453	.7448	.7434	.7420	.7405
.0006	.7355	.7342	.7331	.7319	.7311	.7306	.7292	.7277	.7262
.0007	.7233	.7220	.7209	.7197	.7189	.7184	.7170	.7155	.7139
.0008	.7127	.7114	.7103	.7091	.7082	.7077	.7063	.7048	.7032
.0009	.7033	.7020	.7008	.6996	.6988	.6983	.6969	.6954	.6938
.0010	.6948	.6935	.6924	.6912	.6903	.6898	.6884	.6869	.6853
.0020	.6393	.6379	.6369	.6357	.6349	.6344	.6330	.6315	.6299
.0030	.6079	.6065	.6055	.6044	.6036	.6031	.6018	.6003	.5988
.0040	.5865	.5851	.5841	.5831	.5823	.5819	.5806	.5792	.5777
.0050	.5705	.5691	.5682	.5673	.5665	.5661	.5649	.5635	.5620
.0060	.5580	.5566	.5557	.5548	.5540	.5536	.5525	.5512	.5497
.0070	.5477	.5463	.5455	.5446	.5439	.5435	.5424	.5411	.5397
.0080	.5391	.5377	.5370	.5361	.5354	.5350	.5339	.5327	.5313
.0090	.5317	.5304	.5296	.5288	.5281	.5277	.5267	.5255	.5241
.0100	.5253	.5240	.5232	.5225	.5217	.5214	.5204	.5192	.5179
.0200	.4874	.4862	.4857	.4851	.4844	.4842	.4834	.4824	.4812
.0300	.4688	.4676	.4672	.4667	.4661	.4659	.4652	.4643	.4633
.0400	.4571	.4559	.4556	.4552	.4546	.4545	.4538	.4530	.4520
.0500	.4488	.4477	.4474	.4470	.4465	.4464	.4458	.4450	.4441
.0600	.4425	.4415	.4412	.4409	.4403	.4403	.4397	.4389	.4381
.0700	.4376	.4363	.4360	.4355	.4354	.4349	.4342	.4333	.4335
.0800	.4335	.4325	.4323	.4320	.4315	.4315	.4310	.4303	.4295
.0900	.4301	.4291	.4289	.4287	.4282	.4281	.4277	.4270	.4262
.1000	.4272	.4262	.4260	.4258	.4253	.4253	.4249	.4235	.4235

TABLE 121. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—
Bjerrum—Continued
 (Electrolyte, $z_{+}z_{-} = 16$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.8477	.8464	.8450	.8437	.8422	.8408	.8393	.8377	.8360	.8344	.8326
.0002	.8035	.8020	.8004	.7988	.7972	.7954	.7937	.7918	.7899	.7880	.7860
.0003	.7747	.7731	.7713	.7696	.7678	.7660	.7642	.7622	.7601	.7581	.7560
.0004	.7531	.7514	.7496	.7478	.7460	.7440	.7422	.7401	.7380	.7359	.7337
.0005	.7358	.7341	.7322	.7304	.7285	.7265	.7247	.7226	.7204	.7183	.7161
.0006	.7214	.7197	.7178	.7160	.7141	.7121	.7102	.7080	.7058	.7038	.7015
.0007	.7091	.7074	.7055	.7036	.7017	.6997	.6979	.6957	.6934	.6914	.6891
.0008	.6984	.6967	.6947	.6929	.6910	.6890	.6871	.6849	.6827	.6806	.6784
.0009	.6890	.6872	.6852	.6834	.6815	.6795	.6777	.6754	.6732	.6711	.6689
.0010	.6805	.6788	.6768	.6749	.6730	.6710	.6692	.6669	.6647	.6627	.6604
.0020	.6253	.6237	.6217	.6199	.6181	.6161	.6145	.6123	.6101	.6082	.6062
.0030	.5945	.5929	.5909	.5893	.5875	.5856	.5842	.5821	.5800	.5782	.5763
.0040	.5736	.5721	.5702	.5686	.5670	.5652	.5638	.5618	.5598	.5582	.5564
.0050	.5581	.5567	.5549	.5534	.5518	.5500	.5488	.5468	.5449	.5434	.5417
.0060	.5460	.5447	.5428	.5414	.5399	.5382	.5371	.5351	.5333	.5318	.5302
.0070	.5361	.5349	.5331	.5317	.5302	.5286	.5275	.5257	.5239	.5225	.5209
.0080	.5279	.5266	.5249	.5235	.5221	.5206	.5196	.5177	.5160	.5147	.5132
.0090	.5208	.5196	.5179	.5166	.5152	.5137	.5128	.5110	.5093	.5080	.5066
.0100	.5147	.5135	.5118	.5106	.5092	.5078	.5069	.5051	.5035	.5022	.5009
.0200	.4788	.4779	.4763	.4753	.4743	.4730	.4725	.4710	.4696	.4687	.4677
.0300	.4612	.4605	.4590	.4582	.4572	.4562	.4558	.4544	.4532	.4525	.4516
.0400	.4502	.4496	.4482	.4474	.4466	.4456	.4454	.4441	.4429	.4423	.4416
.0500	.4425	.4419	.4406	.4399	.4391	.4382	.4381	.4368	.4357	.4352	.4346
.0600	.4366	.4361	.4348	.4342	.4335	.4326	.4325	.4314	.4303	.4299	.4293
.0700	.4320	.4315	.4303	.4297	.4290	.4282	.4271	.4260	.4256	.4251	.4217
.0800	.4282	.4278	.4266	.4260	.4254	.4246	.4235	.4225	.4222	.4193	.4188
.0900	.4251	.4246	.4235	.4229	.4223	.4216	.4206	.4196	.4171	.4168	.4164
.1000	.4224	.4220	.4208	.4203	.4197	.4190	.4181				

TABLE 122. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Bjerrum
(Electrolyte, z₊z₋ = 1)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9889	.9888	.9887	.9886	.9885	.9884	.9883	.9882	.9881
.0002	.9844	.9843	.9841	.9840	.9839	.9838	.9836	.9835	.9834
.0003	.9809	.9808	.9807	.9805	.9804	.9802	.9801	.9799	.9798
.0004	.9781	.9779	.9778	.9776	.9775	.9773	.9771	.9769	.9768
.0005	.9756	.9754	.9753	.9751	.9750	.9749	.9747	.9745	.9743
.0006	.9734	.9732	.9730	.9728	.9727	.9726	.9724	.9722	.9719
.0007	.9713	.9711	.9709	.9707	.9706	.9705	.9703	.9700	.9698
.0008	.9694	.9692	.9690	.9688	.9687	.9686	.9683	.9681	.9678
.0009	.9677	.9675	.9672	.9670	.9669	.9667	.9665	.9662	.9659
.0010	.9660	.9658	.9656	.9653	.9652	.9650	.9648	.9645	.9642
.0020	.9529	.9526	.9523	.9520	.9518	.9516	.9513	.9509	.9505
.0030	.9433	.9429	.9425	.9421	.9419	.9417	.9413	.9408	.9403
.0040	.9354	.9349	.9345	.9341	.9338	.9336	.9331	.9326	.9321
.0050	.9285	.9281	.9276	.9271	.9268	.9266	.9261	.9255	.9250
.0060	.9225	.9220	.9215	.9210	.9207	.9205	.9199	.9193	.9187
.0070	.9171	.9166	.9161	.9155	.9152	.9149	.9143	.9137	.9130
.0080	.9121	.9116	.9110	.9105	.9101	.9098	.9092	.9085	.9079
.0090	.9076	.9070	.9064	.9058	.9054	.9052	.9045	.9038	.9031
.0100	.9033	.9027	.9021	.9015	.9011	.9008	.9001	.8994	.8986
.0200	.8711	.8703	.8696	.8688	.8683	.8680	.8671	.8662	.8653
.0300	.8488	.8479	.8471	.8462	.8457	.8453	.8443	.8433	.8422
.0400	.8314	.8305	.8296	.8286	.8281	.8276	.8266	.8255	.8244
.0500	.8171	.8161	.8152	.8142	.8135	.8131	.8120	.8109	.8097
.0600	.8048	.8038	.8028	.8018	.8012	.8007	.7996	.7984	.7972
.0700	.7941	.7931	.7921	.7910	.7904	.7899	.7888	.7875	.7862
.0800	.7846	.7835	.7825	.7814	.7808	.7803	.7791	.7779	.7765
.0900	.7761	.7749	.7739	.7728	.7721	.7716	.7704	.7692	.7678
.1000	.7683	.7671	.7661	.7650	.7643	.7638	.7626	.7613	.7599

TABLE 122. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—
Bjerrum—Continued
 (Electrolyte, z₊z₋ = 1)

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9879	.9878	.9877	.9876	.9874	.9873	.9872	.9870	.9869
.0002	.9830	.9829	.9827	.9825	.9824	.9822	.9820	.9818	.9816
.0003	.9794	.9792	.9790	.9787	.9785	.9783	.9781	.9778	.9776
.0004	.9763	.9760	.9758	.9756	.9753	.9751	.9748	.9745	.9742
.0005	.9736	.9733	.9731	.9728	.9725	.9723	.9720	.9717	.9713
.0006	.9712	.9709	.9706	.9703	.9700	.9697	.9694	.9691	.9687
.0007	.9690	.9687	.9684	.9681	.9678	.9674	.9671	.9667	.9664
.0008	.9669	.9666	.9663	.9660	.9656	.9653	.9649	.9645	.9642
.0009	.9650	.9647	.9644	.9640	.9637	.9633	.9629	.9625	.9621
.0010	.9633	.9629	.9626	.9622	.9618	.9614	.9610	.9606	.9602
.0020	.9492	.9487	.9483	.9478	.9473	.9467	.9462	.9456	.9450
.0030	.9388	.9383	.9377	.9371	.9365	.9359	.9353	.9346	.9339
.0040	.9304	.9298	.9291	.9285	.9278	.9271	.9264	.9256	.9249
.0050	.9231	.9224	.9217	.9210	.9203	.9195	.9188	.9180	.9171
.0060	.9167	.9160	.9152	.9145	.9137	.9129	.9121	.9112	.9103
.0070	.9109	.9102	.9094	.9086	.9077	.9069	.9060	.9051	.9041
.0080	.9056	.9048	.9040	.9032	.9023	.9014	.9005	.8995	.8975
.0090	.9008	.9000	.8991	.8982	.8973	.8964	.8954	.8944	.8934
.0100	.8963	.8954	.8945	.8936	.8927	.8917	.8907	.8897	.8886
.0200	.8623	.8612	.8601	.8590	.8578	.8566	.8554	.8541	.8527
.0300	.8389	.8378	.8365	.8352	.8339	.8326	.8313	.8298	.8283
.0400	.8208	.8196	.8182	.8169	.8155	.8141	.8127	.8111	.8095
.0500	.8060	.8047	.8032	.8018	.8004	.7989	.7974	.7958	.7941
.0600	.7933	.7920	.7905	.7890	.7875	.7860	.7845	.7828	.7810
.0700	.7823	.7809	.7794	.7779	.7763	.7747	.7732	.7715	.7697
.0800	.7725	.7711	.7695	.7680	.7664	.7648	.7633	.7615	.7597
.0900	.7638	.7623	.7607	.7591	.7575	.7559	.7544	.7526	.7507
.1000	.7558	.7543	.7527	.7511	.7495	.7478	.7463	.7444	.7426

TABLE 123. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Bjerrum
(Electrolyte, z, z₋ = 2)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9781	.9779	.9776	.9775	.9773	.9771	.9769	.9768	.9767
.0002	.9694	.9692	.9690	.9688	.9687	.9686	.9683	.9681	.9678
.0003	.9630	.9627	.9625	.9620	.9619	.9616	.9613	.9610	.9608
.0004	.9576	.9573	.9570	.9567	.9565	.9564	.9561	.9557	.9554
.0005	.9529	.9526	.9523	.9520	.9518	.9516	.9513	.9509	.9505
.0006	.9488	.9485	.9481	.9478	.9475	.9474	.9470	.9466	.9461
.0007	.9450	.9447	.9443	.9439	.9437	.9435	.9431	.9427	.9422
.0008	.9416	.9412	.9408	.9404	.9401	.9400	.9395	.9391	.9386
.0009	.9384	.9380	.9376	.9371	.9369	.9367	.9362	.9357	.9352
.0010	.9354	.9349	.9345	.9341	.9338	.9336	.9331	.9326	.9321
.0020	.9121	.9116	.9110	.9105	.9101	.9098	.9092	.9085	.9079
.0030	.8955	.8949	.8942	.8936	.8932	.8929	.8921	.8914	.8906
.0040	.8823	.8815	.8808	.8801	.8797	.8793	.8785	.8777	.8768
.0050	.8711	.8703	.8696	.8688	.8683	.8680	.8671	.8662	.8653
.0060	.8614	.8606	.8598	.8589	.8584	.8581	.8572	.8562	.8552
.0070	.8528	.8519	.8511	.8502	.8497	.8493	.8484	.8474	.8463
.0080	.8450	.8441	.8433	.8424	.8418	.8414	.8405	.8394	.8383
.0090	.8379	.8370	.8361	.8352	.8346	.8342	.8332	.8322	.8311
.0100	.8314	.8305	.8296	.8286	.8281	.8276	.8266	.8255	.8244
.0200	.7846	.7835	.7825	.7814	.7808	.7803	.7791	.7779	.7765
.0300	.7545	.7533	.7523	.7511	.7504	.7499	.7487	.7473	.7460
.0400	.7322	.7310	.7299	.7287	.7280	.7275	.7262	.7249	.7234
.0500	.7146	.7133	.7122	.7110	.7103	.7098	.7085	.7071	.7056
.0600	.7000	.6987	.6976	.6964	.6957	.6952	.6939	.6924	.6910
.0700	.6876	.6863	.6852	.6840	.6832	.6827	.6814	.6800	.6785
.0800	.6768	.6755	.6745	.6733	.6725	.6720	.6707	.6693	.6678
.0900	.6674	.6660	.6650	.6638	.6630	.6625	.6612	.6598	.6583
.1000	.6589	.6576	.6565	.6553	.6546	.6528	.6514	.6499	.6487

TABLE 123. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—
Bjerrum—Continued
(Electrolyte, $z_+ z_- = 2$)*

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9763	.9760	.9758	.9756	.9753	.9751	.9748	.9745	.9742	.9740	.9736
.0002	.9669	.9666	.9663	.9660	.9656	.9653	.9649	.9645	.9642	.9638	.9633
.0003	.9600	.9596	.9592	.9588	.9584	.9580	.9576	.9571	.9566	.9561	.9556
.0004	.9542	.9538	.9533	.9529	.9524	.9520	.9515	.9509	.9504	.9499	.9493
.0005	.9492	.9487	.9483	.9478	.9473	.9467	.9462	.9456	.9450	.9445	.9438
.0006	.9448	.9443	.9437	.9432	.9427	.9421	.9415	.9409	.9403	.9396	.9390
.0007	.9407	.9402	.9396	.9391	.9385	.9379	.9373	.9366	.9360	.9353	.9346
.0008	.9370	.9365	.9359	.9353	.9347	.9340	.9334	.9327	.9320	.9313	.9305
.0009	.9336	.9330	.9324	.9318	.9311	.9304	.9298	.9290	.9283	.9276	.9268
.0010	.9304	.9298	.9291	.9285	.9278	.9271	.9264	.9256	.9249	.9241	.9233
.0020	.9056	.9048	.9040	.9032	.9023	.9014	.9005	.8995	.8985	.8975	.8965
.0030	.8880	.8871	.8862	.8852	.8842	.8832	.8821	.8810	.8799	.8787	.8775
.0040	.8740	.8730	.8720	.8709	.8698	.8687	.8676	.8664	.8651	.8639	.8625
.0050	.8623	.8612	.8601	.8590	.8578	.8566	.8554	.8541	.8527	.8514	.8500
.0060	.8521	.8510	.8498	.8486	.8474	.8461	.8449	.8435	.8421	.8407	.8392
.0070	.8431	.8419	.8407	.8394	.8382	.8369	.8356	.8341	.8327	.8312	.8297
.0080	.8350	.8338	.8325	.8312	.8299	.8285	.8272	.8257	.8242	.8227	.8211
.0090	.8276	.8264	.8250	.8237	.8224	.8210	.8196	.8181	.8165	.8150	.8134
.0100	.8208	.8196	.8182	.8169	.8155	.8141	.8127	.8111	.8095	.8079	.8063
.0200	.7725	.7711	.7695	.7680	.7664	.7648	.7633	.7615	.7597	.7580	.7561
.0300	.7417	.7403	.7386	.7370	.7353	.7336	.7321	.7302	.7283	.7265	.7246
.0400	.7191	.7176	.7159	.7142	.7126	.7108	.7092	.7073	.7054	.7036	.7016
.0500	.7013	.6998	.6980	.6964	.6947	.6929	.6913	.6894	.6874	.6856	.6837
.0600	.6866	.6851	.6833	.6817	.6800	.6782	.6767	.6747	.6727	.6710	.6690
.0700	.6742	.6727	.6709	.6693	.6676	.6658	.6643	.6623	.6603	.6586	.6567
.0800	.6635	.6620	.6602	.6585	.6568	.6551	.6536	.6517	.6497	.6479	.6460
.0900	.6541	.6526	.6507	.6491	.6474	.6457	.6442	.6423	.6403	.6386	.6367
.1000	.6457	.6442	.6424	.6408	.6391	.6374	.6359	.6340	.6320	.6303	.6284

TABLE 124. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Bjerrum*
(Electrolyte, $n_{+z_-} = 3$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9677	.9675	.9672	.9670	.9669	.9667	.9665	.9662	.9659
.0002	.9552	.9549	.9546	.9543	.9541	.9539	.9536	.9532	.9528
.0003	.9459	.9456	.9452	.9448	.9446	.9444	.9440	.9436	.9431
.0004	.9384	.9380	.9376	.9371	.9369	.9367	.9362	.9357	.9352
.0005	.9318	.9314	.9310	.9305	.9302	.9300	.9295	.9289	.9284
.0006	.9261	.9256	.9251	.9246	.9243	.9241	.9235	.9230	.9224
.0007	.9208	.9203	.9198	.9193	.9190	.9187	.9182	.9176	.9169
.0008	.9161	.9155	.9150	.9145	.9141	.9139	.9133	.9126	.9119
.0009	.9117	.9111	.9106	.9100	.9096	.9094	.9087	.9081	.9074
.0010	.9076	.9070	.9064	.9058	.9054	.9052	.9045	.9038	.9031
.0020	.8765	.8757	.8750	.8742	.8738	.8734	.8726	.8717	.8708
.0030	.8548	.8540	.8532	.8523	.8518	.8514	.8505	.8495	.8485
.0040	.8379	.8370	.8361	.8352	.8346	.8342	.8332	.8322	.8311
.0050	.8239	.8230	.8221	.8211	.8205	.8201	.8190	.8179	.8167
.0060	.8120	.8110	.8100	.8090	.8084	.8079	.8068	.8057	.8045
.0070	.8015	.8004	.7995	.7984	.7978	.7973	.7962	.7950	.7937
.0080	.7922	.7911	.7901	.7890	.7884	.7879	.7867	.7855	.7842
.0090	.7837	.7826	.7816	.7805	.7799	.7794	.7782	.7769	.7756
.0100	.7761	.7749	.7739	.7728	.7721	.7716	.7704	.7692	.7678
.0200	.7229	.7217	.7206	.7194	.7187	.7182	.7169	.7155	.7141
.0300	.6905	.6892	.6881	.6869	.6862	.6857	.6844	.6830	.6815
.0400	.6674	.6660	.6650	.6638	.6630	.6625	.6612	.6598	.6583
.0500	.6495	.6482	.6471	.6460	.6452	.6447	.6434	.6420	.6406
.0600	.6351	.6337	.6327	.6316	.6308	.6303	.6291	.6277	.6262
.0700	.6230	.6217	.6207	.6196	.6188	.6184	.6171	.6157	.6143
.0800	.6128	.6114	.6104	.6093	.6086	.6081	.6069	.6055	.6041
.0900	.6038	.6025	.6015	.6004	.5997	.5993	.5980	.5967	.5953
.1000	.5959	.5946	.5937	.5926	.5914	.5919	.5902	.5889	.5875

TABLE 124. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—
Bjerrum—Continued*
(Electrolyte, $z_+z_- = 3$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9650	.9647	.9644	.9640	.9637	.9633	.9629	.9625	.9621	.9617	.9612
.0002	.9516	.9512	.9507	.9502	.9498	.9493	.9487	.9482	.9476	.9471	.9465
.0003	.9417	.9412	.9406	.9401	.9395	.9389	.9383	.9377	.9370	.9363	.9356
.0004	.9336	.9330	.9324	.9318	.9311	.9304	.9298	.9290	.9283	.9276	.9268
.0005	.9266	.9260	.9253	.9246	.9239	.9232	.9225	.9217	.9209	.9200	.9192
.0006	.9204	.9198	.9190	.9183	.9176	.9168	.9160	.9152	.9143	.9134	.9125
.0007	.9149	.9142	.9134	.9126	.9118	.9110	.9102	.9093	.9084	.9074	.9065
.0008	.9098	.9091	.9083	.9074	.9066	.9057	.9049	.9039	.9030	.9020	.9010
.0009	.9051	.9043	.9035	.9027	.9018	.9009	.9000	.8990	.8980	.8970	.8959
.0010	.9008	.9000	.8991	.8982	.8973	.8964	.8954	.8944	.8934	.8923	.8912
.0020	.8679	.8669	.8658	.8647	.8636	.8624	.8613	.8600	.8587	.8574	.8560
.0030	.8453	.8441	.8429	.8416	.8404	.8391	.8378	.8364	.8349	.8335	.8320
.0040	.8276	.8264	.8250	.8237	.8224	.8210	.8196	.8181	.8165	.8150	.8134
.0050	.8131	.8118	.8104	.8090	.8076	.8061	.8047	.8031	.8015	.7999	.7982
.0060	.8007	.7994	.7979	.7965	.7950	.7935	.7920	.7903	.7886	.7870	.7853
.0070	.7899	.7885	.7870	.7855	.7840	.7824	.7809	.7792	.7775	.7758	.7740
.0080	.7803	.7789	.7773	.7758	.7743	.7727	.7711	.7694	.7676	.7659	.7641
.0090	.7716	.7702	.7686	.7671	.7655	.7639	.7623	.7606	.7587	.7570	.7552
.0100	.7638	.7623	.7607	.7591	.7575	.7559	.7544	.7526	.7507	.7490	.7471
.0200	.7097	.7082	.7065	.7048	.7031	.7014	.6998	.6979	.6959	.6941	.6922
.0300	.6772	.6756	.6738	.6722	.6705	.6687	.6672	.6653	.6633	.6615	.6596
.0400	.6541	.6526	.6507	.6491	.6474	.6457	.6442	.6423	.6403	.6386	.6367
.0500	.6364	.6349	.6331	.6315	.6298	.6281	.6267	.6248	.6228	.6211	.6193
.0600	.6221	.6207	.6188	.6173	.6156	.6140	.6126	.6107	.6087	.6071	.6053
.0700	.6102	.6088	.6070	.6055	.6039	.6022	.6009	.5990	.5971	.5956	.5938
.0800	.6002	.5988	.5970	.5955	.5939	.5923	.5910	.5891	.5872	.5857	.5840
.0900	.5914	.5900	.5883	.5868	.5852	.5836	.5824	.5806	.5787	.5772	.5755
.1000	.5837	.5824	.5806	.5792	.5776	.5760	.5749	.5731	.5712	.5698	.5681

TABLE 125. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Bjerrum
(Electrolyte, z_{+z₋} = 4)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9576	.9573	.9570	.9567	.9565	.9564	.9561	.9557	.9554
.0002	.9416	.9412	.9408	.9404	.9401	.9400	.9395	.9391	.9386
.0003	.9298	.9294	.9289	.9284	.9282	.9279	.9274	.9269	.9263
.0004	.9203	.9198	.9193	.9187	.9184	.9182	.9176	.9170	.9163
.0005	.9121	.9116	.9110	.9105	.9101	.9098	.9092	.9085	.9079
.0006	.9050	.9044	.9038	.9032	.9028	.9025	.9018	.9011	.9004
.0007	.8985	.8979	.8973	.8966	.8962	.8959	.8952	.8945	.8937
.0008	.8927	.8920	.8914	.8907	.8902	.8899	.8892	.8884	.8876
.0009	.8873	.8866	.8859	.8852	.8848	.8844	.8837	.8829	.8820
.0010	.8823	.8815	.8808	.8801	.8797	.8793	.8785	.8777	.8768
.0020	.8450	.8441	.8433	.8424	.8418	.8414	.8405	.8394	.8383
.0030	.8198	.8188	.8179	.8169	.8163	.8158	.8148	.8136	.8124
.0040	.8004	.7994	.7984	.7973	.7967	.7962	.7951	.7939	.7926
.0050	.7846	.7835	.7825	.7814	.7808	.7803	.7791	.7779	.7765
.0060	.7713	.7702	.7691	.7680	.7673	.7668	.7656	.7643	.7630
.0070	.7598	.7586	.7575	.7564	.7557	.7552	.7540	.7526	.7513
.0080	.7496	.7484	.7473	.7462	.7454	.7449	.7437	.7423	.7409
.0090	.7405	.7392	.7382	.7370	.7363	.7358	.7345	.7332	.7317
.0100	.7322	.7310	.7299	.7287	.7280	.7275	.7262	.7249	.7234
.0200	.6768	.6755	.6745	.6733	.6725	.6720	.6707	.6693	.6678
.0300	.6444	.6430	.6420	.6408	.6401	.6396	.6383	.6369	.6355
.0400	.6218	.6205	.6195	.6183	.6176	.6171	.6159	.6145	.6131
.0500	.6048	.6034	.6025	.6013	.6006	.6002	.5990	.5976	.5962
.0600	.5912	.5898	.5889	.5878	.5871	.5867	.5855	.5842	.5828
.0700	.5799	.5786	.5777	.5767	.5760	.5756	.5744	.5731	.5718
.0800	.5705	.5691	.5683	.5673	.5666	.5662	.5651	.5638	.5625
.0900	.5623	.5610	.5602	.5592	.5585	.5581	.5570	.5558	.5545
.1000	.5551	.5538	.5531	.5521	.5514	.5511	.5500	.5488	.5475

TABLE 125. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—
Bjerrum—Continued
(Electrolyte, z₊z₋ = 4)*

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9542	.9538	.9533	.9529	.9524	.9520	.9515	.9509	.9504	.9499	.9493
.0002	.9370	.9365	.9359	.9353	.9347	.9340	.9334	.9327	.9320	.9313	.9305
.0003	.9245	.9238	.9231	.9224	.9217	.9210	.9202	.9194	.9186	.9177	.9169
.0004	.9143	.9136	.9128	.9120	.9112	.9104	.9096	.9087	.9077	.9068	.9058
.0005	.9056	.9048	.9040	.9032	.9023	.9014	.9005	.8995	.8985	.8975	.8965
.0006	.8980	.8972	.8963	.8954	.8945	.8935	.8926	.8915	.8904	.8894	.8882
.0007	.8912	.8903	.8894	.8884	.8875	.8865	.8854	.8844	.8832	.8821	.8809
.0008	.8850	.8841	.8831	.8821	.8811	.8800	.8790	.8779	.8767	.8755	.8743
.0009	.8793	.8783	.8773	.8763	.8752	.8742	.8731	.8719	.8707	.8695	.8682
.0010	.8740	.8730	.8720	.8709	.8698	.8687	.8676	.8664	.8651	.8639	.8625
.0020	.8350	.8338	.8325	.8312	.8299	.8285	.8272	.8257	.8242	.8227	.8211
.0030	.8088	.8074	.8060	.8046	.8032	.8017	.8003	.7986	.7970	.7954	.7936
.0040	.7888	.7874	.7859	.7844	.7829	.7813	.7798	.7781	.7763	.7747	.7729
.0050	.7725	.7711	.7695	.7680	.7664	.7648	.7633	.7615	.7597	.7580	.7561
.0060	.7589	.7574	.7558	.7542	.7526	.7510	.7494	.7476	.7457	.7440	.7421
.0070	.7471	.7456	.7439	.7424	.7407	.7390	.7375	.7356	.7337	.7319	.7300
.0080	.7367	.7352	.7335	.7319	.7303	.7286	.7270	.7251	.7232	.7214	.7195
.0090	.7275	.7260	.7242	.7226	.7210	.7192	.7176	.7158	.7138	.7120	.7101
.0100	.7191	.7176	.7159	.7142	.7126	.7108	.7092	.7073	.7054	.7036	.7016
.0200	.6620	.6620	.6585	.6568	.6551	.6536	.6517	.6497	.6479	.6460	
.0300	.6313	.6298	.6280	.6264	.6248	.6231	.6217	.6197	.6178	.6161	.6143
.0400	.6090	.6076	.6058	.6043	.6027	.6010	.5997	.5979	.5959	.5944	.5926
.0500	.5923	.5910	.5892	.5877	.5861	.5845	.5833	.5815	.5796	.5781	.5764
.0600	.5790	.5777	.5760	.5745	.5730	.5715	.5703	.5685	.5667	.5653	.5636
.0700	.5681	.5669	.5651	.5637	.5623	.5608	.5596	.5579	.5561	.5548	.5532
.0800	.5589	.5577	.5560	.5547	.5532	.5517	.5507	.5490	.5472	.5459	.5444
.0900	.5498	.5482	.5468	.5454	.5440	.5430	.5413	.5396	.5383	.5368	
.1000	.5430	.5413	.5400	.5386	.5372	.5363	.5346	.5329	.5317	.5303	

TABLE 126. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis-Bjerrum
(Electrolyte, $z_+ z_- = 6$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9384	.9380	.9376	.9371	.9369	.9367	.9362	.9357	.9352
.0002	.9161	.9155	.9150	.9145	.9141	.9139	.9133	.9126	.9119
.0003	.9001	.8995	.8988	.8982	.8978	.8975	.8968	.8961	.8953
.0004	.8873	.8866	.8859	.8852	.8848	.8844	.8837	.8829	.8820
.0005	.8765	.8757	.8750	.8742	.8738	.8734	.8726	.8717	.8708
.0006	.8670	.8663	.8655	.8647	.8642	.8638	.8630	.8620	.8611
.0007	.8587	.8579	.8571	.8562	.8557	.8553	.8544	.8535	.8525
.0008	.8511	.8503	.8495	.8486	.8481	.8477	.8467	.8457	.8447
.0009	.8443	.8434	.8425	.8416	.8411	.8407	.8397	.8387	.8376
.0010	.8379	.8370	.8361	.8352	.8346	.8342	.8332	.8322	.8311
.0020	.7922	.7911	.7901	.7890	.7884	.7879	.7867	.7855	.7842
.0030	.7625	.7613	.7603	.7592	.7585	.7580	.7567	.7554	.7541
.0040	.7405	.7392	.7382	.7370	.7363	.7358	.7345	.7332	.7317
.0050	.7229	.7217	.7206	.7194	.7187	.7182	.7169	.7155	.7141
.0060	.7084	.7071	.7061	.7049	.7041	.7036	.7023	.7009	.6994
.0070	.6961	.6948	.6937	.6925	.6917	.6912	.6899	.6885	.6870
.0080	.6853	.6840	.6829	.6817	.6810	.6805	.6792	.6778	.6763
.0090	.6758	.6745	.6735	.6723	.6715	.6710	.6697	.6683	.6668
.0100	.6674	.6660	.6650	.6638	.6630	.6625	.6612	.6598	.6583
.0200	.6128	.6114	.6104	.6093	.6086	.6081	.6069	.6055	.6041
.0300	.5826	.5812	.5803	.5793	.5786	.5782	.5770	.5757	.5743
.0400	.5623	.5610	.5602	.5592	.5585	.5581	.5570	.5558	.5545
.0500	.5473	.5461	.5453	.5444	.5437	.5434	.5423	.5411	.5398
.0600	.5357	.5344	.5337	.5328	.5322	.5318	.5308	.5297	.5284
.0700	.5262	.5249	.5243	.5234	.5228	.5225	.5215	.5204	.5192
.0800	.5182	.5170	.5164	.5156	.5150	.5147	.5138	.5126	.5115
.0900	.5115	.5103	.5097	.5089	.5083	.5080	.5071	.5061	.5049
.1000	.5056	.5044	.5039	.5031	.5026	.5023	.5014	.5004	.4993

TABLE 126. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—
Bjerrum—Continued
 (Electrolyte, z_{+z-} = 6)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9336	.9330	.9324	.9318	.9311	.9304	.9298	.9290	.9283	.9276	.9268
.0002	.9098	.9091	.9083	.9074	.9066	.9057	.9049	.9039	.9030	.9020	.9010
.0003	.8929	.8920	.8910	.8901	.8891	.8882	.8872	.8861	.8850	.8839	.8827
.0004	.8793	.8783	.8773	.8763	.8752	.8742	.8731	.8719	.8707	.8695	.8682
.0005	.8679	.8669	.8658	.8647	.8636	.8624	.8613	.8600	.8587	.8574	.8560
.0006	.8581	.8570	.8558	.8547	.8535	.8522	.8510	.8497	.8483	.8470	.8455
.0007	.8493	.8482	.8469	.8457	.8445	.8432	.8420	.8406	.8391	.8377	.8362
.0008	.8414	.8402	.8390	.8377	.8364	.8351	.8338	.8324	.8309	.8294	.8279
.0009	.8342	.8330	.8317	.8304	.8291	.8277	.8264	.8249	.8234	.8219	.8203
.0010	.8276	.8264	.8250	.8237	.8224	.8210	.8196	.8181	.8165	.8150	.8134
.0020	.7803	.7789	.7773	.7758	.7743	.7727	.7711	.7694	.7676	.7659	.7641
.0030	.7499	.7484	.7468	.7452	.7435	.7419	.7403	.7385	.7366	.7348	.7329
.0040	.7275	.7260	.7242	.7226	.7210	.7192	.7176	.7158	.7138	.7120	.7101
.0050	.7097	.7082	.7065	.7048	.7031	.7014	.6998	.6979	.6959	.6941	.6922
.0060	.6951	.6936	.6918	.6902	.6885	.6867	.6851	.6832	.6812	.6794	.6775
.0070	.6827	.6812	.6794	.6777	.6760	.6743	.6727	.6708	.6688	.6670	.6651
.0080	.6720	.6704	.6686	.6670	.6653	.6635	.6620	.6601	.6581	.6563	.6544
.0090	.6625	.6610	.6592	.6575	.6558	.6541	.6526	.6507	.6487	.6469	.6450
.0100	.6541	.6526	.6507	.6491	.6474	.6457	.6442	.6423	.6403	.6386	.6367
.0200	.6002	.5988	.5970	.5955	.5939	.5923	.5910	.5891	.5872	.5857	.5840
.0300	.5707	.5694	.5677	.5663	.5648	.5633	.5621	.5604	.5586	.5572	.5556
.0400	.5510	.5498	.5482	.5468	.5454	.5440	.5430	.5413	.5396	.5383	.5368
.0500	.5366	.5355	.5338	.5326	.5313	.5299	.5290	.5274	.5257	.5246	.5231
.0600	.5254	.5243	.5227	.5215	.5202	.5189	.5181	.5166	.5149	.5139	.5125
.0700	.5163	.5153	.5137	.5126	.5113	.5101	.5093	.5078	.5062	.5052	.5040
.0800	.5087	.5077	.5062	.5051	.5039	.5027	.5020	.5006	.4990	.4981	.4969
.0900	.5023	.5013	.4998	.4988	.4976	.4964	.4958	.4944	.4929	.4920	.4908
.1000	.4967	.4958	.4943	.4933	.4922	.4910	.4904	.4890	.4876	.4867	.4856

TABLE 127. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Bjerrum
(Electrolyte, $z_{+}z_{-}=8$)

Ionic strength	Temperature in degrees Celsius											
	0	5	10	15	18	20	25	30	35	38	40	45
.0001	.9203	.9198	.9193	.9187	.9182	.9176	.9170	.9163	.9160	.9157	.9150	
.0002	.8927	.8920	.8914	.8907	.8902	.8899	.8892	.8884	.8876	.8868	.8865	.8859
.0003	.8732	.8724	.8717	.8709	.8704	.8701	.8692	.8684	.8674	.8669	.8665	.8655
.0004	.8578	.8570	.8562	.8553	.8548	.8545	.8535	.8526	.8516	.8510	.8506	.8494
.0005	.8450	.8441	.8433	.8424	.8418	.8414	.8405	.8394	.8383	.8377	.8373	.8361
.0006	.8340	.8330	.8322	.8312	.8306	.8302	.8292	.8281	.8270	.8264	.8259	.8247
.0007	.8242	.8233	.8224	.8214	.8208	.8204	.8193	.8182	.8170	.8164	.8159	.8146
.0008	.8155	.8145	.8136	.8126	.8120	.8115	.8104	.8093	.8081	.8074	.8069	.8056
.0009	.8076	.8066	.8056	.8046	.8040	.8035	.8024	.8012	.8000	.7993	.7988	.7975
.0010	.8004	.7994	.7984	.7973	.7967	.7962	.7951	.7939	.7926	.7919	.7914	.7900
.0020	.7496	.7484	.7473	.7462	.7454	.7449	.7437	.7423	.7409	.7402	.7397	.7381
.0030	.7178	.7166	.7155	.7143	.7135	.7130	.7117	.7103	.7089	.7082	.7076	.7060
.0040	.6948	.6935	.6924	.6912	.6905	.6900	.6887	.6872	.6858	.6851	.6845	.6828
.0050	.6768	.6755	.6745	.6733	.6725	.6720	.6707	.6693	.6678	.6671	.6665	.6649
.0060	.6622	.6609	.6598	.6586	.6579	.6574	.6561	.6546	.6532	.6525	.6519	.6503
.0070	.6499	.6485	.6475	.6463	.6456	.6451	.6438	.6424	.6409	.6403	.6397	.6380
.0080	.6393	.6379	.6369	.6357	.6350	.6345	.6333	.6318	.6304	.6298	.6292	.6275
.0090	.6300	.6287	.6277	.6265	.6258	.6253	.6240	.6227	.6212	.6206	.6200	.6184
.0100	.6218	.6205	.6195	.6183	.6176	.6171	.6159	.6145	.6131	.6125	.6119	.6103
.0200	.5705	.5691	.5683	.5673	.5666	.5662	.5651	.5638	.5625	.5620	.5615	.5600
.0300	.5431	.5419	.5411	.5402	.5396	.5392	.5382	.5370	.5357	.5354	.5350	.5335
.0400	.5252	.5240	.5233	.5225	.5219	.5215	.5206	.5195	.5183	.5180	.5176	.5162
.0500	.5122	.5110	.5104	.5096	.5090	.5087	.5078	.5067	.5056	.5054	.5050	.5037
.0600	.5021	.5010	.5004	.4996	.4991	.4988	.4980	.4969	.4959	.4957	.4953	.4940
.0700	.4941	.4929	.4924	.4917	.4911	.4909	.4901	.4891	.4880	.4879	.4876	.4863
.0800	.4874	.4862	.4857	.4851	.4846	.4835	.4826	.4816	.4811	.4799	.4791	
.0900	.4817	.4805	.4801	.4795	.4790	.4788	.4780	.4771	.4761	.4760	.4757	.4745
.1000	.4768	.4757	.4753	.4746	.4742	.4740	.4732	.4723	.4713	.4710	.4698	

TABLE 127. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—*
Bjerrum—Continued
 (Electrolyte, $z_+ z_- = 8$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9143	.9136	.9128	.9120	.9112	.9104	.9096	.9087	.9077	.9068	.9058
.0002	.8850	.8841	.8831	.8821	.8811	.8800	.8790	.8779	.8767	.8755	.8743
.0003	.8645	.8634	.8623	.8612	.8601	.8589	.8577	.8564	.8551	.8538	.8524
.0004	.8484	.8472	.8460	.8448	.8436	.8423	.8410	.8396	.8382	.8368	.8353
.0005	.8350	.8338	.8325	.8312	.8299	.8285	.8272	.8257	.8242	.8227	.8211
.0006	.8235	.8222	.8209	.8196	.8182	.8168	.8154	.8138	.8122	.8107	.8091
.0007	.8134	.8121	.8107	.8093	.8079	.8064	.8050	.8034	.8018	.8002	.7985
.0008	.8044	.8030	.8016	.8002	.7987	.7972	.7958	.7941	.7924	.7908	.7891
.0009	.7962	.7948	.7934	.7919	.7904	.7889	.7874	.7857	.7840	.7824	.7806
.0010	.7888	.7874	.7859	.7844	.7829	.7813	.7798	.7781	.7763	.7747	.7729
.0020	.7367	.7352	.7335	.7319	.7303	.7286	.7270	.7251	.7232	.7214	.7195
.0030	.7046	.7030	.7013	.6996	.6979	.6962	.6946	.6927	.6907	.6889	.6870
.0040	.6814	.6799	.6781	.6765	.6748	.6730	.6715	.6695	.6675	.6658	.6638
.0050	.6635	.6620	.6602	.6585	.6568	.6551	.6536	.6517	.6497	.6479	.6460
.0060	.6489	.6474	.6456	.6440	.6423	.6406	.6391	.6372	.6352	.6335	.6316
.0070	.6367	.6352	.6334	.6318	.6302	.6284	.6270	.6251	.6231	.6215	.6196
.0080	.6262	.6248	.6230	.6214	.6198	.6181	.6167	.6148	.6128	.6112	.6094
.0090	.6171	.6157	.6139	.6123	.6107	.6090	.6077	.6058	.6038	.6023	.6005
.0100	.6090	.6076	.6058	.6043	.6027	.6010	.5997	.5979	.5959	.5944	.5926
.0200	.5589	.5577	.5560	.5547	.5532	.5517	.5507	.5490	.5472	.5459	.5444
.0300	.5326	.5315	.5298	.5286	.5273	.5259	.5251	.5235	.5218	.5207	.5193
.0400	.5154	.5144	.5128	.5117	.5104	.5092	.5084	.5070	.5054	.5044	.5031
.0500	.5029	.5020	.5005	.4994	.4983	.4971	.4964	.4950	.4935	.4926	.4914
.0600	.4933	.4925	.4910	.4900	.4889	.4878	.4872	.4859	.4844	.4836	.4825
.0700	.4857	.4849	.4834	.4825	.4814	.4803	.4799	.4785	.4771	.4764	.4753
.0800	.4793	.4785	.4771	.4762	.4752	.4742	.4738	.4725	.4711	.4704	.4694
.0900	.4739	.4732	.4718	.4709	.4700	.4690	.4686	.4674	.4660	.4654	.4644
.1000	.4693	.4686	.4672	.4664	.4655	.4645	.4642	.4630	.4617	.4611	.4601

TABLE 128. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis-Bjerrum*
(Electrolyte, $z_{+}z_{-} = 9$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.001	.9117	.9111	.9106	.9100	.9096	.9094	.9087	.9081	.9074
.002	.8817	.8809	.8802	.8795	.8790	.8787	.8779	.8771	.8762
.003	.8607	.8599	.8591	.8583	.8577	.8574	.8565	.8555	.8545
.004	.8443	.8434	.8425	.8416	.8411	.8407	.8397	.8387	.8376
.005	.8306	.8297	.8288	.8279	.8273	.8268	.8258	.8247	.8236
.006	.8189	.8180	.8170	.8160	.8154	.8150	.8139	.8128	.8116
.007	.8087	.8077	.8067	.8057	.8051	.8046	.8035	.8023	.8011
.008	.7995	.7985	.7975	.7965	.7958	.7954	.7942	.7930	.7918
.009	.7913	.7902	.7892	.7881	.7875	.7870	.7858	.7846	.7833
.010	.7837	.7826	.7816	.7805	.7799	.7794	.7782	.7769	.7756
.020	.7313	.7300	.7289	.7278	.7270	.7265	.7252	.7239	.7224
.030	.6990	.6977	.6966	.6954	.6947	.6942	.6929	.6914	.6900
.040	.6758	.6745	.6735	.6723	.6715	.6710	.6697	.6683	.6668
.050	.6579	.6566	.6555	.6544	.6536	.6531	.6518	.6504	.6489
.060	.6434	.6421	.6410	.6399	.6391	.6386	.6374	.6359	.6345
.070	.6313	.6299	.6289	.6277	.6270	.6265	.6253	.6239	.6224
.080	.6209	.6195	.6185	.6174	.6167	.6162	.6149	.6136	.6121
.090	.6118	.6105	.6095	.6084	.6076	.6072	.6060	.6046	.6032
.100	.6038	.6025	.6015	.6004	.5997	.5993	.5980	.5967	.5953
.0200	.5543	.5530	.5522	.5513	.5506	.5502	.5492	.5479	.5466
.0300	.5284	.5271	.5264	.5256	.5250	.5247	.5237	.5225	.5213
.0400	.5115	.5103	.5097	.5089	.5083	.5080	.5071	.5061	.5049
.0500	.4993	.4981	.4976	.4968	.4963	.4961	.4952	.4942	.4931
.0600	.4899	.4888	.4883	.4876	.4871	.4869	.4861	.4851	.4840
.0700	.4824	.4813	.4808	.4802	.4797	.4795	.4787	.4778	.4768
.0800	.4762	.4751	.4747	.4741	.4736	.4734	.4727	.4718	.4708
.0900	.4710	.4699	.4689	.4684	.4683	.4676	.4667	.4657	.4654
.1000	.4664	.4654	.4644	.4640	.4638	.4632	.4623	.4614	.4611

TABLE 128. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—
 Bjerrum—Continued
 (Electrolyte, z₊z₋ = 9)

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9051	.9043	.9035	.9027	.9018	.9009	.9000	.8990	.8980
.0002	.8734	.8724	.8713	.8703	.8692	.8681	.8669	.8657	.8644
.0003	.8514	.8503	.8491	.8479	.8467	.8454	.8441	.8428	.8413
.0004	.8342	.8330	.8317	.8304	.8291	.8277	.8264	.8249	.8234
.0005	.8200	.8188	.8174	.8161	.8147	.8132	.8118	.8103	.8087
.0006	.8079	.8066	.8052	.8038	.8023	.8008	.7994	.7978	.7961
.0007	.7973	.7959	.7945	.7930	.7915	.7900	.7885	.7869	.7851
.0008	.7879	.7865	.7850	.7835	.7820	.7804	.7789	.7772	.7754
.0009	.7794	.7779	.7764	.7749	.7733	.7717	.7702	.7685	.7667
.0010	.7716	.7702	.7686	.7671	.7655	.7639	.7623	.7606	.7587
.0020	.7181	.7166	.7149	.7133	.7116	.7098	.7083	.7063	.7044
.0030	.6856	.6841	.6823	.6807	.6790	.6772	.6757	.6737	.6717
.0040	.6625	.6610	.6592	.6575	.6558	.6541	.6526	.6507	.6487
.0050	.6447	.6432	.6414	.6398	.6381	.6364	.6349	.6330	.6310
.0060	.6303	.6288	.6270	.6255	.6238	.6221	.6207	.6188	.6168
.0070	.6183	.6169	.6151	.6135	.6119	.6102	.6089	.6070	.6050
.0080	.6081	.6067	.6049	.6034	.6018	.6001	.5988	.5969	.5950
.0090	.5992	.5978	.5961	.5946	.5930	.5913	.5901	.5882	.5863
.0100	.5914	.5900	.5883	.5868	.5852	.5836	.5824	.5806	.5787
.0200	.5433	.5422	.5405	.5392	.5379	.5365	.5355	.5339	.5322
.0300	.5184	.5174	.5158	.5146	.5134	.5121	.5114	.5099	.5083
.0400	.5023	.5013	.4998	.4988	.4976	.4964	.4958	.4944	.4929
.0500	.4906	.4898	.4883	.4874	.4863	.4852	.4846	.4833	.4819
.0600	.4818	.4810	.4795	.4786	.4776	.4766	.4761	.4748	.4734
.0700	.4746	.4739	.4725	.4716	.4707	.4697	.4693	.4680	.4667
.0800	.4688	.4681	.4667	.4659	.4650	.4640	.4637	.4625	.4612
.0900	.4638	.4632	.4618	.4610	.4601	.4592	.4589	.4577	.4565
.1000	.4595	.4589	.4576	.4569	.4560	.4551	.4548	.4537	.4525

TABLE 129. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Bjerrum*
(Electrolyte, $z_+ z_- = 12$)

Ionic strength	Temperature in degrees Celsius						
	0	5	10	15	18	20	25
.0001	.8873	.8866	.8859	.8852	.8848	.8844	.8837
.0002	.8511	.8503	.8495	.8486	.8481	.8477	.8467
.0003	.8266	.8256	.8247	.8237	.8231	.8227	.8217
.0004	.8076	.8066	.8056	.8046	.8040	.8035	.8024
.0005	.7922	.7911	.7901	.7890	.7884	.7879	.7867
.0006	.7791	.7779	.7769	.7758	.7751	.7747	.7735
.0007	.7677	.7665	.7655	.7644	.7637	.7632	.7620
.0008	.7576	.7564	.7554	.7543	.7535	.7530	.7518
.0009	.7486	.7474	.7464	.7452	.7445	.7440	.7427
.0010	.7405	.7392	.7382	.7370	.7363	.7358	.7345
.0020	.6853	.6840	.6829	.6817	.6810	.6805	.6792
.0030	.6528	.6514	.6504	.6492	.6485	.6480	.6467
.0040	.6300	.6287	.6277	.6265	.6258	.6253	.6240
.0050	.6128	.6114	.6104	.6093	.6086	.6081	.6069
.0060	.5990	.5976	.5967	.5956	.5949	.5944	.5932
.0070	.5876	.5862	.5853	.5843	.5836	.5831	.5820
.0080	.5779	.5766	.5757	.5747	.5740	.5736	.5724
.0090	.5696	.5683	.5674	.5664	.5657	.5653	.5642
.0100	.5623	.5610	.5602	.5592	.5585	.5581	.5570
.0200	.5182	.5170	.5164	.5156	.5150	.5147	.5138
.0300	.4959	.4948	.4942	.4935	.4930	.4927	.4919
.0400	.4817	.4805	.4801	.4795	.4790	.4788	.4780
.0500	.4715	.4704	.4700	.4694	.4690	.4688	.4681
.0600	.4638	.4627	.4624	.4618	.4614	.4612	.4605
.0700	.4576	.4565	.4562	.4557	.4553	.4552	.4545
.0800	.4525	.4515	.4512	.4507	.4503	.4502	.4496
.0900	.4483	.4473	.4470	.4465	.4462	.4460	.4455
.1000	.4446	.4436	.4434	.4429	.4426	.4425	.4419

TABLE 129. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—
Bjerrum—Continued
 (Electrolyte, $z_+z_- = 12$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.8793	.8773	.8763	.8752	.8742	.8731	.8719	.8707	.8695	.8682	.8682
.0002	.8414	.8402	.8390	.8377	.8364	.8351	.8338	.8324	.8309	.8294	.8279
.0003	.8158	.8145	.8131	.8118	.8103	.8089	.8075	.8059	.8043	.8027	.8010
.0004	.7962	.7948	.7934	.7919	.7904	.7889	.7874	.7857	.7840	.7824	.7806
.0005	.7803	.7789	.7773	.7758	.7743	.7727	.7711	.7694	.7676	.7659	.7641
.0006	.7668	.7654	.7638	.7622	.7606	.7590	.7575	.7557	.7538	.7521	.7502
.0007	.7552	.7537	.7521	.7505	.7489	.7472	.7456	.7438	.7419	.7402	.7383
.0008	.7449	.7434	.7418	.7402	.7385	.7368	.7353	.7334	.7315	.7297	.7278
.0009	.7357	.7342	.7325	.7310	.7293	.7276	.7260	.7241	.7222	.7204	.7185
.0010	.7275	.7260	.7242	.7226	.7210	.7192	.7176	.7158	.7138	.7120	.7101
.0020	.6720	.6704	.6686	.6670	.6653	.6635	.6620	.6601	.6581	.6563	.6544
.0030	.6396	.6381	.6363	.6347	.6330	.6313	.6299	.6279	.6260	.6243	.6224
.0040	.6171	.6157	.6139	.6123	.6107	.6090	.6077	.6058	.6038	.6023	.6005
.0050	.6092	.5988	.5970	.5955	.5939	.5923	.5910	.5891	.5872	.5857	.5840
.0060	.5867	.5853	.5836	.5821	.5806	.5790	.5778	.5760	.5741	.5726	.5710
.0070	.5756	.5743	.5725	.5711	.5696	.5680	.5669	.5651	.5633	.5619	.5603
.0080	.5662	.5649	.5632	.5618	.5603	.5588	.5577	.5560	.5542	.5529	.5513
.0090	.5581	.5569	.5552	.5538	.5524	.5509	.5499	.5482	.5464	.5451	.5436
.0100	.5510	.5498	.5482	.5468	.5454	.5440	.5430	.5413	.5396	.5383	.5368
.0200	.5087	.5077	.5062	.5051	.5039	.5027	.5020	.5006	.4990	.4981	.4969
.0300	.4874	.4866	.4852	.4842	.4832	.4821	.4816	.4802	.4788	.4780	.4770
.0400	.4739	.4732	.4718	.4709	.4700	.4690	.4686	.4674	.4660	.4654	.4644
.0500	.4643	.4637	.4623	.4615	.4606	.4597	.4594	.4582	.4570	.4564	.4555
.0600	.4570	.4564	.4551	.4544	.4535	.4527	.4524	.4513	.4501	.4496	.4488
.0700	.4512	.4507	.4494	.4487	.4479	.4471	.4469	.4458	.4446	.4442	.4435
.0800	.4464	.4459	.4447	.4440	.4433	.4425	.4424	.4413	.4402	.4398	.4391
.0900	.4424	.4420	.4407	.4401	.4394	.4386	.4385	.4375	.4364	.4361	.4354
.1000	.4390	.4386	.4374	.4368	.4361	.4353	.4353	.4343	.4329	.4323	.4323

TABLE 130. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Bjerrum*
(Electrolyte, $z_+ z_- = 16$)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.8578	.8570	.8562	.8553	.8548	.8545	.8535	.8526	.8516
.0002	.8155	.8145	.8136	.8126	.8120	.8115	.8104	.8093	.8081
.0003	.7876	.7865	.7855	.7844	.7837	.7833	.7821	.7808	.7795
.0004	.7665	.7653	.7643	.7632	.7625	.7620	.7608	.7595	.7581
.0005	.7496	.7484	.7473	.7462	.7454	.7449	.7437	.7423	.7409
.0006	.7354	.7342	.7331	.7320	.7312	.7307	.7294	.7281	.7266
.0007	.7233	.7220	.7210	.7198	.7190	.7185	.7172	.7159	.7144
.0008	.7127	.7114	.7103	.7091	.7084	.7079	.7066	.7052	.7037
.0009	.7033	.7020	.7009	.6997	.6989	.6984	.6971	.6957	.6943
.0010	.6948	.6935	.6924	.6912	.6905	.6900	.6887	.6872	.6858
.0020	.6393	.6379	.6369	.6357	.6350	.6345	.6333	.6318	.6304
.0030	.6076	.6065	.6055	.6044	.6037	.6033	.6020	.6007	.5992
.0040	.5864	.5851	.5842	.5831	.5824	.5820	.5808	.5795	.5781
.0050	.5705	.5691	.5683	.5673	.5666	.5662	.5651	.5638	.5625
.0060	.5579	.5566	.5558	.5548	.5542	.5538	.5527	.5515	.5502
.0070	.5476	.5463	.5456	.5446	.5440	.5436	.5426	.5414	.5401
.0080	.5390	.5377	.5370	.5361	.5355	.5351	.5341	.5329	.5317
.0090	.5316	.5304	.5297	.5288	.5282	.5279	.5269	.5257	.5245
.0100	.5252	.5240	.5233	.5225	.5219	.5215	.5206	.5195	.5183
.0200	.4874	.4862	.4857	.4851	.4846	.4843	.4835	.4826	.4816
.0300	.4687	.4676	.4673	.4667	.4662	.4660	.4654	.4645	.4636
.0400	.4570	.4559	.4556	.4551	.4547	.4546	.4539	.4531	.4523
.0500	.4487	.4477	.4474	.4470	.4466	.4465	.4459	.4451	.4443
.0600	.4424	.4415	.4412	.4408	.4405	.4403	.4398	.4391	.4383
.0700	.4375	.4365	.4363	.4359	.4356	.4355	.4350	.4343	.4335
.0800	.4334	.4325	.4323	.4320	.4316	.4315	.4311	.4304	.4297
.0900	.4300	.4291	.4290	.4286	.4283	.4282	.4278	.4271	.4266
.1000	.4271	.4262	.4261	.4258	.4254	.4250	.4248	.4236	.4239

TABLE 130. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—
 Bjerrum—Continued
 (Electrolyte, $z_+ z_- = 16$)

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.8484	.8472	.8460	.8448	.8436	.8423	.8410	.8396	.8382	.8368	.8353
.0002	.8044	.8030	.8016	.8002	.7987	.7972	.7958	.7941	.7924	.7908	.7891
.0003	.7755	.7741	.7726	.7710	.7695	.7679	.7663	.7646	.7628	.7611	.7592
.0004	.7540	.7525	.7509	.7493	.7477	.7460	.7444	.7426	.7407	.7390	.7371
.0005	.7367	.7352	.7335	.7319	.7303	.7286	.7270	.7251	.7232	.7214	.7195
.0006	.7224	.7208	.7191	.7175	.7158	.7141	.7125	.7106	.7086	.7069	.7049
.0007	.7101	.7086	.7071	.7052	.7035	.7017	.7002	.6983	.6963	.6945	.6925
.0008	.6994	.6979	.6961	.6945	.6928	.6910	.6894	.6875	.6855	.6837	.6818
.0009	.6899	.6884	.6866	.6850	.6833	.6815	.6800	.6780	.6760	.6743	.6723
.0010	.6814	.6799	.6781	.6765	.6748	.6730	.6715	.6695	.6675	.6658	.6638
.0020	.6262	.6248	.6230	.6214	.6198	.6181	.6167	.6148	.6128	.6112	.6094
.0030	.5953	.5940	.5922	.5907	.5891	.5875	.5863	.5844	.5825	.5810	.5793
.0040	.5744	.5731	.5714	.5700	.5685	.5669	.5658	.5640	.5622	.5608	.5592
.0050	.5589	.5577	.5560	.5547	.5532	.5517	.5507	.5490	.5472	.5459	.5444
.0060	.5468	.5456	.5439	.5426	.5413	.5398	.5389	.5372	.5355	.5343	.5328
.0070	.5369	.5358	.5341	.5329	.5315	.5302	.5293	.5277	.5260	.5248	.5234
.0080	.5286	.5275	.5259	.5247	.5234	.5221	.5212	.5197	.5180	.5169	.5156
.0090	.5215	.5205	.5189	.5177	.5165	.5152	.5144	.5129	.5112	.5102	.5089
.0100	.5154	.5144	.5128	.5117	.5104	.5092	.5084	.5070	.5054	.5044	.5031
.0200	.4793	.4785	.4771	.4762	.4752	.4742	.4738	.4725	.4711	.4704	.4694
.0300	.4617	.4610	.4597	.4589	.4581	.4572	.4569	.4557	.4545	.4539	.4531
.0400	.4506	.4501	.4488	.4481	.4473	.4465	.4463	.4453	.4441	.4437	.4429
.0500	.4428	.4424	.4411	.4405	.4398	.4390	.4389	.4379	.4368	.4364	.4358
.0600	.4370	.4365	.4354	.4348	.4341	.4334	.4324	.4313	.4310	.4304	.4304
.0700	.4323	.4319	.4308	.4302	.4296	.4289	.4280	.4270	.4267	.4262	.4262
.0800	.4285	.4282	.4270	.4265	.4259	.4253	.4244	.4234	.4232	.4227	.4227
.0900	.4254	.4250	.4239	.4234	.4228	.4222	.4214	.4205	.4203	.4198	.4198
.1000	.4226	.4223	.4219	.4208	.4202	.4196	.4197	.4189	.4178	.4173	.4173

TABLE 131. *Uncertainties (\pm) in activity coefficients for solutions having an ionic strength of 0.1 arising from the established limits of error in the physical constants used in the theoretical equations*

(On weight or volume basis)

Uncertainty $\times 10^5$

$z_+ z_-$	Debye-Hückel	Güntelberg	Extended Güntelberg	Davies	Scatchard	Extended Scatchard	Bjerrum
0 °C							
1	10	8 ₅	8 ₅	7 ₉	7 ₈	7 ₈	8 ₃
2	14	13	13	12	12	12	11
3	15	15	15	14	14	14	13
4	14	15	15	15	15	15	13
6	10	13	13	14	14	14	14
8	6 ₆	10	9 ₉	11	12	11	14
9	5 ₂	8 ₆	8 ₅	9 ₇	10	9 ₉	14
12	2 ₄	5 ₁	5 ₀	6 ₁	6 ₄	6 ₃	15
16	0 ₈	2 ₃	2 ₂	3 ₀	3 ₂	3 ₂	15
25 °C							
1	10	8 ₄	8 ₄	7 ₉	7 ₆	7 ₈	8 ₁
2	14	13	13	12	12	12	11
3	14	14	14	14	14	14	12
4	13	14	14	14	14	14	13
6	9 ₃	12	12	14	13	13	14
8	6 ₀	9 ₂	9 ₂	10	11	10	14
9	4 ₆	7 ₈	7 ₈	8 ₉	9 ₂	9 ₂	14
12	2 ₀	4 ₅	4 ₄	5 ₄	5 ₈	5 ₇	14
16	0 ₆	1 ₉	1 ₉	2 ₆	2 ₈	2 ₈	14

TABLE 131. Uncertainties (\pm) in activity coefficients for solutions having an ionic strength of 0.1 arising from the established limits of error in the physical constants used in the theoretical equations—Continued

(On weight or volume basis)

Uncertainty $\times 10^5$

$z+z_-$	Debye-Hückel	Güntelberg	Extended Güntelberg	Davies	Scatchard	Extended Scatchard	Bjerrum
50 °C							
1	10	8 ₂	8 ₂	7 ₈	7 ₆	7 ₆	7 ₉
2	13	12	12	12	12	12	11
3	14	14	14	14	14	14	11
4	12	14	14	14	14	14	12
6	8 ₅	11	11	12	12	12	13
8	5 ₂	8 ₃	8 ₃	9 ₃	9 ₆	9 ₆	13
9	4 ₀	7 ₀	7 ₀	8 ₀	8 ₃	8 ₃	13
12	1 ₆	3 ₈	3 ₈	3 ₇	5 ₀	5 ₀	14
16	0 ₅	1 ₆	1 ₆	1 ₇	2 ₃	2 ₃	14
75 °C							
1	10	8 ₂	8 ₁	7 ₈	7 ₅	7 ₃	7 ₈
2	13	12	12	12	14	11	10
3	13	13	13	13	13	12	11
4	11	13	13	13	13	12	12
6	7 ₄	10	10	11	11	11	13
8	4 ₄	7 ₄	7 ₄	8 ₃	8 ₆	7 ₆	13
9	3 ₃	6 ₁	6 ₂	7 ₀	7 ₃	6 ₄	13
12	1 ₃	3 ₂	3 ₂	4 ₀	4 ₂	3 ₅	13
16	0 ₃	1 ₂	1 ₂	1 ₇	1 ₈	1 ₅	13
100 °C							
1	9 ₅	7 ₉	7 ₉	7 ₄	7 ₃	7 ₃	7 ₅
2	12	12	11	11	11	11	9 ₈
3	12	12	12	12	12	12	11
4	10	12	12	12	12	12	11
6	6 ₅	9 ₆	9 ₃	9 ₉	11	11	12
8	3 ₆	6 ₃	6 ₄	7 ₂	7 ₂	7 ₆	12
9	2 ₆	5 ₁	5 ₂	6 ₀	6 ₃	6 ₄	12
12	0 ₉	2 ₅	2 ₆	3 ₂	3 ₅	3 ₅	12
16	0 ₂	0 ₉	0 ₉	1 ₃	1 ₄	1 ₄	12

TABLE 132. *Values of the Debye-Hückel constants for activity coefficients based on the values of the dielectric constant of water determined by Owen et al. [12]*

t °C	ϵ^a	A		B	
		Weight basis	Volume basis	Weight basis	Volume basis
		$kg^{1/2} mol^{-1/2}$	$l^{1/2} mol^{-1/2}$	$kg^{1/2} 10^8 cm mol^{-1/2}$	$l^{1/2} 10^8 cm mol^{-1/2}$
0	87.90	0.4905	0.4905	0.3245	0.3246
5	85.90	.4941	.4941	.3254	.3254
10	83.95	.4979	.4979	.3262	.3262
15	82.04	.5018	.5021	.3270	.3271
18	80.93	.5042	.5045	.3274	.3276
20	80.18	.5059	.5064	.3277	.3280
25	78.36	.5103	.5110	.3285	.3290
30	76.58	.5148	.5159	.3294	.3301
35	74.85	.5194	.5209	.3302	.3311
38	73.83	.5223	.5241	.3307	.3318
40	73.15	.5243	.5263	.3310	.3323
45	71.50	.5293	.5319	.3318	.3334
50	69.88	.5345	.5378	.3327	.3347
55	68.30	.5400	.5439	.3335	.3359
60	66.76	.5455	.5502	.3344	.3372
65	65.25	.5514	.5568	.3353	.3386
70	63.78	.5573	.5636	.3362	.3400
75	62.34	.5635	.5707	.3371	.3414
80	60.93	.5699	.5781	.3380	.3429
85	59.55	.5766	.5859	.3389	.3444
90	58.20	.5835	.5939	.3399	.3459
95	56.88	.5906	.6022	.3409	.3475
100	55.58	.5981	.6110	.3419	.3492

^a Values for the dielectric constant of water as determined by Owen et al. [12]; values above 70 °C were calculated from their equation expressing ϵ as a function of temperature.

TABLE 133. *Bjerrum's minimum ion-parameter for uni-univalent electrolytes in aqueous solutions from 0 to 100 °C based on the dielectric constant of water determined by Owen et al. [12].*

Temperature <i>t</i> °C	Ion-parameter <i>a_B</i> 10 ⁸ cm	Temperature <i>t</i> °C	Ion-parameter <i>a_B</i> 10 ⁸ cm
(On weight or volume basis)			
0	^a 3.48(3.49)	50	3.70
5	3.50	55	3.73
10	3.52	60	3.76(3.75)
15	3.53(3.54)	65	3.79(3.78)
18	3.55	70	3.82(3.81)
20	3.56	75	3.85(3.84)
25	3.58	80	3.88
30	3.60	85	3.92(3.91)
35	3.62	90	3.95(3.94)
38	3.64	95	3.99(3.98)
40	3.65	100	4.03(4.02)
45	3.67		

^a See text for meaning of values given in the parentheses.

TABLE 134. *Differences in activity coefficients for solutions having an ionic strength of 0.1 from those given in the main tables if the dielectric constant of water determined by Owen et al. [12] is used instead of the values of Malmberg and Maryott [5]*

(On volume basis)

Uncertainty $\times 10^5$

$z+z_-$	Debye-Hückel	Güntelberg	Extended Güntelberg	Davies	Scatchard	Extended Scatchard	Bjerrum
0 °C							
1	66	55	51	52	50	45	48
2	93	84	77	80	79	71	62
3	97	96	88	93	93	83	67
4	91	97	89	97	97	88	69
6	67	85	77	89	90	80	70
8	43	65	60	72	74	65	69
9	34	56	51	63	65	57	69
12	16	33	30	40	42	37	68
16	5 ₀	15	13	20	21	18	67
25 °C							
1	30	25	22	24	23	19	21
2	42	38	33	36	36	30	26
3	43	43	37	42	42	35	27
4	39	43	38	43	43	35	27
6	28	37	32	39	39	33	26
8	18	28	24	31	32	26	26
9	14	23	20	27	27	23	25
12	6 ₀	13	12	16	17	14	24
16	1 ₈	5 ₈	5 ₀	7 ₇	8 ₃	6 ₉	24

TABLE 134. Differences in activity coefficients for solutions having an ionic strength of 0.1 from those given in the main tables if the dielectric constant of water determined by Owen et al. [12] is used instead of the values of Malmberg and Maryott [5]—Continued

(On volume basis)

Uncertainty $\times 10^5$

z_+z_-	Debye-Hückel	Güntelberg	Extended Güntelberg	Davies	Scatchard	Extended Scatchard	Bjerrum
50 °C							
1	-20	-16	-15	-15	-15	-13	-14
2	-27	-24	-22	-24	-23	-20	-18
3	-27	-28	-25	-27	-27	-23	-19
4	-24	-27	-24	-27	-27	-24	-19
6	-17	-22	-20	-24	-25	-21	-19
8	-10	-16	-15	-18	-19	-16	-19
9	-7 ₇	-14	-12	-16	-16	-14	-19
12	-3 ₂	-7 ₄	-6 ₈	-9 ₂	-9 ₈	-8 ₆	-18
16	-0 ₉	-3 ₀	-2 ₈	-4 ₁	-4 ₅	-4 ₀	-18
75 °C							
1	-58	-48	-43	-46	-45	-38	-40
2	-76	-71	-63	-68	-68	-58	-49
3	-75	-77	-69	-77	-76	-66	-52
4	-66	-75	-68	-77	-77	-67	-54
6	-43	-60	-54	-65	-66	-57	-52
8	-25	-43	-39	-48	-50	-43	-51
9	-19	-35	-32	-41	-42	-37	-51
12	-7 ₂	-18	-17	-23	-24	-21	-50
16	-1 ₈	-6 ₈	-6 ₃	-9 ₅	-10	-9 ₃	-49
100 °C							
1	-107	-91	-83	-86	-84	-74	-77
2	-138	-130	-119	-126	-124	-111	-95
3	-133	-140	-128	-138	-138	-124	-101
4	-113	-132	-123	-135	-136	-123	-103
6	-70	-101	-94	-109	-112	-102	-103
8	-38	-68	-65	-79	-82	-75	-103
9	-28	-55	-52	-65	-68	-63	-103
12	-9 ₇	-27	-25	-34	-37	-34	-102
16	-2 ₂	-9 ₂	-8 ₉	-13	-15	-14	-101

TABLE 135. *Differences in activity coefficients for solutions having an ionic strength of 0.1 from those given in the main tables, if the dielectric constant of water determined by Owen et al. [12] is used instead of the values of Malmberg and Maryott [5]*

(On weight basis)

Uncertainty $\times 10^5$

z_+z_-	Debye-Hückel	Güntelberg	Extended Güntelberg	Davies	Scatchard	Extended Scatchard	Bjerrum
0°C							
1	66	55	51	52	50	45	49
2	93	84	77	80	79	71	62
3	97	96	88	93	93	83	67
4	91	97	89	97	97	88	69
6	67	85	77	89	90	80	70
8	43	65	60	72	74	65	69
9	34	56	51	63	65	57	69
12	16	33	30	40	42	37	68
16	5 ₀	15	14	20	21	18	68
25°C							
1	25	21	18	20	19	16	17
2	35	31	27	30	30	24	20
3	36	36	30	35	35	28	21
4	33	36	31	36	36	29	20
6	23	30	26	33	33	26	19
8	15	23	20	26	26	21	19
9	13	20	17	22	23	18	18
12	5 ₁	11	9 ₄	14	14	11	17
16	1 ₅	4 ₈	4 ₁	6 ₅	7 ₀	5 ₅	17

TABLE 135. Differences in activity coefficients for solutions having an ionic strength of 0.1 from those given in the main tables, if the dielectric constant of water determined by Owen et al. [12] is used instead of the values of Malmberg and Maryott [5]—Continued

(On weight basis)

Uncertainty $\times 10^5$

z_+z_-	Debye-Hückel	Güntelberg	Extended Güntelberg	Davies	Scatchard	Extended Scatchard	Bjerrum
50 °C							
1	-15	-12	-11	-12	-11	-9	-10
2	-20	-18	-16	-18	-18	-14	-12
3	-20	-21	-18	-20	-20	-17	-13
4	-18	-20	-18	-21	-21	-17	-13
6	-13	-17	-15	-18	-18	-15	-12
8	-7 ₈	-12	-11	-14	-14	-12	-12
9	-5 ₉	-10	-9 ₁	-12	-12	-10	-12
12	-2 ₄	-5 ₇	-5 ₀	-7 ₁	-7 ₄	-6 ₂	-11
16	-0 ₇	-2 ₃	-2 ₀	-3 ₂	-3 ₄	-2 ₉	-11
75 °C							
1	-55	-49	-44	-46	-45	-39	-41
2	-77	-71	-64	-69	-68	-59	-50
3	-77	-78	-70	-78	-77	-67	-52
4	-68	-76	-69	-78	-78	-67	-53
6	-45	-62	-55	-66	-67	-58	-52
8	-26	-44	-40	-50	-51	-45	-52
9	-20	-36	-33	-42	-44	-38	-51
12	-7 ₇	-19	-17	-24	-25	-22	-50
16	-2 ₀	-7 ₃	-6 ₆	-10	-11	-9 ₇	-50
100 °C							
1	-104	-88	-79	-83	-81	-70	-73
2	-134	-126	-113	-122	-121	-105	-88
3	-130	-136	-122	-135	-135	-117	-92
4	-113	-130	-118	-133	-134	-116	-93
6	-71	-101	-91	-109	-111	-97	-92
8	-40	-69	-63	-79	-82	-72	-92
9	-29	-56	-51	-66	-69	-61	-91
12	-10	-28	-26	-35	-38	-34	-89
16	-2 ₄	-9 ₉	-9 ₁	-14	-16	-14	-88