

Franck-Condon Factors, *r*-Centroids, Electronic Transition Moments, and Einstein Coefficients for Many Nitrogen and Oxygen Band Systems

Forrest R. Gilmore

Logicon RDA, P.O. Box 92500, Los Angeles, CA 90009

Russ R. Laher

Defense Group Inc., 606 Wilshire Blvd., Suite 706, Santa Monica, CA 90401

and

Patrick J. Espy

Center for Space Engineering, Utah State University, Logan, UT 84322

Received December 30, 1991; revised manuscript received May 28, 1992

Air fluorescence models require accurate Franck-Condon factors and Einstein coefficients for analyzing the intensities of N_2 , N_2^+ , and O_2^+ emissions produced by electron bombardment of air, such as in the aurora, high-altitude nuclear explosions, and rocket-borne electron gun experiments. In our previous report, improved vibrational and rotational constants based on the latest available spectroscopic measurements for several excited and ionic states important in air fluorescence modeling were derived. These constants have been used in the present work to calculate band origins, Franck-Condon factors, and *r*-centroids for many band systems of nitrogen and oxygen. These results, together with electronic transition moments obtained from published papers or derived here from published emission data and measured upper-state lifetimes, have been used to compute Einstein coefficients by the *r*-centroid method. Einstein coefficients by integration of the product of the electronic transition moment function and vibrational wavefunctions have also been computed for comparison. For band systems involving "perturbed" electronic states, Einstein coefficients have been derived by simply normalizing published emission data to measured upper-state lifetimes. In this report, tables of band origin wave-lengths and wavenumbers, Franck-Condon factors, *r*-centroids, electronic transition moments, and Einstein coefficients are presented for 17 N_2 , N_2^+ , and O_2^+ band systems. Plots of most of the electronic transition moment functions used in these calculations are also given. In addition, tables of Franck-Condon factors only are presented for 16 other band systems of nitrogen and oxygen, and tables of band wavelengths and Einstein coefficients are presented for 3 band systems having "perturbed" upper states.

Key words: air fluorescence; band origins; Einstein coefficients; electronic transition moments; Franck-Condon factors; improved calculations; molecular nitrogen; molecular oxygen; radiative transition parameters; *r*-centroids.

Contents

1. Introduction	1006
2. Methods of Calculation	1007
2.1 RKR Internuclear Potential Energy Functions	1007
2.2 Wave Functions, <i>r</i> -centroids, and Franck-Condon Factors	1008
2.3 Electronic Transition Moments and Einstein Coefficients	1009
2.4 Treatment of Transitions Involving "Perturbed" Electronic States	1010
3. Results for Electronic Transition Moments ..	1010
4. Band-Array Results	1011
5. Acknowledgements	1107
6. References	1107

List of Tables

1. Coefficients of analytic fits to the electronic transition moments of N_2 , N_2^+ , and O_2^+ band systems.....	1020
2. Radiative transition parameters for $N_2 A \ ^3\Sigma_u^+ - X \ ^1\Sigma_g^+$	1022

©1992 by the U.S. Secretary of Commerce on behalf of the United States. This copyright is assigned to the American Institute of Physics and the American Chemical Society.

Reprints available from ACS; see Reprints List at back of issue.

3. Radiative transition parameters for $N_2 B^3\Pi_g - A^3\Sigma_u^+$	1028	36. Band origin wavelengths and Einstein coefficients for $N_2 b^1\Pi_u - X^1\Sigma_g^+$	1104
4. Radiative transition parameters for $N_2 W^3\Delta_u - B^3\Pi_g$	1034	37. Band origin wavelengths and Einstein coefficients for $N_2 c'4\Sigma_u^+ - X^1\Sigma_g^+$	1105
5. Radiative transition parameters for $N_2 B'3\Sigma_u^- - B^3\Pi_g$	1040	38. Band head wavelengths and Einstein coefficients for $N_2 c'4\Sigma_u^+ - a^1\Pi_g$	1106
6. Radiative transition parameters for $N_2 a^1\Pi_g - X^1\Sigma_g^+$	1046		
7. Radiative transition parameters for $N_2 a^1\Pi_g - a'1\Sigma_u^-$	1052		
8. Radiative transition parameters for $N_2 w^1\Delta_u - a^1\Pi_g$	1058		
9. Radiative transition parameters for $N_2 C^3\Pi_u - B^3\Pi_g$	1062		
10. Radiative transition parameters for $N_2 E^3\Sigma_g^+ - A^3\Sigma_u^+$	1064		
11. Radiative transition parameters for $N_2 E^3\Sigma_g^+ - B^3\Pi_g$	1064		
12. Radiative transition parameters for $N_2 E^3\Sigma_g^+ - C^3\Pi_u$	1065		
13. Radiative transition parameters for $N_2 D^3\Sigma_u^+ - B^3\Pi_g$	1065		
14. Radiative transition parameters for $N_2^+ A^2\Pi_u - X^2\Sigma_g^+$	1066		
15. Radiative transition parameters for $N_2^+ B^2\Sigma_u^+ - X^2\Sigma_g^+$	1072		
16. Radiative transition parameters for $N_2^+ C^2\Sigma_u^+ - X^2\Sigma_g^+$	1075		
17. Radiative transition parameters for $O_2^+ A^2\Pi_u - X^2\Pi_g$	1078		
18. Radiative transition parameters for $O_2^+ b^4\Sigma_g^- - a^4\Pi_u$	1084		
19. Calculated radiative lifetimes (s) of N_2 , N_2^+ , and O_2^+ states as a function of vibrational level ...	1088		
20. Franck-Condon factors for $N_2 B^3\Pi_g - X^1\Sigma_g^+$	1090		
21. Franck-Condon factors for $N_2 W^3\Delta_u - X^1\Sigma_g^+$	1091		
22. Franck-Condon factors for $N_2 B'3\Sigma_u^- - X^1\Sigma_g^+$	1092		
23. Franck-Condon factors for $N_2 a'1\Sigma_u^- - X^1\Sigma_g^+$	1093		
24. Franck-Condon factors for $N_2 w^1\Delta_u - X^1\Sigma_g^+$	1094		
25. Franck-Condon factors for $N_2 C^3\Pi_u - X^1\Sigma_g^+$	1095		
26. Franck-Condon factors for $N_2 E^3\Sigma_g^+ - X^1\Sigma_g^+$	1095		
27. Franck-Condon factors for $N_2 D^3\Sigma_u^+ - X^1\Sigma_g^+$	1095		
28. Franck-Condon factors for $N_2^+ X^2\Sigma_g^+ - N_2 X^1\Sigma_g^+$	1096		
29. Franck-Condon factors for $N_2^+ A^2\Pi_u - N_2 X^1\Sigma_g^+$	1097		
30. Franck-Condon factors for $N_2^+ B^2\Sigma_u^+ - N_2 X^1\Sigma_g^+$	1098		
31. Franck-Condon factors for $N_2^+ C^2\Sigma_u^+ - N_2 X^1\Sigma_g^+$	1099		
32. Franck-Condon factors for $O_2^+ X^2\Pi_g - O_2 X^3\Sigma_g^-$	1100		
33. Franck-Condon factors for $O_2^+ a^4\Pi_u - O_2 X^3\Sigma_g^-$	1101		
34. Franck-Condon factors for $O_2^+ A^2\Pi_u - O_2 X^3\Sigma_g^-$	1102		
35. Franck-Condon factors for $O_2^+ b^4\Sigma_g^- - O_2 X^3\Sigma_g^-$	1103		

List of Figures

1. Electronic transition moment data and fit for the $N_2 B^3\Pi_g - A^3\Sigma_u^+$ band system	1013
2. Electronic transition moment data and fit for the $N_2 W^3\Delta_u - B^3\Pi_g$ band system	1013
3. Electronic transition moment data and fit for the $N_2 B'3\Sigma_u^- - B^3\Pi_g$ band system	1014
4. Electronic transition moment data and fit for the $N_2 a^1\Pi_g - a'1\Sigma_u^-$ band system	1014
5. Electronic transition moment data and fit for the $N_2 w^1\Delta_u - a^1\Pi_g$ band system	1015
6. Electronic transition moment data and fit for the $N_2 C^3\Pi_u - B^3\Pi_g$ band system	1015
7. Electronic transition moment data and fit for the $N_2 E^3\Sigma_g^+ - A^3\Sigma_u^+$ band system	1016
8. Electronic transition moment data and fit for the $N_2 D^3\Sigma_u^+ - B^3\Pi_g$ band system	1016
9. Electronic transition moment data and fit for the $N_2^+ A^2\Pi_u - X^2\Sigma_g^+$ band system	1017
10. Electronic transition moment data and fit for the $N_2^+ B^2\Sigma_u^+ - X^2\Sigma_g^+$ band system	1017
11. Electronic transition moment data and fit for the $N_2^+ C^2\Sigma_u^+ - X^2\Sigma_g^+$ band system	1018
12. Electronic transition moment data and fit for the $O_2^+ A^2\Pi_u - X^2\Pi_g$ band system	1018
13. Electronic transition moment data and fit for the $O_2^+ b^4\Sigma_g^- - a^4\Pi_u$ band system	1019

1. Introduction

Einstein coefficients (radiative transition probabilities) for molecular nitrogen and oxygen bands are useful for calculating the emission spectra produced by electron bombardment of air, such as occurs, for example, in the aurora (Meier, 1987), high-altitude nuclear explosions (Boquist and Snyder, 1967), and rocket-borne electron gun experiments (O'Neil *et al.*, 1978a; 1978b). Accurate values of these coefficients are required for predicting the intensities of N_2 , N_2^+ , and O_2^+ emissions, which dominate the air fluorescence spectrum. They are also useful for other applications, such as calculating the radiation from high-temperature air (Landshoff and Magee, 1969; Avilova *et al.*, 1969), and analyzing the emissions from gas discharges (Cramarossa *et al.*, 1974) and afterglows (Golde and Thrush, 1973).

It is possible to measure Einstein coefficients in the laboratory; however, because there are so many bands of interest, with wavelengths ranging from extreme ultraviolet to far infrared, it is impractical to measure them all

individually. Instead, simplifying theoretical relations can be combined with limited experimental data to calculate Einstein coefficients for the large number of bands required. Such calculations are often based on the *r*-centroid approximation (e.g., Nicholls and Stewart, 1962). Einstein coefficients of different bands in a given band system are related to the vibrational overlap integrals, or Franck-Condon factors, and to the electronic transition moment, which can be approximated as a function of the expectation value of the internuclear distance, or *r*-centroid. The latter function can be derived from measured transition probabilities or band strengths of a few of the bands in the system. Franck-Condon factors are also useful for calculating the branching ratios for populating various vibrational levels when an electronic state is excited from the ground state by electron impact. This is based on the close relationship between transition probabilities in electron impact at high energies and radiation absorption for optically-allowed transitions (Lassettre, 1965; Lassettre *et al.*, 1965).

It is also possible to derive electronic transition moments from quantum-mechanical calculations, without use of band strength measurements. Such calculations are difficult, but have very recently attained an accuracy comparable to that of many band intensity measurements. They usually cover a wider range of internuclear distances than is covered by the *r*-centroid method. Their accuracy can sometimes be increased by multiplying the calculated transition moment by a constant correction factor based on a measurement of one band intensity or radiative lifetime.

Many Einstein coefficients, Franck-Condon factors, and *r*-centroids for nitrogen and oxygen band systems have been published previously. In a monograph on the spectrum of molecular oxygen, Krupenie (1972) compiled from various sources and tabulated many of these quantities for several oxygen band systems, including the *A*-*X* and *b*-*a* band systems of O_2^+ , and several ionization systems of O_2 . In a similar monograph on molecular nitrogen, Lofthus and Krupenie (1977) compiled and presented many of these quantities for several band systems of N_2 and N_2^+ . More recently, Slanger (1986) tabulated Morse-potential Franck-Condon factors for the $N_2 c_4^-$ -*a* band system. James *et al.* (1988) tabulated Morse-potential Franck-Condon factors for the $O_2^+ A$ -*X* band system and $O_2^+ A$ - $O_2 X$ ionization system. Green *et al.* (1988) tabulated RKR Franck-Condon factors and *r*-centroids for the $N_2 B$ -*A* band system. Piper *et al.* (1989) tabulated Einstein coefficients for the $N_2 B$ -*A* band system, which they calculated from their measured electronic transition moment function. Marinelli *et al.* (1988) tabulated Einstein coefficients for the $N_2 a$ -*X* and *a*-*a'* band systems; however, later measurements of the *a* state lifetime by Marinelli *et al.* (1989) indicated that their *a*-*X* Einstein coefficients should be increased by about 35%. Ajello *et al.* (1989) tabulated Morse-potential Franck-Condon factors for the $N_2 c_4^-$ -*X* band system, and RKR Franck-Condon factors for several $N_2 b'$ -*X* bands. Allen and Lin (1989) listed both RKR and Morse-potential

Franck-Condon factors for a few $N_2 c_4^-$ -*X* bands. And finally, Allen *et al.* (1990) tabulated both RKR and Morse-potential Franck-Condon factors for the $N_2 x$ -*a'*, y -*a'*, and y -*w* band systems.

However, the published literature falls far short of providing complete and accurate sets of radiative parameters for all of the band systems that contribute significantly to air fluorescence. In particular, values of Einstein coefficients and *r*-centroids are available for fewer than half of the band systems of interest. Moreover, many of the published values are based on older spectroscopic constants or radiative lifetimes that have been superseded by more recent measurements. In a previous report (Laher and Gilmore, 1991), the spectroscopic constants of the pertinent nitrogen and oxygen states were reviewed, and new constants for many of these states were derived. In the present work these improved values have been employed to calculate new RKR potential curves and, thence, improved Franck-Condon factors and *r*-centroids. Also, the available information on electronic transition moments has been examined, the best values determined or newly derived, and these used to calculate Einstein coefficients. The results from calculations employing both *r*-centroid and direct methods of computing Einstein coefficients are presented.

In addition, three band systems with "perturbed" upper electronic states are considered in this report. Einstein coefficients for these transitions cannot be calculated as simply as is possible for transitions involving unperturbed states. In these cases, the most practical alternative to a complex theoretical calculation is to derive Einstein coefficients from measured band intensities and radiative lifetimes. This is the approach that has been taken here.

2. Methods of Calculation

2.1. RKR Internuclear Potential Energy Functions

In the Rydberg-Klein-Rees (RKR) method of determining potential energy curves for diatomic molecules (Rydberg, 1931; Klein, 1932; Rees, 1947), the classical turning points are computed from experimental vibrational and rotational spectroscopic term values through the equations:

$$f(v) = \frac{\hbar}{2\pi\sqrt{2\mu}} \int_{-1/2}^v [G(v) - G(v')]^{-1/2} dv', \quad (1)$$

and

$$g(v) = \frac{2\pi\sqrt{2\mu}}{\hbar} \int_{-1/2}^v B_{v'} [G(v) - G(v')]^{-1/2} dv', \quad (2)$$

with the internuclear distances of the inner and outer turning points given by:

$$r_{\text{inner}}, r_{\text{outer}} = (f/g + f^2)^{1/2} \mp f. \quad (3)$$

In the above equations, h is Planck's constant, μ is the reduced mass of the molecule, and $G(v)$ and B_v are mathematical expressions involving tabulated spectroscopic constants which give the experimentally determined vibrational energy and rotational constant at each vibrational quantum number v . In order to maintain high accuracy and remove the singularity that occurs at $v' = v$, the above equations have been integrated using a 16 point Gauss-Jacobi quadrature (Stroud and Secrest, 1966), as detailed by Tellinghuisen (1972).

These integrations yield the turning points at the value of the potential energy function $U(r)$ corresponding to the energy $G(v)$. As a result, $U(r)$ is determined at unequally-spaced values of internuclear distance r . In order to use this potential to calculate wave functions, it is necessary to interpolate it to equally-spaced values of r . In addition, it may be necessary to extrapolate the potential beyond the region derived from experimental data. Frequently, the interpolation is done with a high-order Lagrange polynomial (Zare, 1964), which, although cumbersome and computationally expensive, is stable for interpolation. Functional forms for the repulsive and attractive potential segments may then be smoothly joined to the experimentally determined curve in order to extrapolate the potential energy into regions where the wave function becomes small. Typically the wave functions derived from the potential are not very sensitive to the choice of extrapolation segments used.

In the present work, an interpolation and extrapolation method based upon a Morse-type function has been used. This method has been found to yield results in excellent agreement with those produced by a seventh-order Lagrange interpolating polynomial, with a reduction in computation time by a factor of 3. The Morse potential function is given by:

$$U(r) = D_e \{1 - \exp [-\beta(r - r_e)]\}^2, \quad (4)$$

where D_e is the dissociation energy, β is a constant, and r_e is the equilibrium internuclear distance. Equation (4) can be inverted to yield an expression for the exponent:

$$L(r) = -\beta(r - r_e) = \ln[1 \pm \sqrt{U(r)/D_e}], \quad (5)$$

where the upper sign is for $r < r_e$ and the lower for $r > r_e$. Substitution of the RKR values of $U(r)$ in Eq. (5) yields a set of values for β and, hence, through Eq. (4), a set of Morse potentials, each of which passes through one of the RKR points and has the correct curve minimum and dissociation limit. If the entire RKR curve agreed with a Morse potential, these calculated Morse potentials would coincide, and $L(r)$ would be a linear function of r . Due to deviations from the Morse potential, the calculated $L(r)$ behavior is not exactly linear, but its variation is gradual enough that linear interpolation between successive RKR values provides excellent accuracy. Similarly, linear extrapolation of $L(r)$ provides reasonable extensions of the RKR potential to somewhat larger and smaller internuclear separations.

For the calculations presented in this report, the molecular constants tabulated by Laher and Gilmore (1991) were used to compute r_e , T_e , $G(v)$ and B_v . The dissociation energy, D_e , for each state was determined by subtracting T_e from the energy of the dissociation limit. For most of the states of N_2 and N_2^+ , and all of the states of O_2^+ , this limit energy was calculated by adding the T_0 and D^0 values listed by Lofthus and Krupenie (1977) and Krupenie (1972), respectively. However, for two of the higher states of N_2 and one of N_2^+ , the listed D^0 values correspond to the onset of predissociation due to the "avoided crossing" of another potential curve (see Herzberg, 1950, p. 296). In employing Eq. (5) to calculate a potential curve below the avoided crossing, it is better to use a D_e value based on the noninteracting "diabatic" curve that goes to a higher dissociation limit. The molecular orbital configurations of these three states (Lofthus and Krupenie, 1977) suggest that the appropriate limits and energies (in cm^{-1}) are: $N_2 C^3\Pi_u$, $^4S^0 + 2s2p^4\ ^4P$, 166850; $N_2 E^3\Sigma_g^+$, $^4S^0 + 3s\ ^4P$, 162054; $N_2^+ 2\Sigma_u^+$, $^4S^0 + 2p^3\ ^5S^0$, 242725. Similarly for the $N_2 D^3\Sigma_u^+$ state, whose dissociation energy is not listed by Lofthus and Krupenie, the appropriate limit and energy are $^4S^0 + 3s\ ^4P$, 162054.

2.2. Wave Functions, r -Centroids, and Franck-Condon Factors

The RKR potential energy derived above was used in the radial Schrödinger equation to solve for the rotationless vibrational wavefunctions, $\psi(r)$, where r is the internuclear distance. The numerical method of solution of the radial Schrödinger equation has been described by Cooley (1961); it employs the Numerov (1933) method of integration. Cooley's procedure also uses an improved formula for the correction of trial eigenvalues, based upon the second-order iteration-variation method of Löwdin (1958). Since the accuracy of this predictor-corrector formula does not depend critically upon a small step size being used in the radial coordinate, relatively few potential energy steps (1024) were used in the integration. A brief description of the Cooley method as well as an assessment of its accuracy and numerical stability may be found in the work of Cashion (1963). Using the computed vibrational wavefunctions, the Franck-Condon factors, $q_{v'v}$, and r -centroids, $\bar{r}_{v'v}$, were then calculated from their defining integrals (Fraser 1954; Nicholls and Stewart, 1962):

$$q_{v'v} = \left[\int \psi_{v'}^* \psi_v \, dr \right]^2 \quad (6)$$


$$\bar{r}_{v'v} = \int \psi_{v'}^* r \psi_v \, dr / \int \psi_{v'}^* \psi_v \, dr, \quad (7)$$

by Simpson's rule integration where the primes and double primes denote upper and lower states, respectively. Equation (7) shows that $\bar{r}_{v'v}$ is a weighted mean of the internuclear distance for the $(v'-v')$ band, with the weighting function $\psi_{v'}^* \psi_v$. However, unlike conventional

weighting functions, ψ^*, ψ_v can change sign over the integration range. Consequently, the denominator of Eq. (7) can become very small even when the numerator is not so small, so that the r -centroid can become very large, lying beyond the range of r where the wavefunctions are appreciable. For similar reasons the r -centroid can also go negative. However, such large or negative values occur only when the denominator is quite small. In such a situation, the Franck-Condon factor, which equals the square of the denominator, is very small, and the band is correspondingly very weak and usually of little practical importance. Moreover, in such cases, the Franck-Condon factor and intensity often vary significantly with rotational quantum number, a variation which is conventionally neglected.

2.3. Electronic Transition Moments and Einstein Coefficients

A diatomic electronic-vibrational transition may be expressed as



where S is the spin quantum number, and Λ is the electronic angular momentum quantum number (Λ values of 0, 1, 2, ... are indicated by the state symbols $\Sigma, \Pi, \Delta, \dots$).

In accordance with the definition established by Schadee (1978) and Whiting *et al.* (1980) for the electronic transition moment, the Einstein coefficient, $A_{\nu'\nu''}$ (in s^{-1}), for a transition in which $S' = S''$ is related to the electronic transition moment, $R_e(r)$ (in electric dipole moment atomic units), by

$$A_{\nu'\nu''} = (2.026 \times 10^{-6}) \frac{(2 - \delta_{0,\Lambda'} + \Lambda)}{(2 - \delta_{0,\Lambda''})} \nu_{\nu'\nu''}^2 \left[\int \psi_v^* R_e(r) \psi_v dr \right]^2, \quad (9)$$

where $\nu_{\nu'\nu''}$ is the band origin wavenumber (in cm^{-1}) and $\delta_{0,\Lambda}$ is the Kronecker delta, which equals 1 if $\Lambda=0$ and equals 0 otherwise. For an electronic transition involving a change in spin, the corresponding relation is often more complicated, involving several independent transition moments (Whiting *et al.* 1973). However, only one such spin-forbidden transition has been observed in air fluorescence, the $\text{N}_2 A^3\Sigma_u^+ - X^1\Sigma_g^+$ Vegard-Kaplan band system. For this system the relation is simple; the fraction involving the Kronecker delta in Eq. (9) is just replaced by 2/3.

If the transition moment function, $R_e(r)$, for a band system is known from quantum-mechanical calculations, the Einstein coefficients for the bands can be calculated from Eq. (9). If, however, only experimental band strengths for some of the bands are known, Eq. (9) must first be inverted to solve for R_e in terms of the band strengths. The derived $R_e(r)$ can then be used to calculate the strengths or lifetimes of the other bands. The simplest method of performing this inversion is the r -centroid method

(Fraser, 1954; Nicholls and Stewart, 1962). This method can be derived from a power series expansion of $R_e(r)$:

$$R_e(r) = a + br + cr^2 + \dots. \quad (10)$$

The integral in Eq. (9) can then be written

$$\begin{aligned} \int \psi_v^* R_e(r) \psi_v dr &= a \int \psi_v^* \psi_v dr + b \int \psi_v^* r \psi_v dr + c \int \psi_v^* r^2 \psi_v dr + \dots \\ &= q_{\nu'\nu''}^{1/2} [a + b \bar{r}_{\nu'\nu''} + c \bar{r}_{\nu'\nu''}^2 Y_{\nu'\nu''}^{(2)} + \dots], \end{aligned} \quad (11)$$

where

$$Y_{\nu'\nu''}^{(2)} = \frac{\int \psi_v^* r^2 \psi_v dr / \int \psi_v^* \psi_v dr}{\bar{r}_{\nu'\nu''}^2} = \frac{\bar{r}_{\nu'\nu''}^2}{\bar{r}_{\nu'\nu''}^2}. \quad (12)$$

For many band systems $R_e(r)$ can be well approximated by either a constant or a linear function of r , at least over the range of r important for the stronger bands. In this case the cr^2 term and higher terms in Eq. (10) can be dropped, and Eq. (11) becomes simply

$$\int \psi_v^* R_e(r) \psi_v dr = q_{\nu'\nu''}^{1/2} R_e(\bar{r}_{\nu'\nu''}). \quad (13)$$

This is the r -centroid approximation.

Even when $R_e(r)$ is significantly nonlinear, Eq. (13) is a good approximation if the quantity $Y_{\nu'\nu''}^{(2)}$ in Eqs. (11) and (12), and similar higher-order quantities, $Y_{\nu'\nu''}^{(3)} = \bar{r}^3 / r^3$, etc., are near unity. McCallum *et al.* (1972) have presented extensive tables of $Y_{\nu'\nu''}^{(2)}$ and $Y_{\nu'\nu''}^{(3)}$ for a number of N_2 band systems. For all except a small fraction of the bands, these quantities are within 10 percent of unity. Those bands having greater deviations from unity all have Franck-Condon factors less than 0.03, so they are relatively weak. However, there is a general tendency for the $Y_{\nu'\nu''}^{(3)}$ values to deviate more from unity than the $Y_{\nu'\nu''}^{(2)}$ values, so if still higher-order terms in the power series representation of $R_e(r)$ are important, the r -centroid approximation is likely to be less accurate.

A more direct method of determining the typical accuracy of the r -centroid approximation is to calculate both sides of Eq. (13) independently for a number of bands and band systems and compare the results. A small calculation of this type was made by Fraser (1954) for the $\text{N}_2 B-A$ band system assuming three different exponential-power-law variations in $R_e(r)$. However, he treated only $\nu'=0, \nu''=0-2$, where the Franck-Condon factors are all greater than 0.16, so it is not surprising that he found that Eq. (13) was an excellent approximation.

In the course of the present work, we computed both sides of Eq. (13) for 15 band systems of N_2 and N_2^+ and 2 band systems of O_2^+ , many with $\nu' \nu''=0-21$. Our results show that the r -centroid approximation is generally accurate for the stronger bands in a band system which are usually the bands whose intensities can be most accurately measured experimentally. This justifies the standard r -centroid method of deducing $R_e(r)$ from band intensity measurements [e.g., Hartmann and Johnson

(1978); Piper *et al.* (1989)]. Briefly, $R_e(r)$ is replaced by $R_e(\bar{r}_{v'v})$ and Eq. (9) is rearranged to give

$$R_e(\bar{r}_{v'v}) = \left[\frac{\text{const.} \times A_{v'v}}{v_{v'v}^3 Q_{v'v}} \right]^{1/2}, \quad (14)$$

where the constant can be obtained from Eq. (9). Sometimes, absolute values of the Einstein coefficients, $A_{v'v}$, can be obtained from band absorption measurements utilizing the well-known relationship between absorption and emission coefficients or from emission measurements if the population of the emitting level can be determined by other means. More often, emission measurements give only relative values of $A_{v'v}$ and, hence, of $R_e(\bar{r}_{v'v})$. These relative values are placed on an absolute scale by a measurement of the radiative lifetime of one of the emitting levels. The resulting values then determine the function $R_e(\bar{r})$ with an accuracy that is usually limited only by the accuracy of the band intensity measurements and the number and range of the $\bar{r}_{v'v}$ values covered, rather than by the accuracy of the r -centroid approximation. In the present work, this method of deriving transition moments has been utilized for a few band systems for which published results are either unavailable or have been superseded by better intensity measurements.

2.4. Treatment of Transitions Involving "Perturbed" Electronic States

Significant fluorescent radiation is known to be emitted by some high-lying states of N₂ that have irregularly-spaced vibrational levels due to strong perturbations by nearby states of the same type (Herzberg, 1950). The effects of such perturbations on the vibrational and rotational levels of several high N₂ states are illustrated in, for example, a paper by Carroll *et al.* (1970). These perturbations also cause irregularities in the intensities of the various bands, as shown, for example, by the recent extensive measurements of Ajello *et al.* (1989) on the N₂ c_{4'}-X and b'-X bands.

When two or more nearby electronic states of the same type interact strongly, it is possible to treat the resulting vibrational and rotational levels as mixtures of two or more "deperturbed" or "diabatic" electronic states. This has been done by Stahel *et al.* (1983) for three ¹Σ_u⁺ and three ¹Π_u states of N₂ lying in the 12–14 eV region. In such situations, the proportions of the mixture vary with the vibrational level, so the conventional Born-Oppenheimer separation of electronic and nuclear motion is no longer valid. Consequently, the concept of an electronic transition moment as a function of internuclear distance is no longer applicable. It is still possible, in principle, to calculate the intensities of the bands in a band system using a coupled-state approach, as used by Stahel *et al.* However, the computations become quite complex even when just two or three coupled states are involved. The perturbed N₂ states of present interest lie in an energy region where, as one goes to higher vibrational levels,

more and more coupled states must be included in the calculation.

In the present situation, the most practical method for deriving the Einstein coefficients of bands involving perturbed states is to use measured relative emission intensities normalized by radiative lifetime measurements or absolute absorption measurements. This method has been applied here to the N₂ b-X, c₄-X, and c₄-a band systems. It should be noted, however, that the strength of a perturbation can change with the rotational level in a given vibrational level. Hence, the Einstein coefficients of the individual rotational lines in a perturbed band may differ. Consequently, the mean Einstein coefficient for a perturbed band may vary with temperature since changing the temperature changes the relative contributions of the different rotational lines in a band.

3. Results for Electronic Transition Moments

Electronic transition moment functions for many of the N₂, N₂[±], and O₂[±] band systems considered in this report have been published or may be derived from published data using the method described in Sec. 2.3. Some of these band systems have been studied extensively, while for others little information is available. In the present work, an effort has been made to identify the most accurate electronic transition moments from the choices available; usually this involved selecting the most recent work. The recent advances in the quantum-mechanical calculation of diatomic dipole moments are demonstrated by the selection of such theoretical values as the best available values for eleven of the band systems treated, while values derived by the r -centroid method were selected for only four systems.

The best available $R_e(r)$ data for most of the band systems treated are plotted in Figs. 1 through 13. Some of these figures also include, for comparison, other data not used in the subsequent calculations because they are known to be or appear to be less accurate than the data used. No figures are presented for two band systems for which similar figures in the original references are adequate, or for two band systems where no information on the variation of R_e with r is available.

As a convenience in making subsequent calculations of Einstein coefficients, we have derived mathematical fits to the preferred transition moments, of the form

$$R_e(r) = a + br + cr^2 + d \exp[-f(r - g)^2], \quad (15)$$

where a, \dots, g are constant coefficients, $R_e(r)$ is in electric dipole moment atomic units, and r is in Å. These units are consistent with Eq. (9) for computing Einstein coefficients in units of s⁻¹. Our fits are indicated and plotted in Figs. 1–13, and their coefficients are also listed in Table 1. The dipole moment functions for over half of the band systems treated could be satisfactorily fit with just a Gaussian term, i.e., the last term in Eq. (15). This expres-

sion has the advantage that it remains bounded everywhere and approaches zero for large values of r , which is known theoretically to be the correct behavior for most of the transitions considered. The dipole moment functions of the remaining band systems were fit with constant, linear, or quadratic expressions, corresponding to the first three terms on the right-hand side of Eq. (15), except for the $O_2^+ A-X$ system, where a constant plus a Gaussian term was found necessary to obtain a good fit. Generally, in the ranges of r of practical interest, all of the fits appear to be essentially as accurate as the basic data that they fit.

Figures 1–13 and Table 1 are generally self-explanatory, except for one N_2^+ and two O_2^+ band systems. For the $N_2^+ A-X$ band system, Fig. 9 shows two fairly recent quantum-mechanical results, and one semi-empirical curve deduced by Gattinger and Vallance Jones (1981) from measured relative band intensities, using the r -centroid method. The two theoretical $R_e(r)$ functions have similar shapes and agree within 10 percent. Probably the more recent one, from Langhoff *et al.* (1987), is more accurate. The semi-empirical curve was derived only over a limited range of r , and has a different shape, which gives unreasonable values of $R_e(r)$ if extrapolated very far. Gattinger and Vallance Jones' Fig. 4 shows that this curve fits their data points quite well. However, when their data are corrected for the improved Franck-Condon factors calculated in the present work, and additional points are added from their tables and references, the data become more scattered, and do not fit their curve as well as they do the theoretical curves.

For the $O_2^+ A-X$ and $b-a$ band systems, the recent quantum-mechanical results of Blomberg and Liu (1988) for both systems, and of Langhoff *et al.* (1989) for the latter system, appear to be quite accurate. This conclusion is supported by the excellent agreement between the two calculations for the $b-a$ system, as shown in Fig. 13. Blomberg and Liu's results for the $A-X$ system also agree reasonably well with the results of the somewhat more-approximate calculations of Wetmore *et al.* (1984) (see Fig. 12). Accordingly, the most recent theoretical results have been fit, as shown in Figs. 12–13 and Table 1, for use in our subsequent calculations.

A semi-empirical $A-X$ curve deduced by Erman and Larsson (1977) from their measured lifetimes for $A(v=0-7)$ is also included in Fig. 12. This curve differs significantly from the two theoretical curves, particularly at large internuclear separations, where the theoretical curves approach a linear variation, as expected theoretically for this transition. Moreover, using Erman and Larsson's curve, we calculated A -state lifetimes about 20 percent shorter than they measured. Erman and Larsson also presented a transition moment curve for the $b-a$ system, based on their measured lifetimes for $b(v=0-7)$. This curve has not been included in our Fig. 13 because later measurements by Moseley *et al.* (1979) show that the higher levels, $b(v>3)$, have very short lifetimes due to predissociation, and all emissions observed by Erman and Larsson originated from $b(v=0-3)$. This

correction, combined with Erman and Larsson's listing of b -state lifetimes that increase by 22 percent from $v=3$ to " $v=7$," also indicates that their accuracy estimate of about ± 7 percent is overly optimistic.

In addition, we made an attempt to apply the r -centroid method to the recent relative intensity measurements on the $O_2^+ A-X$ bands by Schappe *et al.* (1988). However, the relative $R_e(r)$ values derived from their published intensities were widely scattered. Further study suggested that they probably had a bigger problem with overlapping bands than they assumed. For example, the (0–6) and (4–8) bands are nearly coincident, and so are the (0–7) and (6–10) bands, but Schappe *et al.* attributed the measured intensities entirely to the first band of each pair.

4. Band-Array Results

In this section, tables of calculated radiative transition parameters are presented for the 38 band systems considered in this report. Tables 2 through 18 give a complete set of radiative transition parameters for 17 N_2 , N_2^+ , and O_2^+ band systems that are important in emission. With the exception of Tables 6, 11, and 12, these tables include seven quantities for each $v'-v''$ band; they are (as ordered in the tables):

1. Band origin wavelength, $\lambda_{v'v''}$ (μm);
2. Band origin wavenumber, $\nu_{v'v''}$ (cm^{-1});
3. Franck-Condon factor, $q_{v'v''}$;
4. r -centroid, $\bar{r}_{v'v''}$ (\AA);
5. Electronic transition moment, $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units);
6. Einstein coefficient, $A_{v'v''}$ (s^{-1}), calculated by the r -centroid method;
7. Einstein coefficient, $A_{v'v''}$ (s^{-1}), calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$.

The last two items are Einstein coefficients calculated by the r -centroid approximation and by direct integration. Since the latter is the more accurate of the two values, it is placed at the end of the list so that it can be read from the tables more easily. In Tables 6, 11, and 12, item 6 has been omitted. This is because these three band systems have constant $R_e(r)$ functions, and, as shown in Sec. 2, the r -centroid approximation is exact for $R_e(r)$ functions that are constant or vary linearly with internuclear distance. Thus, the two different methods of calculating Einstein coefficients yield the same result for these cases, as we have verified numerically for many bands in these three systems, as well as for a test case involving a linear variation.

For more than half of the band systems in Tables 2–18, radiative transition parameters are presented for $v', v'' = 0-21$. The exceptions include the band systems that involve the $N_2 w^1\Delta_u$, $C^3\Pi_u$, $E^3\Sigma_g^+$, and $D^3\Sigma_u^+$ states, for which the available spectroscopic data are insufficient to permit reliable extrapolation to $v=21$ (see Laher and Gilmore, 1991). In addition, results for the $N_2^+ B^2\Sigma_u^+$

$X^2\Sigma_g^+$ system are limited to $v' = 0 - 10$, since the unusual behavior of the energy levels and potential curve of the B state prevent an adequate fit by the usual spectroscopic power series beyond $v = 8$ or 10 (Laher and Gilmore, 1991). It would be possible to extend the present $B-X$ calculations to higher vibrational levels by using a numerical RKR method, but since these levels are not significant in air fluorescence, this was not done.

For some of the bands in Tables 2-18, the wavelengths, wavenumbers, and Einstein coefficients have negative signs in front of their numerical values. This is to indicate that the transition is reversed. The $N_2 B-A$ ($0-8$) band at $8.85 \mu\text{m}$ in Table 3 is an example. Since the A ($v''=8$) state is higher in energy than the B ($v'=0$) state, the transition proceeds from the A state to the B state. Such cases are known as reverse bands.

The calculated strengths of bands with small Franck-Condon factors are often less accurate than those with larger Franck-Condon factors. Accordingly, in Tables 2-18, the Einstein coefficients calculated by direct integration are marked with asterisks if the corresponding Franck-Condon factors are less than 0.01. There are two situations in which small Franck-Condon factors arise. The first is when the wavefunctions of the upper and lower states overlap very little; in this case, the calculated band strength is usually quite accurate. The second is when the wavefunctions do overlap but, because of a near cancellation between similar contributions of positive and negative values of $\psi_v^*\psi_v$, the resulting overlap integral is small. In this case, the overlap integral is sensitive to small variations in the potential energy curves, especially for high vibrational levels, and the resulting Franck-Condon factor may not be very accurate.



It is also interesting to note for which bands in the tables the Einstein coefficients calculated by the two methods disagree significantly. Accordingly, when the two values differ by more than 10%, the r -centroid value in the tables has been enclosed in parentheses. Such disagreement tends to occur when $R_e(r)$ is significantly nonlinear and the Franck-Condon factor is small.

The radiative lifetimes of 14 N_2 , N_2^+ , and O_2^+ states have also been calculated and are presented in Table 19

as a function of vibrational level. These quantities were obtained by taking the inverse of the sum of the Einstein coefficients (calculated by direct integration) for transitions from a given upper level to all possible lower levels, which may include more than one electronic state. For example, the radiative lifetime for a given v' of the $N_2 A$ state was found by summing over v'' all $A_{v',v''}$ values for the $A-X$ and $B-A$ reverse band systems. The calculated lifetimes are generally in good agreement with the best available measurements, which can be verified by consulting the references given in Table 1. It should be noted, however, that radiative lifetimes for most of the levels listed in Table 19 have never been measured.

Tables 20 through 35 present tables of Franck-Condon factors for transitions between the upper states covered in the previous tables and the ground state, except for the $N_2 A-X$ and $a-X$ band systems, where Franck-Condon factors have already been presented in Tables 2 and 6. Eight of these tables cover N_2 band systems for which insufficient information is available to calculate accurate Einstein coefficients, generally because they are very weak ("forbidden") transitions. In addition, eight nitrogen and oxygen ionization systems are included for application to photoionization and electron-impact ionization problems. The Franck-Condon factors presented in these tables are generally more accurate than those in previously published work because the RKR potential energy curves used in the present calculations are based on spectroscopic constants that are valid to higher vibrational levels.

Tables 36 through 38 cover three N_2 band systems with perturbed upper states. As discussed in Sec. 2.4, perturbations involve mixing between electronic states, so the relations derived earlier for Franck-Condon factors, Einstein coefficients, etc., are no longer applicable. Consequently, Tables 36-38 simply list band origin or band head wavelengths derived from spectroscopic measurements, and Einstein coefficients derived from measurements of absolute absorption band intensities, relative emission band intensities and upper-state lifetimes. The sources and limitations of the basic data are indicated on the tables.

FIG. 1. Electronic transition moment data and fit for the $\text{N}_2 \text{B } ^3\Pi_g - \text{A } ^3\Sigma_u^+$ band system.FIG. 2. Electronic transition moment data and fit for the $\text{N}_2 \text{W } ^3\Delta_u - \text{B } ^3\Pi_g$ band system.




FIG. 3. Electronic transition moment data and fit for the N_2 B' $^3\Sigma_u^-$ – B $^3\Pi_g$ band system.






FIG. 4. Electronic transition moment data and fit for the N_2 a $^1\Pi_g$ – a' $^1\Sigma_u^-$ band system.

FIG. 5. Electronic transition moment data and fit for the $N_2 w \ ^1\Delta_u - a \ ^1\Pi_g$ band system.FIG. 6. Electronic transition moment data and fit for the $N_2 C \ ^3\Pi_u - B \ ^3\Pi_g$ band system.




FIG. 7. Electronic transition moment data and fit for the $N_2 E\ 3\Sigma_g^+ - A\ 3\Sigma_u^+$ band system.








FIG. 8. Electronic transition moment data and fit for the $N_2 D\ 3\Sigma_u^+ - B\ 3\Pi_g$ band system.

FIG. 9. Electronic transition moment data and fit for the $N_2^+ A \ ^2\Pi_u - X \ ^2\Sigma_g^+$ band system.FIG. 10. Electronic transition moment data and fit for the $N_2^+ B \ ^2\Sigma_u^+ - X \ ^2\Sigma_g^+$ band system.

FIG. 11. Electronic transition moment data and fit for the $\text{N}_2^+ \text{C} \ 2\Sigma_u^+ - X \ 2\Sigma_g^+$ band system.FIG. 12. Electronic transition moment data and fit for the $\text{O}_2^+ \text{A} \ 2\Pi_u - X \ 2\Pi_g$ band system.


FIG. 13. Electronic transition moment data and fit for the $\text{O}_2^+ b\ ⁴\Sigma^- - a\ ⁴\Pi_u$ band system.

Table 1. Coefficients of analytic fits to the electronic transition moments of N₂, N₂⁺, and O₂⁺ band systems.

$$R_e(r) = a + br + cr^2 + d \exp[-f(r - g)^2] \quad (R_e \text{ is in electric dipole moment atomic units; } r \text{ is in } \text{\AA}.)$$

Band system	<i>a</i>	<i>b</i>	<i>c</i>	<i>d</i>	<i>f</i>	<i>g</i>	References
N ₂ <i>A</i> $^3\Sigma_u^+ - X$ $^1\Sigma_g^+$	0.00119	-0.00117	0.000139				Shemansky (1969a), renormalized to give mean Einstein coefficients, averaged over substates.
<i>B</i> $^3\Pi_g - A$ $^3\Sigma_u^+$				0.323	0.90	0.80	Fit to geometric mean of theoretical values of Werner <i>et al.</i> (1984) and Rizzo <i>et al.</i> (1988) (see Fig. 1).
<i>W</i> $^3\Delta_u - B$ $^3\Pi_g$				0.344	1.45	0.90	Fit to theoretical values of Werner <i>et al.</i> (1984) (see Fig. 2).
<i>B'</i> $^3\Sigma_u^- - B$ $^3\Pi_g$				0.208	1.40	0.90	Fit to geometric mean of theoretical values of Werner <i>et al.</i> (1984) and Rizzo <i>et al.</i> (1988) (see Fig. 3).
<i>a</i> $^1\Pi_g - X$ $^1\Sigma_g^+$	0.00588						<i>R_e</i> =constant from Shemansky (1969b), renormalized to give <i>a</i> ≈ 0 lifetime of 58 μ s (Marinelli <i>et al.</i> , 1959). This includes a little contribution from electric quadrupole radiation; see Dahl and Oddershede (1986).
<i>a</i> $^1\Pi_g - a'$ $^1\Sigma_u^-$				0.346	1.15	0.60	Fit to theoretical values of Yeager and McKoy (1977) (see Fig. 4).
<i>w</i> $^1\Delta_u - a$ $^1\Pi_g$				0.266	1.85	0.90	Fit to theoretical values of Yeager and McKoy (1977) (see Fig. 5).
<i>C</i> $^3\Pi_u - B$ $^3\Pi_g$				0.887	3.30	0.95	Fit to theoretical values of Werner <i>et al.</i> (1984) (see Fig. 6).

Table 1. Coefficients of analytic fits to the electronic transition moments of N_2 , N_2^+ , and O_2^+ band systems. - Continued

$$R_e(r) = a + br + cr^2 + d\exp[-f(r-g)^2] \quad (R_e \text{ is in electric dipole moment atomic units; } r \text{ is in } \text{\AA}.)$$

Band system	<i>a</i>	<i>b</i>	<i>c</i>	<i>d</i>	<i>f</i>	<i>g</i>	References
N_2	$E\ 3\Sigma_g^+-A\ 3\Sigma_u^+$	0.0173		106	1.25		Fit to relative $R_e(\bar{r})$ values derived from spectral measurements on the EXCDE rocket-launched electron gun experiment (furnished by W. Reidy, private communication, 1986) (see Fig. 7); R_e =constant is assumed for the $E-B$ and $E-C'$ transitions. Absolute normalization from E -state lifetime of 190 μs (Borst and Zippf, 1971) and relative radiation rates of the three band systems (Freund, 1969).
	$E\ 3\Sigma_g^+-B\ 3\Pi_g$	0.00185					
	$E\ 3\Sigma_g^+-C\ 3\Pi_u$	0.0414					
$D\ 3\Sigma_u^+-B\ 3\Pi_g$	0.794	9.25		1.33			Fit to relative $R_e(\bar{r})$ values derived from emission data of Filippelli <i>et al.</i> (1984) (see Fig. 8); normalized to give a $v=0$ lifetime of 14.1 ns (Kurzweg <i>et al.</i> , 1973).
N_2^+	$A\ 2\Pi_u-X\ 2\Sigma_g^+$	0.288	1.35	0.85			Fit to theoretical values of Langhoff <i>et al.</i> (1987) (see Fig. 9).
$B\ 2\Sigma_u^+-X\ 2\Sigma_g^+$	1.051	0.2033	-0.4646				Fit to theoretical values of Langhoff and Bauschlicher (1988) (see Fig. 10). Calculation using this fit yields a $v=0$ lifetime of 62.3 ns, which is within 2% of the measurement of Schmoranz <i>et al.</i> (1989) (see Table 19).
$C\ 2\Sigma_u^+-X\ 2\Sigma_g^+$				0.315	13.5	1.45	Fit to theoretical values of Langhoff and Bauschlicher (1988) (see Fig. 11).
O_2^+	$A\ 2\Pi_u-X\ 2\Pi_g$	0.120	1.72	1.26	2.83		Fit to theoretical values of Blomberg and Liu (1988) (see Fig. 12).
$b\ 4\Sigma_g^- - a\ 4\Pi_u$		0.290	2.43	0.96			Fit to theoretical values of Blomberg and Liu (1988) and Langhoff <i>et al.</i> (1989) (see Fig. 13).

Table 2. Radiative transition parameters for $N_2 A^3\Sigma_u^+ - X^1\Sigma_g^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$.

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
0	.2010	.2109	.2216	.2334	.2463	.2605	.2762	.2937	.3133	.3354	.3604
	49754.8	47424.4	45122.9	42850.0	40606.0	38390.7	36204.2	34046.6	31917.9	29818.2	27747.4
	9.74E-04	8.13E-03	3.21E-02	7.98E-02	1.40E-01	1.85E-01	1.91E-01	1.57E-01	1.06E-01	5.85E-02	2.70E-02
	1.1850	1.2019	1.2193	1.2372	1.2555	1.2744	1.2939	1.3141	1.3350	1.3566	1.3791
	-1.26E-06	-1.54E-05	-2.99E-05	-4.48E-05	-5.98E-05	-7.53E-05	-9.12E-05	-1.07E-04	-1.24E-04	-1.41E-04	-1.59E-04
(2.58E-07)	2.79E-04	3.57E-03	1.70E-02	4.54E-02	8.01E-02	1.02E-01	9.68E-02	7.16E-02	4.19E-02	1.97E-02
	1.97E-07*	2.75E-04*	3.54E-03	1.69E-02	4.53E-02	8.01E-02	1.02E-01	9.69E-02	7.17E-02	4.20E-02	1.98E-02
1	.1954	.2047	.2148	.2258	.2379	.2511	.2657	.2819	.2998	.3200	.3427
	51187.7	48857.3	46555.8	44282.9	42038.9	39823.6	37637.1	35479.5	33350.8	31251.1	29180.3
	5.18E-03	3.21E-02	8.69E-02	1.31E-01	1.10E-01	4.02E-02	2.17E-05	3.66E-02	1.09E-01	1.50E-01	1.35E-01
	1.1746	1.1911	1.2079	1.2251	1.2426	1.2597	1.1668	1.3034	1.3223	1.3428	1.3643
	7.49E-06	6.38E-06	2.04E-05	-3.47E-05	-4.92E-05	-6.33E-05	1.41E-05	-9.88E-05	-1.14E-04	-1.30E-04	-1.46E-04
	5.27E-05	2.06E-04	4.95E-03	1.85E-02	2.69E-02	1.37E-02	(3.10E-07)	2.16E-02	7.13E-02	1.05E-01	9.87E-02
	5.47E-05*	1.97E-04	4.91E-03	1.85E-02	2.69E-02	1.38E-02	3.01E-09*	2.14E-02	7.12E-02	1.05E-01	9.87E-02
2	.1901	.1990	.2085	.2189	.2302	.2425	.2561	.2711	.2877	.3062	.3270
	52592.9	50262.6	47961.0	45688.2	43444.1	41228.8	39042.4	36884.8	34756.1	32656.3	30585.6
	1.47E-02	6.59E-02	1.14E-01	8.27E-02	1.13E-02	1.49E-02	7.76E-02	8.15E-02	2.20E-02	3.62E-03	6.18E-02
	1.1646	1.1806	1.1969	1.2133	1.2275	1.2537	1.2693	1.2871	1.3039	1.3396	1.3518
	1.59E-05	2.44E-06	-1.12E-05	-2.49E-05	-3.67E-05	-5.84E-05	-7.11E-05	-8.56E-05	-9.92E-05	-1.28E-04	-1.38E-04
	7.36E-04	6.72E-05	2.14E-03	6.63E-03	1.69E-03	4.81E-03	3.16E-02	4.05E-02	1.23E-02	2.79E-03	4.53E-02
	7.45E-04	6.97E-05	2.14E-03	6.66E-03	1.73E-03	4.73E-03	3.15E-02	4.06E-02	1.24E-02	2.73E-03*	4.51E-02
3	.1853	.1936	.2027	.2125	.2231	.2347	.2474	.2614	.2768	.2938	.3129
	53970.4	51640.1	49338.5	47065.7	44821.6	42606.3	40419.9	38262.3	36133.5	34033.8	31963.1
	2.99E-02	9.32E-02	9.01E-02	1.50E-02	1.53E-02	7.20E-02	4.55E-02	3.10E-05	4.24E-02	8.11E-02	3.68E-02
	1.1551	1.1706	1.1863	1.2003	1.2242	1.2388	1.2550	1.1644	1.2969	1.3145	1.3325
	2.40E-05	1.09E-05	-2.36E-06	-1.41E-05	-3.40E-05	-4.61E-05	-5.94E-05	1.61E-05	-9.36E-05	-1.08E-04	-1.22E-04
	3.65E-03	2.05E-03	8.11E-05	4.18E-04	2.15E-03	1.60E-02	1.43E-02	(6.08E-07)	2.37E-02	5.01E-02	2.42E-02
	3.70E-03	2.06E-03	8.19E-05	4.40E-04	2.10E-03	1.60E-02	1.44E-02	2.86E-09*	2.36E-02	5.02E-02	2.43E-02
4	.1808	.1887	.1973	.2065	.2166	.2275	.2394	.2524	.2668	.2826	.3002
	55320.1	52989.7	50688.1	48415.3	46171.3	43956.0	41769.5	39611.9	37483.2	35383.4	33312.7
	4.85E-02	1.00E-01	4.16E-02	2.89E-03	5.90E-02	4.13E-02	3.61E-04	4.89E-02	5.34E-02	2.41E-03	3.05E-02
	1.1459	1.1610	1.1756	1.2012	1.2110	1.2260	1.2755	1.2650	1.2811	1.2876	1.3251
	3.18E-05	1.90E-05	6.65E-06	-1.48E-05	-2.30E-05	-3.55E-05	-7.62E-05	-6.76E-05	-8.08E-05	-8.60E-05	-1.16E-04
	1.12E-02	7.27E-03	3.23E-04	(9.77E-05)	4.16E-03	5.97E-03	(2.06E-04)	1.88E-02	2.48E-02	1.07E-03	2.06E-02
	1.13E-02	7.29E-03	3.06E-04	8.56E-05*	4.11E-03	6.03E-03	1.87E-04*	1.86E-02	2.49E-02	1.11E-03*	2.04E-02
5	.1765	.1841	.1923	.2011	.2106	.2209	.2321	.2443	.2577	.2724	.2887
	56641.8	54311.4	52009.8	49737.0	47492.9	45277.7	43091.2	40933.6	38804.9	36705.1	34634.4
	6.70E-02	8.56E-02	6.49E-03	3.28E-02	5.30E-02	9.37E-04	3.81E-02	4.48E-02	1.15E-04	4.08E-02	5.10E-02
	1.1371	1.1517	1.1632	1.1854	1.1996	1.2003	1.2362	1.2510	1.2095	1.2914	1.3076
	3.93E-05	2.69E-05	1.71E-05	-1.60E-06	-1.35E-05	-1.41E-05	-4.39E-05	-5.61E-05	-2.18E-05	-8.91E-05	-1.02E-04
	2.54E-02	1.34E-02	3.62E-04	(1.39E-05)	1.40E-03	(2.33E-05)	7.95E-03	1.31E-02	(4.31E-06)	2.16E-02	2.99E-02
	2.55E-02	1.34E-02	3.39E-04*	1.05E-05	1.41E-03	3.08E-05*	7.86E-03	1.31E-02	7.97E-06*	2.15E-02	3.00E-02
6	.1726	.1798	.1876	.1960	.2050	.2147	.2253	.2368	.2494	.2632	.2783
	57935.3	55605.0	53303.4	51030.5	48786.5	46571.2	44384.8	42227.1	40098.4	37998.7	35928.0
	8.19E-02	5.81E-02	1.55E-03	5.49E-02	1.62E-02	1.69E-02	4.82E-02	1.91E-03	3.32E-02	4.04E-02	2.23E-06
	1.1286	1.1426	1.1681	1.1749	1.1876	1.2105	1.2236	1.2280	1.2615	1.2761	1.7893
	4.66E-05	3.46E-05	1.30E-05	7.24E-06	-3.45E-06	-2.26E-05	-3.35E-05	-3.72E-05	-6.48E-05	-7.67E-05	-4.58E-04
	4.67E-02	1.62E-02	(5.36E-05)	5.17E-04	(3.02E-05)	1.17E-03	6.39E-03	2.68E-04	1.21E-02	1.76E-02	(2.94E-05)
	4.68E-02	1.61E-02	6.35E-05*	5.24E-04	3.79E-05	1.13E-03	6.42E-03	2.92E-04*	1.20E-02	1.77E-02	2.63E-05*
7	.1689	.1758	.1833	.1912	.1998	.2090	.2191	.2299	.2418	.2547	.2689
	59200.5	56870.2	54568.6	52295.8	50051.7	47836.4	45650.0	43492.4	41363.6	39263.9	37193.2
	9.11E-02	2.97E-02	1.82E-02	4.74E-02	2.93E-05	4.33E-02	1.44E-02	1.62E-02	4.21E-02	4.27E-04	3.65E-02
	1.1205	1.1336	1.1525	1.1651	1.2652	1.1984	1.2106	1.2350	1.2478	1.2341	1.2868
	5.35E-05	4.23E-05	2.62E-05	1.55E-05	-6.78E-05	-1.25E-05	-2.27E-05	-4.29E-05	-5.35E-05	-4.22E-05	-8.54E-05
	7.31E-02	1.32E-02	2.74E-03	2.21E-03	(2.28E-05)	1.00E-03	9.50E-04	3.32E-03	1.15E-02	(6.22E-05)	1.85E-02
	7.33E-02	1.31E-02	2.81E-03	2.19E-03	1.68E-05*	9.83E-04	9.87E-04	3.25E-03	1.16E-02	7.46E-05*	1.84E-02

Table 2. Radiative transition parameters for $N_2 A^3\Sigma_u^+ - X^1\Sigma_g^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$. — Continued

$v' \backslash v''$	11	12	13	14	15	16	17	18	19	20	21
0	.3890	.4221	.4606	.5062	.5608	.6274	.7106	.8171	.9584	1.1548	1.4460
	25705.8	23693.4	21710.3	19756.6	17832.4	15937.9	14073.2	12238.4	10433.8	8659.5	6915.7
1.04E-02	3.35E-03	9.06E-04	2.06E-04	3.90E-05	6.17E-06	8.06E-07	8.62E-08	7.47E-09	5.17E-10	2.71E-11	
1.4025	1.4270	1.4527	1.4797	1.5083	1.5386	1.5711	1.6062	1.6440	1.6849	1.7367	
-1.78E-04	-1.97E-04	-2.16E-04	-2.37E-04	-2.58E-04	-2.81E-04	-3.05E-04	-3.31E-04	-3.58E-04	-3.87E-04	-4.23E-04	
7.50E-03	2.32E-03	5.86E-04	1.20E-04	2.00E-05	2.67E-06	2.82E-07	2.33E-08	1.47E-09	6.78E-11	2.16E-12	
7.52E-03	2.33E-03*	5.88E-04*	1.21E-04*	2.01E-05*	2.68E-06*	2.84E-07*	2.34E-08*	1.48E-09*	6.82E-11*	2.18E-12*	
1	.3685	.3980	.4321	.4719	.5191	.5757	.6449	.7315	.8427	.9908	1.1978
	27138.7	25126.3	23143.2	21189.5	19265.3	17370.8	15506.1	13671.3	11866.7	10092.4	8348.6
8.97E-02	4.62E-02	1.90E-02	6.30E-03	1.71E-03	3.80E-04	6.91E-05	1.02E-05	1.23E-06	1.18E-07	8.99E-09	
1.3867	1.4101	1.4346	1.4603	1.4874	1.5160	1.5465	1.5791	1.6143	1.6526	1.6940	
-1.65E-04	-1.83E-04	-2.02E-04	-2.22E-04	-2.43E-04	-2.64E-04	-2.87E-04	-3.11E-04	-3.37E-04	-3.64E-04	-3.93E-04	
6.60E-02	3.33E-02	1.30E-02	4.00E-03	9.73E-04	1.88E-04	2.87E-05	3.42E-06	3.14E-07	2.17E-08	1.09E-09	
6.61E-02	3.33E-02	1.30E-02	4.01E-03*	9.76E-04*	1.89E-04*	2.88E-05*	3.43E-06*	3.16E-07*	2.18E-08*	1.10E-09*	
2	.3503	.3769	.4074	.4426	.4838	.5326	.5913	.6633	.7535	.8697	1.0252
	28544.0	26531.5	24548.4	22594.7	20670.5	18776.0	16911.3	15076.6	13272.0	11497.6	9753.8
1.27E-01	1.37E-01	1.00E-01	5.38E-02	2.23E-02	7.30E-03	1.91E-03	4.01E-04	6.76E-05	9.11E-06	9.71E-07	
1.3724	1.3946	1.4179	1.4423	1.4681	1.4952	1.5239	1.5545	1.5872	1.6225	1.6610	
-1.54E-04	-1.71E-04	-1.89E-04	-2.08E-04	-2.28E-04	-2.49E-04	-2.70E-04	-2.93E-04	-3.17E-04	-3.42E-04	-3.70E-04	
9.45E-02	1.02E-01	7.18E-02	3.64E-02	1.38E-02	4.04E-03	9.10E-04	1.59E-04	2.14E-05	2.19E-06	1.67E-07	
9.43E-02	1.02E-01	7.18E-02	3.64E-02	1.39E-02	4.05E-03*	9.13E-04*	1.60E-04*	2.15E-05*	2.20E-06*	1.67E-07*	
3	.3342	.3583	.3857	.4171	.4536	.4962	.5468	.6078	.6826	.7767	.8984
	29921.5	27909.0	25925.9	23972.2	22048.0	20153.5	18288.8	16454.1	14649.4	12875.1	11131.3
9.23E-05	4.58E-02	1.16E-01	1.35E-01	9.96E-02	5.28E-02	2.11E-02	6.56E-03	1.60E-03	3.07E-04	4.65E-05	
1.4392	1.3821	1.4030	1.4260	1.4503	1.4760	1.5032	1.5319	1.5626	1.5954	1.6310	
-2.06E-04	-1.62E-04	-1.78E-04	-1.96E-04	-2.14E-04	-2.34E-04	-2.55E-04	-2.76E-04	-2.99E-04	-3.23E-04	-3.49E-04	
1.42E-04	3.51E-02	8.66E-02	9.60E-02	6.63E-02	3.20E-02	1.13E-02	3.01E-03	6.05E-04	9.22E-05	1.05E-05	
1.30E-04*	3.49E-02	8.64E-02	9.59E-02	6.64E-02	3.21E-02	1.14E-02	3.02E-03*	6.07E-04*	9.26E-05*	1.06E-05*	
4	.3198	.3418	.3666	.3949	.4274	.4650	.5092	.5617	.6250	.7030	.8012
	31271.1	29258.7	27275.6	25321.9	23397.7	21503.2	19638.5	17803.7	15999.1	14224.8	12481.0
7.61E-02	3.80E-02	5.32E-05	4.65E-02	1.17E-01	1.31E-01	9.26E-02	4.63E-02	1.72E-02	4.89E-03	1.08E-03	
1.3425	1.3608	1.5097	1.4129	1.4346	1.4586	1.4842	1.5113	1.5402	1.5709	1.6039	
-1.30E-04	-1.45E-04	-2.60E-04	-1.86E-04	-2.02E-04	-2.21E-04	-2.40E-04	-2.61E-04	-2.82E-04	-3.05E-04	-3.29E-04	
5.33E-02	2.69E-02	9.83E-05	3.51E-02	8.29E-02	8.59E-02	5.47E-02	2.40E-02	7.58E-03	1.77E-03	3.06E-04	
5.33E-02	2.70E-02	8.94E-05*	3.50E-02	8.27E-02	8.59E-02	5.48E-02	2.40E-02	7.60E-03	1.77E-03*	3.07E-04*	
5	.3068	.3270	.3497	.3753	.4045	.4381	.4771	.5229	.5773	.6432	.7245
	32592.8	30580.4	28597.3	26643.5	24719.4	22824.8	20960.1	19125.4	17320.8	15546.5	13802.6
2.16E-03	3.15E-02	7.33E-02	3.06E-02	1.36E-03	5.83E-02	1.24E-01	1.25E-01	8.05E-02	3.65E-02	1.22E-02	
1.3121	1.3533	1.3711	1.3894	1.4444	1.4444	1.4673	1.4927	1.5197	1.5486	1.5794	
-1.06E-04	-1.39E-04	-1.53E-04	-1.67E-04	-2.10E-04	-2.10E-04	-2.27E-04	-2.47E-04	-2.67E-04	-2.89E-04	-3.11E-04	
1.13E-03	2.34E-02	5.41E-02	2.19E-02	1.23E-03	4.12E-02	7.98E-02	7.21E-02	4.03E-02	1.54E-02	4.20E-03	
1.18E-03*	2.33E-02	5.41E-02	2.20E-02	1.19E-03*	4.11E-02	7.97E-02	7.21E-02	4.04E-02	1.55E-02	4.22E-03	
6	.2951	.3137	.3346	.3579	.3844	.4146	.4494	.4897	.5372	.5938	.6624
	33886.3	31873.9	29890.8	27937.1	26012.9	24118.4	22253.7	20419.0	18614.3	16840.0	15096.2
4.25E-02	4.38E-02	1.98E-04	4.06E-02	6.93E-02	1.81E-02	8.03E-03	7.85E-02	1.31E-01	1.14E-01	6.47E-02	
1.3180	1.3343	1.2937	1.3817	1.4003	1.4175	1.4612	1.4770	1.5015	1.5284	1.5572	
-1.11E-04	-1.24E-04	-9.10E-05	-1.61E-04	-1.76E-04	-1.89E-04	-2.23E-04	-2.35E-04	-2.53E-04	-2.74E-04	-2.95E-04	
2.73E-02	2.93E-02	(5.91E-05)	3.11E-02	5.09E-02	1.23E-02	5.93E-03	4.98E-02	7.35E-02	5.52E-02	2.61E-02	
2.72E-02	2.94E-02	6.97E-05*	3.09E-02	5.09E-02	1.24E-02	5.86E-03*	4.96E-02	7.35E-02	5.53E-02	2.62E-02	
7	.2845	.3018	.3210	.3424	.3666	.3940	.4252	.4612	.5030	.5523	.6112
	35151.6	33139.1	31156.0	29202.3	27278.1	25383.6	23518.9	21684.2	19879.5	18105.2	16361.4
3.15E-02	1.64E-03	4.87E-02	3.17E-02	1.64E-03	5.44E-02	5.91E-02	5.24E-03	2.49E-02	1.03E-01	1.33E-01	
1.3014	1.3434	1.3449	1.3611	1.4105	1.4107	1.4301	1.4406	1.4896	1.5111	1.5375	
-9.72E-05	-1.31E-04	-1.32E-04	-1.45E-04	-1.84E-04	-1.84E-04	-1.99E-04	-2.07E-04	-2.44E-04	-2.61E-04	-2.80E-04	
1.75E-02	1.38E-03	3.47E-02	2.24E-02	1.52E-03	4.06E-02	4.11E-02	3.09E-03	1.58E-02	5.62E-02	6.20E-02	
1.76E-02	1.33E-03*	3.47E-02	2.25E-02	1.48E-03*	4.05E-02	4.12E-02	3.14E-03*	1.57E-02	5.61E-02	6.20E-02	

Table 2. Radiative transition parameters for $N_2 A^3\Sigma_u^+ - X^1\Sigma_g^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. — Continued

$v' \backslash v''$	0	1	2	3	4	5	6	7	8	9	10
8	.1655	.1721	.1792	.1868	.1950	.2038	.2133	.2236	.2347	.2469	.2602
	60437.1	58106.8	55805.2	53532.4	51288.3	49073.0	46886.6	44729.0	42600.3	40500.5	38429.8
9.39E-02	9.34E-03	3.82E-02	2.33E-02	1.39E-02	3.76E-02	5.31E-04	4.05E-02	7.66E-03	2.22E-02	3.36E-02	
1.1126	1.1241	1.1430	1.1552	1.1758	1.1877	1.2274	1.2219	1.2322	1.2590	1.2721	
6.03E-05	5.04E-05	3.43E-05	2.39E-05	6.48E-06	-3.53E-06	-3.67E-05	-3.21E-05	-4.06E-05	-6.27E-05	-7.34E-05	
1.02E-01	6.30E-03	1.05E-02	2.76E-03	(1.07E-04)	7.49E-05	(9.93E-05)	5.04E-03	1.32E-03	7.84E-03	1.39E-02	
1.02E-01	6.21E-03*	1.06E-02	2.70E-03	1.20E-04	8.00E-05	8.49E-05*	5.02E-03	1.37E-03	7.75E-03	1.40E-02	
9	.1622	.1686	.1754	.1827	.1905	.1989	.2079	.2177	.2283	.2398	.2523
	61644.8	59314.4	57012.9	54740.0	52496.0	50280.7	48094.3	45936.6	43807.9	41708.2	39637.5
9.10E-02	5.11E-04	4.84E-02	4.15E-03	3.37E-02	1.32E-02	1.88E-02	2.71E-02	4.21E-03	3.79E-02	1.25E-03	
1.1051	1.1059	1.1344	1.1430	1.1653	1.1765	1.1984	1.2103	1.2374	1.2456	1.2443	
6.68E-05	6.61E-05	4.16E-05	3.43E-05	1.54E-05	5.89E-06	-1.25E-05	-2.24E-05	-4.49E-05	-5.17E-05	-5.06E-05	
1.28E-01	6.29E-04	2.10E-02	1.08E-03	1.55E-03	(7.89E-05)	4.41E-04	1.79E-03	9.65E-04	9.93E-03	2.68E-04	
1.28E-01	5.96E-04*	2.10E-02	1.03E-03*	1.58E-03	6.76E-05	4.20E-04	1.83E-03	9.22E-04*	9.93E-03	2.93E-04*	
10	.1592	.1653	.1718	.1788	.1863	.1943	.2030	.2122	.2223	.2332	.2450
	62823.2	60492.8	58191.2	55918.4	53674.3	51459.1	49272.6	47115.0	44986.3	42886.5	40815.8
8.40E-02	1.93E-03	4.56E-02	5.96E-04	3.88E-02	1.31E-04	3.47E-02	3.75E-03	2.69E-02	1.43E-02	1.35E-02	
1.0979	1.1189	1.1263	1.1577	1.1561	1.1315	1.1876	1.1950	1.2212	1.2322	1.2578	
7.30E-05	5.49E-05	4.86E-05	2.18E-05	2.31E-05	4.41E-05	-3.45E-06	-9.65E-06	-3.15E-05	-4.06E-05	-6.17E-05	
1.50E-01	1.74E-03	2.86E-02	(6.68E-05)	4.34E-03	(4.69E-05)	6.66E-05	(4.93E-05)	3.29E-03	2.52E-03	4.73E-03	
1.50E-01	1.80E-03*	2.85E-02	7.96E-05*	4.34E-03	3.62E-05*	6.39E-05	6.06E-05*	3.24E-03	2.58E-03	4.65E-03	
11	.1563	.1622	.1685	.1752	.1824	.1901	.1983	.2072	.2168	.2271	.2383
	63971.7	61641.4	59339.8	57066.9	54822.9	52607.6	50421.2	48263.5	46134.8	44035.1	41964.4
7.44E-02	9.94E-03	3.38E-02	9.69E-03	2.79E-02	6.79E-03	2.86E-02	2.78E-03	3.14E-02	5.46E-05	3.23E-02	
1.0910	1.1078	1.1185	1.1373	1.1472	1.1684	1.1777	1.2037	1.2101	1.3074	1.2442	
7.90E-05	6.45E-05	5.52E-05	3.91E-05	3.07E-05	1.27E-05	4.88E-06	-1.69E-05	-2.23E-05	-1.02E-04	-5.05E-05	
1.64E-01	1.31E-02	2.91E-02	3.73E-03	5.85E-03	2.16E-04	1.18E-04	(1.21E-04)	2.07E-03	(6.56E-05)	8.23E-03	
1.64E-01	1.32E-02*	2.90E-02	3.80E-03*	5.80E-03	2.39E-04*	1.11E-04	1.05E-04*	2.07E-03	5.45E-05*	8.20E-03	
12	.1536	.1593	.1654	.1719	.1788	.1861	.1940	.2025	.2116	.2215	.2321
	65089.9	62759.5	60458.0	58185.1	55941.1	53725.8	51539.3	49381.7	47253.0	45153.3	43082.6
6.38E-02	2.05E-02	1.95E-02	2.24E-02	1.21E-02	2.12E-02	1.13E-02	1.82E-02	1.42E-02	1.33E-02	2.02E-02	
1.0844	1.1000	1.1108	1.1284	1.1379	1.1576	1.1673	1.1886	1.1989	1.2219	1.2322	
8.47E-05	7.12E-05	6.19E-05	4.68E-05	3.86E-05	2.19E-05	1.37E-05	-4.29E-06	-1.29E-05	-3.21E-05	-4.06E-05	
1.71E-01	3.47E-02	2.23E-02	1.31E-02	4.25E-03	2.13E-03	3.91E-04	(5.45E-05)	3.38E-04	1.70E-03	3.60E-03	
1.70E-01	3.49E-02	2.21E-02	1.32E-02	4.17E-03	2.17E-03	3.64E-04	4.66E-05	3.59E-04	1.65E-03	3.65E-03	
13	.1511	.1566	.1625	.1687	.1754	.1824	.1900	.1981	.2069	.2163	.2264
	66177.1	63846.7	61545.1	59272.3	57028.2	54813.0	52626.5	50468.9	48340.2	46240.4	44169.7
5.32E-02	3.05E-02	7.87E-03	3.12E-02	1.72E-03	2.95E-02	6.09E-04	2.81E-02	7.24E-04	2.69E-02	1.99E-03	
1.0780	1.0929	1.1029	1.1207	1.1241	1.1490	1.1446	1.1788	1.1756	1.2105	1.2133	
9.03E-05	7.73E-05	6.87E-05	5.34E-05	5.04E-05	2.92E-05	3.29E-05	3.95E-06	6.65E-06	-2.26E-05	-2.49E-05	
1.70E-01	6.41E-02	1.17E-02	2.50E-02	1.10E-03	5.59E-03	(1.30E-04)	7.62E-05	(4.88E-06)	1.83E-03	(1.44E-04)	
1.70E-01	6.43E-02	1.16E-02*	2.51E-02	1.05E-03*	5.63E-03	1.12E-04*	7.87E-05	1.99E-06*	1.81E-03	1.64E-04*	
14	.1487	.1541	.1597	.1658	.1722	.1790	.1863	.1941	.2024	.2114	.2211
	67232.4	64902.1	62600.5	60327.7	58083.6	55868.4	53681.9	51524.3	49395.6	47295.8	45225.1
4.35E-02	3.81E-02	1.35E-03	3.29E-02	6.16E-04	2.69E-02	2.79E-03	2.33E-02	3.91E-03	2.23E-02	3.46E-03	
1.0720	1.0864	1.0924	1.1135	1.1442	1.1409	1.1644	1.1697	1.1933	1.2004	1.2264	
9.55E-05	8.30E-05	7.78E-05	5.95E-05	3.33E-05	3.61E-05	1.61E-05	1.16E-05	-8.23E-06	-1.42E-05	-3.58E-05	
1.63E-01	9.68E-02	2.71E-03	3.46E-02	(1.80E-04)	8.24E-03	(1.51E-04)	5.82E-04	(4.31E-05)	6.40E-04	5.54E-04	
1.63E-01	9.70E-02	2.64E-03*	3.45E-02	2.01E-04*	8.20E-03	1.70E-04*	5.65E-04	3.39E-05*	6.56E-04	5.20E-04*	
15	.1465	.1517	.1572	.1630	.1692	.1758	.1828	.1903	.1983	.2070	.2162
	68255.1	65924.8	63623.2	61350.4	59106.3	56891.1	54704.6	52547.0	50418.3	48318.5	46247.8
3.49E-02	4.26E-02	1.40E-04	2.83E-02	6.45E-03	1.72E-02	1.23E-02	1.09E-02	1.55E-02	8.17E-03	1.67E-02	
1.0661	1.0802	1.1136	1.1068	1.1256	1.1330	1.1523	1.1603	1.1810	1.1895	1.2120	
1.01E-04	8.84E-05	5.95E-05	6.53E-05	4.92E-05	4.28E-05	2.64E-05	1.96E-05	2.10E-06	-5.04E-06	-2.39E-05	
1.52E-01	1.29E-01	1.72E-04	3.77E-02	4.35E-03	7.83E-03	1.90E-03	8.22E-04	(1.19E-05)	(3.16E-05)	1.27E-03	
1.52E-01	1.29E-01	1.91E-04*	3.76E-02	4.44E-03*	7.76E-03	1.95E-03	7.88E-04	1.53E-05	3.99E-05*	1.23E-03	

Table 2. Radiative transition parameters for $N_2 A^3\Sigma_u^+ - X^1\Sigma_g^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$. – Continued

$V' \setminus V''$	11	12	13	14	15	16	17	18	19	20	21
8	.2748	.2909	.3087	.3285	.3507	.3757	.4040	.4363	.4736	.5170	.5682
	36388.2	34375.7	32392.6	30438.9	28514.7	26620.2	24755.5	22920.8	21116.2	19341.8	17598.0
	6.54E-04	4.24E-02	1.87E-02	9.29E-03	5.30E-02	1.58E-02	1.20E-02	6.64E-02	4.01E-02	1.09E-04	5.40E-02
	1.3213	1.3124	1.3262	1.3598	1.3723	1.3869	1.4256	1.4407	1.4602	1.6217	1.5221
	-1.13E-04	-1.06E-04	-1.17E-04	-1.44E-04	-1.54E-04	-1.65E-04	-1.95E-04	-2.07E-04	-2.22E-04	-3.42E-04	-2.69E-04
	5.46E-04	2.62E-02	1.18E-02	7.33E-03	3.93E-02	1.10E-02	9.39E-03	4.63E-02	2.51E-02	1.25E-04	2.87E-02
	5.15E-04*	2.61E-02	1.19E-02	7.22E-03*	3.93E-02	1.11E-02	9.29E-03	4.63E-02	2.52E-02	1.17E-04*	2.86E-02
9	.2660	.2810	.2976	.3160	.3364	.3594	.3852	.4144	.4480	.4866	.5318
	37595.8	35583.4	33600.3	31646.6	29722.4	27827.9	25963.2	24128.4	22323.8	20549.5	18805.7
	3.14E-02	2.08E-02	7.40E-03	4.42E-02	5.47E-03	2.47E-02	4.83E-02	2.42E-03	3.28E-02	6.75E-02	1.65E-02
	1.2832	1.2961	1.3276	1.3384	1.3469	1.3845	1.4002	1.4014	1.4527	1.4716	1.4883
	-8.25E-05	-9.29E-05	-1.18E-04	-1.27E-04	-1.34E-04	-1.63E-04	-1.76E-04	-1.77E-04	-2.16E-04	-2.31E-04	-2.43E-04
	1.53E-02	1.09E-02	5.30E-03	3.05E-02	3.47E-03	1.92E-02	3.52E-02	1.43E-03	2.30E-02	4.22E-02	8.76E-03
	1.53E-02	1.11E-02	5.21E-03*	3.05E-02	3.54E-03*	1.91E-02	3.53E-02	1.48E-03*	2.29E-02	4.22E-02	8.83E-03
10	.2579	.2720	.2875	.3046	.3236	.3448	.3684	.3952	.4255	.4602	.5004
	38774.2	36761.8	34778.6	32824.9	30900.8	29006.2	27141.5	25306.8	23502.2	21727.9	19984.0
	3.00E-02	1.06E-03	3.79E-02	6.76E-03	2.18E-02	3.59E-02	8.18E-05	4.26E-02	3.13E-02	2.10E-03	5.66E-02
	1.2692	1.3116	1.3080	1.3172	1.3506	1.3645	1.5028	1.4117	1.4280	1.4834	1.4828
	-7.11E-05	-1.05E-04	-1.03E-04	-1.10E-04	-1.37E-04	-1.48E-04	-2.54E-04	-1.85E-04	-1.97E-04	-2.40E-04	-2.39E-04
	1.19E-02	7.91E-04	2.26E-02	3.90E-03	1.62E-02	2.58E-02	1.43E-04	3.18E-02	2.13E-02	1.67E-03	3.49E-02
	1.20E-02	7.52E-04*	2.26E-02	3.98E-03*	1.61E-02	2.59E-02	1.30E-04*	3.17E-02	2.14E-02	1.63E-03*	3.48E-02
11	.2505	.2638	.2783	.2943	.3120	.3316	.3535	.3780	.4057	.4371	.4732
	39922.7	37910.3	35927.2	33973.5	32049.3	30154.8	28290.1	26455.4	24650.7	22876.4	21132.6
	2.92E-03	2.60E-02	1.56E-02	1.11E-02	3.41E-02	1.11E-06	3.72E-02	1.78E-02	1.02E-02	5.06E-02	9.39E-03
	1.2487	1.2807	1.2920	1.3217	1.3330	2.2446	1.3763	1.3896	1.4278	1.4403	1.4519
	-5.42E-05	-8.04E-05	-8.96E-05	-1.14E-04	-1.23E-04	-7.36E-04	-1.57E-04	-1.67E-04	-1.97E-04	-2.07E-04	-2.16E-04
	7.40E-04	1.24E-02	7.86E-03	7.55E-03	2.28E-02	2.22E-05	2.80E-02	1.25E-02	7.98E-03	3.50E-02	5.57E-03
	7.81E-04*	1.23E-02	7.96E-03	7.45E-03	2.29E-02	2.27E-05*	2.79E-02	1.26E-02	7.89E-03	3.50E-02	5.63E-03*
12	.2437	.2562	.2699	.2850	.3015	.3198	.3400	.3627	.3881	.4168	.4494
	41040.9	39028.5	37045.4	35091.7	33167.5	31273.0	29408.3	27573.5	25768.9	23994.6	22250.8
	6.60E-03	2.80E-02	7.44E-04	3.29E-02	2.38E-03	2.69E-02	1.86E-02	8.48E-03	4.06E-02	1.90E-03	3.24E-02
	1.2587	1.2673	1.3134	1.3047	1.3066	1.3452	1.3573	1.3927	1.4032	1.3997	1.4529
	-6.25E-05	-6.95E-05	-1.07E-04	-9.99E-05	-1.01E-04	-1.32E-04	-1.42E-04	-1.70E-04	-1.78E-04	-1.75E-04	-2.16E-04
	2.40E-03	1.08E-02	5.83E-04	1.91E-02	1.20E-03	1.95E-02	1.29E-02	6.93E-03	2.98E-02	1.09E-03	2.26E-02
	2.34E-03*	1.09E-02	5.50E-04*	1.91E-02	1.25E-03*	1.94E-02	1.30E-02	6.84E-03*	2.98E-02	1.13E-03*	2.25E-02
13	.2374	.2493	.2622	.2764	.2919	.3090	.3279	.3489	.3724	.3987	.4285
	42128.1	40115.7	38132.6	36178.8	34254.7	32360.2	30495.5	28660.7	26856.1	25081.8	23337.9
	2.49E-02	5.76E-03	2.03E-02	1.38E-02	1.16E-02	2.58E-02	1.97E-03	3.52E-02	2.63E-03	2.80E-02	2.57E-02
	1.2439	1.2512	1.2794	1.2894	1.3184	1.3289	1.3708	1.3705	1.3711	1.4160	1.4298
	-5.03E-05	-5.63E-05	-7.94E-05	-8.75E-05	-1.11E-04	-1.19E-04	-1.53E-04	-1.52E-04	-1.53E-04	-1.88E-04	-1.99E-04
	6.36E-03	1.59E-03	9.55E-03	6.74E-03	7.77E-03	1.68E-02	1.76E-03	2.60E-02	1.61E-03	2.11E-02	1.74E-02
	6.31E-03	1.64E-03*	9.47E-03	6.83E-03	7.67E-03	1.69E-02	1.71E-03*	2.60E-02	1.65E-03*	2.10E-02	1.75E-02
14	.2316	.2429	.2552	.2686	.2832	.2993	.3169	.3365	.3583	.3826	.4099
	43183.5	41171.1	39187.9	37234.2	35310.0	33415.5	31550.8	29716.1	27911.5	26137.2	24393.3
	2.36E-02	1.81E-03	2.63E-02	1.52E-04	2.85E-02	1.14E-03	2.66E-02	8.99E-03	1.70E-02	2.56E-02	2.94E-03
	1.2326	1.2654	1.2665	1.3450	1.3026	1.2969	1.3415	1.3506	1.3844	1.3960	1.4414
	-4.10E-05	-6.79E-05	-6.88E-05	-1.32E-04	-9.82E-05	-9.36E-05	-1.29E-04	-1.37E-04	-1.63E-04	-1.72E-04	-2.08E-04
	4.30E-03	7.87E-04	1.01E-02	(1.85E-04)	1.63E-02	5.05E-04	1.89E-02	5.95E-03	1.34E-02	1.83E-02	2.49E-03
	4.34E-03	7.47E-04*	1.01E-02	1.67E-04*	1.63E-02	5.37E-04*	1.89E-02	6.03E-03*	1.33E-02	1.84E-02	2.43E-03*
15	.2262	.2370	.2487	.2614	.2752	.2904	.3070	.3253	.3456	.3682	.3935
	44206.2	42193.8	40210.6	38256.9	36332.8	34438.2	32573.5	30738.8	28934.2	27159.9	25416.0
	7.85E-03	1.62E-02	9.70E-03	1.41E-02	1.40E-02	9.89E-03	2.09E-02	4.00E-03	2.90E-02	1.53E-05	3.23E-02
	1.2204	1.2449	1.2531	1.2796	1.2884	1.3170	1.3262	1.3612	1.3663	1.6553	1.4095
	-3.08E-05	-5.11E-05	-5.79E-05	-7.95E-05	-8.67E-05	-1.10E-04	-1.17E-04	-1.45E-04	-1.49E-04	-3.66E-04	-1.83E-04
	8.72E-04	4.29E-03	2.85E-03	6.74E-03	6.81E-03	6.58E-03	1.34E-02	3.30E-03	2.11E-02	(5.54E-05)	2.40E-02
	9.12E-04*	4.23E-03	2.92E-03*	6.65E-03	6.89E-03	6.49E-03*	1.35E-02	3.23E-03*	2.11E-02	4.95E-05*	2.40E-02

Table 2. Radiative transition parameters for N₂ A $^3\Sigma_u^+ - X ^1\Sigma_g^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$. — Continued

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
16	.1444	.1494	.1548	.1604	.1664	.1728	.1796	.1868	.1945	.2028	.2117
	69244.2	66913.8	64612.2	62339.4	60095.3	57880.1	55693.6	53536.0	51407.3	49307.5	47236.8
	2.76E-02	4.41E-02	2.97E-03	2.03E-02	1.45E-02	7.01E-03	2.06E-02	1.69E-03	2.25E-02	1.92E-04	2.28E-02
	1.0606	1.0743	1.0912	1.1004	1.1173	1.1244	1.1440	1.1457	1.1722	1.1517	1.2022
	1.05E-04	9.35E-05	7.88E-05	7.08E-05	5.63E-05	5.02E-05	3.34E-05	3.20E-05	9.52E-06	2.69E-05	-1.57E-05
	1.38E-01	1.56E-01	6.71E-03	3.34E-02	1.35E-02	4.63E-03	5.38E-03	3.58E-04	3.75E-04	(2.24E-05)	7.97E-04
	1.38E-01	1.56E-01	6.83E-03*	3.32E-02	1.36E-02	4.54E-03*	5.42E-03	3.30E-04*	3.83E-04	1.52E-05*	7.96E-04
17	.1425	.1473	.1525	.1580	.1638	.1700	.1765	.1835	.1910	.1990	.2075
	70198.4	67868.0	65566.4	63293.6	61049.6	58834.3	56647.8	54490.2	52361.5	50261.8	48191.0
	2.16E-02	4.32E-02	8.08E-03	1.20E-02	2.08E-02	1.00E-03	2.28E-02	4.91E-04	2.00E-02	3.24E-03	1.66E-02
	1.0552	1.0687	1.0836	1.0942	1.1105	1.1100	1.1367	1.1722	1.1640	1.1875	1.1931
	1.10E-04	9.84E-05	8.54E-05	7.62E-05	6.21E-05	6.26E-05	3.97E-05	9.52E-06	1.65E-05	-3.36E-06	-8.06E-06
	1.23E-01	1.77E-01	2.24E-02	2.38E-02	2.47E-02	1.08E-03	8.80E-03	(9.72E-06)	1.05E-03	(6.28E-06)	1.63E-04
	1.22E-01	1.77E-01	2.26E-02*	2.36E-02	2.49E-02	1.03E-03*	8.80E-03	1.49E-05*	1.04E-03	3.24E-06*	1.72E-04
18	.1406	.1454	.1504	.1557	.1614	.1674	.1737	.1805	.1877	.1954	.2036
	71116.5	68786.1	66484.6	64211.7	61967.7	59752.4	57565.9	55408.3	53279.6	51179.9	49109.1
	1.68E-02	4.06E-02	1.39E-02	5.30E-03	2.35E-02	3.15E-04	1.89E-02	5.54E-03	1.17E-02	1.15E-02	6.18E-03
	1.0501	1.0634	1.0775	1.0882	1.1043	1.1394	1.1298	1.1502	1.1557	1.1761	1.1829
	1.15E-04	1.03E-04	9.07E-05	8.14E-05	6.75E-05	3.74E-05	4.56E-05	2.82E-05	2.35E-05	6.23E-06	5.03E-07
	1.07E-01	1.89E-01	4.53E-02	1.26E-02	3.43E-02	(1.27E-04)	1.01E-02	1.01E-03	1.31E-03	(8.07E-05)	(2.50E-07)
	1.07E-01	1.89E-01	4.56E-02	1.24E-02	3.44E-02	1.43E-04*	1.01E-02	1.05E-03*	1.27E-03	8.99E-05	2.41E-08*
19	.1389	.1435	.1484	.1536	.1591	.1649	.1711	.1777	.1846	.1921	.2000
	71997.1	69666.7	67365.1	65092.3	62848.3	60633.0	58446.5	56288.9	54160.2	52060.5	49989.7
	1.29E-02	3.69E-02	1.92E-02	1.31E-03	2.23E-02	3.56E-03	1.20E-02	1.21E-02	3.74E-03	1.73E-02	3.17E-04
	1.0453	1.0583	1.0719	1.0818	1.0986	1.1176	1.1231	1.1417	1.1457	1.1681	1.1546
	1.19E-04	1.07E-04	9.56E-05	8.70E-05	7.24E-05	5.60E-05	5.13E-05	3.54E-05	3.20E-05	1.30E-05	2.44E-05
	9.22E-02	1.95E-01	7.23E-02	3.69E-03	3.92E-02	3.36E-03	8.53E-03	3.66E-03	8.21E-04	5.55E-04	(3.19E-05)
	9.21E-02	1.95E-01	7.25E-02	3.61E-03*	3.91E-02	3.44E-03*	8.45E-03	3.71E-03	7.84E-04*	5.69E-04	2.36E-05*
20	.1373	.1418	.1466	.1517	.1570	.1627	.1687	.1750	.1818	.1890	.1967
	72838.6	70508.2	68206.6	65933.8	63689.7	61474.5	59288.0	57130.4	55001.7	52901.9	50831.2
	9.93E-03	3.27E-02	2.32E-02	3.28E-06	1.85E-02	8.38E-03	5.46E-03	1.64E-02	1.32E-04	1.72E-02	1.50E-03
	1.0406	1.0535	1.0667	1.0384	1.0934	1.1098	1.1159	1.1349	1.1052	1.1608	1.1876
	1.23E-04	1.12E-04	1.00E-04	1.25E-04	7.69E-05	6.27E-05	5.75E-05	4.12E-05	6.67E-05	1.92E-05	-3.45E-06
	7.84E-02	1.93E-01	9.98E-02	(1.98E-05)	3.81E-02	1.03E-02	5.08E-03	6.99E-03	(1.32E-04)	1.27E-03	(3.15E-06)
	7.82E-02*	1.93E-01	1.00E-01	1.39E-05*	3.81E-02	1.05E-02*	4.99E-03*	7.02E-03	1.15E-04*	1.26E-03	1.12E-06*
21	.1358	.1402	.1449	.1498	.1551	.1606	.1664	.1726	.1792	.1862	.1937
	73639.2	71308.8	69007.3	66734.4	64490.4	62275.1	60088.6	57931.0	55802.3	53702.6	51631.8
	7.58E-03	2.83E-02	2.58E-02	8.27E-04	1.35E-02	1.27E-02	1.29E-03	1.66E-02	1.10E-03	1.26E-02	6.64E-03
	1.0362	1.0489	1.0619	1.0764	1.0885	1.1038	1.1060	1.1289	1.1561	1.1539	1.1746
	1.27E-04	1.16E-04	1.04E-04	9.17E-05	8.11E-05	6.79E-05	6.60E-05	4.63E-05	2.31E-05	2.50E-05	7.49E-06
	6.58E-02	1.86E-01	1.25E-01	2.79E-03	3.22E-02	1.91E-02	1.65E-03	9.48E-03	(1.39E-04)	1.65E-03	(6.94E-05)
	6.57E-02*	1.86E-01	1.25E-01	2.87E-03*	3.20E-02	1.92E-02	1.59E-03*	9.48E-03	1.55E-04*	1.62E-03	7.99E-05*

Table 2. Radiative transition parameters for $N_2 A^3\Sigma_u^+ - X^1\Sigma_g^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$. - Continued

$v' \backslash v''$	11	12	13	14	15	16	17	18	19	20	21
16	.2213	.2316	.2427	.2548	.2679	.2823	.2980	.3152	.3342	.3553	.3787
	45195.2	43182.8	41199.7	39246.0	37321.8	35427.3	33562.6	31727.8	29923.2	28148.9	26405.0
	2.40E-07	2.29E-02	1.66E-07	2.37E-02	1.10E-04	2.45E-02	1.15E-03	2.40E-02	4.97E-03	2.01E-02	1.40E-02
	.1252	1.2339	2.8299	1.2670	1.2132	1.3019	1.2959	1.3394	1.3450	1.3802	1.3898
	1.05E-03	-4.20E-05	-1.01E-03	-6.93E-05	-2.49E-05	-9.76E-05	-9.28E-05	-1.28E-04	-1.32E-04	-1.60E-04	-1.68E-04
	(3.27E-05)	4.41E-03	(1.60E-05)	9.26E-03	(4.78E-06)	1.40E-02	5.04E-04	1.69E-02	3.14E-03	1.55E-02	9.79E-03
	1.62E-05*	4.41E-03	2.13E-05*	9.25E-03	8.78E-06*	1.40E-02	5.35E-04*	1.68E-02	3.21E-03*	1.54E-02	9.88E-03
17	.2167	.2266	.2372	.2488	.2613	.2749	.2897	.3060	.3239	.3436	.3655
	46149.4	44137.0	42153.9	40200.2	38276.0	36381.5	34516.8	32682.0	30877.4	29103.1	27359.3
	5.95E-03	1.44E-02	7.55E-03	1.40E-02	7.84E-03	1.54E-02	6.72E-03	1.87E-02	4.15E-03	2.37E-02	1.01E-03
	1.2160	1.2237	1.2480	1.2554	1.2819	1.2880	1.3180	1.3251	1.3589	1.3638	1.4168
	-2.72E-05	-3.36E-05	-5.37E-05	-5.97E-05	-8.14E-05	-8.71E-05	-1.11E-04	-1.16E-04	-1.43E-04	-1.47E-04	-1.89E-04
	5.84E-04	1.89E-03	2.20E-03	4.39E-03	3.94E-03	7.62E-03	4.56E-03	1.19E-02	3.38E-03	1.70E-02	9.98E-04
	5.52E-04*	1.93E-03	2.14E-03*	4.45E-03	3.86E-03*	7.69E-03	4.48E-03*	1.20E-02	3.31E-03*	1.71E-02	9.62E-04*
18	.2125	.2220	.2322	.2432	.2551	.2681	.2822	.2976	.3145	.3331	.3536
	47067.5	45055.1	43072.0	41118.3	39194.1	37299.6	35434.9	33600.1	31795.5	30021.2	28277.4
	1.55E-02	3.14E-03	1.77E-02	1.83E-03	1.91E-02	1.54E-03	2.00E-02	2.08E-03	2.03E-02	3.94E-03	1.91E-02
	1.2051	1.2105	1.2363	1.2371	1.2688	1.2661	1.3027	1.3022	1.3390	1.3429	1.3782
	1.81E-05	2.26E-05	4.40E-05	4.47E-05	7.07E-05	6.85E-05	9.83E-05	9.79E-05	-1.27E-04	-1.31E-04	-1.58E-04
	7.14E-04	1.98E-04	3.70E-03	3.44E-04	7.75E-03	5.07E-04	1.16E-02	1.02E-03	1.43E-02	2.46E-03	1.47E-02
	6.97E-04	2.19E-04*	3.67E-03	3.71E-04*	7.71E-03	5.39E-04*	1.15E-02	1.06E-03*	1.42E-02	2.51E-03*	1.46E-02
19	.2086	.2177	.2275	.2381	.2495	.2619	.2754	.2900	.3060	.3236	.3430
	47948.1	45935.7	43952.6	41998.9	40074.7	38180.2	36315.5	34480.7	32676.1	30901.8	29158.0
	1.85E-02	2.31E-04	1.79E-02	1.40E-03	1.70E-02	2.55E-03	1.70E-02	3.08E-03	1.81E-02	2.71E-03	2.05E-02
	1.1966	1.2442	1.2269	1.2586	1.2583	1.2892	1.2908	1.3231	1.3257	1.3613	1.3631
	-1.10E-05	-5.05E-05	-3.62E-05	-6.24E-05	-6.21E-05	-8.73E-05	-8.86E-05	-1.15E-04	-1.17E-04	-1.45E-04	-1.47E-04
	3.34E-04	(7.73E-05)	2.69E-03	5.45E-04	5.72E-03	1.46E-03	8.65E-03	2.25E-03	1.16E-02	2.27E-03	1.47E-02
	3.31E-04	6.48E-05*	2.70E-03	5.13E-04*	5.75E-03	1.41E-03*	8.70E-03	2.19E-03*	1.17E-02	2.22E-03*	1.48E-02
20	.2050	.2138	.2232	.2334	.2444	.2563	.2691	.2831	.2984	.3150	.3333
	48789.6	46777.2	44794.1	42840.4	40916.2	39021.7	37157.0	35322.2	33517.6	31743.3	29999.4
	1.39E-02	5.46E-03	9.80E-03	9.30E-03	6.75E-03	1.22E-02	4.98E-03	1.43E-02	4.32E-03	1.56E-02	4.73E-03
	1.1885	1.2108	1.2176	1.2405	1.2470	1.2723	1.2768	1.3053	1.3091	1.3404	1.3450
	-4.20E-06	-2.29E-05	-2.85E-05	-4.75E-05	-5.28E-05	-7.36E-05	-7.73E-05	-1.00E-04	-1.03E-04	-1.29E-04	-1.32E-04
	3.85E-05	3.94E-04	9.68E-04	2.23E-03	1.74E-03	5.31E-03	2.06E-03	8.57E-03	2.35E-03	1.11E-02	3.01E-03
	4.20E-05	3.68E-04*	9.99E-04*	2.18E-03*	1.79E-03*	5.26E-03	2.11E-03*	8.51E-03	2.41E-03*	1.11E-02	3.07E-03*
21	.2017	.2102	.2193	.2291	.2397	.2511	.2635	.2768	.2914	.3073	.3247
	49590.2	47577.8	45594.7	43641.0	41716.8	39822.3	37957.6	36122.8	34318.2	32543.9	30800.1
	6.43E-03	1.20E-02	2.13E-03	1.51E-02	2.93E-04	1.65E-02	2.42E-05	1.70E-02	3.97E-04	1.76E-02	7.66E-04
	1.1798	1.2014	1.2049	1.2311	1.2140	1.2623	1.4159	1.2943	1.3493	1.3281	1.3758
	3.11E-06	-1.50E-05	-1.79E-05	-3.97E-05	-2.55E-05	-6.54E-05	-1.88E-04	-9.15E-05	-1.36E-04	-1.19E-04	-1.57E-04
	(1.03E-05)	3.94E-04	(8.79E-05)	2.68E-03	(1.87E-05)	6.01E-03	(6.30E-05)	9.08E-03	3.98E-04	1.16E-02	7.41E-04
	7.14E-06*	3.78E-04	1.01E-04*	2.67E-03	2.55E-05*	6.00E-03	5.45E-05*	9.09E-03	3.75E-04*	1.16E-02	7.10E-04*

*The Einstein coefficients for this band may have limited accuracy, since the Franck-Condon factor is less than 0.01 (see text).

Table 3. Radiative transition parameters for N_2 $B\ ^3\Pi_g - A\ ^3\Sigma_u^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$.

$V'\backslash V''$	0	1	2	3	4	5	6	7	8	9	10
0	1.0469 9552.0	1.2317 8119.1	1.4895 6713.8	1.8739 5336.3	2.5084 3986.7	3.7523 2665.0	7.2916 1371.4	94.1292 106.2	-8.8467 -1130.4	-4.2771 -2338.0	-2.8438 -3516.4
4.01E-01	3.30E-01	1.66E-01	6.72E-02	2.41E-02	8.09E-03	2.62E-03	8.31E-04	2.63E-04	8.36E-05	2.69E-05	
1.2534	1.2160	1.1827	1.1526	1.1253	1.1002	1.0772	1.0558	1.0360	1.0175	1.0004	
2.68E-01	2.76E-01	2.83E-01	2.88E-01	2.93E-01	2.97E-01	3.01E-01	3.04E-01	3.07E-01	3.09E-01	3.11E-01	
5.09E+04	2.73E+04	8.15E+03	1.72E+03	2.66E+02	2.75E+01	1.24E+00	1.87E-04	-1.45E-01	-4.14E-01	-4.59E-01	
5.08E+04	2.73E+04	8.16E+03	1.73E+03	2.68E+02	2.76E+01*	1.25E+00*	1.88E-04*	-1.46E-01*	-4.18E-01*	-4.64E-01*	
1	.8883 11257.3	1.0179 9824.4	1.1878 8419.1	1.4201 7041.6	1.7569 5692.0	2.2882 4370.3	3.2502 3076.8	5.5202 1811.5	17.3933 574.9	-15.8042 -632.7	-5.5215 -1811.1
4.00E-01	2.87E-03	1.59E-01	1.96E-01	1.30E-01	6.57E-02	2.86E-02	1.14E-02	4.31E-03	1.59E-03	5.78E-04	
1.2979	1.3088	1.2273	1.1920	1.1613	1.1336	1.1085	1.0854	1.0640	1.0443	1.0259	
2.56E-01	2.56E-01	2.74E-01	2.81E-01	2.87E-01	2.92E-01	2.96E-01	3.00E-01	3.03E-01	3.06E-01	3.08E-01	
7.70E+04	3.60E+02	1.44E+04	1.09E+04	4.00E+03	9.46E+02	1.48E+02	1.23E+01	1.52E+01	-1.52E+01	-1.32E+00	
7.70E+04	3.45E+02*	1.43E+04	1.09E+04	4.01E+03	9.49E+02	1.48E+02	1.24E+01	1.54E+01*	-1.54E+01*	-1.33E+00*	
2	.7732 12933.5	.8695 11500.7	.9905 10095.4	1.1471 8717.9	1.3572 7368.3	1.6538 6046.6	2.1039 4753.0	2.8671 3487.8	4.4420 2251.2	9.5828 1043.5	-74.1757 -134.8
1.61E-01	2.76E-01	6.90E-02	2.19E-02	1.24E-01	1.43E-01	1.01E-01	5.63E-02	2.74E-02	1.22E-02	5.20E-03	
1.3475	1.3087	1.2571	1.2486	1.2027	1.1705	1.1424	1.1170	1.0938	1.0725	1.0528	
2.46E-01	2.56E-01	2.67E-01	2.69E-01	2.79E-01	2.85E-01	2.90E-01	2.95E-01	2.98E-01	3.02E-01	3.05E-01	
4.28E+04	5.55E+04	1.03E+04	2.13E+03	7.82E+03	5.19E+03	1.85E+03	4.20E+02	5.63E+01	2.57E+00	-4.79E-03	
4.29E+04	5.54E+04	1.03E+04	2.10E+03	7.79E+03	5.19E+03	1.85E+03	4.22E+02	5.66E+01	2.58E+00	-4.83E-03*	
3	.6858 14580.8	.7606 13147.9	.8516 11742.7	.9648 10365.2	1.1092 9015.6	1.2997 7693.9	1.5624 6400.3	1.9474 5135.1	2.5651 3898.5	3.7163 2690.8	6.6117 1512.5
3.39E-02	2.77E-01	9.61E-02	1.52E-01	5.19E-03	4.22E-02	1.07E-01	1.11E-01	8.00E-02	4.73E-02	2.49E-02	
1.4035	1.3567	1.3235	1.2708	1.1981	1.2175	1.1808	1.1516	1.1258	1.1025	1.0811	
2.32E-01	2.44E-01	2.52E-01	2.64E-01	2.80E-01	2.76E-01	2.83E-01	2.89E-01	2.93E-01	2.97E-01	3.00E-01	
1.15E+04	7.61E+04	2.00E+04	2.39E+04	6.02E+02	2.96E+03	4.58E+03	2.54E+03	8.26E+02	1.65E+02	1.58E+01	
1.16E+04	7.61E+04	1.99E+04	2.40E+04	6.24E+02*	2.93E+03	4.56E+03	2.54E+03	8.28E+02	1.66E+02	1.58E+01	
4	.6173 16199.1	.6772 14766.2	.7484 13361.0	.8345 11983.5	.9404 10633.9	1.0739 9312.2	1.2471 8018.6	1.4807 6753.4	1.8126 5516.8	2.3207 4309.1	3.1941 3130.8
4.04E-03	9.67E-02	2.98E-01	7.60E-03	1.51E-01	5.12E-02	2.19E-03	5.47E-02	9.36E-02	8.96E-02	6.49E-02	
1.4684	1.4124	1.3666	1.3676	1.2827	1.2353	1.2740	1.1933	1.1617	1.1352	1.1116	
2.16E-01	2.30E-01	2.42E-01	2.41E-01	2.62E-01	2.72E-01	2.64E-01	2.81E-01	2.87E-01	2.92E-01	2.96E-01	
1.62E+03	3.34E+04	8.41E+04	1.54E+03	2.52E+04	6.20E+03	1.59E+02	2.69E+03	2.62E+03	1.23E+03	3.53E+02	
1.63E+03*	3.35E+04	8.40E+04	1.50E+03*	2.52E+04	6.26E+03	1.50E+02*	2.67E+03	2.61E+03	1.23E+03	3.54E+02	
5	.5622 17788.4	.6114 16355.5	.6689 14950.3	.7368 13572.8	.8181 12223.1	.9173 10901.5	1.0408 9607.9	1.1987 8342.7	1.4072 7106.1	1.6954 5898.4	2.1186 4720.1
2.74E-04	1.62E-02	1.69E-01	2.44E-01	1.04E-02	9.55E-02	9.48E-02	8.77E-03	1.39E-02	5.93E-02	8.09E-02	
1.5458	1.4772	1.4215	1.3775	1.2875	1.2959	1.2492	1.1919	1.2143	1.1733	1.1453	
1.96E-01	2.14E-01	2.28E-01	2.39E-01	2.60E-01	2.59E-01	2.69E-01	2.81E-01	2.76E-01	2.85E-01	2.90E-01	
1.19E+02	6.57E+03	5.93E+04	7.05E+04	2.62E+03	1.68E+04	1.23E+04	8.15E+02	7.74E+02	2.00E+03	1.45E+03	
1.20E+02*	6.59E+03	5.95E+04	7.03E+04	2.69E+03	1.66E+04	1.24E+04	8.37E+02*	7.58E+02	1.98E+03	1.45E+03	
6	.5168 19348.6	.5582 17915.7	.6057 16510.5	.6608 15133.0	.7255 13783.3	.8025 12461.7	.8954 11168.1	1.0098 9902.9	1.1539 8666.3	1.3407 7458.6	1.5923 6280.3
1.01E-05	1.43E-03	3.89E-02	2.30E-01	1.57E-01	5.81E-02	3.55E-02	1.04E-01	3.95E-02	1.75E-08	2.48E-02	
1.6441	1.5549	1.4862	1.4310	1.3903	1.3214	1.3149	1.2614	1.2181	22.1050	1.1888	
1.70E-01	1.93E-01	2.11E-01	2.25E-01	2.36E-01	2.53E-01	2.54E-01	2.66E-01	2.76E-01	0.00E+00	0.82E-01	
4.26E+00	6.20E+02	1.58E+04	8.19E+04	4.62E+04	1.45E+04	6.46E+03	1.46E+04	3.95E+03	(0.00E+00)	9.86E+02	
4.23E+00*	6.22E+02*	1.59E+04	8.21E+04	4.60E+04	1.47E+04	6.37E+03	1.46E+04	3.99E+03	6.68E-01*	9.72E+02	
7	.4789 20879.7	.5142 19446.8	.5543 18041.6	.6001 16664.1	.6530 15314.4	.7147 13992.7	.7875 12699.2	.8746 11434.0	.9806 10197.4	1.1124 8989.7	1.2802 7811.3
1.74E-07	6.42E-05	4.32E-03	7.16E-02	2.66E-01	7.47E-02	1.06E-01	3.08E-03	8.16E-02	6.78E-02	1.08E-02	
1.7837	1.6539	1.5641	1.4954	1.4410	1.4071	1.3368	1.3797	1.2744	1.2324	1.1840	
1.35E-01	1.67E-01	1.91E-01	2.09E-01	2.23E-01	2.32E-01	2.49E-01	2.38E-01	2.63E-01	2.73E-01	2.83E-01	
5.85E-02	2.68E+01	1.87E+03	2.93E+04	9.60E+04	2.22E+04	2.72E+04	5.30E+02	1.22E+04	7.42E+03	8.34E+02	
5.58E-02*	2.66E+01*	1.87E+03*	2.93E+04	9.61E+04	2.20E+04	2.73E+04	5.02E+02*	1.21E+04	7.44E+03	8.54E+02	

Table 3. Radiative transition parameters for N_2 $B\ ^3\Pi_g - A\ ^3\Sigma_u^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. — Continued

$v'\backslash v''$	11	12	13	14	15	16	17	18	19	20	21
0	-2.1436 -4665.0 8.85E-06 .9847 3.13E-01 -3.56E-01 -3.61E-01*	-1.7292 -5783.1 2.99E-06 .9706 3.14E-01 3.15E-01 -2.31E-01 -2.34E-01*	-1.4555 -6870.3 1.04E-06 .9475 3.16E-01 3.17E-01 -1.36E-01 -1.38E-01*	-1.2617 -7925.7 3.78E-07 .9387 3.18E-01 3.18E-01 -7.63E-02 -7.73E-02*	-1.1175 -8948.4 1.43E-07 .9318 3.18E-01 3.18E-01 -4.16E-02 -4.21E-02*	-1.0063 -9937.4 5.61E-08 .9263 .9215 .9164 -2.29E-08 -2.27E-02*	-.9181 -10891.6 5.63E-09 .9096 .9164 .9096 -11809.7 -12690.3	-.8468 -12690.3 4.12E-09 .8987 3.19E-01 3.19E-01 -1.26E-09 -1.3531.8	-.7880 -13531.8 1.76E-09 .8987 3.19E-01 3.19E-01 -1.80E-03 -1.4332.4	-.7390 -14332.4 7.24E-10 3.20E-01 3.20E-01 3.20E-01 -8.83E-04 -8.90E-04*	
1	-3.3788 -2959.6 2.10E-04 1.0090 3.10E-01 -2.12E+00 -2.15E+00*	-2.4523 -4077.8 7.71E-05 .9934 3.12E-01 3.13E-01 -2.06E+00 -2.09E+00*	-1.9361 -5165.0 2.88E-05 .9792 3.15E-01 3.15E-01 -1.58E+00 -1.60E+00*	-1.6076 -6220.4 1.10E-05 .9665 3.16E-01 3.16E-01 -1.06E+00 -1.07E+00*	-1.3806 -7243.1 4.31E-06 .9553 3.17E-01 3.17E-01 -6.61E-01 -6.69E-01*	-1.2148 -8232.1 1.74E-06 .9456 3.17E-01 3.17E-01 -3.94E-01 -3.99E-01*	-1.0886 -9186.3 7.25E-07 .9373 3.17E-01 3.17E-01 -2.29E-01 -2.32E-01*	-.9897 -10104.4 3.10E-07 .9300 3.18E-01 3.18E-01 -1.31E-01 -1.32E-01*	-.9103 -10985.0 1.35E-07 .9231 3.18E-01 3.18E-01 -7.36E-02 -7.43E-02*	-.8456 -11826.5 2.57E-08 .9159 .9067 3.19E-01 3.19E-01 -4.04E-02 -4.08E-02*	-.7919 -12627.1 2.57E-08 -.9067 3.19E-01 3.19E-01 -2.14E-02 -2.16E-02*
2	-7.7920 -1283.4 2.15E-03 1.0345 3.07E-01 -1.74E+00 -1.75E+00*	-4.1640 -2401.6 3.57E-04 1.0177 3.11E-01 3.13E-01 -4.70E+00 -4.75E+00*	-2.8664 -3488.7 1.46E-04 1.0021 3.11E-01 3.13E-01 -5.94E+00 -6.00E+00*	-2.2007 -4544.1 6.08E-05 .9879 3.14E-01 3.15E-01 -4.19E+00 -5.50E+00*	-1.7964 -5566.8 2.57E-05 .9750 3.15E-01 3.16E-01 -2.92E+00 -2.95E+00*	-1.5254 -6555.8 1.11E-05 .9634 3.16E-01 3.17E-01 -1.90E+00 -1.93E+00*	-1.3316 -7510.0 4.90E-06 .9530 3.17E-01 3.17E-01 -1.19E+00 -1.21E+00*	-1.1865 -8428.2 2.20E-06 .9436 3.17E-01 3.17E-01 -7.25E-01 -7.32E-01*	-1.0743 -9308.7 9.93E-07 .9349 3.18E-01 3.18E-01 -4.26E-01 -4.31E-01*	-0.9852 -10150.2 4.47E-07 .9262 .9166 3.19E-01 3.19E-01 -2.41E-01 -2.44E-01*	-.9132 -10950.8 -.9303.6 -.9304 3.18E-01 3.18E-01 -1.67E+00 -1.69E+00*
3	27.4786 363.9 1.22E-02 1.0615 3.03E-01 1.09E-01 1.10E-01	-13.2578 -754.3 5.68E-03 1.0433 3.06E-01 9.24E-01 9.31E-01*	-5.4305 -1841.4 2.58E-03 1.0266 3.08E-01 6.20E+00 -6.26E+00*	-3.4521 -2896.8 1.16E-03 1.0111 3.10E-01 3.10E+00 -1.11E+01*	-2.5513 -3919.5 5.21E-04 .9968 3.12E-01 3.13E-01 -4.24E+00*	-2.0373 -4908.5 2.35E-04 .9838 3.13E-01 3.14E-01 -2.95E+00*	-1.7057 -5862.7 1.07E-04 .9718 3.14E-01 3.15E-01 -1.93E+00*	-1.4747 -6780.9 4.93E-05 .9608 3.15E-01 3.16E-01 -1.21E+00*	-1.3052 -7661.5 2.30E-05 .9505 3.16E-01 3.17E-01 -7.32E-01*	-1.1761 -8502.9 1.08E-05 .9406 3.17E-01 3.18E-01 -4.31E-01*	-1.0749 -9303.6 5.06E-06 .9304 3.18E-01 3.18E-01 -1.67E+00 -1.69E+00*
4	5.0449 1982.2 4.02E-02 1.0901 2.99E-01 5.67E+01 5.69E+01	11.5737 864.0 2.25E-02 1.0705 3.02E-01 4.95E-02 2.70E+00	-44.8147 -223.1 1.18E-02 1.0523 3.07E-01 3.07E-01 -4.82E+00*	-7.8216 -1278.5 5.99E-03 1.0356 3.09E-01 3.09E-01 -4.14E+01*	-4.3455 -2301.2 2.96E-03 1.0202 3.11E-01 3.11E+01 -2.04E+01*	-3.0393 -3290.2 1.45E-03 1.0059 3.11E-01 3.12E-01 -2.02E+01	-2.3560 -4244.5 7.07E-04 .9927 3.12E-01 3.13E-01 -2.13E+01	-1.9370 -5162.6 3.46E-04 .9805 3.13E-01 3.14E-01 -1.89E+01	-1.6548 -6043.2 1.70E-04 .9690 3.14E-01 3.15E-01 -1.50E+01	-1.4525 -6884.6 8.35E-05 .9580 3.15E-01 3.16E-01 -1.10E+01	-1.3012 -7685.3 4.11E-05 .9471 3.16E-01 3.16E-01 -7.56E+00
5	2.7999 3571.5 7.35E-02 1.1211 2.94E-01 5.87E+02 5.87E+02	4.0761 2453.3 5.39E-02 1.0995 2.98E-01 3.01E-01 1.43E+02	7.3199 1366.1 3.47E-02 1.0798 3.03E-01 3.03E-01 1.63E+01	32.1787 310.8 2.05E-02 1.0616 3.03E-01 3.06E-01 1.16E-01	-14.0462 -710.9 1.15E-02 1.0449 3.06E-01 3.08E-01 -1.58E+00	-5.8790 -1701.0 6.28E-03 1.0295 3.08E-01 3.09E-01 -1.19E+00	-3.7662 -2655.2 3.34E-03 1.0152 3.11E-01 3.12E-01 -2.45E+01	-2.7985 -3573.3 1.76E-03 1.0019 3.12E-01 3.13E-01 -3.18E+01	-2.2452 -4453.9 9.22E-04 .9894 3.13E-01 3.14E-01 -3.25E+01	-1.8884 -5295.4 4.81E-04 .9776 3.14E-01 3.15E-01 -2.88E+01	-1.6404 -6096.0 2.50E-04 .9661 3.15E-01 3.15E-01 -2.27E+01
6	1.9487 5131.7 5.83E-02 1.1565 2.88E-01 1.32E+03 1.31E+03	2.4916 4013.5 6.96E-02 1.1313 2.92E-01 7.78E+02 7.77E+02	3.4172 2926.4 4.57E-02 1.1197 2.99E-01 5.43E+01 5.45E+01	5.3448 1871.0 3.06E-02 1.0712 3.02E-01 3.45E+00 3.47E+00	11.7886 848.3 1.91E-02 1.0812 3.04E-01 -2.00E-02 -2.01E-02	-71.0500 -140.7 1.14E-02 1.0644 3.06E-01 -5.69E+00 -5.73E+00	-9.1328 -1095.0 6.60E-03 1.0248 3.08E-01 -2.07E+01 -2.09E+01*	-4.9675 -1095.0 2.76E-02 1.0248 3.08E-01 -3.54E+01 -3.57E+01*	-3.4558 -3735.1 1.81E-02 1.0346 3.10E-01 -4.30E+01 -4.34E+01*	-2.6773 -4535.8 2.10E-03 .9987 3.11E-01 -4.31E+01 -4.36E+01*	-2.2047 -4535.8 1.17E-03 .9866 3.13E-01 -4.31E+01 -4.36E+01*
7	1.5009 6662.8 3.69E-03 1.2253 2.74E-01 1.66E+02 1.59E+02	1.8036 5544.6 3.10E-02 1.1702 2.85E-01 8.69E+02 8.60E+02	2.2434 4457.4 5.42E-02 1.1425 2.90E-01 8.19E+02 8.15E+02	2.9394 3402.1 5.97E-02 1.1197 2.94E-01 4.13E+02 4.12E+02	4.2028 2379.4 5.22E-02 1.0995 3.00E-01 1.26E+02 1.26E+02	7.1926 1390.3 3.97E-02 1.0812 3.03E-01 1.95E+01 1.96E+01	22.9296 436.1 2.76E-02 1.0644 3.05E-01 4.26E-01 4.28E-01	-20.7470 -482.0 1.81E-02 1.0490 3.07E-01 -7.66E-01 -7.70E-01	-7.3390 -1362.6 1.14E-02 1.0346 3.07E-01 -1.10E+01 -1.11E+01	-4.5371 -2204.1 6.99E-03 1.0211 3.10E-01 -4.30E+01 -4.48E+01	-3.3281 -3004.7 4.20E-03 1.0084 3.10E-01 -4.31E+01 -4.44E+01

Table 3. Radiative transition parameters for N_2 $B\ ^3\Pi_g - A\ ^3\Sigma_u^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$. — Continued

$v'\backslash v''$	0	1	2	3	4	5	6	7	8	9	10
8	.4468	.4774	.5117	.5505	.5947	.6454	.7042	.7730	.8548	.9532	1.0737
	22381.5	20948.6	19543.4	18165.9	16816.2	15494.6	14201.0	12935.8	11699.2	10491.5	9313.2
1.00E-09	1.30E-06	2.33E-04	9.90E-03	1.12E-01	2.71E-01	2.01E-02	1.28E-01	4.74E-03	4.46E-02	7.74E-02	
2.0299	1.7952	1.6639	1.5736	1.5050	1.4515	1.4385	1.3499	1.2500	1.2902	1.2452	
8.27E-02	1.32E-01	1.65E-01	1.88E-01	2.06E-01	2.20E-01	2.24E-01	2.46E-01	2.69E-01	2.60E-01	2.70E-01	
(1.56E-04)	4.25E-01	9.59E+01	4.26E+03	4.58E+04	9.91E+04	5.82E+03	3.39E+04	1.11E+03	7.05E+03	9.22E+03	
1.06E-04*	4.03E-01*	9.51E+01*	4.27E+03*	4.60E+04	9.91E+04	5.71E+03	3.40E+04	1.16E+03*	6.97E+03	9.22E+03	
9	.4192	.4460	.4758	.5092	.5468	.5894	.6380	.6960	.7592	.8358	.9272
	23854.0	22421.1	21015.8	19638.3	18288.7	16967.0	15673.4	14408.2	13171.6	11964.0	10785.6
2.04E-13	8.27E-09	5.45E-06	6.34E-04	1.91E-02	1.55E-01	2.49E-01	1.90E-04	1.20E-01	2.93E-02	1.35E-02	
3.7747	2.0514	1.8078	1.6741	1.5834	1.5148	1.4629	1.8640	1.3630	1.2982	1.3170	
1.12E-04	7.88E-02	1.29E+01	1.62E+01	1.86E+01	2.04E+01	2.17E+01	1.16E+01	2.43E+01	2.58E+01	2.54E+01	
(7.06E-14)(1.17E-03)	1.71E+00	2.56E+02	8.15E+03	6.38E+04	9.16E+04	(1.56E+01)	3.27E+04	6.77E+03	2.20E+03		
5.74E-07*	7.61E-04*	1.62E+00*	2.54E+02*	8.15E+03	6.40E+04	9.15E+04	1.02E+01*	3.26E+04	6.86E+03	2.15E+03	
10	.3953	.4190	.4453	.4744	.5068	.5432	.5842	.6309	.6843	.7459	.8178
	25296.8	23864.0	22458.7	21081.2	19731.6	18409.9	17116.3	15851.1	14614.5	13406.8	12228.5
5.36E-14	6.22E-14	3.77E-08	1.68E-05	1.43E-03	3.25E-02	1.98E-01	2.06E-01	1.02E-02	8.96E-02	5.92E-02	
1.5997	14.5540	2.0733	1.8205	1.6846	1.5934	1.5251	1.4753	1.3519	1.3774	1.3171	
1.81E-01	0.00E+00	7.50E-02	1.26E-01	1.60E-01	1.83E-01	2.01E-01	2.14E-01	2.45E-01	2.39E-01	2.54E-01	
(5.79E-08)(0.00E+00)(4.86E-03)	5.11E+00	5.67E+02	1.38E+04	8.11E+04	7.60E+04	3.90E+03	2.50E+04	1.41E+04	2.48E+04	1.42E+04	
4.86E-08*	1.31E-05*	2.96E-03*	4.81E+00*	5.61E+02*	1.38E+04	8.13E+04	7.59E+04	3.99E+03	2.48E+04	1.42E+04	
11	.3744	.3956	.4189	.4446	.4729	.5045	.5397	.5792	.6239	.6748	.7330
	26710.0	25277.1	23871.9	22494.4	21144.7	19823.1	18529.5	17264.3	16027.7	14820.0	13641.7
1.70E-15	3.22E-14	2.97E-13	1.26E-07	4.28E-05	2.84E-03	5.04E-02	2.34E-01	1.52E-01	3.88E-02	5.15E-02	
1.0771	2.8846	14.6460	2.0949	1.8336	1.6953	1.6037	1.5357	1.4895	1.3934	1.3953	
3.01E-01	6.44E-03	0.00E+00	7.13E-02	1.23E-01	1.57E-01	1.80E-01	1.98E-01	2.10E-01	2.35E-01	2.35E-01	
5.95E-09(4.39E-11)(0.00E+00)(1.48E-02)	5.11E+00	5.67E+02	1.38E+04	8.11E+04	7.60E+04	3.90E+03	2.50E+04	1.41E+04	2.48E+04	1.42E+04	
5.75E-09*	4.35E-08*	6.01E-05*	8.36E-03*	1.17E+01*	1.09E+03*	2.12E+04	9.58E+04	5.58E+04	1.43E+04	1.44E+04	
12	.3560	.3751	.3960	.4188	.4439	.4716	.5022	.5363	.5744	.6172	.6656
	28093.2	26660.3	25255.1	23877.6	22528.0	21206.3	19912.7	18647.5	17410.9	16203.2	15024.9
4.85E-14	1.61E-14	1.99E-15	5.12E-14	3.44E-07	9.49E-05	5.10E-03	7.29E-02	2.60E-01	9.69E-02	7.25E-02	
1.2610	1.8337	-14.2460	-58.5080	2.1151	1.8470	1.7063	1.6143	1.5467	1.5069	1.4139	
2.66E-01	1.23E-01	0.00E+00	0.00E+00	6.80E-02	1.20E-01	1.54E-01	1.78E-01	1.95E-01	2.06E-01	2.30E-01	
1.55E-07(9.40E-09)(0.00E+00)(0.00E+00)(3.69E-02)	2.65E+01	1.94E+01	1.10E+03	2.11E+04	9.57E+04	5.59E+04	1.41E+04	2.63E+04	3.54E+04		
1.52E-07*	1.40E-08*	1.45E-06*	2.44E-04*	1.94E-02*	2.47E+01*	1.91E+03*	3.02E+04	1.06E+05	3.52E+04	2.64E+04	
13	.3396	.3570	.3758	.3963	.4187	.4433	.4702	.5000	.5329	.5696	.6106
	29446.3	28013.4	26608.2	25230.7	23881.0	22559.3	21265.8	20000.6	18764.0	17556.3	16377.9
2.38E-14	3.88E-14	7.27E-14	7.16E-13	1.17E-11	8.14E-07	1.90E-04	8.50E-03	9.94E-02	2.73E-01	5.03E-02	
1.2347	1.1724	.6158	-.5336	-5.3319	2.1350	1.8608	1.7175	1.6252	1.5583	1.5307	
2.72E-01	2.85E-01	3.13E-01	6.51E-02	6.49E-16	6.49E-02	1.17E-01	1.51E-01	1.75E-01	1.92E-01	2.00E-01	
9.12E-08	1.40E-07	(2.72E-07)	(9.87E-08)	(1.36E-34)	(7.97E-02)	5.07E+01	3.15E+03	4.06E+04	1.11E+05	1.78E+04	
8.97E-08*	1.29E-07*	4.31E-07*	1.38E-05*	8.62E-04*	3.89E-02*	4.70E+01*	3.11E+03*	4.06E+04	1.11E+05	1.77E+04	
14	.3250	.3409	.3580	.3766	.3968	.4187	.4427	.4690	.4978	.5297	.5650
	30768.9	29336.0	27930.7	26553.2	25203.6	23881.9	22588.4	21323.1	20086.5	18878.9	17700.5
1.39E-15	1.03E-13	1.20E-13	1.44E-12	7.24E-12	8.94E-11	1.73E-06	3.49E-04	1.33E-02	1.29E-01	2.73E-01	
1.5158	1.2370	1.0240	.8833	.1627	-2.4150	2.1558	1.8749	1.7290	1.6365	1.5706	
2.03E-01	2.72E-01	3.08E-01	3.21E-01	2.24E-01	2.94E-05	6.17E-02	1.14E-01	1.48E-01	1.72E-01	1.89E-01	
(3.40E-09)	3.89E-07	8.41E-07	(5.61E-06)	(1.18E-05)	(2.13E-12)	(1.53E-01)	8.95E+01	4.82E+03	5.20E+04	1.09E+05	
3.88E-09*	3.72E-07*	8.16E-07*	6.41E-06*	7.56E-05*	2.45E-03*	6.82E-02*	8.22E+01*	4.75E+03	5.20E+04	1.10E+05	
15	.3119	.3265	.3422	.3591	.3774	.3972	.4188	.4422	.4678	.4958	.5265
	32060.7	30627.8	29222.6	27845.1	26495.4	25173.7	23880.2	22615.0	21378.4	20170.7	18992.4
2.13E-14	1.90E-14	2.58E-13	1.53E-12	5.93E-12	3.04E-11	3.62E-10	3.37E-06	6.04E-04	1.99E-02	1.61E-01	
1.3336	1.0659	1.0815	1.0411	.8420	.3094	-1.4002	2.1759	1.8893	1.7408	1.6482	
2.50E-01	3.03E-01	3.00E-01	3.06E-01	3.22E-01	2.60E-01	4.14E-03	5.87E-02	1.11E-01	1.45E-01	1.69E-01	
8.85E-08	1.01E-07	1.18E-06	6.28E-06	(2.32E-05)	(6.63E-05)	(1.71E-07)	(2.72E-01)	1.47E+02	7.00E+03	6.36E+04	
9.02E-08*	9.98E-08*	1.14E-06*	6.10E-06*	2.77E-05*	2.67E-04*	5.91E-03*	1.10E-01*	1.35E+02*	6.90E+03	6.36E+04	

Table 3. Radiative transition parameters for $N_2 B^3\Pi_g - A^3\Sigma_u^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$. - Continued

$v' \backslash v''$	11	12	13	14	15	16	17	18	19	20	21
8	1.2248 8164.6 3.35E-02 1.2061 2.78E-01 2.86E+03 2.89E+03	1.4192 7046.4 1.16E-03 1.1146 2.95E-01 7.13E+01 7.71E+01*	1.6781 5959.2 9.35E-03 1.1918 2.81E+01 3.16E+02 3.09E+02*	2.0392 4903.9 3.29E-02 1.1554 2.88E-01 6.52E+02 6.47E+02	2.5765 3881.2 4.89E-02 1.1309 2.92E-01 4.95E+02 4.93E+02	3.4576 2892.1 5.16E-02 1.1101 2.96E-01 2.21E+02 2.21E+02	5.1601 1937.9 4.52E-02 1.0916 2.99E-01 5.95E+01 5.96E+01	9.8056 1019.8 3.53E-02 1.0747 3.01E-01 6.89E+00 6.91E+00	71.8231 139.2 2.55E-02 1.0592 3.04E-01 1.29E-02 1.29E-02	-14.2399 -702.3 1.75E-02 1.0447 3.06E-01 -2.30E+00 -2.31E+00	-6.6539 -1502.9 1.16E-02 1.0312 3.07E-01 -1.51E+01 -1.52E+01
9	1.0377 9637.0 6.59E-02 1.2585 2.67E-01 8.51E+03 8.47E+03	1.1739 8518.9 5.32E-02 1.2208 2.75E-01 5.04E+03 5.06E+03	1.3456 7431.7 1.34E-02 1.1803 2.83E-01 (5.37E+00) 9.13E+02	1.5683 6376.3 1.73E-04 1.3620 2.43E-01 3.37E+02 4.45E+00*	1.8679 5353.6 1.34E-02 1.1728 2.85E-01 4.56E+02 3.31E+02	2.2912 4364.6 3.22E-02 1.1435 2.90E-01 3.01E+02 4.53E+02	2.9322 3410.4 4.34E-02 1.1214 2.94E-01 1.24E+02 3.00E+02	4.0124 2492.3 4.49E-02 1.1024 2.97E-01 3.00E+01 1.24E+02	6.2048 1611.7 3.98E-02 1.0853 3.00E-01 3.03E+01 3.04E+01	12.9839 770.2 3.20E-02 1.0697 3.02E-01 2.70E+00 2.71E+00	-328.5799 -30.4 2.40E-02 1.0552 3.04E-01 -2.54E-04 -2.55E-04
10	.9025 11079.9 2.18E-04 1.5735 1.88E-01 (2.13E+01) 1.69E+01*	1.0038 9961.7 4.15E-02 1.2741 2.64E-01 5.77E+03 5.71E+03	1.1268 8874.6 3.11E-02 1.2344 2.72E-01 6.27E+03 6.27E+03	1.2789 7819.2 4.23E-03 1.1998 2.79E-01 2.35E+03 2.38E+03	1.4713 6796.5 1.81E-03 1.5153 2.89E-01 5.47E+01 5.17E+01*	1.7219 5807.5 1.52E-02 1.2152 2.76E-01 2.24E+02 2.33E+02*	2.0605 4853.3 3.00E-02 1.5188 2.87E-01 5.47E+01 2.87E+02	2.5412 3935.2 3.84E-02 1.1337 2.92E-01 3.15E+02 3.13E+02	3.2758 3054.6 3.84E-02 1.1138 2.95E-01 1.93E+02 1.92E+02	4.5186 2213.1 3.95E-02 1.0963 3.01E-01 7.71E+01 7.70E+01	7.0798 1412.5 3.57E-02 1.0805 3.01E-01 1.84E+01 1.84E+01
11	.8004 12493.1 7.96E-02 1.3320 2.50E-01 1.97E+04 1.97E+04	.8791 11374.9 6.40E-03 1.2510 2.69E-01 1.38E+03 1.43E+03*	.9720 10287.7 1.68E-02 1.2971 2.69E-01 2.47E+03 2.42E+03	1.0831 9232.4 5.13E-02 1.2489 2.76E-01 5.92E+03 5.89E+03	1.2181 8209.7 4.43E-02 1.2151 2.83E-01 3.79E+03 3.80E+03	1.3849 7220.6 1.67E-02 1.1821 2.96E-01 1.02E+03 1.04E+03	1.5958 6266.4 8.82E-04 1.1076 2.96E-01 3.84E+01 4.19E+01*	1.8697 5348.3 3.50E-03 1.1847 2.82E-01 8.64E+01 8.31E+01*	2.2383 4467.7 1.55E-02 1.1477 2.89E-01 2.35E+02 2.31E+02	2.7577 3626.2 2.72E-02 1.1257 2.93E-01 2.26E+02 2.24E+02	3.5390 2825.6 3.39E-02 1.1076 2.96E-01 1.36E+02 1.36E+02
12	.7207 13876.3 1.95E-02 1.4236 2.27E-01 5.45E+03 5.34E+03	.7838 12758.1 8.29E-02 1.3461 2.47E-01 5.48E+03 5.56E+03	.8568 11671.0 2.51E-02 1.2885 2.60E-01 2.87E+02 2.69E+02*	.9420 10615.6 2.03E-03 1.3684 2.76E-01 4.15E+03 4.11E+03	1.0424 9592.9 3.30E-02 1.2660 2.65E-01 4.49E+03 4.49E+03	1.1623 8603.9 4.67E-02 1.2302 2.73E-01 2.12E+03 2.14E+03	1.3072 7649.7 3.00E-02 1.2002 2.79E-01 4.35E+02 4.45E+02*	1.4855 6731.5 8.63E-03 1.1076 2.85E-01 4.35E+02 2.59E+00*	1.7091 5851.0 4.38E-05 1.1847 3.17E-01 9.44E+01 9.13E+01*	1.9962 5009.5 4.53E-03 1.1257 2.93E-01 9.40E+01 9.13E+01*	2.3759 4208.9 1.48E-02 1.1382 2.91E-01 1.90E+02 1.87E+02
13	.6566 15229.4 9.90E-02 1.4302 2.26E-01 3.64E+04 3.65E+04	.7087 14111.2 2.15E-03 1.5231 2.02E-01 4.97E+02 4.66E+02*	.7678 13024.0 6.96E-02 1.3610 2.43E-01 1.84E+04 1.83E+04	.8355 11968.6 4.58E-02 1.3077 2.56E-01 3.28E+02 3.53E+02*	.9136 10945.9 1.54E-03 1.1828 2.83E-01 1.04E+04 1.05E+04	1.0043 9956.9 1.38E-02 1.2915 2.66E-01 4.03E+03 4.03E+03	1.1108 9002.7 3.77E-02 1.2468 2.73E-01 2.12E+03 1.82E+03	1.2369 8084.6 3.71E-02 1.2167 1.1903 3.03E+03 4.03E+03	1.3881 7204.0 1.96E-02 1.1903 1.1616 1.19E+03 1.19E+03	1.5717 6362.5 4.40E-03 1.1616 1.2723 1.89E+02 1.00E+00*	1.7979 5561.9 5.90E-05 1.2723 2.64E-01 1.43E+00
14	.6042 16552.0 1.76E-02 1.5740 1.88E-01 5.72E+03 5.68E+03	.6479 15433.8 1.14E-01 1.4455 2.22E-01 8.26E+02 8.82E+02*	.6970 14346.6 1.96E-03 1.2663 2.39E-01 1.26E+04 1.24E+04	.7524 13291.2 4.64E-02 1.3782 2.52E-01 1.40E+04 1.40E+04	.8151 12268.5 5.90E-02 1.3235 2.66E-01 2.67E+03 2.72E+03	.8866 11279.5 1.30E-02 1.2643 2.41E-01 2.36E+02 2.22E+02*	.9685 10325.3 1.82E-03 1.3695 2.41E-01 2.64E+03 2.61E+03	1.0630 9407.2 2.23E-02 1.2679 2.65E-01 3.23E+03 3.23E+03	1.1728 8526.6 3.47E-02 1.2343 2.72E-01 2.78E-01 1.97E+03	1.3012 7685.1 2.77E-02 1.2068 1.1662 1.96E+03 1.97E+03	1.4525 6884.5 1.28E-02 1.1869 2.82E-01 6.74E+02 6.85E+02
15	.5604 17843.8 2.59E-01 1.5837 1.86E-01 1.03E+05 1.03E+05	.5979 16725.6 1.67E-03 1.7615 2.18E-01 4.10E+04 3.00E+02*	.6394 15638.4 1.12E-01 1.4611 2.41E-01 4.10E+04 4.10E+04	.6857 14583.1 1.57E-02 1.3682 2.33E-01 5.75E+03 5.99E+03	.7374 13560.4 2.23E-02 1.4015 2.48E-01 6.10E+03 6.10E+04	.7955 12571.3 5.97E-02 1.3389 2.48E-01 4.05E+03 4.05E+04	.8608 11617.1 2.95E-02 1.2896 2.60E-01 6.33E+03 6.38E+03	.9347 10699.0 1.11E-03 1.1472 2.89E-01 2.57E-01 2.50E+02	1.0185 9818.4 7.78E-03 1.3044 2.68E-01 2.57E+03 9.60E+02*	1.1140 8976.9 2.44E-02 1.2557 2.74E-01 2.57E+03 2.55E+03	1.2230 8176.3 2.86E-02 1.2283 2.74E-01 2.37E+03 2.38E+03

Table 3. Radiative transition parameters for N_2 $B\ ^3\Pi_g - A\ ^3\Sigma_u^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$. — Continued

$v'\backslash v''$	0	1	2	3	4	5	6	7	8	9	10
16	.3001	.3136	.3280	.3436	.3603	.3783	.3978	.4188	.4417	.4666	.4938
	33321.5	31888.6	30483.4	29105.9	27756.2	26434.5	25141.0	23875.8	22639.2	21431.5	20253.1
7.87E-15	3.69E-15	1.82E-13	9.07E-13	4.86E-12	1.89E-11	1.33E-10	1.10E-09	6.17E-06	9.92E-04	2.85E-02	
1.3359	1.9280	1.0855	1.0262	.9992	.7982	.5433	.8678	2.1957	1.9038	1.7529	
2.49E-01	1.03E-01	3.00E-01	3.08E-01	3.11E-01	3.23E-01	3.04E-01	2.64E-02	5.59E-02	1.08E-01	1.42E-01	
3.66E-08	(2.55E-09)	9.38E-07	4.30E-06	2.04E-05	(7.36E-05)	(3.95E-04)	(2.12E-05)	(4.53E-01)	2.30E+02	9.74E+03	
3.75E-08*	4.19E-09*	9.17E-07*	4.23E-06*	2.01E-05*	9.30E-05*	8.84E-04*	1.27E-02*	1.65E-01*	2.09E+02*	9.59E+03	
17	.2894	.3020	.3153	.3296	.3450	.3615	.3792	.3983	.4190	.4413	.4655
	34550.8	33117.9	31712.7	30335.2	28985.6	27663.9	26370.3	25105.1	23868.5	22660.8	21482.5
2.81E-15	2.57E-15	5.85E-14	3.72E-13	2.66E-12	1.73E-11	5.59E-11	4.15E-10	2.57E-09	1.07E-05	1.56E-03	
1.2393	1.8350	1.0224	.9826	.9897	1.0157	.7801	.6605	.6298	2.2150	1.9185	
2.71E-01	1.23E-01	3.09E-01	3.13E-01	3.12E-01	3.09E-01	3.22E-01	3.17E-01	5.12E-02	5.32E-02	1.05E-01	
1.72E-08	(2.86E-09)	3.60E-07	2.06E-06	1.28E-05	7.08E-05	(2.16E-04)	(1.34E-03)	(1.86E-04)	(7.16E-01)	(3.44E+02)	
1.69E-08*	4.35E-09*	3.58E-07*	2.07E-06*	1.27E-05*	6.90E-05*	2.81E-04*	2.35E-03*	2.40E-02*	2.34E-01*	3.11E+02*	
18	.2797	.2914	.3039	.3171	.3313	.3465	.3627	.3802	.3989	.4191	.4409
	35748.4	34315.5	32910.3	31532.8	30183.1	28861.4	27567.9	26302.7	25066.1	23858.4	22680.0
2.15E-14	8.68E-15	3.34E-15	1.01E-13	1.21E-12	8.52E-12	3.91E-11	1.27E-10	1.09E-09	4.70E-09	1.79E-05	
1.2759	1.2126	.5808	.8938	.9714	.9964	.9679	.7334	.7539	.5988	2.2337	
2.63E-01	2.77E-01	3.09E-01	3.20E-01	3.14E-01	3.12E-01	3.15E-01	3.21E-01	3.22E-01	5.55E-02	5.07E-02	
1.38E-07	5.45E-08	(2.30E-08)	6.55E-07	6.67E-06	4.03E-05	1.64E-04	(4.85E-04)	(3.59E-03)	(3.98E-04)	(1.09E+00)	
1.37E-07*	5.20E-08*	3.53E-08*	6.85E-07*	6.67E-06*	3.95E-05*	1.64E-04*	6.73E-04*	5.37E-03*	4.02E-02*	3.19E-01*	
19	.2709	.2818	.2935	.3058	.3190	.3330	.3480	.3641	.3812	.3996	.4194
	36913.8	35480.9	34075.6	32698.1	31348.5	30026.8	28733.3	27468.0	26231.4	25023.8	23845.4
1.58E-14	2.85E-14	2.32E-15	1.49E-14	4.32E-13	2.68E-12	1.81E-11	7.74E-11	2.45E-10	2.48E-09	6.94E-09	
1.2783	1.3289	1.6956	.6887	.9482	.9069	.9691	.9351	.6760	.8372	.7560	
2.63E-01	2.51E-01	1.57E-01	3.19E-01	3.16E-01	3.19E-01	3.14E-01	3.17E-01	3.18E-01	3.22E-01	3.65E-02	
1.11E-07	1.62E-07	(4.56E-09)	(1.08E-07)	2.70E-06	1.50E-05	8.59E-05	3.27E-04	(9.09E-04)	(8.17E-03)	(2.54E-04)	
1.11E-07*	1.59E-07*	7.23E-09*	1.35E-07*	2.70E-06*	1.56E-05*	8.47E-05*	3.34E-04*	1.38E-03*	1.08E-02*	6.06E-02*	
20	.2628	.2731	.2840	.2956	.3079	.3209	.3348	.3496	.3654	.3823	.4003
	38046.5	36613.6	35208.4	33830.9	32481.2	31159.6	29866.0	28600.8	27364.2	26156.5	24978.2
4.34E-16	7.75E-15	4.45E-15	4.00E-16	8.14E-14	6.57E-13	5.59E-12	3.13E-11	1.28E-10	4.26E-10	5.19E-09	
1.2702	1.3785	1.3429	-.3399	.8656	.8393	.9208	.9430	.8916	.6251	.9261	
2.64E-01	2.39E-01	2.47E-01	1.00E-01	3.21E-01	3.22E-01	3.18E-01	3.17E-01	3.20E-01	3.14E-01	3.18E-01	
3.39E-09	4.39E-08	2.41E-08	(3.15E-10)	5.84E-07	4.18E-06	3.06E-05	1.49E-04	5.43E-04	(1.52E-03)	(1.66E-02)	
3.38E-09*	4.35E-08*	2.64E-08*	7.52E-09*	6.01E-07*	4.49E-06*	3.08E-05*	1.47E-04*	5.73E-04*	2.54E-03*	1.96E-02*	
21	.2555	.2652	.2754	.2863	.2978	.3100	.3229	.3367	.3513	.3669	.3835
	39146.2	37713.3	36308.0	34930.5	33580.9	32259.2	30965.7	29700.4	28463.8	27256.2	26077.8
7.68E-15	5.12E-15	1.38E-15	7.89E-16	9.58E-17	7.83E-14	7.45E-13	7.07E-12	4.30E-11	1.71E-10	6.13E-10	
1.2794	1.2644	1.1271	1.3948	5.4900	.8176	.7645	.8653	.9074	.8234	.5337	
2.62E-01	2.66E-01	2.93E-01	2.35E-01	8.15E-10	3.23E-01	3.22E-01	3.21E-01	3.19E-01	3.22E-01	3.03E-01	
6.43E-08	3.93E-08	1.15E-08	(3.75E-09)	(4.88E-27)	5.54E-07	4.65E-06	3.88E-05	2.05E-04	(7.31E-04)	(2.02E-03)	
6.42E-08*	3.91E-08*	1.23E-08*	5.38E-09*	4.02E-10*	5.37E-07*	5.14E-06*	3.95E-05*	2.03E-04*	8.22E-04*	4.02E-03*	

Table 3. Radiative transition parameters for N_2 $B\ ^3\Pi_g - A\ ^3\Sigma_u^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}, \bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$. — Continued.

$V'\backslash V''$	11	12	13	14	15	16	17	18	19	20	21
16	.5234	.5560	.5917	.6312	.6747	.7230	.7765	.8361	.9026	.9768	1.0596
	19104.6	17986.4	16899.2	15843.8	14821.1	13832.1	12877.9	11959.8	11079.2	10237.7	9437.1
1.93E-01	2.33E-01	2.22E-03	9.54E-02	3.65E-02	5.30E-03	4.84E-02	4.28E-02	1.03E-02	3.50E-04	1.15E-02	
1.6604	1.5979	1.2989	1.4782	1.3988	1.4502	1.3550	1.3079	1.2495	1.5266	1.2878	
1.66E-01	1.82E-01	2.58E-01	2.13E-01	2.34E-01	2.21E-01	2.44E-01	2.56E-01	2.69E-01	2.01E-01	2.60E-01	
7.49E+04	9.08E+04	1.44E+03	3.49E+04	1.32E+04	1.38E+03	1.25E+04	9.70E+03	2.05E+03	3.06E+01	1.32E+03	
7.49E+04	9.11E+04	1.48E+03*	3.48E+04	1.33E+04	1.32E+03*	1.24E+04	9.72E+03	2.09E+03	2.80E+01*	1.31E+03	
17	.4918	.5204	.5516	.5857	.6230	.6639	.7089	.7582	.8124	.8721	.9375
	20333.9	19215.7	18128.6	17073.2	16050.5	15061.5	14107.3	13189.1	12308.6	11467.1	10666.5
3.94E-02	2.24E-01	1.98E-01	1.64E-02	6.99E-02	5.65E-02	3.73E-05	3.04E-02	4.71E-02	2.38E-02	2.52E-03	
1.7653	1.6731	1.6134	1.4512	1.4983	1.4201	.5731	1.3737	1.3246	1.2786	1.1778	
1.39E-01	1.62E-01	1.78E-01	2.20E-01	2.08E-01	2.28E-01	3.08E-01	2.40E-01	2.52E-01	2.63E-01	2.84E-01	
1.31E+04	8.51E+04	7.55E+04	8.01E+03	2.53E+04	2.04E+04	(2.01E+01)	8.12E+03	1.13E+04	5.01E+03	4.99E+02	
1.29E+04	8.52E+04	7.58E+04	8.00E+03	2.52E+04	2.05E+04	5.28E+01*	8.00E+03	1.12E+04	5.04E+03	5.21E+02*	
18	.4644	.4899	.5174	.5473	.5798	.6150	.6534	.6951	.7404	.7896	.8429
	21531.5	20413.3	19326.1	18270.8	17248.1	16259.0	15304.8	14386.7	13506.1	12664.6	11864.0
2.38E-03	5.29E-02	2.53E-01	1.57E-01	3.94E-02	4.19E-02	6.89E-02	6.43E-03	1.27E-02	4.09E-02	3.47E-02	
1.9332	1.7781	1.6863	1.6309	1.4939	1.5245	1.4395	1.3475	1.3995	1.3413	1.2990	
1.02E-01	1.36E-01	1.59E-01	1.73E-01	2.09E-01	2.01E-01	2.23E-01	2.46E-01	2.33E-01	2.48E-01	2.58E-01	
(4.96E+02)	1.70E+04	9.36E+04	5.82E+04	1.79E+04	1.48E+04	2.49E+04	2.36E+03	3.46E+03	1.03E+04	7.80E+03	
4.46E+02*	1.67E+04	9.38E+04	5.86E+04	1.79E+04	1.47E+04	2.50E+04	2.44E+03*	3.36E+03	1.02E+04	7.79E+03	
19	.4406	.4634	.4880	.5145	.5431	.5739	.6072	.6430	.6816	.7231	.7675
	22696.9	21578.7	20491.5	19436.1	18413.4	17424.4	16470.2	15552.1	14671.5	13830.0	13029.4
2.91E-05	3.52E-03	6.93E-02	2.77E-01	1.14E-01	6.56E-02	1.80E-02	7.01E-02	2.04E-02	1.82E-03	2.73E-02	
2.2510	1.9478	1.7912	1.7002	1.6514	1.5204	1.5669	1.4594	1.3910	1.4652	1.3593	
4.85E-02	9.86E-02	1.33E-01	1.56E-01	1.68E-01	2.02E-01	1.90E-01	2.18E-01	2.36E-01	2.17E-01	2.43E-01	
(1.62E+00)	(6.96E+02)	2.14E+04	9.96E+04	4.08E+04	2.88E+04	5.87E+03	2.54E+04	7.25E+03	4.57E+02	7.26E+03	
4.29E-01*	6.22E+02*	2.11E+04	1.00E+05	4.12E+04	2.86E+04	5.84E+03	2.54E+04	7.36E+03	4.20E+02*	7.13E+03	
20	.4196	.4403	.4624	.4862	.5116	.5389	.5681	.5993	.6327	.6683	.7061
	23829.6	22711.4	21624.2	20568.9	19546.2	18557.1	17602.9	16684.8	15804.2	14962.7	14162.1
7.50E-09	4.62E-05	5.09E-03	8.85E-02	2.95E-01	7.40E-02	8.91E-02	3.27E-03	6.02E-02	3.56E-02	7.94E-04	
-1.3019	2.2669	1.9625	1.8048	1.7149	1.6772	1.5420	1.6887	1.4820	1.4176	1.2792	
6.05E-03	4.65E-02	9.56E-02	1.30E-01	1.52E-01	1.61E-01	1.97E-01	1.58E-01	2.12E-01	2.29E-01	2.62E-01	
(7.53E-06)	(2.37E+00)	(9.53E+02)	2.64E+04	1.03E+05	2.50E+04	3.80E+04	7.72E+02	2.17E+04	1.27E+04	(3.14E+02)	
8.09E-02*	5.79E-01*	8.47E+02*	2.60E+04	1.03E+05	2.53E+04	3.79E+04	7.62E+02*	2.16E+04	1.28E+04	3.52E+02*	
21	.4011	.4200	.4401	.4615	.4844	.5087	.5347	.5623	.5916	.6226	.6552
	24929.3	23811.1	22723.9	21668.5	20645.8	19656.8	18702.6	17784.5	16903.9	16062.4	15261.8
9.58E-09	5.78E-09	7.19E-05	7.21E-03	1.11E-01	5.05E-01	4.04E-02	1.04E-01	4.50E-04	4.25E-02	4.58E-02	
1.0010	-2.5718	2.2823	1.9774	1.8191	1.7307	1.7140	1.5613	1.0296	1.5099	1.4420	
3.11E-01	1.16E-05	4.47E-02	9.26E-02	1.27E-01	1.48E-01	1.52E-01	1.91E-01	3.08E-01	2.05E-01	2.23E-01	
2.91E-02	(2.13E-11)	(3.41E+00)	(1.28E+03)	3.17E+04	1.03E+05	1.24E+04	4.36E+04	(4.17E+02)	1.50E+04	1.64E+04	
3.16E-02*	9.80E-02*	7.73E-01*	1.13E+03*	3.12E+04	1.04E+05	1.27E+04	4.34E+04	4.79E+02*	1.49E+04	1.64E+04	

*The Einstein coefficients for this band may have limited accuracy, since the Franck-Condon factor is less than 0.01 (see text).

Table 4. Radiative transition parameters for N₂ W $^3\Delta_u$ -B $^3\Pi_g$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$.

$V' \setminus V''$	0	1	2	3	4	5	6	7	8	9	10
0	136.1044	-6.1281	-3.0229	-2.0180	-1.5212	-1.2250	-1.0285	-.8886	-.7839	-.7028	-.6381
	73.5	-1631.8	-3308.1	-4955.4	-6573.7	-8163.0	-9723.2	-11254.3	-12756.1	-14228.5	-15671.4
4.67E-01	3.88E-01	1.24E-01	1.95E-02	1.55E-03	5.70E-05	7.17E-07	2.83E-10	6.25E-11	1.79E-13	1.93E-14	
1.2504	1.2982	1.3528	1.4177	1.4990	1.6124	1.8164	3.5359	1.5555	2.6617	1.4711	
2.88E-01	2.73E-01	2.56E-01	2.33E-01	2.04E-01	1.65E-01	1.02E-01	1.45E-05	1.84E-01	3.82E-03	2.14E-01	
3.11E-02	-2.55E+02	-5.95E+02	-2.61E+02	-3.72E+01	-1.71E+00	(-1.38E-02)(-1.71E-13)	(-8.94E-06)(-1.52E-11)	(-6.92E-09)			
3.10E-02	-2.55E+02	-5.98E+02	-2.63E+02	-3.74E+01*	-1.67E+00*	-1.04E-02*	-2.05E-04*	-6.21E-06*	-6.83E-08*	-4.15E-09*	
1	6.4311	-66.5097	-5.4745	-2.8786	-1.9638	-1.4967	-1.2133	-1.0232	-.8869	-.7845	-.7047
	1554.9	-150.4	-1826.6	-3473.9	-5092.2	-6681.5	-8241.7	-9772.8	-11274.6	-12747.0	-14189.9
3.23E-01	2.73E-02	3.43E-01	2.42E-01	5.93E-02	6.36E-03	2.91E-04	4.09E-06	4.91E-10	5.99E-10	6.99E-13	
1.2089	1.2757	1.3083	1.3617	1.4265	1.5085	1.6243	1.8408	5.4968	1.6163	3.3927	
3.00E-01	2.80E-01	2.70E-01	2.53E-01	2.30E-01	2.01E-01	1.61E-01	9.53E-02	1.70E-14	1.63E-01	4.20E-05	
2.20E+02	-1.48E-02	-3.09E+02	-1.31E+03	-8.40E+02	-1.56E+02	-8.52E+00	(-7.03E-02)(-4.11E-31)	(-6.72E-05)(-7.15E-15)			
2.21E+02	-1.44E-02	-3.08E+02	-1.31E+03	-8.46E+02	-1.56E+02*	-8.33E+00*	-4.96E-02*	-1.92E-03*	-4.42E-05*	-1.11E-06*	
2	3.3206	7.6556	-27.0233	-4.9570	-2.7506	-1.9139	-1.4738	-1.2025	-1.0185	-.8857	-.7853
	3011.5	1306.2	-370.1	-2017.3	-3635.6	-5224.9	-6785.1	-8316.2	-9818.0	-11290.5	-12733.4
1.39E-01	2.11E-01	2.39E-02	1.92E-01	3.05E-01	1.12E-01	1.57E-02	8.60E-04	1.31E-05	2.13E-11	3.07E-09	
1.1727	1.2189	1.2372	1.3208	1.3711	1.4355	1.5182	1.6367	1.8683	-35.1380	1.6765	
3.09E-01	2.97E-01	2.92E-01	2.66E-01	2.49E-01	2.27E-01	1.98E-01	1.57E-01	8.83E-02	0.00E+00	1.44E-01	
7.36E+02	8.40E+01	-2.09E-01	-2.26E+02	-1.85E+03	-1.67E+03	-3.88E+02	-2.46E+01	(-1.97E-01)(0.00E+00)(-2.64E-04)			
7.39E+02	8.37E+01	-2.15E-01	-2.24E+02	-1.85E+03	-1.68E+03	-3.90E+02	-2.39E+01*	-1.26E-01*	-9.67E-03*	-1.59E-04*	
3	2.2505	3.6522	9.4180	-17.0795	-4.5376	-2.6364	-1.8680	-1.4526	-1.1924	-1.0143	-.8848
	4443.4	2738.1	1061.8	-585.5	-2203.8	-3793.1	-5353.3	-6884.4	-8386.2	-9858.6	-11301.5
4.91E-02	1.95E-01	6.89E-02	1.07E-01	6.86E-02	3.11E-01	1.69E-01	3.01E-02	1.93E-03	3.11E-05	9.53E-09	
1.1405	1.1809	1.2330	1.2590	1.3397	1.3812	1.4448	1.5281	1.6496	1.8995	-1.2926	
3.16E-01	3.07E-01	2.93E-01	2.85E-01	2.60E-01	2.46E-01	2.24E-01	1.94E-01	1.52E-01	8.08E-02	3.23E-04	
8.73E+02	7.62E+02	1.43E+01	-3.54E+00	-1.00E+02	-2.08E+03	-2.62E+03	-7.49E+02	-5.36E+01	(-3.94E-01)(-2.91E-09)		
8.79E+02	7.63E+02	1.41E+01	-3.57E+00	-9.87E+01	-2.08E+03	-2.64E+03	-7.52E+02	-5.19E+01*	-2.19E-01*	-3.48E-02*	
4	1.7092	2.4124	4.0502	12.1693	-12.5540	-4.1914	-2.5342	-1.8258	-1.4329	-1.1832	-1.0107
	5850.6	4145.3	2669.0	821.7	-796.6	-2385.8	-3946.1	-5477.1	-6978.9	-8451.4	-9894.3
1.55E-02	1.07E-01	1.62E-01	4.31E-03	1.54E-01	8.57E-03	2.75E-01	2.21E-01	4.93E-02	3.65E-03	6.00E-05	
1.1115	1.1480	1.1899	1.2842	1.2708	1.3962	1.3922	1.4545	1.5383	1.6631	1.9357	
3.22E-01	3.15E-01	3.05E-01	2.78E-01	2.82E-01	2.41E-01	2.42E-01	2.20E-01	1.91E-01	1.48E-01	7.26E-02	
6.53E+02	1.52E+03	4.57E+02	3.74E-01	-1.26E+01	-1.37E+01	-2.01E+03	-3.56E+03	-1.23E+03	-9.75E+01	(-6.21E-01)	
6.60E+02	1.53E+03	4.55E+02	3.46E-01*	-1.26E+01	-1.29E+01*	-2.00E+03	-3.58E+03	-1.24E+03	-9.41E+01*	-2.74E-01*	
5	1.3825	1.8090	2.5962	4.5362	17.0594	-9.9691	-3.9012	-2.4424	-1.7869	-1.4147	-1.1749
	7233.4	5528.1	3851.8	2204.5	586.2	-1003.1	-2563.3	-4094.4	-5596.2	-7068.6	-8511.5
4.61E-03	4.60E-02	1.37E-01	9.29E-02	9.44E-03	1.49E-01	2.90E-03	2.17E-01	2.63E-01	7.27E-02	6.09E-03	
1.0850	1.1187	1.1559	1.2005	1.1959	1.2819	1.2027	1.4047	1.4645	1.5488	1.6773	
3.27E-01	3.21E-01	3.13E-01	3.02E-01	3.03E-01	2.78E-01	3.01E-01	2.38E-01	2.17E-01	1.87E-01	1.43E-01	
3.79E+02	1.62E+03	1.55E+03	1.84E+02	3.53E-01	-2.36E+01	-8.98E+00	-1.70E+03	-4.38E+03	-1.82E+03	-1.56E+02	
3.83E+02*	1.63E+03	1.55E+03	1.82E+02	3.72E-01*	-2.35E+01	-9.97E+00*	-1.69E+03	-4.40E+03	-1.82E+03	-1.50E+02*	
6	1.1639	1.4521	1.9193	2.8067	5.1426	28.1484	-8.2991	-3.6549	-2.3597	-1.7512	-1.3980
	8591.7	6886.4	5210.1	3562.8	1944.5	355.3	-1205.0	-2736.0	-4237.8	-5710.3	-7153.2
1.33E-03	1.74E-02	7.90E-02	1.31E-01	3.34E-02	4.59E-02	1.10E-01	2.91E-02	1.52E-01	2.92E-01	9.92E-02	
1.0607	1.0921	1.1260	1.1642	1.2162	1.2258	1.2940	1.2989	1.4195	1.4750	1.5596	
3.31E-01	3.26E-01	3.19E-01	3.11E-01	2.98E-01	2.95E-01	2.75E-01	2.73E-01	2.33E-01	2.13E-01	1.83E-01	
1.87E+02	1.22E+03	2.31E+03	1.16E+03	4.41E+01	3.63E-01	-2.94E+01	-9.01E+01	-1.27E+03	-5.00E+03	-2.46E+03	
1.90E+02*	1.24E+03	2.32E+03	1.16E+03	4.30E+01	3.69E-01	-2.91E+01	-9.25E+01	-1.26E+03	-5.02E+03	-2.47E+03	
7	1.0075	1.2165	1.5281	2.0421	3.0501	5.9196	77.4629	-7.1328	-3.4438	-2.2851	-1.7185
	9925.8	8220.5	6544.2	4896.9	3278.6	1689.3	129.1	-1402.0	-2903.8	-4376.2	-5819.1
3.78E-04	6.09E-03	3.73E-02	1.01E-01	9.83E-02	3.44E-03	8.13E-02	6.27E-02	6.56E-02	9.47E-02	3.08E-01	
1.0384	1.0677	1.0992	1.1337	1.1734	1.2656	1.2393	1.3090	1.3215	1.4384	1.4860	
3.35E-01	3.30E-01	3.25E-01	3.18E-01	3.09E-01	2.83E-01	2.91E-01	2.70E-01	2.66E-01	2.26E-01	2.09E-01	
8.38E+01	7.48E+02	2.23E+03	2.43E+03	6.68E+02	2.70E+00	3.00E-02	-2.55E+01	-2.30E+02	-8.21E+02	-5.38E+03	
8.53E+01*	7.58E+02*	2.25E+03	2.44E+03	6.64E+02	2.47E+00*	3.03E-02	-2.50E+01	-2.33E+02	-8.12E+02	-5.39E+03	

Table 4. Radiative transition parameters for $N_2 W^3\Delta_u - B^3\Pi_g$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$. — Continued

$V' \backslash V''$	11	12	13	14	15	16	17	18	19	20	21
0	-.5853	-.5415	-.5045	-.4730	-.4457	-.4220	-.4012	-.3828	-.3665	-.3519	-.3387
	-17084.6	-18467.8	-19820.8	-21143.4	-22435.3	-23696.1	-24925.4	-26123.0	-27288.3	-28421.1	-29520.7
	1.36E-16	2.82E-17	1.19E-17	1.30E-17	1.15E-16	1.98E-17	1.23E-16	4.55E-16	2.75E-16	2.71E-19	3.55E-16
	2.3841	1.3515	1.8307	1.1748	1.4071	1.7176	1.1610	1.2731	1.3329	-1.4147	1.2060
	1.41E-02	2.56E-01	9.80E-02	3.08E-01	2.37E-01	1.30E-01	3.12E-01	2.81E-01	2.62E-01	1.45E-04	3.00E-01
	(-2.74E-13)(-2.36E-11)(-1.80E-12)(-2.37E-11)	(-1.47E-10)	(-9.09E-12)	(-3.74E-10)	(-1.30E-09)	(-7.77E-10)	(-2.66E-19)	(-1.67E-09)			
	-1.42E-11*	-2.14E-11*	-1.46E-12*	-2.66E-11*	-1.57E-10*	-1.28E-11*	-3.77E-10*	-1.30E-09*	-7.91E-10*	-1.30E-11*	-1.66E-09*
1	-.6409	-.5887	-.5453	-.5086	-.4772	-.4502	-.4265	-.4058	-.3875	-.3712	-.3566
	-15603.1	-16986.3	-18339.4	-19662.0	-20953.8	-22214.6	-23443.9	-24641.5	-25806.9	-26939.6	-28039.3
	2.78E-13	4.33E-17	3.55E-15	7.72E-16	2.81E-16	1.89E-15	1.67E-15	2.88E-16	1.57E-16	1.18E-15	1.71E-15
	1.5623	7.2107	1.4228	1.3136	1.6117	1.2070	1.2128	1.2404	1.1221	1.1690	1.1817
	1.82E-01	2.87E-26	2.31E-01	2.68E-01	3.11E-01	3.00E-01	2.98E-01	2.91E-01	3.20E-01	3.10E-01	3.07E-01
	(-7.08E-08)(0.00E+00)	-2.37E-09	-8.57E-10	-5.07E-10	-3.78E-09	-3.88E-09	-7.37E-10	-5.60E-10	-4.47E-09	-7.17E-09	
	-3.97E-08*	-1.25E-09*	-2.33E-09*	-9.42E-10*	-4.65E-10*	-3.72E-09*	-3.88E-09*	-7.51E-10*	-5.57E-10*	-4.46E-09*	-7.13E-09*
2	-.7069	-.6439	-.5923	-.5493	-.5129	-.4817	-.4548	-.4313	-.4107	-.3924	-.3762
	-14146.5	-15529.7	-16882.8	-18205.4	-19497.2	-20758.0	-21987.3	-23184.9	-24350.3	-25483.0	-26582.7
	4.14E-13	1.52E-12	1.82E-15	8.53E-16	1.45E-15	4.43E-15	2.48E-15	1.70E-17	1.89E-15	4.77E-15	4.15E-15
	7.2072	1.6800	-.8581	2.3934	1.0616	1.2007	1.2332	1.7327	1.1577	1.1787	1.1715
	3.06E-26	1.42E-01	3.89E-03	1.36E-02	3.31E-01	3.02E-01	2.93E-01	1.26E-01	3.12E-01	3.07E-01	3.09E-01
	(0.00E+00)(-2.33E-07)(-2.69E-13)(-1.92E-12)	-2.38E-09	-7.31E-09	-4.57E-09	(-6.82E-12)	-5.39E-09	-1.51E-08	-1.51E-08			
	-8.76E-06*	-9.08E-08*	-1.57E-08*	-1.06E-10*	-2.30E-09*	-6.96E-09*	-4.48E-09*	-1.12E-11*	-5.32E-09*	-1.49E-08*	-1.48E-08*
3	-.7865	-.7093	-.6472	-.5962	-.5535	-.5174	-.4865	-.4597	-.4363	-.4158	-.3976
	-12714.7	-14097.9	-15450.9	-16773.5	-18065.4	-19326.1	-20555.5	-21753.1	-22918.4	-24051.2	-25150.8
	1.12E-08	1.95E-12	7.31E-12	1.28E-13	1.62E-15	1.79E-15	5.51E-17	1.53E-15	4.92E-15	6.49E-15	5.41E-15
	1.7371	-3.5191	1.7557	.8232	-.7847	.9097	1.2572	1.1105	1.1109	1.0994	1.0831
	1.25E-01	1.73E-13	1.19E-01	3.41E-01	5.61E-03	3.44E-01	2.86E-01	3.23E-01	3.23E-01	3.25E-01	3.28E-01
	(-7.21E-04)(-3.33E-31)(-7.74E-07)(-1.42E-07)(-6.12E-13)(-3.10E-09)(-7.93E-11)	-3.31E-09	-1.25E-08	-1.93E-08	-3.58E-09*	-2.82E-11*	-3.48E-09*	-1.25E-08*	-1.91E-08*	-1.85E-08*	
	-3.78E-04*	-4.44E-05*	-2.10E-07*	-1.97E-07*	-1.92E-08*	-3.58E-09*	-2.82E-11*	-3.48E-09*	-1.25E-08*	-1.91E-08*	-1.85E-08*
4	-.8844	-.7880	-.7121	-.6508	-.6003	-.5581	-.5222	-.4915	-.4649	-.4416	-.4212
	-11307.4	-12690.7	-14043.7	-15366.3	-16658.1	-17918.9	-19148.3	-20345.8	-21511.2	-22643.9	-23743.6
	9.05E-08	3.18E-08	5.50E-11	2.59E-11	7.91E-13	8.98E-16	8.00E-15	9.78E-15	1.21E-14	1.37E-14	1.45E-14
	.2061	1.8022	-.0527	1.8454	1.0576	6.7755	1.5286	1.1170	1.0403	1.0218	1.0196
	1.71E-01	1.06E-01	9.23E-02	9.41E-02	3.32E-01	6.27E-23	1.94E-01	3.21E-01	3.34E-01	3.37E-01	3.37E-01
	(-7.76E-03)(-1.47E-03)(-2.63E-06)(-1.68E-06)(-8.16E-07)(0.00E+00)	-4.28E-09	-1.72E-08	-2.72E-08	-3.66E-08	-4.46E-08	-2.72E-08	-3.66E-08	-4.46E-08		
	-1.00E-01*	-5.99E-04*	-1.67E-04*	-1.65E-07*	-7.40E-07*	-2.91E-08*	-4.58E-09*	-1.88E-08*	-2.90E-08*	-3.78E-08*	-4.50E-08*
5	-1.0076	-.8843	-.7898	-.7151	-.6546	-.6047	-.5629	-.5273	-.4968	-.4703	-.4472
	-9924.7	-11307.9	-12661.0	-13983.6	-15275.4	-16536.2	-17765.5	-18963.1	-20128.5	-21261.2	-22360.9
	9.93E-05	4.43E-07	7.49E-08	4.51E-10	6.57E-11	3.15E-12	1.56E-14	6.48E-14	5.47E-14	5.83E-14	6.74E-14
	1.9786	.7464	1.8745	.7151	1.9845	1.2415	3.5411	1.4036	1.0737	1.0056	1.0046
	6.37E-02	3.32E-01	8.68E-02	3.27E-01	6.25E-02	2.90E-01	1.39E-05	2.38E-01	3.29E-01	3.38E-01	3.39E-01
	(-7.97E-01)(-1.43E-01)(-2.32E-03)(-2.68E-04)(-1.85E-06)(-2.44E-06)(-3.45E-17)(-5.08E-08)	-9.80E-08	-1.30E-07	-1.75E-07	-2.99E-07	-5.62E-07	-7.24E-07				
	-2.29E-01*	-2.43E-01*	-5.50E-04*	-5.16E-04*	-2.47E-07*	-1.74E-06*	-5.07E-08*	-4.45E-08*	-1.02E-07*	-1.39E-07*	-1.81E-07*
6	-1.1674	-1.0051	-.8848	-.7921	-.7185	-.6589	-.6095	-.5680	-.5328	-.5024	-.4761
	-8566.3	-9949.6	-11302.6	-12625.2	-13917.0	-15177.8	-16407.2	-17604.7	-18770.1	-19902.8	-21002.5
	9.29E-03	1.44E-04	1.55E-06	1.506E-07	2.30E-09	1.30E-10	1.16E-11	3.46E-14	3.40E-13	3.24E-13	3.39E-13
	1.6923	2.0310	1.0316	1.9584	1.0624	2.1819	1.4170	3.5677	1.3506	1.0726	1.0176
	1.38E-01	5.38E-02	3.35E-01	6.78E-02	3.31E-01	3.18E-02	2.33E-01	1.14E-05	2.56E-01	3.29E-01	3.37E-01
	-2.27E+02	(-8.35E-01)	-5.12E-01	(-2.81E-03)	-1.38E-03	(-9.25E-07)	(-5.67E-06)	(-4.93E-17)	(-2.99E-07)	-5.62E-07	-7.24E-07
	-2.16E+02*	-8.28E-02*	-5.17E-01*	-1.04E-04*	-1.35E-03*	-8.58E-06*	-3.38E-06*	-1.14E-07*	-2.41E-07*	-5.62E-07*	-7.53E-07*
7	-1.3827	-1.1607	-1.0032	-.8856	-.7947	-.7223	-.6634	-.6146	-.5735	-.5385	-.5084
	-7232.3	-8615.5	-9968.6	-11291.1	-12583.0	-13843.8	-15073.1	-16270.7	-17436.1	-18568.8	-19668.4
	1.28E-01	1.32E-02	1.86E-04	4.40E-06	2.56E-07	8.78E-09	1.83E-10	3.57E-11	7.44E-14	1.63E-12	1.60E-12
	1.5708	1.7081	2.0976	1.2131	2.0635	1.2702	2.5240	1.5880	3.1578	1.3087	1.0827
	1.79E-01	1.33E-01	4.30E-02	2.98E-01	4.83E-02	2.82E-01	7.51E-03	1.73E-01	2.12E-04	2.70E-01	3.28E-01
	-3.14E+03	-3.04E+02	(-6.91E-01)	(-1.14E+00)	(-2.41E-03)	(-3.75E-03)	(-7.18E-08)	(-9.34E-06)	(-3.59E-14)	(-1.54E-06)	-2.65E-06
	-3.14E+03	-2.88E+02	-8.19E-03*	-9.78E-01*	-5.67E-04*	-3.00E-03*	-6.42E-05*	-4.24E-06*	-1.20E-07*	-1.21E-06*	-2.55E-06*

Table 4. Radiative transition parameters for $N_2 W^3\Delta_u - B^3\Pi_g$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$. - Continued

$V'V''$	0	1	2	3	4	5	6	7	8	9	10
8	.8900	1.0493	1.2732	1.6112	2.1794	3.3343	6.9497	-108.4975	-6.2736	-3.2611	-2.2176
	11235.6	9530.3	7854.0	6206.7	4588.4	2999.1	1438.9	-92.2	-1594.0	-3066.4	-4509.3
1.07E-04	2.04E-03	1.56E-02	5.92E-02	1.05E-01	5.73E-02	2.81E-03	9.88E-02	2.48E-02	9.74E-02	4.98E-02	
1.0177	1.0453	1.0747	1.1065	1.1416	1.1844	1.1449	1.2503	1.3328	1.3358	1.4658	
3.37E-01	3.34E-01	3.29E-01	3.23E-01	3.16E-01	3.06E-01	3.15E-01	2.88E-01	2.62E-01	2.61E-01	2.16E-01	
3.51E+01	3.99E+02	1.66E+03	3.00E+03	2.06E+03	2.93E+02	1.69E+00	-1.30E-02	-1.40E+01	-3.88E+02	-4.33E+02	
3.57E+01*	4.05E+02*	1.68E+03	3.02E+03	2.06E+03	2.89E+02	1.86E+00*	-1.30E-02	-1.35E+01	-3.91E+02	-4.26E+02	
9	.7986	.9246	1.0941	1.3347	1.7024	2.3339	3.6704	8.3791	-32.4286	-5.6154	-3.1020
	12521.2	10815.9	9139.6	7492.3	5874.0	4284.7	2724.5	1193.4	-308.4	-1780.8	-3223.7
3.07E-05	6.68E-04	6.10E-03	2.94E-02	7.66E-02	9.22E-02	2.31E-02	2.06E-02	9.57E-02	4.10E-03	1.17E-01	
.9986	1.0246	1.0523	1.0819	1.1140	1.1501	1.2001	1.1958	1.2610	1.4012	1.3478	
3.39E-01	3.36E-01	3.33E-01	3.28E-01	3.22E-01	3.14E-01	3.02E-01	3.03E-01	2.85E-01	2.39E-01	2.57E-01	
1.41E+01	1.94E+02	1.04E+03	2.70E+03	3.26E+03	1.45E+03	8.61E+01	6.52E+00	-4.61E-01	-2.68E+00	-5.25E+02	
1.43E+01*	1.97E+02*	1.06E+03*	2.72E+03	3.27E+03	1.45E+03	8.36E+01	6.73E+00	-4.59E-01	-2.44E+00*	-5.26E+02	
10	.7255	.8280	.9614	1.1424	1.4014	1.8030	2.5088	4.0735	10.4922	-19.2549	-5.0962
	13782.6	12077.3	10401.1	8753.8	7135.5	5546.2	3986.0	2454.9	953.1	-519.3	-1962.2
8.89E-06	2.16E-04	2.28E-03	1.32E-02	4.50E-02	8.45E-02	6.78E-02	3.79E-03	4.37E-02	7.76E-02	5.15E-04	
.9809	1.0054	1.0315	1.0593	1.0891	1.1217	1.1594	1.2400	1.2122	1.2725	1.0226	
3.41E-01	3.39E-01	3.35E-01	3.32E-01	3.27E-01	3.20E-01	3.12E-01	2.91E-01	2.99E-01	2.81E-01	3.37E-01	
5.48E+00	8.85E+01	5.84E+02	1.98E+03	3.54E+03	3.00E+03	8.47E+02	9.61E+00	6.84E+00	-1.74E+00	(-8.94E-01)	
5.60E+00*	9.02E+01*	5.94E+02*	2.00E+03	3.56E+03	3.00E+03	8.39E+02	8.86E+00*	6.95E+00	-1.73E+00	-1.23E+00*	
11	.6658	.7511	.8592	1.0009	1.1943	1.4742	1.9145	2.7084	4.5654	13.9282	-13.7945
	15020.0	13314.7	11638.4	9991.1	8372.8	6783.5	5223.3	3692.2	2190.4	718.0	-724.9
2.62E-06	7.00E-05	8.27E-04	5.60E-03	2.33E-02	5.89E-02	8.13E-02	4.06E-02	5.35E-04	6.20E-02	5.29E-02	
.9645	.9876	1.0122	1.0385	1.0664	1.0965	1.1298	1.1705	1.0506	1.2241	1.2857	
3.42E-01	3.40E-01	3.38E-01	3.35E-01	3.30E-01	3.25E-01	3.19E-01	3.09E-01	3.33E-01	2.95E-01	2.77E-01	
2.10E+00	3.87E+01	3.02E+02	1.27E+03	3.02E+03	3.94E+03	2.38E+03	3.97E+02	(1.26E+00)	4.06E+00	-3.14E+00	
2.15E+00*	3.95E+01*	3.07E+02*	1.28E+03*	3.05E+03	3.96E+03	2.38E+03	3.90E+02	1.59E+00*	4.09E+00	-3.08E+00	
12	.6160	.6883	.7781	.8925	1.0432	1.2505	1.5536	2.0386	2.9381	5.1783	20.4814
	16233.1	14527.8	12851.6	11204.3	9586.0	7996.7	6436.5	4905.4	3403.6	1931.1	488.2
7.83E-07	2.27E-05	2.96E-04	2.27E-03	1.11E-02	3.48E-02	6.76E-02	6.85E-02	1.79E-02	9.27E-03	7.03E-02	
.9490	.9709	.9943	1.0191	1.0455	1.0736	1.1041	1.1383	1.1857	1.1677	1.2347	
3.43E-01	3.41E-01	3.40E-01	3.37E-01	3.34E-01	3.29E-01	3.24E-01	3.17E-01	3.06E-01	3.10E-01	2.92E-01	
7.97E-01	1.65E+01	1.47E+02	7.34E+02	2.20E+03	3.91E+03	3.83E+03	1.64E+03	1.34E+02	1.30E+01	1.42E+00	
8.16E-01*	1.68E+01*	1.50E+02*	7.46E+02*	2.22E+03	3.95E+03	3.84E+03	1.63E+03	1.29E+02	1.37E+01*	1.42E+00	
13	.5740	.6363	.7122	.8069	.9281	1.0886	1.3114	1.6408	2.1774	3.2050	5.9621
	17422.2	15716.8	14040.6	12393.3	10775.0	9185.7	7625.5	6094.4	4592.6	3120.2	1677.3
2.38E-07	7.42E-06	1.06E-04	8.95E-04	4.97E-03	1.86E-02	4.59E-02	6.94E-02	5.01E-02	4.05E-03	2.38E-02	
.9342	.9552	.9775	1.0011	1.0261	1.0526	1.0810	1.1119	1.1477	1.2182	1.1890	
3.43E-01	3.42E-01	3.41E-01	3.39E-01	3.36E-01	3.33E-01	3.28E-01	3.22E-01	3.15E-01	2.97E-01	3.05E-01	
3.00E-01	6.85E+00	6.88E+01	3.97E+02	1.42E+03	3.23E+03	4.44E+03	3.30E+03	9.73E+02	2.20E+01	2.11E+01	
3.08E-01*	7.01E+00*	7.03E+01*	4.04E+02*	1.45E+03*	3.26E+03	4.47E+03	3.31E+03	9.62E+02	2.04E+01*	2.17E+01	
14	.5580	.5924	.6577	.7376	.8375	.9661	1.1376	1.3776	1.7369	2.3337	3.5186
	18587.0	16881.7	15205.4	13558.1	11939.8	10350.5	8790.3	7259.2	5757.4	4285.0	2842.1
7.30E-08	2.44E-06	3.75E-05	3.48E-04	2.15E-03	9.23E-03	2.74E-02	5.43E-02	6.38E-02	3.07E-02	1.37E-05	
.9193	.9401	.9616	.9842	1.0079	1.0331	1.0598	1.0884	1.1200	1.1586	.3696	
3.44E-01	3.43E-01	3.42E-01	3.40E-01	3.38E-01	3.35E-01	3.31E-01	3.27E-01	3.21E-01	3.12E-01	2.29E-01	
1.12E-01	2.80E+00	3.12E+01	2.04E+02	8.49E+02	2.33E+03	4.15E+03	4.49E+03	2.54E+03	4.77E+02	(3.34E-02)	
1.15E-01*	2.87E+00*	3.20E+01*	2.08E+02*	8.64E+02*	2.36E+03*	4.19E+03	4.51E+03	2.53E+03	4.68E+02	3.25E-01*	
15	.5069	.5549	.6118	.6803	.7645	.8702	1.0070	1.1905	1.4497	1.8431	2.5109
	19727.5	18022.2	16345.9	14698.7	13080.4	11491.1	9930.9	8399.8	6898.0	5425.5	3982.6
2.25E-08	8.07E-07	1.33E-05	1.34E-04	9.09E-04	4.37E-03	1.50E-02	3.64E-02	5.83E-02	5.26E-02	1.45E-02	
.9037	.9251	.9463	.9681	.9909	1.0149	1.0402	1.0671	1.0960	1.1285	1.1731	
3.44E-01	3.44E-01	3.43E-01	3.42E-01	3.40E-01	3.37E-01	3.34E-01	3.30E-01	3.25E-01	3.19E-01	3.09E-01	
4.14E-02	1.13E+00	1.39E+01	1.00E+02	4.76E+02	1.53E+03	3.34E+03	4.77E+03	4.10E+03	1.73E+03	1.77E+02	
4.26E-02*	1.16E+00*	1.42E+01*	1.03E+02*	4.85E+02*	1.55E+03*	3.38E+03	4.80E+03	4.11E+03	1.72E+03	1.71E+02	

Table 4. Radiative transition parameters for $N_2 W^3\Delta_u - B^3\Pi_g$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_v'' dr$. — Continued

$v' \backslash v''$	11	12	13	14	15	16	17	18	19	20	21
8	-1.6885 -5922.5 3.12E-01 1.4977 2.05E-01 -5.51E+03 -5.53E+03	-1.3688 -7305.7 1.57E-01 1.5824 1.28E-01 -3.80E+03 -3.80E+03	-1.1549 -8658.8 1.76E-02 1.7250 3.11E-02 -3.80E+02 -3.57E+02	-1.0019 -9981.3 1.07E-04 2.1871 2.59E-01 (-4.17E-01) (-2.07E+00)	-0.8871 -11273.2 3.68E-07 1.3432 2.2075 (-1.22E-03) (-7.89E-03)	-0.7978 -12534.0 2.74E-08 1.4174 2.88E-02 (-7.59E-13) (-9.67E-06)	-0.7266 -13763.3 1.37E-10 3.4454 2.33E-01 (-1.18E-10) (-1.18E-10)	-0.6684 -14960.9 8.94E-11 1.7769 2.86E-05 (-5.75E-06) (-5.75E-06)	-0.6201 -16126.2 9.58E-14 2.4432 1.13E-01 1.09E-02 -1.60E-06	-0.5794 -17259.0 5.88E-12 1.2793 1.09E-01 2.79E-01 -7.38E-09	-0.5447 -18358.6 5.88E-12 1.2793 1.09E-01 2.79E-01 -4.50E-06*
9	-2.1566 -4636.9 2.01E-02 1.5147 1.99E-01 -1.60E+02 -1.56E+02	-1.6611 -6020.1 3.06E-01 1.5102 2.00E-01 -5.44E+03 -5.46E+03	-1.3563 -7373.1 1.86E-01 1.5944 1.23E-01 -4.41E+03 -4.42E+03	-1.1500 -8695.7 2.23E-02 1.7431 1.88E-02 -4.48E+02 -4.47E+02	-1.0012 -9987.6 2.13E-04 2.3165 2.24E-01 (-1.51E-01) (-3.30E+00)	-0.8890 -11248.3 2.28E-05 1.4446 1.14E-02 (-2.17E-04) (-2.17E-04)	-0.8014 -12477.7 4.26E-07 2.4332 1.92E-01 0.00E+00 -3.85E-02*	-0.7312 -13675.3 7.29E-08 1.5347 1.92E-01 0.00E+00 -9.27E-03*	-0.6738 -14840.6 1.16E-12 33.3270 1.00E-00 5.81E-02 -1.07E-03*	-0.6260 -15973.4 1.84E-10 2.0076 1.40E-45 0.00E+00 -2.52E-06*	-0.5857 -17073.0 1.84E-15 -7.5240 1.40E-45 0.00E+00 -4.28E-07*
10	-2.9626 -3375.4 1.22E-01 1.3590 2.53E-01 -6.12E+02 -6.10E+02	-2.1014 -4758.6 2.93E-01 1.6521 1.96E-01 -5.20E+03 -2.02E+01*	-1.6362 -6111.7 2.14E-01 1.5236 1.67E-01 -4.95E+03 -5.22E+03	-1.3451 -7434.3 2.71E-02 1.6069 1.17E-01 -4.99E+02 -4.47E+02	-1.1460 -8726.1 1.78E-04 1.7627 7.40E-03 (-1.96E-02) (-4.73E+00)	-1.0013 -9986.9 4.41E-05 2.5273 1.94E-01 (-4.73E+00) (-1.90E-06)	-0.8916 -11216.2 3.52E-07 1.5295 1.18E-03 (-2.08E-02) (-4.85E-06)	-0.8056 -12413.8 1.68E-07 2.8784 1.56E-01 1.22E-02 -1.28E-01*	-0.7364 -13579.2 6.43E-10 1.6382 3.42E-02 1.69E-02 -1.22E-02*	-0.6797 -14711.9 2.95E-10 -3.616 2.3409 -3.07E-03*	-0.6324 -15811.6 2.95E-10 -2.3409 1.69E-02 -6.51E-05*
11	-4.6771 -2138.1 9.60E-03 1.2505 2.88E-01 -1.58E+01 -1.66E+01*	-2.8398 -3521.3 2.83E-06 1.3700 2.50E-01 -6.37E+02 -6.33E+02	-2.0516 -4874.4 2.76E-01 -8.1663 0.00E+00 -4.84E+03 -9.38E+00*	-1.6137 -6196.9 2.41E-01 1.5380 1.91E-01 -5.40E+03 -4.87E+03	-1.3353 -7488.8 3.16E-02 1.6200 1.62E-01 (-5.26E+02) (-4.75E+02)	-1.1429 -8749.6 3.16E-02 1.7841 1.11E-01 (-1.35E-04) (-6.15E+00)	-1.0021 -9978.9 1.10E-04 2.9491 1.11E-01 (-6.15E+00) (-3.35E-17)	-0.8947 -11176.5 7.76E-05 1.6050 7.81E-04 1.67E-01 -4.59E+00*	-0.8103 -12341.8 1.30E-07 4.3788 8.23E-09 1.24E-01 -3.37E-01*	-0.7421 -13474.6 3.38E-07 1.7389 3.33E-01 1.33E-01 -1.18E-02*	-0.6861 -14574.2 5.96E-09 0.7487 3.3409 -6.51E-05*
12	-10.8118 -924.9 2.92E-02 1.3030 2.72E-01 -3.46E+00 -3.36E+00	-4.3325 -2308.1 2.54E-02 1.2844 2.46E-01 -6.04E+02 -5.01E+01	-2.7314 -3661.2 3.62E-03 1.3814 3.14E-01 -8.92E+01 -9.84E+01*	-2.0065 -4983.8 2.57E-01 1.5126 1.85E-01 -4.42E+03 -4.46E+03	-1.5935 -6275.6 2.66E-01 1.5537 1.85E-01 -5.74E+03 -5.76E+03	-1.3269 -7536.4 3.55E-02 1.6336 1.58E-01 (-5.25E+02) (-4.97E-14)	-1.1408 -8765.7 3.36E-05 1.8077 1.04E-01 (-7.22E+00) (-4.97E-14)	-1.0037 -9963.3 1.25E-04 4.3055 1.71E-08 1.44E-01 -3.38E+01*	-0.8986 -11128.7 1.68E-08 4.3055 1.6762 0.00E+00 -5.13E+00*	-0.8156 -12261.4 5.89E-07 -8.0302 1.8477 9.35E-02	-0.7484 -13361.1 5.89E-07 -1.8477 -2.49E-02 -5.91E-03*
13	37.8656 264.1 6.80E-02 1.2452 2.89E-01 2.13E-01 2.12E-01	-8.9355 -1119.1 1.16E-02 1.3317 2.72E-01 -2.26E+00 -2.15E+00	-4.0450 -2472.2 4.24E-02 1.3023 2.42E-01 -9.60E+01 -9.75E+01	-2.6352 -3794.8 8.14E-02 1.3936 2.80E-01 -5.26E+02 -5.19E+02	-1.9659 -5086.6 1.19E-02 1.2779 2.80E-01 -3.48E+02 -4.02E+02	-1.5755 -6347.4 2.39E-01 1.5708 1.79E-01 -3.97E+03 -6.01E+03	-1.3198 -7576.7 2.90E-01 1.6479 1.53E-01 (-4.93E+02) (-4.93E+02)	-1.1397 -8774.3 3.83E-02 1.8343 9.70E-02 0.00E+00 -6.01E+03	-1.0061 -9939.7 1.01E-06 -15.1450 0.00E+00 1.21E-01 -4.19E+02	-0.9031 -11072.4 1.86E-04 1.7477 1.36E-01 0.49E+00 -4.86E+00*	-0.8216 -12172.1 9.38E-07 .0993 1.36E-01 -5.32E-02
14	6.9984 1428.9 3.82E-02 1.2022 3.01E-01 2.05E+01 2.08E+01	218.9094 45.7 2.01E-03 1.2562 2.38E-01 -1.49E-01 -1.51E+02	-7.6490 -1307.4 -2629.9 1.86E-04 2.68E-01 -1.50E+02 -1.51E+02	-3.8024 -3921.8 -5182.6 6.61E-02 2.37E-01 -4.22E+02 -4.14E+02	-2.5499 -3921.8 -6411.9 6.15E-02 2.66E-01 -4.38E+02 -4.40E+02	-1.9295 -5182.6 -7609.5 2.20E-02 1.3215 -3.54E+03 -6.14E+03	-1.5596 -6411.9 -8774.8 2.22E-01 1.5893 -6.09E+03 -6.14E+03	-1.3141 -7609.5 -9939.7 3.12E-01 1.6629 -6.09E+03 -6.14E+03	-1.1396 -8774.8 -9939.7 3.97E-02 1.8648 -6.09E+03 -6.14E+03	-1.0093 -9907.6 -11072.4 1.03E-04 -.1021 -6.10E+00 -4.9E+00*	-0.9085 -11007.2 2.52E-04 1.8247 9.96E-02 -6.74E+00
15	3.8919 2569.5 4.10E-03 1.1402 3.16E-01 1.41E+01 1.52E+01*	8.4300 1186.2 4.83E-02 1.2132 2.98E-01 1.46E+01 1.47E+01	-59.9535 -166.8 1.2684 1.2684 3.43E-01 -1.51E+02 -3.16E-02	-6.7142 -1489.4 .8542 .8542 2.64E-01 -1.51E+02 -2.74E-01*	-3.5955 -2781.2 1.3265 1.4223 2.32E-01 -4.14E+02 -2.02E+02	-2.4740 -4042.0 1.3429 1.3429 2.59E-01 -4.40E+02 -3.03E+02	-1.8970 -5271.4 1.6095 1.6095 1.66E-01 -4.40E+02 -6.30E+02	-1.5459 -6468.9 1.66E-01 1.66E-01 1.43E-01 -4.40E+02 -6.30E+02	-1.3099 -7634.3 1.66E-01 1.66E-01 8.05E-02 -4.40E+02 -6.18E+03	-1.1406 -8767.0 1.9008 .8300 3.42E-01 -1.08E+02 -2.57E+02	-1.0135 -9866.7 4.75E-04 .8247 9.96E-02 -6.74E+00

Table 4. Radiative transition parameters for $N_2 W\ ^3\Delta_u - B\ ^3\Pi_g$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$. — Continued

$V'\backslash V''$	0	1	2	3	4	5	6	7	8	9	10
16	.4798	.5225	.5727	.6323	.7044	.7932	.9052	1.0509	1.2478	1.5286	1.9612
	20843.8	19138.5	17462.2	15814.9	14196.6	12607.3	11047.1	9516.0	8014.2	6541.8	5098.9
6.87E-09	2.66E-07	4.72E-06	5.10E-05	3.77E-04	2.00E-03	7.76E-03	2.20E-02	4.39E-02	5.70E-02	3.84E-02	
	.8856	.9094	.9311	.9526	.9747	.9977	1.0219	1.0473	1.0744	1.1039	1.1379
3.44E-01	3.44E-01	3.44E-01	3.43E-01	3.41E-01	3.39E-01	3.37E-01	3.33E-01	3.29E-01	3.24E-01	3.17E-01	
1.49E-02	4.48E-01	6.01E+00	4.80E+01	2.54E+02	9.34E+02	2.40E+03	4.26E+03	4.96E+03	3.39E+03	1.03E+03	
1.54E-02*	4.60E-01*	6.16E+00*	4.91E+01*	2.60E+02*	9.51E+02*	2.44E+03*	4.31E+03	4.99E+03	3.39E+03	1.02E+03	
17	.4559	.4943	.5390	.5915	.6541	.7300	.8238	.9427	1.0982	1.3100	1.6153
	21935.6	20230.3	18554.0	16906.7	15288.4	13699.2	12138.9	10607.9	9106.0	7633.6	6190.7
2.03E-09	8.68E-08	1.66E-06	1.93E-05	1.54E-04	8.92E-04	3.84E-03	1.24E-02	2.92E-02	4.87E-02	5.10E-02	
	.8628	.8917	.9153	.9373	.9591	.9815	1.0047	1.0290	1.0546	1.0819	1.1120
3.43E-01	3.44E-01	3.44E-01	3.43E-01	3.42E-01	3.41E-01	3.39E-01	3.36E-01	3.32E-01	3.28E-01	3.22E-01	
5.13E-03	1.72E-01	2.54E+00	2.23E+01	1.31E+02	5.39E+02	1.59E+03	3.37E+03	4.94E+03	4.72E+03	2.54E+03	
5.35E-03*	1.78E-01*	2.61E+00*	2.29E+01*	1.34E+02*	5.50E+02*	1.62E+03*	3.41E+03	4.98E+03	4.73E+03	2.53E+03	
18	.4347	.4695	.5096	.5564	.6114	.6772	.7572	.8565	.9830	1.1493	1.3778
	23002.9	21297.6	19621.3	17974.1	16355.8	14766.5	13206.3	11675.2	10173.4	8700.9	7258.0
5.63E-10	2.74E-08	5.76E-07	7.24E-06	6.23E-05	3.90E-04	1.84E-03	6.59E-03	1.79E-02	3.58E-02	4.98E-02	
	.8298	.8698	.8978	.9214	.9436	.9657	.9883	1.0117	1.0361	1.0619	1.0896
3.42E-01	3.44E-01	3.44E-01	3.44E-01	3.43E-01	3.42E-01	3.40E-01	3.38E-01	3.35E-01	3.31E-01	3.27E-01	
1.62E-03	6.33E-02	1.04E+00	1.01E+01	6.49E+01	2.97E+02	9.92E+02	2.42E+03	4.28E+03	5.24E+03	4.11E+03	
1.72E-03*	6.59E-02*	1.08E+00*	1.03E+01*	6.65E+01*	3.04E+02*	1.01E+03*	2.46E+03*	4.33E+03	5.28E+03	4.12E+03	
19	.4159	.4476	.4839	.5259	.5748	.6325	.7018	.7863	.8916	1.0263	1.2047
	24045.6	22340.3	20664.0	19016.8	17398.5	15809.2	14249.0	12717.9	11216.1	9743.6	8300.7
1.36E-10	8.13E-09	1.93E-07	2.66E-06	2.48E-05	1.67E-04	8.57E-04	3.38E-03	1.03E-02	2.38E-02	4.07E-02	
	.7738	.8392	.8765	.9040	.9277	.9502	.9725	.9952	1.0187	1.0433	1.0693
3.36E-01	3.42E-01	3.44E-01	3.44E-01	3.44E-01	3.43E-01	3.41E-01	3.40E-01	3.37E-01	3.34E-01	3.30E-01	
(4.31E-04)	2.15E-02	4.08E-01	4.39E+00	3.12E+01	1.58E+02	5.86E+02	1.62E+03	3.34E+03	4.98E+03	5.13E+03	
4.81E-04*	2.27E-02*	4.24E-01*	4.53E+00*	3.20E+01*	1.61E+02*	5.98E+02*	1.65E+03*	3.39E+03	5.03E+03	5.16E+03	
20	.3990	.4281	.4612	.4991	.5430	.5943	.6550	.7280	.8174	.9292	1.0731
	25063.6	23358.2	21682.0	20034.7	18416.4	16827.1	15266.9	13735.8	12234.0	10761.6	9318.7
2.36E-11	2.13E-09	6.11E-08	9.47E-07	9.64E-06	7.06E-05	3.91E-04	1.68E-03	5.64E-03	1.48E-02	2.95E-02	
	.6471	.7892	.8477	.8834	.9105	.9343	.9569	.9793	1.0022	1.0259	1.0506
3.14E-01	3.38E-01	3.43E-01	3.44E-01	3.44E-01	3.43E-01	3.42E-01	3.41E-01	3.39E-01	3.36E-01	3.33E-01	
(7.41E-05)	6.27E-03	1.48E-01	1.83E+00	1.44E+01	8.04E+01	3.30E+02	1.02E+03	2.40E+03	4.21E+03	5.36E+03	
9.84E-05*	6.90E-03*	1.56E-01*	1.89E+00*	1.49E+01*	8.25E+01*	3.38E+02*	1.04E+03*	2.44E+03*	4.27E+03	5.40E+03	
21	.3838	.4107	.4410	.4756	.5152	.5612	.6150	.6789	.7560	.8507	.9698
	26056.6	24351.3	22675.0	21027.7	19409.4	17820.1	16259.9	14728.8	13227.0	11754.6	10311.7
1.27E-12	4.23E-10	1.73E-08	3.19E-07	3.63E-06	2.91E-05	1.74E-04	8.12E-04	2.98E-03	8.66E-03	1.97E-02	
	.0136	.6835	.8025	.8563	.8905	.9173	.9410	.9637	.9863	1.0094	1.0332
1.10E-01	3.21E-01	3.39E-01	3.43E-01	3.44E-01	3.44E-01	3.43E-01	3.42E-01	3.40E-01	3.38E-01	3.35E-01	
(5.54E-07)	(1.28E-03)	4.69E-02	7.07E-01	6.37E+00	3.94E+01	1.79E+02	6.15E+02	1.62E+03	3.26E+03	4.92E+03	
7.13E-06*	1.60E-03*	5.11E-02*	7.43E-01*	6.60E+00*	4.06E+01*	1.83E+02*	6.28E+02*	1.65E+03*	3.30E+03*	4.97E+03	

Table 4. Radiative transition parameters for N_2 $W\ ^3\Delta_u - B\ ^3\Pi_g$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$. — Continued

$V'\backslash V''$	11	12	13	14	15	16	17	18	19	20	21
16	2.7132	4.3431	10.5325	-26.7994	-6.0061	-3.4179	-2.4067	-1.8682	-1.5342	-1.3071	-1.1428
	3685.7	2302.5	949.4	-373.1	-1665.0	-2925.8	-4155.1	-5352.7	-6518.0	-7650.8	-8750.4
4.06E-03	1.31E-02	5.23E-02	2.77E-02	4.27E-03	7.02E-02	2.83E-02	4.00E-02	2.00E-01	3.51E-01	3.67E-02	
	1.2003	1.1690	1.2235	1.2831	1.2084	1.3367	1.4407	1.3539	1.6311	1.6953	1.9452
3.02E-01	3.10E-01	2.96E-01	2.78E-01	3.00E-01	2.61E-01	2.25E-01	2.55E-01	1.58E-01	1.37E-01	7.06E-02	
3.76E+01	3.10E+01	7.92E+00	-2.25E-01	-3.58E+00	-2.43E+02	-2.08E+02	-8.09E+02	-2.81E+03	-6.01E+03	(-2.48E+02)	
3.49E+01*	3.22E+01	7.93E+00	-2.19E-01	-3.90E+00*	-2.42E+02	-2.01E+02	-7.99E+02	-2.91E+03	-6.11E+03	-1.56E+02	
17	2.0931	2.9461	4.8989	13.9141	-17.4475	-5.4528	-3.2645	-2.3470	-1.8429	-1.5246	-1.3057
	4777.5	3394.3	2041.3	718.7	-573.1	-1833.9	-3063.3	-4260.8	-5426.2	-6559.0	-7658.6
2.40E-02	7.61E-05	2.35E-02	5.02E-02	1.48E-02	1.18E-02	6.95E-02	1.68E-02	4.57E-02	1.95E-01	3.67E-01	
	1.1485	1.4673	1.1842	1.2338	1.3033	1.2529	1.3464	1.4642	1.3577	1.6540	1.7130
3.15E-01	2.16E-01	3.06E-01	2.93E-01	2.72E-01	2.87E-01	2.58E-01	2.17E-01	2.54E-01	1.51E-01	1.32E-01	
5.24E+02	(2.81E-01)	3.78E+01	3.23E+00	-4.17E-01	-1.22E+01	-2.69E+02	-1.24E+02	-9.53E+02	-2.54E+03	-5.82E+03	
5.12E+02	1.41E-01*	3.87E+01	3.22E+00	-4.00E-01	-1.27E+01	-2.68E+02	-1.18E+02	-9.35E+02	-2.65E+03	-5.93E+03	
18	1.7109	2.2413	3.2169	5.5990	20.2357	-13.0447	-5.0101	-3.1313	-2.2942	-1.8210	-1.5172
	5844.9	4461.6	3108.6	1786.0	494.2	-766.6	-1996.0	-3193.5	-4358.9	-5491.6	-6591.3
4.14E-02	1.20E-02	1.73E-03	3.23E-02	4.34E-02	5.78E-03	2.06E-02	6.52E-02	8.84E-03	4.84E-02	1.97E-01	
	1.1205	1.1621	1.1120	1.1959	1.2445	1.3384	1.2740	1.3559	1.4964	1.3543	1.6780
3.21E-01	3.11E-01	3.22E-01	3.03E-01	2.90E-01	2.60E-01	2.81E-01	2.54E-01	2.05E-01	2.55E-01	1.43E-01	
1.72E+03	2.09E+02	(1.09E+01)	3.42E+01	8.90E-01	-3.58E-01	-2.62E+01	-2.79E+02	-6.26E+01	-1.06E+03	-2.34E+03	
1.70E+03	2.01E+02	1.22E+01*	3.47E+01	8.82E-01	-3.34E-01*	-2.69E+01	-2.76E+02	-5.83E+01*	-1.03E+03	-2.47E+03	
19	1.4519	1.8167	2.4089	3.5352	6.5067	36.2190	-10.4903	-4.6494	-3.0155	-2.2477	-1.8023
	6887.6	5504.3	4151.3	2828.7	1536.9	276.1	-953.3	-2150.8	-3316.2	-4448.9	-5548.6
4.71E-02	3.01E-02	3.89E-03	7.22E-03	3.79E-02	3.41E-02	1.03E-03	2.89E-02	5.85E-02	3.81E-03	4.77E-02	
	1.0974	1.1296	1.1851	1.1523	1.2063	1.2561	1.4453	1.2883	1.3656	1.5459	1.3404
3.25E-01	3.19E-01	3.06E-01	3.14E-01	3.00E-01	2.86E-01	2.24E-01	2.76E-01	2.51E-01	1.88E-01	2.60E-01	
3.30E+03	1.03E+03	5.27E+01	3.26E+01	2.51E+01	1.19E-01	(-9.05E-02)	-4.44E+01	-2.73E+02	(-2.40E+01)	-1.11E+03	
3.29E+03	1.02E+03	4.90E+01*	3.43E+01*	2.53E+01	1.17E-01	-7.62E-02*	-4.52E+01	-2.70E+02	-2.12E+01*	-1.07E+03	
20	1.2649	1.5332	1.9345	2.5997	3.9142	7.7278	154.6312	-8.8270	-4.3511	-2.9146	-2.2072
	7905.5	6522.3	5169.2	3846.6	2554.8	1294.0	64.7	-1132.9	-2298.3	-3431.0	-4530.7
4.30E-02	4.12E-02	1.91E-02	2.74E-04	1.44E-02	3.95E-02	2.41E-02	6.86E-05	3.53E-02	5.08E-02	1.07E-03	
	1.0769	1.1055	1.1399	1.2905	1.1697	1.2164	1.2694	.6154	1.2993	1.3761	1.6392
3.29E-01	3.24E+01	3.16E-01	2.76E-01	3.10E-01	2.98E-01	2.82E-01	3.06E-01	2.73E-01	2.48E-01	1.56E-01	
4.65E+03	2.42E+03	5.34E+02	(2.40E+00)	4.66E+01	1.54E+01	1.05E-03	(-1.89E-02)	-6.48E+01	-2.55E+02	(-4.88E+00)	
4.66E+03	2.41E+03	5.21E+02	1.78E+00*	4.81E+01	1.54E+01	1.03E-03	-6.59E-02*	-6.55E+01	-2.51E+02	-3.46E+00*	
21	1.1238	1.3306	1.6228	2.0663	2.8186	4.3725	9.4547	-71.4868	-7.6613	-4.1017	-2.8267
	8898.5	7515.3	6162.2	4839.6	3547.8	2287.0	1057.7	-139.9	-1305.3	-2438.0	-3537.7
3.41E-02	4.24E-02	3.30E-02	9.08E-03	6.70E-04	2.13E-02	3.76E-02	1.51E-02	1.94E-03	3.95E-02	4.32E-02	
	1.0580	1.0845	1.1139	1.1526	1.0807	1.1821	1.2264	1.2860	1.1643	1.3081	1.3889
3.32E-01	3.27E-01	3.22E-01	3.14E-01	3.28E-01	3.07E-01	2.95E-01	2.77E-01	3.11E-01	2.70E-01	2.43E-01	
5.36E+03	3.91E+03	1.62E+03	2.23E+02	(6.53E+00)	4.86E+01	7.82E+00	-6.43E-03	(-8.46E-01)	-8.48E+01	-2.29E+02	
5.39E+03	3.91E+03	1.60E+03	2.14E+02	7.79E+00*	4.96E+01	7.80E+00	-6.22E-03	-9.54E-01*	-8.53E+01	-2.25E+02	

*The Einstein coefficients for this band may have limited accuracy, since the Franck-Condon factor is less than 0.01 (see text).

Table 5. Radiative transition parameters for N_2 $B' \ ^3\Sigma_u^- - B \ ^3\Pi_g$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$.

$V' \backslash V''$	0	1	2	3	4	5	6	7	8	9	10
0	1.5280 6544.5 4.81E-01 1.2498 1.75E-01 1.68E+04 1.67E+04	2.0664 4839.2 3.84E-01 1.2983 1.67E-01 4.89E+03 4.90E+03	3.1616 3163.0 1.17E-01 1.3542 1.56E-01 3.65E+02 3.66E+02	6.5977 1515.7 1.22E-03 1.4215 1.24E-01 4.87E+00 4.92E+00	-97.4459 -102.6 3.72E-03 1.5083 1.24E-01 -4.10E-05 -4.13E-05*	-5.9105 -1691.9 3.72E-05 1.6375 9.72E-02 -3.44E-03 -3.36E-03*	-3.0749 -3252.1 2.83E-07 1.9315 4.69E-02 (-4.35E-05) (-4.20E-06)	-2.0907 -4783.2 4.27E-10 .4620 1.59E-01 (-1.80E-07) (-1.20E-16)	-1.5911 -6285.0 6.55E-11 1.7599 7.39E-02 7.75E-05 -1.08E-05*	-1.2891 -7757.4 2.11E-14 -1.4747 1.6706 9.06E-02 -1.01E-07*	-1.0869 -9200.3 3.16E-14 1.6706 9.06E-02 -2.16E-10*
1	1.2442 8037.2 3.20E-01 1.2074 1.82E-01 2.24E+04 2.24E+04	1.5793 6331.9 3.57E-02 1.2732 1.71E-01 1.08E+03 1.05E+03	2.1479 4655.6 3.55E-01 1.3083 1.54E-01 3.94E+03 3.93E+03	3.3241 3008.3 2.32E-01 1.3630 1.40E-01 6.08E+02 6.11E+02	7.1941 1390.0 5.24E-02 1.4303 1.22E-01 1.12E+01 1.13E+01	-50.1875 -199.3 5.00E-03 1.5182 9.44E-02 -1.19E-03 -1.20E-03*	-5.6835 -1759.5 1.85E-04 1.6516 4.07E-02 -1.82E-02 -1.76E-02*	-3.0390 -3290.5 1.46E-06 1.9797 2.07E-02 -2.07E-01 -4.87E-05*	-2.0867 -4792.4 6.03E-09 .8399 6.26E-02 1.35E-01 -8.85E-05*	-1.5962 -6264.8 5.38E-10 1.8265 1.35E-01 -1.53E-07*	-1.2974 -7707.7 1.18E-12 .3426 1.35E-01 -1.99E-08
2	1.0520 9505.8 1.34E-01 1.1706 1.88E-01 1.64E+04 1.65E+04	1.2820 7800.5 2.21E-01 1.2170 1.81E-01 1.39E+04 1.38E+04	1.6329 6124.3 1.66E-02 1.2285 1.79E-01 4.94E+02 5.12E+02	2.2337 4477.0 2.14E-01 1.3205 1.62E-01 2.05E+03 2.04E+03	3.4981 2858.7 3.01E-01 1.3724 1.52E-01 6.61E+02 6.63E+02	7.8778 1269.4 1.00E-01 1.4394 1.38E-01 1.59E+01 1.60E+01	-34.3849 -290.8 1.23E-02 1.5284 -8.79E-03 -5.47E-02 -8.83E-03	-5.4888 -1821.9 5.34E-04 1.6666 -8.79E-03 -5.28E-02* -2.50E-05*	-3.0087 -3323.7 4.16E-06 2.0398 1.0630 -3.96E-04* -6.82E-07*	-2.0850 -4796.2 4.05E-08 1.9018 5.11E-02 -1.6028 -6239.0	-1.6028 -6239.0 2.35E-09 1.9018 5.11E-02 -1.6028 -6239.0
3	.9132 10950.7 4.57E-02 1.1379 1.92E-01 8.99E+03 9.06E+03	1.0816 9245.4 1.93E-01 1.1784 1.87E-01 2.15E+04 2.15E+04	1.3212 7569.1 8.12E-02 1.2302 1.79E-01 4.55E+03 4.49E+03	1.6887 5921.8 9.44E-02 1.2555 1.74E-01 2.41E+03 2.44E+03	2.3237 4303.5 8.94E-02 1.3379 1.59E-01 7.30E+02 7.19E+02	3.6843 2714.2 3.19E-01 1.3823 1.50E-01 5.84E+02 5.84E+02	8.6653 1154.0 1.53E-01 1.4488 1.3767 1.78E+01 1.79E+01	-26.5222 -377.0 2.35E-02 1.5388 1.3931 -3.53E-02 -3.54E-02	-5.3224 -1878.9 1.17E-03 1.6825 1.4584 -1.22E-01 -1.17E-01*	-2.9839 -3351.3 8.42E-06 2.1182 1.0630 -2.0850 -4796.2	-2.0859 -4794.2 1.82E-07 1.2145 1.81E-01 -2.0859 -4796.2
4	.8083 12372.0 1.40E-02 1.1085 1.96E-01 4.13E+03 4.17E+03	.9375 10666.7 1.01E-01 1.1451 1.91E-01 1.69E+04 1.69E+04	1.1123 8990.4 1.67E-01 1.1870 1.85E-01 4.37E+02 4.15E+02*	1.3618 7343.1 9.15E-03 1.2656 1.73E-01 3.34E+03 3.35E+03	1.7468 5724.8 1.48E-01 1.2675 1.72E-01 1.25E+02 1.21E+02	2.4181 4135.5 1.91E-02 1.3767 1.51E-01 4.50E+02 4.49E+02	3.8831 2575.3 2.96E-01 1.3931 1.48E-01 4.50E+02 4.49E+02	9.5765 1044.2 2.04E-01 1.4584 1.34E-01 1.15E-01 1.71E+01	-21.8531 -457.6 3.85E-02 1.5496 1.15E-01 8.50E-02 -9.97E-02	-5.1812 -1930.0 2.14E-03 1.6995 1.2268 -2.25E-01 -2.14E-01*	-2.9648 -3372.9 1.33E-05 2.2268 1.77E-02 -3.23E-04
5	.7262 13769.8 4.06E-03 1.0817 1.99E-01 1.70E+03 1.72E+03*	.8289 12064.5 4.22E-02 1.1154 1.95E-01 1.90E-01 1.15E+04	.9626 10388.2 1.34E-01 1.1526 1.90E-01 2.20E+04 2.21E+04	1.1440 8740.9 1.04E-01 1.1969 1.84E-01 9.43E+03 9.43E+03	1.4040 7122.6 4.21E-03 1.1699 1.88E-01 2.18E+02 2.36E+02*	1.8072 5533.4 1.55E-01 1.2782 1.70E-01 3.05E+03 3.05E+03	2.5169 3973.1 1.62E-05 -.6362 7.65E-03 1.76E+00*	4.0949 2442.1 2.50E-01 1.4051 1.4685 3.11E+02 1.47E+01	10.6355 940.2 2.48E-01 1.4189 1.4685 1.47E+01 1.47E+01	-18.7903 -532.2 5.68E-02 1.5608 1.7179 1.32E-01 1.13E-01 -2.22E-01	-5.0631 -1975.1 3.45E-03 1.7179 8.16E-02 -3.59E-01 -3.37E-03*
6	.6603 15144.4 1.14E-03 1.0571 2.01E-01 6.48E+02 6.58E+02*	.7441 13439.1 7.40E-02 1.0884 1.98E-01 1.84E+04 1.85E+04	.8501 11762.8 1.33E-01 1.1224 1.89E-01 2.00E+04 1.99E+04	.9886 10115.5 4.41E-02 1.1604 1.82E-01 3.62E+03 3.55E+03	1.1769 8497.2 1.06E-02 1.2105 1.81E-01 1.49E+03 1.53E+03	1.4476 6908.0 8.54E-03 1.2180 1.68E-01 2.18E+03 2.16E+03	1.8699 5347.7 6.95E-02 1.2894 1.72E-01 2.18E+03 2.16E+03	2.6201 3816.7 8.15E-02 1.2703 1.43E-01 9.72E+01 1.02E+02	4.3199 2314.9 4.45E-02 1.4189 1.4789 1.98E+02 1.97E+02	11.8707 842.4 2.84E-01 1.4789 1.5723 1.16E+01 1.11E-01 -4.15E-01	-16.6533 -600.5 7.75E-02 1.5723 1.11E-01 -4.15E-01 -4.16E-01
7	.6062 16495.9 3.16E-04 1.0344 2.03E-01 2.36E+02 2.40E+02*	.6761 14790.6 5.26E-03 1.0637 2.00E-01 1.97E-01 1.20E+04	.7625 13114.3 3.37E-02 1.0592 1.93E-01 1.98E-01 1.21E+04	.8721 11467.0 9.72E-02 1.1296 1.88E-01 1.84E+04 1.99E+04	1.0154 9848.7 1.06E-01 1.1690 1.88E-01 1.44E+04 1.53E+03	1.2107 8259.5 8.54E-03 1.2407 1.77E-01 6.10E+02 5.78E+02*	1.4927 6699.2 6.95E-02 1.2329 1.78E-01 2.69E+03 2.72E+03	1.9349 5168.2 8.15E-02 1.3025 1.66E-01 1.25E+03 1.24E+03	2.7275 3666.4 4.45E-02 1.3065 1.65E-01 2.42E+02 2.47E+02	4.5581 2193.9 1.38E-01 1.4355 1.4899 1.15E+02 1.13E+02 -8.70E+00	13.3152 751.0 3.09E-01 1.4899 1.28E-01 8.67E+00 8.70E+00

Table 5. Radiative transition parameters for $N_2 B' ^3\Sigma_u^- - B ^3\Pi_g$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$. — Continued

$V' \backslash V''$	11	12	13	14	15	16	17	18	19	20	21
0	-.9422	-.8336	-.7491	-.6816	-.6264	-.5806	-.5419	-.5089	-.4804	-.4556	-.4338
	-10613.5	-11996.7	-13349.8	-14672.4	-15964.2	-17225.0	-18454.3	-19651.9	-20817.3	-21950.0	-23049.7
1.57E-16	4.06E-16	4.26E-16	1.35E-16	1.85E-16	1.80E-16	3.85E-16	2.81E-16	2.93E-17	8.80E-17	4.23E-16	
	.6392	1.3247	1.1838	1.2125	.4912	1.1217	1.1830	1.2364	1.4039	1.1080	1.1938
1.89E-01	1.62E-01	1.86E-01	1.82E-01	1.65E-01	1.94E-01	1.86E-01	1.78E-01	1.46E-01	1.96E-01	1.84E-01	
(-1.36E-11)	-3.71E-11	-7.09E-11	-2.85E-11	(-4.13E-13)	-7.02E-11	-1.70E-10	-1.36E-10	-1.14E-11	-7.23E-11	-3.57E-10	
-3.22E-11*	-3.45E-11*	-7.23E-11*	-2.93E-11*	-1.28E-12*	-7.16E-11*	-1.70E-10*	-1.36E-10*	-1.20E-11*	-7.43E-11*	-3.57E-10*	
1	-1.0964	-.9520	-.8434	-.7587	-.6910	-.6356	-.5896	-.5507	-.5175	-.4888	-.4639
	-9120.9	-10504.1	-11857.1	-13179.7	-14471.6	-15732.3	-16961.7	-18159.2	-19324.6	-20457.4	-21557.0
2.59E-13	5.62E-16	3.86E-15	9.24E-16	2.83E-16	2.34E-15	2.48E-15	6.07E-16	1.18E-16	1.47E-15	2.17E-15	
1.8395	.6122	1.4212	1.3088	1.1227	1.1911	1.2091	1.2376	1.1261	1.1916	1.2025	
6.05E-02	1.85E-01	1.42E-01	1.65E-01	1.94E-01	1.85E-01	1.82E-01	1.77E-01	1.94E-01	1.85E-01	1.83E-01	
(-1.46E-09)	(-4.53E-11)	-2.64E-10	-1.16E-10	-6.55E-11	-6.30E-10	-8.13E-10	-2.32E-10	-6.48E-11	-8.69E-10	-1.48E-09	
-2.67E-10*	-9.68E-11*	-2.47E-10*	-1.21E-10*	-6.27E-11*	-6.24E-10*	-8.10E-10*	-2.31E-10*	-6.56E-11*	-8.66E-10*	-1.47E-09*	
2	-1.3068	-1.1068	-.9626	-.8539	-.7691	-.7011	-.6455	-.5991	-.5600	-.5266	-.4978
	-7652.2	-9035.4	-10388.5	-11711.1	-13002.9	-14263.7	-15493.0	-16690.6	-17856.0	-18988.7	-20088.4
1.67E-11	1.15E-12	2.25E-14	4.26E-16	1.58E-15	5.14E-15	3.06E-15	1.59E-16	9.56E-16	3.19E-15	3.27E-15	
.8689	2.0223	1.1617	3.0134	1.0104	1.1914	1.2019	1.2372	1.1735	1.1830	1.1822	
2.08E-01	3.57E-02	1.89E-01	4.01E-04	2.05E-01	1.85E-01	1.83E-01	1.77E-01	1.87E-01	1.86E-01	1.86E-01	
(-6.55E-07)	(-2.20E-09)	(-1.83E-09)	(-2.22E-16)	-2.94E-10	-1.03E-09	-7.74E-10	-4.71E-11	-3.87E-10	-1.53E-09	-1.86E-09	
-9.80E-07*	-5.42E-10*	-1.44E-09*	-5.28E-11*	-3.23E-10*	-9.95E-10*	-7.58E-10	-4.62E-11	-3.87E-10*	-1.52E-09*	-1.84E-09*	
3	-1.6110	-1.3174	-1.1181	-.9741	-.8652	-.7801	-.7118	-.6559	-.6093	-.5700	-.5364
	-6207.4	-7590.6	-8943.6	-10266.2	-11558.1	-12818.8	-14048.2	-15245.7	-16411.1	-17543.9	-18643.5
7.05E-09	1.22E-10	4.20E-12	3.78E-13	6.92E-15	2.14E-15	5.72E-16	1.63E-16	1.74E-15	3.08E-15	2.89E-15	
1.9936	1.1292	2.1613	1.3305	.2516	.7327	1.0612	1.1581	1.1346	1.1285	1.1211	
3.90E-02	1.93E-01	2.24E-02	1.61E-01	1.16E-01	2.00E-01	2.01E-01	1.90E-01	1.93E-01	1.93E-01	1.94E-01	
(-5.20E-06)	-4.02E-06	(-3.07E-09)	(-2.13E-08)	(-2.89E-10)	(-3.66E-10)	(-1.29E-10)	(-4.21E-11)	-5.79E-10	-1.26E-09	-1.43E-09	
-6.04E-08*	-4.09E-06*	-1.51E-08*	-1.60E-08*	-3.16E-09*	-6.70E-10*	-1.15E-10*	-5.05E-11*	-5.90E-10*	-1.26E-09*	-1.41E-09*	
4	-2.0894	-1.6209	-1.3294	-1.1306	-.9865	-.8774	-.7920	-.7234	-.6671	-.6202	-.5806
	-4786.1	-6169.3	-7522.4	-8845.0	-10136.8	-11397.6	-12626.9	-13824.5	-14989.9	-16122.6	-17222.3
6.23E-07	1.58E-08	6.01E-10	9.90E-12	1.91E-12	1.48E-14	2.31E-15	2.68E-15	2.74E-15	3.15E-15	3.78E-15	
1.3276	2.1171	1.3002	2.4054	1.4546	.0149	2.2855	1.2908	1.0640	1.0125	1.0123	
1.61E-01	2.62E-02	1.66E-01	8.72E-03	1.35E-01	6.95E-02	1.42E-02	1.68E-01	2.00E-01	2.04E-01	2.04E-01	
(-3.59E-03)	(-5.16E-06)	(-1.43E-05)	(-1.05E-09)	(-7.39E-08)	(-2.15E-10)	(-1.89E-12)	(-4.05E-10)	(-7.52E-10)	-1.12E-09	-1.64E-09	
-3.22E-03*	-3.95E-06*	-1.26E-05*	-1.57E-07*	-4.96E-08*	-8.08E-09*	-1.23E-11*	-4.48E-10*	-8.37E-10*	-1.19E-09*	-1.68E-09*	
5	-2.9514	-2.0958	-1.6328	-1.3428	-1.1443	-1.0000	-.8905	-.8047	-.7357	-.6791	-.6319
	-3388.3	-4771.5	-6124.5	-7447.1	-8738.9	-9999.7	-11229.1	-12426.6	-13592.0	-14724.7	-15824.4
1.66E-05	1.76E-06	2.72E-08	2.34E-09	1.18E-11	6.72E-12	6.74E-14	1.74E-14	1.32E-14	1.05E-14	1.45E-14	
2.3913	1.4181	2.3000	1.4300	3.0719	1.5917	.4101	1.9827	1.2386	.9779	.9687	
9.25E-03	1.43E-01	1.34E-02	1.40E-01	2.82E-04	1.07E-01	1.49E-01	4.03E-02	1.77E-01	2.06E-01	2.07E-01	
(-1.12E-04)	(-7.90E-03)	(-2.27E-06)	(-3.85E-05)	(-1.26E-12)	(-1.54E-07)	(-4.28E-09)	(-1.10E-10)	-2.12E-09	(-2.90E-09)	-4.98E-09	
-5.22E-03*	-6.87E-03*	-4.99E-05*	-3.13E-05*	-1.10E-06*	-8.43E-08*	-2.20E-08*	-1.17E-11*	-2.05E-09*	-3.31E-09*	-5.42E-09*	
6	-4.9661	-2.9439	-2.1053	-1.6468	-1.3579	-1.1594	-1.0148	-.9048	-.8185	-.7491	-.6921
	-2013.6	-3396.9	-4749.9	-6072.5	-7364.3	-8625.1	-9854.5	-11052.0	-12217.4	-13350.1	-14449.8
5.06E-03	1.58E-05	4.25E-06	3.39E-08	7.43E-09	2.11E-12	2.01E-11	4.57E-13	5.99E-14	8.88E-14	9.05E-14	
1.73/8	2.6/85	1.4952	2.6195	1.5382	7.7851	1.7316	.9264	1.9274	1.2141	1.0253	
7.79E-02	2.48E-03	1.27E-01	3.32E-03	1.18E-01	3.13E-30	7.90E-02	2.08E-01	4.75E-02	1.81E-01	2.04E-01	
-5.08E-01	(-7.73E-06)	(-1.48E-02)	(-1.69E-07)	(-8.33E-05)	(0.00E+00)	(-2.43E-07)	(-5.40E-08)	(-4.99E-10)	(-1.41E-08)	-2.29E-08	
-4.70E-01*	-1.86E-02*	-1.26E-02*	-2.71E-04*	-6.28E-05*	-5.15E-06*	-8.40E-08*	-6.39E-08*	-4.67E-11*	-1.25E-08*	-2.40E-08*	
7	-15.1024	-4.8891	-2.9426	-2.1182	-1.6631	-1.3748	-1.1761	-1.0309	-.9203	-.8334	-.7635
	-662.1	-2045.4	-3398.4	-4721.0	-6012.8	-7273.6	-8503.0	-9700.5	-10865.9	-11998.6	-13098.3
9.98E-02	6.86E-03	9.78E-06	9.06E-06	2.48E-08	1.99E-08	2.92E-11	4.76E-11	2.04E-12	2.54E-13	5.30E-13	
1.5842	1.7597	3.3355	1.5643	3.4033	1.6374	-1.0751	1.9032	1.2600	1.7283	1.2087	
1.08E-01	7.39E-02	5.15E-05	1.12E-01	3.22E-05	9.72E-02	8.84E-04	5.09E-02	1.74E-01	7.96E-02	1.82E-01	
-6.86E-01	(-6.50E-01)	(-2.06E-09)	(-2.43E-02)	(-1.14E-11)	(-1.46E-04)	(-2.84E-11)	(-2.28E-07)	(-1.60E-07)	(-5.64E-09)	(-8.00E-08)	
-6.86E-01	-5.90E-01	-5.10E-02	-2.02E-02	-1.01E-03	-9.91E-05*	-1.84E-05*	-4.05E-09*	-1.23E-07	-2.50E-09*	-6.85E-08*	

Table 5. Radiative transition parameters for N_2 B' $^3\Sigma_u^-$ - B $^3\Pi_g$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$. - Continued

$V' \setminus V''$	0	1	2	3	4	5	6	7	8	9	10
8	.5610	.6204	.6924	.7815	.8947	1.0430	1.2457	1.5392	2.0021	2.8389	4.8087
	17824.4	16119.1	14442.9	12795.6	11177.3	9588.0	8027.8	6496.7	4994.9	3522.4	2079.5
	8.73E-05	1.71E-03	1.36E-02	5.44E-02	1.05E-01	6.80E-02	2.62E-04	9.24E-02	4.19E-02	7.55E-02	9.05E-02
	1.0135	1.0410	1.0704	1.1021	1.1371	1.1789	.9752	1.2438	1.3202	1.3237	1.4569
	2.04E-01	2.02E-01	2.00E-01	1.97E-01	1.92E-01	1.87E-01	2.06E-01	1.76E-01	1.63E-01	1.62E-01	1.35E-01
	8.37E+01	1.19E+03	6.65E+03	1.78E+04	2.19E+04	8.46E+03	(2.34E+01)	3.19E+03	5.59E+02	3.50E+02	5.99E+01
	8.52E+01*	1.21E+03*	6.73E+03	1.80E+04	2.20E+04	8.36E+03	3.37E+01*	3.21E+03	5.45E+02	3.55E+02	5.92E+01
9	.5227	.5739	.6350	.7092	.8011	.9180	1.0714	1.2817	1.5872	2.0712	2.9540
	19130.1	17424.8	15748.5	14101.2	12482.9	10893.6	9333.4	7802.4	6300.5	4828.1	3385.2
	2.43E-05	5.45E-04	5.16E-03	2.60E-02	7.21E-02	9.62E-02	3.30E-02	1.16E-02	9.76E-02	1.45E-02	9.96E-02
	.9942	1.0201	1.0477	1.0772	1.1092	1.1449	1.1919	1.1802	1.2538	1.3520	1.3361
	2.06E-01	2.04E-01	2.02E-01	1.99E-01	1.96E-01	1.91E-01	1.85E-01	1.86E-01	1.75E-01	1.56E-01	1.59E-01
	2.91E+01	4.86E+02	3.33E+03	1.17E+04	2.18E+04	1.85E+04	3.71E+03	7.75E+02	3.02E+03	1.62E+02	3.98E+02
	2.97E+01*	4.95E+02*	3.37E+03*	1.19E+04	2.19E+04	1.84E+04	3.63E+03	8.11E+02	3.01E+03	1.54E+02	4.00E+02
10	.4899	.5345	.5872	.6500	.7264	.8213	.9419	1.1007	1.3187	1.6364	2.1422
	20413.0	18707.7	17031.4	15384.1	13765.8	12176.5	10616.3	9085.3	7583.4	6111.0	4668.1
	6.87E-06	1.72E-04	1.87E-03	1.13E-02	4.05E-02	8.20E-02	7.59E-02	9.61E-03	3.17E-02	8.76E-02	1.58E-03
	.9765	1.0007	1.0267	1.0544	1.0840	1.1164	1.1534	1.2154	1.2017	1.2640	1.4789
	2.06E-01	2.05E-01	2.03E-01	2.01E-01	1.98E-01	1.95E-01	1.90E-01	1.81E-01	1.83E-01	1.73E-01	1.30E-01
	1.01E+01	1.92E+02	1.55E+03	6.76E+03	1.69E+04	2.28E+04	1.33E+04	9.57E+02	1.88E+03	2.42E+03	(1.10E+01)
	1.03E+01*	1.96E+02*	1.57E+03*	6.85E+03	1.70E+04	2.29E+04	1.32E+04	9.11E+02*	1.92E+03	2.40E+03	9.35E+00*
11	.4614	.5008	.5467	.6008	.6655	.7442	.8420	.9666	1.1308	1.3566	1.6868
	21673.2	19967.9	18291.6	16644.3	15026.0	13436.7	11876.5	10345.5	8843.6	7371.2	5928.3
	1.98E-06	5.42E-05	6.60E-04	4.62E-03	2.01E-02	5.41E-02	8.22E-02	5.08E-02	2.92E-04	5.11E-02	6.85E-02
	.9602	.9829	1.0073	1.0333	1.0611	1.0909	1.1238	1.1631	1.3905	1.2143	1.2749
	2.07E-01	2.06E-01	2.05E-01	2.03E-01	2.01E-01	1.98E-01	1.94E-01	1.89E-01	1.49E-01	1.81E-01	1.71E-01
	3.50E+00*	7.42E+01	6.86E+02	3.56E+03	1.11E+04	2.08E+04	2.10E+04	8.13E+03	(1.81E+01)	2.72E+03	1.69E+03
	3.58E+00*	7.57E+01*	6.98E+02*	3.61E+03*	1.13E+04	2.09E+04	2.10E+04	8.03E+03	1.33E+01*	2.76E+03	1.67E+03
12	.4365	.4716	.5121	.5592	.6149	.6815	.7625	.8633	.9919	1.1616	1.3955
	22910.8	21205.4	19529.2	17881.9	16263.6	14674.3	13114.1	11583.0	10081.2	8608.8	7165.9
	5.82E-07	1.72E-05	2.30E-04	1.82E-03	9.22E-03	3.06E-02	6.40E-02	7.33E-02	2.75E-02	3.08E-03	6.40E-02
	.9453	.9664	.9893	1.0138	1.0400	1.0679	1.0980	1.1316	1.1752	1.1317	1.2245
	2.08E-01	2.07E-01	2.06E-01	2.04E-01	2.02E-01	2.00E-01	1.97E-01	1.93E-01	1.87E-01	1.93E-01	1.80E-01
	1.22E+00	2.84E+01	2.94E+02	1.76E+03	6.59E+03	1.57E+04	2.27E+04	1.72E+04	4.00E+03	2.96E+02	3.08E+03
	1.25E+00*	2.90E+01*	3.00E+02*	1.79E+03*	6.68E+03*	1.58E+04	2.28E+04	1.71E+04	3.90E+03	3.25E+02*	3.10E+03
13	.4145	.4460	.4821	.5236	.5721	.6294	.6979	.7814	.8853	1.0179	1.1932
	24125.7	22420.4	20744.1	19096.8	17478.5	15889.3	14329.1	12798.0	11296.2	9823.7	8380.8
	1.75E-07	5.52E-06	8.00E-05	6.98E-04	4.01E-03	1.57E-02	4.12E-02	6.81E-02	5.81E-02	1.04E-02	1.35E-02
	.9316	.9512	.9727	.9958	1.0204	1.0466	1.0747	1.1052	1.1400	1.1942	1.1719
	2.08E-01	2.07E-01	2.07E-01	2.05E-01	2.04E-01	2.02E-01	1.99E-01	1.96E-01	1.92E-01	1.84E-01	1.88E-01
	4.31E-01	1.08E+01	1.24E+02	8.31E+02	3.61E+03	1.04E+04	1.95E+04	2.23E+04	1.25E+04	1.36E+03	1.13E+03
	4.41E-01*	1.11E+01*	1.26E+02*	8.47E+02*	3.67E+03*	1.05E+04	1.97E+04	2.23E+04	1.24E+04	1.30E+03	1.18E+03
14	.3950	.4235	.4559	.4929	.5356	.5854	.6443	.7148	.8007	.9078	1.0446
	25318.1	23612.8	21936.5	20289.2	18670.9	17081.7	15521.4	13990.4	12488.6	11016.1	9573.2
	5.39E-08	1.80E-06	2.79E-05	2.65E-04	1.69E-03	7.53E-03	2.36E-02	5.00E-02	6.58E-02	4.03E-02	1.51E-03
	.9186	.9372	.9573	.9790	1.0023	1.0270	1.0533	1.0816	1.1126	1.1493	1.2519
	2.08E-01	2.08E-01	2.07E-01	2.06E-01	2.05E-01	2.03E-01	2.01E-01	1.99E-01	1.95E-01	1.91E-01	1.75E-01
	1.53E-01	4.14E+00	5.12E+01	3.81E+02	1.87E+03	6.29E+03	1.45E+04	2.19E+04	1.98E+04	7.95E+03	(1.64E+02)
	1.57E-01*	4.23E+00*	5.23E+01*	3.89E+02*	1.90E+03*	6.38E+03*	1.46E+04	2.21E+04	1.98E+04	7.83E+03	1.45E+02*
15	.3775	.4035	.4328	.4660	.5040	.5479	.5991	.6596	.7322	.8206	.9308
	26487.9	24782.6	23106.3	21459.1	19840.8	18251.5	16691.3	15160.2	13658.4	12185.9	10743.0
	1.69E-08	5.94E-07	9.80E-06	9.97E-05	6.94E-04	3.45E-03	1.24E-02	3.18E-02	5.55E-02	5.78E-02	2.36E-02
	.9060	.9239	.9429	.9634	.9854	1.0088	1.0337	1.0601	1.0886	1.1203	1.1606
	2.08E-01	2.08E-01	2.08E-01	2.07E-01	2.06E-01	2.05E-01	2.03E-01	2.01E-01	1.98E-01	1.94E-01	1.89E-01
	5.50E-02	1.58E+00	2.11E+01	1.71E+02	9.32E+02	3.56E+03	9.63E+03	1.81E+04	2.25E+04	1.60E+04	4.25E+03
	5.63E-02*	1.62E+00*	2.16E+01*	1.75E+02*	9.50E+02*	3.62E+03*	9.76E+03	1.83E+04	2.25E+04	1.59E+04	4.15E+03

Table 5. Radiative transition parameters for $N_2 B' ^3\Sigma_u^- - B ^3\Pi_g$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$. — Continued

$v' \setminus v''$	11	12	13	14	15	16	17	18	19	20	21		
8	15.0065 666.4	-13.9500 -716.8	-4.8312 -2069.9	-2.9477 -3392.5	-2.1348 -4684.3	-1.6821 -5945.1	-1.3938 -7174.4	-1.1945 -8372.0	-1.0485 -9537.4	-.9372 -10670.1	-.8496 -11769.8		
3.25E-01	1.23E-01	8.69E-03	1.70E-06	1.73E-05	2.31E-09	4.54E-08	4.57E-10	8.22E-11	7.00E-12	7.52E-13			
1.5014	1.5966	1.7842	6.6440	1.6297	9.9711	1.7366	.6182	2.1699	1.5494	1.5562			
1.25E-01	1.05E-01	6.97E-02	1.81E-21	9.87E-02	0.00E+00	7.81E-02	1.86E-01	2.18E-02	1.15E-01	1.14E-01			
6.13E+00	-1.02E+00	(-7.57E-01)(-4.40E-43)(-3.51E-02)(0.00E+00)(-2.07E-04)(-1.89E-05)(-6.84E-08)(-2.29E-07)(-3.22E-08)	6.15E+00	-1.02E+00	-6.70E-01*	-1.16E-01*	-2.81E-02*	-2.97E-03*	-1.13E-04*	-5.37E-05*	-4.43E-07*	-1.31E-07*	-1.92E-08*
9	5.0709 1972.0 588.8	16.9831 -764.2	-13.0852 -2086.8	-4.7920 -3378.6	-2.9598 -4639.4	-2.1554 -5868.8	-1.7039 -7066.3	-1.4152 -8231.7	-1.2148 -9364.5	-1.0679 -10464.1	-.9556		
5.37E-02	3.34E-01	1.46E-01	1.04E-02	2.95E-06	2.97E-05	3.66E-08	8.85E-08	2.71E-09	8.71E-11	2.02E-11			
1.4865	1.5135	1.6096	1.8118	2.8422	1.6968	-1.1831	1.8455	1.0805	2.7312	1.8300			
1.29E-01	1.23E-01	1.03E-01	6.50E-02	6.36E-10	8.59E-02	4.79E-04	5.95E-02	1.99E-01	1.90E-03	6.20E-02			
2.76E+01	4.17E+00	-1.40E+00	(-8.05E-01)(-9.33E-20)(-4.44E-02)(-3.43E-09)(-2.24E-04)	-1.21E-04	(-5.25E-10)(-1.81E-07)	-1.31E-04*	-5.05E-06*	-2.56E-08*					
2.71E+01	4.18E+00	-1.40E+00	-6.87E-01	-2.32E-01*	-3.35E-02*	-7.33E-03*	-7.14E-05*	-1.31E-04*	-5.05E-06*	-2.56E-08*			
10	3.0723 3254.9 1871.7	5.3427 518.7	19.2800 -803.9	-12.4391 -2095.8	-4.7715 -3356.5	-2.9793 -4585.9	-2.1806 -5783.5	-1.7291 -6948.8	-1.4391 -8081.6	-1.2374 -9181.2	-1.0892		
1.13E-01	2.79E-02	3.37E-01	1.68E-01	1.16E-02	3.76E-05	4.62E-05	3.78E-07	1.45E-07	1.08E-08	2.01E-11			
1.3466	1.5328	1.5263	1.6231	1.8439	.2172	1.7636	.5325	1.9803	1.3185	5.8073			
1.57E-01	1.19E-01	1.20E-01	1.00E-01	5.98E-02	1.08E-01	7.33E-02	1.72E-01	4.06E-02	1.63E-01	4.75E-16			
3.92E+02	1.05E+01	2.75E+00	-1.77E+00	(-7.76E-01)(-3.38E-02)(-4.85E-02)(-4.40E-03)(-1.62E-04)(-3.05E-04)(-7.09E-36)	3.95E+02	-1.21E-04	-5.25E-10	-1.81E-07					
3.93E+02	1.02E+01	2.76E+00	-1.78E+00	-6.25E-01	-4.15E-01*	-3.28E-02*	-1.56E-02*	-1.39E-06*	-2.63E-04*	-2.60E-05*			
11	2.2148 4515.1 3131.9	3.1929 1778.9	5.6215 456.3	21.9162 -803.9	-11.9680 -2095.8	-4.7702 -3356.5	-3.0069 -4585.9	-2.2108 -5783.5	-1.7579 -6948.8	-1.4660 -8081.6	-1.2625 -9181.2		
1.10E-03	1.17E-01	1.18E-02	3.36E-01	1.89E-01	1.23E-02	1.46E-04	6.47E-05	1.64E-06	1.88E-07	3.31E-08			
1.0952	1.3562	1.6178	1.5399	1.6373	1.8822	.8577	1.8412	1.0191	2.1767	1.4822			
1.97E-01	1.56E-01	1.01E-01	1.17E-01	9.72E-02	5.39E-02	2.08E-01	6.02E-02	2.04E-01	2.12E-02	1.29E-01			
(1.60E+01)	3.51E+02	2.76E+00	1.78E+00	-2.12E+00	(-6.70E-01)(-4.69E-01)(-4.40E-02)(-2.54E-02)(-5.47E-05)(-5.58E-04)	-1.02E+00	(-5.02E-01)(-1.02E+00)(-3.06E-02)	-5.23E-02	(-2.16E-06)				
1.99E+01*	3.50E+02	2.65E+00	1.79E+00	-2.12E+00	-4.90E-01	-6.74E-01*	-2.35E-02*	-2.91E-02*	-1.90E-04*	-4.29E-04*			
12	1.7383 5752.7 4369.5	2.2886 3016.4	3.3152 1693.8	5.9037 402.0	24.8754 -858.8	-11.6445 -2088.1	-4.7890 -3285.7	-3.0435 -4451.1	-2.2467 -5583.8	-1.7909 -6821.4	-1.4962 -7921.0		
4.66E-02	9.14E-03	1.12E-01	3.38E-03	3.34E-01	2.09E-01	1.22E-02	3.86E-04	8.01E-05	4.97E-06	1.70E-07			
1.2876	1.2417	1.3653	1.8278	1.5544	1.6522	1.9296	1.1450	1.9367	1.2655	2.5510			
1.69E-01	1.77E-01	1.54E-01	6.24E-02	1.14E-01	9.42E-02	4.72E-02	1.91E-01	4.62E-02	1.73E-01	4.58E-03			
1.02E+03	9.65E+01	2.93E+02	(2.59E-01)	1.15E+00	-2.38E+00	(-5.02E-01)	-1.02E+00	(-3.06E-02)	-5.23E-02	(-2.16E-06)			
1.00E+03	1.03E+02*	2.92E+02	1.96E-01*	1.16E+00	-2.38E+00	-3.07E-01	-1.01E+00*	-8.41E-03*	-4.76E-02*	-1.54E-03*			
13	1.4352 6967.7 5584.4	1.7907 4231.4	2.3633 2908.8	3.4378 1617.0	6.1844 356.2	28.0746 -873.2	-11.4526 -2070.7	-4.8292 -3236.1	-3.0901 -4368.8	-2.2889 -5468.5	-1.8287		
6.84E-02	2.69E-02	2.14E-02	1.01E-01	2.49E-04	3.32E-01	2.26E-01	1.12E-02	8.29E-04	8.50E-05	1.22E-05			
1.2340	1.3041	1.2747	1.3740	3.0467	1.5698	1.6680	1.9916	1.3151	2.0685	1.4272			
1.78E-01	1.66E-01	1.71E-01	1.52E-01	3.28E-04	1.11E-01	9.11E-02	3.92E-02	1.63E-01	3.08E-02	1.41E-01			
2.97E+03	5.19E+02	1.92E+02	2.33E+02	(4.60E-07)	7.50E-01	-2.53E+00	(-3.11E-01)(-1.52E+00)(-1.36E-02)(-8.01E-02)						
2.97E+03	5.03E+02	1.99E+02	2.30E+02	1.78E-01*	7.58E-01	-2.53E+00	-1.25E-01	-1.38E+00*	-1.35E-04*	-6.79E-02*			
14	1.2255 8160.1	1.4756 6776.8	1.8437 5423.8	2.4383 4101.2	3.5595 2809.4	6.4575 1548.6	31.3255 319.2	-11.3852 -878.3	-4.8931 -2043.7	-3.1482 -3176.4	-2.3386 -4276.1		
2.66E-02	6.47E-02	1.21E-02	3.45E-02	8.73E-02	3.23E-04	3.33E-01	2.40E-01	9.26E-03	1.55E-03	7.13E-05			
1.1881	1.2433	1.3297	1.2922	1.3823	-.1219	1.5860	1.6848	2.0790	1.4332	2.2804			
1.85E-01	1.76E-01	1.61E-01	1.68E-01	1.50E-01	4.82E-02	1.08E-01	8.79E-02	2.97E-02	1.40E-01	1.41E-02			
2.01E+03	2.54E+03	2.03E+02	2.71E+02	1.77E+02	(1.13E-02)	5.08E-01	-2.55E+00	(-1.41E-01)(-1.96E+00)(-2.25E-03)					
2.06E+03	2.53E+03	1.92E+02	2.77E+02	1.75E+02	1.06E+00*	5.15E-01	-2.55E+00	-1.04E-02*	-1.75E+00*	-2.61E-02*			
15	1.0718 9329.9	1.2584 7946.7	1.5166 6593.6	1.8972 5271.0	2.5131 3979.2	3.6786 2718.4	6.7157 1489.1	34.3066 291.5	-11.4432 -873.9	-4.9835 -2006.6	-3.2193 -3106.3		
3.98E-04	3.85E-02	5.54E-02	3.37E-03	4.59E-02	7.26E-02	1.86E-03	3.36E-01	2.51E-01	6.54E-03	2.59E-03			
1.0182	1.1994	1.2530	1.3876	1.3046	1.3900	.7195	1.6030	1.7027	2.2181	1.5253			
2.04E-01	1.84E-01	1.75E-01	1.49E-01	1.65E-01	1.49E-01	1.99E-01	1.04E-01	8.44E-02	1.83E-02	1.20E-01			
(5.46E+01)	2.64E+03	1.97E+03	(4.45E+01)	3.21E+02	1.31E+02	(9.82E-01)	3.66E-01	-2.42E+00	-3.58E-02	(-2.28E+00)			
7.10E+01*	2.67E+03	1.95E+03	4.01E+01*	3.25E+02	1.28E+02	2.05E+00*	3.73E-01	-2.43E+00	-3.71E-02*	-2.02E+00*			

Table 5. Radiative transition parameters for N_2 $B' \ ^3\Sigma_u^- - B \ ^3\Pi_g$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. — Continued

$v' \backslash v''$	0	1	2	3	4	5	6	7	8	9	10
16	.3619	.3857	.4123	.4424	.4765	.5155	.5606	.6132	.6754	.7500	.8410
	27635.2	25929.9	24253.6	22606.3	20988.0	19398.7	17838.5	16307.4	14805.6	13333.2	11890.3
5.35E-09	1.99E-07	3.46E-06	3.76E-05	2.82E-04	1.54E-03	6.19E-03	1.84E-02	3.94E-02	5.67E-02	4.61E-02	
.8930	.9110	.9294	.9488	.9696	.9918	1.0154	1.0403	1.0669	1.0957	1.1285	
2.08E-01	2.08E-01	2.08E-01	2.07E-01	2.07E-01	2.06E-01	2.04E-01	2.02E-01	2.00E-01	1.97E-01	1.93E-01	
1.98E-02	6.08E-01	8.65E+00	7.57E+01	4.51E+02	1.92E+03	5.94E+03	1.33E+04	2.08E+04	2.12E+04	1.18E+04	
2.03E-02*	6.22E-01*	8.85E+00*	7.73E+01*	4.60E+02*	1.96E+03*	6.03E+03*	1.34E+04	2.09E+04	2.12E+04	1.16E+04	
17	.3477	.3696	.3940	.4214	.4522	.4872	.5273	.5737	.6277	.6917	.7683
	28759.8	27054.5	25378.2	23730.9	22112.6	20523.4	18963.1	17432.1	15930.2	14457.8	13014.9
1.70E-09	6.70E-08	1.23E-06	1.42E-05	1.14E-04	6.70E-04	2.97E-03	9.97E-03	2.50E-02	4.50E-02	5.35E-02	
.8786	.8979	.9162	.9350	.9548	.9759	.9983	1.0220	1.0470	1.0738	1.1030	
2.08E-01	2.08E-01	2.08E-01	2.08E-01	2.07E-01	2.06E-01	2.05E-01	2.04E-01	2.02E-01	1.99E-01	1.96E-01	
7.08E-03	2.33E-01	3.54E+00	3.31E+01	2.14E+02	1.00E+03	3.46E+03	8.89E+03	1.67E+04	2.19E+04	1.84E+04	
7.28E-03*	2.39E-01*	3.62E+00*	3.39E+01*	2.18E+02*	1.02E+03*	3.52E+03*	9.01E+03*	1.68E+04	2.20E+04	1.84E+04	
18	.3349	.3552	.3776	.4027	.4308	.4624	.4984	.5395	.5871	.6427	.7084
	29861.8	28156.5	26480.2	24832.9	23214.6	21625.3	20065.1	18534.0	17032.2	15559.8	14116.9
5.34E-10	2.26E-08	4.40E-07	5.36E-06	4.56E-05	2.88E-04	1.39E-03	5.15E-03	1.46E-02	3.13E-02	4.78E-02	
.8613	.8837	.9028	.9215	.9408	.9610	.9823	1.0048	1.0286	1.0537	1.0807	
2.08E-01	2.08E-01	2.08E-01	2.08E-01	2.08E-01	2.07E-01	2.06E-01	2.05E-01	2.03E-01	2.01E-01	1.99E-01	
2.48E-03	8.83E-02	1.44E+00	1.44E+01	9.97E+01	5.06E+02	1.93E+03	5.58E+03	1.21E+04	1.94E+04	2.16E+04	
2.57E-03*	9.07E-02*	1.47E+00*	1.47E+01*	1.02E+02*	5.17E+02*	1.97E+03*	5.66E+03*	1.23E+04	1.95E+04	2.16E+04	
19	.3232	.3420	.3629	.3859	.4116	.4404	.4729	.5099	.5521	.6010	.6581
	30941.0	29235.7	27559.4	25912.2	24293.9	22704.6	21144.4	19613.3	18111.5	16639.0	15196.1
1.62E-10	7.50E-09	1.57E-07	2.02E-06	1.83E-05	1.23E-04	6.36E-04	2.57E-03	8.12E-03	1.99E-02	3.65E-02	
.8384	.8667	.8884	.9079	.9270	.9467	.9672	.9887	1.0113	1.0352	1.0605	
2.07E-01	2.08E-01	2.08E-01	2.08E-01	2.08E-01	2.07E-01	2.07E-01	2.06E-01	2.05E-01	2.03E-01	2.01E-01	
8.34E-04	3.28E-02	5.75E-01	6.17E+00	4.59E+01	2.51E+02	1.04E+03	3.33E+03	8.18E+03	1.53E+04	2.09E+04	
8.70E-04*	3.38E-02*	5.91E-01*	6.33E+00*	4.69E+01*	2.56E+02*	1.06E+03*	3.39E+03*	8.30E+03*	1.54E+04	2.11E+04	
20	.3125	.3301	.3495	.3708	.3945	.4209	.4504	.4838	.5217	.5651	.6153
	31997.5	30292.2	28615.9	26968.6	25350.3	23761.0	22200.8	20669.7	19167.9	17695.5	16252.6
4.58E-11	2.40E-09	5.48E-08	7.58E-07	7.27E-06	5.20E-05	2.87E-04	1.25E-03	4.33E-03	1.18E-02	2.51E-02	
.8041	.8443	.8716	.8935	.9133	.9328	.9527	.9735	.9952	1.0179	1.0419	
2.05E-01	2.07E-01	2.08E-01	2.08E-01	2.08E-01	2.08E-01	2.07E-01	2.07E-01	2.05E-01	2.04E-01	2.02E-01	
2.56E-04	1.16E-02	2.25E-01	2.61E+00	2.08E+01	1.22E+02	5.47E+02	1.91E+03	5.21E+03	1.11E+04	1.79E+04	
2.73E-04*	1.21E-02*	2.32E-01*	2.68E+00*	2.13E+01*	1.25E+02*	5.59E+02*	1.95E+03*	5.30E+03*	1.12E+04	1.81E+04	
21	.3027	.3192	.3373	.3571	.3790	.4033	.4304	.4608	.4950	.5339	.5785
	33031.0	31325.7	29649.4	28002.1	26383.8	24704.6	23234.3	21703.3	20201.5	18729.0	17286.1
1.10E-11	7.16E-10	1.86E-08	2.79E-07	2.87E-06	2.18E-05	1.28E-04	5.98E-04	2.23E-03	6.71E-03	1.60E-02	
.7424	.8108	.8499	.8769	.8988	.9189	.9387	.9589	.9799	1.0017	1.0245	
2.01E-01	2.06E-01	2.07E-01	2.08E-01	2.08E-01	2.08E-01	2.08E-01	2.07E-01	2.06E-01	2.05E-01	2.04E-01	
(6.52E-05)	3.78E-03	8.42E-02	1.07E+00	9.25E+00	5.82E+01	2.81E+02	1.06E+03	3.18E+03	7.51E+03	1.39E+04	
7.34E-05*	4.02E-03*	8.77E-02*	1.11E+00*	9.50E+00*	5.97E+01*	2.87E+02*	1.08E+03*	3.23E+03*	7.63E+03*	1.41E+04	

Table 5 Radiative transition parameters for N_2 $B' \ ^3\Sigma_u^- - B \ ^3\Pi_g$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$. — Continued

$v' \backslash v''$	11	12	13	14	15	16	17	18	19	20	21
16	.9545	1.0996	1.2918	1.5581	1.9507	2.5869	3.7932	6.9506	36.5813	-11.6363	-5.1046
	10477.1	9093.9	7740.9	6418.3	5126.4	3865.7	2636.3	1438.7	273.4	-859.4	-1959.0
	1.06E-02	5.12E-03	4.65E-02	4.32E-02	9.67E-05	5.43E-02	5.85E-02	3.56E-03	3.44E-01	2.57E-01	3.48E-03
	1.1765	1.1400	1.2090	1.2634	1.9243	1.3147	1.3966	.8595	1.6208	1.7221	2.4940
	1.87E-01	1.92E-01	1.82E-01	1.73E-01	4.79E-02	1.64E-01	1.47E-01	2.08E-01	1.01E-01	8.08E-02	5.93E-03
	1.73E+03	5.75E+02	2.90E+03	1.39E+03	(1.21E-01)	3.40E+02	9.43E+01	(1.85E+00)	2.88E-01	-2.16E+00	(-1.87E-03)
	1.66E+03	6.14E+02*	2.92E+03	1.36E+03	5.46E-05*	3.43E+02	9.21E+01	2.83E+00*	2.95E-01	-2.17E+00	-2.71E-01*
17	.8619	.9786	1.1280	1.3258	1.5997	2.0039	2.6589	3.9011	7.1531	37.6997	-11.9846
	11601.7	10218.5	8865.5	7542.9	6251.1	4990.3	3760.9	2563.4	1398.0	265.3	-834.4
	3.29E-02	2.76E-03	1.31E-02	4.97E-02	3.06E-02	1.08E-03	5.94E-02	4.59E-02	4.59E-03	3.58E-01	2.58E-01
	1.1375	1.2100	1.1638	1.2179	1.2753	1.1015	1.3235	1.4014	.8609	1.6392	1.7433
	1.92E-01	1.82E-01	1.89E-01	1.81E-01	1.71E-01	1.97E-01	1.62E-01	1.46E-01	2.08E-01	9.68E-02	7.69E-02
	7.71E+03	3.94E+02	1.32E+03	2.82E+03	8.85E+02	(2.11E+01)	3.36E+02	6.71E+01	(2.19E+00)	2.54E-01	-1.80E+00
	7.59E+03	3.61E+02*	1.36E+03	2.83E+03	8.65E+02	2.58E+01*	3.38E+02	6.51E+01	3.29E+00*	2.61E-01	-1.80E+00
18	.7872	.8834	1.0033	1.1568	1.3600	1.6414	2.0564	2.7283	4.0001	7.3141	37.3734
	12703.7	11320.5	9967.5	8644.9	7353.0	6092.3	4862.9	3665.3	2500.0	1367.2	267.6
	4.66E-02	2.05E-02	1.89E-05	2.17E-02	4.85E-02	1.95E-02	4.82E-03	6.15E-02	3.51E-02	4.51E-03	3.79E-01
	1.1106	1.1479	1.8154	1.1773	1.2266	1.2898	1.2078	1.3316	1.4027	.7645	1.6581
	1.96E-01	1.91E-01	6.44E-02	1.87E-01	1.79E-01	1.68E-01	1.82E-01	1.60E-01	1.46E-01	2.03E-01	9.31E-02
	1.48E+04	4.39E+03	(3.14E-01)	1.99E+03	2.51E+03	5.06E+02	7.46E+01	3.15E+02	4.74E+01	(1.92E+00)	2.55E-01
	1.47E+04	4.29E+03	1.17E-03*	2.03E+03	2.50E+03	4.89E+02	8.09E+01*	3.16E+02	4.55E+01	3.45E+00*	2.64E-01
19	.7255	.8065	.9052	1.0284	1.1859	1.3944	1.6829	2.1077	2.7939	4.0875	7.4249
	13783.0	12399.7	11046.7	9724.1	8432.3	7171.5	5942.1	4744.6	3579.2	2446.5	1346.8
	4.75E-02	3.74E-02	1.04E-02	1.54E-03	2.92E-02	4.39E-02	1.08E-02	9.88E-03	6.12E-02	2.61E-02	3.23E-03
	1.0878	1.1186	1.1617	1.0975	1.1877	1.2353	1.3096	1.2408	1.3396	1.3973	.4922
	1.98E-01	1.95E-01	1.89E-01	1.97E-01	1.85E-01	1.78E-01	1.65E-01	1.77E-01	1.59E-01	1.47E-01	1.65E-01
	1.98E+04	1.10E+04	2.04E+03	(2.23E+02)	2.44E+03	2.07E+03	2.48E+02	1.34E+02	2.86E+02	3.36E+01	(8.69E-01)
	1.98E+04	1.08E+04	1.96E+03	2.51E+02*	2.48E+03	2.06E+03	2.36E+02	1.41E+02*	2.86E+02	3.18E+01	3.33E+00*
20	.6739	.7432	.8262	.9276	1.0539	1.2154	1.4289	1.7238	2.1572	2.8548	4.1610
	14839.4	13456.2	12103.2	10780.6	9488.7	8227.9	6998.6	5801.0	4635.7	3502.9	2403.3
	4.00E-02	4.40E-02	2.74E-02	3.70E-03	5.91E-03	3.43E-02	3.71E-02	4.82E-03	1.51E-02	5.92E-02	1.86E-02
	1.0674	1.0950	1.1272	1.1849	1.1398	1.1967	1.2443	1.3415	1.2580	1.3482	1.3772
	2.00E-01	1.97E-01	1.94E-01	1.86E-01	1.92E-01	1.84E-01	1.76E-01	1.58E-01	1.74E-01	1.57E-01	1.51E-01
	2.12E+04	1.69E+04	7.37E+03	6.48E+02	7.54E+02	2.62E+03	1.60E+03	9.57E+01	1.85E+02	2.54E+02	2.40E+01
	2.13E+04	1.69E+04	7.25E+03	6.04E+02*	7.98E+02*	2.65E+03	1.58E+03	8.86E+01*	1.92E+02	2.54E+02	2.24E+01
21	.6300	.6901	.7612	.8464	.9504	1.0797	1.2450	1.4632	1.7639	2.2044	2.9097
	15873.0	14489.7	13136.7	11814.1	10522.3	9261.5	8032.1	6834.6	5669.2	4536.5	3436.8
	2.98E-02	4.11E-02	3.82E-02	1.78E-02	4.38E-04	1.16E-02	3.66E-02	2.95E-02	1.40E-03	1.97E-02	5.65E-02
	1.0486	1.0743	1.1025	1.1370	1.2692	1.1573	1.2051	1.2539	1.4128	1.2681	1.3594
	2.02E-01	1.99E-01	1.96E-01	1.92E-01	1.72E-01	1.90E-01	1.83E-01	1.75E-01	1.44E-01	1.72E-01	1.55E-01
	1.97E+04	2.02E+04	1.35E+04	4.41E+03	(6.12E+01)	1.34E+03	2.57E+03	1.16E+03	(2.15E+01)	2.21E+02	2.23E+02
	1.98E+04	2.02E+04	1.34E+04	4.30E+03	4.93E+01*	1.39E+03	2.58E+03	1.14E+03	1.86E+01*	2.27E+02	2.22E+02

*The Einstein coefficients for this band may have limited accuracy, since the Franck-Condon factor is less than 0.01 (see text).

Table 6. Radiative transition parameters for N₂ $a^1\Pi_g - X^1\Sigma_g^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$.

$v' \backslash v''$	0	1	2	3	4	5	6	7	8	9	10
0	.1450	.1501	.1555	.1612	.1672	.1736	.1805	.1878	.1956	.2040	.2130
	68951.3	66620.9	64319.3	62046.5	59802.4	57587.2	55400.7	53243.1	51114.4	49014.6	46943.9
	4.28E-02	1.51E-01	2.48E-01	2.50E-01	1.73E-01	8.77E-02	3.35E-02	9.88E-03	2.28E-03	4.12E-04	5.88E-05
	1.1578	1.1807	1.2043	1.2287	1.2541	1.2806	1.3083	1.3373	1.3680	1.4005	1.4351
	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03
	9.83E+02	3.14E+03	4.63E+03	4.19E+03	2.60E+03	1.17E+03	3.99E+02	1.04E+02*	2.13E+01*	3.40E+00*	4.26E+01*
1	.1416	.1464	.1515	.1570	.1627	.1688	.1752	.1821	.1895	.1973	.2057
	70617.6	68287.2	65985.6	63712.8	61468.8	59253.5	57067.0	54909.4	52780.7	50681.0	48610.2
	1.15E-01	1.93E-01	8.09E-02	4.22E-04	8.85E-02	1.87E-01	1.76E-01	1.02E-01	4.14E-02	1.23E-02	2.75E-03
	1.1414	1.1633	1.1849	1.2447	1.2374	1.2618	1.2880	1.3155	1.3445	1.3751	1.4076
	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03
	2.85E+03	4.31E+03	1.63E+03	7.65E+00*	1.44E+03	2.72E+03	2.28E+03	1.19E+03	4.27E+02	1.12E+02	2.21E+01*
2	.1384	.1430	.1479	.1530	.1585	.1642	.1703	.1768	.1838	.1911	.1990
	72256.1	69925.8	67624.2	65351.3	63107.3	60892.0	58705.6	56547.9	54419.2	52319.5	50248.8
	1.70E-01	9.74E-02	3.15E-03	1.08E-01	8.58E-02	6.97E-04	6.68E-02	1.67E-01	1.61E-01	9.23E-02	3.56E-02
	1.1258	1.1463	1.1809	1.1939	1.2157	1.2091	1.2709	1.2958	1.3230	1.3518	1.3824
	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03
	4.50E+03	2.33E+03	6.83E+01*	2.10E+03	1.51E+03	1.10E+01*	9.47E+02	2.11E+03	1.82E+03	9.26E+02	3.16E+02
3	.1354	.1398	.1444	.1493	.1545	.1600	.1658	.1719	.1785	.1854	.1928
	73866.9	71536.5	69234.9	66962.1	64718.1	62502.8	60316.3	58158.7	56030.0	53930.2	51859.5
	1.83E-01	1.26E-02	7.50E-02	6.95E-02	3.72E-03	9.59E-02	6.48E-02	3.37E-04	8.24E-02	1.66E-01	1.42E-01
	1.1109	1.1278	1.1553	1.1750	1.2126	1.2247	1.2465	1.3311	1.3047	1.3308	1.3594
	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03
	5.16E+03	3.22E+02	1.74E+03	1.46E+03	7.06E+01*	1.64E+03	9.96E+02	4.65E+00*	1.02E+03	1.83E+03	1.39E+03
4	.1325	.1368	.1412	.1459	.1508	.1560	.1616	.1674	.1736	.1801	.1871
	75449.9	73119.6	70818.0	68545.2	66301.1	64085.9	61899.4	59741.8	57613.1	55513.3	53442.6
	1.60E-01	6.01E-03	9.66E-02	6.19E-04	7.76E-02	3.69E-02	1.78E-02	9.74E-02	3.41E-02	1.12E-02	1.14E-01
	1.0966	1.1238	1.1387	1.1333	1.1843	1.2032	1.2370	1.2558	1.2768	1.3197	1.3393
	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03
	4.82E+03	1.65E+02*	2.40E+03	1.40E+01*	1.58E+03	6.79E+02	2.96E+02	1.45E+03	4.57E+02	1.35E+02	1.22E+03
5	.1299	.1339	.1382	.1427	.1474	.1523	.1576	.1631	.1690	.1752	.1818
	77005.4	74675.1	72373.5	70100.6	67856.6	65641.3	63454.9	61297.2	59168.5	57068.8	54998.1
	1.22E-01	4.61E-02	4.72E-02	3.36E-02	5.67E-02	8.64E-03	7.89E-02	7.10E-03	4.92E-02	8.44E-02	6.09E-03
	1.0830	1.1053	1.1226	1.1485	1.1659	1.1985	1.2132	1.2262	1.2658	1.2873	1.3002
	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03
	3.90E+03	1.34E+03	1.25E+03	8.10E+02	1.24E+03	1.71E+02*	1.41E+03	1.15E+02*	7.14E+02	1.10E+03	7.10E+01*
6	.1273	.1312	.1353	.1396	.1441	.1489	.1539	.1592	.1648	.1707	.1769
	78533.3	76203.0	73901.4	71628.6	69384.5	67169.2	64982.8	62825.2	60696.5	58596.7	56526.0
	8.34E-02	8.45E-02	4.80E-03	7.26E-02	2.81E-03	6.36E-02	1.43E-02	4.17E-02	5.36E-02	2.90E-03	8.13E-02
	1.0698	1.0909	1.1031	1.1317	1.1396	1.1754	1.1905	1.2234	1.2420	1.2904	1.2967
	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03
	2.83E+03	2.62E+03	1.36E+02*	1.87E+03	6.58E+01*	1.35E+03	2.74E+02	7.25E+02	8.40E+02	4.09E+01*	1.03E+03
7	.1249	.1287	.1326	.1367	.1411	.1456	.1504	.1555	.1608	.1664	.1723
	80033.8	77703.5	75401.9	73129.1	70885.0	68669.7	66483.3	64325.7	62197.0	60097.2	58026.5
	5.28E-02	9.92E-02	5.47E-03	5.67E-02	1.71E-02	4.67E-02	1.33E-02	5.68E-02	1.47E-03	6.84E-02	1.31E-02
	1.0572	1.0776	1.1038	1.1165	1.1427	1.1578	1.1879	1.2027	1.2533	1.2519	1.2671
	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03
	1.90E+03	3.26E+03	1.64E+02*	1.55E+03	4.26E+02	1.06E+03	2.73E+02	1.06E+03	2.48E+01*	1.04E+03	1.80E+02

Table 6. Radiative transition parameters for $N_2 a^1\Pi_g - X^1\Sigma_g^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$. - Continued

$v' \setminus v''$	11	12	13	14	15	16	17	18	19	20	21
0	.2227	.2332	.2445	.2567	.2701	.2846	.3006	.3181	.3375	.3590	.3830
	44902.3	42889.9	40906.7	38953.0	37028.9	35134.3	33269.6	31434.9	29630.3	27856.0	26112.1
6.59E-06	5.75E-07	3.86E-08	1.95E-09	7.20E-11	1.85E-12	2.18E-14	3.24E-16	4.19E-16	2.46E-16	3.30E-17	
1.4724	1.5129	1.5575	1.6076	1.6641	1.7306	1.9218	1.8591	1.2575	1.2008	1.2536	
5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	
4.18E-02*	3.18E-03*	1.85E-04*	8.06E-06*	2.56E-07*	5.63E-09*	5.62E-11*	7.06E-13*	7.64E-13*	3.72E-13*	4.12E-14*	
1	.2147	.2244	.2349	.2462	.2584	.2717	.2862	.3021	.3195	.3387	.3600
	46568.6	44556.2	42573.1	40619.4	38695.2	36800.7	34936.0	33101.2	31296.6	29522.3	27778.5
4.69E-04	6.14E-05	6.15E-06	4.66E-07	2.62E-08	1.06E-09	2.92E-11	5.03E-13	3.06E-15	7.35E-17	1.74E-17	
1.4423	1.4797	1.5203	1.5651	1.6155	1.6739	1.7440	1.8331	2.1335	1.6000	1.2260	
5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	
3.32E+00*	3.81E-01*	3.32E-02*	2.19E-03*	1.06E-04*	3.69E-06*	8.73E-08*	1.28E-09*	6.57E-12*	1.32E-13*	2.61E-14*	
2	.2074	.2165	.2262	.2366	.2479	.2602	.2734	.2879	.3036	.3209	.3399
	48207.1	46194.7	44211.6	42257.9	40333.7	38439.2	36574.5	34739.8	32935.1	31160.8	29417.0
9.83E-03	2.00E-03	3.06E-04	3.50E-05	2.99E-06	1.86E-07	8.24E-09	2.45E-10	4.61E-12	4.03E-14	4.97E-16	
1.4149	1.4496	1.4871	1.5278	1.5729	1.6236	1.6828	1.7551	1.8384	2.0007	.8867	
5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	
7.72E+01*	1.38E+01*	1.85E+00*	1.85E-01*	1.37E-02*	7.42E-04*	2.82E-05*	7.18E-07*	1.15E-08*	8.54E-11*	8.86E-13*	
3	.2007	.2092	.2182	.2280	.2384	.2497	.2619	.2751	.2895	.3051	.3223
	49817.9	47805.5	45822.4	43868.7	41944.5	40050.0	38185.3	36350.5	34545.9	32771.6	31027.7
7.25E-02	2.49E-02	6.07E-03	1.08E-03	1.41E-04	1.35E-05	9.32E-07	4.51E-08	1.43E-09	2.74E-11	2.80E-13	
1.3898	1.4223	1.4571	1.4946	1.5355	1.5808	1.6320	1.6916	1.7658	1.8618	1.9756	
5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	
6.28E+02	1.91E+02	4.09E+01*	6.38E+00*	7.29E-01*	6.07E-02*	3.64E-03*	1.52E-04*	4.14E-06*	6.76E-08*	5.85E-10*	
4	.1945	.2025	.2109	.2200	.2297	.2402	.2515	.2636	.2768	.2911	.3066
	51401.0	49388.6	47405.4	45451.7	43527.5	41633.0	39768.3	37933.6	36129.0	34354.7	32610.8
1.64E-01	1.15E-01	4.97E-02	1.46E-02	3.01E-03	4.49E-04	4.82E-05	3.68E-06	1.93E-07	6.61E-09	1.29E-10	
1.3672	1.3975	1.4299	1.4647	1.5023	1.5434	1.5889	1.6405	1.7008	1.7759	1.8809	
5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	
1.56E+03	9.71E+02	3.71E+02	9.58E+01	1.74E+01*	2.27E+00*	2.12E-01*	1.41E-02*	6.39E-04*	1.88E-05*	3.14E-07*	
5	.1888	.1963	.2042	.2127	.2218	.2315	.2420	.2532	.2654	.2785	.2927
	52956.4	50944.0	48960.9	47007.2	45083.0	43188.5	41323.8	39489.1	37684.4	35910.1	34166.3
4.48E-02	1.46E-01	1.49E-01	8.26E-02	2.93E-02	7.08E-03	1.20E-03	1.44E-04	1.21E-05	6.93E-07	2.52E-08	
1.3497	1.3755	1.4054	1.4377	1.4725	1.5101	1.5514	1.5972	1.6492	1.7105	1.7871	
5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	
4.66E+02	1.35E+03	1.22E+03	6.01E+02	1.88E+02	3.99E+01*	5.94E+00*	6.22E-01*	4.55E-02*	2.25E-03*	7.05E-05*	
6	.1835	.1906	.1981	.2060	.2145	.2236	.2334	.2438	.2550	.2671	.2802
	54484.4	52471.9	50488.8	48535.1	46610.9	44716.4	42851.7	41017.0	39212.4	37438.0	35694.2
4.77E-02	3.37E-03	9.64E-02	1.60E-01	1.18E-01	5.10E-02	1.45E-02	2.80E-03	3.77E-04	3.49E-05	2.15E-06	
1.3186	1.3761	1.3846	1.4135	1.4456	1.4804	1.5181	1.5595	1.6056	1.6582	1.7204	
5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	
5.40E+02	3.41E+01*	8.69E+02	1.28E+03	8.35E+02	3.19E+02	7.97E+01	1.35E+01*	1.59E+00*	1.28E-01*	6.86E-03*	
7	.1786	.1853	.1923	.1999	.2079	.2164	.2255	.2352	.2456	.2568	.2689
	55984.9	53972.4	51989.3	50035.6	48111.4	46216.9	44352.2	42517.5	40712.9	38938.5	37194.7
5.65E-02	8.24E-02	8.51E-03	4.05E-02	1.43E-01	1.46E-01	7.87E-02	2.63E-02	5.83E-03	8.78E-04	8.92E-05	
1.3077	1.3288	1.3429	1.3958	1.4221	1.4538	1.4885	1.5263	1.5678	1.6142	1.6673	
5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	
4.46E+02	9.08E+02	8.18E+01*	3.55E+02	1.12E+03	1.01E+03	4.81E+02	1.42E+02	2.76E+01*	3.63E+00*	3.22E-01*	

Table 6. Radiative transition parameters for $N_2 a^1\Pi_g - X^1\Sigma_g^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$. — Continued

$V' \backslash V''$	0	1	2	3	4	5	6	7	8	9	10
8	.1227	.1263	.1301	.1340	.1382	.1426	.1472	.1520	.1571	.1624	.1681
	81507.0	79176.6	76875.0	74602.2	72358.1	70142.9	67956.4	65798.8	63670.1	61570.3	59499.6
3.15E-02	9.21E-02	3.30E-02	1.86E-02	5.32E-02	4.12E-03	5.46E-02	4.27E-03	5.14E-02	1.59E-02	3.42E-02	
1.0450	1.0648	1.0865	1.1009	1.1256	1.1347	1.1674	1.1756	1.2126	1.2272	1.2628	
5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	
1.20E+03	3.20E+03	1.05E+03	5.40E+02	1.41E+03	9.96E+01*	1.20E+03	8.52E+01*	9.29E+02	2.59E+02	5.05E+02	
9	.1206	.1240	.1277	.1315	.1355	.1397	.1441	.1487	.1536	.1587	.1641
	82952.9	80622.5	78320.9	76048.1	73804.1	71588.8	69402.3	67244.7	65116.0	63016.3	60945.5
1.79E-02	7.37E-02	6.04E-02	1.69E-04	5.48E-02	9.31E-03	3.93E-02	1.66E-02	3.76E-02	1.32E-02	4.94E-02	
1.0333	1.0527	1.0730	1.0522	1.1109	1.1380	1.1505	1.1791	1.1930	1.2258	1.2397	
5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	
7.17E+02	2.71E+03	2.03E+03	5.20E+00*	1.54E+03	2.39E+02*	9.20E+02	3.53E+02	7.28E+02	2.31E+02	7.84E+02	
10	.1185	.1219	.1254	.1291	.1329	.1370	.1412	.1456	.1503	.1552	.1603
	84371.6	82041.3	79739.7	77466.9	75222.8	73007.6	70821.1	68663.5	66534.8	64435.0	62364.3
9.85E-03	5.32E-02	7.34E-02	9.44E-03	2.81E-02	3.92E-02	4.85E-03	4.77E-02	6.68E-04	4.98E-02	1.16E-03	
1.0220	1.0409	1.0606	1.0840	1.0965	1.1202	1.1293	1.1603	1.1476	1.2033	1.1953	
5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	
4.14E+02*	2.06E+03	2.61E+03	3.07E+02*	8.37E+02	1.07E+03	1.21E+02*	1.08E+03	1.38E+01*	9.33E+02	1.96E+01*	
11	.1166	.1199	.1233	.1268	.1305	.1344	.1385	.1427	.1472	.1519	.1568
	85763.4	83433.1	81131.5	78858.6	76614.6	74399.3	72212.9	70055.3	67926.5	65826.8	63756.1
5.26E-03	3.56E-02	7.15E-02	3.15E-02	4.64E-03	4.91E-02	5.11E-03	3.39E-02	1.84E-02	2.38E-02	2.45E-02	
1.0111	1.0297	1.0489	1.0695	1.0794	1.1059	1.1346	1.1441	1.1716	1.1841	1.2145	
5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	
2.32E+02*	1.45E+03	2.68E+03	1.08E+03	1.46E+02*	1.42E+03	1.35E+02*	8.16E+02	4.04E+02	4.76E+02	4.45E+02	
12	.1148	.1179	.1212	.1247	.1282	.1320	.1359	.1400	.1443	.1488	.1536
	87128.3	84797.9	82496.4	80223.5	77979.5	75764.2	73577.7	71420.1	69291.4	67191.7	65120.9
2.75E-03	2.26E-02	6.05E-02	5.06E-02	1.10E-03	3.29E-02	2.89E-02	5.42E-03	4.20E-02	2.81E-06	4.31E-02	
1.0005	1.0188	1.0376	1.0572	1.0897	1.0924	1.1156	1.1245	1.1541	1.1827	1.1951	
5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	
1.27E+02*	9.64E+02	2.38E+03	1.83E+03	3.67E+01*	1.00E+03	8.06E+02	1.38E+02*	9.78E+02	5.98E-02*	8.33E+02	
13	.1130	.1161	.1193	.1226	.1261	.1297	.1335	.1374	.1416	.1459	.1505
	88466.4	86136.1	83834.5	81561.6	79317.6	77102.3	74915.9	72758.2	70629.5	68529.8	66459.1
1.41E-03	1.37E-02	4.64E-02	5.93E-02	1.38E-02	1.09E-02	4.24E-02	2.59E-03	3.00E-02	1.88E-02	1.48E-02	
.9903	1.0084	1.0268	1.0458	1.0673	1.0781	1.1017	1.1332	1.1386	1.1653	1.1759	
5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	
6.86E+01*	6.13E+02	1.92E+03	2.25E+03	4.82E+02	3.49E+02	1.25E+03	7.00E+01*	7.39E+02	4.24E+02	3.05E+02	
14	.1114	.1144	.1174	.1207	.1240	.1275	.1312	.1350	.1390	.1432	.1476
	89777.9	87447.6	85146.0	82873.1	80629.1	78413.8	76227.4	74069.7	71941.0	69841.3	67770.6
7.19E-04	8.05E-03	3.32E-02	5.79E-02	3.12E-02	2.50E-04	3.46E-02	2.10E-02	6.07E-03	3.71E-02	3.79E-04	
.9805	.9983	1.0163	1.0349	1.0547	1.0398	1.0888	1.1119	1.1205	1.1488	1.2111	
5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	
3.65E+01*	3.77E+02*	1.43E+03	2.31E+03	1.14E+03	8.44E+00*	1.07E+03	5.97E+02	1.58E+02*	8.86E+02	8.26E+00*	
15	.1098	.1127	.1157	.1188	.1221	.1255	.1290	.1327	.1366	.1406	.1448
	91062.9	88732.6	86431.0	84158.2	81914.1	79698.8	77512.4	75354.8	73226.1	71126.3	69055.6
3.63E-04	4.61E-03	2.24E-02	5.00E-02	4.42E-02	4.29E-03	1.65E-02	3.57E-02	1.04E-03	2.72E-02	1.81E-02	
.9710	.9885	1.0063	1.0245	1.0435	1.0677	1.0758	1.0983	1.1358	1.1340	1.1599	
5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	
1.92E+01*	2.26E+02*	1.01E+03	2.09E+03	1.70E+03	1.52E+02*	5.38E+02	1.07E+03	2.87E+01*	6.85E+02	4.18E+02	

Table 6. Radiative transition parameters for $N_2 a^1\Pi_g - X^1\Sigma_g^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$. - Continued

$v' \backslash v''$	11	12	13	14	15	16	17	18	19	20	21
8	.1740	.1804	.1870	.1941	.2017	.2097	.2182	.2273	.2370	.2475	.2586
	57458.0	55445.6	53462.5	51508.8	49584.6	47690.1	45825.4	43990.6	42186.0	40411.7	38667.8
5.11E-02	2.34E-03	7.72E-02	4.34E-02	5.16E-03	1.03E-01	1.59E-01	1.09E-01	4.34E-02	1.10E-02	1.86E-03	
1.2809	1.3373	1.3385	1.3604	1.4199	1.4315	1.4623	1.4968	1.5346	1.5763	1.6230	
5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	
6.79E+02	2.79E+01*	8.27E+02	4.15E+02	4.41E+01*	7.82E+02	1.07E+03	6.51E+02	2.28E+02	5.10E+01	7.53E+00*	
9	.1698	.1758	.1821	.1888	.1960	.2035	.2115	.2201	.2292	.2389	.2493
	58903.9	56891.5	54908.4	52954.7	51030.5	49136.0	47271.3	45436.5	43631.9	41857.6	40113.8
2.26E-03	6.43E-02	8.99E-03	4.11E-02	7.55E-02	3.34E-03	5.45E-02	1.52E-01	1.37E-01	6.56E-02	1.92E-02	
1.2902	1.2912	1.3033	1.3496	1.3712	1.3729	1.4424	1.4712	1.5053	1.5431	1.5850	
5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	
3.24E+01*	8.29E+02	1.04E+02*	4.28E+02	7.03E+02	2.77E+01*	4.03E+02	9.97E+02	7.97E+02	3.37E+02	8.69E+01	
10	.1658	.1715	.1775	.1839	.1907	.1978	.2054	.2134	.2220	.2311	.2408
	60322.7	58310.3	56327.1	54373.4	52449.3	50554.7	48690.0	46855.3	45050.7	43276.4	41532.5
5.07E-02	8.93E-03	4.01E-02	4.03E-02	7.48E-03	8.02E-02	2.85E-02	1.59E-02	1.24E-01	1.56E-01	9.15E-02	
1.2500	1.2611	1.3020	1.3199	1.3691	1.3813	1.4019	1.4590	1.4806	1.5141	1.5518	
5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	
7.79E+02	1.24E+02*	5.02E+02	4.54E+02	7.56E+01*	7.26E+02	2.30E+02	1.15E+02	7.97E+02	8.87E+02	4.59E+02	
11	.1620	.1675	.1733	.1793	.1857	.1925	.1997	.2073	.2153	.2239	.2330
	61714.4	59702.0	57718.9	55765.2	53841.0	51946.5	50081.8	48247.1	46442.4	44668.1	42924.3
2.46E-02	2.15E-02	3.78E-02	8.48E-03	6.08E-02	1.67E-03	5.64E-02	6.07E-02	1.42E-04	8.45E-02	1.62E-01	
1.2279	1.2621	1.2768	1.3193	1.3309	1.3197	1.3920	1.4143	1.6356	1.4911	1.5233	
5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	
4.05E+02	3.21E+02	5.09E+02	1.03E+02*	6.64E+02	1.64E+01*	4.96E+02	4.78E+02	9.96E-01*	5.27E+02	8.97E+02	
12	.1585	.1638	.1693	.1750	.1811	.1876	.1944	.2016	.2092	.2172	.2258
	63079.3	61066.9	59083.8	57130.1	55205.9	53311.4	51446.7	49611.9	47807.3	46033.0	44289.2
1.15E-03	4.51E-02	5.86E-04	5.12E-02	1.19E-03	5.17E-02	2.27E-02	2.27E-02	7.92E-02	9.30E-03	4.35E-02	
1.2472	1.2393	1.3127	1.2877	1.2724	1.3417	1.3578	1.4059	1.4250	1.4362	1.5041	
5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	
2.02E+01*	7.20E+02	8.47E+00*	6.68E+02	1.40E+01*	5.49E+02	2.17E+02	1.95E+02	6.07E+02	6.36E+01*	2.65E+02	
13	.1552	.1602	.1655	.1710	.1769	.1830	.1894	.1963	.2035	.2111	.2192
	64417.4	62405.0	60421.9	58468.2	56544.0	54649.5	52784.8	50950.1	49145.4	47371.1	45627.3
3.06E-02	8.52E-03	3.59E-02	9.56E-03	3.54E-02	2.06E-02	2.38E-02	4.91E-02	1.76E-03	7.40E-02	3.48E-02	
1.2058	1.2148	1.2502	1.2598	1.2990	1.3126	1.3547	1.3709	1.4484	1.4557	1.4564	
5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	
5.73E+02	1.45E+02*	5.54E+02	1.34E+02*	4.48E+02	2.35E+02	2.45E+02	4.55E+02	1.46E+01*	5.51E+02	2.32E+02	
14	.1521	.1569	.1620	.1673	.1728	.1787	.1849	.1913	.1982	.2054	.2130
	65728.9	63716.5	61733.4	59779.7	57855.5	55961.0	54096.3	52261.6	50456.9	48682.6	46938.8
3.54E-02	6.22E-03	3.12E-02	1.09E-02	3.29E-02	9.66E-03	4.33E-02	2.41E-03	5.87E-02	4.64E-03	4.94E-02	
1.1879	1.2221	1.2296	1.2648	1.2751	1.3154	1.3256	1.3872	1.3821	1.3834	1.4473	
5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	
7.04E+02	1.13E+02*	5.15E+02	1.63E+02	4.46E+02	1.19E+02*	4.80E+02	2.41E+01*	5.29E+02	3.75E+01*	3.58E+02	
15	.1492	.1538	.1587	.1638	.1691	.1747	.1806	.1868	.1933	.2001	.2074
	67014.0	65001.5	63018.4	61064.7	59140.5	57246.0	55381.3	53546.6	51742.0	49967.6	48223.8
9.41E-03	5.21E-02	1.55E-03	3.81E-02	8.47E-05	4.20E-05	1.89E-04	4.66E-02	3.75E-03	4.53E-02	2.56E-02	
1.1685	1.1987	1.1925	1.2407	1.1331	1.2865	1.2083	1.3369	1.3358	1.3938	1.4093	
5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	
1.98E+02*	6.17E+02	2.69E+01*	6.08E+02	1.23E+00*	5.53E+02	2.25E+00*	5.02E+02	3.64E+01*	3.96E+02	2.01E+02	

Table 6. Radiative transition parameters for $N_2 a^1\Pi_g - X^1\Sigma_g^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. - Continued

$V' \backslash V''$	0	1	2	3	4	5	6	7	8	9	10
16	.1083	.1111	.1140	.1171	.1202	.1235	.1270	.1305	.1343	.1382	.1422
	92321.6	89991.3	87689.7	85416.9	83172.8	80957.5	78771.1	76613.5	74484.8	72385.0	70314.3
	1.82E-04	2.59E-03	1.46E-02	3.97E-02	4.96E-02	1.68E-02	2.93E-03	3.41E-02	1.47E-02	6.94E-03	3.30E-02
	.9618	.9791	.9966	1.0145	1.0329	1.0532	1.0593	1.0859	1.1090	1.1173	1.1443
	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03
	1.01E+01*	1.32E+02*	6.88E+02	1.73E+03	2.00E+03	6.23E+02	1.00E+02*	1.07E+03	4.24E+02	1.84E+02*	8.04E+02
17	.1069	.1096	.1125	.1154	.1185	.1217	.1250	.1285	.1321	.1358	.1398
	93554.2	91223.8	88922.2	86649.4	84405.4	82190.1	80003.6	77846.0	75717.3	73617.6	71546.8
	9.16E-05	1.44E-03	9.17E-03	2.96E-02	4.80E-02	2.99E-02	4.20E-04	2.08E-02	2.91E-02	2.02E-04	2.53E-02
	.9530	.9700	.9873	1.0049	1.0229	1.0420	1.0821	1.0737	1.0956	1.1563	1.1302
	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03
	5.25E+00*	7.66E+01*	4.52E+02*	1.35E+03	2.02E+03	1.16E+03	1.51E+01*	6.89E+02	8.84E+02	5.64E+00*	6.49E+02
18	.1055	.1082	.1110	.1138	.1168	.1199	.1231	.1265	.1300	.1336	.1375
	94760.7	92430.4	90128.8	87856.0	85611.9	83396.6	81210.2	79052.6	76923.9	74824.1	72753.4
	4.61E-05	7.92E-04	5.64E-03	2.10E-02	4.20E-02	3.88E-02	7.19E-03	7.11E-03	3.20E-02	9.54E-03	8.08E-03
	.9445	.9613	.9783	.9956	1.0133	1.0317	1.0534	1.0605	1.0836	1.1072	1.1148
	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03
	2.75E+00*	4.38E+01*	2.89E+02*	9.98E+02	1.85E+03	1.58E+03	2.70E+02*	2.46E+02*	1.02E+03	2.80E+02*	2.18E+02*
19	.1042	.1068	.1095	.1123	.1152	.1182	.1214	.1246	.1280	.1316	.1353
	95941.5	93611.1	91309.5	89036.7	86792.6	84577.4	82390.9	80233.3	78104.6	76004.8	73934.1
	2.32E-05	4.34E-04	3.40E-03	1.44E-02	3.42E-02	4.21E-02	1.79E-02	3.42E-04	2.37E-02	2.27E-02	1.62E-05
	.9363	.9528	.9696	.9867	1.0041	1.0220	1.0415	1.0291	1.0721	1.0936	.9604
	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03
	1.44E+00*	2.49E+01*	1.82E+02*	7.11E+02	1.56E+03	1.78E+03	7.01E+02	1.24E+01*	7.91E+02	6.98E+02	4.59E-01*
20	.1030	.1055	.1081	.1109	.1137	.1166	.1197	.1229	.1262	.1296	.1332
	97096.5	94766.2	92464.6	90191.8	87947.7	85732.5	83546.0	81388.4	79259.7	77159.9	75089.2
	1.18E-05	2.37E-04	2.03E-03	9.57E-03	2.63E-02	4.05E-02	2.77E-02	1.84E-03	1.16E-02	2.87E-02	5.46E-03
	.9285	.9448	.9613	.9781	.9952	1.0128	1.0312	1.0581	1.0604	1.0820	1.1068
	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03
	7.57E-01*	1.41E+01*	1.12E+02*	4.92E+02*	1.25E+03	1.79E+03	1.13E+03	6.95E+01*	4.05E+02	9.22E+02	1.62E+02*
21	.1018	.1043	.1068	.1095	.1123	.1151	.1181	.1212	.1244	.1277	.1312
	98226.2	95895.8	93594.2	91321.4	89077.4	86862.1	84675.6	82518.0	80389.3	78289.6	76218.8
	6.04E-06	1.29E-04	1.20E-03	6.23E-03	1.94E-02	3.58E-02	3.38E-02	8.81E-03	2.70E-03	2.49E-02	1.66E-02
	.9211	.9370	.9533	.9698	.9867	1.0039	1.0218	1.0423	1.0455	1.0711	1.0925
	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03
	4.01E-01*	7.99E+00*	6.89E+01*	3.33E+02*	9.63E+02	1.64E+03	1.44E+03	3.47E+02*	9.84E+01*	8.38E+02	5.16E+02

Table 6. Radiative transition parameters for $N_2 \ a^1\Pi_g - X^1\Sigma_g^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$. — Continued

$v' \backslash v''$	11	12	13	14	15	16	17	18	19	20	21
16	.1465	.1509	.1556	.1605	.1656	.1709	.1766	.1825	.1887	.1952	.2021
	68272.7	66260.3	64277.1	62323.4	60399.2	58504.7	56640.0	54805.3	53000.7	51226.3	49482.5
	8.64E-04	2.87E-02	1.12E-02	1.86E-02	2.19E-02	1.28E-02	2.81E-02	1.34E-02	2.89E-02	2.31E-02	2.03E-02
	1.1907	1.1817	1.2121	1.2205	1.2527	1.2617	1.2984	1.3080	1.3493	1.3618	1.4083
	5.88E-03										
	1.93E+01*	5.84E+02	2.09E+02	3.15E+02	3.38E+02	1.80E+02	3.57E+02	1.55E+02	3.02E+02	2.18E+02	1.73E+02
17	.1439	.1482	.1526	.1573	.1623	.1674	.1728	.1785	.1844	.1906	.1972
	69505.2	67492.8	65509.7	63556.0	61631.8	59737.3	57872.6	56037.8	54233.2	52458.9	50715.1
	1.67E-02	6.36E-03	3.09E-02	2.41E-10	3.30E-02	3.12E-03	3.14E-02	7.16E-03	3.31E-02	7.32E-03	4.20E-02
	1.1555	1.1619	1.1926	-63.3420	1.2326	1.2755	1.2757	1.3164	1.3227	1.3690	1.3752
	5.88E-03										
	3.93E+02	1.37E+02*	6.08E+02	4.33E-06*	5.42E+02	4.66E+01*	4.27E+02	8.82E+01*	3.70E+02	7.40E+01*	3.84E+02
18	.1414	.1456	.1499	.1544	.1591	.1641	.1693	.1747	.1804	.1863	.1926
	70711.8	68699.3	66716.2	64762.5	62838.3	60943.8	59079.1	57244.4	55439.8	53665.4	51921.6
	2.93E-02	1.09E-03	2.35E-02	1.44E-02	9.98E-03	2.73E-02	2.37E-03	3.45E-02	3.06E-04	3.93E-02	2.20E-04
	1.1406	1.1827	1.1765	1.2052	1.2116	1.2442	1.2400	1.2874	1.2306	1.3347	1.2471
	5.88E-03										
	7.27E+02	2.47E+01*	4.89E+02	2.74E+02	1.73E+02*	4.34E+02	3.42E+01*	4.53E+02	3.65E+00*	4.26E+02	2.16E+00*
19	.1391	.1431	.1473	.1516	.1562	.1610	.1659	.1712	.1766	.1823	.1883
	71892.5	69880.1	67897.0	65943.2	64019.1	62124.6	60259.8	58425.1	56620.5	54846.2	53102.3
	2.40E-02	1.47E-02	4.78E-03	2.85E-02	6.91E-04	2.60E-02	9.44E-03	1.77E-02	1.97E-02	1.21E-02	2.69E-02
	1.1271	1.1521	1.1566	1.1877	1.2440	1.2256	1.2592	1.2653	1.3003	1.3072	1.3474
	5.88E-03										
	6.24E+02	3.51E+02	1.05E+02*	5.73E+02	1.27E+01*	4.37E+02	1.45E+02*	2.47E+02	2.51E+02	1.39E+02	2.83E+02
20	.1369	.1408	.1448	.1490	.1534	.1580	.1628	.1678	.1731	.1786	.1843
	73047.6	71035.2	69052.0	67098.3	65174.1	63279.6	61414.9	59580.2	57775.6	56001.3	54257.4
	9.51E-03	2.60E-02	9.87E-04	2.00E-02	1.58E-02	5.09E-03	2.80E-02	4.22E-06	3.02E-02	3.34E-03	2.85E-02
	1.1130	1.1377	1.1796	1.1722	1.1999	1.2026	1.2373	1.8198	1.2782	1.3242	1.3223
	5.88E-03										
	2.60E+02*	6.52E+02	2.28E+01*	4.22E+02	3.05E+02	9.03E+01*	4.54E+02	6.26E-02*	4.09E+02	4.11E+01*	3.19E+02
21	.1348	.1386	.1425	.1466	.1508	.1553	.1599	.1647	.1698	.1750	.1805
	74177.2	72164.8	70181.7	68228.0	66303.8	64409.3	62544.6	60709.8	58905.2	57130.9	55387.1
	5.12E-04	2.30E-02	1.23E-02	4.13E-03	2.59E-02	1.77E-03	1.98E-02	1.44E-02	7.95E-03	2.63E-02	1.35E-03
	1.0820	1.1249	1.1496	1.1528	1.1837	1.2250	1.2196	1.2506	1.2543	1.2904	1.2740
	5.88E-03										
	1.46E+01*	6.05E+02	2.98E+02	9.19E+01*	5.29E+02	3.30E+01*	3.39E+02	2.25E+02	1.14E+02*	3.44E+02	1.61E+01*

*The Einstein coefficient for this band may have limited accuracy, since the Franck-Condon factor is less than 0.01 (see text).

Table 7. Radiative transition parameters for N_2 $a^1\Pi_g - a'^1\Sigma_u^-$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$.

$V' \backslash V''$	0	1	2	3	4	5	6	7	8	9	10
0	8.2515	-33.9751	-5.6281	-3.0905	-2.1408	-1.6437	-1.3381	-1.1312	-.9819	-.8691	-.7808
	1211.9	-294.3	-1776.8	-3235.7	-4671.3	-6083.7	-7473.3	-8840.2	-10184.6	-11506.7	-12806.7
6.01E-01	2.81E-01	8.75E-02	2.32E-02	5.70E-03	1.36E-03	3.19E-04	7.55E-05	1.81E-05	4.42E-06	1.11E-06	
1.2527	1.2008	1.1576	1.1203	1.0876	1.0583	1.0318	1.0078	.9859	.9657	.9473	
2.12E-01	2.28E-01	2.42E-01	2.53E-01	2.63E-01	2.72E-01	2.79E-01	2.86E-01	2.92E-01	2.97E-01	3.01E-01	
9.74E+01	-1.51E+00	-1.16E+02	-2.04E+02	-1.63E+02	-9.13E+01	-4.21E+01	-1.73E+01	-6.59E+00	-2.40E+00	-8.53E-01	
9.74E+01	-1.51E+00	-1.17E+02	-2.05E+02	-1.64E+02*	-9.20E+01*	-4.25E+01*	-1.75E+01*	-6.67E+00*	-2.43E+00*	-8.66E-01*	
1	3.4743	7.2886	-90.5412	-6.3721	-3.3279	-2.2638	-1.7221	-1.3940	-1.1739	-1.0162	-.8976
	2878.2	1372.0	-110.4	-1569.3	-3004.9	-4417.4	-5807.0	-7173.9	-8518.3	-9840.4	-11140.3
3.30E+01	1.47E+01	2.78E+01	1.57E+01	6.04E+02	1.95E+02	5.75E+03	1.62E+03	4.45E+04	1.22E+04	3.34E+05	
1.3101	1.2688	1.2095	1.1648	1.1269	1.0938	1.0643	1.0378	1.0137	.9917	.9715	
1.94E+01	2.07E+01	2.26E+01	2.40E+01	2.51E+01	2.61E+01	2.70E+01	2.78E+01	2.84E+01	2.90E+01	2.95E+01	
5.98E+02	3.30E+01	-7.74E+02	-1.41E+02	-4.20E+02	-4.66E+02	-3.33E+02	-1.87E+02	-9.01E+01	-3.95E+01	-1.63E+01	
5.98E+02	3.30E+01	-7.74E+02	-1.41E+02	-4.21E+02	-4.67E+02	-3.35E+02*	-1.88E+02*	-9.10E+01*	-4.00E+01*	-1.65E+01*	
2	2.2140	5.5217	6.5442	144.5651	-7.3185	-3.5986	-2.3990	-1.8066	-1.4535	-1.2192	-1.0524
	4516.8	3010.5	1528.1	69.2	-1366.4	-2778.9	-4168.4	-5535.3	-6879.7	-8201.8	-9501.8
6.39E+02	4.06E+01	8.92E+03	1.85E+01	1.80E+01	9.62E+02	3.95E+02	1.41E+02	4.64E+03	1.46E+03	4.50E+04	
1.3798	1.3196	1.3294	1.2196	1.1723	1.1336	1.1001	1.0705	1.0438	1.0196	.9975	
1.72E+01	1.91E+01	1.88E+01	2.23E+01	2.37E+01	2.49E+01	2.60E+01	2.68E+01	2.76E+01	2.83E+01	2.88E+01	
3.52E+02	8.17E+02	2.27E+00	6.14E-03	-1.05E+02	-5.20E+02	-7.80E+02	-6.96E+02	-4.66E+02	-2.61E+02	-1.30E+02	
3.51E+02	8.17E+02	2.28E+00*	6.13E-03	-1.05E+02	-5.21E+02	-7.83E+02	-7.00E+02	-4.69E+02*	-2.64E+02*	-1.32E+02*	
3	1.6320	2.1639	3.1859	5.9526	40.9231	-8.5609	-3.9098	-2.5481	-1.8979	-1.5172	-1.2673
	6127.5	4621.3	3138.8	1679.9	244.4	-1168.1	-2557.7	-3924.6	-5269.0	-6591.1	-7891.1
5.25E-03	1.48E-01	3.60E-01	1.23E-02	9.04E-02	1.63E-01	1.19E-01	6.11E-02	2.59E-02	9.88E-03	3.53E-03	
1.4705	1.3885	1.3300	1.2070	1.2329	1.1804	1.1406	1.1066	1.0766	1.0498	1.0255	
1.45E+01	1.69E+01	1.87E+01	2.26E+01	2.18E+01	2.35E+01	2.47E+01	2.58E+01	2.66E+01	2.74E+01	2.81E+01	
5.13E+01	8.45E+02	7.92E+02	6.06E+00	1.27E-01	-5.81E+01	-4.95E+02	-9.92E+02	-1.09E+03	-8.61E+02	-5.54E+02	
5.03E+01*	8.43E+02	7.94E+02	6.03E+00	1.27E-01	-5.80E+01	-4.95E+02	-9.95E+02	-1.10E+03	-8.67E+02*	-5.59E+02*	
4	1.2969	1.6118	2.1178	3.0647	5.4722	24.0982	-10.2605	-4.2708	-2.7130	-1.9968	-1.5853
	7710.6	6204.4	4721.9	3263.0	1827.4	415.0	-974.6	-2341.5	-3685.9	-5008.0	-6308.0
1.69E-04	1.77E-02	2.26E-01	2.68E-01	6.19E-02	2.82E-02	1.24E-01	1.26E-01	7.94E-02	3.97E-02	1.73E-02	
1.6063	1.4796	1.3974	1.3421	1.2483	1.2562	1.1895	1.1478	1.1131	1.0829	1.0559	
1.08E-01	1.42E-01	1.67E+01	1.84E+01	2.13E+01	2.11E+01	2.32E+01	2.45E+01	2.56E+01	2.65E+01	2.72E+01	
(1.83E+00)	1.73E+02	1.34E+03	6.37E+02	3.48E+01	1.82E+01	-2.51E+01	-3.92E+02	-1.05E+03	-1.41E+03	-1.31E+03	
1.66E+00*	1.70E+02	1.34E+03	6.40E+02	3.47E+01	1.81E+01	-2.50E+01	-3.92E+02	-1.05E+03	-1.42E+03	-1.31E+03	
5	1.0792	1.2887	1.5930	2.0753	2.9560	5.0750	17.2160	-12.7221	-4.6939	-2.8964	-2.1041
	9266.1	7759.8	6277.4	4818.5	3382.9	1970.4	580.9	-786.0	-2130.4	-3452.5	-4752.5
1.25E-06	7.29E+04	3.73E+02	2.88E+01	1.74E+01	1.11E+01	2.10E+03	7.97E+02	1.16E+01	9.11E+02	5.32E+02	
1.9156	1.6185	1.4890	1.4067	1.3570	1.2637	1.3609	1.2003	1.1554	1.1199	1.0892	
4.73E-02	1.05E+01	1.39E+01	1.64E+01	1.79E+01	2.08E+01	1.78E+01	2.29E+01	2.43E+01	2.54E+01	2.63E+01	
(4.50E-03)	(7.60E+00)	3.63E+02	1.75E+03	4.38E+02	7.47E+01	2.63E+02	-8.20E+00	-2.69E+02	-9.76E+02	-1.60E+03	
7.14E-04*	6.85E+00*	3.56E+02	1.75E+03	4.41E+02	7.45E+01	2.58E+02*	-8.16E+00	-2.68E+02	-9.77E+02	-1.60E+03	
6	.9264	1.0767	1.2812	1.5757	2.0363	2.8585	4.7421	13.4790	-16.5974	-5.1959	-3.1012
	10794.0	9287.8	7805.3	6346.4	4910.8	3498.4	2108.8	741.9	-602.5	-1924.6	-3224.6
1.42E-09	6.01E-06	1.88E+03	6.27E+02	3.29E+01	9.70E+02	1.41E+01	3.49E+03	4.14E+02	9.65E+02	9.43E+02	
.3303	1.9519	1.6311	1.4985	1.4164	1.3771	1.2751	1.1300	1.2146	1.1636	1.1268	
3.18E-01	4.23E-02	1.02E+01	1.37E+01	1.61E+01	1.73E+01	2.05E+01	2.50E+01	2.24E+01	2.40E+01	2.51E+01	
(3.67E-04)	(1.75E-02)	(1.88E+01)	6.07E+02	2.04E+03	2.51E+02	1.13E+02	1.81E+01	-1.84E+00	-1.61E+02	-8.10E+02	
5.40E-04*	1.02E+03*	1.69E+01*	5.97E+02	2.04E+03	2.55E+02	1.12E+02	1.83E+01*	-1.83E+00	-1.60E+02	-8.09E+02	
7	.8134	.9269	1.0746	1.2744	1.5597	2.0005	2.7706	4.4595	11.1360	-23.5783	-5.8001
	12294.5	10788.2	9305.8	7846.9	6411.3	4998.9	3609.3	2242.4	898.0	-424.1	-1724.1
1.40E-10	1.52E-08	1.66E+05	3.78E+03	9.25E+02	3.49E+01	4.35E+02	1.50E+01	2.07E+02	1.51E+02	7.15E-02	
1.8458	.6611	1.9935	1.6442	1.5083	1.4266	1.4093	1.2855	1.1988	1.2390	1.1728	
5.81E-02	3.45E+01	3.71E+02	9.87E+02	1.34E+01	1.58E+01	1.63E+01	2.02E+01	2.29E+01	2.16E+01	2.37E+01	
(1.78E-06)	(4.59E-03)	(3.73E-02)	(3.61E+01)	8.87E+02	2.19E+03	1.10E+02	1.39E+02	1.59E+00	-2.19E+01	-8.36E+01	
1.70E-09*	3.61E-03*	4.48E-06*	3.21E+01*	8.72E+02	2.20E+03	1.13E+02	1.39E+02	1.59E+00	-2.16E+01	-8.32E+01	

Table 7. Radiative transition parameters for $N_2^+ a^1 \Pi_g - a' ^1 \Sigma_u^-$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$. – Continued

$V' \backslash V''$	11	12	13	14	15	16	17	18	19	20	21
0	-.7100	-.6518	-.6033	-.5621	-.5268	-.4962	-.4694	-.4458	-.4248	-.4061	-.3892
	-14084.7	-15341.0	-16575.8	-17789.0	-18981.0	-20151.8	-21301.6	-22430.6	-23538.8	-24626.3	-25693.3
2.84E-07	7.48E-08	2.03E-08	5.69E-09	1.64E-09	4.84E-10	1.47E-10	4.54E-11	1.43E-11	4.52E-12	1.39E-12	
	.9304	.9149	.9007	.8876	.8753	.8634	.8520	.8408	.8298	.8171	.7981
3.05E-01	3.09E-01	3.12E-01	3.15E-01	3.17E-01	3.19E-01	3.22E-01	3.24E-01	3.26E-01	3.28E-01	3.31E-01	
-2.99E-01	-1.04E-01	-3.65E-02	-1.28E-02	-4.56E-03	-1.64E-03	-5.94E-04	-2.17E-04	-8.01E-05	-2.94E-05	-1.05E-05	
-3.04E-01*	-1.06E-01*	-3.71E-02*	-1.31E-02*	-4.65E-03*	-1.67E-03*	-6.05E-04*	-2.22E-04*	-8.17E-05*	-3.00E-05*	-1.07E-05*	
1	-.8053	-.7313	-.6707	-.6202	-.5775	-.5410	-.5093	-.4816	-.4572	-.4355	-.4162
	-12418.4	-13674.7	-14909.4	-16122.7	-17314.7	-18485.5	-19635.3	-20764.2	-21872.4	-22960.0	-24027.0
9.25E-06	2.61E-06	7.49E-07	2.20E-07	6.61E-08	2.04E-08	6.40E-09	2.05E-09	6.67E-10	2.18E-10	7.12E-11	
	.9530	.9359	.9203	.9059	.8927	.8804	.8687	.8571	.8449	.8313	.8151
3.00E-01	3.04E-01	3.07E-01	3.11E-01	3.14E-01	3.16E-01	3.18E-01	3.21E-01	3.23E-01	3.25E-01	3.28E-01	
-6.46E+00	-2.49E+00	-9.51E-01	-3.61E-01	-1.37E-01	-5.20E-02	-1.99E-02	-7.65E-03	-2.95E-03	-1.13E-03	-4.31E-04	
-6.55E+00*	-2.53E+00*	-9.66E-01*	-3.67E-01*	-1.39E-01*	-5.30E-02*	-2.03E-02*	-7.80E-03*	-3.01E-03*	-1.16E-03*	-4.42E-04*	
2	-.9277	-.8308	-.7535	-.6904	-.6379	-.5936	-.5557	-.5229	-.4942	-.4690	-.4467
	-10779.9	-12036.2	-13270.9	-14484.2	-15676.1	-16847.0	-17996.8	-19125.7	-20233.9	-21321.4	-22388.4
1.37E-04	4.19E-05	1.29E-05	4.01E-06	1.27E-06	4.07E-07	1.33E-07	4.43E-08	1.50E-08	5.14E-09	1.77E-09	
	.9773	.9587	.9416	.9258	.9113	.8978	.8852	.8732	.8615	.8496	.8364
2.94E-01	2.98E-01	3.03E-01	3.06E-01	3.10E-01	3.12E-01	3.15E-01	3.18E-01	3.20E-01	3.22E-01	3.24E-01	
-6.02E+01	-2.64E+01	-1.12E+01	-4.63E+00	-1.89E+00	-7.70E-01	-3.12E-01	-1.27E-01	-5.15E-02	-2.09E-02	-8.46E-03	
-6.09E+01*	-2.67E+01*	-1.13E+01*	-4.70E+00*	-1.92E+00*	-7.83E-01*	-3.18E-01*	-1.29E-01*	-5.25E-02*	-2.13E-02*	-8.65E-03*	
3	-1.0906	-.9592	-.8576	-.7768	-.7110	-.6563	-.6103	-.5709	-.5370	-.5073	-.4813
	-9169.1	-10425.4	-11660.1	-12873.4	-14065.4	-15236.2	-16386.0	-17515.0	-18623.1	-19710.7	-20777.7
1.21E-03	4.08E-04	1.36E-04	4.54E-05	1.52E-05	5.14E-06	1.76E-06	6.11E-07	2.15E-07	7.65E-08	2.75E-08	
	1.0034	.9831	.9645	.9473	.9314	.9167	.9030	.8902	.8781	.8662	.8540
2.87E-01	2.92E-01	2.97E-01	3.01E-01	3.05E-01	3.08E-01	3.11E-01	3.14E-01	3.17E-01	3.19E-01	3.21E-01	
-3.12E+02	-1.60E+02	-7.71E+01	-3.56E+01	-1.59E+01	-7.01E+00	-3.04E+00	-1.31E+00	-5.64E-01	-2.42E-01	-1.03E-01	
-3.15E+02*	-1.62E+02*	-7.81E+01*	-3.61E+01*	-1.62E+01*	-7.12E+00*	-3.09E+00*	-1.33E+00*	-5.74E-01*	-2.46E-01*	-1.05E-01*	
4	-1.3182	-1.1309	-.9924	-.8857	-.8011	-.7324	-.6755	-.6277	-.5869	-.5516	-.5210
	-7586.1	-8842.4	-10077.1	-11290.3	-12482.3	-13653.1	-14802.9	-15931.9	-17040.1	-18127.6	-19194.6
6.95E-03	2.65E-03	9.77E-04	3.54E-04	1.27E-04	4.58E-05	1.65E-05	6.01E-06	2.21E-06	8.17E-07	3.05E-07	
	1.0315	1.0093	.9889	.9702	.9529	.9370	.9221	.9083	.8954	.8830	.8709
2.79E-01	2.85E-01	2.91E-01	2.96E-01	3.00E-01	3.04E-01	3.07E-01	3.10E-01	3.13E-01	3.16E-01	3.18E-01	
-9.59E+02	-6.04E+02	-3.42E+02	-1.80E+02	-9.03E+01	-4.36E+01	-2.05E+01	-9.48E+00	-4.33E+00	-1.96E+00	-8.85E-01	
-9.66E+02*	-6.09E+02*	-3.46E+02*	-1.83E+02*	-9.15E+01*	-4.42E+01*	-2.08E+01*	-9.63E+00*	-4.40E+00*	-2.00E+00*	-9.01E-01*	
5	-1.6582	-1.3723	-.1.1735	-.1.0272	-.9152	-.8266	-.7549	-.6956	-.6458	-.6034	-.5669
	-6030.6	-7286.9	-8521.6	-9734.9	-10926.8	-12097.7	-13247.5	-14376.4	-15484.6	-16572.1	-17639.2
2.64E-02	1.18E-02	4.96E-03	2.00E-03	7.83E-04	3.03E-04	1.16E-04	4.47E-05	1.72E-05	6.66E-06	2.59E-06	
	1.0620	1.0375	1.0152	.9948	.9760	.9586	.9426	.9276	.9137	.9006	.8880
2.71E-01	2.78E-01	2.84E-01	2.89E-01	2.94E-01	2.98E-01	3.02E-01	3.06E-01	3.09E-01	3.12E-01	3.15E-01	
-1.72E+03	-1.43E+03	-1.00E+03	-6.24E+02	-3.58E+02	-1.94E+02	-1.00E+02	-5.03E+01	-2.47E+01	-1.19E+01	-5.70E+00	
-1.73E+03	-1.44E+03	-1.01E+03*	-6.30E+02*	-3.62E+02*	-1.96E+02*	-1.02E+02*	-5.10E+01*	-2.51E+01*	-1.21E+01*	-5.80E+00*	
6	-2.2209	-1.7364	-.1.4299	-.1.2185	-.1.0640	-.9461	-.8533	-.7783	-.7165	-.6647	-.6207
	-4502.7	-5759.0	-6993.7	-8206.9	-9398.9	-10569.7	-11719.6	-12848.5	-13956.7	-15044.2	-16111.2
6.44E-02	3.61E-02	1.80E-02	8.26E-03	3.61E-03	1.53E-03	6.33E-04	2.59E-04	1.05E-04	4.28E-05	1.74E-05	
	1.0956	1.0682	1.0435	1.0211	1.0006	.9818	.9644	.9482	.9332	.9191	.9059
2.61E-01	2.69E-01	2.76E-01	2.82E-01	2.88E-01	2.93E-01	2.97E-01	3.01E-01	3.05E-01	3.08E-01	3.11E-01	
-1.62E+03	-2.02E+03	-1.90E+03	-1.47E+03	-1.01E+03	-6.26E+02	-3.64E+02	-2.02E+02	-1.08E+02	-5.60E+01	-2.85E+01	
-1.62E+03	-2.03E+03	-1.91E+03	-1.48E+03*	-1.01E+03*	-6.32E+02*	-3.68E+02*	-2.04E+02*	-1.09E+02*	-5.68E+01*	-2.90E+01*	
7	-3.3309	-2.3483	-.1.8204	-.1.4911	-.1.2661	-.1.1026	-.9786	-.8812	-.8028	-.7383	-.6844
	-3002.2	-4258.5	-5493.2	-6706.4	-7898.4	-9069.2	-10219.1	-11348.0	-12456.2	-13543.7	-14610.7
8.94E-02	7.15E-02	4.53E-02	2.49E-02	1.25E-02	5.92E-03	2.69E-03	1.19E-03	5.17E-04	2.23E-04	9.54E-05	
	1.1340	1.1022	1.0744	1.0496	1.0271	1.0065	.9876	.9701	.9539	.9388	.9246
2.49E-01	2.59E-01	2.67E-01	2.74E-01	2.81E-01	2.86E-01	2.91E-01	2.96E-01	3.00E-01	3.03E-01	3.07E-01	
-6.09E+02	-1.50E+03	-2.17E+03	-2.29E+03	-1.97E+03	-1.46E+03	-9.85E+02	-6.15E+02	-3.63E+02	-2.06E+02	-1.13E+02	
-6.08E+02	-1.50E+03	-2.18E+03	-2.30E+03	-1.98E+03	-1.48E+03*	-9.95E+02*	-6.22E+02*	-3.68E+02*	-2.09E+02*	-1.15E+02*	

Table 7. Radiative transition parameters for N₂ $a^1\Pi_g - a'^1\Sigma_u^-$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$. - Continued

$v' \backslash v''$	0	1	2	3	4	5	6	7	8	9	10
8	.7263	.8156	.9277	1.0730	1.2683	1.5451	1.9676	2.6914	4.2174	9.5326	-39.8459
	13767.6	12261.4	10778.9	9320.0	7884.5	6472.0	5082.4	3715.5	2371.1	1049.0	-251.0
	8.90E-13	9.87E-10	8.36E-08	3.42E-05	6.48E-03	1.25E-01	3.52E-01	1.28E-02	1.41E-01	4.34E-02	2.13E-03
	.8519	1.9181	.8785	2.0421	1.6578	1.5184	1.4373	1.4805	1.2958	1.2196	1.3203
	3.22E-01	4.69E-02	3.16E-01	3.17E-02	9.56E-02	1.31E-01	1.55E-01	1.42E-01	1.98E-01	2.23E-01	1.91E-01
	(4.87E-07)(8.11E-06)(2.12E-02)	(5.62E-02)(5.88E+01)		1.18E+03	2.23E+03	2.67E+01	1.49E+02	5.03E+00	-4.95E-03		
	3.21E-07*	1.05E-06*	1.35E-02*	6.69E-03*	5.18E+01*	1.16E+03	2.25E+03	2.81E+01	1.49E+02	5.02E+00	-4.81E-03*
9	.6573	.7295	.8180	.9289	1.0718	1.2630	1.5318	1.9374	2.6198	4.0081	8.3686
	15213.5	13707.3	12224.8	10765.9	9330.4	7917.9	6528.3	5161.4	3817.0	2494.9	1194.9
	1.77E-14	1.22E-11	3.78E-09	3.22E-07	5.81E-05	9.99E-03	1.58E-01	3.41E-01	7.54E-04	1.20E-01	6.43E-02
	2.3696	1.0336	2.0006	1.0362	2.1001	1.6719	1.5287	1.4488	1.9240	1.3066	1.2327
	9.44E-03	2.79E-01	3.63E-02	2.78E-01	2.60E-02	9.23E-02	1.28E-01	1.51E-01	4.61E-02	1.95E-01	2.18E-01
	(1.13E-11)(4.93E-06)	1.84E-05	(6.28E-02)(6.47E-02)(8.56E+01)		1.47E+03	2.17E+03	(1.81E-01)	1.44E+02	1.06E+01		
	3.64E-09*	2.89E-06*	2.02E-05*	3.72E-02*	5.65E-02*	7.47E+01*	1.45E+03	2.19E+03	5.72E-02*	1.44E+02	1.06E+01
10	.6012	.6611	.7329	.8207	.9503	1.0710	1.2583	1.5197	1.9099	2.5551	3.8260
	16632.3	15126.1	13643.6	12184.7	10749.1	9336.7	7947.1	6580.2	5235.8	3913.7	2613.7
	3.93E-17	6.19E-14	7.94E-11	1.02E-08	9.75E-07	8.52E-05	1.42E-02	1.91E-01	3.22E-01	2.20E-03	9.48E-02
	2.5371	3.2137	1.1629	2.1031	1.1572	2.1709	1.6867	1.5394	1.4611	1.0159	1.3185
	4.62E-03	1.34E-04	2.40E-01	2.57E-02	2.42E-01	2.03E-02	8.90E-02	1.25E-01	1.47E-01	2.84E-01	1.91E-01
	(7.83E-15)(7.80E-15)(2.36E-05)(2.48E-05)(1.44E-01)(5.76E-02)(1.14E+02)						1.74E+03	2.04E+03	(2.15E+01)	1.25E+02	
	1.02E-10*	8.16E-08*	1.29E-05*	1.55E-04*	8.34E-02*	2.31E-01*	9.88E+01	1.72E+03	2.07E+03	1.94E+01*	1.25E+02
11	.5548	.6054	.6651	.7366	.8237	.9321	1.0708	1.2544	1.5088	1.8848	2.4966
	18024.1	16517.8	15035.4	13576.5	12140.9	10728.4	9338.9	7972.0	6627.6	5305.5	4005.5
	1.32E-15	8.13E-15	2.00E-13	3.62E-10	2.14E-08	2.50E-06	1.10E-04	1.90E-02	2.23E-01	2.97E-01	1.21E-02
	1.3209	1.7196	3.8656	1.2709	2.2336	1.2552	2.2607	1.7021	1.5503	1.4744	1.2161
	1.90E-01	8.19E-02	1.63E-06	2.06E-01	1.61E-02	2.11E-01	1.45E-02	8.56E-02	1.22E-01	1.44E-01	2.24E-01
	5.69E-10	(4.97E-10)(3.68E-18)(7.81E-05)(2.01E-05)(2.78E-01)(3.83E-02)(1.43E+02)						1.98E+03	1.85E+03	7.87E+01	
	5.90E-10*	1.87E-11*	5.19E-07*	4.01E-05*	7.42E-04*	1.61E-01*	6.76E-01*	1.22E+02	1.96E+03	1.89E+03	7.31E+01
12	.5158	.5592	.6097	.6693	.7404	.8269	.9343	1.0710	1.2512	1.4992	1.8621
	19388.9	17882.7	16400.3	14941.4	13505.8	12093.3	10703.7	9336.9	7992.5	6670.3	5370.4
	1.46E-16	1.71E-16	7.81E-14	1.28E-13	1.30E-09	3.63E-08	5.60E-06	1.27E-04	2.43E-02	2.54E-01	2.69E-01
	1.2686	.9205	1.7458	7.7711	1.3647	2.4136	1.3378	2.3796	1.7183	1.5615	1.4889
	2.07E-01	3.07E-01	7.65E-02	7.17E-27	1.77E-01	7.88E-03	1.85E-01	9.06E-03	8.21E-02	1.19E-01	1.39E-01
	9.22E-11	(1.87E-10)(4.08E-09)(0.00E+00)	2.03E-04*	8.07E-06*	(4.76E-01)(1.72E-02)(1.69E+02)				2.18E+03	1.64E+03	
	8.79E-11*	1.37E-10*	4.79E-11*	2.66E-06*	9.70E-05*	2.68E-03*	2.74E-01*	1.61E+00*	1.42E+02	2.16E+03	1.69E+03
13	.4825	.5203	.5637	.6143	.6737	.7445	.8304	.9368	1.0717	1.2487	1.4907
	20727.1	19220.8	17738.4	16279.5	14843.9	13431.4	12041.9	10675.0	9330.6	8008.5	6708.5
	4.61E-16	1.45E-16	1.93E-16	2.83E-13	1.52E-13	3.87E-09	4.92E-08	1.13E-05	1.29E-04	2.97E-02	2.82E-01
	1.2920	1.2086	.7697	1.9307	-9.2188	1.4500	2.6883	1.4100	2.5474	1.7353	1.5731
	1.99E-01	2.26E-01	3.35E-01	4.52E-02	0.00E+00	1.51E-01	2.30E-03	1.63E-01	4.42E-03	7.86E-02	1.16E-01
	3.31E-10	(1.06E-10)(2.45E-10)(5.05E-09)(0.00E+00)(4.32E-04)(9.17E-07)(7.38E-01)(4.13E-03)(1.91E+02)								2.34E+03	
	3.35E-10*	1.21E-10*	7.63E-11*	1.26E-08*	1.03E-05*	1.86E-04*	7.95E-03*	4.20E-01*	3.35E+00*	1.57E+02	2.33E+03
14	.4538	.4870	.5249	.5685	.6190	.6783	.7489	.8343	.9397	1.0730	1.2469
	22038.6	20532.3	19049.9	17591.0	16155.4	14742.9	13353.4	11986.5	10642.1	9320.0	8020.0
	8.68E-16	2.03E-17	1.42E-15	8.40E-16	9.92E-13	6.28E-12	9.95E-09	5.03E-08	2.09E-05	1.12E-04	3.51E-02
	1.2782	1.4596	1.3200	1.2259	2.0684	-1.3137	1.5307	3.1014	1.4752	2.8062	1.7533
	2.04E-01	1.48E-01	1.91E-01	2.21E-01	2.90E-02	5.13E-03	1.28E-01	1.63E-04	1.43E-01	1.28E-03	7.50E-02
	7.82E-10	(7.78E-12)(7.23E-10)(4.51E-10)(7.12E-09)(1.07E-09)	(7.84E-04)(4.64E-09)(1.05E+00)(3.03E-04)(2.06E+02)								
	7.84E-10*	1.00E-11*	6.49E-10*	2.64E-12*	1.04E-07*	3.26E-05*	2.88E-04*	2.02E-02*	5.85E-01*	6.24E+00*	1.66E+02
15	.4288	.4584	.4918	.5298	.5734	.6239	.6831	.7535	.8384	.9430	1.0747
	23323.6	21817.3	20334.9	18876.0	17440.4	16028.0	14638.4	13271.5	11927.1	10605.0	9305.0
	9.57E-17	9.50E-17	1.04E-15	2.66E-15	1.69E-14	2.62E-12	5.24E-11	2.25E-08	3.16E-08	3.59E-05	7.91E-05
	1.2719	1.1722	1.1845	1.3548	1.4690	2.2611	-.0113	1.6098	4.3896	1.5358	3.2694
	2.06E-01	2.37E-01	2.34E-01	1.80E-01	1.45E-01	1.45E-02	2.25E-01	1.07E-01	2.33E-08	1.26E-01	9.55E-05
	1.04E-10	1.13E-10	9.70E-10	(1.17E-09)(3.83E-09)(4.59E-09)(1.69E-05)(1.22E-03)(5.87E-17)(1.39E+00)(1.18E-06)							
	1.05E-10*	1.10E-10*	9.00E-10*	1.04E-09*	6.38E-11*	6.19E-07*	8.86E-05*	3.38E-04*	4.56E-02*	7.42E-01*	1.07E+01*

Table 7. Radiative transition parameters for $\text{N}_2 \text{ a } ^1\text{II}_g - \text{a}' \text{ } ^1\Sigma_u^-$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$. – Continued

$V' \backslash V''$	11	12	13	14	15	16	17	18	19	20	21
8	-6.5401	-3.5902	-2.4875	-1.9108	-1.5564	-1.3165	-1.1434	-1.0127	-.9105	-.8285	-.7612
	-1529.0	-2785.3	-4020.0	-5233.3	-6425.3	-7596.1	-8745.9	-9874.9	-10983.0	-12070.6	-13137.6
4.67E-02	7.82E-02	7.38E-02	5.27E-02	3.20E-02	1.75E-02	8.94E-03	4.35E-03	2.05E-03	9.44E-04	4.29E-04	
1.1837	1.1417	1.1089	1.0807	1.0557	1.0331	1.0124	.9934	.9759	.9596	.9444	
2.34E-01	2.47E-01	2.57E-01	2.65E-01	2.72E-01	2.79E-01	2.85E-01	2.90E-01	2.94E-01	2.98E-01	3.02E-01	
-3.70E+01	-4.17E+02	-1.28E+03	-2.15E+03	-2.56E+03	-2.42E+03	-1.96E+03	-1.42E+03	-9.51E+02	-5.98E+02	-3.59E+02	
-3.67E+01	-4.16E+02	-1.28E+03	-2.16E+03	-2.57E+03	-2.43E+03	-1.98E+03*	-1.44E+03*	-9.61E+02*	-6.05E+02*	-3.64E+02*	
9	-120.3022	-7.4659	-3.8848	-2.6403	-2.0083	-1.6260	-1.3699	-1.1864	-1.0485	-0.9412	-.8553
	-83.1	-1339.4	-2574.1	-3787.4	-4979.4	-6150.2	-7300.0	-8429.0	-9537.1	-10624.7	-11691.7
5.58E-04	2.57E-02	6.31E-02	7.12E-02	5.76E-02	3.86E-02	2.29E-02	1.26E-02	6.54E-03	3.27E-03	1.59E-03	
.9748	1.1981	1.1499	1.1158	1.0871	1.0618	1.0301	1.0183	.9993	.9817	.9653	
2.94E-01	2.29E-01	2.44E-01	2.55E-01	2.63E-01	2.71E-01	2.77E-01	2.83E-01	2.88E-01	2.93E-01	2.97E-01	
-1.13E-04	-1.32E+01	-2.60E+02	-1.02E+03	-2.00E+03	-2.67E+03	-2.78E+03	-2.45E+03	-1.91E+03	-1.36E+03	-9.10E+02	
-1.21E-04*	-1.30E+01	-2.59E+02	-1.02E+03	-2.00E+03	-2.67E+03	-2.79E+03	-2.46E+03	-1.92E+03*	-1.38E+03*	-9.20E+02*	
10	7.4870	126.0224	-8.6554	-4.2219	-2.8085	-2.1135	-1.7003	-1.4265	-1.2318	-1.0863	-.9734
1335.7	79.4	-1155.4	-2368.6	-3560.6	-4731.4	-5881.2	-7010.2	-8118.4	-9205.9	-10272.9	
7.94E-02	7.09E-03	1.08E-02	4.66E-02	6.45E-02	5.93E-02	4.38E-02	2.83E-02	1.67E-02	9.25E-03	4.90E-03	
1.2432	1.1493	1.2211	1.1591	1.1230	1.0937	1.0681	1.0451	1.0242	1.0051	.9875	
2.15E-01	2.45E-01	2.22E-01	2.42E-01	2.53E-01	2.61E-01	2.69E-01	2.76E-01	2.81E-01	2.86E-01	2.91E-01	
1.77E+01	4.29E-04	-3.33E+00	-1.46E+02	-7.52E+02	-1.74E+03	-2.61E+03	-3.00E+03	-2.86E+03	-2.40E+03	-1.83E+03	
1.77E+01	4.33E-04*	-3.28E+00	-1.45E+02	-7.50E+02	-1.74E+03	-2.62E+03	-3.01E+03	-2.88E+03	-2.42E+03*	-1.84E+03*	
11	3.6665	6.7976	42.2994	-10.2369	-4.6108	-2.9943	-2.2274	-1.7799	-1.4866	-1.2797	-1.1260
2727.4	1471.1	236.4	-976.9	-2168.8	-3339.7	-4489.5	-5618.4	-6726.6	-7814.1	-8881.1	
6.89E-02	8.71E-02	1.81E-02	2.42E-03	3.10E-02	5.48E-02	5.79E-02	4.73E-02	3.31E-02	2.10E-02	1.24E-02	
1.3323	1.2527	1.1807	1.2801	1.1700	1.1307	1.1004	1.0743	1.0512	1.0302	1.0110	
1.87E-01	2.12E-01	2.35E-01	2.03E-01	2.38E-01	2.50E-01	2.59E-01	2.67E-01	2.74E-01	2.80E-01	2.85E-01	
9.87E+01	2.52E+01	2.67E-02	-3.78E-01	-7.27E+01	-5.18E+02	-1.43E+03	-2.43E+03	-3.06E+03	-3.17E+03	-2.85E+03	
9.88E+01	2.51E+01	2.68E-02	-3.66E-01*	-7.20E+01	-5.16E+02	-1.43E+03	-2.43E+03	-3.07E+03	-3.18E+03	-2.87E+03	
12	2.4436	3.5261	6.2450	25.7719	-12.4385	-5.0638	-3.2004	-2.3510	-1.8651	-1.5506	-1.3304
4092.3	2836.0	1601.3	388.0	-804.0	-1974.8	-3124.6	-4253.5	-5361.7	-6449.3	-7516.3	
2.62E-02	4.58E-02	8.77E-02	3.04E-02	3.37E-06	1.80E-02	4.36E-02	5.36E-02	4.86E-02	3.70E-02	2.51E-02	
1.2687	1.3492	1.2618	1.1970	-1.4890	1.1840	1.1389	1.1073	1.0807	1.0573	1.0362	
2.07E-01	1.81E-01	2.09E-01	2.30E-01	2.29E-03	2.34E-01	2.48E-01	2.57E-01	2.65E-01	2.72E-01	2.78E-01	
1.56E+02	6.96E+01	3.19E+01	1.90E-01	(-3.72E-08)	-3.06E+01	-3.31E+02	-1.11E+03	-2.14E+03	-2.97E+03	-3.33E+03	
1.47E+02	6.98E+01	3.18E+01	1.90E-01	-9.55E-03*	-3.02E+01	-3.29E+02	-1.11E+03	-2.14E+03	-2.98E+03	-3.35E+03	
13	1.8415	2.3957	3.4021	5.7933	18.7209	-15.7068	-5.5976	-3.4300	-2.4853	-1.9565	-1.6186
5430.4	4174.1	2939.4	1726.1	534.2	-636.7	-1786.5	-2915.4	-4023.6	-5111.1	-6178.1	
2.41E-01	4.15E-02	2.72E-02	8.26E-02	4.17E-02	2.28E-03	8.36E-03	3.23E-02	4.72E-02	4.78E-02	3.95E-02	
1.5047	1.2949	1.3720	1.2709	1.2088	1.0903	1.2054	1.1481	1.1144	1.0872	1.0635	
1.35E-01	1.99E-01	1.74E-01	2.06E-01	2.26E-01	2.62E-01	2.27E-01	2.45E-01	2.55E-01	2.63E-01	2.70E-01	
1.43E+03	2.41E+02	4.26E+01	3.66E+01	6.57E-01	-1.64E-01	-9.95E+00	-1.94E+02	-8.12E+02	-1.79E+03	-2.76E+03	
1.48E+03	2.29E+02	4.28E+01	3.65E+01	6.56E-01	-1.69E-01*	-9.77E+00*	-1.93E+02	-8.09E+02	-1.79E+03	-2.76E+03	
14	1.4833	1.8230	2.3524	3.2920	5.4181	14.8185	-21.0533	-6.2347	-3.6872	-2.6318	-2.0548
6741.9	5485.6	4250.9	3037.6	1845.7	674.8	-475.0	-1603.9	-2712.1	-3799.6	-4866.6	
3.08E-01	2.15E-01	5.58E-02	1.38E-02	7.36E-02	5.04E-02	7.70E-03	2.50E-03	2.18E-02	3.94E-02	4.50E-02	
1.5851	1.5220	1.3113	1.4070	1.2802	1.2185	1.1436	1.2512	1.1588	1.1220	1.0939	
1.13E-01	1.30E-01	1.93E-01	1.64E-01	2.03E-01	2.23E-01	2.46E-01	2.12E-01	2.42E-01	2.53E-01	2.61E-01	
2.46E+03	1.22E+03	3.25E+02	2.10E+01	3.87E+01	1.56E+00	-2.03E-01	-1.88E+00	-1.03E+02	-5.61E+02	-1.43E+03	
2.46E+03	1.28E+03	3.10E+02	2.12E+01	3.85E+01	1.55E+00	-2.05E-01*	-1.82E+00*	-1.02E+02	-5.58E+02	-1.43E+03	
15	1.2458	1.4770	1.8064	2.3134	3.1942	5.1024	12.3451	-31.3580	-7.0073	-3.9767	-2.7920
8026.9	6770.6	5535.9	4322.7	3130.7	1959.9	810.0	-318.9	-1427.1	-2514.6	-3581.6	
4.03E-02	3.32E-01	1.91E-01	6.79E-02	5.28E-03	6.23E-02	5.58E-02	1.47E-02	1.17E-04	1.31E-02	3.11E-02	
1.7725	1.5974	1.5410	1.3230	1.4743	1.2900	1.2273	1.1655	1.5746	1.1724	1.1303	
7.12E-02	1.10E-01	1.25E-01	1.90E-01	1.44E-01	2.00E-01	2.20E-01	2.40E-01	1.16E-01	2.37E-01	2.50E-01	
(2.14E+02)	2.54E+03	1.02E+03	4.00E+02	6.77E+00	3.81E+01	2.91E+00	-1.11E-01	(-1.85E-02)	-4.75E+01	-3.63E+02	
1.68E+02	2.55E+03	1.09E+03	3.82E+02	6.87E+00*	3.79E+01	2.90E+00	-1.12E-01	-1.23E-02*	-4.68E+01	-3.60E+02	

Table 7. Radiative transition parameters for N_2 $a^1\Pi_g - a'^1\Sigma_u^-$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$. — Continued

$V' \backslash V''$	0	1	2	3	4	5	6	7	8	9	10
16	.4068	.4333	.4631	.4967	.5348	.5785	.6290	.6882	.7584	.8429	.9466
	24582.3	23076.1	21593.6	20134.7	18699.1	17286.7	15897.1	14530.2	13185.8	11863.7	10563.7
	2.62E-16	2.89E-16	1.18E-16	7.78E-16	5.14E-15	8.51E-14	5.36E-12	2.59E-10	4.57E-08	3.22E-09	5.77E-05
	1.2692	1.2151	.9797	1.0836	1.4165	1.6464	2.5477	.5253	1.6911	13.2760	1.5937
	2.07E-01	2.24E-01	2.93E-01	2.64E-01	1.61E-01	9.82E-02	4.41E-03	3.44E-01	8.80E-02	0.00E+00	1.11E-01
	3.37E-10	3.61E-10	2.07E-10	(8.99E-10)	1.76E-09	(8.60E-09)	(8.49E-10)	1.90E-04	(1.64E-03)	(0.00E+00)	(1.70E+00)
	3.37E-10*	3.58E-10*	2.02E-10*	7.54E-10*	1.68E-09*	7.12E-10*	2.83E-06*	2.09E-04*	2.57E-04*	9.29E-02*	8.51E-01*
17	.3874	.4114	.4381	.4680	.5017	.5400	.5838	.6344	.6936	.7636	.8477
	25814.8	24308.6	22826.1	21367.2	19931.7	18519.2	17129.6	15762.7	14418.3	13096.2	11796.2
	7.23E-16	1.60E-16	4.84E-17	1.86E-17	3.65E-15	1.22E-14	3.80E-13	8.58E-12	9.72E-10	8.35E-08	2.80E-08
	1.2646	1.2050	1.6131	-.0693	1.1383	1.4180	1.7754	2.9954	.8326	1.7781	-3.4871
	2.08E-01	2.27E-01	1.06E-01	2.07E-01	2.68E-01	1.60E-01	7.06E-02	4.71E-04	3.25E-01	7.01E-02	1.57E-09
	1.09E-09	2.40E-10	1.32E-11	(1.57E-11)	(3.60E-09)	(4.02E-09)	(1.93E-08)	(1.51E-11)	(6.24E-04)	(1.87E-03)	(2.30E-19)
	1.09E-09*	2.39E-10*	1.27E-11*	1.19E-10*	3.00E-09*	4.70E-09*	1.22E-08*	1.03E-05*	4.35E-04*	5.37E-05*	1.73E-01*
18	.3701	.3919	.4161	.4430	.4731	.5070	.5454	.5893	.6400	.6992	.7691
	27021.4	25515.1	24032.7	22573.8	21138.2	19725.8	18336.2	16969.3	15624.9	14302.8	13002.8
	2.83E-16	3.27E-18	1.07E-16	2.31E-18	9.99E-16	1.07E-14	1.03E-14	1.41E-12	8.93E-12	3.02E-09	1.38E-07
	1.2560	1.0007	1.3781	3.7180	.9330	1.1628	1.4552	1.8799	3.9652	1.0398	1.8762
	2.11E-01	2.88E-01	1.72E-01	4.83E-06	3.05E-01	2.40E-01	1.49E-01	5.26E-02	7.64E-07	2.77E-01	5.32E-02
	5.04E-10	9.11E-12	8.97E-11	(1.25E-21)	1.77E-09	(9.63E-09)	(2.87E-09)	(3.86E-08)	(4.03E-17)	(1.37E-03)	(1.73E-03)
	5.04E-10*	9.16E-12*	9.21E-11*	1.32E-11*	1.65E-09*	7.95E-09*	5.71E-09*	8.53E-08*	3.18E-05*	8.03E-04*	1.16E-04*
19	.3546	.3746	.3966	.4210	.4480	.4783	.5124	.5510	.5950	.6458	.7050
	28202.1	26695.9	25213.4	23754.5	22318.9	20906.5	19516.9	18150.0	16805.6	15483.5	14183.5
	1.33E-17	5.73E-17	6.40E-18	2.02E-17	2.47E-16	2.42E-15	1.91E-14	7.07E-16	4.19E-12	3.10E-12	8.08E-09
	1.3176	1.2702	1.2304	.9280	.8345	.9305	1.2053	1.5658	1.9958	8.1076	1.1962
	1.91E-01	2.06E-01	2.19E-01	3.06E-01	3.25E-01	3.05E-01	2.27E-01	1.18E-01	3.68E-02	2.45E-29	2.30E-01
	2.21E-11	9.41E-11	9.98E-12	5.12E-11	5.87E-10	(4.17E-09)	(1.48E-08)	(1.20E-10)	(5.47E-08)	(0.00E+00)	(2.47E-03)
	2.22E-11*	9.46E-11*	1.06E-11*	4.98E-11*	6.01E-10*	3.74E-09*	1.17E-08*	4.97E-09*	4.62E-07*	8.61E-05*	1.31E-03*
20	.3406	.3591	.3792	.4015	.4260	.4533	.4837	.5180	.5568	.6010	.6519
	29357.2	27851.0	26368.5	24909.6	23474.0	22061.6	20672.0	19305.1	17960.7	16638.6	15338.6
	3.77E-16	1.16E-16	3.45E-17	9.85E-17	4.87E-17	2.39E-16	4.67E-15	3.14E-14	3.60E-14	1.07E-11	3.60E-12
	1.2695	1.2324	1.3889	1.2556	.8717	.6258	.9750	1.2939	1.5092	2.1233	-7.6198
	2.07E-01	2.18E-01	1.69E-01	2.11E-01	3.18E-01	3.46E-01	2.94E-01	1.99E-01	1.34E-01	2.40E-02	6.23E-35
	8.26E-10	2.42E-10	3.66E-11	1.37E-10	1.29E-10	(6.21E-10)	(7.24E-09)	(1.81E-08)	(7.55E-09)	(5.73E-08)	(0.00E+00)
	8.26E-10*	2.42E-10*	3.58E-11*	1.33E-10*	1.27E-10*	7.44E-10*	5.94E-09*	1.41E-08*	2.21E-09*	1.94E-06*	2.07E-04*
21	.3280	.3451	.3637	.3840	.4064	.4312	.4587	.4894	.5238	.5628	.6072
	30486.8	28980.6	27498.1	26039.2	24603.7	23191.2	21801.6	20634.7	19090.3	17768.2	16468.2
	4.62E-16	6.24E-17	5.56E-17	5.69E-17	2.17E-18	9.20E-18	3.51E-16	7.85E-15	2.74E-14	4.66E-13	2.29E-11
	1.2609	1.2021	1.3469	1.3093	1.5010	2.2595	.6710	1.0745	1.4712	1.5530	2.2826
	2.09E-01	2.28E-01	1.82E-01	1.94E-01	1.36E-01	1.46E-02	3.44E-01	2.67E-01	1.45E-01	1.22E-01	1.33E-02
	1.16E-09	1.60E-10	7.78E-11	7.66E-11	(1.21E-12)	(4.94E-14)	8.71E-10	(9.69E-09)	(8.06E-09)	(7.86E-08)	(3.69E-08)
	1.16E-09*	1.60E-10*	7.72E-11*	7.47E-11*	2.03E-12*	2.89E-13*	8.80E-10*	6.89E-09*	5.93E-09*	1.97E-10*	6.90E-06*

Table 7. Radiative transition parameters for N_2 $a^1\Pi_g - a'^1\Sigma_u^-$. For each $v' - v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$. — Continued

$v' \setminus v''$	11	12	13	14	15	16	17	18	19	20	21
16	1.0769 9285.6	1.2454 8029.3	1.4718 6794.6	1.7917 5581.4	2.2782 4389.4	3.1070 3218.6	4.8338 2068.7	10.6405 939.8	-59.3916 -168.4	-7.9623 -1255.9	-4.3049 -2322.9
	3.70E-05 4.3673	4.50E-02 1.7929	3.54E-01 1.6101	1.70E-01 1.5620	7.71E-02 1.3316	9.90E-04 1.6900	5.03E-02 1.3006	5.80E-02 1.2356	2.20E-02 1.1795	6.31E-04 1.0017	6.56E-03 1.1924
	2.82E-08 (4.79E-14) (2.14E+02)	6.74E-02 2.58E+03	1.07E-01 8.51E+02	1.19E-01 4.62E+02	1.87E-01 (5.21E-01)	8.82E-02 3.50E+01	1.97E-01 4.61E+00	2.17E-01 -2.36E-02	2.35E-01 -4.18E-01	2.87E-01 -1.78E+01	2.31E-01 -1.74E+01*
	1.71E+01*	1.62E+02	2.60E+03	9.15E+02	4.41E+02	4.46E-01*	3.48E+01	4.59E+00	2.36E-02	-4.48E-01*	-1.74E+01*
17	.9507 10518.2	1.0797 9261.9	1.2458 8027.2	1.4676 6813.9	1.7787 5621.9	2.2466 4451.1	3.0291 3301.3	4.6033 2172.4	9.3970 1064.2	-427.9173 -23.4	-9.1712 -1090.4
	8.71E-05 1.6507	4.25E-06 10.6530	4.90E-02 1.8148	3.75E-01 1.6232	1.52E-01 1.5849	8.33E-02 1.3380	3.17E-05 -.7378	3.88E-02 1.3124	5.71E-02 1.2436	2.86E-02 1.1902	3.27E-03 1.1054
	9.72E-02 (1.94E+00) (0.00E+00)	0.00E+00 2.06E+02	6.34E-02 2.59E+03	1.04E-01 7.01E+02	1.13E-01 5.09E+02	1.85E-01 (4.51E-03)	4.42E-02 3.00E+01	1.93E-01 6.44E+00	2.15E-01 -7.96E-05	2.32E-01 -1.14E+00	2.58E-01 -1.17E+00*
	8.70E-01*	2.58E+01*	1.50E+02	2.62E+03	7.66E+02	4.85E+02	1.44E+00*	2.99E+01	6.41E+00	-7.96E-05	-1.17E+00*
18	.8529 11724.7	.9553 10468.4	1.0830 9233.7	1.2468 8020.5	1.4645 6828.5	1.7675 5657.7	2.2184 4507.8	2.9595 3378.9	4.4039 2270.7	8.4518 1183.2	86.0763 116.2
	2.77E-07 -.3929	1.24E-04 1.7083	1.06E-05 -4.6256	5.21E-02 1.8386	3.94E-01 1.6368	1.37E-01 1.6098	8.67E-02 1.3425	1.48E-03 1.0305	2.85E-02 1.3261	5.40E-02 1.2515	3.39E-02 1.1993
	1.11E-01 (1.12E-02) (2.05E+00)	8.43E-02 (1.07E-27)	7.96E-15 (1.91E+02)	5.93E-02 2.57E+03	1.01E-01 5.75E+02	1.07E-01 5.42E+02	1.84E-01 9.02E+00	2.80E-01 2.41E+01	1.89E-01 8.17E+00	2.12E-01 5.65E-03	2.29E-01 5.65E-03
	2.99E-01*	7.66E-01*	3.70E+01*	1.31E+02	2.62E+03	6.40E+02	5.14E+02	8.67E+00*	2.40E+01	8.13E+00	5.64E-03
19	.7749 12905.5	.8584 11649.2	.9602 10414.5	1.0868 9201.2	1.2486 8009.2	1.4623 6858.4	1.7579 5688.6	2.1932 4559.6	2.8973 3451.4	4.2303 2363.9	7.7107 1296.9
	2.04E-07 1.9938	1.11E-06 .4202	1.67E-04 1.7684	9.86E-05 -.5650	5.41E-02 1.8646	4.12E-01 1.6507	1.25E-01 1.6367	8.75E-02 1.3451	4.48E-03 1.1657	1.98E-02 1.3428	4.92E-02 1.2594
	3.71E-02 (1.22E-03) (3.05E-01)	3.33E-01 (1.98E+00)	7.20E-02 (8.21E-01)	7.26E-02 (1.70E+02)	5.50E-02 2.52E+03	9.72E-02 (4.72E+02)	1.01E-01 5.61E+02	1.83E-01 9.39E-02	2.39E-01 1.83E-01	1.83E-01 2.23E-01	2.10E-01 1.77E-01
	1.75E-03*	4.79E-01*	5.38E-01*	5.07E+01*	1.07E+02	2.59E+03	5.35E+02	5.29E+02	2.05E+01*	1.78E+01	9.52E+00
20	.7112 14060.5	.7810 12804.2	.8643 11569.5	.9656 10356.3	1.0912 9164.3	1.2510 7993.5	1.4612 6843.7	1.7499 5714.7	2.1708 4606.5	2.8417 3519.0	4.0783 2452.0
	1.92E-08 1.3245	2.68E-07 2.1460	3.16E-06 .8075	2.13E-04 1.8333	3.24E-04 .3625	5.48E-02 1.8934	4.29E-01 1.6651	1.17E-01 1.6651	8.62E-02 1.3455	8.35E-03 1.2189	1.29E-02 1.3646
	1.89E-01 (3.88E-03)	2.21E-02 (5.60E-04)	3.29E-01 (1.07E+00)	6.02E-02 (1.73E+00)	3.24E-01 (5.31E+01)	5.05E-02 (1.45E+02)	9.39E-02 2.46E+03	9.39E-02 (3.88E+02)	5.61E+02 5.69E+02	2.14E+01 3.65E+01	1.78E+01 1.20E+01
	1.87E-03*	8.01E-03*	7.17E-01*	2.42E-01*	6.65E+01*	8.10E+01	2.54E+03	4.49E+02	5.33E+02	3.54E+01*	1.20E+01
21	.6583 15190.2	.7177 13933.9	.7875 12699.2	.8706 11485.9	.9714 10293.9	1.0961 9123.1	1.2542 7973.3	1.4611 6844.3	1.7433 5736.2	2.1512 4648.6	2.7920 3581.6
	9.40E-11 -1.0060	4.12E-08 1.4376	3.02E-07 2.3649	7.42E-06 1.0422	2.55E-04 1.9062	7.54E-04 .7826	5.40E-02 1.9259	4.46E-01 1.6800	1.11E-01 1.6947	8.30E-02 1.3431	1.26E-02 1.2505
	1.78E-02 (2.12E-07)	1.54E-01 (5.39E-03)	9.62E-03 (1.16E-04)	2.76E-01 (1.74E+00)	4.86E-02 (1.33E+00)	3.33E-01 1.29E+02	4.58E-02 1.16E+02	9.05E-02 2.37E+03	8.72E-02 5.68E+02	1.83E-01 5.29E+01	2.13E-01 5.16E+01
	4.46E-04*	2.25E-03*	2.48E-02*	1.00E+00*	1.83E-02*	8.41E+01*	5.44E+01	2.48E+03	3.82E+02	5.26E+02	5.16E+01

*The Einstein coefficients for this band may have limited accuracy, since the Franck-Condon factor is less than 0.01 (see text).

Table 8. Radiative transition parameters for $\text{N}_2 w^{-1}\Delta_u - a^{-1}\Pi_g$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$.

$v'\backslash v''$	0	1	2	3	4	5	6	7	8	9	10
0	3.6400 2747.3 6.77E-01 1.2493 2.12E-01 1.28E+03 1.28E+03	9.2512 1080.9 3.87E-02 1.3140 1.94E-01 2.71E+01 2.73E+01	-17.9347 -557.6 1.95E-03 1.3963 1.69E-01 -3.86E-01 -3.90E-01	-4.6118 -2168.3 2.64E-05 1.5138 1.32E-01 -7.09E-01 -7.04E-01*	-2.6657 -3751.4 4.22E-10 1.7438 7.13E-02 (-1.44E-02) -9.27E-03*	-1.8843 -5306.9 2.84E-09 11.7050 0.00E+00 (0.00E+00) -1.14E-03*	-1.4631 -6834.8 2.06E-12 1.5962 1.09E-01 1.05E-03 -9.09E-06*	-1.1997 -8335.3 3.83E-13 -8297 2.0385 2.42E-02 -2.06E-06*	-1.0195 -9808.5 6.43E-15 1.3095 1.3095 1.95E-01 -1.10E-08*	-8885 -11254.4 2.20E-16 1.4561 1.50E-01 (-2.05E-11) -6.41E-10*	-7.7891 -12673.1 2.02E-16 1.4561 1.50E-01 (-2.05E-11) -8.46E-13*
1	2.3348 4283.0 2.44E-01 1.1897 2.28E-01 2.02E+03 2.03E+03	3.8217 2616.6 3.98E-01 1.2634 1.91E-01 4.02E+02 3.97E+02	10.2240 978.1 9.56E-02 1.3232 1.66E-01 -1.35E+00 2.76E+01	-15.8060 -632.7 6.78E-03 1.4050 1.29E-01 -2.50E+00 -2.48E+00*	-4.5131 -2215.7 1.11E-04 1.5241 6.66E-02 (-5.36E-02) -3.14E-02*	-2.6517 -3771.2 2.76E-09 1.7653 0.00E+00 (0.00E+00) -6.95E-03*	-1.8871 -5299.1 1.93E-08 -7.6412 9.49E-02 6.03E-02 -3.57E-05*	-1.4707 -6799.6 3.72E-11 1.6464 .0045 1.15E-02 -1.66E-05*	-1.2088 -8272.8 2.89E-12 2.2033 2.2033 1.15E-02 -1.83E-07*	-1.0289 -9718.7 3.57E-14 2.2033 2.2033 1.28E-01 -7.86E-10*	-8.8979 -11137.5 3.57E-14 1.5287 1.5287 1.28E-01 -7.86E-10*
2	1.7256 5795.0 6.16E-02 1.1419 2.39E-01 1.38E+03 1.40E+03	2.4221 4128.7 6.46E-02 1.1976 2.01E-01 8.16E+01 2.08E+03	4.0158 2490.2 4.14E-01 1.2892 1.88E-01 2.02E+01 7.90E+01	11.3714 879.4 1.58E-01 1.3330 1.63E-01 -2.96E+00 -2.99E+00	-14.2110 -703.7 1.47E-02 1.4140 1.26E-01 -5.49E+00 -5.42E+00	-4.4265 -2259.1 2.79E-04 1.5346 1.7886 -1.4596 -6.95E-03*	-2.6406 -3787.1 7.91E-08 1.6985 1.4532 1.6985 -1.66E-05*	-1.8912 -5287.6 7.39E-08 1.7536 .7315 1.7536 -1.44E-06*	-1.4791 -6760.7 3.09E-10 2.4129 2.4129 1.84E-01 -1.2185	-1.2185 -8206.6 9.625.4 2.4129 2.4129 3.85E-03 -1.0389	-1.0389 -9625.4 1.16E-11 2.4129 2.4129 3.85E-03 -1.0389
3	1.3729 7283.8 1.36E-02 1.1014 2.47E-01 6.48E+02 6.60E+02	1.7802 5617.4 2.39E-01 1.1484 2.24E-01 2.49E-03 2.51E+03	2.5133 3978.9 3.46E-03 1.2064 1.60E-01 1.53E+03 (2.39E+00)	4.2227 2368.1 3.77E-01 1.4228 1.85E-01 1.26E+01 2.04E+01*	12.7379 785.1 2.17E-01 1.3438 1.60E-01 5.17E+00 -5.21E+00	-12.9802 -770.4 2.56E-02 1.4232 1.23E-01 -9.54E+00 -5.42E+00	-4.3510 -2298.3 5.41E-04 1.5454 1.23E-02 (-1.93E-01) -9.41E+00	-2.6324 -3798.8 5.50E-07 1.8142 5.67E-02 3.06E-02 -8.10E-02*	-1.8968 -5272.0 2.08E-07 -1812 6.91E-02 6.91E-02 -6.32E-05*	-1.4886 -6717.9 1.66E-09 1.7536 2.52E-01 2.52E-01 -7.38E-05*	-1.2290 -8136.7 1.66E-09 .7315 2.52E-01 2.52E-01 -1.44E-06*
4	1.1429 8749.4 2.85E-03 1.0662 2.53E-01 2.47E+02 2.53E+02*	1.4118 7083.1 3.84E-02 1.1075 2.36E-01 1.67E+03 1.70E+03	1.8367 5444.6 1.60E-01 1.1552 2.21E-01 9.18E+02 2.93E+03	2.6084 3833.8 8.04E-03 1.2166 2.35E-01 1.03E+01 9.06E+02	4.4430 2250.7 3.16E-01 1.1570 1.81E-01 7.07E+00 1.14E+01*	14.3828 695.3 2.69E-01 1.3558 1.81E-01 -7.80E+00 7.03E+00	-12.0097 -832.7 2.69E-02 1.4328 1.57E-01 -1.44E+01 -7.86E+00	-4.2860 -2333.2 3.90E-02 1.5565 1.8425 -.1.44E+01 -1.42E+01	-2.6272 -3806.3 8.89E-04 1.8425 .3789 1.61E-01 -8.17E-02*	-1.9040 -5252.2 2.29E-06 1.8139 1.8139 5.67E-02 -3.60E-09*	-1.4990 -6671.0 4.74E-07 1.8139 1.8139 5.67E-02 -3.60E-09*
5	.9811 10192.3 5.89E-04 1.0352 2.57E-01 8.35E+01 8.59E+01*	1.1729 8526.0 1.04E-02 1.0721 2.44E-01 8.31E+02 8.49E+02	1.4519 6887.5 6.70E-02 1.1136 1.2164 2.34E-01 2.77E+03	1.8951 5276.7 1.70E-01 1.1136 1.2295 2.18E-01 4.60E+02	2.7074 3693.6 9.51E-02 1.1624 1.2236 2.19E-01 3.77E+01	4.6769 2138.2 3.96E-02 1.2236 1.3696 1.77E-01 3.56E+00	16.3871 610.2 2.49E-01 1.3696 1.4427 1.54E-01 -1.07E+01	-11.2327 -890.3 3.13E-01 1.4427 1.5679 1.17E-01 -1.94E+01	-4.2312 -2363.4 5.43E-02 1.8742 1.8742 4.60E-02 -5.69E-02*	-2.6252 -3809.3 1.30E-03 1.8742 1.8742 2.46E-01 -2.59E-01*	-1.9127 -5228.1 7.10E-06 .6970 .6970 2.46E-01 -3.60E-09*
6	.8611 11612.7 1.23E-04 1.0078 2.60E-01 2.64E+01 2.72E+01*	1.0054 9946.4 2.65E-03 1.0410 2.51E-01 3.48E+02 3.57E+02*	1.2037 8307.9 2.27E-02 1.0780 2.43E-01 1.66E+03 1.69E+03	1.4932 6697.1 9.22E-02 1.1199 2.32E-01 3.32E+03 3.35E+03	1.9554 5114.0 1.56E-01 1.1700 2.12E-01 2.29E+03 2.28E+03	2.8101 3558.6 4.36E-02 1.2488 1.2446 1.80E+02 1.72E+02	4.9246 2030.6 7.65E-02 1.2446 1.3860 5.91E+01 6.03E+01	18.8635 530.1 1.86E-01 1.2881 1.4529 1.66E+00 1.64E+00	-10.6042 -943.0 1.07E-01 1.2576 1.5796 -1.35E+01 -1.36E+01	-4.1860 -2388.9 3.47E-01 1.4061 1.5796 -2.51E+01 -2.46E+01	-2.6263 -3807.7 1.74E-03 1.9102 1.9102 4.03E-02 -1.87E-02*
7	.7686 13010.9 2.62E-05 .9837 2.63E-01 8.07E+00 8.35E+00*	.8815 11344.5 6.57E-04 1.0136 2.56E-01 8.31E+02 8.35E+02*	1.0303 9706.0 3.80E-02 1.0468 2.50E-01 8.36E+02 8.57E+02*	1.2353 8095.2 1.09E-01 1.0839 2.42E-01 2.55E+03 2.60E+03	1.5356 6512.2 1.1263 1.1782 1.70E+03 3.57E+03 3.60E+03	2.0175 4956.7 1.29E-01 1.2881 2.31E-01 4.32E+01 3.68E+03	2.9165 3428.8 1.30E-02 1.2881 2.01E-01 6.88E+01 3.97E+01	5.1860 1928.3 1.07E-01 1.2576 2.10E-01 1.66E-01 6.95E+01	21.9722 455.1 1.31E-01 1.4061 1.48E-01 6.88E-01 6.78E-01	-10.0931 -990.8 3.73E-01 1.4635 1.48E-01 1.10E-01 -1.62E+01	-4.1502 -2409.6 8.85E-02 1.5917 1.10E-01 -3.02E+01 -2.96E+01

Table 8. Radiative transition parameters for $N_2 w^1\Delta_u - a^1\Pi_g$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$. — Continued

$v'\backslash v''$	11	12	13	14	15	16	17	18	19	20	21
0	-.7110	-.6481	-.5964	-.5531	-.5164	-.4849	-.4575	-.4336	-.4125	-.3937	-.3770
	-14064.9	-15429.8	-16767.9	-18079.4	-19364.4	-20623.1	-21855.6	-23062.1	-24242.8	-25397.7	-26526.8
1.20E-15	1.20E-15	2.65E-16	2.21E-17	1.90E-16	8.24E-17	1.97E-18	7.35E-17	7.24E-17	9.51E-18	9.96E-18	
1.1606	1.1534	1.0886	1.6056	1.2963	1.2379	1.5063	1.2736	1.2397	1.1672	1.3105	
2.35E-01	2.36E-01	2.49E-01	1.06E-01	1.99E-01	2.15E-01	1.35E-01	2.05E-01	2.15E-01	2.33E-01	1.95E-01	
(-3.72E-10)	(-4.97E-10)	(-1.57E-10)	(-2.97E-12)	(-1.11E-10)	(-6.79E-11)	(-7.58E-13)	(-7.71E-11)	(-9.64E-11)	(-1.71E-11)	(-1.43E-11)	
-2.96E-10*	-4.65E-10*	-1.52E-10*	-5.17E-12*	-1.17E-10*	-7.11E-11*	-6.50E-13*	-7.64E-11*	-9.66E-11*	-1.78E-11*	-1.38E-11*	
1	-.7981	-.7197	-.6565	-.6045	-.5609	-.5239	-.4921	-.4645	-.4404	-.4191	-.4001
	-12529.2	-13894.1	-15232.2	-16543.7	-17828.7	-19087.4	-20320.0	-21526.5	-22707.1	-23862.0	-24991.1
8.32E-15	6.39E-15	2.85E-15	7.38E-16	2.02E-17	5.15E-17	4.50E-17	2.43E-20	2.54E-17	2.64E-17	7.45E-19	
1.3186	1.0968	1.0415	.9941	.3451	1.5566	1.3845	1.7536	1.3159	1.3515	2.0731	
1.92E-01	2.48E-01	2.56E-01	2.62E-01	1.50E-01	1.20E-01	1.72E-01	6.91E-02	1.93E-01	1.82E-01	2.09E-02	
(-1.23E-09)	(-2.13E-09)	(-1.34E-09)	(-4.64E-10)	(-5.26E-12)	(-1.04E-11)	(-2.27E-11)	(-2.34E-15)	(-2.25E-11)	(-2.42E-11)	(-1.02E-14)	
-3.08E-10*	-1.53E-09*	-1.22E-09*	-4.44E-10*	-3.06E-11*	-1.97E-11*	-2.98E-11*	-1.34E-13*	-2.22E-11*	-2.65E-11*	-9.35E-14*	
2	-.9077	-.8076	-.7289	-.6653	-.6129	-.5690	-.5317	-.4996	-.4718	-.4474	-.4259
	-11017.2	-12382.0	-13720.1	-15031.7	-16316.7	-17575.4	-18807.9	-20014.4	-21195.0	-22349.9	-23479.1
2.65E-13	4.02E-14	3.29E-14	1.22E-14	3.21E-15	3.92E-16	1.84E-19	3.37E-17	4.00E-17	4.52E-17	8.51E-17	
1.6888	1.3113	1.1059	1.0055	.9294	.7070	-11.1370	1.5052	1.0964	.8822	.8671	
8.41E-02	1.95E-01	2.46E-01	2.61E-01	2.66E-01	2.48E-01	0.00E+00	1.35E-01	2.48E-01	2.66E-01	2.65E-01	
(-5.09E-09)	(-5.85E-09)	(-1.04E-08)	(-5.72E-09)	(-1.99E-09)	(-2.66E-10)	(-0.00E+00)	(-9.99E-12)	(-4.73E-11)	(-7.23E-11)	(-1.57E-10)	
-2.95E-10*	-1.38E-09*	-6.79E-09*	-5.08E-09*	-2.01E-09*	-3.98E-10*	-1.05E-11*	-2.17E-11*	-5.52E-11*	-9.11E-11*	-1.91E-10*	
3	-1.0495	-.9180	-.8176	-.7384	-.6744	-.6216	-.5774	-.5398	-.5075	-.4794	-.4547
	-9528.4	-10893.3	-12231.4	-13542.9	-14827.9	-16086.6	-17319.2	-18525.7	-19706.3	-20861.2	-21990.3
3.13E-11	1.40E-12	1.38E-13	1.34E-13	4.21E-14	9.85E-15	1.80E-15	9.08E-17	2.64E-16	1.45E-15	2.77E-15	
2.7026	1.8185	1.2876	1.1181	.9719	.8602	.7754	.5457	1.1498	1.0746	1.0548	
6.52E-04	5.59E-02	2.01E-01	2.44E-01	2.63E-01	2.65E-01	2.58E-01	2.11E-01	2.37E-01	2.51E-01	2.54E-01	
(-2.33E-11)	(-1.15E-08)	(-2.07E-08)	(-4.00E-08)	(-1.93E-08)	(-5.84E-09)	(-1.27E-09)	(-5.20E-11)	(-2.30E-10)	(-1.68E-09)	(-3.87E-09)	
-7.44E-06*	-4.38E-09*	-5.20E-09*	-2.41E-08*	-1.69E-08*	-6.39E-09*	-1.56E-09*	-8.86E-11*	-2.89E-10*	-1.74E-09*	-3.86E-09*	
4	-1.2403	-1.0607	-.9289	-.8280	-.7484	-.6839	-.6308	-.5862	-.5482	-.5156	-.4872
	-8062.7	-9427.6	-10765.7	-12077.2	-13362.3	-14621.0	-15835.5	-17060.0	-18240.6	-19395.5	-20524.6
6.67E-09	5.85E-11	5.75E-12	2.86E-13	3.97E-13	1.25E-13	2.78E-14	3.01E-15	7.74E-16	9.36E-15	2.10E-14	
.9251	3.1882	1.9389	1.2246	1.1284	.9723	.8672	.7588	1.2849	1.0941	1.0743	
2.66E-01	1.65E-05	3.61E-02	2.19E-01	2.42E-01	2.63E-01	2.65E-01	2.56E-01	2.02E-01	2.48E-01	2.51E-01	
(-5.00E-04)	(-2.71E-14)	(-1.90E-08)	(-4.09E-08)	(-1.12E-07)	(-5.51E-08)	(-1.58E-08)	(-1.99E-09)	(-3.89E-10)	(-8.52E-09)	(-2.33E-08)	
-6.10E-04*	-2.97E-05*	-1.02E-07*	-1.26E-08*	-6.09E-08*	-4.53E-08*	-1.63E-08*	-2.29E-09*	-6.44E-10*	-8.92E-09*	-2.33E-08*	
5	-1.5106	-1.2524	-1.0726	-.9403	-.8390	-.7588	-.6939	-.6403	-.5953	-.5570	-.5241
	-6619.8	-7984.7	-9322.8	-10634.3	-11019.4	-13178.1	-14410.6	-15617.1	-16707.7	-17952.6	-19081.7
9.23E-07	2.19E-08	7.01E-11	1.94E-11	3.53E-13	9.36E-13	2.81E-13	3.53E-14	1.43E-15	4.03E-14	9.79E-14	
1.8817	1.0713	4.2019	2.0545	1.0627	1.1507	.9896	.8134	1.7442	1.1191	1.0722	
4.47E-02	2.52E-01	4.63E-10	2.26E-02	2.53E-01	2.37E-01	2.62E-01	7.12E-02	2.43E-01	2.52E-01		
(-1.09E-03)	(-1.44E-03)	(-2.47E-23)	(-2.41E-08)	(-7.78E-08)	(-2.43E-07)	(-1.17E-07)	(-1.88E-08)	(-6.95E-11)	(-2.80E-08)	(-8.73E-08)	
-2.54E-04*	-1.32E-03*	-9.70E-05*	-7.97E-07*	-2.46E-08*	-1.14E-07*	-8.45E-08*	-1.87E-08*	-6.28E-10*	-2.98E-08*	-8.83E-08*	
6	-1.9233	-1.5234	-1.2654	-1.0853	-.9525	-.8505	-.7698	-.7044	-.6503	-.6049	-.5662
	-5199.5	-6564.3	-7902.5	-9214.0	-10499.0	-11757.7	-12990.2	-14196.7	-15377.3	-16532.2	-17661.4
1.82E-05	1.50E-06	6.17E-08	3.22E-11	5.58E-11	8.27E-14	1.51E-12	3.49E-13	5.92E-16	1.23E-13	3.65E-13	
.9056	1.9606	1.1888	7.9958	2.1710	.0002	1.1879	1.0057	-1.4622	1.1520	1.0717	
2.66E-01	3.32E-02	2.28E-01	9.36E-42	1.34E-02	5.95E-02	2.28E-01	2.61E-01	8.74E-06	2.37E-01	2.52E-01	
(-3.67E-01)	(-9.97E-04)	(-3.20E-03)	(-0.00E+00)	(-2.35E-08)	(-9.63E-10)	(-3.50E-07)	(-1.37E-07)	(-3.33E-19)	(-6.29E-08)	(-2.58E-07)	
-4.42E-01*	-1.96E-03*	-2.48E-03*	-2.71E-04*	-4.01E-06*	-3.24E-08*	-1.19E-07*	-7.19E-08*	-1.28E-10*	-7.10E-08*	-2.65E-07*	
7	-2.6307	-1.9357	-1.5374	-1.2795	-1.0988	-.9653	-.8627	-.7813	-.7153	-.6608	-.6149
	-3801.3	-5166.2	-6504.3	-7815.8	-9100.8	-10359.5	-11592.0	-12798.6	-13979.2	-15134.1	-16263.2
2.15E-03	4.08E-05	2.40E-06	1.53E-07	1.36E-11	1.41E-10	7.94E-13	1.27E-12	1.19E-13	2.57E-13	1.18E-12	
1.9516	1.0555	2.0566	1.2884	-13.7450	2.2879	2.2527	1.2791	1.1032	1.1641	1.0785	
3.44E-02	2.54E-01	2.24E-02	2.01E-01	0.00E+00	7.54E-03	9.01E-03	2.04E-01	2.46E-01	2.34E-01	2.51E-01	
(-2.83E-01)	(-7.37E-01)	(-6.71E-04)	(-5.99E-03)	(-0.00E+00)	(-1.81E-08)	(-2.03E-10)	(-2.21E-07)	(-3.99E-08)	(-9.86E-08)	(-6.44E-07)	
-6.03E-04*	-6.91E-01*	-7.86E-03*	-4.07E-03*	-6.67E-04*	-1.53E-05*	-1.52E-08*	1.61E-08*	-1.48E-10*	-1.44E-07*	-6.77E-07*	

Table 8. Radiative transition parameters for $N_2 w^1\Delta_u - a^1\Pi_g$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$. - Continued

$V' \backslash V''$	0	1	2	3	4	5	6	7	8	9	10
8	.6951	.7861	.9023	1.0558	1.2677	1.5791	2.0812	3.0262	5.4606	25.9469	-9.6771
	14387.0	12720.7	11082.2	9471.4	7888.3	6329.9	4804.9	3304.4	1831.3	385.4	-1033.4
	5.82E-06	1.63E-04	1.99E-03	1.36E-02	5.40E-02	1.16E-01	9.69E-02	8.09E-04	1.28E-01	8.77E-02	3.92E-01
	.9631	.9895	1.0193	1.0526	1.0900	1.1330	1.1876	1.5145	1.2679	1.4321	1.4746
	2.64E-01	2.62E-01	2.59E-01	2.55E-01	2.49E-01	2.41E-01	2.28E-01	1.32E-01	2.07E-01	1.58E-01	1.44E-01
	2.45E+00	4.66E+01	3.69E+02	1.52E+03	3.32E+03	3.45E+03	1.13E+03	(1.03E+00)	6.84E+01	2.53E-01	-1.83E+01
	2.53E+00*	4.81E+01*	3.79E+02*	1.55E+03	3.37E+03	3.46E+03	1.12E+03	6.49E-01*	6.86E+01	2.48E-01	-1.85E+01
9	.6353	.7105	.8041	.9237	1.0819	1.3008	1.6235	2.1464	3.1389	5.7475	31.1413
	15741.5	14075.2	12436.7	10825.9	9242.8	7687.4	6159.4	4658.9	3185.8	1739.9	321.1
	1.36E-06	4.11E-05	5.64E-04	4.50E-03	2.24E-02	6.81E-02	1.13E-01	6.51E-02	2.17E-03	1.38E-01	5.48E-02
	.9462	.9688	.9952	1.0251	1.0585	1.0961	1.1399	1.1989	1.0484	1.2769	1.4679
	2.65E-01	2.64E-01	2.62E-01	2.58E-01	2.54E-01	2.48E-01	2.39E-01	2.25E-01	2.55E-01	2.05E-01	1.46E-01
	7.53E-01	1.61E+01	1.50E+02	7.73E+02	2.31E+03	3.85E+03	3.05E+03	6.78E+02	(9.25E+00)	6.16E+01	7.89E-02
	7.79E-01*	1.67E+01*	1.55E+02*	7.94E+02*	2.35E+03	3.89E+03	3.05E+03	6.60E+02	1.18E+01*	6.15E+01	7.75E-02
10	.5857	.6490	.7262	.8224	.9455	1.1086	1.3347	1.6689	2.2129	3.2542	6.0453
	17074.6	15408.3	13769.7	12159.0	10575.9	9020.4	7492.5	5992.0	4518.9	3073.0	1654.2
	3.38E-07	1.08E-05	1.60E-04	1.44E-03	8.41E-03	3.24E-02	7.85E-02	1.02E-01	3.83E-02	1.21E-02	1.38E-01
	.9334	.9517	.9745	1.0010	1.0309	1.0644	1.1023	1.1473	1.2136	1.1579	1.2852
	2.65E-01	2.65E-01	2.63E-01	2.61E-01	2.58E-01	2.53E-01	2.47E-01	2.38E-01	2.22E-01	2.35E-01	2.02E-01
	2.40E-01	5.59E+00	5.87E+01	3.57E+02	1.34E+03	3.09E+03	4.07E+03	2.51E+03	3.52E+02	3.93E+01	5.19E+01
	2.47E-01*	5.77E+00*	6.07E+01*	3.67E+02*	1.37E+03*	3.14E+03	4.10E+03	2.49E+03	3.38E+02	4.28E+01	5.15E+01
11	.5439	.5981	.6631	.7423	.8412	.9678	1.1358	1.3691	1.7150	2.2806	3.3714
	18386.5	16720.2	15081.7	13470.9	11887.8	10332.4	8804.4	7303.9	5830.8	4384.9	2966.1
	9.04E-08	2.96E-06	4.66E-05	4.55E-04	3.00E-03	1.37E-02	4.26E-02	8.39E-02	8.58E-02	1.84E-02	2.62E-02
	.9251	.9385	.9572	.9802	1.0068	1.0368	1.0704	1.1087	1.1552	1.2362	1.1883
	2.66E-01	2.65E-01	2.64E-01	2.63E-01	2.60E-01	2.57E-01	2.52E-01	2.45E-01	2.36E-01	2.16E-01	2.28E-01
	8.04E-02	1.97E+00	2.26E+01	1.56E+02	6.93E+02	2.02E+03	3.74E+03	3.99E+03	1.92E+03	1.46E+02	7.21E+01
	8.24E-02*	2.03E+00*	2.34E+01*	1.61E+02*	7.12E+02*	2.07E+03	3.80E+03	4.01E+03	1.89E+03	1.37E+02	7.57E+01
12	.5082	.5552	.6108	.6774	.7588	.8603	.9905	1.1635	1.4041	1.7618	2.3490
	19677.6	18011.2	16372.7	14762.0	13178.9	11623.4	10095.5	8595.0	7121.8	5675.9	4257.2
	2.63E-08	8.67E-07	1.41E-05	1.46E-04	1.05E-03	5.42E-03	2.01E-02	5.17E-02	8.42E-02	6.72E-02	6.03E-03
	.9212	.9295	.9437	.9628	.9859	1.0126	1.0426	1.0764	1.1153	1.1641	1.2830
	2.66E-01	2.66E-01	2.65E-01	2.64E-01	2.62E-01	2.60E-01	2.56E-01	2.51E-01	2.44E-01	2.34E-01	2.03E-01
	2.87E-02	7.24E-01	8.79E+00	6.62E+01	3.35E+02	1.16E+03	2.75E+03	4.19E+03	3.67E+03	1.36E+03	(3.88E+01)
	2.92E-02*	7.43E-01*	9.06E+00*	6.83E+01*	3.45E+02*	1.20E+03*	2.81E+03	4.25E+03	3.68E+03	1.34E+03	3.45E+01*
13	.4774	.5186	.5668	.6237	.6921	.7756	.8798	1.0136	1.1916	1.4396	1.8091
	20948.0	19281.7	17643.2	16032.4	14449.3	12893.9	11365.9	9865.4	8392.3	6946.4	5527.6
	8.39E-09	2.73E-07	4.48E-06	4.80E-05	3.67E-04	2.08E-03	8.77E-03	2.71E-02	5.87E-02	7.96E-02	4.87E-02
	.9211	.9248	.9342	.9489	.9683	.9917	1.0184	1.0485	1.0825	1.1222	1.1744
	2.66E-01	2.66E-01	2.65E-01	2.65E-01	2.64E-01	2.62E-01	2.59E-01	2.55E-01	2.50E-01	2.43E-01	2.31E-01
	1.10E-02	2.80E-01	3.51E+00	2.81E+01	1.56E+02	6.20E+02	1.75E+03	3.44E+03	4.40E+03	3.19E+03	8.92E+02
	1.12E-02*	2.86E-01*	3.61E+00*	2.89E+01*	1.61E+02*	6.37E+02*	1.80E+03*	3.51E+03	4.44E+03	3.18E+03	8.68E+02
14	.4505	.4870	.5293	.5786	.6370	.7070	.7926	.8996	1.0371	1.2200	1.4754
	22198.2	20531.8	18893.3	17282.5	15699.5	14144.0	12616.1	11115.6	9642.4	8196.5	6777.8
	2.93E-09	9.34E-08	1.52E-06	1.65E-05	1.31E-04	7.92E-04	3.67E-03	1.30E-02	3.41E-02	6.30E-02	7.12E-02
	.9240	.9238	.9286	.9389	.9542	.9740	.9974	1.0242	1.0545	1.0888	1.1295
	2.66E-01	2.66E-01	2.65E-01	2.65E-01	2.65E-01	2.63E-01	2.61E-01	2.59E-01	2.55E-01	2.49E-01	2.41E-01
	4.59E-03	1.16E-01	1.47E+00	1.22E+01	7.20E+01	3.15E+02	1.02E+03	2.41E+03	4.02E+03	4.36E+03	2.62E+03
	4.61E-03*	1.17E-01*	1.50E+00*	1.25E+01*	7.42E+01*	3.24E+02*	1.05E+03*	2.47E+03	4.08E+03	4.39E+03	2.60E+03
15	.4268	.4595	.4969	.5402	.5907	.6504	.7222	.8100	.9198	1.0608	1.2488
	23428.2	21761.9	20123.4	18512.6	16929.5	15374.0	13846.1	12345.6	10872.5	9426.6	8007.8
	1.12E-09	3.47E-08	5.54E-07	6.01E-06	4.86E-05	3.06E-04	1.51E-03	5.90E-03	1.78E-02	4.04E-02	6.41E-02
	.9288	.9257	.9266	.9326	.9437	.9596	.9796	1.0032	1.0301	1.0605	1.0952
	2.66E-01	2.66E-01	2.65E-01	2.65E-01	2.64E-01	2.63E-01	2.61E-01	2.61E-01	2.58E-01	2.54E-01	2.48E-01
	2.06E-03	5.11E-02	6.46E-01	5.44E+00	3.36E+01	1.57E+02	5.63E+02	1.53E+03	3.09E+03	4.41E+03	4.10E+03
	2.06E-03*	5.15E-02*	6.55E-01*	5.56E+00*	3.45E+01*	1.62E+02*	5.79E+02*	1.57E+03*	3.15E+03	4.48E+03	4.11E+03

Table 8. Radiative transition parameters for $N_2 w^1\Delta_u - a^1\Pi_g$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$. — Continued

$V' \setminus V''$	11	12	13	14	15	16	17	18	19	20	21
8	-4.1235 -2425.1 $1.06E-01$ 1.6041 $1.06E-01$ $-3.47E+01$ $-3.39E+01$	-2.6385 -3790.0 $2.49E-03$ 2.0005 $2.83E-02$ $(-2.20E-01)(-1.21E+00)$ $(-2.88E-04)(-9.74E-03)$ $(-2.74E-17)(-1.01E-08)$ $(-1.59E-07)(-2.34E-14)$ $(-1.27E-07)(-1.35E-06)$ $-6.09E-02*$ $-1.00E+00*$ $-2.33E-02*$ $-5.86E-03*$ $-1.46E-03*$ $-4.82E-05*$ $-3.69E-09*$ $-2.61E-07*$ $-4.98E-07*$ $-1.62E-06*$	-1.9500 -5128.1 $8.21E-05$ $3.24E-04$ 2.1705 $2.32E-01$ $1.28E-02$ $1.75E-01$ $1.79E-07$ $3.85E-03$ $6.33E-02$ $3.82E-04$ $2.63E-01$ $2.54E-01$	-1.5529 -6439.6 $3.41E-07$ $5.80E-10$ 2.1802 1.3764 -1.8714 2.4129 1.7809 2.7810 $.8241$ 1.0572	-1.2946 -7724.7 $10.21E-02$ $3.16E-10$ $1.31E-11$ $3.98E-14$ $3.47E-13$ $3.14E-12$	-1.1132 -8983.4 $1.31E-11$ $1.31E-11$ 2.4129 1.7809 2.7810 $.8241$ 1.0572	-0.9789 -10215.9 $1.31E-11$ $1.31E-11$ 2.4129 1.7809 2.7810 $.8241$ 1.0572	-0.8755 -11422.4 $1.31E-11$ $1.31E-11$ 2.4129 1.7809 2.7810 $.8241$ 1.0572	-0.7935 -12603.0 $1.31E-11$ $1.31E-11$ 2.4129 1.7809 2.7810 $.8241$ 1.0572	-0.7269 -13757.9 $1.31E-11$ $1.31E-11$ 2.4129 1.7809 2.7810 $.8241$ 1.0572	-0.6717 -14887.0 $1.31E-11$ $1.31E-11$ 2.4129 1.7809 2.7810 $.8241$ 1.0572
9	-9.3402 -1070.6 $4.04E-01$ 1.4861 $1.41E-01$ $-2.00E+01$ $-2.02E+01$	-4.1059 -2435.5 $2.71E-03$ 2.0597 $2.21E-02$ $-3.84E+01$ $-3.74E+01$	-2.6500 -3773.6 $1.52E-04$ 2.633 $2.08E-01$ $(-1.44E-01)(-1.76E+00)$ $(-5.84E-05)(-1.40E-02)$ $(-1.80E-06)(-3.36E-09)$ $(-1.79E-06)(-1.55E-06)$ $(-2.80E-06)$	-1.9665 -5085.1 $3.83E-06$ 2.3516 $5.39E-03$ $1.50E-01$ $1.83E-02$ $1.62E-03$ $8.82E-02$ $2.66E-01$ $2.66E-01$	-1.5698 -6370.2 $6.94E-07$ 1.4579 $.3022$ 2.5607 1.6724 $.9060$ $.9222$	-1.3108 -7628.9 $3.78E-09$ 2.5607 1.6724 $.9060$ $.9222$	-1.1285 -8861.4 $6.21E-10$ $.3022$ 2.5607 1.6724 $.9060$ $.9222$	-0.9933 -10067.9 $7.98E-11$ $5.65E-12$ $7.90E-12$	-0.8890 -11248.5 $5.65E-12$ $7.90E-12$	-0.8062 -12403.4 $5.65E-12$ $7.90E-12$	-0.7390 -13532.6 $5.65E-12$ $7.90E-12$
10	38.1060 262.4 $3.14E-02$ 1.5209 $1.30E-01$ $1.96E-02$ $1.91E-02$	-9.0707 -1102.4 $4.13E-01$ $1.41E-01$ $2.75E-03$ $2.62E-04$ $3.85E-06$ $1.30E-01$ $9.92E-02$ $1.59E-02$ $1.86E-01$ $1.14E-03$ $1.26E-01$ $1.48E-01$ $4.10E-01$ $-2.11E+01$	-4.0974 -2440.6 $5.03E-01$ 2.1338 2.1343 2.6168 1.5363 $.3383$ 2.7504 1.6310 1.0395	-2.6652 -5037.1 $5.03E-01$ 2.1338 2.1343 2.6168 1.5363 $.3383$ 2.7504 1.6310 1.0395	-1.9853 -6295.8 $6.03E-04$ $1.30E-06$ $1.52E-08$ $1.06E-09$ $3.28E-10$ $5.99E-11$	-1.5884 -7528.3 $6.03E-04$ $1.30E-06$ $1.52E-08$ $1.06E-09$ $3.28E-10$ $5.99E-11$	-1.3283 -8734.8 $6.03E-04$ $1.30E-06$ $1.52E-08$ $1.06E-09$ $3.28E-10$ $5.99E-11$	-1.1448 -9915.5 $6.03E-04$ $1.30E-06$ $1.52E-08$ $1.06E-09$ $3.28E-10$ $5.99E-11$	-1.0085 -9915.5 $6.03E-04$ $1.30E-06$ $1.52E-08$ $1.06E-09$ $3.28E-10$ $5.99E-11$	-0.9033 -11070.3 $6.03E-04$ $1.30E-06$ $1.52E-08$ $1.06E-09$ $3.28E-10$ $5.99E-11$	-0.8197 -12199.5 $6.03E-04$ $1.30E-06$ $1.52E-08$ $1.06E-09$ $3.28E-10$ $5.99E-11$
11	6.3518 1574.4 $1.31E-01$ 1.2931 $2.00E-01$ $4.15E+01$ $4.10E+01$	47.7377 209.5 $1.60E-02$ 1.6079 $1.05E-01$ $1.33E-01$ $9.29E-03$ $3.12E-03$ $-2.21E+01$	-8.8602 -1128.6 $1.58E-01$ 1.5106 $9.56E-02$ $1.217E+01$ $-4.24E+01$ $-4.13E+01$	-4.0981 -2440.1 $2.61E-03$ 1.6438 2.2307 1.4092 3.1058 1.6151 $.7013$ 3.0297	-2.6844 -4983.9 $4.25E-04$ 2.2307 1.4092 3.1058 1.6151 $.7013$ 3.0297	-2.0065 -6216.4 $3.01E-06$ 2.2307 1.4092 3.1058 1.6151 $.7013$ 3.0297	-1.6087 -7422.9 $2.25E-06$ 2.2307 1.4092 3.1058 1.6151 $.7013$ 3.0297	-1.3472 -8603.5 $4.77E-08$ 2.2307 1.4092 3.1058 1.6151 $.7013$ 3.0297	-1.1623 -9758.4 $1.54E-09$ 2.2307 1.4092 3.1058 1.6151 $.7013$ 3.0297	-1.0248 -10887.6 $1.54E-09$ 2.2307 1.4092 3.1058 1.6151 $.7013$ 3.0297	-0.9185 -10887.6 $1.54E-09$ 2.2307 1.4092 3.1058 1.6151 $.7013$ 3.0297
12	3.4899 2865.4 $4.11E-02$ 1.2049 $2.24E-01$ $9.84E+01$ $1.02E+02$	6.6643 1500.5 $1.20E-01$ 1.3007 $1.98E-01$ $6.45E-02$ $1.30E-01$ $2.40E+01$ $-2.17E+01$	61.5707 162.4 $4.21E-01$ 1.7750 $9.19E-02$ $2.10E-01$ $-4.27E+01$ $(-5.76E-03)(-3.38E+00)$ $(-1.12E-21)(-1.93E-02)$ $(-1.10E-02)(-1.45E-15)$	-8.7025 -1149.1 $1.73E-01$ 1.5237 1.6580 2.3655 1.4700 4.3941 1.6977 $.9457$	-4.1083 -2434.1 $6.56E-04$ 1.6580 2.3655 1.4700 4.3941 1.6977 $.9457$	-2.7080 -3692.8 $6.56E-04$ 1.6580 2.3655 1.4700 4.3941 1.6977 $.9457$	-2.0303 -4925.3 $6.56E-04$ 1.6580 2.3655 1.4700 4.3941 1.6977 $.9457$	-1.6308 -6131.8 $6.56E-04$ 1.6580 2.3655 1.4700 4.3941 1.6977 $.9457$	-1.3675 -7312.5 $6.56E-04$ 1.6580 2.3655 1.4700 4.3941 1.6977 $.9457$	-1.1810 -8467.4 $6.56E-04$ 1.6580 2.3655 1.4700 4.3941 1.6977 $.9457$	-1.0420 -9596.5 $6.56E-04$ 1.6580 2.3655 1.4700 4.3941 1.6977 $.9457$
13	2.4179 4135.9 $5.49E-04$ 1.5120 $1.33E-01$ $(1.39E+00)$ $8.27E-01*$	3.6088 2771.0 $5.46E-02$ 1.2166 $1.95E-01$ $8.50E-07$ $-2.17E+01$	6.9790 1432.9 $1.05E-01$ 1.3082 $1.25E-01$ $8.81E-02$ $-4.18E+01$	82.3968 121.4 $1.03E-01$ 2.0261 1.5373 $1.52E-03$ $-4.06E+01$	-8.5936 -1163.7 $1.03E-01$ 2.0261 1.5373 $1.52E-03$ $-4.06E+01$	-4.1282 -2422.4 $1.03E-01$ 2.0261 1.5373 $1.52E-03$ $-4.06E+01$	-2.7361 -3654.9 $1.03E-01$ 2.0261 1.5373 $1.52E-03$ $-4.06E+01$	-2.0570 -4861.4 $1.03E-01$ 2.0261 1.5373 $1.52E-03$ $-4.06E+01$	-1.6551 -6042.0 $1.03E-01$ 2.0261 1.5373 $1.52E-03$ $-4.06E+01$	-1.3895 -7196.9 $1.03E-01$ 2.0261 1.5373 $1.52E-03$ $-4.06E+01$	-1.2011 -8326.0 $1.03E-01$ 2.0261 1.5373 $1.52E-03$ $-4.06E+01$
14	1.8567 5386.0 $3.20E-02$ 1.1872 $2.28E-01$ $5.29E+02$ $5.09E+02$	2.4869 4021.1 $6.53E-02$ 0.9086 $2.19E-01$ $1.74E+01$ $1.68E+01$	3.7272 2683.0 $8.90E-02$ 1.2259 $1.93E-01$ $6.55E-16$ $1.21E-04$	7.2914 1371.5 $1.03E-04$ 5.1641 $1.21E-01$ $8.43E-02$ $1.21E-04$	115.6524 86.5 $4.25E-04$ 1.5515 $1.21E-01$ $8.43E-02$ $1.21E-04$	-8.5307 -1172.2 $1.03E-04$ 5.1641 $1.21E-01$ $8.43E-02$ $1.21E-04$	-4.1584 -2404.8 $1.03E-04$ 5.1641 $1.21E-01$ $8.43E-02$ $1.21E-04$	-2.7691 -3611.3 $1.03E-04$ 5.1641 $1.21E-01$ $8.43E-02$ $1.21E-04$	-2.0869 -4791.9 $1.03E-04$ 5.1641 $1.21E-01$ $8.43E-02$ $1.21E-04$	-1.6816 -5946.8 $1.03E-04$ 5.1641 $1.21E-01$ $8.43E-02$ $1.21E-04$	-1.4132 -7075.9 $1.03E-04$ 5.1641 $1.21E-01$ $8.43E-02$ $1.21E-04$
15	1.5115 6616.0 $6.02E-02$ 1.1374 $2.40E-01$ $2.03E+03$ $2.01E+03$	1.9043 5251.2 $1.85E-02$ $4.87E-03$ $7.25E-02$ $7.33E-02$ 1.2166	2.5556 3913.0 $8.90E-02$ 1.0952 1.2339 1.3223 $1.91E-01$	3.8439 2601.5 $1.03E-04$ 5.1641 $1.21E-01$ $8.43E-02$ $1.21E-04$	7.5958 1316.5 $1.03E-04$ 5.1641 $1.21E-01$ $8.43E-02$ $1.21E-04$	172.9475 57.8 $1.03E-04$ 5.1641 $1.21E-01$ $8.43E-02$ $1.21E-04$	-8.5128 -1174.7 $1.03E-04$ 5.1641 $1.21E-01$ $8.43E-02$ $1.21E-04$	-4.1996 -2381.2 $1.03E-04$ 5.1641 $1.21E-01$ $8.43E-02$ $1.21E-04$	-2.8075 -3561.8 $1.03E-04$ 5.1641 $1.21E-01$ $8.43E-02$ $1.21E-04$	-2.1201 -4716.7 $1.03E-04$ 5.1641 $1.21E-01$ $8.43E-02$ $1.21E-04$	-1.7106 -5845.9 $1.03E-04$ 5.1641 $1.21E-01$ $8.43E-02$ $1.21E-04$

Table 9. Radiative transition parameters for N₂ C $^3\Pi_u$ -B $^3\Pi_g$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$.

$v' \backslash v''$	0	1	2	3	4	5	6	7	8	9	10
0	.3370	.3576	.3804	.4058	.4343	.4665	.5032	.5452	.5938	.6507	.7181
	29671.2	27965.8	26289.6	24642.3	23024.0	21434.7	19874.5	18343.4	16841.6	15369.2	13926.3
4.54E-01	3.27E-01	1.45E-01	5.12E-02	1.58E-02	4.50E-03	1.22E-03	3.23E-04	8.44E-05	2.20E-05	5.71E-06	
1.1843	1.1466	1.1135	1.0830	1.0545	1.0277	1.0025	.9788	.9568	.9359	.9150	
7.40E-01	7.81E-01	8.12E-01	8.37E-01	8.56E-01	8.70E-01	8.79E-01	8.85E-01	8.87E-01	8.86E-01	8.83E-01	
1.32E+07	8.84E+06	3.53E+06	1.09E+06	2.86E+05	6.78E+04	1.50E+04	3.16E+03	6.42E+02	1.27E+02	2.44E+01	
1.31E+07	8.84E+06	3.56E+06	1.10E+06	2.92E+05	6.98E+04*	1.55E+04*	3.29E+03*	6.74E+02*	1.34E+02*	2.59E+01*	
1	.3158	.3338	.3536	.3754	.3997	.4268	.4573	.4917	.5309	.5759	.6281
	31665.6	29960.2	28284.0	26636.7	25018.4	23429.1	21868.9	20337.8	18836.0	17363.6	15920.7
3.92E-01	2.26E-02	2.05E-01	1.98E-01	1.10E-01	4.68E-02	1.71E-02	5.68E-03	1.78E-03	5.36E-04	1.59E-04	
1.2285	1.2098	1.1550	1.1211	1.0904	1.0619	1.0354	1.0103	.9864	.9639	.9428	
6.87E-01	7.10E-01	7.72E-01	8.05E-01	8.31E-01	8.51E-01	8.66E-01	8.76E-01	8.83E-01	8.86E-01	8.87E-01	
1.19E+07	6.19E+05	5.60E+06	4.93E+06	2.41E+06	8.84E+05	2.72E+05	7.44E+04	1.88E+04	4.47E+03	1.02E+03	
1.19E+07	5.87E+05	5.54E+06	4.93E+06	2.43E+06	8.98E+05	2.78E+05	7.68E+04*	1.95E+04*	4.68E+03*	1.07E+03*	
2	.2976	.3135	.3309	.3499	.3709	.3942	.4200	.4489	.4813	.5180	.5599
	33606.3	31901.0	30224.8	28577.5	26959.2	25369.9	23809.7	22278.6	20776.8	19304.3	17861.5
1.33E-01	3.42E-01	2.36E-02	6.42E-02	1.61E-01	1.39E-01	7.91E-02	3.62E-02	1.44E-02	5.28E-03	1.82E-03	
1.2784	1.2395	1.1679	1.1652	1.1288	1.0976	1.0689	1.0424	1.0177	.9940	.9711	
6.21E-01	6.73E-01	7.58E-01	7.61E-01	7.98E-01	8.25E-01	8.47E-01	8.62E-01	8.74E-01	8.81E-01	8.86E-01	
3.94E+06	1.02E+07	7.58E+05	1.76E+06	4.07E+06	3.13E+06	1.55E+06	6.02E+05	2.00E+05	5.97E+04	1.65E+04	
3.97E+06	1.01E+07	7.99E+05	1.71E+06	4.04E+06	3.14E+06	1.57E+06	6.14E+05	2.06E+05	6.19E+04*	1.72E+04*	
3	.2818	.2961	.3115	.3284	.3468	.3671	.3894	.4140	.4415	.4722	.5067
	35480.4	33775.1	32098.8	30451.5	28833.2	27243.9	25683.7	24152.6	22650.8	21178.4	19735.5
2.02E-02	2.53E-01	2.11E-01	8.90E-02	5.00E-03	9.36E-02	1.31E-01	9.87E-02	5.53E-02	2.61E-02	1.10E-02	
1.3415	1.2894	1.2551	1.1835	1.1893	1.1362	1.1047	1.0755	1.0487	1.0243	1.0012	
5.335E-01	6.07E-01	6.52E-01	7.41E-01	7.34E-01	7.91E-01	8.20E-01	8.42E-01	8.59E-01	8.71E-01	8.79E-01	
5.23E+05	7.25E+06	6.01E+06	2.79E+06	(1.31E+05)	2.40E+06	3.02E+06	2.00E+06	9.61E+05	3.82E+05	1.33E+05	
5.28E+05	7.30E+06	5.94E+06	2.85E+06	1.15E+05*	2.35E+06	3.00E+06	2.01E+06	9.76E+05	3.91E+05	1.37E+05	
4	.2684	.2812	.2952	.3102	.3266	.3445	.3641	.3856	.4093	.4355	.4648
	37261.7	35556.3	33880.1	32232.8	30614.5	29025.2	27465.0	25933.9	24432.1	22959.7	21516.8
9.50E-04	5.37E-02	3.30E-01	1.19E-01	1.16E-01	3.48E-03	4.02E-02	1.01E-01	1.01E-01	6.80E-02	3.72E-02	
1.4568	1.3575	1.3027	1.2802	1.1862	1.1370	1.1423	1.1110	1.0818	1.0543	1.0295	
3.80E-01	5.13E-01	5.88E-01	6.19E-01	7.38E-01	7.90E-01	7.85E-01	8.14E-01	8.38E-01	8.56E-01	8.69E-01	
1.44E+04	1.29E+06	8.99E+06	3.09E+06	3.66E+06	(1.08E+05)	1.04E+06	2.37E+06	2.09E+06	1.22E+06	5.66E+05	
1.38E+04*	1.30E+06	9.03E+06	3.02E+06	3.71E+06	1.24E+05*	9.98E+05	2.33E+06	2.09E+06	1.23E+06	5.78E+05	

Table 9. Radiative transition parameters for $N_2 C\ ^3\Pi_u - B\ ^3\Pi_g$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$. — Continued

$v'\backslash v''$	11	12	13	14	15	16	17	18	19	20	21
0	.7992	.8985	1.0228	1.1828	1.3962	1.6944	2.1403	2.8779	4.3302	8.4991	129.9646
12513.1	11129.9	9776.8	8454.2	7162.4	5901.6	4672.3	3474.7	2309.3	1176.6	76.9	
1.46E-06	3.68E-07	8.99E-08	2.11E-08	4.65E-09	9.03E-10	1.19E-10	7.67E-13	2.08E-11	5.49E-11	7.33E-11	
.8925	.8670	.8369	.8004	.7541	.6853	.5188	.23476	1.3805	1.1507	1.0892	
8.77E-01	8.67E-01	8.50E-01	8.24E-01	7.81E-01	7.04E-01	4.80E-01	2.31E-16	4.81E-01	7.77E-01	8.32E-01	
4.47E+00	7.73E-01	(1.23E-01)	(1.75E-02)	(2.12E-03)	(1.86E-04)	(5.65E-06)	(3.48E-39)	(1.20E-07)	(1.09E-07)	(4.69E-11)	
4.80E+00*	8.44E-01*	1.38E-01*	2.06E-02*	2.67E-03*	2.71E-04*	1.49E-05*	1.14E-09*	5.27E-07*	1.54E-07*	5.42E-11*	
1	.6893	.7619	.8495	.9571	1.0921	1.2665	1.5000	1.8285	2.3236	3.1536	4.8278
14507.5	13124.3	11771.2	10448.6	9156.8	7896.0	6666.7	5469.1	4303.7	3171.0	2071.3	
4.62E-05	1.33E-05	3.74E-06	1.02E-06	2.63E-07	6.18E-08	1.19E-08	1.38E-09	2.11E-12	2.39E-10	5.17E-10	
.9224	.9013	.8782	.8515	.8176	.7675	.6761	.4290	.75517	1.4627	1.1828	
8.85E-01	8.80E-01	8.72E-01	8.59E-01	8.37E-01	7.95E-01	6.92E-01	3.62E-01	0.00E+00	3.73E-01	7.42E-01	
2.24E+02	4.71E+01	9.39E+00	1.74E+00	(2.87E-01)	(3.89E-02)	(3.42E-03)	(6.00E-05)	(0.00E+00)	(2.14E-06)	(5.12E-06)	
2.37E+02*	5.03E+01*	1.02E+01*	1.92E+00*	3.29E-01*	4.85E-02*	5.42E-03*	3.13E-04*	1.60E-07*	1.59E-05*	8.44E-06*	
2	.6080	.6638	.7293	.8071	.9011	1.0166	1.1618	1.3495	1.6014	1.9563	2.4924
16448.3	15065.1	13712.0	12389.4	11097.6	9836.8	8607.5	7409.9	6244.5	5111.8	4012.1	
6.03E-04	1.96E-04	6.21E-05	1.91E-05	5.70E-06	1.61E-06	4.21E-07	9.26E-08	1.33E-08	2.81E-10	8.61E-10	
.9497	.9295	.9092	.8866	.8604	.8288	.7860	.7107	.5141	-1.1337	1.7548	
8.87E-01	8.86E-01	8.82E-01	8.75E-01	8.64E-01	8.45E-01	8.12E-01	7.34E-01	4.74E-01	5.31E-07	1.05E-01	
4.28E+03	1.06E+03	2.52E+02	5.65E+01	1.18E+01	(2.22E+00)	(3.58E-01)	(4.12E-02)	(1.48E-03)	2.14E-17	(1.23E-06)	
4.49E+03*	1.12E+03*	2.68E+02*	6.08E+01*	1.29E+01*	2.52E+00*	4.32E-01*	5.88E-02*	4.80E-03*	3.58E-05*	1.11E-04*	
3	.5458	.5904	.6416	.7011	.7709	.8539	.9541	1.0771	1.2317	1.4315	1.6989
18322.3	16939.1	15586.1	14263.5	12971.6	11710.8	10481.5	9283.9	8118.6	6985.8	5886.2	
4.30E-03	1.58E-03	5.64E-04	1.96E-04	6.62E-05	2.14E-05	6.51E-06	1.84E-06	4.71E-07	9.77E-08	1.09E-08	
.9785	.9562	.9355	.9161	.8955	.8701	.8367	.7939	.7359	.6319	.2939	
8.85E-01	8.87E-01	8.86E-01	8.84E-01	8.78E-01	8.68E-01	8.50E-01	8.18E-01	7.62E-01	6.35E-01	2.14E-01	
4.19E+04	1.25E+04	5.40E+03	9.00E+02	2.26E+02	5.25E+01	(1.10E+01)	(2.00E+00)	(2.97E-01)	(2.72E-02)	(2.07E-04)	
4.36E+04*	1.29E+04*	3.59E+03*	9.55E+02*	2.42E+02*	5.72E+01*	1.25E+01*	2.43E+00*	4.02E-01*	4.96E-02*	2.80E-03*	
4	.4974	.5342	.5758	.6233	.6778	.7412	.8155	.9037	1.0101	1.1406	1.3042
20103.6	18720.4	17367.3	16044.7	14752.9	13492.1	12262.8	11065.2	9899.8	8767.1	7667.4	
1.79E-02	7.80E-03	3.17E-03	1.22E-03	4.58E-04	1.68E-04	5.96E-05	2.00E-05	6.13E-06	1.69E-06	4.09E-07	
1.0071	.9855	.9632	.9409	.9201	.9012	.8810	.8530	.8099	.7459	.6554	
8.78E-01	8.83E-01	8.86E-01	8.87E-01	8.84E-01	8.80E-01	8.73E-01	8.60E-01	8.31E-01	7.73E-01	6.66E-01	
2.26E+05	8.09E+04	2.65E+04	8.05E+03	2.33E+03	6.47E+02	1.70E+02	4.06E+01	(8.33E+00)	(1.38E+00)	(1.66E-01)	
2.32E+05	8.37E+04*	2.76E+04*	8.50E+03*	2.48E+03	6.91E+02*	1.83E+02*	4.47E+01*	9.85E+00*	1.88E+00*	2.97E-01*	

*The Einstein coefficients for this band may have limited accuracy, since the Franck-Condon factor is less than 0.01 (see text).

Table 10. Radiative transition parameters for $N_2 E^3\Sigma_g^+ - A^3\Sigma_u^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$.

$v' \backslash v''$	0	1	2	3	4	5	6	7	8	9	10
0	.2173	.2243	.2316	.2392	.2472	.2555	.2643	.2734	.2830	.2930	.3035
46019.7	44586.8	43181.6	41804.1	40454.5	39132.8	37839.2	36574.0	35337.4	34129.7	32951.4	
3.98E-03	1.72E-02	4.02E-02	6.78E-02	9.24E-02	1.08E-01	1.13E-01	1.08E-01	9.71E-02	8.24E-02	6.70E-02	
1.1969	1.1845	1.1727	1.1615	1.1508	1.1406	1.1309	1.1216	1.1127	1.1042	1.0960	
1.28E-02	1.10E-02	9.16E-03	7.52E-03	6.07E-03	4.84E-03	3.82E-03	2.99E-03	2.33E-03	1.80E-03	1.39E-03	
(1.29E+02)	3.71E+02	5.51E+02	(5.67E+02)	(4.57E+02)	(3.08E+02)	(1.82E+02)	9.64E+01	(4.71E+01)	(2.16E+01)	(9.34E+00)	
1.14E+02*	3.59E+02	5.77E+02	6.32E+02	5.28E+02	3.58E+02	2.04E+02	9.95E+01	4.22E+01	1.56E+01	4.96E+00	
1	.2074	.2138	.2204	.2273	.2345	.2420	.2498	.2580	.2665	.2754	.2846
48204.7	46771.8	45366.6	43989.1	42639.5	41317.8	40024.2	38759.0	37522.4	36314.7	35136.4	
2.67E-02	7.81E-02	1.18E-01	1.18E-01	8.55E-02	4.27E-02	1.14E-02	9.06E-05	5.64E-03	2.00E-02	3.56E-02	
1.2159	1.2027	1.1901	1.1782	1.1666	1.1553	1.1431	1.0924	1.1337	1.1221	1.1128	
1.53E-02	1.36E-02	1.18E-02	1.00E-02	8.25E-03	6.66E-03	5.13E-03	1.23E-03	4.10E-03	3.03E-03	2.33E-03	
(1.42E+03)	3.01E+03	3.11E+03	2.04E+03	9.15E+02	2.71E+02	(3.91E+01)	(1.62E-02)	(1.02E+01)	(1.79E+01)	(1.71E+01)	
1.19E+03	2.75E+03	3.07E+03	2.12E+03	9.54E+02	2.48E+02	1.73E+01	8.68E+00*	3.79E+01*	4.52E+01	3.43E+01	

*The Einstein coefficients for this band may have limited accuracy, since the Franck-Condon factor is less than 0.01 (see text).

Table 11. Radiative transition parameters for $N_2 E^3\Sigma_g^+ - B^3\Pi_g$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$.

$v' \backslash v''$	0	1	2	3	4	5	6	7	8	9	10
0	.2742	.2877	.3022	.3181	.3353	.3542	.3749	.3978	.4230	.4511	.4826
36467.8	34762.5	33086.2	31438.9	29820.6	28231.3	26671.1	25140.0	23638.2	22165.8	20722.9	
1.43E-01	2.43E-01	2.35E-01	1.70E-01	1.03E-01	5.54E-02	2.75E-02	1.29E-02	5.77E-03	2.52E-03	1.07E-03	
1.1653	1.1431	1.1224	1.1031	1.0848	1.0675	1.0512	1.0357	1.0209	1.0069	.9934	
1.85E-03	1.85E-03	1.85E-03	1.85E-03	1.85E-03	1.85E-03	1.85E-03	1.85E-03	1.85E-03	1.85E-03	1.85E-03	
9.63E+01	1.42E+02	1.18E+02	7.32E+01	3.78E+01	1.73E+01	7.23E+00	2.83E+00	1.06E+00*	3.80E-01*	1.33E-01*	
1	.2587	.2707	.2835	.2974	.3124	.3288	.3465	.3660	.3872	.4107	.4365
38652.8	36947.5	35271.2	33623.9	32005.6	30416.3	28856.1	27325.0	25823.2	24350.8	22907.9	
3.11E-01	1.26E-01	7.28E-04	4.83E-02	1.16E-01	1.31E-01	1.06E-01	7.16E-02	4.27E-02	2.34E-02	1.21E-02	
1.1937	1.1683	1.1115	1.1324	1.1112	1.0924	1.0749	1.0585	1.0429	1.0282	1.0142	
1.85E-03	1.85E-03	1.85E-03	1.85E-03	1.85E-03	1.85E-03	1.85E-03	1.85E-03	1.85E-03	1.85E-03	1.85E-03	
2.49E+02	8.80E+01	4.43E-01*	2.55E+01	5.26E+01	5.10E+01	3.54E+01	2.03E+01	1.02E+01	4.68E+00	2.01E+00	

*The Einstein coefficient for this band may have limited accuracy, since the Franck-Condon factor is less than 0.01 (see text).

Table 12. Radiative transition parameters for $N_2 E^3\Sigma_g^+ - C^3\Pi_u$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$.

$v' \backslash v''$	0	1	2	3	4
0	1.4713	2.0824	3.4947	10.1275	-12.5965
	6796.6	4802.2	2861.4	987.4	-793.9
	7.75E-01	1.87E-01	3.20E-02	5.01E-03	7.94E-04
	1.1359	1.0720	1.0185	.9741	.9362
	4.14E-02	4.14E-02	4.14E-02	4.14E-02	4.14E-02
	1.69E+03	1.44E+02	5.20E+00	3.35E-02*	-1.38E-03*
1	1.1134	1.4312	1.9816	3.1522	7.1884
	8981.6	6987.2	5046.4	3172.4	1391.1
	2.05E-01	4.23E-01	2.72E-01	7.73E-02	1.75E-02
	1.2059	1.1460	1.0810	1.0273	.9838
	4.14E-02	4.14E-02	4.14E-02	4.14E-02	4.14E-02
	1.03E+03	1.00E+03	2.43E+02	1.71E+01	3.27E-01

*The Einstein coefficient for this band may have limited accuracy, since the Franck-Condon factor is less than 0.01 (see text).

Table 13. Radiative transition parameters for $N_2 D^3\Sigma_u^+ - B^3\Pi_g$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$.

$v' \backslash v''$	0	1	2	3	4	5	6	7	8	9	10
0	.2259	.2350	.2446	.2549	.2658	.2776	.2901	.3036	.3181	.3338	.3506
	44264.1	42558.8	40882.6	39235.3	37617.0	36027.7	34467.5	32936.4	31434.6	29962.1	28519.3
	9.71E-02	1.93E-01	2.17E-01	1.83E-01	1.30E-01	8.14E-02	4.69E-02	2.55E-02	1.32E-02	6.67E-03	3.29E-03
	1.1608	1.1403	1.1215	1.1040	1.0876	1.0722	1.0576	1.0439	1.0310	1.0187	1.0071
	6.09E-01	5.69E-01	5.31E-01	4.95E-01	4.61E-01	4.29E-01	4.00E-01	3.72E-01	3.47E-01	3.24E-01	3.03E-01
	1.27E+07	1.95E+07	1.70E+07	1.10E+07	5.95E+06	2.84E+06	1.24E+06	5.11E+05	2.01E+05	7.63E+04	2.83E+04
	1.25E+07	1.94E+07	1.70E+07	1.10E+07	5.96E+06	2.84E+06	1.24E+06	5.07E+05	1.98E+05	7.46E+04*	2.74E+04*

*The Einstein coefficients for this band may have limited accuracy, since the Franck-Condon factor is less than 0.01 (see text).

Table 14. Radiative transition parameters for $N_2^+ A\ ^2\Pi_u - X\ ^2\Sigma_g^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$.

$v'\backslash v''$	0	1	2	3	4	5	6	7	8	9	10
0	1.1092 9015.6 4.81E-01 1.1491 2.55E-01 4.65E+04 4.64E+04	1.4618 6840.7 3.78E-01 1.1924 2.46E-01 1.48E+04 1.48E+04	2.1284 4698.4 1.20E-01 1.2406 2.34E-01 1.38E+03 1.39E+03	3.8625 2589.0 1.95E-02 1.2954 2.20E-01 3.34E+01 3.36E+01	19.5110 512.5 1.73E-03 1.3612 2.02E-01 1.93E-02 1.95E-02*	-6.5328 -1530.7 7.89E-05 1.4468 1.78E-01 -3.64E-02 -3.67E-02*	-2.8244 -3540.5 1.54E-06 1.5782 1.41E-01 -5.50E-03 -5.42E-03*	-1.8127 -5516.6 5.96E-09 1.9443 5.72E-02 (-1.33E-05) (-5.42E-03*	-1.3407 -7458.6 4.07E-11 1.0324 2.75E-01 (-5.19E-06) (-5.77E-08)	-1.0677 -9366.2 1.63E-12 1.7225 1.03E-01 (-5.19E-06) (-3.71E-08*)	-0.8898 -11239.1 2.57E-14 .9275 2.86E-01 -1.20E-08 -1.54E-08*
1	.9183 10889.2 3.24E-01 1.1669 2.63E-01 5.84E+04 5.85E+04	1.1475 8714.3 3.45E-02 1.2010 2.51E-01 2.93E+03 2.87E+03	1.5216 6572.0 3.41E-01 1.2484 2.32E-01 1.17E+04 1.16E+04	2.2409 4462.6 2.33E-01 1.3033 2.18E-01 2.27E+03 2.28E+03	4.1909 2386.1 5.94E-02 1.3696 2.00E-01 7.79E+01 7.84E+01	29.1662 342.9 7.10E-03 1.4569 1.75E-01 2.32E-02 2.34E-02*	-5.9990 -1666.9 4.01E-04 1.5946 1.36E-01 -2.31E-01 -2.33E-01*	-2.7450 -3643.0 8.92E-06 1.5946 1.36E-01 -3.25E-02 -3.17E-02*	-1.7905 -5585.0 3.08E-08 2.0361 4.31E-02 -5.19E-05 -9.82E-08*	-1.3346 -7492.6 4.86E-10 1.1718 2.50E-01 8.31E-02 -5.41E-05*	-1.0678 -9365.5 1.26E-11 1.8097 8.31E-02 -1.26E-07*
2	.7854 12732.8 1.33E-01 1.0783 2.68E-01 4.02E+04 4.04E+04	.9472 10557.8 1.87E-02 1.1203 2.57E-01 3.70E+04 3.68E+04	1.1883 8415.6 1.95E-01 1.1401 2.41E-01 1.49E+03 1.53E+03	1.5858 6306.1 2.95E-01 1.2113 1.2567 5.77E+03 5.73E+03	2.3643 4229.7 1.12E-01 1.2113 1.3113 2.40E+03 2.40E+03	4.5737 2186.4 1.74E-02 1.3113 1.3782 1.11E+02 1.11E+02	56.6248 176.6 1.18E-03 1.4674 1.4674 7.67E-03 7.67E-03	-5.5572 -1799.5 2.91E-05 1.6126 1.2175 -8.34E-01* -8.34E-01*	-2.6728 -3741.5 8.11E-08 2.1725 2.25E-01 -1.03E-01 -1.03E-01*	-1.7702 -5649.1 2.99E-09 1.2772 1.2772 -8.56E-05*	-1.3294 -7521.9 -5721.9 1.34E-07 2.4033 1.11E-02
3	.6875 14546.3 4.39E-02 1.0480 2.73E-01 2.04E+04 2.06E+04	.8083 12371.3 1.97E-01 1.0858 2.67E-01 5.40E+04 5.41E+04	.9776 10229.1 8.34E-02 1.1315 2.59E-01 1.21E+04 1.20E+04	1.2316 8119.6 1.01E-01 1.1592 2.53E-01 6.99E+03 7.05E+03	1.6548 6043.2 7.14E-02 1.2258 2.38E-01 1.81E+03 1.78E+03	2.5001 3999.9 3.00E-01 1.2655 2.28E-01 2.02E+03 2.02E+03	5.0249 1990.1 1.68E-01 1.3197 2.14E-01 1.22E+02 1.23E+02	712.1493 14.0 3.32E-02 1.3871 1.95E-01 7.09E-06 7.15E-06	-5.1868 -1928.0 2.64E-03 1.4785 1.69E-01 -2.19E+00 -2.21E+00*	-2.6072 -3835.6 7.01E-05 1.6326 1.26E-01 -2.54E-01 -2.44E-01*	-1.7518 -5708.4 1.34E-07 2.4033 1.11E-02 -1.25E-05
4	.6124 16329.7 1.29E-02 1.0202 2.77E-01 8.70E+03 8.78E+03	.7065 14154.8 1.01E-01 1.0552 2.72E-01 4.30E+04 4.32E+04	.8325 12012.5 8.57E-03 1.0939 2.66E-01 1.08E+04 1.03E+04*	1.0098 9903.1 1.54E-01 1.1601 2.53E-01 9.39E+03 9.41E+03	1.2777 7826.6 1.54E-01 1.1694 2.51E-01 9.39E+03 9.41E+03	1.7291 5783.4 7.26E-01 1.2647 2.28E-01 1.94E+02 1.84E+02*	2.6500 3773.6 2.63E-01 1.2752 2.26E-01 1.46E+03 1.45E+03	5.5633 1797.5 2.18E-01 1.3285 2.11E-01 1.15E+02 1.15E+02	-69.2094 -144.5 5.41E-02 1.3964 1.4902 -2.45E-02 -2.47E-02	-4.8731 -2052.1 4.96E-03 1.6551 1.20E-01 -4.77E+00 -4.79E+00*	-2.5478 -3925.0 1.38E-04 1.6551 1.20E-01 -4.87E-01
5	.5530 18083.2 3.55E-03 .9948 2.80E-01 3.32E+03 3.35E+03*	.6286 15908.2 4.04E-02 1.0273 2.76E-01 5.31E+04 5.33E+04	.7264 13766.0 1.37E-01 1.0627 2.71E-01 5.32E+04 5.33E+04	.8579 11656.5 1.09E-01 1.1032 1.0980 7.12E+02 7.55E+02*	1.0438 9580.1 5.69E-03 1.0980 2.65E-01 8.24E+03 8.21E+03	1.3268 7536.8 1.53E+01 1.1789 1.2861 8.57E+01 6.57E+01*	1.8093 5527.0 2.57E-03 1.1286 1.2860 9.13E+02 9.13E+02	2.8161 3551.0 2.04E-01 1.3376 2.23E-01 9.19E+02 9.49E+01	6.2152 1609.0 2.57E-01 1.4060 2.09E-01 9.47E+01 9.49E+01	-33.4835 -298.7 7.91E-02 1.4060 1.90E-01 -3.07E-01 -3.09E-01	-4.6051 -2171.5 8.23E-03 1.5025 1.62E-01 -8.98E+00
6	.5049 19806.6 9.44E-04 .9717 2.82E-01 1.18E+03 1.20E+03*	.5672 17631.7 1.42E-02 1.0019 2.79E-01 1.23E+04 1.24E+04	.6456 15489.4 7.35E-02 1.0346 2.75E-01 4.19E+04 4.21E+04	.7474 13380.0 1.39E-01 1.0706 2.70E-01 4.89E+04 4.89E+04	.8847 11303.5 4.47E-02 1.1156 2.62E-01 8.97E+03 8.81E+03	1.0799 9260.2 4.03E-02 1.1156 2.59E-01 4.43E+03 4.43E+03	1.3792 7250.4 1.17E-01 1.1298 2.47E-01 5.43E+03 5.43E+03	1.8960 5274.4 2.87E-02 1.1891 2.43E-01 5.19E+02 5.19E+02	3.0009 3332.4 1.40E-01 1.2030 2.19E-01 5.07E+02 5.01E+02	7.0187 1424.8 2.83E-01 1.2988 2.06E-01 7.04E+01 7.05E+01	-22.3168 -448.1 1.07E-01 1.3473 1.4160 -1.366E+00
7	.4651 21500.0 2.52E-04 .9510 2.84E-01 4.09E+02 4.15E+02*	.5175 19325.1 4.62E-03 1.0091 2.78E-01 5.36E+03 5.42E+03*	.5820 17182.8 3.22E-02 1.0421 2.74E-01 5.17E+04 5.19E+04	.6634 15073.4 9.93E-02 1.0421 2.68E-01 3.55E+04 3.53E+04	.7694 12996.9 1.11E-01 1.0791 2.56E-01 1.23E+03 1.23E+03	.9129 10953.7 7.86E-02 1.1434 1.1420 7.50E+03 7.57E+03	1.1181 8943.9 6.86E-02 1.1420 1.2012 2.80E+03 2.75E+03	1.4352 6967.8 6.58E-02 1.2209 1.2012 9.69E+02 9.83E+02	1.9897 5025.8 8.41E-02 1.3151 2.15E-01 2.39E+02 2.35E+02	3.2070 3118.2 2.94E-01 1.3574 2.03E-01 4.77E+01 4.77E+01	8.0300 1245.3 1.07E-01 1.4160 2.03E-01 4.77E+01 4.77E+01

Table 14. Radiative transition parameters for $N_2^+ A^2\Pi_u - X^2\Sigma_g^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. — Continued

$v' \setminus v''$	11	12	13	14	15	16	17	18	19	20	21
0	-.7647	-.6721	-.6008	-.5442	-.4983	-.4603	-.4285	-.4013	-.3780	-.3578	-.3400
	-13076.8	-14879.1	-16645.3	-18375.2	-20068.0	-21723.1	-23339.9	-24917.5	-26455.3	-27952.5	-29408.6
	7.61E-17	1.70E-18	4.72E-17	6.30E-19	1.00E-16	2.41E-16	1.57E-16	1.80E-17	1.57E-17	7.02E-17	6.75E-17
	-1.2837	4.2135	1.4356	3.0535	1.0337	1.0886	1.0873	1.0171	1.2225	1.1519	1.1283
	6.17E-04	6.71E-08	1.81E-01	4.10E-04	2.75E-01	2.67E-01	2.77E-01	2.39E-01	2.55E-01	2.59E-01	
	(-2.62E-16)(-1.02E-25)(-2.90E-11)(-2.66E-18)	-2.48E-10	-7.12E-10	-5.76E-10	-8.69E-11	-6.72E-11	-4.03E-10	-4.68E-10			
	-5.40E-10*	-3.11E-13*	-4.83E-11*	-4.15E-14*	-2.37E-10*	-6.93E-10*	-5.64E-10*	-8.53E-11*	-7.10E-11*	-4.08E-10*	-4.72E-10*
1	-.8926	-.7689	-.6770	-.6060	-.5496	-.5038	-.4658	-.4340	-.4068	-.3835	-.3632
	-11203.2	-13005.5	-14771.7	-16501.6	-18194.4	-19849.5	-21466.3	-23043.9	-24581.7	-26078.9	-27535.0
	3.28E-13	1.47E-16	4.52E-16	1.06E-15	1.16E-15	9.23E-16	4.87E-16	1.33E-16	2.68E-18	3.16E-17	8.60E-17
	1.0566	-5.2039	.3229	.8980	.9546	.9754	.9758	.9411	.4251	1.2104	1.1392
	2.72E-01	9.37E-23	1.98E-01	2.87E-01	2.84E-01	2.82E-01	2.82E-01	2.85E-01	2.26E-01	2.42E-01	2.57E-01
	-1.38E-07	(0.00E+00)(-2.31E-10)	-1.59E-09	-2.28E-09	-2.32E-09	-1.55E-09	-5.36E-10	(-8.23E-12)(-1.33E-10)	-4.82E-10		
	-1.49E-07*	-4.79E-09*	-8.38E-10*	-1.46E-09*	-2.18E-09*	-2.26E-09*	-1.51E-09*	-5.22E-10*	-1.67E-11*	-1.52E-10*	-5.04E-10*
2	-1.0684	-.8959	-.7735	-.6822	-.6116	-.5554	-.5096	-.4717	-.4398	-.4126	-.3892
	-9359.7	-11161.9	-12928.2	-14658.0	-16350.8	-18006.0	-19622.7	-21200.4	-22738.1	-24235.3	-25691.4
	4.80E-11	2.62E-12	1.69E-14	1.21E-14	1.24E-14	6.32E-15	2.72E-15	1.21E-15	4.52E-16	5.50E-17	2.87E-17
	1.9307	1.1746	-.3734	.6427	.9225	.9056	.8734	.8827	.9032	.7732	1.4509
	5.95E-02	2.05E-01	3.82E-02	2.72E-01	2.86E-01	2.87E-01	2.88E-01	2.88E-01	2.87E-01	2.86E-01	1.77E-01
	(-5.65E-07)	-9.20E-07	(-2.15E-10)(-1.14E-08)	-1.79E-08	-1.23E-08	-6.90E-09	-3.86E-09	-1.77E-09	-2.59E-10	(-6.16E-11)	
	-4.05E-08*	-8.90E-07*	-6.30E-08*	-1.79E-08*	-1.67E-08*	-1.20E-08*	-7.00E-09*	-3.83E-09*	-1.67E-09*	-2.45E-10*	-1.15E-10*
3	-1.3252	-1.0697	-.8997	-.7785	-.6879	-.6176	-.5615	-.5158	-.4779	-.4460	-.4188
	-7546.2	-9348.4	-11114.7	-12844.5	-14537.3	-16192.5	-17809.2	-19386.9	-20924.6	-22421.8	-23877.9
	1.25E-08	1.14E-10	1.44E-11	2.28E-13	6.58E-14	5.11E-14	2.62E-14	1.24E-14	5.30E-15	1.47E-15	1.01E-16
	1.3634	2.1111	1.2696	.2921	.5871	.8680	.8777	.8741	.8749	.8096	.2840
	2.02E-01	3.36E-02	2.27E-01	1.89E-01	2.62E-01	2.88E-01	2.88E-01	2.88E-01	2.87E-01	2.87E-01	1.87E-01
	-8.89E-04	(-4.29E-07)(-4.14E-06)(-7.01E-08)(-5.64E-08)	-7.29E-08	-4.97E-08	-3.03E-08	-1.63E-08	-5.56E-09	(-1.94E-10)			
	-8.53E-04*	-6.75E-07*	-3.73E-06*	-4.47E-07*	-1.05E-07*	-7.16E-08*	-4.86E-08*	-2.99E-08*	-1.59E-08*	-5.60E-09*	-6.39E-10*
4	-1.7353	-1.3219	-1.0717	-.9041	-.7841	-.6940	-.6240	-.5681	-.5224	-.4845	-.4526
	-5762.7	-7565.0	-9331.2	-11061.1	-12753.9	-14409.0	-16025.8	-17603.4	-19141.2	-20638.4	-22094.5
	1.35E-07	4.05E-08	1.66E-10	5.80E-11	1.56E-12	2.61E-13	1.81E-13	9.95E-14	4.78E-14	1.92E-14	5.16E-15
	2.8971	1.4389	2.4594	1.3526	.5781	.5260	.8229	.8671	.8670	.8468	.7513
	1.01E-03	1.80E-01	8.73E-03	2.05E-01	2.61E-01	2.50E-01	2.88E-01	2.88E-01	2.88E-01	2.88E-01	2.84E-01
	(-1.06E-07)	-2.31E-03	(-4.15E-08)(-1.33E-05)(-8.92E-07)(-1.98E-07)	-2.50E-07	-1.82E-07	-1.12E-07	-5.68E-08	-1.82E-08			
	-6.56E-03*	-2.17E-03*	-1.31E-05*	-1.14E-05*	-2.11E-06*	-4.53E-07*	-2.61E-07*	-1.78E-07*	-1.10E-07*	-5.62E-08*	-1.97E-08*
5	-2.4942	-1.7207	-1.3196	-1.0744	-.9091	-.7902	-.7007	-.6309	-.5751	-.5295	-.4916
	-4009.3	-5811.5	-7577.8	-9307.6	-11000.4	-12655.5	-14272.3	-15850.0	-17387.7	-18884.9	-20341.0
	2.34E-04	4.77E-08	1.07E-07	9.55E-11	1.82E-10	7.86E-12	9.36E-13	5.69E-13	3.35E-13	1.59E-13	5.96E-14
	1.6808	4.8365	1.5095	3.6226	1.4312	.7737	.5022	.7809	.8611	.8601	.8176
	1.13E-01	1.39E-10	1.60E-01	8.96E-06	1.83E-01	2.86E-01	2.45E-01	2.86E-01	2.88E-01	2.88E-01	2.88E-01
	-7.87E-01	(-7.29E-22)	-4.82E-03	(-2.51E-14)(-3.27E-05)(-5.27E-06)(-6.60E-07)(-7.51E-07)	-5.92E-07	-3.61E-07	-1.68E-07				
	-7.30E-01*	-2.54E-02*	-4.41E-03*	-8.79E-05*	-2.63E-05*	-7.76E-06*	-1.66E-06*	-8.47E-07*	-5.77E-07*	-3.52E-07*	-1.70E-07*
6	-4.3747	-2.4461	-1.7081	-1.3185	-1.0779	-.9147	-.7969	-.7079	-.6384	-.5827	-.5371
	-2285.8	-4088.1	-5854.4	-7584.2	-9277.0	-10932.1	-12548.9	-14126.5	-15664.3	-17161.5	-18617.6
	1.24E-02	3.51E-04	2.37E-08	2.36E-07	1.71E-11	4.58E-10	3.21E-11	3.27E-12	1.60E-12	9.45E-13	4.47E-13
	1.5156	1.7108	-4.7547	1.5800	-6.0921	1.5117	.9278	.5385	.7371	.8428	.8456
	1.58E-01	1.06E-01	1.10E-19	1.40E-01	1.60E-29	1.59E-01	2.86E-01	2.53E-01	2.83E-01	2.88E-01	2.88E-01
	-1.51E+01	(-1.09E+00)(-2.34E-40)(-8.21E-03)(0.00E+00)(-6.16E-05)(-2.09E-05)(-2.39E-06)(-1.99E-06)	-1.60E-06	-8.45E-05*	-2.36E-05*	-5.51E-06*	-2.47E-06*	-1.59E-06*	-9.47E-07*		
	-1.51E+01	-9.82E-01*	-7.62E-02*	-7.25E-03*	-3.77E-04*	-4.55E-05*	-2.36E-05*	-5.51E-06*	-2.47E-06*	-1.59E-06*	-9.47E-07*
7	-16.8796	-4.1759	-2.4033	-1.6976	-1.3186	-1.0824	-.9212	-.8043	-.7158	-.6465	-.5909
	-592.4	-2394.7	-4160.9	-5890.8	-7583.6	-9238.7	-10855.5	-12433.1	-13970.9	-15468.1	-16924.2
	1.36E-01	1.74E-02	4.73E-04	6.80E-07	4.46E-07	1.29E-09	9.29E-10	1.09E-10	1.09E-11	4.10E-12	2.32E-12
	1.4265	1.5296	1.7467	.0566	1.6556	.3154	1.6018	1.0540	.6153	.6963	.8128
	1.84E-01	1.54E-01	9.73E-02	1.23E-01	1.20E-01	1.96E-01	1.34E-01	2.72E-01	2.67E-01	2.79E-01	2.87E-01
	-3.88E+00	-2.31E+01	(-1.31E+00)(-8.54E-03)(-1.13E-02)(-1.59E-04)(-8.68E-05)	-6.27E-05	(-8.61E-06)(-4.78E-06)	-3.76E-06					
	-3.90E+00	-2.32E+01	-1.12E+00*	-1.89E-01*	-9.35E-03*	-1.20E-03*	-5.47E-05*	-6.00E-05*	-1.63E-05*	-6.56E-06*	-3.89E-06*

Table 14. Radiative transition parameters for N_2^+ A $^2\Pi_u$ - X $^2\Sigma_g^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$. - Continued

$V' \backslash V''$	0	1	2	3	4	5	6	7	8	9	10
8	.4317	.4765	.5306	.5975	.6821	.7926	.9427	1.1586	1.4949	2.0913	3.4379
	23163.4	20988.5	18846.2	16736.8	14660.3	12617.1	10607.3	8631.2	6689.2	4781.6	2908.7
	6.81E-05	1.45E-03	1.26E-02	5.39E-02	1.09E-01	6.99E-02	9.28E-04	1.01E-01	2.85E-02	9.83E-02	4.18E-02
	.9328	.9579	.9859	1.0165	1.0499	1.0889	1.0196	1.1519	1.2189	1.2330	1.3389
	2.85E-01	2.84E-01	2.81E-01	2.77E-01	2.73E-01	2.67E-01	2.77E-01	2.55E-01	2.40E-01	2.36E-01	2.09E-01
	1.40E+02	2.19E+03	1.35E+04	3.94E+04	5.17E+04	2.02E+04	1.72E+02	8.50E+03	9.93E+02	1.22E+03	9.06E+01
	1.42E+02*	2.22E+03*	1.36E+04	3.97E+04	5.18E+04	2.00E+04	2.01E+02*	8.52E+03	9.63E+02	1.23E+03	8.83E+01
9	.4033	.4420	.4883	.5444	.6137	.7017	.8169	.9742	1.2015	1.5588	2.2016
	24796.8	22621.9	20479.7	18370.2	16293.8	14250.5	12240.7	10264.6	8322.6	6415.0	4542.2
	1.90E-05	4.54E-04	4.63E-03	2.51E-02	7.33E-02	1.00E-01	3.19E-02	1.64E-02	1.01E-01	5.45E-03	1.18E-01
	.9172	.9394	.9649	.9932	1.0241	1.0582	1.1019	1.1013	1.1615	1.2623	1.2435
	2.86E-01	2.85E-01	2.83E-01	2.80E-01	2.76E-01	2.72E-01	2.64E-01	2.64E-01	2.53E-01	2.29E-01	2.34E-01
	4.81E+01	8.65E+02	6.44E+03	2.47E+04	4.91E+04	4.34E+04	8.29E+03	2.51E+03	7.55E+03	1.53E+02	1.23E+03
	4.89E+01*	8.78E+02*	6.52E+03*	2.49E+04	4.93E+04	4.33E+04	8.12E+03	2.59E+03	7.53E+03	1.42E+02*	1.23E+03
10	.3788	.4128	.4528	.5007	.5587	.6308	.7223	.8426	1.0074	1.2471	1.6272
	26400.3	24225.4	22083.1	19973.7	17897.2	15853.9	13844.1	11868.1	9926.1	8018.5	6145.6
	5.52E-06	1.43E-04	1.65E-03	1.06E-02	4.03E-02	8.48E-02	7.80E-02	7.56E-03	4.04E-02	8.49E-02	2.21E-04
	.9043	.9234	.9462	.9721	1.0006	1.0318	1.0671	1.1269	1.1178	1.1714	.8923
	2.87E-01	2.86E-01	2.84E-01	2.82E-01	2.79E-01	2.75E-01	2.70E-01	2.60E-01	2.61E-01	2.51E-01	2.87E-01
	1.69E+01	3.37E+02	2.91E+03	1.37E+04	3.65E+04	5.19E+04	3.06E+04	1.73E+03	5.47E+03	5.56E+03	(8.58E+00)
	1.72E+01*	3.43E+02*	2.95E+03*	1.38E+04	3.68E+04	5.21E+04	3.04E+04	1.64E+03*	5.56E+03	5.52E+03	1.36E+01*
11	.3575	.3876	.4227	.4641	.5136	.5738	.6486	.7440	.8696	1.0425	1.2955
	27973.7	25798.8	23656.6	21547.1	19470.7	17427.4	15417.6	13441.5	11499.5	9591.9	7719.1
	1.68E-06	4.62E-05	5.82E-04	4.28E-03	1.96E-02	5.51E-02	8.53E-02	5.02E-02	2.24E-06	6.15E-02	6.01E-02
	.8937	.9097	.9297	.9531	.9794	1.0082	1.0399	1.0774	-.8789	1.1290	1.1825
	2.87E-01	2.87E-01	2.86E-01	2.84E-01	2.82E-01	2.78E-01	2.74E-01	2.69E-01	5.09E-03	2.59E-01	2.48E-01
	6.15E+00	1.32E+02	1.27E+03	7.00E+03	2.33E+04	4.58E+04	4.77E+04	1.78E+04	(1.79E-04)	7.39E+03	3.44E+03
	6.24E+00*	1.34E+02*	1.29E+03*	7.09E+03*	2.35E+04	4.61E+04	4.76E+04	1.76E+04	7.07E+00*	7.46E+03	3.39E+03
12	.3388	.3657	.3968	.4331	.4759	.5271	.5896	.6673	.7667	.8980	1.0796
	29517.2	27342.3	25200.0	23090.6	21014.1	18970.9	16961.1	14985.0	13043.0	11135.4	9262.5
	5.36E-07	1.54E-05	2.07E-04	1.68E-03	8.91E-03	3.08E-02	6.61E-02	7.52E-02	2.48E-02	6.37E-03	7.31E-02
	.8851	.8984	.9155	.9363	.9602	.9868	1.0159	1.0484	1.0905	1.0713	1.1389
	2.88E-01	2.87E-01	2.86E-01	2.85E-01	2.83E-01	2.81E-01	2.77E-01	2.73E-01	2.66E-01	2.70E-01	2.57E-01
	2.31E+00	5.26E+01	5.51E+02	3.42E+03	1.34E+04	3.36E+04	5.03E+04	3.82E+04	7.91E+03	1.30E+03	7.79E+03
	2.34E+00*	5.33E+01*	5.59E+02*	3.46E+03*	1.36E+04*	3.39E+04	5.05E+04	3.81E+04	7.73E+03	1.37E+03*	7.81E+03
13	.3223	.3466	.3743	.4064	.4439	.4882	.5413	.6061	.6870	.7906	.9280
	31030.7	28855.8	26713.6	24604.1	22527.6	20484.4	18474.6	16498.5	14556.5	12648.9	10776.0
	1.79E-07	5.31E-06	7.52E-05	6.58E-04	5.88E-03	1.57E-02	4.23E-02	7.05E-02	5.78E-02	7.47E-05	2.08E-02
	.8780	.8890	.9034	.9215	.9430	.9674	.9943	1.0239	1.0576	1.1133	1.0959
	2.88E-01	2.87E-01	2.87E-01	2.86E-01	2.85E-01	2.83E-01	2.80E-01	2.76E-01	2.72E-01	2.62E-01	2.65E-01
	8.95E-01	2.14E+01	2.39E+02	1.63E+03	7.28E+03	2.18E+04	4.23E+04	4.90E+04	2.67E+04	2.11E+03	3.68E+03
	9.06E-01*	2.16E+01*	2.42E+02*	1.65E+03*	7.37E+03*	2.20E+04	4.26E+04	4.91E+04	2.65E+04	2.01E+03*	3.77E+03
14	.3076	.3296	.3546	.3833	.4165	.4552	.5010	.5561	.6234	.7076	.8157
	32514.3	30339.4	28197.1	26087.7	24011.2	21968.0	19958.1	17982.1	16040.1	14132.5	12259.6
	6.20E-08	1.90E-06	2.79E-05	2.59E-04	1.66E-03	7.52E-03	2.41E-02	5.19E-02	6.74E-02	3.79E-02	2.83E-04
	.8715	.8810	.8932	.9088	.9278	.9499	.9747	1.0020	1.0322	1.0681	1.2589
	2.88E-01	2.88E-01	2.87E-01	2.87E-01	2.86E-01	2.84E-01	2.82E-01	2.79E-01	2.75E-01	2.70E-01	2.30E-01
	3.58E-01	8.88E+00	1.05E+02	7.65E+02	3.79E+03	1.30E+04	3.08E+04	4.76E+04	4.28E+04	1.58E+04	(5.58E+01)
	3.62E-01*	9.00E+00*	1.06E+02*	7.76E+02*	3.84E+03*	1.32E+04*	3.11E+04	4.79E+04	4.27E+04	1.56E+04	4.37E+01*
15	.2944	.3145	.3373	.3631	.3927	.4270	.4670	.5145	.5716	.6416	.7292
	33967.9	31793.0	29650.8	27541.3	25464.9	23421.6	21411.8	19435.7	17493.7	15586.1	13713.3
	2.22E-08	7.00E-07	1.06E-05	1.03E-04	7.04E-04	3.50E-03	1.27E-02	3.31E-02	5.76E-02	5.79E-02	2.00E-02
	.8651	.8739	.8844	.8978	.9144	.9342	.9569	.9821	1.0098	1.0408	1.0811
	2.88E-01	2.88E-01	2.88E-01	2.87E-01	2.86E-01	2.85E-01	2.84E-01	2.81E-01	2.78E-01	2.74E-01	2.68E-01
	1.46E-01	3.78E+00	4.65E+01	3.60E+02	1.93E+03	7.41E+03	2.04E+04	3.89E+04	4.84E+04	3.34E+04	7.50E+03
	1.48E-01*	3.82E+00*	4.71E+01*	3.65E+02*	1.96E+03*	7.51E+03*	2.06E+04	3.92E+04	4.85E+04	3.32E+04	7.32E+03

Table 14. Radiative transition parameters for $N_2^+ A ^3\Pi_u - X ^2\Sigma_g^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$. - Continued

$V' \backslash V''$	11	12	13	14	15	16	17	18	19	20	21
8	9.3372 1071.0	-13.6752 -731.3	-4.0040 -2497.5	-2.3655 -4227.4	-1.6891 -5920.1	-1.3201 -7575.3	-1.0879 -9192.0	-.9285 -10769.7	-.8125 -12307.5	-.7244 -13804.6	-.6553 -15260.8
2.94E-01	1.65E-01	2.30E-02	5.75E-04	3.45E-06	7.21E-07	8.78E-09	1.48E-09	3.10E-10	3.43E-11	9.95E-12	
1.3683	1.4374	1.5446	1.7912	.7608	1.7437	.9535	1.7167	1.1627	.7175	.6642	
2.00E-01	1.81E-01	1.50E-01	8.71E-02	2.85E-01	9.80E-02	2.84E-01	1.04E-01	2.52E-01	2.81E-01	2.75E-01	
2.94E+01	-8.56E+00	-3.28E+01	(-1.34E+00)(-2.35E-01)(-1.22E-02)(-2.23E-03)(-8.15E-05)(-1.49E-04)(-2.89E-05)(-1.08E-05)								
2.94E+01	-8.60E+00	-3.27E+01	-1.05E+00*	-4.04E-01*	-8.57E-03*	-3.08E-03*	-3.34E-05*	-1.28E-04*	-4.33E-05*	-1.63E-05*	
9	3.6977 2704.4	11.0844 902.2	-11.5727 -864.1	-3.8552 -2593.9	-2.3328 -4286.7	-1.6830 -5941.9	-1.3230 -7558.6	-1.0945 -9136.3	-.9369 -10674.0	-.8216 -12171.2	-.7338 -13627.3
1.50E-02	2.85E-01	1.94E-01	2.88E-02	6.28E-04	1.08E-05	9.78E-07	3.39E-08	1.68E-09	7.50E-10	1.02E-10	
1.3833	1.3799	1.4489	1.5608	1.8491	1.0550	1.8577	1.2199	1.8971	1.2600	.8320	
1.96E-01	1.97E-01	1.77E-01	1.46E-01	7.48E-02	2.72E-01	7.31E-02	2.39E-01	6.55E-02	2.30E-01	2.88E-01	
2.31E+01	1.65E+01	-1.59E+01	-4.32E+01	(-1.12E+00)(-6.82E-01)(-9.15E-03)	-6.00E-03	(-3.55E-05)(-2.89E-04)(-8.64E-05)					
2.21E+01	1.65E+01	-1.60E+01	-4.31E+01	-7.33E-01*	-7.59E-01*	-3.89E-03*	-6.44E-03*	-6.58E-08*	-2.27E-04*	-1.04E-04*	
10	2.3213 4307.8	3.9911 2505.6	13.5258 739.3	-10.0960 -990.5	-3.7268 -2683.3	-2.3050 -4338.4	-1.6792 -5955.2	-1.3275 -7532.8	-1.1025 -9070.6	-.9463 -10567.8	-.8317 -12023.9
1.24E-01	2.27E-03	2.70E-01	2.20E-01	3.44E-02	6.06E-04	2.63E-05	1.06E-06	9.59E-08	1.01E-09	1.53E-09	
1.2535	1.5362	1.3923	1.4609	1.5785	1.9293	1.2249	2.0287	1.3849	2.3294	1.3510	
2.31E-01	1.53E-01	1.94E-01	1.74E-01	1.41E-01	5.98E-02	2.38E-01	4.41E-02	1.96E-01	1.50E-02	2.05E-01	
1.07E+03	(1.68E+00)	8.29E+00	-2.63E+01	-5.33E+01	(-7.16E-01)	-1.28E+00	(-3.59E-03)	-1.11E-02	(-1.08E-06)(-4.54E-04)		
1.07E+03	1.47E+00*	8.27E+00	-2.64E+01	-5.30E+01	-2.82E-01*	-1.27E+00*	-2.75E-05*	-1.10E-02*	-1.15E-04*	-3.24E-04*	
11	1.7003 5881.3	2.4515 4079.1	4.3238 2312.8	17.1539 583.0	-9.0103 -1109.8	-3.6167 -2765.0	-2.2822 -4381.7	-1.6780 -5959.4	-1.3338 -7497.2	-1.1118 -8994.3	-.9569 -10450.5
8.46E-03	1.17E-01	3.29E-04	2.52E-01	2.45E-01	3.93E-02	4.99E-04	5.37E-05	8.16E-07	2.16E-07	8.16E-12	
1.1637	1.2636	.6776	1.4058	1.4736	1.5980	2.0524	1.3423	2.3559	1.5144	14.1990	
2.52E-01	2.29E-01	2.77E-01	1.90E-01	1.70E-01	1.35E-01	4.09E-02	2.08E-01	1.35E-02	1.59E-01	0.00E+00	
2.22E+02	8.42E+02	(6.32E-01)	3.65E+00	-3.94E+01	-6.17E+01	(-2.85E-01)	-1.98E+00	(-2.53E-04)	-1.60E-02	(0.00E+00)	
2.35E+02*	8.39E+02	1.45E+00*	3.64E+00	-3.96E+01	-6.12E+01	-9.33E-04*	-1.89E+00*	-1.46E-02*	-1.51E-02*	-7.83E-04*	
12	1.3468 7424.8	1.7786 5622.5	2.5932 3856.3	4.7027 2126.4	23.0606 433.6	-8.1867 -1221.5	-3.5233 -2838.3	-2.2645 -4415.9	-1.6796 -5953.7	-1.3421 -7450.9	-1.1227 -8907.0
3.51E-02	2.40E-02	1.03E-01	5.44E-03	2.34E-01	2.68E-01	4.32E-02	3.22E-04	9.50E-05	2.73E-07	3.96E-07	
1.1960	1.1923	1.2739	1.1564	1.4203	1.4870	1.6196	2.2759	1.4344	3.4458	1.6373	
2.45E-01	2.46E-01	2.26E-01	2.54E-01	1.86E-01	1.67E-01	1.29E-01	1.85E-02	1.82E-01	3.23E-05	1.25E-01	
1.75E+03	5.22E+02	6.09E+02	6.83E+00	1.33E+00	-5.48E+01	-6.70E+01	(-3.85E-02)	-2.68E+00	(-4.77E-10)(-1.76E-02)		
1.70E+03	5.38E+02	6.04E+02	7.49E+00*	1.33E+00	-5.51E+01	-6.61E+01	-4.21E-01*	-2.50E+00*	-8.45E-02*	-1.52E-02*	
13	1.1188 8938.3	1.4013 7136.1	1.8623 5369.8	2.7473 3640.0	5.1357 1947.2	34.2438 292.0	-7.5486 -1324.7	-3.4454 -2902.4	-2.2522 -4440.2	-1.6843 -5937.3	-1.3525 -7393.5
7.35E-02	1.55E-02	4.11E-02	8.43E-02	1.42E-02	2.18E-01	2.88E-01	4.54E-02	1.26E-04	1.49E-04	3.68E-08	
1.1485	1.2159	1.2075	1.2849	1.2207	1.4361	1.5011	1.6441	2.8493	1.5149	-4.9646	
2.55E-01	2.40E-01	2.42E-01	2.23E-01	2.39E-01	1.81E-01	1.62E-01	1.23E-01	1.31E-03	1.59E-01	4.33E-21	
6.93E+03	6.61E+02	7.58E+02	4.10E+02	1.21E+01	3.62E-01	-7.17E+01	-6.80E+01	(-7.60E-05)	-3.17E+00	(-1.13E-42)	
6.92E+03	6.34E+02	7.72E+02	4.05E+02	1.27E+01	3.61E-01	-7.20E+01	-6.66E+01	-2.24E+00*	-2.90E+00*	-2.64E-01*	
14	.9595 10421.9	1.1601 8619.6	1.4591 6853.3	1.9518 5123.5	2.9148 3430.7	5.6319 1775.6	62.9628 158.8	-7.0481 -1418.8	-3.3823 -2956.6	-2.2453 -4453.8	-1.6921 -5909.9
5.65E-02	6.48E-02	5.91E-03	5.59E-02	6.55E-02	2.38E-02	2.06E-01	3.07E-01	4.57E-02	4.33E-06	2.06E-04	
1.1093	1.1583	1.2597	1.2189	1.2966	1.2475	1.4529	1.5160	1.6723	9.0788	1.5924	
2.63E-01	2.53E-01	2.30E-01	2.40E-01	2.20E-01	2.33E-01	1.76E-01	1.58E-01	1.16E-01	5.75E-41	1.37E-01	
5.75E+03	5.40E+03	1.34E+02	8.74E+02	2.60E+02	1.46E+01	5.19E-02	-8.89E+01	-6.40E+01	(0.00E+00)(-3.23E+00)		
5.84E+03	5.36E+03	1.23E+02*	8.85E+02	2.55E+02	1.51E+01	5.18E-02	-8.94E+01	-6.19E+01	-6.14E+00*	-2.85E+00*	
15	.8421 11875.5	.9927 10073.3	1.2038 8307.0	1.5204 6577.2	2.0473 4884.4	3.0967 3229.2	6.2017 1612.5	287.2655 34.8	-6.6535 -1503.0	-3.3332 -3000.1	-2.2440 -4456.3
2.17E-03	4.86E-02	5.09E-02	2.28E-05	6.62E-02	4.86E-02	3.26E-02	1.98E-01	3.24E-01	4.38E-02	8.73E-05	
1.0341	1.1200	1.1688	2.1459	1.2288	1.3095	1.2619	1.4708	1.5317	1.7056	-.1720	
2.75E-01	2.61E-01	2.51E-01	2.98E-02	2.37E-01	2.17E-01	2.29E-01	1.71E-01	1.54E-01	1.07E-01	7.03E-02	
5.59E+02	6.85E+03	3.73E+03	(1.17E-02)	8.79E+02	1.56E+02	1.45E+01	4.95E-04	-1.05E+02	-5.50E+01	(-1.55E-01)	
6.13E+02*	6.91E+03	3.68E+03	1.71E-01*	8.86E+02	1.52E+02	1.49E+01	4.94E-04	-1.06E+02	-5.22E+01	-1.25E+01*	

Table 14. Radiative transition parameters for $N_2^+ A^2\Pi_u - X^2\Sigma_g^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$. — Continued

$V' \setminus V''$	0	1	2	3	4	5	6	7	8	9	10
16	.2826	.3011	.3218	.3452	.3719	.4025	.4379	.4794	.5286	.5879	.6606
	35391.7	33216.8	31074.5	28965.1	26888.6	24845.3	22835.5	20859.5	18917.5	17009.9	15137.0
8.12E-09	2.65E-07	4.16E-06	4.18E-05	3.00E-04	1.60E-03	6.43E-03	1.92E-02	4.12E-02	5.83E-02	4.44E-02	
	.8578	.8669	.8766	.8883	.9028	.9204	.9409	.9641	.9897	1.0179	1.0501
2.88E-01	2.88E-01	2.88E-01	2.87E-01	2.87E-01	2.86E-01	2.85E-01	2.83E-01	2.81E-01	2.77E-01	2.73E-01	
6.05E-02	1.63E+00	2.09E+01	1.70E+02	9.73E+02	4.07E+03	1.26E+04	2.83E+04	4.44E+04	4.47E+04	2.32E+04	
6.11E-02*	1.65E+00*	2.12E+01*	1.73E+02*	9.87E+02*	4.13E+03*	1.27E+04*	2.86E+04	4.47E+04	4.47E+04	2.30E+04	
17	.2718	.2889	.3080	.3294	.3536	.3811	.4127	.4494	.4923	.5434	.6049
	36785.6	34610.6	32468.4	30358.9	28282.5	26239.2	24229.4	22253.3	20311.4	18403.7	16530.9
2.99E-09	1.02E-07	1.66E-06	1.72E-05	1.29E-04	7.28E-04	3.16E-03	1.05E-02	2.63E-02	4.70E-02	5.40E-02	
	.8490	.8595	.8691	.8797	.8925	.9081	.9266	.9478	.9714	.9974	1.0262
2.88E-01	2.88E-01	2.88E-01	2.88E-01	2.87E-01	2.87E-01	2.86E-01	2.84E-01	2.82E-01	2.80E-01	2.76E-01	
2.50E-02	7.09E-01	9.51E+00	8.09E+01	4.88E+02	2.19E+03	7.44E+03	1.90E+04	3.56E+04	4.64E+04	3.77E+04	
2.53E-02*	7.17E-01*	9.63E+00*	8.20E+01*	4.95E+02*	2.22E+03*	7.54E+03*	1.92E+04	3.59E+04	4.66E+04	3.76E+04	
18	.2621	.2780	.2956	.3152	.3373	.3623	.3907	.4234	.4614	.5059	.5588
	38149.6	35974.7	33832.5	31723.0	29646.5	27603.3	25593.5	23617.4	21675.4	19767.8	17895.0
1.09E-09	3.93E-08	6.67E-07	7.21E-06	5.60E-05	3.31E-04	1.53E-03	5.56E-03	1.56E-02	3.31E-02	4.95E-02	
	.8375	.8506	.8612	.8716	.8833	.8971	.9137	.9330	.9548	.9788	1.0053
2.88E-01	2.88E-01	2.88E-01	2.88E-01	2.88E-01	2.87E-01	2.86E-01	2.85E-01	2.84E-01	2.82E-01	2.79E-01	
1.02E-02	3.07E-01	4.34E+00	3.86E+01	2.44E+02	1.16E+03	4.27E+03	1.21E+04	2.60E+04	4.11E+04	4.47E+04	
1.03E-02*	3.11E-01*	4.39E+00*	3.91E+01*	2.48E+02*	1.18E+03*	4.33E+03*	1.22E+04*	2.63E+04	4.14E+04	4.48E+04	
19	.2533	.2680	.2844	.3025	.3228	.3456	.3714	.4008	.4346	.4739	.5200
	39484.0	37309.0	35166.8	33057.3	30980.9	28937.6	26927.8	24951.8	23009.8	21102.2	19229.3
3.85E-10	1.50E-08	2.69E-07	3.03E-06	2.45E-05	1.51E-04	7.37E-04	2.87E-03	8.86E-03	2.13E-02	3.85E-02	
	.8211	.8391	.8521	.8633	.8745	.8872	.9021	.9196	.9396	.9619	.9864
2.88E-01	2.88E-01	2.88E-01	2.88E-01	2.88E-01	2.87E-01	2.87E-01	2.86E-01	2.85E-01	2.83E-01	2.81E-01	
3.97E-03	1.31E-01	1.96E+00	1.84E+01	1.22E+02	6.14E+02	2.40E+03	7.39E+03	1.77E+04	3.26E+04	4.38E+04	
4.06E-03*	1.33E-01*	1.99E+00*	1.86E+01*	1.24E+02*	6.22E+02*	2.44E+03*	7.49E+03*	1.80E+04*	3.28E+04	4.40E+04	
20	.2452	.2590	.2742	.2910	.3097	.3307	.3542	.3809	.4113	.4463	.4870
	40788.6	38613.7	36471.5	34362.0	32285.6	30242.3	28232.5	26256.4	24314.4	22406.8	20534.0
1.26E-10	5.51E-09	1.07E-07	1.27E-06	1.07E-05	6.92E-05	3.53E-04	1.45E-03	4.85E-03	1.29E-02	2.69E-02	
	.7957	.8231	.8407	.8539	.8657	.8778	.8915	.9074	.9258	.9464	.9692
2.87E-01	2.88E-01	2.88E-01	2.88E-01	2.88E-01	2.88E-01	2.87E-01	2.87E-01	2.86E-01	2.85E-01	2.83E-01	
1.43E-03	5.32E-02	8.69E-01	8.67E+00	6.07E+01	3.21E+02	1.33E+03	4.39E+03	1.15E+04	2.38E+04	3.77E+04	
1.47E-03*	5.43E-02*	8.83E-01*	8.79E+00*	6.15E+01*	3.25E+02*	1.35E+03*	4.45E+03*	1.17E+04*	2.41E+04	3.80E+04	
21	.2377	.2507	.2649	.2806	.2980	.3173	.3389	.3632	.3908	.4223	.4585
	42063.8	39888.8	37746.6	35637.2	33560.7	31517.4	29507.6	27531.6	25589.6	23682.0	21809.1
3.55E-11	1.88E-09	4.08E-08	5.25E-07	4.68E-06	3.16E-05	1.69E-04	7.31E-04	2.59E-03	7.52E-03	1.75E-02	
	.7501	.7983	.8249	.8424	.8559	.8684	.8815	.8962	.9131	.9321	.9533
2.84E-01	2.87E-01	2.88E-01	2.88E-01	2.88E-01	2.88E-01	2.88E-01	2.87E-01	2.86E-01	2.85E-01	2.84E-01	
4.32E-04	1.99E-02	3.68E-01	3.99E+00	2.97E+01	1.66E+02	7.26E+02	2.55E+03	7.23E+03	1.65E+04	2.96E+04	
4.61E-04*	2.06E-02*	3.76E-01*	4.05E+00*	3.02E+01*	1.68E+02*	7.36E+02*	2.59E+03*	7.33E+03*	1.67E+04*	2.99E+04	

Table 14. Radiative transition parameters for $N_2^+ A^2\Pi_u - X^2\Sigma^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$. - Continued

$V' \backslash V''$	11	12	13	14	15	16	17	18	19	20	21
16	.7519	.8698	1.0277	1.2499	1.5853	2.1492	3.2936	6.8561	-126.2308	-6.3436	-3.2976
	13299.2	11497.0	9730.7	8000.9	6308.1	4653.0	3036.2	1458.6	-79.2	-1576.4	-3032.5
7.22E-03	1.01E-02	5.50E-02	3.56E-02	2.13E-03	7.16E-02	3.47E-02	3.92E-02	1.95E-01	3.38E-01	3.94E-02	
1.1016	1.0753	1.1298	1.1806	1.1035	1.2379	1.3238	1.2695	1.4896	1.5483	1.7465	
2.64E-01	2.69E-01	2.59E-01	2.48E-01	2.64E-01	2.35E-01	2.13E-01	2.27E-01	1.66E-01	1.49E-01	9.73E-02	
2.40E+03	2.25E+03	6.89E+03	2.28E+03	(7.56E+01)	8.07E+02	8.91E+01	1.27E+01	-1.08E-02	-1.19E+02	-4.22E+01	
2.30E+03*	2.34E+03	6.91E+03	2.24E+03	8.53E+01*	8.10E+02	8.66E+01	1.30E+01	-1.08E-02	-1.20E+02	-3.87E+01	
17	.6806	.7757	.8989	1.0644	1.2984	1.6538	2.2573	3.5058	7.6065	-54.7909	-6.1027
	14693.1	12890.9	11124.6	9394.8	7702.0	6046.9	4430.1	2852.4	1314.7	-182.5	-1638.6
2.97E-02	8.71E-04	2.05E-02	5.53E-02	2.19E-02	7.93E-03	7.27E-02	2.40E-02	4.33E-02	1.97E-01	3.50E-01	
1.0605	1.1686	1.0921	1.1394	1.1950	1.1582	1.2465	1.3396	1.2719	1.5089	1.5659	
2.71E-01	2.51E-01	2.66E-01	2.57E-01	2.45E-01	2.53E-01	2.33E-01	2.08E-01	2.26E-01	1.60E-01	1.44E-01	
1.41E+04	(2.38E+02)	4.05E+03	6.14E+03	1.22E+03	2.28E+02	6.95E+02	4.90E+01	1.02E+01	-1.25E-01	-1.30E+02	
1.38E+04	2.08E+02*	4.15E+03	6.13E+03	1.18E+03	2.41E+02*	6.95E+02	4.72E+01	1.04E+01	-1.25E-01	-1.31E+02	
18	.6228	.7015	.8007	.9295	1.1030	1.3494	1.7259	2.3716	3.7331	8.4634	-36.4224
	16057.2	14255.0	12488.7	10758.9	9066.1	7410.9	5794.2	4216.5	2678.7	1181.6	-274.6
4.57E-02	1.67E-02	4.72E-04	3.03E-02	5.06E-02	1.13E-02	1.53E-02	7.07E-02	1.63E-02	4.46E-02	2.06E-01	
1.0349	1.0730	.9632	1.1041	1.1491	1.2146	1.1796	1.2547	1.3571	1.2688	1.5283	
2.75E-01	2.69E-01	2.83E-01	2.64E-01	2.55E-01	2.41E-01	2.49E-01	2.31E-01	2.04E-01	2.27E-01	1.55E-01	
2.90E+04	7.11E+03	(1.49E+02)	5.33E+03	4.98E+03	5.41E+02	3.72E+02	5.72E+02	2.62E+01	7.70E+00	-4.14E-01	
2.88E+04	6.94E+03	1.83E+02*	5.41E+03	4.95E+03	5.17E+02	3.86E+02	5.71E+02	2.50E+01	7.81E+00	-4.17E-01	
19	.5750	.6415	.7234	.8269	.9615	1.1435	1.4028	1.8015	2.4919	3.9747	9.4359
	17391.5	15589.3	13823.0	12093.2	10400.4	8745.3	7128.5	5550.8	4013.1	2515.9	1059.8
4.84E-02	3.52E-02	7.10E-03	4.42E-03	3.75E-02	4.29E-02	4.46E-03	2.25E-02	6.66E-02	1.09E-02	4.34E-02	
1.0133	1.0441	1.0906	1.0541	1.1145	1.1591	1.2476	1.1932	1.2625	1.3757	1.2595	
2.78E-01	2.74E-01	2.66E-01	2.72E-01	2.62E-01	2.53E-01	2.33E-01	2.44E-01	2.29E-01	1.98E-01	2.30E-01	
3.98E+04	2.02E+04	2.70E+03	1.17E+03	5.87E+03	3.73E+03	1.77E+02	4.70E+02	4.57E+02	1.39E+01	5.52E+00	
3.98E+04	2.00E+04	2.58E+03*	1.25E+03*	5.92E+03	3.69E+03	1.65E+02*	4.83E+02	4.55E+02	1.31E+01	5.60E+00	
20	.5349	.5919	.6610	.7464	.8543	.9950	1.1858	1.4587	1.8805	2.6174	4.2293
	18696.2	16894.0	15127.7	13397.9	11705.1	10049.9	8433.2	6855.5	5317.8	3820.6	2364.5
4.18E-02	4.39E-02	2.43E-02	1.62E-03	1.07E-02	4.12E-02	3.40E-02	9.43E-04	2.87E-02	6.16E-02	7.49E-03	
.9941	1.0216	1.0541	1.1290	1.0767	1.1243	1.1698	1.3366	1.2036	1.2698	1.3946	
2.80E-01	2.77E-01	2.72E-01	2.59E-01	2.69E-01	2.60E-01	2.51E-01	2.09E-01	2.43E-01	2.27E-01	1.93E-01	
4.34E+04	3.29E+04	1.26E+04	(5.29E+02)	2.51E+03	5.74E+03	2.60E+03	(2.69E+01)	5.17E+02	3.58E+02	7.47E+00	
4.35E+04	3.27E+04	1.24E+04	4.81E+02*	2.59E+03	5.77E+03	2.56E+03	2.30E+01*	5.27E+02	3.56E+02	6.92E+00*	
21	.5007	.5504	.6097	.6815	.7704	.8830	1.0300	1.2299	1.5168	1.9624	2.7476
	19971.3	18169.1	16402.8	14673.0	12980.2	11325.1	9708.3	8130.6	6592.9	5095.7	3639.6
3.17E-02	4.24E-02	3.71E-02	1.47E-02	6.08E-07	1.74E-02	4.17E-02	2.53E-02	7.32E-07	3.34E-02	5.62E-02	
.9765	1.0019	1.0301	1.0655	-1.9170	1.0906	1.1337	1.1814	-4.2799	1.2124	1.2764	
2.82E-01	2.79E-01	2.76E-01	2.70E-01	9.34E-06	2.66E-01	2.58E-01	2.48E-01	1.07E-16	2.41E-01	2.25E-01	
4.07E+04	4.02E+04	2.52E+04	6.89E+03	(2.35E-10)	3.64E+03	5.16E+03	1.70E+03	(4.89E-33)	5.20E+02	2.79E+02	
4.09E+04	4.02E+04	2.50E+04	6.71E+03	5.72E+00*	3.72E+03	5.17E+03	1.67E+03	2.06E+00*	5.28E+02	2.76E+02	

*The Einstein coefficients for this band may have limited accuracy, since the Franck-Condon factor is less than 0.01 (see text).

Table 15. Radiative transition parameters for $N_2^+ B \ ^2\Sigma_u^+ - X \ ^2\Sigma_g^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$

$v' \backslash v''$	0	1	2	3	4	5	6	7	8	9	10
0	.3912	.4275	.4706	.5225	.5861	.6659	.7687	.9064	1.1000	1.3922	1.8832
	25564.7	23389.8	21247.6	19138.1	17061.7	15018.4	13008.6	11032.5	9090.5	7182.9	5310.1
6.63E-01	2.53E-01	6.58E-02	1.45E-02	2.98E-03	6.04E-04	1.26E-04	2.78E-05	6.71E-06	1.82E-06	5.67E-07	
1.0995	1.0508	1.0113	.9762	.9450	.9179	.8953	.8778	.8659	.8598	.8593	
7.13E-01	7.52E-01	7.81E-01	8.07E-01	8.28E-01	8.46E-01	8.61E-01	8.71E-01	8.79E-01	8.82E-01	8.83E-01	
1.14E+07	3.71E+06	7.81E+05	1.34E+05	2.06E+04	2.97E+03	4.15E+02	5.74E+01	7.89E+00	1.06E+00	1.34E+01	
1.14E+07	3.71E+06	7.84E+05	1.35E+05	2.07E+04*	2.99E+03*	4.18E+02*	5.77E+01*	7.93E+00*	1.07E+00*	1.34E-01*	
1	.3580	.3882	.4234	.4649	.5146	.5750	.6502	.7460	.8724	1.0466	1.3018
	27936.3	25761.3	23619.1	21509.6	19433.2	17389.9	15380.1	13404.0	11462.0	9554.4	7681.6
2.92E-01	2.37E-01	2.87E-01	1.29E-01	4.07E-02	1.10E-02	2.76E-03	6.91E-04	1.79E-04	4.99E-05	1.54E-05	
1.1527	1.1115	1.0567	1.0169	.9818	.9508	.9238	.9012	.8836	.8716	.8653	
6.68E-01	7.03E-01	7.47E-01	7.77E-01	8.03E-01	8.24E-01	8.42E-01	8.57E-01	8.68E-01	8.75E-01	8.79E-01	
5.75E+06	4.06E+06	4.27E+06	1.57E+06	3.90E+05	7.94E+04	1.45E+04	2.48E+03	4.12E+02	6.76E+01	1.09E+01	
5.76E+06	4.03E+06	4.28E+06	1.57E+06	3.92E+05	7.99E+04	1.46E+04*	2.49E+03*	4.14E+02*	6.79E+01*	1.10E+01*	
2	.3305	.3561	.3855	.4197	.4597	.5074	.5650	.6360	.7257	.8423	1.0000
	30254.5	28079.5	25937.3	23827.9	21751.4	19708.1	17698.3	15722.3	13780.3	11872.6	9999.8
4.31E-02	4.02E-01	5.72E-02	2.30E-01	1.63E-01	6.97E-02	2.37E-02	7.23E-03	2.13E-03	6.39E-04	2.03E-04	
1.2191	1.1609	1.1357	1.0628	1.0224	.9873	.9565	.9297	.9072	.8897	.8776	
6.08E-01	6.61E-01	6.83E-01	7.42E-01	7.73E-01	7.99E-01	8.20E-01	8.38E-01	8.53E-01	8.64E-01	8.72E-01	
8.94E+05	7.88E+06	9.43E+05	3.48E+06	2.04E+06	6.90E+05	1.79E+05	4.00E+04	8.22E+03	1.62E+03	3.12E+02	
9.02E+05	7.88E+06	9.27E+05	3.47E+06	2.04E+06	6.93E+05	1.80E+05	4.02E+04*	8.27E+03*	1.63E+03*	3.14E+02*	
3	.3076	.3296	.3546	.3833	.4165	.4552	.5011	.5561	.6234	.7076	.8157
	32514.1	30339.2	28197.0	26087.5	24011.0	21967.8	19958.0	17981.9	16039.9	14132.3	12259.4
2.14E-03	1.01E-01	4.19E-01	3.52E-03	1.53E-01	1.67E-01	9.32E-02	3.89E-02	1.41E-02	4.84E-03	1.66E-03	
1.3210	1.2284	1.1702	1.2654	1.0689	1.0279	.9925	.9620	.9355	.9132	.8958	
5.09E-01	6.00E-01	6.53E-01	5.64E-01	7.37E-01	7.69E-01	7.95E-01	8.17E-01	8.35E-01	8.49E-01	8.60E-01	
3.86E+04	2.06E+06	8.10E+06	4.03E+04	2.33E+06	2.13E+06	9.49E+05	3.06E+05	8.22E+04	1.99E+04	4.58E+03	
3.98E+04*	2.08E+06	8.09E+06	3.77E+04*	2.32E+06	2.13E+06	9.52E+05	3.07E+05	8.26E+04	2.01E+04*	4.61E+03*	
4	.2881	.3074	.3290	.3536	.3816	.4139	.4514	.4956	.5484	.6125	.6919
	34708.5	32533.6	30391.3	28281.9	26205.4	24162.2	22152.4	20176.3	18234.3	16326.7	14453.8
7.48E-06	6.26E-03	1.60E-01	3.95E-01	4.21E-03	8.62E-02	1.50E-01	1.07E-01	5.36E-02	2.28E-02	8.97E-03	
1.8293	1.3401	1.2386	1.1808	.9370	1.0751	1.0335	.9975	.9673	.9411	.9192	
-1.32E-01	4.89E-01	5.90E-01	6.43E-01	8.34E-01	7.33E-01	7.65E-01	7.91E-01	8.13E-01	8.31E-01	8.45E-01	
(1.10E+01)	1.04E+05	3.17E+06	7.50E+06	1.07E+05	1.32E+06	1.93E+06	1.11E+06	4.35E+05	1.39E+05	3.92E+04	
2.21E-01*	1.08E+05*	3.19E+06	7.46E+06	1.19E+05*	1.31E+06	1.93E+06	1.11E+06	4.37E+05	1.39E+05	3.94E+04*	
5	.2715	.2886	.3076	.3289	.3530	.3805	.4120	.4485	.4913	.5421	.6033
	36829.5	34654.6	32512.4	30402.9	28326.4	26283.2	24273.4	22297.3	20355.3	18447.7	16574.8
2.34E-06	3.94E-06	1.10E-02	2.13E-01	3.63E-01	2.07E-02	3.99E-02	1.21E-01	1.08E-01	6.50E-02	3.20E-02	
1.1665	2.8861	1.3640	1.2496	1.1932	1.0168	1.0807	1.0394	1.0021	.9724	.9465	
6.56E-01	-2.23E+00	4.64E-01	5.80E-01	6.32E-01	7.77E-01	7.28E-01	7.60E-01	7.88E-01	8.09E-01	8.27E-01	
1.02E+02*	(1.65E+03)	1.64E+05	4.07E+06	6.68E+06	4.59E+06	6.12E+05	1.57E+06	1.15E+06	5.42E+05	2.02E+05	
1.10E+02*	3.49E+02*	1.72E+05	4.09E+06	6.63E+06	4.83E+05	6.07E+05	1.56E+06	1.15E+06	5.43E+05	2.03E+05	
6	.2573	.2725	.2894	.3082	.3293	.3531	.3801	.4109	.4466	.4881	.5373
	38867.8	36692.9	34550.6	32441.2	30364.7	28321.5	26311.7	24335.6	22393.6	20486.0	18613.1
8.84E-08	1.79E-05	1.34E-05	1.43E-02	2.56E-01	3.39E-01	3.44E-02	1.32E-02	8.91E-02	1.00E-01	7.11E-02	
1.5229	1.2327	-.0984	1.3958	1.2617	1.2077	1.0192	1.0817	1.0467	1.0062	.9774	
2.83E-01	5.96E-01	1.03E+00	4.30E-01	5.68E-01	6.19E-01	7.76E-01	7.27E-01	7.55E-01	7.85E-01	8.06E-01	
(8.43E-01)	6.35E+02	(1.18E+03)	1.82E+05	4.69E+06	5.97E+06	7.64E+05	2.03E+05	1.15E+06	1.08E+06	6.03E+05	
1.13E+00*	6.74E+02*	4.15E+03*	1.94E+05	4.72E+06	5.90E+06	8.01E+05	2.01E+05	1.15E+06	1.08E+06	6.05E+05	
7	.2450	.2588	.2740	.2908	.3095	.3304	.3539	.3805	.4109	.4458	.4864
	40812.9	38637.9	36495.7	34386.3	32309.8	30266.5	28256.7	26280.7	24338.7	22431.1	20558.2
5.82E-09	2.53E-07	6.98E-05	2.64E-04	1.44E-02	2.90E-01	3.30E-01	3.84E-02	1.56E-03	6.09E-02	8.50E-02	
1.0638	1.7456	1.2920	.8674	1.4437	1.2751	1.2243	.9936	1.0398	1.0575	1.0091	
7.41E-01	-9.81E-03	5.38E-01	8.78E-01	3.76E-01	5.55E-01	6.04E-01	7.94E-01	7.60E-01	7.46E-01	7.83E-01	
(4.41E-01)	(2.84E-03)	1.99E+03	(1.68E+04)	1.39E+05	5.02E+06	5.50E+06	8.90E+05	2.63E+04	7.76E+05	9.18E+05	
4.98E-01*	3.18E-01*	2.11E+03*	2.04E+04*	1.54E+05	5.04E+06	5.42E+06	9.44E+05	2.64E+04*	7.68E+05	9.19E+05	

Table 15. Radiative transition parameters for $N_2^+ B^2\Sigma_u^+ - X^2\Sigma_g^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$. —Continued

$v' \backslash v''$	11	12	13	14	15	16	17	18	19	20	21
0	2.8799	5.9878	-103.9263	-5.4763	-2.8418	-1.9327	-1.4726	-1.1950	-1.0095	-.8769	-.7776
	3472.3	1670.1	-96.2	-1826.0	-3518.8	-5174.0	-6790.8	-8368.4	-9906.2	-11403.4	-12859.5
2.05E-07	8.58E-08	4.12E-08	2.22E-08	1.31E-08	8.31E-09	5.55E-09	3.86E-09	2.77E-09	2.04E-09	1.54E-09	
.8633	.8702	.8779	.8851	.8909	.8951	.8978	.8994	.9001	.9003	.9001	
8.80E-01	8.76E-01	8.71E-01	8.67E-01	8.63E-01	8.61E-01	8.59E-01	8.58E-01	8.58E-01	8.57E-01	8.58E-01	
1.35E-02	6.21E-04	-5.65E-08	-2.06E-04	-8.63E-04	-1.73E-03	-2.60E-03	-3.37E-03	-4.01E-03	-4.51E-03	-4.87E-03	
1.35E-02*	6.21E-04*	-5.64E-08*	-2.06E-04*	-8.62E-04*	-1.73E-03*	-2.60E-03*	-3.37E-03*	-4.01E-03*	-4.51E-03*	-4.87E-03*	
1	1.7112	2.4743	4.3950	18.3328	-8.7159	-3.5683	-2.2628	-1.6675	-1.3272	-1.1072	-.9535
	5843.8	4041.6	2275.3	545.5	-1147.3	-2802.5	-4419.2	-5996.9	-7534.7	-9031.8	-10488.0
5.36E-06	2.14E-06	9.74E-07	5.00E-07	2.85E-07	1.76E-07	1.15E-07	7.96E-08	5.69E-08	4.20E-08	3.17E-08	
.8643	.8675	.8732	.8797	.8859	.8908	.8945	.8970	.8985	.8993	.8996	
8.80E-01	8.78E-01	8.74E-01	8.70E-01	8.67E-01	8.63E-01	8.61E-01	8.60E-01	8.59E-01	8.58E-01	8.58E-01	
1.68E+00	2.20E-01	1.78E-02	1.25E-04	-6.54E-04	-5.84E-03	-1.50E-02	-2.57E-02	-3.64E-02	-4.61E-02	-5.46E-02	
1.68E+00*	2.21E-01*	1.78E-02*	1.24E-04*	-6.53E-04*	-5.83E-03*	-1.49E-02*	-2.57E-02*	-3.64E-02*	-4.61E-02*	-5.45E-02*	
2	1.2252	1.5724	2.1770	3.4920	8.5406	-20.6504	4.7596	2.7184	-1.9170	-1.4895	-1.2240
	8162.0	6359.8	4593.5	2863.7	1170.9	-484.3	-2101.0	-3678.7	-5216.4	-6713.6	-8169.7
7.04E-05	2.72E-05	1.19E-05	5.84E-06	3.19E-06	1.90E-06	1.22E-06	8.30E-07	5.89E-07	4.33E-07	3.27E-07	
.8710	.8694	.8717	.8763	.8817	.8868	.8910	.8942	.8964	.8978	.8987	
8.76E-01	8.77E-01	8.75E-01	8.72E-01	8.69E-01	8.66E-01	8.63E-01	8.61E-01	8.60E-01	8.59E-01	8.58E-01	
5.94E+01	1.09E+01	1.79E+00	2.11E-01	7.83E-03	-3.28E-04	-1.71E-02	-6.21E-02	-1.25E-01	-1.96E-01	-2.66E-01	
5.97E+01*	1.09E+01*	1.79E+00*	2.11E-01*	7.82E-03*	-3.28E-04*	-1.71E-02*	-6.21E-02*	-1.25E-01*	-1.96E-01*	-2.66E-01*	
3	.9595	1.1602	1.4592	1.9519	2.9150	5.6325	63.0382	-7.0471	-3.3820	-2.2452	-1.6920
	10421.7	8619.4	6853.2	5123.3	3450.5	1775.4	158.6	-1419.0	-2956.8	-4454.0	-5910.1
5.95E-04	2.30E-04	9.82E-05	4.66E-05	2.45E-05	1.41E-05	8.83E-06	5.88E-06	4.12E-06	3.00E-06	2.26E-06	
.8837	.8768	.8746	.8760	.8795	.8838	.8879	.8914	.8942	.8961	.8975	
8.68E-01	8.72E-01	8.73E-01	8.73E-01	8.70E-01	8.68E-01	8.65E-01	8.63E-01	8.61E-01	8.60E-01	8.59E-01	
1.03E+03	2.27E+02	4.89E+01	9.66E+00	1.52E+00	1.21E-01	5.35E-05	-2.54E-02	-1.60E-01	-3.97E-01	-6.97E-01	
1.03E+03*	2.28E+02*	4.90E+01*	9.68E+00*	1.52E+00*	1.21E-01*	5.34E-05*	-2.53E-02*	-1.60E-01*	-3.97E-01*	-6.97E-01*	
4	.7926	.9247	1.1053	1.3665	1.7778	2.5190	4.2499	12.8972	-13.1163	-4.4256	-2.6913
	12616.1	10813.8	9047.5	7317.7	5624.9	3969.8	2353.0	775.4	-762.4	-2259.6	-3715.7
3.49E-03	1.40E-03	6.02E-04	2.81E-04	1.44E-04	8.06E-05	4.89E-05	3.18E-05	2.19E-05	1.58E-05	1.18E-05	
.9020	.8899	.8827	.8799	.8804	.8828	.8861	.8893	.8922	.8945	.8961	
8.56E-01	8.64E-01	8.68E-01	8.70E-01	8.70E-01	8.68E-01	8.66E-01	8.64E-01	8.63E-01	8.61E-01	8.60E-01	
1.04E+04	2.69E+03	6.81E+02	1.69E+02	3.92E+01	7.70E+00	9.69E-01	2.25E-02	-1.46E-02	-2.74E-01	-9.06E-01	
1.05E+04*	2.70E+03*	6.84E+02*	1.69E+02*	3.93E+01*	7.71E+00*	9.70E-01*	2.25E-02*	-1.46E-02*	-2.74E-01*	-9.06E-01*	
5	.6786	.7731	.8954	1.0595	1.2910	1.6418	2.2351	3.4526	7.3604	-72.1709	-6.2709
	14737.1	12934.8	11168.6	9438.7	7765.9	6090.8	4474.0	2896.4	1358.6	-138.6	-1594.7
1.43E-02	6.20E-03	2.82E-03	1.33E-03	6.75E-04	3.71E-04	2.20E-04	1.40E-04	9.47E-05	6.72E-05	4.97E-05	
.9251	.9082	.8961	.8887	.8853	.8849	.8863	.8886	.8910	.8932	.8950	
8.41E-01	8.52E-01	8.60E-01	8.65E-01	8.67E-01	8.67E-01	8.66E-01	8.65E-01	8.63E-01	8.62E-01	8.61E-01	
6.59E+04	2.00E+04	5.88E+03	1.69E+03	4.77E+02	1.28E+02	3.00E+01	5.16E+00	3.59E-01	-2.69E-04	-3.03E-01	
6.62E+04	2.01E+04*	5.91E+03*	1.70E+03*	4.79E+02*	1.28E+02*	3.00E+01*	5.16E+00*	3.59E-01*	-2.69E-04*	-3.02E-01*	
6	.5961	.6679	.7572	.8713	1.0221	1.2301	1.5355	2.0265	2.9439	5.2639	22.5423
	16775.4	14973.1	13206.9	11477.0	9784.2	8129.1	6512.3	4934.7	3396.9	1899.7	443.6
4.01E-02	2.04E-02	9.98E-03	4.95E-03	2.56E-03	1.40E-03	8.23E-04	5.16E-04	3.43E-04	2.40E-04	1.76E-04	
.9517	.9308	.9143	.9023	.8946	.8907	.8894	.8899	.8913	.8929	.8945	
8.24E-01	8.38E-01	8.49E-01	8.56E-01	8.61E-01	8.64E-01	8.64E-01	8.64E-01	8.63E-01	8.62E-01	8.61E-01	
2.60E+05	9.72E+04	3.35E+04	1.11E+04	3.60E+03	1.14E+03	3.44E+02	9.38E+01	2.03E+01	2.48E+00	2.30E-02	
2.61E+05	9.76E+04	3.37E+04*	1.12E+04*	3.61E+03*	1.14E+03*	3.45E+02*	9.39E+01*	2.03E+01*	2.48E+00*	2.30E-02*	
7	.5342	.5911	.6600	.7450	.8526	.9926	1.1824	1.4535	1.8720	2.6009	4.1864
	18720.4	16918.2	15151.9	13422.1	11729.3	10074.1	8457.4	6879.7	5342.0	3844.8	2388.7
7.12E-02	4.56E-02	2.61E-02	1.42E-02	7.75E-03	4.36E-03	2.57E-03	1.61E-03	1.06E-03	7.33E-04	5.31E-04	
.9822	.9565	.9363	.9202	.9083	.9005	.8960	.8940	.8936	.8941	.8951	
8.02E-01	8.20E-01	8.34E-01	8.45E-01	8.52E-01	8.57E-01	8.60E-01	8.61E-01	8.62E-01	8.61E-01	8.61E-01	
6.09E+05	3.01E+05	1.28E+05	4.96E+04	1.84E+04	6.64E+03	2.33E+03	7.86E+02	2.43E+02	6.26E+01	1.09E+01	
6.10E+05	3.02E+05	1.28E+05	4.98E+04	1.85E+04	6.66E+03*	2.34E+03*	7.88E+02*	2.43E+02*	6.27E+01*	1.09E+01*	

Table 15. Radiative transition parameters for $N_2^+ B^2\Sigma_u^+ - X^2\Sigma_g^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$. —Continued

$V' \setminus V''$	0	1	2	3	4	5	6	7	8	9	10
8	.2344	.2470	.2609	.2760	.2928	.3115	.3323	.3556	.3820	.4120	.4465
	42653.3	40478.3	38336.1	36226.7	34150.2	32106.9	30097.1	28121.1	26179.1	24271.4	22398.6
	3.03E-10	9.94E-08	3.77E-08	1.77E-04	1.39E-03	1.03E-02	3.11E-01	3.43E-01	3.16E-02	7.97E-04	3.92E-02
	1.6528	1.1988	3.9364	1.3553	1.0785	1.5331	1.2900	1.2426	.9262	1.2930	1.0779
	1.18E-01	6.27E-01	-5.35E+00	4.73E-01	7.30E-01	2.71E-01	5.40E-01	5.86E-01	8.41E-01	5.37E-01	7.30E-01
	(6.61E-04)	5.25E+00	(1.23E+02)	3.81E+03	6.00E+04	(5.07E+04)	5.02E+06	5.31E+06	8.13E+05	6.66E+03	4.76E+05
	2.15E-03*	5.68E+00*	1.88E+01*	4.11E+03*	6.49E+04*	6.55E+04	5.04E+06	5.20E+06	8.96E+05	6.36E+03*	4.66E+05
9	.2253	.2370	.2496	.2635	.2788	.2956	.3143	.3351	.3584	.3847	.4145
	44377.3	42202.3	40060.1	37950.6	35874.2	33830.9	31821.1	29845.0	27903.0	25995.4	24122.6
	2.83E-11	5.02E-10	6.81E-07	2.21E-06	2.93E-04	4.52E-03	3.36E-03	3.12E-01	3.77E-01	1.75E-02	8.71E-03
	1.2048	2.4759	1.2983	.9688	1.4415	1.1812	1.8162	1.3067	1.2614	.7461	1.2359
	6.22E-01	-1.29E+00	5.32E-01	9.66E-01	3.79E-01	6.43E-01	-1.12E-01	5.23E-01	5.68E-01	9.44E-01	5.93E-01
	(1.93E-03)	(1.28E-01)	2.51E+01	(2.29E+02)	(3.93E+03)	1.47E+05	(2.77E+03)	4.60E+06	5.35E+06	(5.55E+05)	8.70E+04
	2.35E-03*	2.74E-02*	2.70E+01*	3.24E+02*	4.51E+03*	1.53E+05*	1.90E+02*	4.61E+06	5.23E+06	6.94E+05	8.20E+04*
10	.2175	.2283	.2401	.2529	.2669	.2823	.2992	.3180	.3390	.3624	.3888
	45975.1	43800.2	41657.9	39548.5	37472.0	35428.7	33418.9	31442.9	29500.9	27593.3	25720.4
	3.47E-12	8.65E-10	5.91E-09	2.36E-06	3.23E-05	2.50E-04	1.06E-02	3.01E-04	2.79E-01	4.27E-01	3.74E-03
	1.4757	1.3592	.3943	1.4072	1.0955	1.6252	1.2510	-.6894	1.3262	1.2791	-.0365
	3.39E-01	4.69E-01	1.06E+00	4.17E-01	7.16E-01	1.54E-01	5.78E-01	6.90E-01	5.03E-01	5.51E-01	1.04E+00
	7.87E-05	(3.24E-02)	(9.70E-01)	(5.15E+01)	1.77E+03	(5.36E+02)	2.68E+05	(9.03E+03)	3.68E+06	5.52E+06	(1.40E+05)
	7.40E-05*	3.90E-02*	1.81E+00*	5.78E+01*	1.95E+03*	1.13E+03*	2.76E+05	1.17E+05*	3.69E+06	5.37E+06	4.23E+05*

$V' \setminus V''$	11	12	13	14	15	16	17	18	19	20	21
8	.4864	.5331	.5885	.6552	.7369	.8393	.9711	1.1468	1.3923	1.7590	2.3646
	20560.8	18758.6	16992.3	15262.5	13569.7	11914.5	10297.8	8720.1	7182.4	5685.2	4229.1
	6.58E-02	5.65E-02	4.75E-02	3.03E-02	1.82E-02	1.09E-02	6.63E-03	4.20E-03	2.77E-03	1.92E-03	1.38E-03
	1.0094	.9876	.9609	.9414	.9259	.9142	.9060	.9011	.8986	.8974	.8971
	7.83E-01	7.99E-01	8.17E-01	8.31E-01	8.41E-01	8.49E-01	8.54E-01	8.57E-01	8.59E-01	8.59E-01	8.59E-01
	7.10E+05	5.60E+05	3.15E+05	1.50E+05	6.53E+04	2.69E+04	1.07E+04	4.14E+03	1.53E+03	5.26E+02	1.56E+02
	7.11E+05	5.59E+05	3.16E+05	1.51E+05	6.56E+04	2.70E+04	1.07E+04*	4.15E+03*	1.54E+03*	5.27E+02*	1.56E+02*
9	.4487	.4882	.5343	.5887	.6539	.7332	.8318	.9575	1.1228	1.3497	1.6798
	22284.8	20482.6	18716.3	16986.5	15293.7	13638.5	12021.8	10444.1	8906.3	7409.2	5953.0
	2.47E-02	4.56E-02	5.58E-02	4.51E-02	3.20E-02	2.12E-02	1.38E-02	9.03E-03	6.08E-03	4.24E-03	3.07E-03
	1.1218	1.0034	.9944	.9647	.9463	.9310	.9199	.9115	.9059	.9029	.9013
	6.94E-01	7.87E-01	7.94E-01	8.15E-01	8.27E-01	8.38E-01	8.45E-01	8.50E-01	8.54E-01	8.56E-01	8.57E-01
	2.67E+05	4.91E+05	4.67E+05	2.97E+05	1.59E+05	7.63E+04	3.46E+04	1.51E+04	6.35E+03	2.56E+03	9.63E+02
	2.57E+05	4.95E+05	4.65E+05	2.98E+05	1.59E+05	7.66E+04	3.47E+04	1.51E+04*	6.37E+03*	2.57E+03*	9.64E+02*
10	.4187	.4529	.4923	.5381	.5920	.6563	.7342	.8304	.9520	1.1102	1.3244
	23882.6	22080.4	20314.1	18584.3	16891.5	15236.4	13619.6	12041.9	10504.2	9007.0	7550.9
	2.61E-02	1.68E-02	2.70E-02	4.39E-02	3.90E-02	3.07E-02	2.22E-02	1.56E-02	1.10E-02	7.86E-03	5.76E-03
	1.2595	1.2100	.9808	1.0048	.9675	.9513	.9354	.9251	.9169	.9107	.9068
	5.70E-01	6.17E-01	8.03E-01	7.86E-01	8.13E-01	8.24E-01	8.35E-01	8.41E-01	8.47E-01	8.51E-01	8.53E-01
	2.34E+05	1.40E+05	2.96E+05	3.53E+05	2.52E+05	1.49E+05	7.90E+04	3.92E+04	1.85E+04	8.42E+03	3.66E+03
	2.18E+05	1.30E+05	3.03E+05	3.50E+05	2.52E+05	1.50E+05	7.93E+04	3.93E+04	1.86E+04	8.44E+03*	3.66E+03*

*The Einstein coefficients for this band may have limited accuracy, since the Franck-Condon factor is less than 0.01 (see text).

Table 16. Radiative transition parameters for $N_2^+ C^2\Sigma_u^+ - X^2\Sigma_g^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$.

$v' \backslash v''$	0	1	2	3	4	5	6	7	8	9	10
0	.1549	.1603	.1660	.1721	.1785	.1852	.1924	.2000	.2080	.2166	.2258
	64540.1	62365.2	60223.0	58113.5	56037.1	53993.8	51984.0	50007.9	48065.9	46158.3	44285.5
1.19E-02	7.15E-02	1.87E-01	2.77E-01	2.52E-01	1.43E-01	4.86E-02	8.65E-03	5.36E-04	9.97E-08	5.24E-06	
1.1948	1.2126	1.2318	1.2527	1.2762	1.3037	1.3384	1.3889	1.4959	-2.6964	1.3347	
1.31E-01	1.47E-01	1.66E-01	1.86E-01	2.10E-01	2.36E-01	2.66E-01	3.00E-01	3.06E-01	0.00E+00	2.63E-01	
1.11E+05	7.62E+05	2.27E+06	3.82E+06	3.94E+06	2.54E+06	9.80E+05	1.97E+05	(1.13E+04)	(0.00E+00)	(6.40E+01)	
1.13E+05	7.71E+05	2.28E+06	3.81E+06	3.93E+06	2.54E+06	1.00E+06	2.16E+05*	1.87E+04*	7.43E+01*	1.27E+02*	
1	.1502	.1552	.1606	.1662	.1722	.1784	.1851	.1921	.1995	.2074	.2158
	66591.7	64416.7	62274.5	60165.0	58088.6	56045.3	54035.5	52059.5	50117.5	48209.9	46337.0
4.50E-02	1.52E-01	1.61E-01	3.14E-02	2.92E-02	1.90E-01	2.36E-01	1.24E-01	2.86E-02	1.87E-03	8.17E-06	
1.1780	1.1940	1.2100	1.2203	1.2692	1.2830	1.3089	1.3434	1.3954	1.5143	.4444	
1.16E-01	1.30E-01	1.45E-01	1.55E-01	2.03E-01	2.16E-01	2.41E-01	2.70E-01	3.03E-01	2.98E-01	3.71E-07	
3.65E+05	1.39E+06	1.65E+06	3.31E+05	4.75E+05	3.17E+06	4.38E+06	2.60E+06	6.67E+05	(3.77E+04)	2.26E-10	
3.71E+05	1.41E+06	1.65E+06	3.25E+05	4.74E+05	3.13E+06	4.34E+06	2.62E+06	7.26E+05	6.76E+04*	2.92E+01*	
2	.1457	.1505	.1555	.1608	.1663	.1722	.1784	.1849	.1918	.1990	.2068
	68620.8	66445.9	64303.6	62194.2	60117.7	58074.5	56064.7	54088.6	52146.6	50239.0	48366.2
9.10E-02	1.55E-01	3.09E-02	3.44E-02	1.19E-01	1.94E-02	5.97E-02	2.35E-01	1.96E-01	5.67E-02	3.77E-03	
1.1626	1.1772	1.1884	1.2184	1.2299	1.2281	1.2990	1.3160	1.3493	1.4026	1.5363	
1.03E-01	1.15E-01	1.25E-01	1.53E-01	1.64E-01	1.62E-01	2.32E-01	2.47E-01	2.75E-01	3.06E-01	2.85E-01	
6.36E+05	1.22E+06	2.61E+05	3.91E+05	1.40E+06	2.02E+05	1.14E+06	4.60E+06	4.25E+06	1.36E+06	(7.01E+04)	
6.49E+05	1.22E+06	2.48E+05	4.07E+05	1.41E+06	2.06E+05	1.10E+06	4.48E+06	4.23E+06	1.47E+06	1.41E+05*	
3	.1416	.1461	.1508	.1558	.1610	.1664	.1722	.1783	.1847	.1914	.1985
	70625.0	68450.1	66307.8	64198.4	62121.9	60078.7	58068.9	56092.8	54150.8	52243.2	50370.3
1.31E-01	8.92E-02	5.45E-03	9.61E-02	1.49E-02	5.40E-02	8.17E-02	2.72E-03	1.81E-01	2.49E-01	8.89E-02	
1.1483	1.1613	1.1905	1.1950	1.1994	1.2373	1.2445	1.4128	1.3264	1.3561	1.4104	
9.22E-02	1.02E-01	1.27E-01	1.31E-01	1.35E-01	1.71E-01	1.78E-01	3.09E-01	2.56E-01	2.80E-01	3.08E-01	
7.92E+05	6.06E+05	(5.18E+04)	8.83E+05	1.32E+05	6.94E+05	1.03E+06	9.29E+04	3.84E+06	5.62E+06	2.19E+06	
8.05E+05	5.93E+05	6.00E+04*	8.90E+05	1.23E+05	7.13E+05	1.05E+06	9.32E+04*	3.65E+06	5.50E+06	2.34E+06	
4	.1377	.1420	.1464	.1511	.1560	.1611	.1665	.1722	.1782	.1844	.1910
	72601.6	70426.7	68284.4	66175.0	64098.5	62055.3	60045.5	58069.4	56127.4	54219.8	52347.0
1.49E-01	2.35E-02	5.65E-02	4.60E-02	2.17E-02	7.00E-02	1.99E-03	9.04E-02	9.01E-03	1.20E-01	2.82E-01	
1.1349	1.1452	1.1659	1.1760	1.2030	1.2100	1.2851	1.2506	1.1950	1.3422	1.3642	
8.24E-02	8.99E-02	1.06E-01	1.14E-01	1.38E-01	1.45E-01	2.18E-01	1.84E-01	1.31E-01	2.69E-01	2.85E-01	
7.86E+05	1.34E+05	4.09E+05	3.53E+05	2.21E+05	7.10E+05	(4.15E+04)	1.22E+06	(5.53E+04)	2.80E+06	6.67E+06	
7.94E+05	1.23E+05	4.26E+05	3.39E+05	2.38E+05	7.06E+05	4.66E+04*	1.25E+06	7.87E+04*	2.57E+06	6.38E+06	
5	.1341	.1382	.1424	.1468	.1514	.1562	.1613	.1666	.1722	.1780	.1842
	74548.1	72373.2	70230.9	68121.5	66045.0	64001.8	61992.0	60015.9	58073.9	56166.3	54293.4
1.45E-01	6.38E-06	8.10E-02	6.82E-04	6.79E-02	3.76E-03	6.22E-02	1.27E-02	5.76E-02	3.59E-02	6.99E-02	
1.1224	.8947	1.1503	1.1309	1.1807	1.1738	1.2151	1.2100	1.2570	1.2359	1.3676	
7.40E-02	4.90E-03	9.37E-02	7.97E-02	1.18E-01	1.12E-01	1.50E-01	1.45E-01	1.91E-01	1.70E-01	2.87E-01	
6.64E+05	(1.18E-01)	4.99E+05	(2.77E+03)	5.55E+05	(2.53E+04)	6.71E+05	1.16E+05	8.29E+05	(3.71E+05)	(1.87E+06)	
6.64E+05	5.99E+02*	5.03E+05	9.40E+02*	5.63E+05	1.96E+04*	6.87E+05	1.10E+05	8.68E+05	4.53E+05	1.63E+06	
6	.1308	.1346	.1386	.1428	.1471	.1517	.1565	.1615	.1667	.1722	.1779
	76461.8	74286.9	72144.6	70035.2	67958.7	65915.5	63905.7	61929.6	59987.6	58080.0	56207.2
1.24E-01	1.51E-02	5.60E-02	1.98E-02	4.14E-02	2.17E-02	3.80E-02	2.23E-02	4.23E-02	2.20E-02	5.71E-02	
1.1105	1.1283	1.1361	1.1562	1.1632	1.1872	1.1921	1.2231	1.2230	1.2683	1.2460	
6.65E-02	7.79E-02	8.33E-02	9.82E-02	1.04E-01	1.24E-01	1.28E-01	1.57E-01	1.57E-01	2.02E-01	1.80E-01	
4.96E+05	(7.61E+04)	2.96E+05	1.33E+05	2.83E+05	1.94E+05	3.31E+05	2.65E+05	4.57E+05	3.56E+05	(6.63E+05)	
4.91E+05	8.58E+04	2.86E+05	1.47E+05	2.72E+05	2.10E+05	3.20E+05	2.83E+05	4.54E+05	3.84E+05	8.02E+05	
7	.1276	.1313	.1351	.1391	.1432	.1475	.1520	.1567	.1616	.1668	.1722
	78340.2	76165.2	74023.0	71913.5	69837.1	67793.8	65784.0	63808.0	61866.0	59958.4	58085.5
9.68E-02	4.40E-02	1.86E-02	5.25E-02	3.37E-03	5.35E-02	6.24E-05	5.35E-02	7.55E-04	5.63E-02	2.93E-03	
1.0994	1.1145	1.1215	1.1401	1.1386	1.1676	1.0304	1.1969	1.2831	1.2284	1.3110	
5.99E-02	6.89E-02	7.34E-02	8.61E-02	8.51E-02	1.07E-01	2.92E-02	1.33E-01	2.16E-01	1.62E-01	2.43E-01	
3.39E+05	1.87E+05	(8.23E+04)	2.93E+05	(1.68E+04)	3.89E+05	(3.08E+01)	4.95E+05	(1.69E+04)	6.47E+05	(6.86E+04)	
3.31E+05	1.98E+05	7.29E+04	3.04E+05	1.16E+04*	3.95E+05	5.77E+02*	5.00E+05	2.16E+04*	6.56E+05	8.21E+04*	

Table 16. Radiative transition parameters for $N_2^+ C^2\Sigma_u^+ - X^2\Sigma_g^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}, \bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. — Continued

$v' \backslash v''$	11	12	13	14	15	16	17	18	19	20	21
0	.2356	.2460	.2572	.2692	.2820	.2958	.3107	.3267	.3440	.3627	.3829
	42447.7	40645.5	38879.2	37149.4	35456.6	33801.5	32184.7	30607.1	29069.3	27572.2	26116.0
8.84E-08	7.47E-08	2.11E-09	2.09E-09	6.29E-12	8.02E-11	2.92E-12	1.98E-12	9.11E-13	8.54E-15	4.93E-14	
1.8639	1.2661	1.8420	1.2832	3.0950	1.3673	.8451	1.5553	1.2447	.1006	1.4748	
3.12E-02	2.00E-01	3.96E-02	2.16E-01	4.29E-17	2.87E-01	2.25E-03	2.71E-01	1.78E-01	6.66E-12	3.12E-01	
(1.33E-02)(4.05E-01)(3.93E-04)(1.01E-02)(1.05E-36)(5.18E-04)(1.00E-09)(8.45E-06)(1.44E-06)(1.61E-29)(1.74E-07)	9.91E+00*	1.02E+00*	2.26E-01*	2.41E-02*	3.80E-03*	1.23E-03*	1.38E-05*	5.81E-05*	3.25E-06*	7.80E-07*	6.58E-07*
1	.2247	.2342	.2443	.2551	.2666	.2789	.2921	.3062	.3213	.3376	.3550
	44499.3	42697.0	40930.7	39200.9	37508.2	35853.0	34236.3	32658.6	31120.8	29623.7	28167.6
2.89E-05	6.40E-08	5.96E-07	3.02E-10	1.84E-08	3.67E-10	5.18E-10	1.14E-10	1.91E-12	9.68E-12	1.19E-12	
1.3717	2.8880	1.3324	5.1741	1.3707	.6924	1.4987	1.1816	2.3779	1.3969	1.0780	
2.90E-01	2.37E-13	2.61E-01	0.00E+00	2.89E-01	1.36E-04	3.05E-01	1.19E-01	2.82E-06	3.03E-01	4.86E-02	
(4.34E+02)(5.66E-25)(5.65E+00)(0.00E+00)(1.65E-01)(6.34E-10)(3.92E-03)(1.15E-04)(9.29E-16)(4.69E-05)(1.28E-07)	8.21E+02*	3.07E+01*	1.22E+01*	7.66E-01*	5.31E-03*	1.58E-02*	3.18E-04*	4.00E-04*	1.26E-04*	8.58E-08*	
2	.2149	.2236	.2328	.2425	.2529	.2640	.2757	.2883	.3017	.3159	.3312
	46528.4	44726.2	42959.9	41230.1	39537.3	37882.2	36265.4	34687.8	33150.0	31652.8	30196.7
6.81E-05	8.46E-05	2.14E-07	2.22E-06	3.75E-08	6.47E-08	8.93E-09	8.00E-10	9.94E-10	3.70E-11	2.71E-11	
.8790	1.4098	-.1624	1.3949	.6878	1.4674	1.1254	1.7946	1.3270	.7837	1.6247	
3.86E-03	3.08E-01	1.80E-16	3.02E-01	1.24E-04	3.14E-01	7.60E-02	6.34E-02	2.57E-01	7.86E-04	2.09E-01	
(2.08E-01)(1.46E+03)(1.12E-30)(2.88E+01)(7.18E-08)(7.01E-01)(4.98E-03)(2.72E-04)(4.84E-03)(1.47E-09)(6.59E-05)	1.91E+02*	2.79E+03*	2.86E+01*	6.26E+01*	4.30E-01*	2.14E+00*	1.75E-02*	6.63E-02*	1.13E-02*	3.00E-04*	1.01E-03*
3	.2060	.2140	.2224	.2313	.2407	.2507	.2613	.2725	.2845	.2971	.3106
	48532.6	46730.4	44964.1	43234.3	41541.5	39886.4	38269.6	36692.0	35154.2	33657.0	32200.9
5.68E-03	2.82E-04	1.71E-04	4.86E-06	5.00E-06	4.93E-07	1.04E-07	5.82E-08	4.20E-11	3.23E-09	7.93E-10	
1.5633	1.0571	1.4522	.8914	1.4663	1.0903	1.6273	1.2714	-2.9573	1.4612	1.1886	
2.65E-01	3.92E-02	3.15E-01	4.66E-03	3.14E-01	5.49E-02	2.06E-01	2.05E-01	0.00E+00	3.14E-01	1.25E-01	
(9.23E+04)(8.97E+01)(3.13E+03)(1.73E-02)(7.15E+01)(1.91E-01)(5.00E-01)(2.44E-01)(0.00E+00)(2.46E-02)(8.42E-04)	2.20E+05*	2.83E+03*	6.57E+03*	2.90E-02*	1.92E+02*	1.12E+00*	6.26E+00*	6.03E-01*	9.40E-02*	8.08E-02*	2.25E-03*
4	.1980	.2053	.2130	.2212	.2298	.2389	.2485	.2586	.2693	.2806	.2926
	50509.2	48707.0	46940.7	45210.9	43518.1	41863.0	40246.2	38668.6	37130.8	35633.7	34177.5
1.22E-01	7.06E-03	8.04E-04	2.61E-04	2.67E-05	7.12E-06	2.40E-06	4.20E-08	1.87E-07	1.42E-08	3.52E-09	
1.4191	1.5975	1.1574	1.5040	1.1152	1.5688	1.2318	2.2272	1.3751	.9937	1.7252	
3.11E-01	2.35E-01	9.92E-02	3.03E-01	6.94E-02	2.60E-01	1.66E-01	9.05E-05	2.92E-01	1.89E-02	1.13E-01	
3.07E+06	(9.11E-04)(1.66E-03)(4.48E+03)(2.14E+01)(7.17E+01)(8.69E+00)(4.03E-08)(1.66E+00)(4.67E-04)(3.66E-03)	3.23E+06	2.82E+05*	1.30E+04*	1.18E+04*	1.79E+02*	3.94E+02*	2.58E+01*	9.64E+00*	3.88E+00*	9.54E-04*
5	.1906	.1974	.2046	.2121	.2200	.2283	.2370	.2462	.2559	.2661	.2768
	52455.7	50653.5	48887.2	47157.4	45464.6	43809.5	42192.7	40615.1	39077.3	37580.1	36124.0
3.01E-01	1.53E-01	7.51E-03	1.79E-03	3.05E-04	8.57E-05	5.54E-06	6.92E-06	5.92E-08	3.28E-07	1.04E-07	
1.3735	1.4285	1.6426	1.2243	1.5754	1.2231	1.7815	1.3212	.2081	1.4935	1.2249	
2.91E-01	3.13E-01	1.91E-01	1.58E-01	2.55E-01	1.57E-01	7.15E-02	2.52E-01	2.85E-10	3.07E-01	1.59E-01	
7.47E+06	3.94E+06	(6.48E+04)(9.54E+03)(3.77E+03)(3.61E+02)(4.30E+00)(5.96E+01)(5.82E-19)(3.32E+00)(2.51E-01)	6.96E+06	4.09E+06	3.09E+05*	3.79E+04*	1.67E+04*	1.25E+03*	5.44E+02*	1.35E+02*	5.19E+00*
6	.1839	.1902	.1968	.2038	.2111	.2187	.2267	.2351	.2440	.2532	.2629
	54369.4	52567.2	50800.9	49071.1	47378.3	45723.2	44106.4	42528.8	40991.0	39493.8	38037.7
3.65E-02	3.12E-01	1.81E-01	6.92E-03	3.34E-03	2.61E-04	1.98E-04	7.76E-07	1.35E-05	1.22E-06	2.54E-07	
1.4108	1.3842	1.4388	1.7055	1.2742	1.6929	1.2945	3.0289	1.3998	1.0457	1.7345	
3.09E-01	2.97E-01	3.14E-01	1.30E-01	2.08E-01	1.42E-01	2.27E-01	7.63E-16	3.04E-01	3.47E-02	1.06E-01	
(1.13E+06)(8.10E+06)	4.76E+06	(2.82E+04)(3.10E+04)(1.02E+03)(1.78E+03)(7.04E-29)(1.74E+02)(1.83E-01)(3.16E-01)	9.59E+05	7.32E+06	4.86E+06	2.93E+05*	8.45E+04*	1.86E+04*	4.28E+03*	4.51E+02*	3.96E+02*
7	.1778	.1837	.1898	.1963	.2030	.2101	.2175	.2252	.2333	.2417	.2505
	56247.8	54445.5	52679.3	50949.5	49256.7	47601.5	45984.8	44407.1	42869.4	41372.2	39916.1
6.51E-02	1.69E-02	3.18E-01	2.06E-01	5.46E-03	5.42E-03	1.36E-04	3.56E-04	3.98E-06	1.79E-05	5.34E-06	
1.2502	1.4893	1.3962	1.4499	1.8004	1.3148	1.9604	1.3521	.4211	1.4921	1.2238	
1.84E-01	3.09E-01	3.03E-01	3.15E-01	6.00E-02	2.46E-01	9.35E-03	2.77E-01	1.96E-07	3.08E-01	1.58E-01	
(7.92E+05)	5.25E+05	(8.65E+06)	5.48E+06	(4.76E+03)(7.17E+04)(2.34E+00)(4.83E+03)(2.44E-11)(2.43E+02)(1.72E+01)	9.83E+05	5.20E+05	7.55E+06	5.50E+06	2.35E+05*	1.56E+05*	1.00E+04*
								1.55E+04*	1.13E+02*	7.73E+02*	5.39E+01*

Table 16. Radiative transition parameters for $N_2^+ C^2\Sigma_u^+ - X^2\Sigma_g^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$. – Continued

$v' \backslash v''$	0	1	2	3	4	5	6	7	8	9	10
8	.1247	.1282	.1318	.1356	.1395	.1436	.1479	.1523	.1570	.1618	.1669
	80180.5	78005.6	75863.4	73753.9	71677.4	69634.2	67624.4	65648.3	63706.3	61798.7	59925.9
7.04E-02	6.65E-02	5.37E-04	5.49E-02	7.68E-03	3.43E-02	2.33E-02	1.72E-02	3.75E-02	6.14E-03	4.96E-02	
1.0888	1.1028	1.0869	1.1267	1.1486	1.1514	1.1729	1.1752	1.2017	1.1905	1.2330	
5.41E-02	6.19E-02	5.31E-02	7.68E-02	9.24E-02	9.45E-02	1.12E-01	1.14E-01	1.37E-01	1.27E-01	1.67E-01	
2.15E+05	2.45E+05	(1.34E+03)	2.63E+05	(4.89E+04)	2.10E+05	1.82E+05	1.27E+05	3.68E+05	(4.73E+04)	6.02E+05	
2.09E+05	2.52E+05	2.58E+02*	2.61E+05	5.89E+04*	1.99E+05	1.99E+05	1.16E+05	3.85E+05	4.04E+04*	6.20E+05	
9	.1220	.1253	.1288	.1324	.1361	.1400	.1440	.1483	.1527	.1572	.1620
	81980.3	79805.4	77663.1	75553.7	73477.2	71434.0	69424.2	67448.1	65506.1	63598.5	61725.6
4.85E-02	7.51E-02	5.90E-03	3.25E-02	3.31E-02	4.66E-03	4.40E-02	1.08E-03	3.75E-02	1.33E-02	2.29E-02	
1.0789	1.0921	1.1116	1.1138	1.1312	1.1306	1.1557	1.2010	1.1813	1.2099	1.2051	
4.91E-02	5.59E-02	6.71E-02	6.85E-02	7.99E-02	7.95E-02	9.78E-02	1.36E-01	1.19E-01	1.45E-01	1.40E-01	
1.30E+05	2.41E+05	(2.52E+04)	1.33E+05	1.70E+05	(2.17E+04)	2.86E+05	(1.25E+04)	3.01E+05	1.45E+05	2.15E+05	
1.25E+05	2.44E+05	3.12E+04*	1.24E+05	1.81E+05	1.57E+04*	2.90E+05	1.80E+04*	2.96E+05	1.60E+05	2.06E+05	
10	.1194	.1226	.1259	.1293	.1329	.1366	.1405	.1445	.1487	.1530	.1575
	83737.1	81562.2	79420.0	77310.5	75234.1	73190.8	71181.0	69204.9	67262.9	65355.3	63482.5
3.21E-02	7.17E-02	2.29E-02	9.49E-03	4.50E-02	3.05E-03	2.83E-02	2.39E-02	6.04E-03	3.87E-02	6.54E-04	
1.0696	1.0822	1.0971	1.0997	1.1183	1.1441	1.1407	1.1607	1.1578	1.1856	1.2602	
4.47E-02	5.07E-02	5.86E-02	6.01E-02	7.13E-02	8.91E-02	8.66E-02	1.02E-01	9.95E-02	1.23E-01	1.94E-01	
7.62E+04	2.03E+05	7.99E+04	(3.21E+04)	1.98E+05	(1.92E+04)	1.55E+05	1.66E+05	(3.69E+04)	3.29E+05	(1.27E+04)	
7.21E+04	2.01E+05	8.81E+04	2.59E+04*	2.00E+05	2.58E+04*	1.46E+05	1.80E+05	2.92E+04*	3.37E+05	1.75E+04*	
$v' \backslash v''$	11	12	13	14	15	16	17	18	19	20	21
8	.1722	.1777	.1834	.1894	.1957	.2023	.2091	.2162	.2237	.2314	.2395
	58088.1	56285.9	54519.6	52789.8	51097.0	49441.9	47825.1	46247.5	44709.7	43212.6	41756.4
8.08E-04	6.18E-02	6.59E-03	3.24E-01	2.27E-01	3.51E-03	7.81E-03	1.40E-05	5.14E-04	3.89E-05	1.47E-05	
1.1275	1.2519	1.6474	1.4095	1.4619	1.9625	1.3500	3.6013	1.4065	1.0314	1.6456	
7.74E-02	1.85E-01	1.86E-01	3.08E-01	3.14E-01	9.09E-03	2.75E-01	2.31E-28	3.07E-01	2.96E-02	1.88E-01	
(1.92E+03)	(7.68E+05)	(7.50E+04)	(9.15E+06)	6.08E+06	(7.10E+01)	(1.31E+05)	(0.00E+00)	(8.78E+03)	(5.56E+00)	(7.67E+01)	
1.67E+02*	1.00E+06	2.55E+05	7.69E+06	5.99E+06	1.53E+05*	2.50E+05*	8.14E+03	1.81E+04	1.01E+02*	1.04E+03*	
9	.1670	.1722	.1776	.1832	.1890	.1952	.2015	.2081	.2150	.2222	.2296
	59887.9	58085.7	56319.4	54589.6	52896.8	51241.7	49624.9	48047.3	46509.5	45012.3	43556.2
3.23E-02	8.72E-03	5.19E-02	1.92E-03	3.29E-01	2.45E-01	1.61E-03	1.02E-02	5.25E-05	5.99E-04	1.30E-04	
1.2384	1.2140	1.2521	2.0316	1.4238	1.4747	2.3096	1.3826	.0716	1.4660	1.1973	
1.72E-01	1.49E-01	1.86E-01	3.27E-03	3.12E-01	3.12E-01	1.47E-05	2.96E-01	2.28E-12	3.14E-01	1.35E-01	
4.16E+05	(7.64E+04)	(6.48E+05)	(6.79E+00)	(9.61E+06)	6.52E+06	(8.58E-05)	(2.01E+05)	(5.58E-20)	(1.09E+04)	(3.86E+02)	
4.37E+05	6.49E+04*	9.12E+05	1.06E+05*	7.75E+06	6.31E+06	6.87E+04*	3.54E+05	1.05E+03*	2.59E+04*	1.62E+03*	
10	.1622	.1671	.1722	.1775	.1830	.1887	.1946	.2008	.2072	.2138	.2207
	61644.7	59842.5	58076.2	56346.4	54653.6	52998.5	51381.7	49804.1	48266.3	46769.2	45313.1
3.57E-02	1.50E-02	1.95E-02	3.98E-02	2.63E-04	3.35E-01	2.59E-01	2.99E-04	1.22E-02	4.19E-04	5.48E-04	
1.2109	1.2469	1.2281	1.2511	3.5337	1.4392	1.4883	3.6530	1.4147	.8852	1.5437	
1.46E-01	1.80E-01	1.62E-01	1.85E-01	1.10E-26	3.15E-01	3.09E-01	1.11E-29	3.10E-01	4.25E-03	2.80E-01	
3.59E+05	2.12E+05	2.03E+05	(4.91E+05)	(0.00E+00)	(1.00E+07)	6.78E+06	(0.00E+00)	(2.67E+05)	(1.56E+00)	(8.09E+03)	
3.56E+05	2.30E+05	1.87E+05	7.74E+05	3.04E+04*	7.75E+06	6.44E+06	1.07E+04*	4.53E+05	2.15E+03*	3.01E+04*	

*The Einstein coefficients for this band may have limited accuracy, since the Franck-Condon factor is less than 0.01 (see text).

Table 17. Radiative transition parameters for $O_2^+ A^2\Pi_u - X^2\Pi_g$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$.

$v' \backslash v''$	0	1	2	3	4	5	6	7	8	9	10
0	.2496	.2618	.2751	.2895	.3051	.3223	.3411	.3617	.3846	.4100	.4384
40068.1	38195.0	36354.7	34547.2	32772.4	31030.3	29320.7	27643.7	25999.3	24387.4	22808.2	
1.60E-06	3.00E-05	2.66E-04	1.50E-03	5.96E-03	1.79E-02	4.22E-02	7.98E-02	1.23E-01	1.58E-01	1.69E-01	
1.2432	1.2583	1.2738	1.2897	1.3061	1.3230	1.3405	1.3585	1.3772	1.3967	1.4169	
1.92E-01	1.97E-01	2.01E-01	2.07E-01	2.12E-01	2.18E-01	2.25E-01	2.32E-01	2.40E-01	2.49E-01	2.59E-01	
7.69E+00	1.31E+02	1.05E+03	5.33E+03	1.91E+04	5.17E+04	1.09E+05	1.84E+05	2.54E+05	2.89E+05	2.72E+05	
7.76E+00*	1.32E+02*	1.06E+03*	5.37E+03*	1.93E+04*	5.19E+04	1.10E+05	1.85E+05	2.55E+05	2.89E+05	2.72E+05	
1	.2443	.2560	.2686	.2823	.2972	.3135	.3312	.3507	.3721	.3959	.4223
40939.7	39066.6	37226.3	35418.9	33644.1	31901.9	30192.3	28515.3	26870.9	25259.1	23679.8	
1.31E-05	2.13E-04	1.60E-03	7.44E-03	2.36E-02	5.37E-02	8.90E-02	1.06E-01	8.43E-02	3.51E-02	1.18E-03	
1.2362	1.2510	1.2661	1.2816	1.2975	1.3139	1.3307	1.3480	1.3656	1.3829	1.3855	
1.90E-01	1.94E-01	1.99E-01	2.04E-01	2.09E-01	2.15E-01	2.21E-01	2.28E-01	2.35E-01	2.43E-01	2.44E-01	
6.57E+01	9.70E+02	6.64E+03	2.78E+04	7.97E+04	1.63E+05	2.43E+05	2.59E+05	1.84E+05	6.77E+04	1.88E+03	
6.62E+01*	9.76E+02*	6.68E+03*	2.80E+04*	8.01E+04	1.64E+05	2.44E+05	2.59E+05	1.83E+05	6.70E+04	1.75E+03*	
2	.2393	.2506	.2627	.2758	.2900	.3054	.3222	.3406	.3608	.3831	.4078
41784.0	39910.9	38070.6	36263.1	34488.3	32746.2	31036.6	29359.6	27715.2	26103.3	24524.1	
5.67E-05	7.99E-04	5.11E-03	1.94E-02	4.80E-02	7.91E-02	8.32E-02	4.64E-02	4.84E-03	1.09E-02	5.75E-02	
1.2296	1.2440	1.2588	1.2739	1.2894	1.3052	1.3213	1.3373	1.3486	1.3812	1.3962	
1.88E-01	1.92E-01	1.97E-01	2.01E-01	2.06E-01	2.12E-01	2.18E-01	2.24E-01	2.28E-01	2.42E-01	2.49E-01	
2.97E+02	3.80E+03	2.21E+04	7.60E+04	1.70E+05	2.53E+05	2.39E+05	1.19E+05	1.09E+04	2.30E+04	1.06E+05	
2.99E+02*	3.83E+03*	2.22E+04*	7.63E+04	1.71E+05	2.53E+05	2.39E+05	1.19E+05	1.06E+04*	2.35E+04	1.07E+05	
3	.2347	.2455	.2572	.2697	.2832	.2979	.3139	.3314	.3505	.3715	.3946
42600.9	40727.8	38887.6	37080.1	35305.3	33563.1	31853.5	30176.5	28532.1	26920.3	25341.0	
1.73E-04	2.12E-03	1.14E-02	3.52E-02	6.60E-02	7.30E-02	3.80E-02	1.64E-03	1.76E-02	5.71E-02	4.69E-02	
1.2232	1.2374	1.2518	1.2665	1.2816	1.2968	1.3118	1.3172	1.3151	1.3666	1.3829	
1.86E-01	1.90E-01	1.95E-01	1.99E-01	2.04E-01	2.09E-01	2.14E-01	2.16E-01	2.30E-01	2.36E-01	2.43E-01	
9.44E+02	1.05E+04	5.15E+04	1.44E+05	2.45E+05	2.44E+05	1.14E+05	4.26E+03	4.37E+04	1.25E+05	9.13E+04	
9.50E+02*	1.06E+04*	5.18E+04	1.44E+05	2.45E+05	2.44E+05	1.14E+05	4.05E+03*	4.43E+04	1.26E+05	9.08E+04	
4	.2305	.2409	.2520	.2641	.2770	.2911	.3063	.3229	.3410	.3609	.3827
43390.6	41517.5	39677.3	37869.8	36095.0	34352.8	32643.3	30966.3	29321.8	27710.0	26130.7	
4.20E-04	4.45E-03	2.02E-02	4.96E-02	6.77E-02	4.34E-02	4.08E-03	1.26E-02	4.86E-02	3.53E-02	8.16E-04	
1.2172	1.2311	1.2452	1.2596	1.2741	1.2886	1.2985	1.3265	1.3400	1.3550	1.3502	
1.85E-01	1.89E-01	1.93E-01	1.97E-01	2.01E-01	2.06E-01	2.10E-01	2.20E-01	2.25E-01	2.31E-01	2.29E-01	
2.37E+03	2.30E+04	9.47E+04	2.11E+05	2.62E+05	1.52E+05	1.26E+04	3.66E+04	1.26E+05	8.11E+04	(1.55E+03)	
2.39E+03*	2.31E+04*	9.51E+04	2.12E+05	2.62E+05	1.51E+05	1.23E+04*	3.72E+04	1.26E+05	8.05E+04	1.40E+03*	
5	.2265	.2365	.2473	.2589	.2713	.2848	.2993	.3152	.3324	.3512	.3718
44153.1	42280.0	40439.8	38632.3	36857.5	35115.3	33405.8	31728.8	30084.3	28472.5	26893.2	
8.59E-04	7.89E-03	2.99E-02	5.75E-02	5.34E-02	1.37E-02	3.55E-03	3.76E-02	3.58E-02	1.72E-03	1.98E-02	
1.2115	1.2252	1.2390	1.2530	1.2669	1.2796	1.3062	1.3158	1.3299	1.3332	1.3699	
1.83E-01	1.87E-01	1.91E-01	1.95E-01	1.99E-01	2.03E-01	2.12E-01	2.16E-01	2.21E-01	2.22E-01	2.37E-01	
5.04E+03	4.23E+04	1.46E+05	2.55E+05	2.15E+05	4.97E+04	1.21E+04	1.13E+05	9.65E+04	3.97E+03	4.39E+04	
5.06E+03*	4.24E+04*	1.46E+05	2.56E+05	2.15E+05	4.92E+04	1.24E+05	9.60E+04	3.75E+03*	4.45E+04		
6	.2228	.2325	.2429	.2540	.2660	.2789	.2929	.3080	.3245	.3424	.3619
44888.5	43015.4	41175.2	39367.7	37592.9	35850.7	34141.1	32464.1	30819.7	29207.9	27628.6	
1.54E-03	1.23E-02	3.87E-02	5.68E-02	3.18E-02	4.03E-04	2.13E-02	3.91E-02	7.63E-03	9.66E-03	3.91E-02	
1.2060	1.2195	1.2331	1.2466	1.2598	1.2550	1.2939	1.3071	1.3179	1.3461	1.3580	
1.82E-01	1.85E-01	1.89E-01	1.93E-01	1.97E-01	1.96E-01	2.08E-01	2.13E-01	2.16E-01	2.27E-01	2.32E-01	
9.37E+03	6.82E+04	1.96E+05	2.62E+05	1.33E+05	1.44E+03	7.44E+04	1.22E+05	2.12E+04	2.52E+04	9.01E+04	
9.42E+03*	6.85E+04	1.96E+05	2.62E+05	1.32E+05	1.33E+03*	7.50E+04	1.22E+05	2.07E+04*	2.57E+04	9.02E+04	
7	.2193	.2287	.2388	.2495	.2611	.2735	.2869	.3015	.3172	.3343	.3529
45596.8	43723.7	41883.5	40076.0	38301.2	36559.0	34849.4	33172.4	31528.0	29916.2	28336.9	
2.51E-03	1.73E-02	4.48E-02	4.85E-02	1.27E-02	4.16E-03	3.41E-02	2.06E-02	7.94E-04	2.98E-02	2.16E-02	
1.2009	1.2142	1.2274	1.2406	1.2523	1.2762	1.2859	1.2984	1.3363	1.3344	1.3472	
1.81E-01	1.84E-01	1.88E-01	1.91E-01	1.95E-01	2.02E-01	2.05E-01	2.10E-01	2.23E-01	2.23E-01	2.28E-01	
1.57E+04	9.91E+04	2.35E+05	2.31E+05	5.49E+04	1.68E+04	1.23E+05	6.70E+04	2.52E+03	8.02E+04	5.17E+04	
1.58E+04*	9.95E+04	2.35E+05	2.31E+05	5.44E+04	1.72E+04*	1.23E+05	6.64E+04	2.69E+03*	8.06E+04	5.12E+04	

Table 17. Radiative transition parameters for $O_2^+ A^2\Pi_u - X^2\Pi_g$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. — Continued

$V'\backslash V''$	11	12	13	14	15	16	17	18	19	20	21
0	.4703	.5064	.5474	.5946	.6492	.7132	.7891	.8805	.9925	1.1328	1.3134
	21261.6	19747.7	18266.6	16818.4	15403.2	14021.2	12672.5	11357.2	10075.5	8827.7	7614.0
1.51E-01	1.14E-01	7.22E-02	3.84E-02	1.72E-02	6.39E-03	1.97E-03	4.96E-04	1.01E-04	1.64E-05	2.05E-06	
1.4379	1.4600	1.4831	1.5075	1.5333	1.5608	1.5903	1.6220	1.6567	1.6949	1.7379	
2.70E-01	2.82E-01	2.95E-01	3.10E-01	3.27E-01	3.46E-01	3.68E-01	3.94E-01	4.24E-01	4.59E-01	5.03E-01	
2.14E+05	1.41E+05	7.75E+04	3.56E+04	1.36E+04	4.27E+03	1.10E+03	2.28E+02	3.76E+01	4.81E+00	4.64E-01	
2.14E+05	1.41E+05	7.72E+04	3.54E+04	1.35E+04	4.23E+03*	1.08E+03*	2.25E+02*	3.69E+01*	4.70E+00*	4.51E-01*	
1	.4518	.4850	.5225	.5653	.6144	.6715	.7383	.8177	.9135	1.0310	1.1785
	22133.2	20619.3	19138.2	17690.0	16274.9	14892.8	13544.1	12228.8	10947.1	9699.3	8485.6
1.77E-02	7.51E-02	1.28E-01	1.41E-01	1.13E-01	7.01E-02	3.41E-02	1.32E-02	4.04E-03	9.76E-04	1.83E-04	
1.4314	1.4498	1.4712	1.4941	1.5185	1.5444	1.5721	1.6017	1.6358	1.6689	1.7076	
2.66E-01	2.76E-01	2.88E-01	3.02E-01	3.17E-01	3.34E-01	3.54E-01	3.77E-01	4.03E-01	4.35E-01	4.72E-01	
2.76E+04	1.02E+05	1.51E+05	1.44E+05	9.94E+04	5.24E+04	2.15E+04	6.94E+03	1.75E+03	3.41E+02	5.05E+01	
2.81E+04	1.02E+05	1.51E+05	1.44E+05	9.91E+04	5.22E+04	2.14E+04	6.87E+03	1.72E+03*	3.35E+02*	4.94E+01*	
2	.4352	.4659	.5004	.5395	.5841	.6354	.6950	.7649	.8481	.9484	1.0718
	22977.5	21463.6	19982.5	18534.3	17119.1	15737.1	14388.3	13073.0	11791.4	10543.6	9329.8
7.77E-02	4.11E-02	1.64E-03	2.15E-02	8.72E-02	1.35E-01	1.29E-01	8.66E-02	4.33E-02	1.65E-02	4.77E-03	
1.4143	1.4326	1.4345	1.4866	1.5065	1.5302	1.5560	1.5837	1.6136	1.6460	1.6814	
2.58E-01	2.67E-01	2.68E-01	2.97E-01	3.09E-01	3.25E-01	3.43E-01	3.63E-01	3.87E-01	4.14E-01	4.46E-01	
1.27E+05	5.86E+04	1.90E+03	2.45E+04	8.48E+04	1.12E+05	9.10E+04	5.16E+04	2.15E+04	6.70E+03	1.56E+03	
1.27E+05	5.81E+04	1.74E+03*	2.50E+04	8.54E+04	1.12E+05	9.09E+04	5.14E+04	2.13E+04	6.63E+03	1.54E+03*	
3	.4203	.4488	.4808	.5168	.5575	.6041	.6577	.7199	.7931	.8802	.9855
	23794.4	22280.5	20799.5	19351.3	17936.1	16554.0	15205.3	13890.0	12608.3	11360.5	10146.8
5.23E-03	1.39E-02	6.27E-02	6.38E-02	1.52E-02	5.65E-03	6.59E-02	1.29E-01	1.34E-01	9.13E-02	4.42E-02	
1.3935	1.4307	1.4465	1.4656	1.4821	1.5308	1.5439	1.5685	1.5960	1.6260	1.6586	
2.48E-01	2.66E-01	2.74E-01	2.85E-01	2.94E-01	3.25E-01	3.34E-01	3.52E-01	3.72E-01	3.97E-01	4.25E-01	
8.76E+03	2.21E+04	8.59E+04	7.60E+04	1.54E+04	5.49E+03	5.24E+04	8.64E+04	7.53E+04	4.27E+04	1.69E+04	
8.43E+03*	2.26E+04	8.63E+04	7.57E+04	1.50E+04	5.77E+03*	5.31E+04	8.68E+04	7.52E+04	4.25E+04	1.68E+04	
4	.4068	.4335	.4632	.4965	.5340	.5766	.6252	.6812	.7464	.8230	.9144
	24584.1	23070.2	21589.2	20141.0	18725.8	17343.7	15995.0	14679.7	13398.0	12150.2	10936.5
2.37E-02	5.50E-02	2.37E-02	1.38E-03	4.56E-02	6.87E-02	2.34E-02	2.74E-03	6.28E-02	1.31E-01	1.35E-01	
1.3977	1.4134	1.4291	1.4824	1.4802	1.4995	1.5177	1.5792	1.5833	1.6093	1.6390	
2.50E-01	2.57E-01	2.65E-01	2.94E-01	2.93E-01	3.05E-01	3.16E-01	3.60E-01	3.63E-01	3.83E-01	4.08E-01	
4.45E-04	9.05E-04	3.39E-04	1.98E-03	5.21E+04	6.75E+04	1.94E+04	2.27E+03	4.03E+04	7.01E+04	5.94E+04	
4.52E+04	9.05E+04	3.34E+04	2.16E+03*	5.27E+04	6.74E+04	1.90E+04	2.46E+03*	4.09E+04	7.04E+04	5.93E+04	
5	.3945	.4196	.4474	.4784	.5131	.5523	.5967	.6476	.7062	.7744	.8548
	25346.6	23832.8	22351.7	20903.5	19488.3	18106.3	16757.5	15442.2	14160.6	12912.8	11699.0
4.52E-02	1.25E-02	7.19E-03	4.84E-02	3.34E-02	5.45E-06	3.91E-02	6.87E-02	2.26E-02	4.66E-03	7.45E-02	
1.3842	1.3971	1.4332	1.4448	1.4613	2.0027	1.5152	1.5348	1.5530	1.6157	1.6245	
2.44E-01	2.49E-01	2.67E-01	2.73E-01	2.82E-01	8.46E-01	3.15E-01	3.28E-01	3.40E-01	3.88E-01	3.96E-01	
8.85E+04	2.14E+04	1.16E+04	6.69E+04	3.99E+04	4.70E+01	3.70E+04	5.51E+04	1.50E+04	3.06E+03	3.78E+04	
8.84E+04	2.09E+04	1.20E+04*	6.72E+04	3.94E+04	4.89E+01*	3.75E+04	5.50E+04	1.46E+04	3.28E+03*	3.84E+04	
6	.3834	.4070	.4331	.4621	.4945	.5307	.5717	.6181	.6713	.7327	.8042
	26082.0	24568.1	23087.1	21638.9	20223.7	18841.6	17492.9	16177.6	14895.9	13648.1	12434.4
1.38E-02	5.49E-03	4.09E-02	2.09E-02	2.64E-03	4.40E-02	3.48E-02	1.36E-05	4.23E-02	6.67E-02	1.45E-02	
1.3705	1.4043	1.4141	1.4282	1.4739	1.4772	1.4939	1.9035	1.5511	1.5714	1.5870	
2.37E-01	2.53E-01	2.58E-01	2.65E-01	2.90E-01	2.91E-01	3.01E-01	7.03E-01	3.39E-01	3.54E-01	3.66E-01	
2.81E+04	1.05E+04	6.76E+04	3.00E+04	3.71E+03	5.07E+04	3.43E+04	(5.76E+01)	3.25E+04	4.30E+04	7.53E+03	
2.75E+04	1.09E+04*	6.78E+04	2.95E+04	3.95E+03*	5.10E+04	3.39E+04	6.83E+01*	3.30E+04	4.28E+04	7.22E+03	
7	.3733	.3956	.4203	.4475	.4777	.5115	.5494	.5922	.6409	.6966	.7609
	26790.3	25276.4	23795.4	22347.2	20932.0	19549.9	18201.2	16885.9	15604.2	14356.4	13142.7
8.04E-04	3.18E-02	2.13E-02	1.65E-03	3.70E-02	2.25E-02	2.48E-03	4.47E-02	3.02E-02	1.21E-03	5.28E-02	
1.3927	1.3869	1.4001	1.4458	1.4448	1.4589	1.5097	1.5105	1.5269	1.6050	1.5882	
2.47E-01	2.45E-01	2.51E-01	2.74E-01	2.73E-01	2.81E-01	3.11E-01	3.12E-01	3.22E-01	3.80E-01	3.66E-01	
1.92E+03	6.22E+04	3.66E+04	2.80E+03	5.13E+04	2.69E+04	2.94E+03	4.24E+04	2.42E+04	(1.04E+03)	3.26E+04	
2.08E+03*	6.26E+04	3.61E+04	3.01E+03*	5.16E+04	2.65E+04	3.16E+03*	4.27E+04	2.37E+04	1.17E+03*	3.30E+04	

Table 17. Radiative transition parameters for $O_2^+ A^2\Pi_u - X^2\Pi_g$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$. - Continued

$v' \backslash v''$	0	1	2	3	4	5	6	7	8	9	10
8	.2161	.2252	.2349	.2454	.2565	.2685	.2814	.2954	.3105	.3268	.3446
	46278.1	44405.0	42564.7	40757.2	38982.4	37240.3	35530.7	33853.7	32209.3	30597.4	29018.2
	3.75E-03	2.23E-02	4.72E-02	3.57E-02	2.00E-03	1.58E-02	3.21E-02	3.79E-03	1.35E-02	2.95E-02	1.74E-03
	1.1959	1.2091	1.2221	1.2347	1.2412	1.2666	1.2786	1.2868	1.3135	1.3253	1.3275
	1.79E-01	1.83E-01	1.86E-01	1.90E-01	1.91E-01	1.99E-01	2.03E-01	2.06E-01	2.15E-01	2.19E-01	2.20E-01
	2.43E+04	1.32E+05	2.56E+05	1.76E+05	8.78E+03	6.54E+04	1.20E+05	1.26E+04	4.23E+04	8.22E+04	4.17E+03
	2.44E+04*	1.33E+05	2.56E+05	1.76E+05	8.53E+03*	6.60E+04	1.20E+05	1.22E+04*	4.29E+04	8.20E+04	3.93E+03*
9	.2131	.2219	.2314	.2415	.2523	.2639	.2764	.2898	.3043	.3200	.3370
	46932.4	45059.3	43219.0	41411.5	39636.7	37894.5	36185.0	34508.0	32863.6	31251.7	29672.5
	5.24E-03	2.69E-02	4.60E-02	2.23E-02	3.19E-04	2.55E-02	2.02E-02	4.76E-04	2.54E-02	1.35E-02	3.90E-03
	1.1913	1.2043	1.2170	1.2290	1.2660	1.2598	1.2714	1.3101	1.3047	1.3159	1.3450
	1.78E-01	1.82E-01	1.85E-01	1.88E-01	1.99E-01	1.97E-01	2.01E-01	2.14E-01	2.12E-01	2.16E-01	2.27E-01
	3.49E+04	1.65E+05	2.57E+05	1.13E+05	1.59E+03	1.09E+05	7.80E+04	1.81E+03	8.20E+04	3.88E+04	1.06E+04
	3.51E+04*	1.65E+05	2.57E+05	1.13E+05	1.70E+03*	1.09E+05	7.75E+04	1.95E+03*	8.23E+04	3.83E+04	1.10E+04*
10	.2105	.2189	.2281	.2379	.2484	.2596	.2716	.2846	.2986	.3137	.3300
	47559.7	45686.6	43846.3	42038.8	40264.0	38521.9	36812.3	35135.3	33490.9	31879.0	30299.8
	6.93E-03	3.07E-02	4.16E-02	1.12E-02	4.84E-03	2.83E-02	7.66E-03	7.83E-03	2.51E-02	1.35E-03	1.70E-02
	1.1868	1.1998	1.2123	1.2231	1.2445	1.2536	1.2635	1.2870	1.2972	1.2987	1.3318
	1.77E-01	1.80E-01	1.84E-01	1.86E-01	1.92E-01	1.95E-01	1.98E-01	2.06E-01	2.09E-01	2.10E-01	2.22E-01
	4.75E+04	1.93E+05	2.40E+05	5.84E+04	2.37E+04	1.25E+05	3.04E+04	2.91E+04	8.35E+04	3.88E+03	4.72E+04
	4.77E+04*	1.94E+05	2.39E+05	5.79E+04	2.41E+04*	1.25E+05	2.99E+04*	2.95E+04*	8.33E+04	3.67E+03*	4.77E+04
11	.2076	.2160	.2250	.2345	.2447	.2556	.2673	.2798	.2933	.3079	.3236
	48160.2	46287.0	44446.8	42639.3	40864.5	39122.3	37412.8	35735.8	34091.3	32479.5	30900.2
	8.75E-03	3.34E-02	3.52E-02	3.83E-03	1.16E-02	2.45E-02	8.00E-04	1.69E-02	1.55E-02	1.59E-03	2.31E-02
	1.1826	1.1955	1.2077	1.2162	1.2375	1.2479	1.2474	1.2791	1.2898	1.3200	1.3233
	1.76E-01	1.79E-01	1.82E-01	1.85E-01	1.90E-01	1.93E-01	1.93E-01	2.03E-01	2.07E-01	2.17E-01	2.18E-01
	6.15E+04	2.16E+05	2.09E+05	2.05E+04	5.83E+04	1.11E+05	3.17E+03	6.44E+04	5.32E+04	5.22E+03	6.58E+04
	6.17E+04*	2.16E+05	2.08E+05	2.02E+04*	5.87E+04	1.11E+05	3.00E+03*	6.49E+04	5.28E+04	5.46E+03*	6.59E+04
12	.2052	.2134	.2221	.2314	.2413	.2519	.2633	.2754	.2885	.3025	.3177
	48733.8	46860.7	45020.4	43212.9	41438.1	39696.0	37986.4	36309.4	34665.0	33053.1	31473.9
	1.06E-02	3.47E-02	2.79E-02	4.28E-04	1.75E-02	1.71E-02	6.79E-04	2.12E-02	5.35E-03	9.40E-03	1.77E-02
	1.1786	1.1914	1.2034	1.2014	1.2320	1.2422	1.2742	1.2726	1.2812	1.3057	1.3156
	1.75E-01	1.78E-01	1.81E-01	1.81E-01	1.89E-01	1.92E-01	2.01E-01	2.01E-01	2.04E-01	2.12E-01	2.16E-01
	7.65E+04	2.31E+05	1.70E+05	2.29E+03	8.99E+04	7.95E+04	3.06E+03	8.32E+04	1.87E+04	3.09E+04	5.20E+04
	7.68E+04	2.31E+05	1.69E+05	2.17E+03*	9.03E+04	7.91E+04	3.22E+03*	8.33E+04	1.83E+04*	3.14E+04*	5.17E+04
13	.2029	.2109	.2195	.2285	.2382	.2485	.2595	.2713	.2840	.2976	.3123
	49280.6	47407.5	45567.3	43759.8	41985.0	40242.8	38533.2	36856.2	35211.8	33600.0	32020.7
	1.24E-02	3.49E-02	2.07E-02	2.52E-04	2.07E-02	9.31E-03	4.88E-03	1.95E-02	3.01E-04	1.63E-02	7.87E-03
	1.1747	1.1876	1.1993	1.2329	1.2271	1.2364	1.2587	1.2667	1.2555	1.2981	1.3073
	1.74E-01	1.77E-01	1.80E-01	1.89E-01	1.88E-01	1.90E-01	1.97E-01	1.99E-01	1.96E-01	2.09E-01	2.13E-01
	9.18E+04	2.38E+05	1.29E+05	1.53E+03	1.09E+05	4.44E+04	2.19E+04	7.83E+04	(1.02E+03)	5.51E+04	2.37E+04
	9.21E+04	2.38E+05	1.28E+05	1.62E+03*	1.10E+05	4.40E+04*	2.22E+04*	7.82E+04	9.16E+02*	5.54E+04	2.33E+04*
14	.2008	.2086	.2170	.2258	.2353	.2453	.2561	.2675	.2799	.2931	.3073
	49800.8	47927.7	46087.4	44279.9	42505.1	40763.0	39053.4	37376.4	35732.0	34120.1	32540.9
	1.42E-02	3.40E-02	1.42E-02	2.18E-03	2.10E-02	3.52E-03	1.01E-02	1.39E-02	1.09E-03	1.79E-02	1.18E-03
	1.1711	1.1840	1.1955	1.2156	1.2227	1.2295	1.2520	1.2610	1.2903	1.2918	1.2928
	1.74E-01	1.77E-01	1.79E-01	1.84E-01	1.86E-01	1.88E-01	1.95E-01	1.97E-01	2.07E-01	2.07E-01	2.08E-01
	1.07E+05	2.37E+05	9.07E+04	3.11E+04	1.14E+05	1.71E+04	4.62E+04	5.71E+04	4.30E+03	6.18E+04	3.54E+03
	1.07E+05	2.37E+05	9.02E+04	3.33E+04*	1.14E+05	1.68E+04*	4.66E+04	5.68E+04	4.49E+03*	6.18E+04	3.34E+03*
15	.1988	.2065	.2147	.2233	.2326	.2424	.2529	.2641	.2760	.2889	.3027
	50294.3	48421.2	46581.0	44773.5	42998.7	41256.5	39547.0	37870.0	36225.5	34613.7	33034.4
	1.57E-02	3.23E-02	8.93E-03	5.10E-03	1.89E-02	5.35E-04	1.40E-02	7.52E-03	5.20E-03	1.44E-02	3.20E-04
	1.1677	1.1806	1.1918	1.2094	1.2185	1.2151	1.2467	1.2550	1.2778	1.2858	1.3283
	1.73E-01	1.76E-01	1.78E-01	1.83E-01	1.85E-01	1.84E-01	1.93E-01	1.96E-01	2.03E-01	2.05E-01	2.20E-01
	1.21E+05	2.30E+05	5.82E+04	3.10E+04	1.05E+05	2.59E+03	6.52E+04	3.16E+04	2.06E+04	5.09E+04	1.13E+03
	1.22E+05	2.30E+05	5.78E+04*	3.13E+04*	1.05E+05	2.46E+03	6.55E+04	3.13E+04*	2.09E+04*	5.06E+04	1.24E+03*

Table 17. Radiative transition parameters for $O_2^+ A^2\Pi_u - X^2\Pi_g$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$. — Continued

$V' \backslash V''$	11	12	13	14	15	16	17	18	19	20	21
8	.3640	.3852	.4086	.4342	.4627	.4943	.5296	.5692	.6140	.6650	.7234
	27471.6	25957.7	24476.6	23028.4	21613.2	20231.2	18882.4	17567.1	16285.5	15037.7	13824.0
1.85E-02	2.69E-02	3.21E-05	2.69E-02	2.28E-02	1.33E-03	3.67E-03	1.89E-02	5.51E-03	4.82E-02	1.99E-02	
1.3629	1.3752	1.2496	1.4165	1.4296	1.4825	1.4763	1.4896	1.5374	1.5447	1.5594	
2.34E-01	2.40E-01	1.94E-01	2.59E-01	2.65E-01	2.95E-01	2.91E-01	2.99E-01	3.30E-01	3.35E-01	3.45E-01	
4.27E+04	5.46E+04	(3.58E+01)	4.46E+04	3.29E+04	1.94E+03	4.24E+04	1.86E+04	5.23E+03	3.72E+04	1.27E+04	
4.32E+04	5.43E+04	1.28E+01*	4.50E+04	3.24E+04	2.12E+03*	4.26E+04	1.82E+04	5.53E+03*	3.74E+04	1.23E+04	
9	.3555	.3758	.3979	.4222	.4491	.4788	.5119	.5488	.5903	.6373	.6907
	28125.9	26612.0	25130.9	23682.7	22267.5	20885.5	19536.7	18221.4	16939.8	15692.0	14478.2
2.84E-02	5.22E-03	1.32E-02	2.72E-02	1.32E-04	2.64E-02	2.01E-02	3.16E-03	3.86E-02	1.13E-02	1.40E-02	
1.3524	1.3602	1.3923	1.4037	1.3431	1.4467	1.4591	1.5063	1.5084	1.5188	1.5668	
2.30E-01	2.33E-01	2.47E-01	2.53E-01	2.26E-01	2.74E-01	2.81E-01	3.09E-01	3.10E-01	3.17E-01	3.50E-01	
6.76E+04	1.08E+04	2.59E+04	4.67E+04	(1.51E+02)	3.67E+04	2.40E+04	3.70E+03	3.66E+04	8.87E+03	1.06E+04	
6.77E+04	1.05E+04*	2.64E+04	4.65E+04	1.00E+02*	3.70E+04	2.36E+04	3.94E+03*	3.67E+04	8.53E+03	1.10E+04	
10	.3478	.3671	.3882	.4114	.4368	.4648	.4959	.5305	.5692	.6128	.6620
	28753.2	27239.3	25758.2	24310.0	22894.8	21512.8	20164.0	18848.8	17567.1	16319.3	15105.6
1.79E-02	1.26E-03	2.62E-02	6.06E-03	1.26E-02	2.54E-02	2.14E-05	2.90E-02	1.38E-02	8.88E-03	3.85E-02	
1.3428	1.3818	1.3801	1.3880	1.4217	1.4326	1.6854	1.4774	1.4881	1.5318	1.5412	
2.26E-01	2.42E-01	2.42E-01	2.45E-01	2.61E-01	2.67E-01	4.50E-01	2.92E-01	2.98E-01	3.26E-01	3.32E-01	
4.40E+04	3.02E+03	5.29E+04	1.06E+04	2.09E+04	3.64E+04	(7.20E+01)	3.34E+04	1.35E+04	8.29E+03	2.97E+04	
4.35E+04	3.22E+03*	5.30E+04	1.02E+04*	2.13E+04	3.62E+04	9.46E+01*	3.37E+04	1.31E+04	8.64E+03*	2.96E+04	
11	.3407	.3592	.3794	.4014	.4256	.4522	.4816	.5142	.5504	.5910	.6367
	29353.6	27839.8	26358.7	24910.5	23495.3	22113.3	20764.5	19449.2	18167.6	16919.8	15706.0
3.77E-03	1.29E-02	1.83E-02	9.84E-04	2.51E-02	4.32E-03	1.54E-02	2.12E-02	1.55E-03	3.18E-02	5.41E-03	
1.3297	1.3596	1.3697	1.4146	1.4084	1.4135	1.4511	1.4617	1.5166	1.5086	1.5123	
2.21E-01	2.33E-01	2.37E-01	2.58E-01	2.55E-01	2.57E-01	2.77E-01	2.83E-01	3.16E-01	3.11E-01	3.13E-01	
9.41E+03	3.07E+04	3.81E+04	2.05E+03	4.29E+04	6.26E+03	2.14E+04	2.52E+04	1.85E+03	3.01E+04	4.16E+03	
9.09E+03*	3.11E+04	3.78E+04	2.22E+03*	4.30E+04	5.97E+03*	2.18E+04	2.49E+04	2.02E+03*	3.02E+04	3.91E+03*	
12	.3341	.3519	.3713	.3924	.4155	.4408	.4686	.4994	.5336	.5716	.6143
	29927.3	28413.4	26932.3	25684.1	24068.9	22686.9	21338.1	20022.8	18741.2	17493.4	16279.6
2.99E-04	2.09E-02	4.21E-03	1.24E-02	1.63E-02	2.05E-03	2.46E-02	1.41E-03	2.06E-02	1.38E-02	7.60E-03	
1.3675	1.3500	1.3559	1.3874	1.3969	1.4372	1.4372	1.4295	1.4808	1.4901	1.5333	
2.36E-01	2.29E-01	2.31E-01	2.45E-01	2.49E-01	2.69E-01	2.69E-01	2.65E-01	2.94E-01	2.99E-01	3.27E-01	
(9.07E+02)	5.09E+04	8.91E+03	2.50E+04	2.87E+04	3.51E+03	3.51E+04	(1.61E+03)	2.37E+04	1.34E+04	7.09E+03	
1.01E+03*	5.10E+04	8.59E+03*	2.54E+04	2.84E+04	3.74E+03*	3.51E+04	1.45E+03*	2.40E+04	1.31E+04	7.39E+03*	
13	.3281	.3453	.3639	.3842	.4062	.4304	.4569	.4862	.5185	.5543	.5943
	30474.1	28960.2	27479.2	26031.0	24615.8	23233.7	21885.0	20569.7	19288.0	18040.2	16826.5
6.44E-03	1.72E-02	2.18E-04	1.99E-02	2.83E-03	1.44E-02	1.24E-02	5.26E-03	2.24E-02	4.32E-05	2.58E-02	
1.3332	1.3416	1.4057	1.3770	1.3796	1.4153	1.4241	1.4606	1.4662	1.6704	1.5111	
2.22E-01	2.26E-01	2.53E-01	2.40E-01	2.41E-01	2.58E-01	2.65E-01	2.82E-01	2.85E-01	4.36E-01	3.12E-01	
1.82E+04	4.31E+04	(5.90E+02)	4.11E+04	4.99E+03	2.43E+04	1.81E+04	7.37E+03	2.64E+04	(9.76E+01)	2.42E+04	
1.86E+04*	4.29E+04	6.75E+02*	4.12E+04	4.74E+03*	2.47E+04	1.78E+04	7.67E+03*	2.63E+04	1.27E+02*	2.44E+04	
14	.3226	.3392	.3572	.3766	.3978	.4210	.4463	.4742	.5048	.5388	.5765
	30994.3	29480.4	27999.3	26551.1	25135.9	23753.9	22405.1	21089.8	19808.2	18560.4	17346.7
1.37E-02	7.90E-03	6.19E-03	1.56E-02	7.59E-04	1.95E-02	7.92E-04	1.77E-02	6.67E-03	1.14E-02	1.62E-02	
1.3243	1.3328	1.3605	1.3679	1.4141	1.4044	1.3921	1.4437	1.4496	1.4873	1.4949	
2.19E-01	2.22E-01	2.33E-01	2.36E-01	2.58E-01	2.55E-01	2.47E-01	2.73E-01	2.76E-01	2.97E-01	3.02E-01	
3.97E+04	2.02E+04	1.50E+04	3.30E+04	1.62E+03	3.38E+04	(1.10E+03)	2.50E+04	8.00E+03	1.31E+04	1.56E+04	
4.00E+04	1.99E+04*	1.53E+04*	3.27E+04	1.76E+03*	3.38E+04	9.74E+02*	2.52E+04	7.70E+03*	1.34E+04	1.53E+04	
15	.3176	.3336	.3510	.3698	.3902	.4124	.4367	.4633	.4926	.5248	.5605
	31487.8	29974.0	28492.9	27044.7	25629.5	24247.4	22898.7	21583.4	20301.8	19053.9	17840.2
1.62E-02	1.18E-03	1.32E-02	6.21E-03	7.80E-03	1.26E-02	2.69E-03	1.78E-02	9.03E-05	2.01E-02	1.27E-03	
1.3174	1.3169	1.3508	1.3577	1.3872	1.3943	1.4304	1.4323	1.5544	1.4726	1.4600	
2.16E-01	2.16E-01	2.29E-01	2.32E-01	2.45E-01	2.48E-01	2.66E-01	2.67E-01	3.41E-01	2.89E-01	2.82E-01	
4.80E+04	3.01E+03	3.26E+04	1.34E+04	1.59E+04	2.24E+04	4.62E+03	2.58E+04	(1.78E+02)	2.35E+04	(1.16E+03)	
4.80E+04	2.83E+03*	3.28E+04	1.31E+04*	1.63E+04*	2.21E+04	4.86E+03*	2.57E+04	2.24E+02*	2.36E+04	1.03E+03*	

Table 17. Radiative transition parameters for $O_2^+ A^2\Pi_u - X^2\Pi_g$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$. — Continued

$V'\backslash V''$	0	1	2	3	4	5	6	7	8	9	10
16	.1970	.2045	.2125	.2210	.2301	.2397	.2499	.2608	.2725	.2851	.2985
	50761.4	48888.3	47048.0	45240.5	43465.7	41723.6	40014.0	38337.0	36692.6	35080.7	33501.5
	1.71E-02	2.99E-02	4.97E-03	8.10E-03	1.54E-02	9.05E-05	1.54E-02	2.72E-03	9.60E-03	8.69E-03	3.60E-03
	1.1644	1.1775	1.1882	1.2050	1.2147	1.2684	1.2421	1.2473	1.2714	1.2797	1.3041
	1.72E-01	1.75E-01	1.78E-01	1.82E-01	1.84E-01	2.00E-01	1.92E-01	1.93E-01	2.01E-01	2.03E-01	2.11E-01
	1.34E+05	2.17E+05	3.30E+04	5.02E+04	8.72E+04	5.31E+02	7.35E+04	1.16E+04	3.87E+04	3.14E+04	1.23E+04
	1.35E+05	2.17E+05	3.27E+04*	5.06E+04*	8.69E+04	5.85E+02*	7.36E+04	1.13E+04*	3.90E+04*	3.10E+04*	1.26E+04*
17	.1953	.2027	.2106	.2189	.2278	.2372	.2472	.2579	.2693	.2815	.2946
	51202.0	49328.9	47488.6	45681.1	43906.3	42164.2	40454.6	38777.6	37133.2	35521.3	33942.1
	1.82E-02	2.70E-02	2.29E-03	1.06E-02	1.15E-02	1.37E-03	1.46E-02	3.34E-04	1.23E-02	3.64E-03	7.87E-03
	1.1614	1.1745	1.1847	1.2012	1.2110	1.2346	1.2379	1.2282	1.2662	1.2726	1.2965
	1.72E-01	1.74E-01	1.77E-01	1.81E-01	1.83E-01	1.90E-01	1.91E-01	1.88E-01	1.99E-01	2.01E-01	2.09E-01
	1.46E+05	2.00E+05	1.55E+04	6.69E+04	6.60E+04	7.49E+03	7.09E+04	1.39E+03	5.05E+04	1.33E+04	2.72E+04
	1.46E+05	2.00E+05	1.53E+04*	6.72E+04	6.56E+04	7.68E+03*	7.09E+04	1.29E+03*	5.08E+04	1.30E+04*	2.75E+04*
18	.1937	.2010	.2088	.2169	.2256	.2349	.2447	.2552	.2663	.2783	.2911
	51616.3	49743.2	47902.9	46095.5	44320.7	42578.5	40868.9	39191.9	37547.5	35935.7	34356.4
	1.91E-02	2.40E-02	7.39E-04	1.23E-02	7.71E-03	3.45E-03	1.22E-02	1.44E-04	1.27E-02	7.03E-04	1.08E-02
	1.1585	1.1717	1.1810	1.1979	1.2074	1.2274	1.2340	1.2828	1.2617	1.2593	1.2909
	1.71E-01	1.74E-01	1.76E-01	1.80E-01	1.82E-01	1.88E-01	1.89E-01	2.04E-01	1.98E-01	1.97E-01	2.07E-01
	1.55E+05	1.81E+05	5.09E+03	7.89E+04	4.52E+04	1.90E+04	6.05E+04	7.32E+02	5.33E+04	2.56E+03	3.78E+04
	1.55E+05	1.80E+05	4.95E+03*	7.92E+04	4.48E+04*	1.93E+04*	6.03E+04	7.99E+02*	5.33E+04	2.42E+03*	3.81E+04
19	.1923	.1995	.2071	.2151	.2237	.2327	.2424	.2527	.2636	.2753	.2878
	52004.5	50131.3	48291.1	46483.6	44708.8	42966.6	41257.1	39580.1	37935.6	36323.8	34744.5
	1.96E-02	2.09E-02	7.57E-05	1.31E-02	4.62E-03	5.57E-03	9.15E-03	1.37E-03	1.13E-02	1.94E-05	1.14E-02
	1.1558	1.1692	1.1742	1.1949	1.2039	1.2227	1.2302	1.2554	1.2575	1.3683	1.2861
	1.70E-01	1.73E-01	1.74E-01	1.79E-01	1.81E-01	1.86E-01	1.88E-01	1.96E-01	1.96E-01	2.37E-01	2.05E-01
	1.62E+05	1.60E+05	5.25E+02	8.55E+04	2.76E+04	3.11E+04	4.62E+04	6.59E+03	4.81E+04	(1.05E+02)	4.08E+04
	1.62E+05	1.60E+05	4.82E+02*	8.57E+04	2.73E+04*	3.14E+04*	4.59E+04*	6.78E+03*	4.80E+04	1.30E+02*	4.09E+04
20	.1910	.1980	.2055	.2135	.2219	.2308	.2403	.2504	.2611	.2726	.2848
	52366.5	50493.4	48653.1	46845.6	45070.8	43328.7	41619.1	39942.1	38297.7	36685.8	35106.6
	1.98E-02	1.78E-02	5.45E-05	1.31E-02	2.38E-03	7.24E-03	6.16E-03	3.16E-03	8.81E-03	9.15E-04	1.01E-02
	1.1533	1.1669	1.1846	1.1922	1.2003	1.2191	1.2264	1.2482	1.2534	1.2818	1.2817
	1.70E-01	1.73E-01	1.77E-01	1.79E-01	1.81E-01	1.85E-01	1.87E-01	1.94E-01	1.95E-01	2.04E-01	2.04E-01
	1.66E+05	1.39E+05	3.97E+02	8.68E+04	1.44E+04	4.10E+04	3.16E+04	1.53E+04	3.81E+04	3.81E+03	3.69E+04
	1.66E+05	1.38E+05	4.35E+02*	8.69E+04	1.42E+04*	4.13E+04*	3.13E+04*	1.55E+04*	3.79E+04*	3.96E+03*	3.68E+04
21	.1897	.1967	.2041	.2119	.2202	.2290	.2384	.2483	.2588	.2701	.2822
	52702.0	50828.8	48988.6	47181.1	45406.3	43664.1	41954.6	40277.6	38633.1	37021.3	35442.0
	1.96E-02	1.49E-02	4.59E-04	1.24E-02	9.60E-04	8.21E-03	3.67E-03	4.81E-03	6.09E-03	2.49E-03	7.77E-03
	1.1509	1.1647	1.1777	1.1897	1.1959	1.2160	1.2226	1.2436	1.2495	1.2728	1.2775
	1.69E-01	1.72E-01	1.75E-01	1.78E-01	1.79E-01	1.85E-01	1.86E-01	1.92E-01	1.94E-01	2.01E-01	2.03E-01
	1.67E+05	1.18E+05	3.21E+03	8.34E+04	5.86E+03	4.72E+04	1.90E+04	2.35E+04	2.68E+04	1.04E+04	2.88E+04
	1.67E+05	1.18E+05	3.31E+03*	8.34E+04	5.71E+03*	4.74E+04*	1.88E+04*	2.38E+04*	2.65E+04*	1.06E+04*	2.86E+04*

Table 17. Radiative transition parameters for $O_2^+ A^2\Pi_u - X^2\Pi_g$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$. — Continued

$V' \backslash V''$	11	12	13	14	15	16	17	18	19	20	21
16	.3129	.3285	.3453	.3635	.3832	.4046	.4280	.4535	.4815	.5123	.5462
	31954.9	30441.0	28959.9	27511.7	26096.5	24714.5	23365.7	22050.4	20768.8	19521.0	18307.2
1.34E-02	3.36E-04	1.51E-02	4.97E-04	1.40E-02	3.47E-03	1.08E-02	8.13E-03	6.86E-03	1.34E-02	3.17E-03	
1.3111	1.3564	1.3435	1.3308	1.3775	1.3809	1.4139	1.4204	1.4542	1.4601	1.5019	
2.14E-01	2.31E-01	2.26E-01	2.21E-01	2.41E-01	2.42E-01	2.57E-01	2.61E-01	2.78E-01	2.82E-01	3.06E-01	
4.06E+04	1.03E+03	3.81E+04	(1.03E+03)	2.91E+04	6.22E+03	1.86E+04	1.20E+04	9.65E+03	1.60E+04	3.70E+03	
4.03E+04	1.13E+03*	3.81E+04	9.16E+02*	2.93E+04	5.97E+03*	1.88E+04	1.17E+04*	9.94E+03*	1.57E+04	3.91E+03*	
17	.3087	.3238	.3401	.3578	.3768	.3975	.4201	.4446	.4715	.5010	.5334
	32395.5	30881.6	29400.5	27952.3	26537.1	25155.1	23806.3	22491.0	21209.4	19961.6	18747.9
8.06E-03	3.65E-03	1.18E-02	9.02E-04	1.40E-02	6.26E-11	1.48E-02	8.03E-04	1.42E-02	2.98E-03	1.27E-02	
1.3047	1.3303	1.3367	1.3741	1.3697	92.5600	1.4044	1.3932	1.4415	1.4421	1.4816	
2.12E-01	2.21E-01	2.24E-01	2.39E-01	2.37E-01	1.20E-01	2.53E-01	2.48E-01	2.72E-01	2.72E-01	2.94E-01	
2.49E+04	1.07E+04	3.03E+04	2.28E+03	2.99E+04	(2.91E-05)	2.58E+04	(1.14E+03)	2.02E+04	3.55E+03	1.46E+04	
2.46E+04*	1.09E+04*	3.01E+04	2.43E+03*	2.98E+04	1.30E+01*	2.59E+04	1.01E+03*	2.04E+04	3.35E+03*	1.48E+04	
18	.3048	.3195	.3354	.3525	.3710	.3911	.4129	.4366	.4625	.4908	.5219
	32809.8	31295.9	29814.8	28366.6	26951.5	25569.4	24220.7	22905.4	21623.7	20375.9	19162.2
3.23E-03	7.76E-03	6.39E-03	4.82E-03	9.43E-03	2.48E-03	1.20E-02	9.35E-04	1.39E-02	1.50E-04	1.54E-02	
1.2972	1.3223	1.3297	1.3564	1.3623	1.3943	1.3961	1.4401	1.4319	1.5236	1.4700	
2.09E-01	2.18E-01	2.21E-01	2.31E-01	2.34E-01	2.48E-01	2.49E-01	2.71E-01	2.67E-01	3.20E-01	2.87E-01	
1.01E+04	2.29E+04	1.67E+04	1.19E+04	2.05E+04	5.18E+03	2.14E+04	1.67E+03	2.03E+04	(2.64E+02)	1.81E+04	
9.84E+03*	2.32E+04*	1.64E+04*	1.22E+04*	2.02E+04*	5.39E+03*	2.12E+04	1.81E+03*	2.02E+04	3.18E+02*	1.81E+04	
19	.3012	.3156	.3311	.3478	.3658	.3852	.4064	.4293	.4543	.4816	.5115
	33197.9	31684.1	30203.0	28754.8	27339.6	25957.6	24608.8	23293.5	22011.9	20764.1	19550.3
5.23E-04	1.03E-02	2.05E-03	8.61E-03	4.06E-03	6.92E-03	6.17E-03	5.44E-03	8.21E-03	4.25E-03	1.01E-02	
1.2818	1.3165	1.3204	1.3486	1.3537	1.3824	1.3872	1.4180	1.4224	1.4563	1.4593	
2.04E-01	2.16E-01	2.17E-01	2.28E-01	2.30E-01	2.43E-01	2.45E-01	2.59E-01	2.62E-01	2.80E-01	2.81E-01	
1.61E+03	3.08E+04	5.42E+03	2.16E+04	8.91E+03	1.44E+04	1.12E+04	9.38E+03	1.22E+04	6.02E+03	1.21E+04	
1.49E+03*	3.10E+04	5.21E+03*	2.18E+04*	8.66E+03*	1.47E+04*	1.09E+04*	9.62E+03*	1.19E+04*	6.24E+03*	1.19E+04	
20	.2980	.3121	.3272	.3434	.3610	.3799	.4005	.4227	.4469	.4733	.5022
	33560.0	32046.1	30565.0	29116.8	27701.6	26319.6	24970.8	23655.5	22373.9	21126.1	19912.3
6.25E-05	1.04E-02	1.22E-04	1.02E-02	7.26E-04	9.76E-03	1.60E-03	9.37E-03	2.52E-03	9.14E-03	3.38E-03	
1.3495	1.3115	1.2850	1.3427	1.3371	1.3751	1.3735	1.4088	1.4093	1.4444	1.4458	
2.29E-01	2.14E-01	2.05E-01	2.26E-01	2.24E-01	2.39E-01	2.39E-01	2.55E-01	2.55E-01	2.73E-01	2.74E-01	
(2.50E+02)	3.19E+04	(2.97E+02)	2.60E+04	1.57E+03	2.07E+04	2.87E+03	1.63E+04	3.75E+03	1.30E+04	4.05E+03	
2.94E+02*	3.19E+04	2.45E+02*	2.61E+04	1.45E+03*	2.08E+04*	2.71E+03*	1.65E+04*	3.55E+03*	1.32E+04*	3.87E+03*	
21	.2950	.3088	.3236	.3395	.3567	.3752	.3952	.4168	.4403	.4659	.4939
	33895.4	32381.6	30900.5	29452.3	28037.1	26655.1	25306.3	23991.0	22709.4	21461.6	20247.8
1.09E-03	8.79E-03	3.48E-04	9.38E-03	4.65E-05	9.81E-03	5.21E-06	1.02E-02	7.20E-05	1.07E-02	1.39E-04	
1.3051	1.3069	1.3458	1.3375	1.4302	1.3691	1.1067	1.4017	1.3335	1.4361	1.3850	
2.12E-01	2.12E-01	2.27E-01	2.24E-01	2.66E-01	2.37E-01	1.61E-01	2.52E-01	2.22E-01	2.69E-01	2.44E-01	
3.86E+03	2.73E+04	1.07E+03	2.44E+04	(1.47E+02)	2.11E+04	(4.42E+00)	1.81E+04	(8.45E+01)	1.55E+04	(1.39E+02)	
4.02E+03*	2.72E+04*	1.16E+03*	2.43E+04*	1.80E+02*	2.11E+04*	4.80E-04*	1.81E+04	5.50E+01*	1.56E+04	9.99E+01*	

*The Einstein coefficients for this band may have limited accuracy, since the Franck-Condon factor is less than 0.01 (see text).

Table 18. Radiative transition parameters for $O_2^+ b \ ^4\Sigma_g^- - a \ ^4\Pi_u$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$.

$V' \backslash V''$	0	1	2	3	4	5	6	7	8	9	10
0	.6000	.6389	.6822	.7308	.7855	.8475	.9183	1.0000	1.0950	1.2067	1.3400
	16666.4	15651.7	14657.4	13683.9	12731.2	11799.6	10889.2	10000.2	9132.6	8286.8	7462.8
	2.65E-01	2.92E-01	2.06E-01	1.19E-01	6.19E-02	3.01E-02	1.41E-02	6.50E-03	2.96E-03	1.34E-03	6.15E-04
	1.3375	1.3013	1.2716	1.2460	1.2235	1.2034	1.1851	1.1684	1.1531	1.1390	1.1260
	2.05E-01	2.19E-01	2.29E-01	2.38E-01	2.45E-01	2.51E-01	2.56E-01	2.61E-01	2.65E-01	2.68E-01	2.71E-01
	2.09E+05	2.17E+05	1.38E+05	6.99E+04	3.10E+04	1.26E+04	4.86E+03	1.79E+03	6.40E+02	2.23E+02	7.62E+01
	2.08E+05	2.16E+05	1.38E+05	7.01E+04	3.12E+04	1.27E+04	4.91E+03	1.81E+03*	6.48E+02*	2.26E+02*	7.73E+01*
1	.5609	.5947	.6321	.6736	.7197	.7715	.8297	.8958	.9713	1.0583	1.1594
	17829.1	16814.4	15820.2	14846.6	13893.9	12962.3	12051.9	11162.9	10295.4	9449.5	8625.5
	4.28E-01	2.34E-02	3.96E-02	1.20E-01	1.33E-01	1.03E-01	6.73E-02	3.96E-02	2.18E-02	1.16E-02	6.04E-03
	1.3791	1.3083	1.3220	1.2819	1.2540	1.2305	1.2099	1.1914	1.1747	1.1594	1.1453
	1.89E-01	2.16E-01	2.11E-01	2.25E-01	2.35E-01	2.43E-01	2.49E-01	2.55E-01	2.59E-01	2.63E-01	2.67E-01
	3.52E+05	2.10E+04	2.83E+04	8.10E+04	7.98E+04	5.37E+04	2.96E+04	1.45E+04	6.49E+03	2.75E+03	1.12E+03
	3.52E+05	2.13E+04	2.78E+04	8.05E+04	7.97E+04	5.38E+04	2.98E+04	1.46E+04	6.55E+03	2.78E+03	1.13E+03*
2	.5275	.5573	.5900	.6260	.6657	.7097	.7587	.8136	.8754	.9454	1.0252
	18957.6	17942.9	16948.6	15975.1	15022.4	14090.8	13180.4	12291.3	11423.8	10578.0	9753.9
	2.44E-01	1.77E-01	1.40E-01	7.27E-03	2.24E-02	7.38E-02	9.29E-02	8.23E-02	6.06E-02	4.00E-02	2.47E-02
	1.4296	1.3980	1.3361	1.2629	1.3022	1.2638	1.2382	1.2168	1.1979	1.1810	1.1657
	1.70E-01	1.82E-01	2.06E-01	2.32E-01	2.18E-01	2.32E-01	2.40E-01	2.47E-01	2.53E-01	2.58E-01	2.62E-01
	1.94E+05	1.37E+05	1.17E+05	6.47E+03	1.47E+04	4.49E+04	4.98E+04	3.78E+04	2.34E+04	1.27E+04	6.35E+03
	1.95E+05	1.37E+05	1.17E+05	6.72E+03*	1.43E+04	4.45E+04	4.96E+04	3.78E+04	2.35E+04	1.28E+04	6.40E+03
3	.4987	.5253	.5542	.5858	.6205	.6585	.7005	.7471	.7988	.8567	.9218
	20051.8	19037.0	18042.8	17069.3	16116.6	15185.0	14274.6	13385.5	12518.0	11672.2	10848.1
	5.81E-02	3.48E-01	2.46E-02	1.42E-01	5.98E-02	8.45E-04	1.95E-02	5.43E-02	6.98E-02	6.56E-02	5.20E-02
	1.4965	1.4425	1.4514	1.3490	1.3018	1.1661	1.2810	1.2475	1.2243	1.2047	1.1875
	1.44E-01	1.65E-01	1.61E-01	2.01E-01	2.18E-01	2.62E-01	2.26E-01	2.37E-01	2.45E-01	2.51E-01	2.56E-01
	3.94E+04	2.64E+05	1.52E+04	1.15E+05	4.84E+04	(8.21E+02)	1.17E+04	2.97E+04	3.32E+04	2.66E+04	1.76E+04
	3.92E+04	2.65E+05	1.51E+04	1.15E+05	4.88E+04	9.43E+02*	1.15E+04	2.94E+04	3.31E+04	2.66E+04	1.76E+04
4	.4737	.4976	.5235	.5516	.5822	.6156	.6521	.6923	.7365	.7854	.8398
	21111.7	20097.0	19102.7	18129.2	17176.5	16244.9	15334.5	14445.4	13577.9	12732.1	11908.0
	4.97E-03	1.43E-01	3.32E-01	2.23E-03	8.20E-02	9.02E-02	2.39E-02	1.56E-04	1.89E-02	4.33E-02	5.46E-02
	1.6041	1.5093	1.4578	1.1443	1.3638	1.3140	1.2705	1.5118	1.2620	1.2331	1.2121
	1.06E-01	1.39E-01	1.59E-01	2.67E-01	1.95E-01	2.14E-01	2.29E-01	1.38E-01	2.32E-01	2.42E-01	2.49E-01
	2.12E+03	9.12E+04	2.36E+05	3.84E+03	6.41E+04	7.17E+04	1.84E+04	(3.65E+01)	1.03E+04	2.12E+04	2.31E+04
	1.98E+03*	9.10E+04	2.38E+05	4.20E+03*	6.34E+04	7.17E+04	1.87E+04	2.39E+01*	1.01E+04	2.10E+04	2.30E+04
5	.4517	.4734	.4968	.5221	.5494	.5790	.6112	.6464	.6848	.7269	.7732
	22157.3	21122.5	20128.3	19154.8	18202.1	17270.5	16360.1	15471.0	14603.5	13757.7	12933.6
	5.90E-05	1.60E-02	2.26E-01	2.66E-01	3.29E-02	2.89E-02	8.31E-02	5.01E-02	7.92E-03	1.68E-03	1.81E-02
	1.9562	1.6230	1.5229	1.4767	1.3295	1.3881	1.3244	1.2848	1.2371	1.3160	1.2459
	2.60E-02	9.97E-02	1.34E-01	1.52E-01	2.08E-01	1.86E-01	2.10E-01	2.24E-01	2.41E-01	2.13E-01	2.38E-01
	1.75E+00	6.06E+03	1.35E+05	1.74E+05	3.48E+04	2.08E+04	6.50E+04	3.78E+04	5.79E+03	8.04E+02	8.99E+03
	1.81E+00*	5.61E+03	1.35E+05	1.76E+05	3.46E+04	2.04E+04	6.47E+04	3.81E+04	6.02E+03*	7.35E+02*	8.79E+03
6	.4324	.4522	.4735	.4964	.5210	.5476	.5763	.6075	.6412	.6780	.7181
	23128.5	22113.8	21119.5	20146.0	19193.3	18261.7	17351.3	16462.2	15594.7	14748.9	13924.8
	3.10E-06	1.51E-04	3.11E-02	2.96E-01	1.95E-01	6.62E-02	3.64E-03	5.72E-02	6.11E-02	2.50E-02	1.82E-03
	1.2975	2.0951	1.6435	1.5375	1.5013	1.3538	1.4702	1.3356	1.2942	1.2586	1.1874
	2.20E-01	1.27E-02	9.32E-02	1.29E-01	1.42E-01	1.99E-01	1.54E-01	2.06E-01	2.21E-01	2.34E-01	2.56E-01
	(7.52E+00)	(1.06E+00)	1.03E+04	1.63E+05	1.13E+05	6.47E+04	1.83E+03	4.38E+04	4.59E+04	1.77E+04	1.30E+03
	6.00E+00*	3.57E+01*	9.42E+03	1.64E+05	1.16E+05	6.38E+04	1.69E+03*	4.33E+04	4.59E+04	1.80E+04	1.42E+03*
7	.4152	.4335	.4530	.4739	.4963	.5203	.5462	.5741	.6042	.6367	.6720
	24085.2	23070.5	22076.3	21102.7	20150.1	19218.4	18308.0	17419.0	16551.5	15705.6	14881.6
	1.14E-07	2.33E-05	1.77E-04	4.75E-02	3.50E-01	1.39E-01	8.47E-02	8.91E-04	3.05E-02	5.66E-02	3.85E-02
	2.0022	1.4032	2.3657	1.6660	1.5532	1.5337	1.3633	1.1262	1.3502	1.3026	1.2689
	2.07E-02	1.80E-01	2.38E-03	8.64E-02	1.23E-01	1.30E-01	1.95E-01	2.71E-01	2.00E-01	2.18E-01	2.30E-01
	(2.76E-03)	(3.75E+01)	(4.38E-02)	(1.35E+04)	1.77E+05	6.79E+04	8.04E+04	(1.40E+03)	2.25E+04	4.23E+04	2.72E+04
	3.50E-02*	2.89E+01*	2.08E+02*	1.21E+04	1.79E+05	7.03E+04	7.87E+04	1.70E+03*	2.20E+04	4.20E+04	2.74E+04

Table 18. Radiative transition parameters for $O_2^+ b\ ^4\Sigma_g^- - a\ ^4\Pi_u$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$. — Continued

$v'\backslash v''$	11	12	13	14	15	16	17	18	19	20	21
0	1.5014 6660.7	1.7005 5880.6	1.9521 5122.8	2.2793 4387.3	2.7216 3674.4	3.3511 2984.1	4.3164 2316.7	5.9790 1672.5	9.5088 1051.7	22.0063 454.4	-84.2112 -118.7
	2.84E-04	1.34E-04	6.42E-05	3.16E-05	1.61E-05	8.47E-06	4.64E-06	2.65E-06	1.58E-06	9.85E-07	6.40E-07
	1.1141	1.1031	1.0933	1.0845	1.0769	1.0705	1.0654	1.0616	1.0590	1.0575	1.0570
	2.74E-01	2.76E-01	2.78E-01	2.79E-01	2.81E-01	2.82E-01	2.82E-01	2.83E-01	2.83E-01	2.83E-01	2.83E-01
	2.55E+01	8.38E+00	2.70E+00	8.44E-01	2.54E-01	7.23E-02	1.86E-02	4.02E-03	5.97E-04	3.01E-05	-1.74E-07
	2.59E+01*	8.53E+00*	2.75E+00*	8.60E-01*	2.59E-01*	7.36E-02*	1.90E-02*	4.08E-03*	6.06E-04*	3.05E-05*	-1.76E-07*
1	1.2782 7823.4	1.4198 7043.3	1.5910 6285.5	1.8018 5550.0	2.0674 4837.1	2.4115 4146.8	2.8740 3479.5	3.5270 2835.2	4.5159 2214.4	6.1838 1617.1	9.5788 1044.0
	3.11E-03	1.60E-03	8.27E-04	4.34E-04	2.32E-04	1.27E-04	7.17E-05	4.18E-05	2.52E-05	1.58E-05	1.02E-05
	1.1324	1.1206	1.1098	1.1001	1.0915	1.0839	1.0776	1.0723	1.0683	1.0653	1.0633
	2.70E-01	2.72E-01	2.75E-01	2.76E-01	2.78E-01	2.79E-01	2.80E-01	2.81E-01	2.82E-01	2.82E-01	2.83E-01
	4.39E+02	1.68E+02	6.27E+01	2.30E+01	8.22E+00	2.87E+00	9.62E-01	3.05E-01	8.81E-02	2.16E-02	3.77E-03
	4.45E+02*	1.70E+02*	6.37E+01*	2.34E+01*	8.37E+00*	2.92E+00*	9.79E-01*	3.10E-01*	8.96E-02*	2.19E-02*	3.82E-03*
2	1.1171 8951.8	1.2237 8171.8	1.3488 7414.0	1.4973 6678.5	1.6763 5965.5	1.8956 5275.3	2.1702 4607.9	2.5229 3963.7	2.9915 3342.8	3.6422 2745.6	4.6031 2172.4
	1.46E-02	8.38E-03	4.76E-03	2.70E-03	1.54E-03	8.89E-04	5.23E-04	3.14E-04	1.94E-04	1.23E-04	8.08E-05
	1.1517	1.1388	1.1272	1.1165	1.1070	1.0985	1.0910	1.0846	1.0793	1.0750	1.0717
	2.65E-01	2.68E-01	2.71E-01	2.73E-01	2.75E-01	2.77E-01	2.78E-01	2.79E-01	2.80E-01	2.81E-01	2.81E-01
	2.98E+03	1.33E+03	5.78E+02	2.43E+02	1.00E+02	4.05E+01	1.60E+01	6.19E+00	2.31E+00	8.16E-01	2.66E-01
	3.01E+03	1.35E+03*	5.85E+02*	2.47E+02*	1.02E+02*	4.12E+01*	1.63E+01*	6.28E+00*	2.34E+00*	8.28E-01*	2.69E-01*
3	.9954 10046.0	1.0792 9266.0	1.1753 8508.2	1.2866 7772.7	1.4165 7059.7	1.5700 6369.5	1.7537 5702.1	1.9771 5057.9	2.2538 4437.0	2.6043 3839.8	3.0613 3266.6
	3.71E-02	2.48E-02	1.59E-02	9.97E-03	6.17E-03	3.80E-03	2.36E-03	1.48E-03	9.47E-04	6.17E-04	4.11E-04
	1.1721	1.1581	1.1454	1.1338	1.1233	1.1139	1.1055	1.0982	1.0918	1.0864	1.0819
	2.60E-01	2.64E-01	2.67E-01	2.69E-01	2.72E-01	2.74E-01	2.75E-01	2.77E-01	2.78E-01	2.79E-01	2.80E-01
	1.03E+04	5.56E+03	2.83E+03	1.38E+03	4.69E+02	2.99E+02	1.35E+02	5.96E+01	2.59E+01	1.10E+01	4.55E+00
	1.04E+04	5.61E+03	2.86E+03	1.39E+03*	6.57E+02*	3.03E+02*	1.36E+02*	6.04E+01*	2.63E+01*	1.12E+01*	4.61E+00*
4	.9004 11105.9	.9684 10325.9	1.0451 9568.1	1.1322 8832.6	1.2316 8119.6	1.3460 7429.4	1.4788 6762.0	1.6346 6117.8	1.8192 5496.9	2.0409 4899.7	2.3113 4326.5
	5.29E-02	4.40E-02	3.33E-02	2.37E-02	1.63E-02	1.10E-02	7.30E-03	4.85E-03	3.24E-03	2.19E-03	1.50E-03
	1.1944	1.1788	1.1647	1.1521	1.1406	1.1303	1.1210	1.1127	1.1054	1.0990	1.0936
	2.54E-01	2.58E-01	2.62E-01	2.65E-01	2.68E-01	2.70E-01	2.72E-01	2.74E-01	2.75E-01	2.77E-01	2.78E-01
	1.89E+04	1.31E+04	8.11E+03	4.66E+03	2.54E+03	1.33E+03	6.78E+02	3.38E+02	1.66E+02	7.99E+01	3.80E+01
	1.89E+04	1.31E+04	8.15E+03	4.70E+03	2.56E+03	1.34E+03	6.86E+02*	3.42E+02*	1.68E+02*	8.10E+01*	3.85E+01*
5	.8243 12131.5	.8809 11351.5	.9440 10593.7	1.0144 9858.2	1.0935 9145.2	1.1827 8455.0	1.2841 7787.6	1.3999 7143.4	1.5331 6522.5	1.6877 5925.3	1.8684 5352.1
	3.53E-02	4.35E-02	4.27E-02	3.68E-02	2.92E-02	2.20E-02	1.61E-02	1.15E-02	8.16E-03	5.79E-03	4.13E-03
	1.2209	1.2019	1.1859	1.1717	1.1590	1.1476	1.1374	1.1282	1.1200	1.1127	1.1064
	2.46E-01	2.52E-01	2.56E-01	2.60E-01	2.63E-01	2.66E-01	2.71E-01	2.73E-01	2.74E-01	2.75E-01	2.76E-01
	1.54E+04	1.63E+04	1.35E+04	9.67E+03	6.29E+03	3.82E+03	2.22E+03	1.24E+03	6.82E+02	3.67E+02	1.94E+02
	1.53E+04	1.62E+04	1.35E+04	9.69E+03	6.32E+03	3.85E+03	2.24E+03	1.26E+03	6.89E+02*	3.71E+02*	1.97E+02*
6	.7620 13122.7	.8102 12342.7	.8632 11584.9	.9217 10849.4	.9865 10136.4	1.0586 9446.2	1.1391 8778.8	1.2293 8134.6	1.3309 7513.7	1.4458 6916.5	1.5765 6343.3
	3.39E-03	1.67E-02	2.87E-02	3.45E-02	3.43E-02	3.05E-02	2.53E-02	2.00E-02	1.54E-02	1.16E-02	8.74E-03
	1.2776	1.2330	1.2108	1.1937	1.1791	1.1663	1.1549	1.1447	1.1356	1.1274	1.1202
	2.27E-01	2.42E-01	2.49E-01	2.54E-01	2.58E-01	2.62E-01	2.64E-01	2.67E-01	2.69E-01	2.71E-01	2.72E-01
	1.60E+03	7.43E+03	1.12E+04	1.15E+04	9.65E+03	7.13E+03	4.84E+03	3.11E+03	1.91E+03	1.14E+03	6.71E+02
	1.51E+03*	7.28E+03	1.11E+04	1.15E+04	9.64E+03	7.14E+03	4.86E+03	3.13E+03	1.93E+03	1.15E+03	6.77E+02*
7	.7103 14079.5	.7519 13299.4	.7973 12541.6	.8470 11806.1	.9015 11093.2	.9613 10402.9	1.0272 9735.6	1.0999 9091.4	1.1806 8470.5	1.2701 7873.2	1.3698 7300.1
	1.14E-02	1.41E-04	4.37E-03	1.44E-02	2.29E-02	2.70E-02	2.73E-02	2.49E-02	2.15E-02	1.77E-02	1.43E-02
	1.2327	1.0127	1.2579	1.2230	1.2031	1.1875	1.1743	1.1627	1.1524	1.1433	1.1352
	2.42E-01	2.88E-01	2.34E-01	2.45E-01	2.51E-01	2.56E-01	2.59E-01	2.62E-01	2.65E-01	2.67E-01	2.69E-01
	7.55E+03	(1.11E+02)	1.91E+03	5.77E+03	7.98E+03	8.06E+03	6.86E+03	5.23E+03	3.71E+03	2.51E+03	1.63E+03
	7.76E+03	1.63E+02*	1.82E+03*	5.65E+03	7.89E+03	8.02E+03	6.85E+03	5.24E+03	3.73E+03	2.52E+03	1.64E+03

Table 18. Radiative transition parameters for $O_2^+ b \ ^4\Sigma_g^- - a \ ^4\Pi_u$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v''} dr$. — Continued

$V' \backslash V''$	0	1	2	3	4	5	6	7	8	9	10
8	.3999	.4168	.4348	.4540	.4746	.4965	.5200	.5452	.5723	.6014	.6328
	25007.4	23992.7	22998.4	22024.9	21072.2	20140.6	19230.2	18341.1	17473.6	16627.8	15803.8
1.48E-08	3.28E-07	9.09E-05	8.15E-05	6.23E-02	3.93E-01	1.00E-01	8.77E-02	9.55E-03	1.18E-02	4.36E-02	
1.3868	2.3385	1.4872	3.2179	1.6910	1.5700	1.5761	1.3659	1.2967	1.3750	1.3110	
1.86E-01	2.86E-03	1.48E-01	1.21E-06	7.92E-02	1.17E-01	1.15E-01	1.94E-01	2.20E-01	1.91E-01	2.15E-01	
(3.24E-02)(1.50E-04)(9.76E+01)(5.15E-09)(1.48E+04)	(1.21E-06)	(7.92E-02)	(1.17E-01)	(1.80E+05)	(3.84E+04)	(8.28E+04)	(1.00E+04)	(8.01E+03)	(3.22E+04)		
2.37E-02*	7.34E-01*	7.32E+01*	7.13E+02*	1.29E+04	1.83E+05	4.06E+04	8.03E+04	1.04E+04*	7.73E+03	3.18E+04	
9	.3862	.4019	.4187	.4364	.4554	.4756	.4971	.5201	.5446	.5709	.5991
	25894.9	24880.1	23885.9	22912.3	21959.7	21028.0	20117.6	19228.6	18361.1	17515.2	16691.2
3.89E-12	1.43E-07	1.88E-07	2.45E-04	3.07E-06	7.29E-02	4.30E-01	7.67E-02	7.99E-02	2.11E-02	2.36E-03	
8.5735	1.5064	3.7136	1.5616	-9.1323	1.7196	1.5880	1.6291	1.3618	1.3283	1.4441	
0.00E+00	1.40E-01	2.89E-09	1.20E-01	0.00E+00	7.14E-02	1.11E-01	9.77E-02	1.96E-01	2.09E-01	1.64E-01	
(0.00E+00)(1.76E-01)(8.65E-17)(1.73E+02)(0.00E+00)(1.40E+04)	(7.14E-02)	(1.75E+05)	(2.11E+04)	(7.69E+04)	(2.00E+04)	(1.20E+03)					
2.21E-03*	1.11E-01*	5.32E+00*	1.23E+02*	1.79E+03*	1.17E+04	1.81E+05	2.29E+04	7.35E+04	2.05E+04	1.10E+03*	
10	.3739	.3886	.4042	.4208	.4384	.4570	.4769	.4980	.5205	.5444	.5700
	26747.4	25732.7	24738.5	23764.9	22812.2	21880.6	20970.2	20081.2	19213.7	18367.8	17543.8
9.18E-11	9.03E-10	6.60E-07	2.92E-07	5.07E-04	3.92E-04	7.75E-02	4.63E-01	6.49E-02	6.65E-02	3.10E-02	
1.6990	1.548	1.6192	-1.3590	1.6343	.4800	1.7533	1.6070	1.6894	1.3483	1.3464	
7.69E-02	6.00E-02	1.01E-01	6.12E-07	9.61E-02	1.66E-01	6.28E-02	1.05E-01	7.96E-02	2.01E-01	2.02E-01	
(4.21E-05)(2.24E-04)(4.12E-01)(5.95E-12)(2.25E+02)(4.57E+02)(1.14E+04)	(1.21E-06)	(3.63E+03)*	(8.82E+03)	(1.75E+05)	(1.18E+04)	(6.74E+04)	(2.76E+04)				
3.00E-06*	2.78E-02*	1.84E-01*	2.24E+01*	1.41E+02*	3.63E+03*	8.82E+03	1.75E+05	1.29E+04	6.31E+04	2.83E+04	
11	.3628	.3766	.3913	.4068	.4232	.4406	.4590	.4785	.4992	.5212	.5446
	27565.0	26550.2	25556.0	24582.4	23629.8	22698.1	21787.7	20898.7	20031.2	19185.3	18361.3
7.76E-12	6.41E-10	2.24E-08	1.86E-06	8.23E-06	8.36E-04	2.05E-03	7.46E-02	4.93E-01	6.25E-02	5.09E-02	
1.2261	1.9175	.9925	1.7465	.7787	1.7134	1.0710	1.7947	1.6269	1.7496	1.3189	
2.44E-01	3.13E-02	2.89E-01	6.45E-02	2.68E-01	7.30E-02	2.81E-01	5.33E-02	9.84E-02	6.37E-02	2.12E-01	
(3.92E-05)(4.75E-05)(1.27E-01)(4.67E-01)(3.16E+01)(2.11E+02)	(6.82E+03)	(7.85E+03)	(1.56E+05)	(7.26E+03)	(5.74E+04)	(3.37E-05)*	(2.54E-04)*	(1.55E-01)*	(3.84E-02)*	(6.59E+01)*	(5.16E+03)
	(9.56E+01)	(2.11E+02)	(1.20E+04)	(4.20E+03)	(1.42E+05)	(5.21E+03)	(5.19E+04)				
12	.3528	.3659	.3797	.3942	.4096	.4259	.4431	.4612	.4805	.5008	.5224
	28347.3	27332.5	26338.3	25364.7	24412.1	23480.4	22570.0	21681.0	20813.5	19967.6	19143.6
8.75E-15	1.41E+10	1.38E-09	1.86E-07	3.35E-06	4.91E-05	1.10E-03	6.04E-03	6.38E-02	5.21E-01	6.83E-02	
-3.7600	1.4233	2.3996	1.2767	1.9274	1.1775	1.8115	1.2987	1.8493	1.6476	1.8019	
8.94E-25	1.72E-01	1.88E-03	2.27E-01	2.98E-02	2.59E-01	4.98E-02	2.19E-01	4.24E-02	9.19E-02	5.18E-02	
(0.00E+00)(3.45E-04)(3.64E-07)(6.35E-01)(1.76E-01)(1.72E+02)(1.27E+02)	(1.20E+04)	(4.20E+03)	(1.42E+05)	(5.21E+03)	(5.21E+03)	(5.09E-06)*	(2.22E-04)*	(7.75E-03)*	(5.03E-01)*	(4.96E-01)*	(1.32E+02)
	(1.72E+02)	(1.20E+04)	(4.20E+03)	(1.42E+05)	(5.21E+03)						
13	.3437	.3561	.3692	.3830	.3975	.4128	.4289	.4459	.4638	.4828	.5028
	29094.1	28079.4	27085.1	26111.6	25158.9	24227.3	23316.9	22427.9	21560.3	20714.5	19890.5
7.80E-14	4.36E-12	1.03E-09	9.08E-11	8.78E-07	3.27E-06	1.73E-04	1.08E-03	1.33E-02	4.61E-02	5.43E-01	
1.9524	.6856	1.5946	9.5421	1.4485	2.3031	1.3678	1.9584	1.4287	1.9303	1.6688	
2.65E-02	2.42E-01	1.09E-01	0.00E+00	1.62E-01	3.62E-03	1.94E-01	2.57E-02	1.70E-01	2.94E-02	8.55E-02	
(5.46E-09)(2.28E-05)(9.88E-04)(0.00E+00)(1.49E+00)(2.47E-03)(3.33E+02)(3.27E+01)(1.56E+04)(1.44E+03)(1.27E+05)	(9.11E-08)*	(8.71E-05)*	(3.33E-04)*	(7.05E-02)*	(1.00E+00)*	(6.92E+00)*	(2.52E+02)*	(5.23E+01)*	(1.25E+04)	(4.32E+01)	(1.42E+05)
14	.3355	.3473	.3598	.3728	.3865	.4010	.4162	.4322	.4490	.4667	.4854
	29805.4	28790.6	27796.4	26822.8	25870.2	24938.6	24028.1	23139.1	22271.6	21425.8	20601.7
2.44E-14	2.56E-13	9.92E-11	3.85E-09	1.62E-08	2.75E-06	4.71E-07	4.40E-04	6.58E-04	2.42E-02	2.49E-02	
1.4872	2.8883	1.1640	1.8020	.4353	1.5906	4.7919	1.4960	2.2675	1.5198	2.0793	
1.48E-01	3.45E-05	2.62E-01	5.18E-02	1.49E-01	1.10E-01	9.26E-17	1.44E-01	4.55E-03	1.35E-01	1.38E-02	
(5.61E-08)(2.95E-14)	5.93E-04	(8.07E-04)	(2.51E-02)	(2.11E+00)	(2.27E-31)	(4.60E+02)	(6.11E-01)	(1.77E+04)	(1.69E+02)		
3.24E-08*	7.35E-06*	5.55E-04*	1.99E-04*	3.48E-01*	1.02E+00*	3.38E+01*	3.31E+02*	5.35E+02*	1.47E+04	1.18E+03	
15	.3281	.3394	.3512	.3637	.3767	.3904	.4048	.4199	.4358	.4525	.4700
	30480.8	29466.1	28471.8	27498.3	26545.6	25614.0	24703.6	23814.5	22947.0	22101.2	21277.1
1.92E-15	3.53E-13	2.17E-13	8.91E-10	6.56E-09	2.23E-07	5.90E-06	5.13E-06	8.63E-04	8.07E-05	3.73E-02	
1.0276	1.7013	-3.2691	1.4086	2.2017	1.1167	1.7443	.1876	1.6040	4.0614	1.5933	
2.87E-01	7.63E-02	3.87E-20	1.78E-01	6.84E-03	2.73E-01	6.50E-02	6.80E-02	1.06E-01	2.05E-11	1.09E-01	
(1.81E-08)(2.13E-07)(3.08E-44)(2.37E-03)(2.33E-05)	1.13E+00	(1.52E+00)	(1.30E+00)	(4.73E+02)	(1.48E-18)	(1.74E+04)	2.49E-08*	6.58E-10*	1.07E-04*	1.55E-03*	1.89E+03*

Table 18. Radiative transition parameters for $O_2^+ b ^4\Sigma_g^- - a ^4\Pi_u$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. - Continued

$V' \setminus V''$	11	12	13	14	15	16	17	18	19	20	21
8	.6666	.7032	.7427	.7857	.8323	.8830	.9383	.9987	1.0647	1.1370	1.2162
15001.7	14221.6	13463.8	12728.3	12015.3	11325.1	10657.7	10013.5	9392.7	8795.4	8222.2	
4.37E-02	2.24E-02	4.86E-03	3.88E-05	4.41E-03	1.16E-02	1.75E-02	2.06E-02	2.12E-02	2.00E-02	1.78E-02	
1.2767	1.2461	1.2046	1.6442	1.2463	1.2160	1.1977	1.1833	1.1712	1.1607	1.1515	
2.27E-01	2.38E-01	2.51E-01	9.30E-02	2.38E-01	2.47E-01	2.53E-01	2.57E-01	2.60E-01	2.63E-01	2.65E-01	
3.09E+04	1.48E+04	3.02E+03	(2.80E+00)	1.75E+03	4.19E+03	5.49E+03	5.54E+03	4.82E+03	3.80E+03	2.82E+03	
3.09E+04	1.50E+04	3.16E+03*	8.01E-01*	1.68E+03*	4.11E+03	5.44E+03	5.51E+03	4.80E+03	3.81E+03	2.83E+03	
9	.6294	.6619	.6968	.7344	.7750	.8188	.8662	.9174	.9728	1.0328	1.0977
15889.1	15109.1	14351.2	13615.7	12902.8	12212.5	11545.2	10901.0	10280.1	9682.9	9109.7	
2.86E-02	4.10E-02	3.00E-02	1.27E-02	2.08E-03	2.05E-04	3.71E-03	8.71E-03	1.28E-02	1.52E-02	1.59E-02	
1.3205	1.2837	1.2545	1.2247	1.1718	1.3953	1.2405	1.2120	1.1946	1.1812	1.1701	
2.11E-01	2.25E-01	2.35E-01	2.45E-01	2.60E-01	1.83E-01	2.40E-01	2.49E-01	2.54E-01	2.57E-01	2.61E-01	
2.08E+04	2.90E+04	1.98E+04	7.80E+03	1.23E+03	(5.06E+01)	1.33E+03	2.82E+03	3.63E+03	3.71E+03	3.31E+03	
2.04E+04	2.88E+04	2.00E+04	7.97E+03	1.31E+03*	4.22E+01*	1.28E+03*	2.77E+03*	3.59E+03	3.68E+03	3.30E+03	
10	.5973	.6265	.6577	.6912	.7270	.7654	.8066	.8508	.8983	.9492	1.0038
16741.7	15961.6	15203.8	14468.3	13755.4	13065.1	12397.8	11753.5	11132.7	10535.4	9962.3	
4.82E-06	1.59E-02	3.36E-02	3.25E-02	1.99E-02	7.51E-03	1.03E-03	2.22E-04	2.63E-03	5.95E-03	8.78E-03	
-1.2754	1.3326	1.2905	1.2614	1.2349	1.2044	1.1366	1.3784	1.2407	1.2115	1.1942	
1.54E-06	2.07E-01	2.22E-01	2.33E-01	2.41E-01	2.51E-01	2.69E-01	1.90E-01	2.39E-01	2.49E-01	2.54E-01	
(2.19E-10)	1.12E+04	2.37E+04	2.16E+04	1.22E+04	4.27E+03	5.74E+02	(5.26E+01)	8.44E+02	1.74E+03	2.27E+03	
1.65E+02*	1.09E+04	2.34E+04	2.16E+04	1.23E+04	4.40E+03*	6.33E+02*	4.57E+01*	8.11E+02*	1.71E+03*	2.24E+03*	
11	.5695	.5960	.6242	.6542	.6862	.7203	.7567	.7955	.8368	.8808	.9277
17559.2	16779.2	16021.3	15285.8	14572.9	13882.6	13215.3	12571.1	11950.2	11353.0	10779.8	
3.80E-02	1.82E-03	7.00E-03	2.44E-02	3.05E-02	2.41E-02	1.34E-02	4.90E-03	7.03E-04	1.06E-04	1.52E-03	
1.3625	1.1963	1.3511	1.2977	1.2675	1.2424	1.2176	1.1865	1.1114	1.4459	1.2495	
1.96E-01	2.53E-01	2.00E-01	2.20E-01	2.30E-01	2.39E-01	2.47E-01	2.56E-01	2.74E-01	1.63E-01	2.37E-01	
3.19E+04	2.23E+03	4.66E+03	1.71E+04	2.03E+04	1.49E+04	7.63E+03	2.58E+03	(3.66E+02)	(1.68E+01)	4.33E+02	
3.29E+04	2.43E+03*	4.43E+03*	1.67E+04	2.02E+04	1.50E+04	7.75E+03	2.68E+03*	4.11E+02*	1.44E+01*	4.14E+02*	
12	.5452	.5694	.5951	.6223	.6512	.6819	.7144	.7489	.7854	.8240	.8649
18341.5	17561.5	16803.6	16068.1	15355.2	14664.9	13997.6	13353.4	12732.5	12135.3	11562.1	
3.53E-02	4.21E-02	5.34E-03	2.02E-03	1.57E-02	2.54E-02	2.48E-02	1.77E-02	9.60E-03	3.70E-03	7.05E-04	
1.2598	1.3809	1.2508	1.3904	1.3063	1.2736	1.2489	1.2264	1.2031	1.1729	1.1068	
2.33E-01	1.89E-01	2.36E-01	1.85E-01	2.17E-01	2.28E-01	2.37E-01	2.44E-01	2.51E-01	2.60E-01	2.75E-01	
(4.80E+04)	3.29E+04	5.73E+03	(1.16E+03)	1.08E+04	1.70E+04	1.55E+04	1.02E+04	5.07E+03	1.81E+03	(3.35E+02)	
4.16E+04	3.44E+04	5.89E+03*	1.04E+03*	1.05E+04	1.67E+04	1.54E+04	1.02E+04	5.16E+03*	1.88E+03*	3.72E+02*	
13	.5239	.5462	.5698	.5947	.6210	.6489	.6782	.7092	.7419	.7763	.8124
19088.4	18308.3	17550.5	16815.0	16102.1	15411.8	14744.5	14100.2	13479.4	12882.1	12309.0	
8.27E-02	2.12E-02	4.46E-02	8.92E-03	1.19E-04	8.71E-03	1.91E-02	2.26E-02	1.95E-02	1.34E-02	7.47E-03	
1.8421	1.1365	1.4053	1.2631	1.6226	1.3179	1.2800	1.2550	1.2336	1.2133	1.1919	
4.38E-02	2.69E-01	1.79E-01	2.32E-01	9.98E-02	2.12E-01	2.26E-01	2.35E-01	2.42E-01	2.48E-01	2.54E-01	
(4.47E+03)	(3.81E+04)	3.13E+04	9.25E+03	(2.01E+01)	5.83E+03	1.27E+04	1.41E+04	1.13E+04	7.13E+03	3.65E+03	
4.00E+03	3.28E+04	3.38E+04	9.27E+03*	6.25E+00*	5.61E+03*	1.24E+04	1.40E+04	1.13E+04	7.20E+03	3.73E+03*	
14	.5051	.5258	.5476	.5706	.5948	.6202	.6470	.6752	.7047	.7357	.7680
19799.6	19019.6	18261.7	17526.3	16813.3	16123.0	15455.7	14811.5	14190.6	13593.4	13020.2	
5.52E-01	1.07E-01	9.58E-03	4.65E-02	1.16E-02	3.22E-04	3.92E-03	1.28E-02	1.85E-02	1.87E-02	1.53E-02	
1.6903	1.8713	.8343	1.4393	1.2582	1.1518	1.3374	1.2874	1.2611	1.2401	1.2214	
7.94E-02	3.85E-02	2.79E-01	1.66E-01	2.34E-01	2.65E-01	2.05E-01	2.23E-01	2.33E-01	2.40E-01	2.46E-01	
(1.09E+05)	(4.42E+03)	(1.84E+04)	(2.79E+04)	1.22E+04	(3.84E+02)	2.47E+03	8.43E+03	1.16E+04	1.09E+04	8.24E+03	
1.27E+05	3.71E+03	2.55E+04*	3.18E+04	1.19E+04	5.01E+02*	2.32E+03*	8.21E+03	1.14E+04	1.09E+04	8.26E+03	
15	.4884	.5077	.5281	.5494	.5718	.5953	.6199	.6457	.6727	.7008	.7302
20475.0	19695.0	18937.2	18201.7	17488.7	16798.5	16131.1	15486.9	14866.0	14268.8	13695.6	
6.60E-03	5.41E-01	1.41E-01	1.91E-03	4.92E-02	1.29E-02	1.75E-03	1.18E-03	7.56E-03	1.36E-02	1.61E-02	
2.5309	1.7117	1.8928	-3.3950	1.4865	1.2360	1.2673	1.3839	1.2968	1.2678	1.2465	
7.21E-04	7.35E-02	3.50E-02	3.35E-03	1.48E-01	2.41E-01	2.31E-01	1.87E-01	2.20E-01	2.30E-01	2.38E-01	
(1.19E-01)	(9.03E+04)	(4.74E+03)	(5.22E-01)	(2.33E+04)	1.44E+04	(1.58E+03)	(6.22E+02)	4.88E+03	8.50E+03	9.43E+03	
6.14E+03*	1.09E+05	3.93E+03	1.97E+04*	2.91E+04	1.37E+04	1.80E+03*	5.61E+02*	4.69E+03*	8.33E+03	9.33E+03	

Table 19. Calculated radiative lifetimes (s) of N₂, N₂⁺, and O₂⁺ states as a function of vibrational level.

<i>v</i>	N ₂ <i>A</i> 3Σ _u ⁺	N ₂ <i>B</i> 3Π _g	N ₂ <i>W</i> 3Δ _u	N ₂ <i>B'</i> 3Σ _u ⁻	N ₂ <i>a</i> 1Π _g	N ₂ <i>w</i> 1Δ _u	N ₂ <i>C</i> 3Π _u
0	2.05	1.13(-5)*	>1†	4.54(-5)	5.77(-5)	7.67(-4)	3.71(-8)
1	2.09	9.26(-6)	4.53(-3)	3.57(-5)	5.68(-5)	4.08(-4)	3.75(-8)
2	2.12	7.87(-6)	1.22(-3)	2.98(-5)	5.58(-5)	2.79(-4)	3.81(-8)
3	2.14	6.90(-6)	6.04(-4)	2.58(-5)	5.50(-5)	2.13(-4)	3.90(-8)
4	2.14	6.17(-6)	3.78(-4)	2.29(-5)	5.42(-5)	1.72(-4)	4.04(-8)
5	2.14	5.62(-6)	2.66(-4)	2.07(-5)	5.36(-5)	1.45(-4)	
6	2.16	5.19(-6)	2.02(-4)	1.90(-5)	5.32(-5)	1.26(-4)	
7	2.36	4.85(-6)	1.61(-4)	1.76(-5)	5.29(-5)§	1.11(-4)	
8	1.99	4.58(-6)	1.34(-4)	1.65(-5)	5.28(-5)§	1.00(-4)	
9	1.07	4.36(-6)	1.14(-4)	1.56(-5)	5.29(-5)§	9.09(-5)	
10	4.61(-1)	4.18(-6)	9.89(-5)	1.49(-5)	5.35(-5)§	8.35(-5)	
11	2.16(-1)	4.04(-6)	8.76(-5)	1.42(-5)	5.58(-5)§	7.74(-5)	
12	1.19(-1)	3.93(-6)	7.87(-5)	1.36(-5)	5.98(-5)§	7.22(-5)	
13	6.92(-2)	3.85(-6)†	7.16(-5)	1.32(-5)	6.10(-5)§	6.77(-5)	
14	4.36(-2)	3.78(-6)†	6.58(-5)	1.28(-5)	6.30(-5)§	6.39(-5)	
15	2.98(-2)	3.74(-6)†	6.11(-5)	1.24(-5)	6.49(-5)§	6.05(-5)	
16	2.11(-2)	3.72(-6)†	5.72(-5)	1.21(-5)	6.73(-5)§	5.75(-5)	
17	1.58(-2)	3.72(-6)†	5.39(-5)	1.18(-5)	6.88(-5)§	5.49(-5)	
18	1.24(-2)	3.73(-6)†	5.12(-5)§	1.16(-5)§	7.20(-5)§	5.25(-5)	
19	1.00(-2)	3.76(-6)†	4.89(-5)§	1.14(-5)§	7.37(-5)§	5.03(-5)§	
20	8.44(-3)	3.80(-6)†	4.71(-5)§	1.13(-5)§	7.62(-5)§	4.83(-5)§	
21	7.32(-3)	3.84(-6)†	4.56(-5)§	1.11(-5)§	7.99(-5)§	4.65(-5)§	

*Read as 1.13 × 10⁻⁵.

†Value depends considerably on the spin component and rotational level, and also on the unknown (but slow) rate of radiative decay to the ground state.

‡Actual lifetime shorter due to predissociation.

§Value may be significantly too large due to omission of transitions to high vibrational levels of lower electronic states.

Table 19. Calculated radiative lifetimes (s) of N_2 , N_2^+ , and O_2^+ states as a function of vibrational level. — Continued

v	$N_2 E^3\Sigma_g^+$	$N_2 D^3\Sigma_u^+$	$N_2^+ A^2\Pi_v$	$N_2^+ B^2\Sigma_u^+$	$N_2^+ C^2\Sigma_u^+$	$O_2^+ A^2\Pi_u$	$O_2^+ b^4\Sigma_g^-$
0	1.90(-4)*	1.41(-8)	1.60(-5)	6.23(-8)	6.81(-8)	5.97(-7)	1.46(-6)
1	7.49(-5)	1.33(-5)	6.20(-8)	6.62(-8)	6.09(-7)	1.49(-6)	
2		1.15(-5)	6.19(-8)	6.42(-8)	6.23(-7)	1.54(-6)	
3		1.03(-5)	6.23(-8)	6.23(-8) [†]	6.37(-7)	1.60(-6)	
4		9.32(-6)	6.30(-8)	6.06(-8) [†]	6.53(-7)	1.69(-6) [†]	
5		8.61(-6)	6.44(-8)	5.91(-8) [†]	6.71(-7)	1.79(-6) [†]	
6		8.05(-6)	6.64(-8)	5.79(-8) [†]	6.90(-7)	1.91(-6) [†]	
7		7.59(-6)	6.94(-8)	5.70(-8) [†]	7.11(-7)	2.07(-6) [†]	
8		7.22(-6)	7.36(-8)	5.65(-8) [†]	7.34(-7)	2.25(-6) [†]	
9		6.91(-6)	7.95(-8)	5.64(-8) [†]	7.58(-7)	2.47(-6) [†]	
10		6.66(-6)	8.75(-8)	5.69(-8) [†]	7.85(-7)	2.70(-6) [†]	
11		6.44(-6)			8.18(-7)	2.94(-6) [†]	
12		6.25(-6)		8.67(-7) [†]	3.18(-6) [†]		
13		6.10(-6)		9.15(-7) [†]	3.46(-6) [†]		
14		5.96(-6)		9.54(-7) [†]	3.88(-6) [†]		
15		5.85(-6)		1.01(-6) [†]	4.48(-6) [†]		
16		5.75(-6)		1.06(-6) [†]			
17		5.67(-6)		1.11(-6) [†]			
18		5.61(-6) [†]		1.18(-6) [†]			
19		5.56(-6) [†]		1.25(-6) [†]			
20		5.53(-6) [†]		1.33(-6) [†]			
21		5.50(-6) [†]		1.42(-6) [†]			

*Read as 1.90×10^{-4} .[†]Value may be significantly too large due to omission of transitions to high vibrational levels of lower electronic states.[‡]Actual lifetime shorter due to predissociation.

Table 20. Franck-Condon factors for N₂ B $^3\Pi_g$ -X $^1\Sigma_g^+$.

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
0	6.11(-2)*	1.91(-1)	2.74(-1)	2.41(-1)	1.44(-1)	6.24(-2)	2.03(-2)	5.02(-3)	9.65(-4)	1.44(-4)	1.68(-5)
1	1.47(-1)	1.93(-1)	4.50(-2)	1.59(-2)	1.42(-1)	2.05(-1)	1.51(-1)	7.14(-2)	2.37(-2)	5.76(-3)	1.05(-3)
2	1.95(-1)	6.54(-2)	2.39(-2)	1.30(-1)	4.81(-2)	9.67(-3)	1.24(-1)	1.86(-1)	1.34(-1)	6.02(-2)	1.86(-2)
3	1.90(-1)	7.17(-4)	1.05(-1)	3.60(-2)	3.09(-2)	1.11(-1)	2.50(-2)	2.43(-2)	1.41(-1)	1.72(-1)	1.08(-1)
4	1.51(-1)	2.58(-2)	8.38(-2)	7.32(-3)	9.25(-2)	6.91(-3)	5.99(-2)	8.84(-2)	3.07(-3)	5.97(-2)	1.62(-1)
5	1.05(-1)	7.60(-2)	2.07(-2)	6.56(-2)	2.61(-2)	4.12(-2)	6.26(-2)	3.07(-3)	8.95(-2)	4.75(-2)	5.91(-3)
6	6.65(-2)	1.04(-1)	5.33(-4)	7.50(-2)	3.74(-3)	7.11(-2)	4.31(-5)	7.35(-2)	1.72(-2)	3.77(-2)	8.79(-2)
7	3.90(-2)	1.03(-1)	2.49(-2)	3.34(-2)	4.62(-2)	1.87(-2)	4.58(-2)	2.77(-2)	2.91(-2)	5.98(-2)	1.36(-3)
8	2.16(-2)	8.39(-2)	5.85(-2)	2.39(-3)	6.37(-2)	2.54(-3)	5.61(-2)	4.27(-3)	6.02(-2)	1.75(-4)	6.72(-2)
9	1.15(-2)	6.04(-2)	7.72(-2)	6.14(-3)	3.82(-2)	3.48(-2)	1.36(-2)	4.60(-2)	9.13(-3)	4.67(-2)	1.79(-2)
10	5.92(-3)	3.98(-2)	7.73(-2)	3.00(-2)	8.13(-3)	5.38(-2)	1.89(-3)	4.50(-2)	1.03(-2)	4.06(-2)	1.15(-2)
11	2.98(-3)	2.46(-2)	6.55(-2)	5.24(-2)	4.98(-4)	3.91(-2)	2.70(-2)	1.05(-2)	4.35(-2)	1.75(-3)	4.88(-2)
12	1.48(-3)	1.45(-2)	4.96(-2)	6.29(-2)	1.35(-2)	4.55(-2)	1.33(-3)	3.70(-2)	1.48(-2)	2.47(-2)	
13	7.25(-4)	8.27(-3)	3.47(-2)	6.13(-2)	3.29(-2)	3.86(-4)	3.82(-2)	2.09(-2)	8.78(-3)	3.97(-2)	1.91(-5)
14	3.54(-4)	4.59(-3)	2.29(-2)	5.22(-2)	4.72(-2)	4.70(-3)	1.78(-2)	3.82(-2)	7.58(-4)	3.14(-2)	1.70(-2)
15	1.72(-4)	2.51(-3)	1.45(-2)	4.06(-2)	5.23(-2)	1.86(-2)	2.80(-3)	3.63(-2)	1.57(-2)	8.10(-3)	3.56(-2)
16	8.39(-5)	1.35(-3)	8.87(-3)	2.95(-2)	4.97(-2)	3.27(-2)	7.20(-4)	2.13(-2)	3.15(-2)	2.54(-4)	2.76(-2)
17	4.12(-5)	7.26(-4)	5.31(-3)	2.05(-2)	4.25(-2)	4.14(-2)	8.77(-3)	6.44(-3)	3.37(-2)	1.10(-2)	8.26(-3)
18	2.04(-5)	3.88(-4)	3.14(-3)	1.37(-2)	3.38(-2)	4.37(-2)	2.03(-2)	1.08(-4)	2.37(-2)	2.51(-2)	1.87(-6)
19	1.02(-5)	2.09(-4)	1.83(-3)	8.91(-3)	2.54(-2)	4.09(-2)	3.00(-2)	2.77(-3)	1.06(-2)	3.02(-2)	6.80(-3)
20	5.17(-6)	1.12(-4)	1.07(-3)	5.70(-3)	1.84(-2)	3.53(-2)	3.54(-2)	1.06(-2)	1.92(-3)	2.49(-2)	1.87(-2)
21	2.67(-6)	6.11(-5)	6.20(-4)	3.60(-3)	1.29(-2)	2.87(-2)	3.64(-2)	1.93(-2)	1.75(-4)	1.46(-2)	2.57(-2)

*Read as 6.11×10^{-2} .

Table 21. Franck-Condon factors for $N_2 W^3 \Delta_u - X^1 \Sigma_g^+$.

$v' \backslash v''$	0	1	2	3	4	5	6	7	8	9	10
0	1.46(-3)*	1.15(-2)	4.26(-2)	9.90(-2)	1.62(-1)	1.98(-1)	1.42(-1)	8.66(-2)	4.32(-2)	1.77(-2)	
1	7.46(-3)	4.25(-2)	1.04(-1)	1.38(-1)	9.47(-2)	2.00(-2)	5.18(-3)	6.77(-2)	1.38(-1)	1.54(-1)	1.18(-1)
2	2.04(-2)	8.14(-2)	1.20(-1)	6.49(-2)	1.39(-3)	3.66(-2)	9.31(-2)	6.18(-2)	3.82(-3)	2.50(-2)	1.02(-1)
3	3.97(-2)	1.06(-1)	7.80(-2)	3.31(-3)	3.56(-2)	7.72(-2)	2.25(-2)	8.07(-3)	7.07(-2)	7.01(-2)	9.81(-3)
4	6.18(-2)	1.03(-1)	2.41(-2)	1.51(-2)	6.90(-2)	2.05(-2)	1.21(-2)	6.61(-2)	2.93(-2)	4.04(-3)	6.36(-2)
5	8.18(-2)	7.73(-2)	2.40(-4)	5.17(-2)	3.75(-2)	3.44(-3)	5.62(-2)	2.26(-2)	9.58(-3)	6.10(-2)	2.41(-2)
6	9.60(-2)	4.32(-2)	1.13(-2)	5.85(-2)	2.62(-3)	3.83(-2)	3.32(-2)	3.80(-3)	5.22(-2)	1.53(-2)	1.55(-2)
7	1.02(-1)	1.53(-2)	3.60(-2)	3.41(-2)	8.17(-3)	4.76(-2)	7.60(-4)	3.93(-2)	2.23(-2)	9.91(-3)	4.96(-2)
8	1.01(-1)	1.44(-3)	5.23(-2)	7.76(-3)	3.33(-2)	2.10(-2)	1.44(-2)	3.74(-2)	6.99(-4)	4.31(-2)	8.68(-3)
9	9.43(-2)	1.39(-3)	5.15(-2)	2.67(-4)	4.36(-2)	7.12(-4)	3.77(-2)	7.15(-3)	2.63(-2)	2.22(-2)	9.33(-3)
10	8.34(-2)	1.16(-2)	3.76(-2)	1.11(-2)	3.14(-2)	7.39(-3)	3.28(-2)	2.62(-3)	3.63(-2)	4.57(-6)	3.64(-2)
11	7.07(-2)	2.55(-2)	1.99(-2)	2.74(-2)	1.17(-2)	2.58(-2)	1.11(-2)	2.23(-2)	1.48(-2)	1.64(-2)	2.23(-2)
12	5.79(-2)	3.85(-2)	6.14(-3)	3.75(-2)	5.84(-4)	3.44(-2)	2.57(-5)	3.26(-2)	5.32(-5)	3.19(-2)	7.34(-4)
13	4.61(-2)	4.79(-2)	2.14(-4)	3.70(-2)	3.05(-3)	2.72(-2)	7.38(-3)	2.20(-2)	9.42(-3)	2.06(-2)	9.04(-3)
14	3.58(-2)	5.27(-2)	1.95(-3)	2.82(-2)	1.38(-2)	1.28(-2)	2.13(-2)	5.69(-3)	2.45(-2)	3.00(-3)	2.58(-2)
15	2.72(-2)	5.33(-2)	8.92(-3)	1.63(-2)	2.47(-2)	2.08(-3)	2.80(-2)	9.71(-5)	2.61(-2)	1.95(-3)	2.36(-2)
16	2.03(-2)	5.05(-2)	1.81(-2)	6.24(-3)	2.98(-2)	5.18(-4)	2.36(-2)	7.11(-3)	1.47(-2)	1.41(-2)	8.31(-3)
17	1.50(-2)	4.56(-2)	2.69(-2)	7.81(-4)	2.79(-2)	6.63(-3)	1.29(-2)	1.78(-2)	2.96(-3)	2.31(-2)	2.62(-5)
18	1.09(-2)	3.96(-2)	3.36(-2)	4.37(-4)	2.11(-2)	1.54(-2)	3.48(-3)	2.33(-2)	3.27(-4)	2.03(-2)	5.47(-3)
19	7.83(-3)	3.33(-2)	3.77(-2)	4.16(-3)	1.25(-2)	2.21(-2)	6.80(-7)	2.06(-2)	6.41(-3)	1.01(-2)	1.58(-2)
20	5.57(-3)	2.73(-2)	3.91(-2)	1.02(-2)	5.19(-3)	2.41(-2)	2.74(-3)	1.27(-2)	1.48(-2)	1.70(-3)	2.02(-2)
21	3.92(-3)	2.18(-2)	3.81(-2)	1.69(-2)	9.17(-4)	2.16(-2)	8.98(-3)	4.73(-3)	1.94(-2)	4.20(-4)	1.59(-2)

*Read as 1.46×10^{-3} .

Table 22. Franck-Condon factors for N₂, B' 3Σ_u⁻-X 1Σ_g⁺.

<i>v'</i> \ <i>v''</i>	0	1	2	3	4	5	6	7	8	9	10
0	1.58(-3)*	1.23(-2)	4.50(-2)	1.03(-1)	1.66(-1)	2.00(-1)	1.87(-1)	1.38(-1)	8.26(-2)	4.02(-2)	1.61(-2)
1	8.02(-3)	4.49(-2)	1.08(-1)	1.38(-1)	9.07(-2)	1.64(-2)	7.75(-3)	7.49(-2)	1.43(-1)	1.54(-1)	1.13(-1)
2	2.18(-2)	8.48(-2)	1.20(-1)	6.08(-2)	4.97(-4)	4.19(-2)	9.49(-2)	5.66(-2)	1.76(-3)	3.18(-2)	1.11(-1)
3	4.20(-2)	1.08(-1)	7.49(-2)	1.86(-3)	4.05(-2)	7.66(-2)	1.80(-2)	1.20(-2)	7.56(-2)	6.52(-2)	5.76(-3)
4	6.49(-2)	1.03(-1)	2.07(-2)	1.88(-2)	6.97(-2)	1.62(-2)	1.66(-2)	6.76(-2)	2.36(-2)	7.74(-3)	6.95(-2)
5	8.52(-2)	7.50(-2)	8.05(-7)	5.53(-2)	3.33(-2)	6.06(-3)	5.83(-2)	1.75(-2)	1.45(-2)	6.25(-2)	1.78(-2)
6	9.91(-2)	3.98(-2)	1.45(-2)	5.78(-2)	1.08(-3)	4.28(-2)	2.85(-2)	7.13(-3)	5.36(-2)	1.02(-2)	2.22(-2)
7	1.05(-1)	1.26(-2)	4.01(-2)	3.04(-2)	1.17(-2)	4.62(-2)	2.48(-5)	4.33(-2)	1.69(-2)	1.54(-2)	4.81(-2)
8	1.02(-1)	5.92(-4)	5.45(-2)	5.12(-3)	3.74(-2)	1.66(-2)	1.93(-2)	3.38(-2)	2.81(-3)	4.46(-2)	4.28(-3)
9	9.44(-2)	3.05(-3)	5.09(-2)	1.22(-3)	4.38(-2)	2.17(-5)	4.01(-2)	3.74(-3)	3.16(-2)	1.66(-2)	1.52(-2)
10	8.25(-2)	1.47(-2)	3.48(-2)	1.48(-2)	2.80(-2)	1.13(-2)	2.96(-2)	5.82(-3)	3.45(-2)	7.66(-4)	3.81(-2)
11	6.92(-2)	2.93(-2)	1.66(-2)	3.14(-2)	8.19(-3)	3.00(-2)	7.17(-3)	2.71(-2)	9.87(-3)	2.23(-2)	1.66(-2)
12	5.60(-2)	4.22(-2)	3.98(-3)	3.96(-2)	8.97(-6)	3.49(-2)	4.06(-4)	3.25(-2)	4.66(-4)	3.24(-2)	3.01(-5)
13	4.40(-2)	5.08(-2)	4.29(-6)	3.63(-2)	5.77(-3)	2.42(-2)	1.17(-2)	1.77(-2)	1.46(-2)	1.56(-2)	1.48(-2)
14	3.38(-2)	5.45(-2)	3.69(-3)	2.55(-2)	1.81(-2)	9.02(-3)	2.54(-2)	2.54(-3)	2.78(-2)	6.00(-4)	2.85(-2)
15	2.54(-2)	5.39(-2)	1.20(-2)	1.31(-2)	2.82(-2)	5.20(-4)	2.88(-2)	1.41(-3)	2.41(-2)	5.53(-3)	1.97(-2)
16	1.87(-2)	5.01(-2)	2.17(-2)	3.92(-3)	3.11(-2)	2.14(-3)	2.09(-2)	1.16(-2)	1.01(-2)	1.93(-2)	3.87(-3)
17	1.36(-2)	4.44(-2)	3.02(-2)	1.01(-4)	2.68(-2)	1.04(-2)	9.10(-3)	2.19(-2)	6.71(-4)	2.44(-2)	8.44(-4)
18	9.78(-3)	3.79(-2)	3.62(-2)	1.50(-3)	1.84(-2)	1.95(-2)	1.25(-3)	2.42(-2)	2.28(-3)	1.70(-2)	1.05(-2)
19	6.95(-3)	3.13(-2)	3.93(-2)	6.58(-3)	9.56(-3)	2.47(-2)	5.97(-4)	1.33(-2)	1.10(-2)	5.79(-3)	2.00(-2)
20	4.89(-3)	2.53(-2)	3.95(-2)	1.33(-2)	3.04(-3)	2.47(-2)	5.75(-3)	9.07(-3)	1.88(-2)	1.05(-4)	2.00(-2)
21	3.42(-3)	2.00(-2)	3.77(-2)	2.00(-2)	1.44(-4)	2.02(-2)	1.30(-2)	2.05(-3)	2.06(-2)	2.67(-3)	1.21(-2)

*Read as 1.58 × 10⁻³.

Table 23. Franck-Condon factors for $N_2 a' ^1\Sigma_u^- - X ^1\Sigma_g^+$.

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
0	1.89(-3)*	1.42(-2)	5.06(-2)	1.12(-1)	1.75(-1)	2.04(-1)	1.83(-1)	1.31(-1)	7.48(-2)	3.49(-2)	1.33(-2)
1	9.35(-3)	5.03(-2)	1.15(-1)	1.39(-1)	8.17(-2)	9.91(-3)	1.44(-2)	3.91(-2)	1.51(-1)	1.51(-1)	1.04(-1)
2	2.48(-2)	9.16(-2)	1.20(-1)	5.18(-2)	7.48(-5)	5.27(-2)	9.62(-2)	4.59(-2)	1.26(-5)	4.57(-2)	1.24(-1)
3	4.69(-2)	1.12(-1)	6.75(-2)	1.88(-4)	5.00(-2)	7.33(-2)	1.02(-2)	2.12(-2)	8.24(-2)	5.48(-2)	1.11(-3)
4	7.10(-2)	1.02(-1)	1.43(-2)	2.66(-2)	6.90(-2)	9.18(-3)	2.60(-2)	6.78(-2)	1.41(-2)	1.68(-2)	7.71(-2)
5	9.14(-2)	6.93(-2)	7.37(-4)	6.09(-2)	2.52(-2)	1.25(-2)	5.57(-2)	9.44(-3)	2.46(-2)	6.16(-2)	8.48(-3)
6	1.04(-1)	3.30(-2)	2.11(-2)	5.47(-2)	1.29(-6)	4.93(-2)	1.98(-2)	1.49(-2)	5.29(-2)	3.42(-3)	3.41(-2)
7	1.08(-1)	7.99(-3)	4.69(-2)	2.32(-2)	1.90(-2)	4.17(-2)	1.17(-3)	4.78(-2)	8.70(-3)	2.58(-2)	4.23(-2)
8	1.04(-1)	5.02(-7)	5.70(-2)	1.68(-3)	4.32(-2)	9.68(-3)	2.79(-2)	2.61(-2)	8.94(-3)	4.34(-2)	3.35(-4)
9	9.36(-2)	6.40(-3)	4.81(-2)	4.40(-3)	4.20(-2)	1.05(-3)	4.15(-2)	4.23(-4)	3.81(-2)	8.27(-3)	2.54(-3)
10	8.03(-2)	2.06(-2)	2.91(-2)	2.18(-2)	2.14(-2)	1.86(-2)	2.27(-2)	1.28(-2)	2.89(-2)	5.28(-3)	3.68(-2)
11	6.60(-2)	3.60(-2)	1.12(-2)	3.72(-2)	3.48(-3)	3.51(-2)	2.33(-3)	3.30(-2)	3.63(-3)	3.01(-2)	8.19(-3)
12	5.24(-2)	4.82(-2)	1.28(-3)	4.10(-2)	9.99(-4)	3.33(-2)	3.47(-3)	2.95(-2)	4.16(-3)	2.94(-2)	2.86(-3)
13	4.04(-2)	5.51(-2)	9.26(-4)	3.34(-2)	1.14(-2)	1.81(-2)	1.90(-2)	1.06(-2)	2.24(-2)	7.98(-3)	2.33(-2)
14	3.03(-2)	5.68(-2)	7.70(-3)	2.02(-2)	2.47(-2)	3.94(-3)	2.98(-2)	9.51(-5)	2.94(-2)	4.59(-4)	2.83(-2)
15	2.23(-2)	5.42(-2)	1.78(-2)	8.10(-3)	3.21(-2)	1.89(-4)	2.70(-2)	5.94(-3)	1.85(-2)	1.27(-2)	1.22(-2)
16	1.61(-2)	4.88(-2)	2.79(-2)	1.16(-3)	3.10(-2)	6.53(-3)	1.51(-2)	1.86(-2)	4.12(-3)	2.48(-2)	2.60(-4)
17	1.15(-2)	4.20(-2)	3.56(-2)	3.94(-4)	2.33(-2)	1.68(-2)	3.95(-3)	2.57(-2)	3.01(-4)	2.26(-2)	5.57(-3)
18	8.10(-3)	3.49(-2)	4.00(-2)	4.57(-3)	1.34(-2)	2.47(-2)	5.40(-6)	2.25(-2)	7.62(-3)	1.06(-2)	1.78(-2)
19	5.64(-3)	2.81(-2)	4.13(-2)	1.15(-2)	5.15(-3)	2.68(-2)	3.77(-3)	1.30(-2)	1.76(-2)	1.23(-3)	2.24(-2)
20	3.90(-3)	2.21(-2)	3.99(-2)	1.89(-2)	6.61(-4)	2.32(-2)	1.15(-2)	3.95(-3)	2.22(-2)	1.20(-3)	1.60(-2)
21	2.68(-3)	1.71(-2)	3.67(-2)	2.53(-2)	3.39(-4)	1.63(-2)	1.87(-2)	4.98(-5)	1.91(-2)	8.33(-3)	5.88(-3)

*Read as 1.89×10^{-3} .

Table 24. Franck-Condon factors for N₂ w $^1\Delta_u$ -X $^1\Sigma_g^+$.

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
0	2.91(-3)*	2.04(-2)	6.67(-2)	1.37(-1)	1.95(-1)	2.07(-1)	1.70(-1)	1.10(-1)	5.67(-2)	2.37(-2)	8.04(-3)
1	1.36(-2)	6.58(-2)	1.33(-1)	1.34(-1)	5.70(-2)	5.53(-4)	3.91(-2)	1.23(-1)	1.63(-1)	1.36(-1)	8.14(-2)
2	3.40(-2)	1.09(-1)	1.15(-1)	2.95(-2)	7.59(-3)	7.88(-2)	8.88(-2)	1.99(-2)	8.76(-3)	8.49(-2)	1.48(-1)
3	6.06(-2)	1.19(-1)	4.70(-2)	3.81(-3)	7.14(-2)	5.65(-2)	1.22(-4)	5.00(-2)	8.56(-2)	2.57(-2)	5.82(-3)
4	8.66(-2)	9.43(-2)	2.88(-3)	4.82(-2)	5.82(-2)	7.88(-5)	5.15(-2)	5.51(-2)	3.77(-4)	4.73(-2)	7.88(-2)
5	1.05(-1)	5.27(-2)	9.19(-3)	6.77(-2)	7.53(-3)	3.43(-2)	5.07(-2)	4.13(-7)	5.13(-2)	4.44(-2)	4.34(-4)
6	1.14(-1)	1.74(-2)	3.95(-2)	4.05(-2)	7.11(-3)	5.56(-2)	3.17(-3)	3.87(-2)	3.74(-2)	2.71(-3)	5.78(-2)
7	1.12(-1)	9.90(-4)	5.95(-2)	7.73(-3)	3.83(-2)	2.41(-2)	1.53(-2)	4.50(-2)	8.13(-5)	4.80(-2)	1.84(-2)
8	1.02(-1)	3.50(-3)	5.61(-2)	1.19(-3)	4.90(-2)	2.08(-4)	4.40(-2)	7.05(-3)	3.08(-2)	2.67(-2)	8.94(-3)
9	8.77(-2)	1.76(-2)	3.67(-2)	1.78(-2)	3.01(-2)	1.30(-2)	3.33(-2)	5.79(-3)	4.01(-2)	1.85(-4)	4.30(-2)
10	7.18(-2)	3.47(-2)	1.55(-2)	3.71(-2)	6.98(-3)	3.50(-2)	6.50(-3)	3.15(-2)	1.05(-2)	2.51(-2)	2.00(-2)
11	5.65(-2)	4.87(-2)	2.45(-3)	4.43(-2)	2.63(-4)	3.79(-2)	1.56(-3)	3.52(-2)	1.40(-3)	3.59(-2)	2.12(-4)
12	4.30(-2)	5.66(-2)	4.87(-4)	3.74(-2)	1.03(-2)	2.22(-2)	1.77(-2)	1.51(-2)	2.07(-2)	1.33(-2)	2.04(-2)
13	3.19(-2)	5.85(-2)	7.00(-3)	2.31(-2)	2.53(-2)	5.40(-3)	3.17(-2)	5.01(-4)	3.23(-2)	2.17(-5)	3.22(-2)
14	2.31(-2)	5.56(-2)	1.75(-2)	9.48(-3)	3.42(-2)	8.47(-5)	3.00(-2)	5.50(-3)	2.16(-2)	1.21(-2)	1.58(-2)
15	1.65(-2)	4.96(-2)	2.78(-2)	1.51(-3)	3.34(-2)	6.68(-3)	1.69(-2)	1.98(-2)	5.01(-3)	2.66(-2)	5.86(-4)

*Read as 2.91 $\times 10^{-3}$.

Table 25. Franck-Condon factors for $\text{N}_2 \text{C}^3\Pi_u - \text{X}^1\Sigma_g^+$.

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
0	5.45(-1)*	3.47(-1)	9.28(-2)	1.39(-2)	1.34(-3)	9.78(-5)	6.49(-6)	4.30(-7)	3.19(-8)	3.59(-9)	1.09(-9)
1	3.08(-1)	7.92(-2)	3.59(-1)	1.99(-1)	4.77(-2)	6.68(-3)	6.84(-4)	6.24(-5)	5.82(-6)	6.99(-7)	7.82(-8)
2	1.06(-1)	2.67(-1)	2.68(-3)	2.31(-1)	2.68(-1)	1.00(-1)	2.02(-2)	2.39(-3)	3.72(-4)	4.83(-5)	7.25(-6)
3	3.00(-2)	1.83(-1)	1.28(-1)	7.49(-2)	8.80(-2)	2.73(-1)	1.63(-1)	4.78(-2)	9.74(-3)	1.76(-3)	3.05(-4)
4	7.74(-3)	7.94(-2)	1.84(-1)	2.25(-2)	1.50(-1)	5.91(-3)	2.04(-1)	2.15(-1)	9.49(-2)	2.78(-2)	6.86(-3)

*Read as 5.45×10^{-1} .Table 26. Franck-Condon factors for $\text{N}_2 \text{E}^3\Sigma_g^+ - \text{X}^1\Sigma_g^+$.

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
0	9.29(-1)*	6.93(-2)	1.86(-3)	2.31(-5)	2.01(-7)	7.69(-9)	4.47(-13)	8.00(-11)	1.51(-11)	1.50(-11)	1.59(-11)
1	6.76(-2)	7.93(-1)	1.33(-1)	5.75(-3)	1.07(-4)	1.38(-6)	7.07(-8)	4.09(-11)	1.20(-12)	4.71(-11)	2.12(-11)

*Read as 9.29×10^{-1} .Table 27. Franck-Condon factors for $\text{N}_2 \text{D}^3\Sigma_u^+ - \text{X}^1\Sigma_g^+$.

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
0	9.84(-1)*	1.54(-2)	4.60(-4)	2.24(-6)	2.18(-7)	2.59(-8)	5.97(-9)	4.81(-12)	3.17(-10)	5.84(-11)	2.06(-16)

*Read as 9.84×10^{-1} .

Table 28. Franck-Condon factors for $\text{N}_2^+ X^2\Sigma_g^+ - \text{N}_2 X^1\Sigma_g^+$.

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
0	9.17(-1)*	8.02(-2)	2.53(-3)	4.47(-5)	4.17(-7)	1.26(-8)	2.10(-10)	1.01(-10)	2.09(-11)	5.10(-12)	1.35(-12)
1	7.79(-2)	7.60(-1)	1.54(-1)	7.91(-3)	2.04(-4)	2.57(-6)	9.23(-8)	1.28(-9)	8.14(-10)	1.83(-10)	5.16(-11)
2	4.65(-3)	1.45(-1)	6.12(-1)	2.21(-1)	1.65(-2)	5.84(-4)	9.55(-6)	3.96(-7)	4.23(-9)	3.74(-9)	9.13(-10)
3	2.68(-4)	1.38(-2)	2.01(-1)	4.75(-1)	2.80(-1)	2.86(-2)	1.34(-3)	2.78(-5)	1.31(-6)	9.68(-9)	1.28(-8)
4	1.76(-5)	1.12(-3)	2.72(-2)	2.44(-1)	3.51(-1)	3.29(-1)	4.46(-2)	2.68(-3)	6.99(-5)	3.66(-6)	1.63(-8)
5	1.55(-6)	9.62(-5)	2.89(-3)	4.45(-2)	2.74(-1)	2.42(-1)	3.67(-1)	6.46(-2)	4.91(-3)	1.59(-4)	9.21(-6)
6	2.13(-7)	1.06(-5)	3.14(-4)	6.00(-3)	6.50(-2)	2.90(-1)	1.50(-1)	3.91(-1)	8.87(-2)	8.42(-3)	3.34(-4)
7	4.74(-8)	1.71(-6)	4.18(-5)	7.97(-4)	1.08(-2)	8.78(-2)	2.91(-1)	7.83(-2)	4.01(-1)	1.17(-1)	1.37(-2)
8	1.47(-8)	4.21(-7)	7.79(-6)	1.25(-4)	1.72(-3)	1.78(-2)	1.11(-1)	2.76(-1)	2.90(-2)	3.94(-1)	1.48(-1)
9	5.49(-9)	1.42(-7)	2.11(-6)	2.65(-5)	3.16(-4)	3.34(-3)	2.71(-2)	1.34(-1)	2.47(-1)	3.68(-3)	3.70(-1)
10	2.24(-9)	5.67(-8)	7.58(-7)	7.79(-6)	7.48(-5)	7.01(-4)	5.94(-3)	3.89(-2)	1.54(-1)	2.05(-1)	2.24(-3)
11	9.69(-10)	2.50(-8)	3.24(-7)	2.98(-6)	2.37(-5)	1.84(-4)	1.42(-3)	9.88(-3)	5.30(-2)	1.67(-1)	1.55(-1)
12	4.42(-10)	1.17(-8)	1.53(-7)	1.35(-6)	9.59(-6)	6.28(-5)	4.11(-4)	2.66(-3)	1.55(-2)	6.86(-2)	1.71(-1)
13	2.13(-10)	5.77(-9)	7.65(-8)	6.73(-7)	4.56(-6)	2.67(-5)	1.50(-4)	8.41(-4)	4.66(-3)	2.30(-2)	8.44(-2)
14	1.10(-10)	2.99(-9)	4.03(-8)	3.59(-7)	2.40(-6)	1.33(-5)	6.67(-5)	3.26(-4)	1.61(-3)	7.71(-3)	3.24(-2)
15	6.01(-11)	1.64(-9)	2.23(-8)	2.01(-7)	1.35(-6)	7.33(-6)	3.46(-5)	1.52(-4)	6.61(-4)	2.88(-3)	1.21(-2)
16	3.50(-11)	9.50(-10)	1.30(-8)	1.18(-7)	7.97(-7)	4.31(-6)	1.98(-5)	8.17(-5)	3.21(-4)	1.26(-3)	4.88(-3)
17	2.15(-11)	5.81(-10)	7.95(-9)	7.24(-8)	4.92(-7)	2.67(-6)	1.21(-5)	4.85(-5)	1.78(-4)	6.35(-4)	2.24(-3)
18	1.38(-11)	3.74(-10)	5.10(-9)	4.64(-8)	3.17(-7)	1.72(-6)	7.82(-6)	3.07(-5)	1.09(-4)	3.62(-4)	1.18(-3)
19	9.28(-12)	2.52(-10)	3.42(-9)	3.10(-8)	2.12(-7)	1.15(-6)	5.24(-6)	2.05(-5)	7.11(-5)	2.27(-4)	6.91(-4)
20	6.50(-12)	1.77(-10)	2.39(-9)	2.16(-8)	1.47(-7)	8.01(-7)	3.64(-6)	1.42(-5)	4.88(-5)	1.52(-4)	4.42(-4)
21	4.74(-12)	1.29(-10)	1.73(-9)	1.56(-8)	1.06(-7)	5.74(-7)	2.61(-6)	1.02(-5)	3.47(-5)	1.07(-4)	3.02(-4)

*Read as 9.17×10^{-1} .

Table 29. Franck-Condon factors for $\text{N}_2^+ A^2\Pi_u - \text{N}_2 X^1\Sigma_g^+$.

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
0	2.64(-1)*	3.79(1)	2.41(-1)	8.98(-2)	2.19(-2)	3.68(-3)	4.39(-4)	3.78(-5)	2.37(-6)	1.08(-7)	3.50(-9)
1	3.18(-1)	2.97(-2)	1.03(-1)	2.67(-1)	1.92(-1)	7.15(-2)	1.64(-2)	2.52(-3)	2.68(-4)	2.01(-5)	1.07(-6)
2	2.19(-1)	5.01(-2)	1.60(-1)	5.57(-5)	1.49(-1)	2.35(-1)	1.35(-1)	4.20(-2)	8.16(-3)	1.06(-3)	9.39(-5)
3	1.15(-1)	1.57(-1)	1.02(-2)	1.30(-1)	5.76(-2)	3.60(-2)	2.04(-1)	1.89(-1)	7.97(-2)	1.95(-2)	3.06(-3)
4	5.09(-2)	1.62(-1)	3.45(-2)	8.45(-2)	3.70(-2)	1.21(-1)	1.44(-4)	1.27(-1)	2.12(-1)	1.24(-1)	3.83(-2)
5	2.04(-2)	1.11(-1)	1.09(-1)	1.39(-3)	1.13(-1)	3.09(-5)	1.18(-1)	3.21(-2)	4.98(-2)	1.98(-1)	1.65(-1)
6	7.70(-3)	6.07(-2)	1.25(-1)	3.31(-2)	4.20(-2)	7.32(-2)	2.94(-2)	6.62(-2)	8.35(-2)	5.41(-3)	1.52(-1)
7	2.80(-3)	2.92(-2)	9.57(-2)	8.74(-2)	1.29(-4)	8.27(-2)	1.95(-2)	7.43(-2)	1.54(-2)	1.11(-1)	4.94(-3)
8	1.00(-3)	1.30(-2)	5.92(-2)	1.01(-1)	3.34(-2)	1.88(-2)	8.08(-2)	1.25(-4)	8.95(-2)	4.48(-4)	9.89(-2)
9	3.58(-4)	5.51(-3)	3.21(-2)	8.22(-2)	7.35(-2)	2.05(-3)	5.47(-2)	4.49(-2)	2.06(-2)	6.64(-2)	2.22(-2)
10	1.29(-4)	2.28(-3)	1.61(-2)	5.50(-2)	8.41(-2)	3.28(-2)	7.38(-3)	7.12(-2)	9.57(-3)	5.39(-2)	2.78(-2)
11	4.76(-5)	9.33(-4)	7.66(-3)	3.26(-2)	7.11(-2)	6.31(-2)	4.46(-3)	3.44(-2)	5.65(-2)	7.75(-4)	6.98(-2)
12	1.80(-5)	3.84(-4)	3.55(-3)	1.79(-2)	5.05(-2)	7.14(-2)	3.11(-2)	2.43(-3)	5.66(-2)	2.57(-2)	1.90(-2)
13	7.03(-6)	1.60(-4)	1.62(-3)	9.36(-3)	3.21(-2)	6.22(-2)	5.44(-2)	6.20(-3)	2.14(-2)	5.65(-2)	3.07(-3)
14	2.84(-6)	6.79(-5)	7.44(-4)	4.76(-3)	1.90(-2)	4.63(-2)	6.13(-2)	2.85(-2)	6.08(-4)	4.32(-2)	3.61(-2)
15	1.18(-6)	2.95(-5)	3.43(-4)	2.39(-3)	1.08(-2)	3.13(-2)	5.49(-2)	4.70(-2)	6.98(-3)	1.35(-2)	5.09(-2)
16	5.10(-7)	1.32(-5)	1.60(-4)	1.20(-3)	5.93(-3)	1.98(-2)	4.28(-2)	5.30(-2)	2.55(-2)	8.57(-5)	3.28(-2)
17	2.26(-7)	6.01(-6)	7.62(-5)	6.01(-4)	3.22(-3)	1.20(-2)	3.04(-2)	4.89(-2)	4.05(-2)	6.94(-3)	8.97(-3)
18	1.03(-7)	2.81(-6)	3.69(-5)	3.04(-4)	1.74(-3)	7.08(-3)	2.04(-2)	3.97(-2)	4.62(-2)	2.22(-2)	6.74(-7)
19	4.75(-8)	1.34(-6)	1.81(-5)	1.56(-4)	9.38(-4)	4.11(-3)	1.31(-2)	2.96(-2)	4.38(-2)	3.47(-2)	6.32(-3)
20	2.23(-8)	6.48(-7)	9.06(-6)	8.07(-5)	5.08(-4)	2.37(-3)	8.21(-3)	2.09(-2)	3.69(-2)	4.03(-2)	1.89(-2)
21	1.05(-8)	3.17(-7)	4.58(-6)	4.22(-5)	2.77(-4)	1.36(-3)	5.05(-3)	1.42(-2)	2.88(-2)	3.93(-2)	2.96(-2)

*Read as 2.64×10^{-1} .

Table 30. Franck-Condon factors for $\text{N}_2^+ \text{B}^2\Sigma_u^+ - \text{N}_2 \text{X}^1\Sigma_g^+$.

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
0	8.83(-1)*	1.04(-1)	1.18(-2)	1.21(-3)	1.27(-4)	1.35(-5)	1.48(-6)	1.64(-7)	1.99(-8)	3.43(-9)	1.25(-9)
1	1.14(-1)	6.91(-1)	1.61(-1)	2.86(-2)	3.93(-3)	5.17(-4)	6.63(-5)	8.64(-6)	1.18(-6)	1.89(-7)	4.56(-8)
2	2.31(-3)	2.00(-1)	5.57(-1)	1.86(-1)	4.59(-2)	7.81(-3)	1.25(-3)	1.88(-4)	2.91(-5)	4.86(-6)	1.01(-6)
3	1.41(-5)	4.85(-3)	2.64(-1)	4.69(-1)	1.87(-1)	6.12(-2)	1.22(-2)	2.33(-3)	4.08(-4)	7.46(-5)	1.52(-5)
4	4.32(-6)	1.32(-4)	6.01(-3)	3.09(-1)	4.19(-1)	1.71(-1)	7.37(-2)	1.65(-2)	3.74(-3)	7.46(-4)	1.62(-4)
5	8.23(-10)	1.97(-5)	5.92(-4)	4.91(-3)	3.39(-1)	4.00(-1)	1.45(-1)	8.41(-2)	2.00(-2)	5.44(-3)	1.22(-3)
6	1.27(-8)	2.28(-7)	4.48(-5)	1.81(-3)	1.99(-3)	3.51(-1)	4.09(-1)	1.10(-1)	9.41(-2)	2.18(-2)	7.48(-3)
7	1.25(-11)	8.34(-8)	3.13(-6)	5.44(-5)	4.25(-3)	5.49(-6)	3.41(-1)	4.41(-1)	7.14(-2)	1.07(-1)	2.12(-2)
8	1.59(-10)	1.80(-9)	1.99(-7)	1.92(-5)	1.59(-5)	7.92(-3)	5.47(-3)	3.01(-1)	4.88(-1)	3.43(-2)	1.26(-1)
9	4.98(-11)	1.47(-9)	3.08(-8)	5.59(-8)	7.07(-5)	4.91(-5)	1.14(-2)	2.93(-2)	2.23(-1)	5.32(-1)	7.61(-3)
10	1.50(-11)	7.92(-10)	4.18(-9)	2.10(-7)	1.24(-6)	1.62(-4)	8.63(-4)	1.12(-2)	8.25(-2)	1.17(-1)	5.36(-1)

*Read as 8.83×10^{-1} .

Table 31. Franck-Condon factors for $\text{N}_2^+ C^2\Sigma_u^+ - \text{N}_2 X^1\Sigma_g^+$.

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
0	2.75(-3)*	2.17(-2)	7.78(-2)	1.66(-1)	2.35(-1)	2.30(-1)	1.59(-1)	7.68(-2)	2.53(-2)	5.34(-3)	6.29(-4)
1	1.40(-2)	7.33(-2)	1.50(-1)	1.36(-1)	3.42(-2)	8.96(-3)	1.15(-1)	2.01(-1)	1.66(-1)	7.77(-2)	2.09(-2)
2	3.73(-2)	1.22(-1)	1.18(-1)	1.53(-2)	3.04(-2)	1.07(-1)	4.67(-2)	5.85(-3)	1.21(-1)	2.01(-1)	1.39(-1)
3	6.87(-2)	1.30(-1)	3.56(-2)	1.71(-2)	8.75(-2)	2.08(-2)	2.63(-2)	9.44(-2)	2.07(-2)	3.40(-2)	1.77(-1)
4	9.91(-2)	9.35(-2)	3.38(-7)	6.96(-2)	3.24(-2)	1.70(-2)	7.22(-2)	3.99(-3)	5.41(-2)	7.01(-2)	2.51(-4)
5	1.19(-1)	4.32(-2)	2.39(-2)	6.27(-2)	6.86(-4)	6.27(-2)	9.42(-3)	4.03(-2)	4.46(-2)	7.09(-3)	8.25(-2)
6	1.25(-1)	8.42(-3)	5.81(-2)	1.90(-2)	3.39(-2)	3.30(-2)	1.52(-2)	4.89(-2)	1.94(-3)	6.08(-2)	4.28(-3)
7	1.18(-1)	3.92(-4)	6.53(-2)	3.59(-5)	5.43(-2)	3.63(-4)	4.93(-2)	3.08(-3)	4.46(-2)	1.12(-2)	3.65(-2)
8	1.03(-1)	1.26(-2)	4.58(-2)	1.61(-2)	3.33(-2)	1.66(-2)	2.99(-2)	1.52(-2)	3.16(-2)	1.21(-2)	3.80(-2)
9	8.35(-2)	3.23(-2)	1.97(-2)	3.93(-2)	6.08(-3)	4.06(-2)	1.83(-3)	4.05(-2)	5.99(-4)	4.11(-2)	4.08(-4)
10	6.46(-2)	4.92(-2)	3.12(-3)	4.69(-2)	1.18(-3)	3.66(-2)	7.73(-3)	2.69(-2)	1.47(-2)	2.00(-2)	2.04(-2)

*Read as 2.75×10^{-3} .

Table 32. Franck-Condon factors for $O_2^+ X^2\Pi_g - O_2 X^3\Sigma_g^-$.

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
0	1.86(-1)*	2.71(-1)	2.30(-1)	1.50(-1)	8.40(-2)	4.24(-2)	2.00(-2)	9.02(-3)	3.94(-3)	1.69(-3)	7.15(-4)
1	3.62(-1)	8.32(-2)	4.96(-3)	8.33(-2)	1.34(-1)	1.25(-1)	8.98(-2)	5.53(-2)	3.09(-2)	1.61(-2)	8.02(-3)
2	2.91(-1)	4.27(-2)	1.65(-1)	5.34(-2)	5.55(-4)	4.41(-2)	8.95(-2)	9.82(-2)	8.08(-2)	5.61(-2)	3.49(-2)
3	1.25(-1)	2.57(-1)	1.65(-2)	7.24(-2)	1.09(-1)	3.10(-2)	6.16(-4)	3.16(-2)	6.73(-2)	7.91(-2)	7.03(-2)
4	3.07(-2)	2.36(-1)	1.10(-1)	9.65(-2)	4.15(-3)	8.21(-2)	7.44(-2)	1.64(-2)	1.38(-3)	2.65(-2)	5.45(-2)
5	4.33(-3)	9.10(-2)	2.67(-1)	1.57(-2)	1.28(-1)	1.32(-2)	2.82(-2)	7.66(-2)	4.89(-2)	7.60(-3)	2.61(-3)
6	3.26(-4)	1.73(-2)	1.61(-1)	2.25(-1)	3.47(-3)	9.76(-2)	5.42(-2)	8.73(-4)	4.67(-2)	6.33(-2)	3.07(-2)
7	1.07(-5)	1.60(-3)	4.06(-2)	2.20(-1)	1.51(-1)	3.89(-2)	4.65(-2)	8.08(-2)	8.67(-3)	1.48(-2)	5.28(-2)
8	7.14(-8)	5.94(-5)	4.53(-3)	7.29(-2)	2.57(-1)	7.87(-2)	8.09(-2)	1.00(-2)	7.83(-2)	3.31(-2)	3.60(-4)
9	7.16(-10)	3.47(-7)	1.85(-4)	9.65(-3)	1.11(-1)	2.67(-1)	2.80(-2)	1.06(-1)	1.33(-4)	5.54(-2)	5.37(-2)
10	4.25(-11)	8.65(-9)	8.54(-7)	4.22(-4)	1.72(-2)	1.51(-1)	2.57(-1)	3.57(-3)	1.07(-1)	1.14(-2)	2.80(-2)
11	2.46(-13)	3.23(-10)	5.21(-8)	1.32(-6)	7.91(-4)	2.70(-2)	1.91(-1)	2.31(-1)	1.23(-3)	9.15(-2)	3.18(-2)
12	2.10(-14)	6.10(-12)	1.19(-9)	2.13(-7)	1.21(-6)	1.28(-3)	3.89(-2)	2.26(-1)	1.98(-1)	1.30(-2)	6.71(-2)
13	7.65(-16)	2.04(-13)	5.31(-11)	2.68(-9)	6.66(-7)	3.72(-7)	1.84(-3)	5.21(-2)	2.58(-1)	1.62(-1)	3.10(-2)
14	8.53(-16)	1.66(-14)	7.48(-13)	3.02(-10)	3.67(-9)	1.70(-6)	2.56(-7)	2.40(-3)	6.62(-2)	2.84(-1)	1.30(-1)
15	6.53(-16)	4.35(-17)	1.35(-13)	8.80(-13)	1.23(-9)	1.96(-9)	3.70(-6)	5.83(-6)	2.86(-3)	8.03(-2)	3.07(-1)
16	2.09(-15)	1.28(-17)	6.77(-17)	8.09(-13)	4.23(-17)	3.90(-9)	4.34(-10)	6.94(-6)	2.76(-5)	3.12(-3)	9.38(-2)
17	3.66(-16)	1.93(-18)	5.85(-16)	1.34(-14)	3.46(-12)	1.32(-11)	9.97(-9)	2.74(-8)	1.14(-5)	8.32(-5)	3.07(-3)
18	4.26(-16)	4.23(-17)	7.54(-17)	6.24(-17)	1.28(-13)	9.64(-12)	1.55(-10)	2.07(-8)	1.80(-7)	1.62(-5)	1.97(-4)
19	1.44(-15)	8.81(-17)	4.29(-16)	9.12(-19)	2.47(-15)	7.26(-13)	1.94(-11)	8.78(-10)	3.40(-8)	6.92(-7)	1.97(-5)
20	5.52(-16)	1.88(-17)	1.82(-16)	1.13(-18)	3.38(-15)	5.89(-16)	3.52(-12)	2.30(-11)	3.47(-9)	4.17(-8)	1.99(-6)
21	3.76(-17)	1.38(-17)	3.02(-18)	5.31(-17)	3.47(-16)	6.02(-15)	2.49(-14)	1.22(-11)	5.30(-12)	1.06(-8)	3.01(-8)

*Read as 1.86×10^{-1} .

Table 33. Franck-Condon factors for $\text{O}_2^+ a^4\Pi_u - \text{O}_2 X^3\Sigma_g^-$.

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
0	9.87(-3)*	5.44(-2)	1.38(-1)	2.15(-1)	2.30(-1)	1.78(-1)	1.05(-1)	4.72(-2)	1.67(-2)	4.64(-3)	1.02(-3)
1	3.60(-2)	1.24(-1)	1.58(-1)	7.32(-2)	5.34(-4)	5.30(-2)	1.52(-1)	1.79(-1)	1.29(-1)	6.44(-2)	2.36(-2)
2	7.20(-2)	1.42(-1)	6.01(-2)	2.33(-3)	8.29(-2)	9.51(-2)	1.32(-2)	2.37(-2)	1.23(-1)	1.68(-1)	1.26(-1)
3	1.05(-1)	1.02(-1)	1.25(-3)	6.30(-2)	6.98(-2)	2.02(-4)	6.16(-2)	8.79(-2)	1.21(-2)	2.59(-2)	1.25(-1)
4	1.24(-1)	4.61(-2)	1.98(-2)	7.67(-2)	3.27(-3)	5.10(-2)	5.84(-2)	1.05(-4)	6.65(-2)	7.39(-2)	3.35(-3)
5	1.28(-1)	8.65(-3)	5.79(-2)	3.11(-2)	2.03(-2)	6.08(-2)	8.72(-5)	5.84(-2)	3.89(-2)	6.08(-3)	7.94(-2)
6	1.18(-1)	4.45(-4)	6.88(-2)	8.06(-4)	5.57(-2)	1.17(-2)	3.51(-2)	4.08(-2)	5.33(-3)	6.58(-2)	1.44(-2)
7	1.01(-1)	1.30(-2)	5.05(-2)	1.08(-2)	4.68(-2)	4.05(-3)	5.21(-2)	1.12(-4)	5.15(-2)	1.48(-2)	2.72(-2)
8	8.17(-2)	3.27(-2)	2.34(-2)	3.57(-2)	1.54(-2)	3.24(-2)	1.90(-2)	2.44(-2)	3.15(-2)	1.05(-2)	5.02(-2)
9	6.29(-2)	4.94(-2)	4.83(-3)	4.86(-2)	9.09(-5)	4.46(-2)	6.92(-6)	4.40(-2)	3.33(-4)	4.43(-2)	5.12(-3)
10	4.67(-2)	5.87(-2)	1.05(-4)	4.30(-2)	8.32(-3)	2.92(-2)	1.47(-2)	2.43(-2)	1.61(-2)	2.68(-2)	1.25(-2)
11	3.38(-2)	6.05(-2)	5.99(-3)	2.72(-2)	2.53(-2)	8.21(-3)	3.33(-2)	2.22(-3)	3.60(-2)	1.03(-3)	3.79(-2)
12	2.40(-2)	5.67(-2)	1.64(-2)	1.16(-2)	3.61(-2)	5.45(-7)	3.38(-2)	3.93(-3)	2.77(-2)	9.12(-3)	2.48(-2)
13	1.68(-2)	4.97(-2)	2.65(-2)	2.28(-3)	3.59(-2)	5.95(-3)	1.99(-2)	1.94(-2)	7.79(-3)	2.75(-2)	2.63(-3)
14	1.16(-2)	4.16(-2)	3.34(-2)	5.70(-5)	2.76(-2)	1.75(-2)	5.73(-3)	2.92(-2)	2.88(-5)	2.84(-2)	3.65(-3)
15	8.05(-3)	3.36(-2)	3.66(-2)	2.90(-3)	1.68(-2)	2.64(-2)	3.90(-5)	2.65(-2)	7.24(-3)	1.45(-2)	1.84(-2)
16	5.58(-3)	2.66(-2)	3.66(-2)	8.05(-3)	7.76(-3)	2.90(-2)	2.99(-3)	1.62(-2)	1.85(-2)	2.36(-3)	2.57(-2)
17	3.88(-3)	2.07(-2)	3.44(-2)	1.33(-2)	2.19(-3)	2.61(-2)	1.01(-2)	6.04(-3)	2.43(-2)	5.91(-4)	1.99(-2)
18	2.72(-3)	1.60(-2)	3.10(-2)	1.75(-2)	9.01(-5)	2.02(-2)	1.70(-2)	6.51(-4)	2.24(-2)	6.90(-3)	8.90(-3)
19	1.93(-3)	1.22(-2)	2.71(-2)	2.01(-2)	4.92(-4)	1.36(-2)	2.10(-2)	4.82(-4)	1.57(-2)	1.47(-2)	1.36(-3)
20	1.38(-3)	9.41(-3)	2.31(-2)	2.12(-2)	2.27(-3)	7.89(-3)	2.17(-2)	3.68(-3)	8.32(-3)	1.93(-2)	3.43(-4)
21	1.00(-3)	7.24(-3)	1.95(-2)	2.11(-2)	4.51(-3)	3.82(-3)	1.99(-2)	7.94(-3)	2.92(-3)	1.93(-2)	4.09(-3)

*Read as 9.87×10^{-3} .

Table 34. Franck-Condon factors for $\text{O}_2^+ A^2\Pi_u - \text{O}_2 X^3\Sigma_g^-$.

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
0	2.84(-3)*	1.95(-2)	6.34(-2)	1.29(-1)	1.86(-1)	2.02(-1)	1.71(-1)	1.16(-1)	6.43(-2)	2.96(-2)	1.14(-2)
1	1.23(-2)	6.00(-2)	1.23(-1)	1.31(-1)	6.34(-2)	3.00(-3)	2.49(-2)	1.01(-1)	1.53(-1)	1.44(-1)	9.88(-2)
2	2.91(-2)	9.71(-2)	1.12(-1)	3.73(-2)	2.21(-3)	6.22(-2)	9.25(-2)	3.75(-2)	1.83(-4)	4.74(-2)	1.20(-1)
3	5.00(-2)	1.09(-1)	5.50(-2)	2.40(-4)	5.50(-2)	6.71(-2)	6.89(-3)	2.34(-2)	8.04(-2)	5.52(-2)	2.58(-3)
4	6.97(-2)	9.23(-2)	9.74(-3)	2.92(-2)	6.44(-2)	7.34(-3)	2.56(-2)	6.55(-2)	1.65(-2)	1.11(-2)	6.95(-2)
5	8.43(-2)	6.11(-2)	1.01(-3)	5.70(-2)	2.39(-2)	1.05(-2)	5.65(-2)	1.30(-2)	1.64(-2)	6.05(-2)	1.90(-2)
6	9.18(-2)	3.04(-2)	1.75(-2)	5.14(-2)	2.34(-4)	4.23(-2)	2.51(-2)	6.96(-3)	5.10(-2)	1.26(-2)	1.54(-2)
7	9.25(-2)	9.51(-3)	3.75(-2)	2.65(-2)	1.10(-2)	4.30(-2)	1.92(-4)	3.82(-2)	2.10(-2)	8.24(-3)	4.78(-2)
8	8.78(-2)	6.28(-4)	4.74(-2)	5.82(-3)	3.12(-2)	1.89(-2)	1.27(-2)	3.60(-2)	7.87(-5)	3.83(-2)	1.45(-2)
9	7.97(-2)	1.43(-3)	4.49(-2)	8.80(-5)	3.87(-2)	1.54(-3)	3.19(-2)	1.08(-2)	1.77(-2)	2.84(-2)	1.83(-3)
10	6.98(-2)	7.88(-3)	3.44(-2)	6.46(-3)	3.09(-2)	2.85(-3)	3.26(-2)	3.67(-5)	3.27(-2)	3.84(-3)	2.41(-2)
11	5.96(-2)	1.63(-2)	2.15(-2)	1.70(-2)	1.67(-2)	1.46(-2)	1.85(-2)	9.44(-3)	2.43(-2)	2.90(-3)	3.06(-2)
12	4.99(-2)	2.42(-2)	1.06(-2)	2.54(-2)	5.10(-3)	2.46(-2)	4.77(-3)	2.23(-2)	7.55(-3)	1.76(-2)	1.43(-2)
13	4.12(-2)	3.03(-2)	3.48(-3)	2.88(-2)	1.90(-4)	2.68(-2)	6.14(-7)	2.58(-2)	3.10(-5)	2.54(-2)	9.47(-4)
14	3.36(-2)	3.40(-2)	3.24(-4)	2.73(-2)	1.35(-3)	2.21(-2)	3.62(-3)	1.96(-2)	4.21(-3)	1.98(-2)	2.89(-3)
15	2.72(-2)	3.57(-2)	3.30(-4)	2.26(-2)	5.86(-3)	1.42(-2)	1.05(-2)	9.97(-3)	1.27(-2)	8.77(-3)	1.25(-2)
16	2.19(-2)	3.56(-2)	2.37(-3)	1.67(-2)	1.10(-2)	6.91(-3)	1.61(-2)	2.70(-3)	1.82(-2)	1.30(-3)	1.88(-2)
17	1.76(-2)	3.42(-2)	5.40(-3)	1.09(-2)	1.49(-2)	2.07(-3)	1.82(-2)	2.64(-5)	1.83(-2)	3.51(-4)	1.77(-2)
18	1.41(-2)	3.19(-2)	8.62(-3)	6.18(-3)	1.68(-2)	1.07(-4)	1.69(-2)	1.23(-3)	1.42(-2)	3.92(-3)	1.17(-2)
19	1.13(-2)	2.92(-2)	1.15(-2)	2.87(-3)	1.69(-2)	4.03(-4)	1.36(-2)	4.35(-3)	8.80(-3)	8.51(-3)	5.34(-3)
20	9.07(-3)	2.62(-2)	1.37(-2)	9.25(-4)	1.55(-2)	2.00(-3)	9.53(-3)	7.56(-3)	4.12(-3)	1.16(-2)	1.23(-3)
21	7.24(-3)	2.31(-2)	1.51(-2)	9.62(-5)	1.32(-2)	3.98(-3)	5.81(-3)	9.72(-3)	1.19(-3)	1.24(-2)	3.85(-8)

*Read as 2.84×10^{-3} .

Table 35. Franck-Condon factors for $\text{O}_2^+ b\ 4\Sigma_g^- - \text{O}_2 X\ 3\Sigma_g^-$.

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
0	4.11(-1)*	3.76(-1)	1.61(-1)	4.31(-2)	8.21(-3)	1.19(-3)	1.36(-4)	1.26(-5)	9.81(-7)	6.34(-8)	3.54(-9)
1	3.36(-1)	2.78(-3)	2.34(-1)	2.61(-1)	1.23(-1)	3.49(-2)	6.96(-3)	1.05(-3)	1.24(-4)	1.20(-5)	9.46(-7)
2	1.62(-1)	1.69(-1)	8.18(-2)	4.85(-2)	2.31(-1)	1.96(-1)	8.31(-2)	2.26(-2)	4.43(-3)	6.62(-4)	7.88(-5)
3	6.13(-2)	2.09(-1)	1.69(-2)	1.62(-1)	2.55(-3)	1.20(-1)	2.18(-1)	1.41(-1)	5.28(-2)	1.34(-2)	2.52(-3)
4	2.04(-2)	1.35(-1)	1.28(-1)	1.65(-2)	1.19(-1)	6.44(-2)	2.25(-2)	1.72(-1)	1.85(-1)	9.65(-2)	3.20(-2)
5	6.36(-3)	6.53(-2)	1.54(-1)	2.90(-2)	8.59(-2)	3.20(-2)	1.22(-1)	3.27(-3)	8.54(-2)	1.87(-1)	1.43(-1)
6	1.93(-3)	2.72(-2)	1.11(-1)	1.05(-1)	1.43(-3)	1.12(-1)	6.48(-4)	1.06(-1)	5.10(-2)	1.50(-2)	1.40(-1)
7	5.83(-4)	1.04(-2)	6.15(-2)	1.22(-1)	3.39(-2)	4.24(-2)	6.72(-2)	3.97(-2)	4.17(-2)	1.00(-1)	3.59(-3)
8	1.79(-4)	3.83(-3)	2.97(-2)	9.34(-2)	8.80(-2)	1.07(-4)	8.40(-2)	1.09(-2)	8.46(-2)	8.29(-4)	9.49(-2)
9	5.60(-5)	1.38(-3)	1.32(-2)	5.74(-2)	1.00(-1)	3.29(-2)	2.21(-2)	7.33(-2)	5.35(-3)	7.60(-2)	2.03(-2)
10	1.80(-5)	5.01(-4)	5.63(-3)	3.11(-2)	8.12(-2)	7.29(-2)	9.22(-4)	6.11(-2)	2.59(-2)	4.48(-2)	2.71(-2)
11	5.96(-6)	1.83(-4)	2.35(-3)	1.56(-2)	5.44(-2)	8.41(-2)	2.82(-2)	1.36(-2)	6.61(-2)	2.73(-6)	6.94(-2)
12	2.00(-6)	6.74(-5)	9.68(-4)	7.52(-3)	3.25(-2)	7.21(-2)	5.91(-2)	9.75(-4)	4.70(-2)	3.11(-2)	2.21(-2)
13	6.79(-7)	2.51(-5)	3.99(-4)	3.52(-3)	1.81(-2)	5.23(-2)	7.06(-2)	2.14(-2)	1.10(-2)	5.61(-2)	1.18(-3)
14	2.27(-7)	9.39(-6)	1.65(-4)	1.62(-3)	9.66(-3)	3.42(-2)	6.46(-2)	4.60(-2)	3.30(-4)	3.93(-2)	2.86(-2)
15	7.20(-8)	3.47(-6)	6.78(-5)	7.42(-4)	5.00(-3)	2.09(-2)	5.07(-2)	5.83(-2)	1.38(-2)	1.15(-2)	4.66(-2)

*Read as 4.11×10^{-1} .

Table 36. Band origin wavelengths and Einstein coefficients for $N_2 b^1\Pi_u - X^1\Sigma_g^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm) and $A_{v'v''}$ (s^{-1}). Band origins from Carroll and Collins (1969) and Roncin *et al.* (1987). Einstein coefficients calculated by normalizing relative band intensities measured by James *et al.* (1990) to the $v' = 1$ lifetime of 1.75 ns measured by Oertel *et al.* (1981), corrected to a radiative lifetime of 1.96 ns by allowing for 10.5% predissociation as determined by James *et al.* The other levels of the $b^1\Pi_u$ state are strongly predissociated and give little emission.

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10	11	12
1	0.0986 1.04(8)*	0.1009 1.04(8)	0.1033 1.21(8)	0.1058 7.1(7)	0.1083 3.9(7)	0.1110 1.5(7)	0.1138 †	0.1166 †	0.1196 1.4(7)	0.1227 1.4(7)	0.1259 1.05(7)	0.1292 1.05(7)	0.1326 8(6)

*Read as 1.04×10^8 .

†These bands were too weak to be measured by James *et al.* (1990).

Table 37. Band origin wavelengths and Einstein coefficients for $N_2 c'_4 \text{ }^1\Sigma_u^+ - X \text{ }^1\Sigma_g^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm) and $A_{v'v''}$ (s^{-1}). Band origins from Yoshino and Tanaka (1977) and Roncin *et al.* (1987), or calculated from data therein. Einstein coefficients for $v'' = 0$ from Table VII of Ajello *et al.* (1989). Einstein coefficients for $v'' > 0$ from relative band intensities, $I_{v'v''}/I_{v'0}$, measured by Ajello *et al.* and James *et al.* (1990), except for $v' = 1$ and 2, where $A_{v'0}$ were too small to be measured, so $A_{2v''}$ were normalized to the $v' = 2$ radiative lifetime (0.65 ns) measured by Oertel *et al.* (1981), while $A_{1v''}$ were normalized to the average of the radiative lifetimes for $v' = 0$ (0.74 ns) deduced by Ajello *et al.* and $v' = 2$ measured by Oertel *et al.* Bands from $v' = 5$ are weak and their intensities have not been measured.

$v' \setminus v''$	0	1	2	3	4	5	6	7	8
0	0.0959	0.0980	0.1003	0.1026	0.1051	0.1076	0.1102	0.1128	0.1156
	1.14(9)*	1.88(8)	1.85(7)	7.9(6)	3.4(6)	~1.5(6)	<5.3(6)	<3.0(6)	<2.9(6)
1	0.0940	0.0961	0.0983	0.1005	0.1029	0.1053	0.1077	0.1103	0.1130
	2.9(7)	~4.2(8)	~4.0(8)	~6.0(7)	~6(7)	~5(7)	~3(8)	~2.1(8)	<1.0(8)
2	0.0921	0.0941	0.0962	0.0984	0.1006	0.1029	0.1053	0.1077	0.1102
	2.1(7)	2.5(8)	2.8(8)	~9.3(7)	~9.3(7)	~9(7)	~1.3(8)	~4.6(8)	<3.2(8)
3	0.0904	0.0923	0.0943	0.0964	0.0985	0.1007	0.1030	0.1053	0.1077
	1.11(8)	1.2(8)	~5.7(8)	6.1(8)	3.4(8)	4.7(7)†	<2(7)	~3.9(7)	<5(7)
4	0.0887	0.0905	0.0925	0.0945	0.0965	0.0986	0.1008	0.1030	0.1053
	2.43(8)	~1.5(8)	~9.7(6)	~3.37(8)	~2.9(8)	~2.8(8)	~1.04(8)†	<1(7)	<1(7)
6	0.0856	0.0874	0.0891	0.0910	0.0929	0.0948	0.0968	0.0989	0.1010
	1.63(8)	2.0(8)	<1.4(8)†	<2(7)†	2.0(8)	4.35(8)	<1.5(8)†	2.84(8)	2.5(8)†

*Read as 1.14×10^9 .

†Based on the upper limit value of the electron-impact emission cross section given in Table II of Ajello *et al.* (1989), less estimated contributions from overlapping features.

‡Based on a revised value of the electron-impact emission cross section, $0.55 \times 10^{-19} \text{ cm}^2$ (Ajello, private communication, September 1990).

Table 38. Band head wavelengths and Einstein coefficients for N₂ c'₄ $^1\Sigma_u^+ - a$ $^1\Pi_g$. For each $v'-v''$ band, the listed quantities are $\lambda_{Hv'v''}$ (μm) and $A_{v'v''}$ (s^{-1}). Band heads from Lofthus and Krupenie (1977) (band origins not available). Einstein coefficients calculated from the electron-impact band intensities of Filippelli *et al.* (1984) relative to that of the c'₄-X 0-0 band of Ajello *et al.* (1989), normalized to the $A_{00}(c'_4-X)$ value of the latter.

$v' \setminus v''$	0	1	2	3	4	5
0	0.2827	0.2967	0.3119	0.3283	0.3463	0.3661
	1.98(6)*	4.82(6)	3.40(6)	2.37(6)	1.37(6)	9.0(5)

*Read as 1.98×10^6 .

5. Acknowledgements

The authors are grateful to J. M. Ajello, D. J. Burns, L. A. Collins, P. C. Cosby, G. K. James, S. R. Langhoff, B. Liu, H. Partridge, and J.-Y. Roncin for helpful discussions and correspondence and for providing reprints used as reference material in this report. This research was funded by the U.S. Defense Nuclear Agency under contract number DNA 001-88-C-0046.

6. References

- Ajello, J. M., G. K. James, B. O. Franklin, and D. E. Shemansky (1989), *Phys. Rev. A* **40**, 3524.
- Allen, J. S. and C. C. Lin (1989), *Phys. Rev. A* **39**, 383.
- Allen, J. S., S. Chung, and C. C. Lin (1990), *Phys. Rev. A* **41**, 1324.
- Avilova, I. V., L. H. Biberman, V. S. Vorobev, V. M. Zamalin, G. A. Kobzev, A. N. Lagarkov, A. Kh. Mnatsakanian, and G. E. Norman (1969), *J. Quant. Spectrosc. Radiat. Transfer* **9**, 89.
- Blomberg, M. R. A. and B. Liu, Transition probabilities of oxygen molecular cation, *Research Report RJ 6080* (60213), IBM Research Division, San Jose, CA, February 9, 1988.
- Boquist, W. P. and J. W. Snyder, Conjugate auroral measurements from the 1962 U.S. high altitude nuclear test series, *Aurora and Airglow*, B. M. McCormac, ed., Reinhold, New York, 1967.
- Borst, W. L. and E. C. Zipf (1971), *Phys. Rev. A* **3**, 979.
- Carroll, P. K. and C. P. Collins (1969), *Can. J. Phys.* **47**, 563.
- Carroll, P. K., C. P. Collins, and K. Yoshino (1970), *J. Phys. B* **3**, L127.
- Cashion, J. K. (1963), *J. Chem. Phys.* **39**, 1872.
- Collins, L. A., D. C. Cartwright, and W. R. Wadt (1980), *J. Phys. B* **13**, L613.
- Cooley, J. W. (1961), *Mathematical Computations* **15**, 363.
- Camarossa, F., G. Ferraro, and E. Molinari (1974), *J. Quant. Spectrosc. Radiat. Transfer* **14**, 419.
- Dahl, F. and J. Oddershede (1986), *Physica Scripta* **33**, 135.
- Erman, P. and M. Larsson (1977), *Physica Scripta* **15**, 335.
- Filippelli, A. R., S. Chung, and C. C. Lin (1984), *Phys. Rev. A* **29**, 1709.
- Fraser, P. A. (1954), *Can. J. Phys.* **32**, 515.
- Freund, R. S. (1969), *J. Chem. Phys.* **50**, 3734.
- Gattinger, R. L. and A. Vallance Jones (1981), *Can. J. Phys.* **59**, 480.
- Golde, M. F. and B. A. Thrush (1973), *Rep. Prog. Phys.* **36**, 1285.
- Green, B. D., B. L. Upschulte, W. J. Marinelli, L. G. Piper, K. L. Holtzclaw, J. C. Person, M. E. Fraser, W. J. Kessler, H. C. Murphy, A. T. Lintz, AFGL-TR-88-0186, Physical Sciences, Inc., Andover, MA, 1988.
- Hartmann, G. and P. C. Johnson (1978), *J. Phys. B* **11**, 1597.
- Herzberg, G., *Molecular Spectra and Molecular Structure, I. Spectra of Diatomic Molecules*, Van Nostrand Reinhold, New York, 1950.
- James, G. K., J. M. Ajello, D. E. Shemansky, B. Franklin, D. Siskind, and T. G. Slanger (1988), *J. Geophys. Res.* **93**, 9893.
- James, G. K., J. M. Ajello, B. Franklin, and D. E. Shemansky (1990), *J. Phys. B* **23**, 2055.
- Klein, O. (1932), *Z. Phys.* **76**, 226.
- Krupenie, P. H. (1972), *J. Phys. Chem. Ref. Data* **1**, 423.
- Kurzweg, L., G. T. Egbert, and D. J. Burns (1973), *J. Chem. Phys.* **59**, 2641.
- Laher, R. R. and F. R. Gilmore (1991), *J. Phys. Chem. Ref. Data* **20**, 685.
- Landshoff, R. K. M. and J. L. Magee, eds., *Thermal Radiation Phenomena, vol. 1, Radiation Properties of Air*, IFI/Plenum, New York, 1969.
- Langhoff, S. R. and C. W. Bauschlicher, Jr. (1988), *J. Chem. Phys.* **88**, 329.
- Langhoff, S. R., C. W. Bauschlicher, Jr., and H. Partridge (1987), *J. Chem. Phys.* **87**, 4716.
- Langhoff, S. R., H. Partridge, and C. W. Bauschlicher, Jr. (1989), *J. Mol. Spectrosc.* **138**, 123.
- Lassettre, E. N. (1965), *J. Chem. Phys.* **43**, 4479.
- Lassettre, E. N., V. D. Meyer, and M. S. Longmire (1965), *J. Chem. Phys.* **42**, 807.
- Lofthus, A. and P. H. Krupenie (1977), *J. Phys. Chem. Ref. Data* **6**, 113.
- Löwdin, P. O., *Technical Note No. 11*, Quantum Chemistry group, Uppsala University, Uppsala, Sweden, 1958.
- Marinelli, W. J., B. D. Green, M. A. DeFaccio, and W. A. M. Blumberg (1988), *J. Phys. Chem.* **92**, 3429.
- Marinelli, W. J., W. J. Kessler, and B. D. Green, and W. A. M. Blumberg (1989), *J. Chem. Phys.* **91**, 701.
- McCallum, J. C., W. R. Jarman, and R. W. Nicholls, *Spectroscopic Report No. 3*, Centre for Research in Experimental Space Science, York University, March 1972.
- Meier, R. R. (1987), *Rev. Geophys.* **25**, 471.
- Moseley, J. T., P. C. Cosby, J.-B. Ozenne, and J. Durup (1979), *J. Chem. Phys.* **70**, 1474.
- Nicholls, R. W. and A. L. Stewart, *Atomic and Molecular Processes*, D. R. Bates, ed., Academic Press, New York, 1962.
- Numerov, B. (1933), *Publ. observatoire central astrophys. Russ.* **2**, 188.
- Oertel, H., M. Kratzat, J. Imschweiler, and T. Noll (1981), *Chem. Phys. Lett.* **82**, 552.
- O'Neil, R. R., F. Bien, D. Burt, J. A. Sandock, and A. T. Stair, Jr. (1978a), *J. Geophys. Res.* **83**, 3273.
- O'Neil, R. R., O. Shepard, W. P. Reidy, J. W. Carpenter, T. N. Davis, D. Newell, J. C. Ulwick, and A. T. Stair, Jr. (1978b), *J. Geophys. Res.* **83**, 3281.
- Piper, L. G., K. W. Holtzclaw, B. D. Green, and W. A. M. Blumberg (1989), *J. Chem. Phys.* **90**, 5337.
- Rees, A. L. G. (1947), *Proc. Phys. Soc. A* **59**, 998.
- Rizzo, A., R. L. Graham, and D. L. Yeager (1988), *J. Chem. Phys.* **89**, 1533.
- Roncin, J. Y., F. Launay, and K. Yoshino (1987), *Planet. Space Sci.* **35**, 267.
- Rydberg, R. (1931), *Z. Phys.* **73**, 376.
- Schadee, A. (1978), *J. Quant. Spectrosc. Radiat. Transfer* **19**, 451.
- Schappe, R. S., M. B. Schulman, F. A. Sharpton, and C. C. Lin (1988), *Phys. Rev. A* **38**, 4537.
- Schmoranzer, H., P. Hartmetz, D. Marger, and J. Dudda (1989), *J. Phys. B* **22**, 1761.
- Shemansky, D. E. (1969a), *J. Chem. Phys.* **51**, 689.
- Shemansky, D. E. (1969b), *J. Chem. Phys.* **51**, 5487.
- Skubenich, V. V. and I. P. Zapesochnyi (1975), *High Energy Chem.* **9**, 339.
- Slanger, T. G. (1986), *Planet. Space Sci.* **34**, 399.
- Stahel, D., M. Leoni, and K. Dressler (1983), *J. Chem. Phys.* **79**, 2541.
- Stroud, A. H. and D. Secrest, *Gaussian Quadrature Formulas*, Chapter 2, Prentice Hall, Englewood Cliffs, New Jersey, 1966.
- Tellinghuisen, J. (1972), *J. Mol. Spectrosc.* **44**, 194.
- Werner, H.-J., J. Kalcher, and E.-A. Reinsch (1984), *J. Chem. Phys.* **81**, 2420.
- Wetmore, R. W., J. L. Fox, and A. Dalgarno (1984), *Planet. Space Sci.* **32**, 1111.
- Whiting, E. E., J. A. Paterson, I. Kov{acute{a}}cs, and R. W. Nicholls (1973), *J. Mol. Spectrosc.* **47**, 84.
- Whiting, E. E., A. Schadée, J. B. Tatum, J. T. Hougen, and R. W. Nicholls (1980), *J. Mol. Spectrosc.* **80**, 249.
- Yeager, D. L. and V. McKoy (1977), *J. Chem. Phys.* **67**, 2473.
- Yoshino, K. and Y. Tanaka (1977), *J. Mol. Spectrosc.* **66**, 219.
- Zare, R. N. (1964), *J. Chem. Phys.* **40**, 1934.