Benefits in MBE

A brief on the *Testing the Digital Thread* and *Design to Manufacturing and Inspection* projects and related projects

> MBE Summit 2017 4 April 2017, Gaithersburg MD MBE 101

MBE Summit

Putting the Digital Thread into a Manufacturing Context



2017 MBE Summit

Materese, R., Gerskovic, L., Hedberg Jr, T., & Madden, J. J. (2015). The Digital Thread: Stitching Together the Next Industrial Revolution. Gaithersburg MD: National Institute of Standards and Technology. Retrieved from https://www.youtube.com/watch?v=iGtM8VGLn5M.

NIST

Putting the Digital Thread into a Manufacturing Context

Materese, R., Gerskovic, L., Hedberg Jr, T., & Madden, J. J. (2015). The Digital Thread: Stitching Together the Next Industrial Revolution. Gaithersburg MD: National Institute of Standards and Technology. Retrieved from https://www.youtube.com/watch?v=iGtM8VGLn5M.

2017 MBE Summit



Testing the Digital Thread (TTDT)



The Problem

engineering

2017 MBE Summit



Hedberg Jr, T. D., Lubell, J., Fischer, L., Maggiano, L., & Barnard Feeney, A. (2016). Testing the Digital Thread in Support of Model-Based Manufacturing and Inspection. *Journal of Computing and Information Science in Engineering*, *16*(2), 1-10. doi:10.1115/1.4032697

NIST



Cycle-time based on design annotation, manufacture, and inspection cycle

- Avg. 60.3 hrs for drawingbased
- Avg. 18.5 hrs for modelbased
- 74.8% average reduction

Hedberg Jr, T. D., Lubell, J., Fischer, L., Maggiano, L., & Barnard Feeney, A. (2016). Testing the Digital Thread in Support of Model-Based Manufacturing and Inspection. *Journal of Computing and Information Science in Engineering*, *16*(2), 1-10. doi:10.1115/1.4032697

🖇 2017 MBE Summit

Results: Non-conformance



17 MBE Summit

- Red box: gasket slot moved
 - Cause: Poor drawing interpretation, misunderstood where GD&T lines terminated
- Blue arrow: incorrect through hole
 - Cause: Depth call-out missed on drawing

Hedberg Jr, T. D., Lubell, J., Fischer, L., Maggiano, L., & Barnard Feeney, A. (2016). Testing the Digital Thread in Support of Model-Based Manufacturing and Inspection. *Journal of Computing and Information Science in Engineering*, *16*(2), 1-10. doi:10.1115/1.4032697

More TTDT Observations

- No definition interpretation questions in model-based process
- The drawing-based supplier asked 12 questions for interpreting the drawing
 - Each question forced stop working
 - Average cycle-time for answering a question was 2.8 calendar days
 - Equated to a total of 34 calendar days of work stoppage due to product-definition interpretation using the 2D drawings
- Difference of 5.8 "active" days between the drawing-based process and model-based process
 - Model-based supplier delivered parts in approximately five weeks
 - Drawing-based supplier took approximately eight months to deliver parts

Design to Manufacturing and Inspection (D2MI)

MBE Summit

Impact of standards-based interoperability on the supply chain

Rockwell Collins



NIST Mastercam. **Mitutoy**





International TechneGroup

Fischer, K., Rosche, P., Trainer, A., Barnard Feeney, A., & Hedberg Jr, T. (2015). Investigating the Impact of Standards-Based Interoperability for Design to Manufacturing and Quality in the Supply Chain (NISTGCR 15-1009). Retrieved from Gaithersburg MD: http://www.nist.gov/manuscript-publicationsearch.cfm?pub_id=920033

MBE Summit

D2MI Methodology

2017 MBE Summit



Trainer, A., Hedberg Jr, T., Barnard Feeney, A., Fischer, K., & Rosche, P. (2016). *Gaps Analysis of Integrating Product Design, Manufacturing, and Quality Data in the Supply Chain using Model-Based Definition.* Paper presented at the 2016 Manufacturing Science and Engineering Conference, Blacksburg VA.

CAD Results

CAD Metrics	Rolle	Rolled Standoff			Heat Sink		
827-9999	-903	-905	-907	-904	-906	-908	
2D PDF drawing		full dimension with 2D PMI annotation	key 2D PMI annotation only (PDD)		full dimension with 2D PMI annotation	key 2D PMI annotation only (PDD)	
3D model	includes embedded PMI	not provided	with no embedded PMI	includes embedded PMI	not provided	with no embedded PMI	
Number of PMI entities	23 (24*)			78 (90*)			
CAD model creation (modified existing part)	0.5 hours	0.5 hours	0.5 hours	0.5 hours	0.5 hours	0.5 hours	
Model-embedded PMI	3.0 hours			6.0 hours			
2D PDF drawing creation	0.5 hours	1.0 hours	0.7 hours	0.5 hours	2.4 hours	1.3 hours	
CAD tool issue resolution and designer education	9.0 hours	0.5 hours	0.1 hours	4.9 hours	0.5 hours	0.1 hours	
CAD model resolution to address downstream issues	2.3 hours + 4.5 hours to learn NX			3.0 hours + 1.3 hours to learn NX	original dwg missing dim – required ECO		

NIST

* Original PMI entity count based on objects found in the NX Part navigator – eventually reduced count by issue resolution

engineering

CAM Results

CAM Metrics	Rolled Standoff			Heat Sink		
827-9999	-903	-905	- 907	-904	-906	-908
	3D model with	2D drawing	2D PMI drawing	3D model with	2D drawing	2D PMI drawing
	embedded PMI	fully annotated	and 3D model	embedded PMI	fully annotated	and 3D model
CAM Process Preparationa) Gather informationb) Analyze jobc) Determine approach	3.25 hours	3.25 hours	3.25 hours	3.83 hours	3.83 hours	3.83 hours
	a) 0.25 hours	a) 0.25 hours	a) 0.25 hours	a) 0.33 hours	a) 0.33 hours	a) 0.33 hours
	b) 0.50 hours					
	c) 2.50 hours	c) 2.50 hours	c) 2.50 hours	c) 3.00 hours	c) 3.00 hours	c) 3.00 hours
CAM Setup	0.45 hours	0.52 hours	0.45 hours	0.68 hours	0.64 hours	0.40 Hours
a) Model preparation	a) 0.00 hours	a) 0.07 hours	a) 0.00 hours	a) 0.45 hours	a) 0.52 hours	a) 0.28 hours
b) Pre-program setup	b) 0.45 hours	b) 0.45 hours	b) 0.45 hours	b) 0.23 hours	b) 0.12 hours	b) 0.12 hours
CAM Programming	1.00 hours	1.00 hours	1.00 hour	3.23 hours	3.13 hours	2.30 hours
a) Part programming	a) 0.50 hours	a) 0.50 hours	a) 0.50 hours	a) 3.01 hours	a) 2.75 hours	a) 2.08 hours
b) Tooling preparation	b) 0.50 hours	b) 0.50 hours	b) 0.50 hours	b) 0.22 hours	b) 0.38 hours	b) 0.22 hours
CAM Verification a) Create work instructions (setup sheets) b) Review process (Run VERICUT)	0.15 hours a) 0.10 hours b) 0.05 hours	0.15 hours a) 0.10 hours b) 0.05 hours	0.15 hours a) 0.10 hours b) 0.05 hours	0.42 hours a) 0.32 hours b) 0.10 hours	0.50 hours a) 0.35 hours b) 0.15 hours	0.53 hours a) 0.35 hours b) 0.18 hours
Total	4.85 hours	4.92 hours	4.85 hours	8.16 hours	8.10 hours	7.06 hours

NIST

2017 MBE Summit

engineering

(6)

CMM Results

CMM Metrics	Rolled Standoff			Heat Sink			
827-9999	-903 3D model with embedded PMI	-905 2D drawing fully annotated	- 907 2D PMI drawing and 3D model	-904 3D model with embedded PMI	-906 2D drawing fully annotated	- 908 2D PMI drawing and 3D model	
CMM Process Preparation				0.10 hours	0.50 hours	0.75 hours	
CMM Setup	Unable to perform automated inspection process due to physical size limits of the available CMM equipment. The part features were too small for the CMM probe to measure. These test parts were inspected manually.			0.10 hours	0.75 hours	1.00 hour	
CMM Programming				0.50 hours	4.76 hours	4.75 hours	
CMM Verification a) Verify information b) Verify for collisions				0.30 hours a) 0.15 hours b) 0.15 hours	1.00 hours a) 0.50 hours b) 0.50 hours	1.00 hour a) 0.50 hours b) 0.50 hours	
Inspection a) CMM inspection b) Manual inspection	0.50 hours a) 0.00 hours b) 0.50 hours	0.25 hours a) 0.00 hours b) 0.25 hours	0.25 hours a) 0.00 hours b) 0.25 hours	0.70 hours a) 0.20 hours b) 0.50 hours	0.40 hours a) 0.20 hours b) 0.20 hours	0.40 hours a) 0.20 hours b) 0.20 hours	
CMM Data Analysis				0.50 Hours	0.50 hours	0.50 hours	
Total Time	0.50 hours	0.25 hours	0.25 hours	2.20 hours	7.91 hours	8.40 hours	

NIST

2017 MBE Summit

engineering

D2MI Findings: Tools

- Rules should be implemented in CAD systems to better align model creation with the downstream-machine-interpretable expectations
- Verification tools are needed to ensure that best practices have been followed prior to the release of models for downstream consumption
- Additional work is needed in order to overcome remaining deficiencies in CAM/CAI kernels to enable embedded-PMI exchange

D2MI Findings: Standards

- Lack of support for "unless otherwise specified" increases cycle time for both the data authors and data consumers
- Surface finish is lacking for support of manufacturing and inspection
- Addition of manufacturing features in models will increase efficiency for manufacturing operations



D2MI Findings: Process

- Missing dimensions in 2D data set highlights value of 3D model use
- Designer education is not yet aligned with requirements for downstream PMI consumption
- Potential exists for:
 - automating AS9102 population,
 - developing a visual presentation that ties metrology results and MBD,
 - and providing metrology results feedback to upstream users for analysis and prediction





Related value-added works





Measuring the PMI Modeling Capability in CAD Systems Overview of CAD Capabilities



of GD&T annotation

engineering

Test Model 1 PMI Complex Test Case 1 Includes Atomic Test Cases - 1, 2, 3, 4, 7, 8, 17, 21, 33, 48 Rev D Example Test Case

Impacts:

- Influencing direction of ASME Y14.41 and Y14.41.1
- Closing gaps in STEP AP242, PDF-PRC, JT, and QIF

	CAD A	CAD B	CAD C	CAD D
No Limitations	85%	74%	69%	67%
Presentation Limitations only	2%	10%	18%	14%
Representation Limitations	13%	16%	13%	19%
Representation Level	87%	84%	87%	81%

Overview of Neutral Capabilities





Reports, models, and more at: <u>http://go.usa.gov/mGVm</u>

Monitoring Mfg. Systems

- Simulated cycle time for one feature was 15 seconds, but measured results show actual cycle time was 80 seconds
- Feed rate mismatch affects production schedule

system

MBE Summit

• Need a solution to overcome impact to scheduling



Retrieve models and data at: https://smstestbed.nist.gov/tdp/d2mi

Present and Represent Activities

Design Data (ISO 10303 – STEP AP242)



#131=DIRECTION(' ',(1.,0.,0.)); #136=AXIS2_PLACEMENT_3D(' ',#126,#121,#131); #141=PLANE('',#136); #146=CARTESIAN_POINT(' ',(-8.361367154208E-16... #151=DIRECTION(' ',(1.087705058168E-16,1.,0.)); #156=VECTOR(' ',#151,1.); #161=LINE('',#146,#156); #166=CARTESIAN_POINT(' ',(-8.361367154208E-16... #167=VERTEX_POINT(' ',#166); Manufacturing Data (MTConnect & QIF)



Feng, S. C., Bernstein, W. Z., Hedberg Jr, T., & Barnard Feeney, A. (Accepted, In-press). Towards Knowledge Management for Smart Manufacturing. *Journal of Computing and Information Science in Engineering*.

Apply Data Analytics & Build Knowledge



Time (sec)

2017 MBE Summit

Cause for mismatch:

- Machine never reached planned feed rate
- Height of the design feature (i.e., chamfers) is small
- Machine cannot complete acceleration to planned feed rate before completing the fabrication of the design feature



Feng, S. C., Bernstein, W. Z., Hedberg Jr, T., & Barnard Feeney, A. (Accepted, In-press). Towards Knowledge Management for Smart Manufacturing. *Journal of Computing and Information Science in Engineering*.