# Report on the First Meeting of the National Working Group on Stored Vehicle Tare Weights

September 27-29, 2004

Sponsored by the National Institute of Standards and Technology's Weights and Measures Division and the National Conference on Weights and Measures







## Report on First Meeting of the National Working Group on Stored Vehicle Tare Weights<sup>1</sup>

September 27 - 29, 2004

### I. Overview

The primary goal of this National Working Group (NWG)<sup>2</sup> is to develop recommendations (e.g., good weighing practices, new method of sale of commodities requirements, or amendments to the Uniform Weights and Measures Law) on stored vehicle tare weights to help State and local weights and measures officials to improve the accuracy of commercial weightments made over vehicle scales. A second goal is to develop informational brochures, reports, and presentations to educate users about weights and measures laws that require accuracy for commercial transactions based on good weighing practices.

When using a commercial weighing system, such as a vehicle scale, businesses can spend hundreds of thousands of dollars to purchase, install, and maintain a device that complies with state and local requirements. In addition state and local governments purchase test equipment and employ expert weights and measures officials to ensure vehicle scales are maintained and used in compliance with legal requirements. For example, vehicle scales used commercially are required to be accurate to approximately  $\pm$  0.2 % of the actual weight a truck (e.g., 160 lb on an 80 000 lb truck). However, over the past few years, officials have grown increasingly concerned that a number of vehicle scale users rely on stored vehicle tare weights in commercial transactions that have been found to have errors of several thousand pounds. Stored vehicle tare weights are used in numerous weighing applications (e.g., solid waste disposal and landfills, quarries, mining, agriculture, household moving and other industries) where the net weight of commodities and charges for services are determined using vehicle scales. Surveys conducted in several jurisdictions have revealed that a majority of stored tare weights were inaccurate with errors ranging between  $\pm$  0.34 % to 22 % of the stored value. A large number of the tare errors were found to favor scale users.

Survey officials found that device users used a wide variety of approaches to determine when they would reweigh vehicles to obtain correct tare values. For example, some firms reweigh trucks once per day or week while others only determine stored tare values for the same vehicle once a month or once every few years. Several firms employed the preferred practice of weighing trucks in and out to provide the most accurate calculation of net weight while other firms used frequent reweighing of empty vehicles during the day to determine net weights (see Appendix B for more information).

The NWG agreed that survey results, which were collected over the last six years and indicated inaccuracies in stored vehicle tare weights, undermine the goal of scale users and weights and measures

An example of a stored vehicle tare weight is one that is saved in computer memory and later recalled for use in commercial transactions to compute the net weight of the commodity contained in the vehicle (Gross Vehicle Wt. - Stored Vehicle Tare Wt. = Net Wt. of Commodity). Other types of "stored" vehicle tare includes those written or recorded on weigh tickets or maintained in tare charts or displayed on the vehicle for use to determine net weights.

<sup>&</sup>lt;sup>2</sup> Sponsored by the U.S. Department of Commerce's National Institute of Standards and Technology; the National Conference on Weights and Measures and state and local weights and measures agencies.

officials to ensure that commercial vehicle scale weighments are accurate within the legal tolerances of approximately  $\pm$  0.2 %.

### II. Forum Activities

The forum was held at the Department of Commerce Headquarters in Washington D.C., on Tuesday, September 28, 2004. Attending were weights and measures officials from California, Indiana, Ohio, Maine, Maryland, Michigan, and New Mexico, along with representatives from UniGroup Inc., the Federal Highway Administration, Brechbuhler Scales Inc., Cardinal Scale Inc., and Rice Lake Weighing Systems Inc. See Appendix A for additional information on the participants.

The following presentations were given at the forum and are included in the Appendixes to this report.

- Ken Butcher, NIST Weights and Measures Division, gave a presentation on "The Use of Inaccurate Tare Weights in Vehicle Weighing." The presentation included background information on NIST's role in ensuring uniformity in weights and measures requirements and explained how the National Conference on Weights and Measures develops uniform laws, regulations and test procedures. The legal requirements that must be followed to maintain accurate weighing and measuring devices and current scale inspection procedures were also explained. The results from several state surveys of stored vehicle tare weights conducted at a variety of businesses were presented to show the impact of weighing errors. (See Appendix B.)
- Kathryn M. Dresser, NIST, Technical Advisor to the NCWM Laws and Regulations Committee, reviewed the history of the NCWM's stored vehicle tare issue that was originally submitted for consideration by the State of Maryland through the Southern Weights and Measures Association in 1999 (see Appendix C).
- David Lazier, Branch Chief, State of California, Division of Measurement Standards, gave a presentation on his state's Weighmaster Program and how it is used to ensure accurate weighing while allowing the use of several types of predetermined tare weights on a variety of containers and vehicles. (See Appendix D.)

### III. Decisions and Future Activities

The NWG agreed to work together to achieve the following goals:

Goal 1: Increase Trade Association and Industry Participation

In spite of distributing the Forum announcement to the States, to more than 60 trade associations and other groups (e.g., local governments who may operate landfills), a news release, a Federal Register Notice, and mass emails, only a few industry and trade representatives expressed interest in participating in the forum. The NWG believes this lack of participation may have been a combination of affected parties not understanding the issue and the lack of enforcement by many states to ensure accurate vehicle tare weights (Lack of inspection staff and resources are the reasons most jurisdictions are unable to adequately supervise the use of stored vehicle tare weights.) The NWG agreed to make a concerted effort over the next year to reach out to users, trade associations and other interested parties to increase interest and participation in the effort to improve the accuracy of vehicle weighing.

## Goal 2: Conduct a National Tare Survey in 2005-2006

The NWG decided that a National Tare Survey should be conducted in 2005-2006 because there is a lack of current data and questionable accuracy of some of the older data collected from business locations where the accuracy of the vehicle scale was not verified immediately prior to the verification of the stored tare weights. The new data will be collected for specific industries and weighing practices (see Appendix E for the draft of the survey form). The accuracy and integrity of the survey data will be established by ensuring that officials conducting surveys verify the accuracy of vehicle scales according to NIST Handbook 44 "Specifications, Tolerances and Other Technical Requirements for Weighing and Measuring Devices" immediately prior to verifying tare weights. Official will also conduct tare verifications following a uniform Examination Procedure Outline that the NWG will develop. NIST and one of the states participating in the NWG will co-sponsor a school for participating officials and NIST will provide technical assistance in collecting and evaluating the survey data to ensure that it meets the NWG's requirements. The NWG will provide periodic reports on its activities to the NCWM Laws and Regulations Committee.

Goal 3: The NWG will address issues and alternatives that should be considered in an effort to balance buyer and seller interests in the accuracy of these transactions. The NWG will provide an opportunity for industry representatives, consumers, vehicle scale-owner-users, exporters, importers, retailers, federal and state agencies, and other interested parties to learn how state and local weights and measures officials supervise the weighing of vehicles to ensure accuracy and equity in the marketplace.

Goal 4: The NWG will seek partners to identify concerns (e.g., economic impact of incorrect weights versus the time and investment of weighing vehicles for gross and tare weight) and solicit industry cooperation to reduce weighing inaccuracies through the identification and use of good weighing practices. Participation in the NWG is open to business, industry, consumers, trade associations, scale owners and users, state and federal officials, and other interested parties.

Goal 5: The NWG will solicit and share individual state experiences and enforcement approaches to resolving problems concerning stored vehicle tare weights and other weighing practices (e.g., split weighing) that may affect the accuracy of weighments.

Goal 6: The NWG will develop a guide on "Good Weighing Practices" to educate industry and other interested parties about state weights and measures supervision of vehicle weighing.

## IV. Information and Invitation to Participate

If you would like to participate in this working group or would like to obtain additional information, please contact:

Tom Coleman Weights and Measures Coordinator National Institute of Standards and Technology Weights and Measures Division 100 Bureau Drive Stop 2600 Gaithersburg, MD 20899-2600

Phone: 301-975-4868 E-mail: t.coleman@nist.gov

## Appendix A. Participants List National Working Group on Stored Vehicle Tare Weights

Dennis Abbey<sup>3</sup>
Director
Stuben County Weights and Measures
3 East Pulteney Square
Bath, New York 14810-1557

David Armstrong<sup>3</sup>
Nevada Department of Agricultures
Weights and Measures
2300 McLeod Street
Las Vegas, Nevada 89104-4314

Timothy M. Baer UniGroup Inc. 1 Premium Drive Fenton, Missouri 63026 (636) 349-2716 tim\_baer@unigroup.com

Kenneth S. Butcher, Group Leader NIST Weights and Measures Division Laws and Metric Group 100 Bureau Drive Stop 2600 Gaithersburg, Maryland 20899-2600 301-975-4859 kbutcher@nist.gov

Tom Coleman
Technical Advisor
NIST Weights and Measures Division
Laws and Metric Group
100 Bureau Drive Stop 2600
Gaithersburg, Maryland 20899-2600
301-975-4868
t.coleman@nist.gov

Robert DeRubeis
Weights and Measures Program Manager
Michigan Department of Agriculture
940 Venture Lane
Williamston, Michigan 48895-9028
517-655-8202
derubeisr@michigan.gov

Joe Gomez
Division Director
New Mexico Department of Agriculture
MSC 3170, P.O. Box 30005
Las Cruces, New Mexico 88003-8005
505-646-1616
jgomez@nmda.nmsu.edu

Richard Harshman
Weights and Measures Coordinator
NIST Weights and Measures Division
Legal Metrology Devices Group
100 Bureau Drive Stop 2600
Gaithersburg, Maryland 20899-2600
301-975-8107
Richard.Harshman@nist.gov

Emil Hazarian<sup>3</sup> NSWC Corona, U.S. Navy P.O. Box 5000 Code MS23C Corona, California 92870-5000

Michael J. Kelley
Weights and Measures Inspection Supervisor
Ohio Department of Agriculture
588 Blazing Trail
Oregonia, Ohio 45054
614-728-6290
kelly\_laptop@mail.agri.state.oh.us

Stephen Langford, P.E.
Vice President, Marketing
Cardinal Scale Manufacturing Company
203 E. Daugherty
Webb City, Missouri 64870
417-673-4631
slangford@cardet.com

David Lazier
Branch Chief
California Division of Measurement Standards
6790 Florin Perkins Road, Suite 100
Sacramento, CA 95828
(916) 229-3044
dlazier@cdfa.ca.gov

Kathryn M. Dresser JD
Technical Advisor
NIST Weights and Measures Division
Laws and Metric Group
100 Bureau Drive Stop 2600
Gaithersburg, Maryland 20899-2600
301-975-3289
Kathryn.Dresser@nist.gov

<sup>&</sup>lt;sup>3</sup> Joined the National Working Group after the first meeting.

Paul A. Lewis Sr.
Compliance Engineer
Rice Lake Weighing Systems
230 W. Coleman Street
Rice Lake, Wisconsin 54868-2404
715-234-3494 x 5322
paulew@rlws.com

Edward L. Luthy Brechbuhler Scales Inc. 1424 Scale Street SW Canton, Ohio 44702-1410 330-458-2424 eluthy@BScales.com

Edward A. Payne, Jr. Field Supervisor Weights and Measures Section Maryland Department of Agriculture 50 Harry S. Truman Parkway Annapolis, Maryland 21401-8960 410-841-5790 payneea@mda.state.md.us

Harold Prince
Inspection Program Manager
Maine Quality Assurance and Regulations
28 State House Station
Augusta, Maine 04333-0028
207-287-5576
hal.prince@state.me.us

Julie Strawhorn
U.S. Department of Transportation
Federal Highway Administration
Office of Freight Management and Operations, HOFM-1
400 7th Street, SW
Washington, D.C. 20590
202-366-4415
julie.strawhorn@fhwa.dot.gov

Lawrence J. Stump
Director
Indiana Weights and Measures
2525 North Shadeland Avenue, Suite D3
Indianapolis, Indiana 46219-1770
<a href="mailto:lstump@isdh.state.in.us">lstump@isdh.state.in.us</a>

Richard W. Wotthlie, Chief Weights and Measures Section Maryland Department of Agriculture 50 Harry S. Truman Parkway Annapolis, Maryland 21401-8960 410-841-5790 wotthlrw@mda.state.md.us Michael Wylie Senior Weights and Measures Inspector Michigan Department of Agriculture 940 Venture Lane Williamston, Michigan 48895-9028 517-655-8202 wyliem@michigan.gov


## Appendix B. Presentation on the Use of Inaccurate Tare Weights in Vehicle Weighing


Presentation begins on the following page.

## The Use of Inaccurate Tare Weights in Vehicle Weighing



CILT Cathodianan a Bandarianan National Conference on Weights and Measures





## Background

- · The Roles of:
  - The National Conference on Weights and Measures
  - · National Institute of Standards and Technology
  - · State and Local Weights and Measures Officials

## The National Conference on Weights and Measures

- A standards-development organization for weights and measures regulatory agencies of states, counties and cities as well as some Federal Departments.
- Also works with international legal metrology groups to foster uniformity in weights and measures requirements and to facilitate trade.

## The purpose of the NCWM

- To bring together government officials, representatives of business, industry, trade associations and consumer organizations to hear and discuss subjects that relate to the weights and measures field.
- To develop and recommend laws and regulations, technical codes for weights and measures devices used in commerce, test methods, enforcement procedures and administrative guidelines.

## NIST



- · Not a regulatory agency.
- 15 U.S. Code Chapter 7, Sec 272
  - (4) Cooperate with the States in Securing Uniformity in Weights and Measures Laws and Methods of Inspection.
  - (10) Cooperate with other departments and agencies of the Federal Government, with industry, with State and local governments, with the governments of other nations and international organizations, and with private organizations in establishing standard practices, codes, specifications, and voluntary consensus standards.
  - (11) advise government and industry on scientific and technical problems.


## State Role: Law Enforcement

- · Commercial
  - · buying or selling by weight or measure
  - service
  - transportation (freight, household moving).
  - storage, processing.
  - · vehicle weighing service.
- · Other
  - · vehicle weights (total and axle loads)
  - · statistical purposes

## Basis of WM Inspection

- NIST Handbook 44 "Specifications, Tolerances, and Other Technical Requirements for Weighing and Measuring Devices."
- NIST Handbook 112 "Examination Procedures Outlines for Commercial Weighing and Measuring Devices"
- NIST Handbook 130 "Uniform Laws and Regulations..."





## Weights and Measures Law

- 1.2. Weight. The term "weight" as used in connection with any commodity or service means net weight.
- 1.10. Net "Weight." ... means the weight of a commodity excluding any materials, substances, or items not considered to be part of the commodity.\*

\*Materials, substances, or items not considered to be part of the commodity include, but are not limited to, containers, conveyances, bags, wrappers, packaging materials, labels, individual piece coverings, decorative accompaniments, and coupons, except that, depending on the type of service rendered, packaging materials may be considered to be part of the service (e.g., the service of shipping includes the weight of packing materials.

## 15. Misrepresentation of Quantity\*

No person shall:

- sell, offer, or expose for sale a quantity less than the quantity represented, nor
- take more than the represented quantity when, as buyer, he/she furnishes the weight or measure by means of which the quantity is determined, nor
- represent the quantity in any manner calculated or tending to mislead or in any way deceive another person.

\*The fact that a scale may overregister within established tolerances and is approved for commercial service is not a legal justification to deliver less than the stated quantity.

## 16. Misrepresentation of Pricing

 No person shall misrepresent the price of any commodity or service sold, offered, exposed, or advertised for sale by weight, measure, or count, nor represent the price in any manner calculated or tending to mislead or in any way deceive a person.

## Most States adopt NIST Handbooks

- 41 States automatically adopt NIST Handbook 44
- All 50 states adopt some version of Handbook 44
- 46 States have adopted variations or sections of NIST Handbook 130, in particular, "The Uniform Packaging and Labeling Regulation"

## Authority


- State laws and regulations give officials the authority to conduct inspections, conduct investigations and seek criminal or civil penalties.
- Most states adopt the handbooks either by reference or through their administrative procedure acts.
- All states set their own policies regarding frequency of inspection and enforcement actions.

## Purpose of Inspection

- · Equity and fair competition
- · Business and consumer protection
- Accurate: a scale is "accurate" when its performance ... its
  indications, its deliveries, its recorded representations, or
  its capacity or actual value, etc., as determined by tests
  made with suitable standards conforms to the standard
  within the applicable tolerances and other performance
  requirements. Scales that fail to conform are "inaccurate."


### Laws

- Control commercial weighing and measuring instruments through:
  - Type Evaluation
- Inspection and testing
- · Enforce sale by net weight.
- · Misrepresentation of weights and pricing.
- · Prevent "misrepresentation" of weight caused by
  - · apathy
  - · accidental or intentional acts
  - · ignorance




Overview:
Typical Vehicle Scale Test
Procedures Used by State Weights
and Measures Officials











## **Examination Procedure Outline**


- Zero
- Increasing load test (using 10,000 lb to 40,000 lb of known test weights)
- Shift test
- Decreasing load test (automatic scales only)
- Strain or substitution tests to verify higher scale capacities.
- Return to zero


Zero Test then Increasing-Load Test
















## Strain Load Test





## **Evaluation of Test Results**

- · Tolerance results at all test loads
- · Agreement of section test results
- · Repeatability
- Return to zero
- · Sensitivity at zero and maximum test load
- Compliance with other requirements such as overcapacity blanking and motion detection for printing.

## Theory of Tolerances

- · Tolerances:
  - are primarily accuracy criteria for use by regulatory officials.
  - values are fixed so the permissible errors are sufficiently small so that there is no serious injury to either buyer or seller of commodities or services.
  - Historically vehicle scale tolerances have been 0.1 % and 0.2 % of test load (i.e., 1 lb or 2 lb per thousand pounds of weight).

## Scale Capacity 120,000 x 20 lb

+/- Acceptance	Load in lb	+/-Maintenance
10	0 to 10,000	20
20	20,000	40
30	30,000	60
40	40,000	80
50	50,000	100
60	60,000	120
70	70,000	140
80	80,000	160
90 .	90,000	180
100	100,000	200
110	110,000	220
120	120,000	240

## Scale Capacity 200,000 x 50 lb

+/- Acceptance	Load in lb	+/- Maintenance
25	0 to 25,000	50
50	50,000	100
75	75,000	150
100	100,000	200
125	125,000	250
150	150,000	300
175	175,000	350
200	200,000	400
225	225,000	450
250	250,000	500
275	275,000	550
300	300,000	600

## Stored Tare Weight Surveys

## **Definitions**

- Gross Weight = truck + cargo
- Tare Weight = truck, driver, fuel and other.
- Net Weight = weight of the product, commodity or cargo carried.

## How are weights used?

- Seller
  - Basis for buying and selling (+/- errors)
  - Services (freight, storage, weight for service)
  - Inventory
  - · Highway weight limit compliance
- · Commercial Transaction:
  - Seller to Buyer (single or multiple transactions)
  - Seller to Buyer and Third or Multiple Parties

## Example of Tare Weight Error

Stored Tare Used for Trade: 33,140 lb

Actual Tare: 33,700 lb

Error: - 560 lb

Gross Wt: 50,000 lb

Gross Wt: 50,000 lb

False Tare: 33,140 lb

Actual Tare: 33,700 lb

False Net Weight: 16,860 lb

True Net Weight: 16,300 lb

Customer Shortweighed: 560 lb

## Stored Tare

- Stored and recalled from memory in digital indicators and computers.
- Charts with truck-id and tare weight taped to the wall.
- Marked on vehicle or driver information.

## What Changes Tare Weight?

- · Driver/Passengers on-off truck
- Repairs or modifications to vehicle (e.g., new tires, paint, welding etc.)
- Tools, material handling equipment, personal effects.
- Fuel and other fluid levels.
- Mud, dirt and others (e.g., product retained in bed of dump truck).

## States Reporting Survey Results

Across all Industries

- Arizona
- California
- Connecticut
- Florida
- Iowa
- Maryland
- Minnesota
- Nebraska
- · Pennsylvania
- Tennessee
- Virginia
- West Virginia
- Monthly

- Once in every 10 weighings (3, 2, or 5)
- · Every day or twice per day
- 2 years, 5-1/2 years (+ 860 lb)(+ 640 lb)
- · Every 2 days
- · Every 3 months
- Once per week, every two-weeks, year, and beginning of paving season
- · Weigh-in and weigh-out
- Never

## Survey Results

Frequency of Tare Updates based on **User Comments** 

• Yearly (but firm was using tare weights that

• Tare weight established by 3 separate

• Only when customer requests.

were 3 years old).

weighings is used.

(tolerance allowed on at vehicle weights in parentheses)

- 26 locations
  - Errors: 180 to + 570 (60 80 lb) [750]
- 183 tare weights
  - Errors: 740 to + 400 lb (40 80 lb) [1140]
- 48 tare weights
  - Errors: -1300 to +660 (20 80 lb) [1960]
- 140 tare weights
  - Errors: 8900 to + 2340 (20 100 lb) [11240]

## Survey Results

(tolerance allowed on at vehicle weights in parentheses)

- 8 tare weights
  - Errors: -340 to + 300 (40 80 lb) [640]
- 39 tare weights
  - Errors: -1020 to + 680 lb (20 80 lb) [1700]
- 44 tare weights
  - Errors: -4920 to +540 (60 80 lb) [5460]
- 113 tare weights
  - Errors: -4680 to + 1060 (20 80 lb) [5740]

## Survey Results

(tolerance allowed on at vehicle weights in parentheses)

- 36 tare weights
  - Errors: -320 to +260 (40-60 lb) [640]
- 57 tare weights
  - Errors: -660 to + 2680 lb (20 100 lb) [3340]
- 84 tare weights
  - Errors: -480 to + 1200 (40 100 lb) [1680]

Individual Vehicles (d-daily, 3 – 90 days, 1- yearly)					
Used	Actual	Error	%		
d23,300	23,380	- 80	- 0.34		
d25,300	25,200	+100	+ 0.39		
d24,340	24,380	- 40	- 0.16		
335,760	36,340	+ 580	+ 1.62		
334,000	37,000	-3,000	- 8.82		
333,500	34,440	- 940	- 2.80		
134,600	32,260	+2,340	+ 6.76		
142,360	45,500	-3,140	- 7.41		
123,680	24,800	-1,120	- 4.72		
127,500	30,900	-3,400	- 12.36		

(Largest Variations)				
Used	Actual	Error	%	
31,800	24,800	+ 7,000	+ 22 (query)	
42,780	51,680	- 8,900	-20.8 (madell)	
28,760	33,680	- 4,920	-17 (segregate)	
42,360	45,500	- 3,140	- 7.4 (tand511)	
27,500	30,900	- 3,400	- 12.3 (recycler)	
34,600	32,260	+ 2,340	+ 6.7 (landfill)	
27,380	28,680	-1,300	- 4.7	

Individual Vehicles

Individual Vehicles					
Daily - Quarry					
Used	Actual	Error	%		
23,300	23,380	- 80	- 0.34		
23,200	23,140	+60	+ 0.25		
23,520	23,500	+20	+ 0.08		
24,340	24,380	- 40	- 0.16		
23,300	23,320	- 20	- 0.08		
26,100	26,140	- 40	- 0.16		
23,180	23,200	- 20	- 0.08		
24,820	24,780	+ 40	+ 0.16		
25,300	25,200	+ 100	+ 0.39		
22,800	22,820	- 20	- 0.08		

## Proposed Actions

- Coordinate a new survey to obtain current data on stored vehicle tare weights.
- Contact industry and trade associations and solicit their assistance in sharing survey results with their members so the economic impact of the errors is recognized and good weighing practices are initiated to correct weighing inaccuracies.

## Proposed Actions

- Develop "Good Weighing Practice" guide for distribution to device owners-users.
- Educate W&M Officials about the problem and provide guidance on how they can control violations through supervision and enforcement action.
- Consider HB 44 & HB 130 proposals? (e.g., require stored vehicle tares to be deleted from memory each day?)

## Other Weighing Practices that Result in Inaccuracies

• Double-Draft or split-weighing:

Kansas recently found using the same truck that 100 % of the double-draft weights differed from the single-draft weights, and 73 % differed by an amount greater than the applicable 120 lb tolerance for the vehicle. The average plus error was 320 lb and the average minus error was 210 lb. Several errors exceeded 1,000 lb.



## Agreement of Weigh-in & Weigh-out Scales



Weigh-in and Weigh-out Scales are within tolerances but one is plus and other is minus (e.g., at 80,000 lb on a 20 lb division scale this difference could be as much as 320 lb)

Contact Information

Tom Coleman National Institute of Standards and Technology Weights and Measures Division 100 Bureau Drive Stop 2600 Gaithersburg, MD 20899-2600

Phone: 301-975-4868 E-mail: t.coleman@nist.gov Contact Information

The National Conference on Weights and Measures 15245 Shady Grove Road Suite 130

Rockville, MD 20850 Phone: 240-632-9454 Fax: 301-990-9771

E-mail: ncwm@mgmtsol.com

## Appendix C. History of NCWM Stored Vehicle Tare Issue

In 1999 the State of Maryland submitted for consideration a proposal relating to the accuracy of stored vehicle tare weights to the Southern Weights and Measures Association (SWMA). The SWMA forwarded the item (as shown immediately below) to the National Conference on Weights and Measures Laws and Regulations Committee for review at its 2000 Interim Meeting

### 232-2 Stored Vehicle Tare Weights

SOURCE: Southern Weights and Measures Association (SWMA) from the State of Maryland.

CURRENT PROPOSAL: Add the following language to the Handbook 130, Method of Sale Regulation:

- 3.5. Vehicle Tare Weights Whenever stored vehicle tare weights are employed, the following conditions and requirements shall apply:
  - 3.5.1. All stored vehicle scale tare weights shall be determined to the nearest scale division. When stored tare weights are used, issued weight certificates shall identify that fact by placing words such as "stored tare" next to the tare weight. Abbreviations or symbols may be used, provided the terminology is defined elsewhere on the printed ticket.
  - 3.5.2. Stored vehicle scale tare weights shall be verified at regular intervals at a frequency to be determined by the jurisdiction with statutory authority for the device, unless preempted by a more stringent guideline/requirement or modification of the vehicle.

BACKGROUND AND JUSTIFICATION: Stored vehicle tare weights are being used and have often been found to be incorrect. Errors found in initial vehicle tare weight surveys range from weighing 8,900 pounds less than the stored tare to weighing 2,680 pounds more than the stored tare. A load of sand or gravel at a cost of \$5.50 per ton with a tare error of 750 pounds has a monetary value for each weighing error of \$2.06. If this error occurs on four transactions per day for 240 working days, it results in an overcharge of more than \$1,977 per year. Since the practice of using stored tare weights is followed by other types of businesses (e.g., landfills and asphalt plants) where prices may reach \$70 or more per ton, an error of 750 pounds in the tare weight of a truck would equal \$26 per weighment. If this truck were involved in four transactions per day for 240 working days, the overcharge would total more than \$25,000 per year.

HISTORY OF ITEM: This item was originally submitted to the Committee by the SWMA in 1999 as:

- 1. Develop a method of sale regulation for stored vehicle tare weights. Require scale operators to maintain accurate and up to date tare weights. The SWMA submitted the following suggested requirements for a new method of sale.
  - 3.5. Vehicle Tare Weights Whenever stored vehicle tare weights are employed, the following conditions and requirements shall apply:
    - 3.5.1. Allowable differences. The difference between actual tare weight and stored tare weight must not exceed plus or minus 2 %.
    - 3.5.2. All stored vehicle scale tare weights shall be accurately determined to the nearest scale division.
    - 3.5.3. Stored vehicle scale tare weights shall be verified at regular intervals, not to exceed 3 months, unless pre-empted by a more stringent guideline/requirement.
- 2. Adopt appropriate allowable difference between actual tare weight and stored tare weight.
- 3. Develop an examination procedure outline and enforcement procedures.

 Collect data from States that have not yet responded to a survey conducted by the States of Maryland and North Carolina.

### In 2000:

At the January Interim Meeting the Committee received comments from the States of Maryland and Mississippi. Maryland requested that this item be maintained as developmental and suggested further study by the Southern Weights and Measures Association (SWMA). An official from the state of Mississippi testified that stored tare weights are illegal in that jurisdiction. The Committee decided to maintain this item as Developmental and asked that further work be done on a regional level to clarify this issue and fully develop the proposal.

- The Central Weights and Measures Association (CWMA) questioned the 600-lb tolerance. CWMA suggested that if a tolerance is to be allowed, it should be no greater than the maintenance tolerance for the tare weight.
- The Northeastern Weights and Measures Association (NEWMA) supported continuing development of this issue. NEWMA reported that, while some states already prohibit stored tares in present enforcement programs, many feared that the practice is fairly widespread. NEWMA was supportive of the concept of timely verification of stored tare weights, but NEWMA felt that the time limit and tolerance proposals were not acceptable. NEWMA also expressed concern that stored tare weights may be inconsistent with the provisions of the Uniform Weighmaster Law in that the tare weight was not actually measured by the Weighmaster and could invalidate any weight ticket issued.
- The Western Weights and Measures Association (WWMA) supported the further development of this item with the consideration of existing tare regulations in other states. WWMA also recommended consideration of the following:
  - Allowable differences should be a percentage of the weight of the vehicle as opposed to a fixed weight.
  - Limit the use of stored tare weights to specific commodities such as rock, sand or gravel.
  - Certified weight tickets must also include a disclosure that reflects the use of a stored tare weight.
  - Do not require a mandatory tare weight verification interval of 3 months.

### In 2001:

The Committee made this item Informational and considered several comments from the regional associations, including: (1) Should the use of stored tare weights be limited to weighing in certain applications, such as quarries and landfills; (2) Would it be appropriate to develop a proposal for consideration by the National Conference on Weights and Measures Specifications and Tolerances Committee (S&T) to require disclosure on the weight ticket that stored tare weights were used in arriving at the net weights (as has been done with manual weight entries); (3) Would it be appropriate to remove the mandatory verification interval of three months because some jurisdictions may prefer to verify the accuracy of a stored tare weight at their leisure and not provide the operator with a time frame during which non-compliance may be permitted; (4) Is the 2 % tolerance too large – should it be limited to the absolute value of the maintenance tolerance for the value of the tare weight?

- The CWMA opposed this item, expressing concerns that it would create a tolerance for tare weights when accuracy
  was possible. CWMA had further concerns that this allowance would open the door for proliferation into other areas
  of measurement.
- The WWMA recommended that the item be amended to:
  - 3.5. Vehicle Tare Weights Whenever stored vehicle tare weights are employed for more than one weighment, the following conditions and requirements shall apply:
    - 3.5.1. Allowable differences It is the responsibility of the party for whom the stored tare weight was established to maintain the actual tare weight of the vehicle so that it at no time exceeds the stored tare weight.
    - 3.5.2. All stored vehicle scale tare weights shall be accurately determined to the nearest scale division.
    - 3.5.3. Weight certificates issued when stored vehicle tare weights are used shall identify that fact by placing the words "stored tare" next to the tare weight. The letters "ST" may be used in lieu of the words.

- 3.5.4. The use of stored vehicle tare weights shall be limited to vehicles moving earth, rock, sand, gravel, or asphalt paving material.
- The SWMA recommended that the item be amended to:
  - 3.5. Vehicle Tare Weights Whenever stored vehicle tare weights are employed, the following conditions and requirements shall apply:
    - 3.5.1. Allowable differences The difference between the actual tare weight and stored tare weight must not exceed plus or minus 3 scale divisions.
    - 3.5.2. All stored vehicle scale tare weights shall be accurately determined to the nearest scale division. Weight certificates issued when stored vehicle scale tare weights are used shall identify that fact by placing words such as "stored tare" next to the tare weight. Abbreviations or symbols may be used provided the terminology is defined elsewhere on the printed ticket.
    - 3.5.3. Stored vehicle scale tare weights shall be verified at regular intervals at a frequency to be determined by the jurisdiction with statutory authority for the device, unless preempted by a more stringent guideline/requirement or modification of the vehicle.
    - 3.5.4. The use of stored vehicle scale tare weights shall be limited to vehicles moving earth, rock, gravel, refuse, coal, or asphalt paving material.

### In 2002:

At the January Interim Meeting the Committee reviewed the information concerning this issue and decided to submit this item to the NCWM for a vote using the language originally proposed by the SWMA. The Committee learned from the USDA Packers & Stockyards Administration that if this proposal is to be applied to poultry that is weighed on a vehicle scale, a tolerance of 3 divisions (in the SWMA amended proposal) would conflict with their requirements. At the July Annual Meeting, this item went before the NCWM and did not receive enough votes to either pass or fail; it was returned to the Committee.

The CWMA recommended that this item be withdrawn. CWMA is concerned that the item allows a tolerance for a
weight that is (or can be) known. The State of Michigan presented an audit report of 77 vehicles weighed with
stored tare weights:

Number of Trucks Weighed	77
Number of Stored Tares Found in Error	77
Percentage of Stored Tares in Error	100 %
Average Error "Stored Tare Weight"	988.3 lb
Number of Stored Tare Weights Favoring the Device Owner	
Number of Stored Tare Weights Favoring the Customer	43
Total Error Weight Favoring the Device Owner	46,580 lb
Total Error Weight Favoring the Customer	32,500 lb
Economic Benefit to the Device Owner	
Estimated Annual Volume (Ton)	4,400,000
Estimated Annual Sales	326,500,000
Average Estimated Number of Trucks Weighed: Company/Year	71,587

- The NEWMA opposed this item as written and recommended that it be amended to:
  - 3.5. Vehicle Tare Weights Whenever stored vehicle tare weights are employed, the following conditions and requirements shall apply:
    - 3.5.1. All stored vehicle scale tare weights shall be determined to the nearest scale division. When stored tare weights are used, issued weight certificates shall identify that fact by placing words such as "stored tare" next

to the tare weight. Abbreviations or symbols may be used, provided the terminology is defined elsewhere on the printed ticket.

- 3.5.2. Stored vehicle scale tare weights shall be verified at regular intervals at a frequency to be determined by the jurisdiction with statutory authority for the device, unless preempted by a more stringent guideline/requirement or modification of the vehicle.
- The WWMA recommended that this item be withdrawn.
- The SWMA recommended that this item be withdrawn. SWMA recognized that stored tare weights are in use in all of the states and encouraged each jurisdiction to address these situations on a case-by-case basis.


### In 2003:

At the January Interim Meeting the Committee decided to amend this item using language provided by the NEWMA and submitted it to the NCWM for a vote. The Committee received an additional proposal to amend this item as follows: In paragraph 3.5.1. in the first sentence, remove the word "determined" and replace it with "accurate". The Committee decided to not make this amendment. At the July Annual Meeting, this item went before the NCWM and did not receive enough votes to either pass or fail; it was returned to the Committee.

- The CWMA recommended that this item be withdrawn and provided the following reasons: (1) Field data has revealed high errors; (2) Jurisdictions should not have to assume the responsibility of the user; (3) Non-uniformity of enforcement across jurisdictions; (4) Everyone should be enforcing net weight.
- The WWMA recommended that paragraph 3.5.1. of this item be amended to:
  - 3.5.1. All stored vehicle scale tare weights shall be determined verified to the nearest scale division. When stored tare weights are used, issued weight certificates shall identify that fact by placing words such as "stored tare" next to the tare weight. Abbreviations or symbols may be used, provided the terminology is defined elsewhere on the printed ticket.
- The SWMA supported the change proposed by the WWMA.

## Appendix D. California Division of Measurement Standards Weighmaster Program

Presentation begins on the following page.





## CDFA Division of Measurement Standards Weighmaster/Petroleum Branch




David Lazier, Chief

(916) 229-3044 - dlazier@cdfa.ca.gov







## lise of istablished ii fares

Identify on the weighmaster certificate

**Common Tare** 

C.T.

Predetermined Tare(\*except)

P.T.

**Timber Tare** 

T.T.

\*rock, sand, gravel, asphalt

## **COMMON TARE WEIGHTS**

### **ESTABLISHING:**

1,000 lb or less

- •Uniform weight range (0.2 lb or 20 % variance between the highest and lowest)
- •Minimum of 96 containers or 100% of the lot
- •Round to nearest pound if greater than 30 lb; round to nearest 0.1 lb if 30 lb or less.

## **COMMON TARE WEIGHTS**

### PALLETIZED CONTAINERS

Containers per pallet	Min. Pallet Loads to be weighed		
< 10	96 or 100% whichever is less		
10 to 19	37 or 100% whichever is less		
20 to 49	22 or 100% whichever is less		
50 or more	11 or 100% whichever is less		

## Understanding

Uniform Weight Range VS. Tolerance Uniform weight range is the maximum allowable variation of weight from the average (mean) that any individual container in the lot may weigh

- •For example:
- ·Average weight for lot was 100 lb
- •20% variation equals 20 lb
- ·Highest bin weight allowed would be 110 lb
- ·Lowest bin weight allowed would be 90 lb

## Understanding Uniform Weight Range VS. Tolerance

- ·For example:
- ·Average weight for lot was 100 lb
- •20% variation equals 20 lb
- ·Highest bin weight allowed would be 110 lb
- ·Lowest bin weight allowed would be 90 lb

01

## **COMMON TARE WEIGHTS**

### •RESPONSIBILITY-

..."it is the responsibility of the party for whom the tare weight was established to maintain the tare weight within the variations prescribed by the director."

In no event shall tare weights exceed the tolerance level of 0.2 lb or 2 %, whichever is greater, of the established tare weight.

## Understanding Uniform Weight Range VS. Tolerance

<u>Tolerance</u> for common tare weight is 2 % of the ESTABLISHED common tare weight

- For example:
- ·Common tare weight for lot is 75 lb
- •2% tolerance equals 1.5 lb

No violation until common tare average weight for sample (96 or 100%) weighed exceeds 76.5 lb or is less than 73.5 lb

12

## **Understanding Uniform Weight Range VS. Tolerance**

<u>Tolerance</u> for common tare weight is 2 % of the ESTABLISHED common tare weight

3

## Understanding Uniform Weight Range VS. Tolerance

- ·For example:
- •Common tare weight for lot is 75 lb
- •2% tolerance equals 1.5 lb

No violation until common tare average weight for sample (96 or 100%) weighed exceeds 76.5 lb or is less than 73.5 lb

14



## **COMMON TARE WEIGHTS**


## •RESPONSIBILITY-

..."it is the responsibility of the party for whom the tare weight was established to maintain the tare weight within the variations prescribed by the director."

In no event shall tare weights exceed the tolerance level of 0.2 lb or 2%, whichever is greater, of the established tare weight.

Weighed at 1212 Frant St France, CA, 92711		61596007
CA Cannery & Growers COMM CA Cannery & Growers TC5764		ehicle is part of the weighing letermine empty bin weight
LBS	REMARKS: To	establish common tare for bins
GROSS 36170	UNITS: 100	
NET 11850	Weight of the	
All Hamble at \$100 to make \$1000 \$10		TN calculation 25/99
Con-un to many		25/99
		000
0	നിക്ക	M DEAN
RATITIES		13 (1)
Griffer	01260	rem
	1129	CETTI SERVICO?
	scale.	The state of the s
Only empty bins are weighed on the Issue a "Tare Only" certificate for th	scale.	Heaty Teel Preid
Only empty bins are weighed on the	scale. e CTN.	The second of th
Only empty bins are weighed on the Issue a "Tare Only" certificate for th	scale. e CTN.	Heaty Test Pivil
Only empty bins are weighed on the Issue a "Tare Only" certificate for th	scale. e CTN.	Heaty Test Inst Washwater, restablish common tare for bins
Only empty bins are weighed on the Issue a "Tare Only" certificate for th	scale. e CTN. ply  REMARKS: To UNITS: 100 MARK: CAL C	Heaty Test Inst Washwater, restablish common tare for bins

Weighed u.	212 Front Mr. Promm. CA 92711	BUCKY FLAG T
Various and Tar	1.BS REMARK 36170 UNITS: 10 24320 MARK: C	S: To establish common tare for hims  On AL CAL Time Dandy 3/25/99
11850 lbs/	Commodity All Commodition	
100		nnus and Orowers Pit. #15 omia St. (P.O. Box 60093) Total Number A 94086 In Use _500
weighed	Number Weighed 100	Rooty Tool Fruit / Jim Dandy Weighmenter Neme / Deputy Signer
weighed	Total Container Weight 11,850 lbs.	3/25/99 (Date)
= 118.5	Awing Weight 118.5 fbr	(408) 732-2995 (Weighmester Business Phone)
7	he original of this Common Tare Holice and the wi mmon tare are to be mailed to the Division of Mea arramento, California 95826, (916) 229-3060, with	urur em ent Stender de, 8316 Fruitridge Road, Suite K.



## USE


Unless a party having legal or financial interest in the transaction notifies the weighmaster prior to issuance of a certificate that a Common Tare Notice (CTN) shall not be used, a weighmaster may use a CTN if a copy of the CTN is on file.

20

COMMON TAKE NO	H-E
TO BE MAINTAINED AT EACH WEIGHING LOC THE ACTUAL TATE STALL HOT YARY FROM THE TWO-TENTH IO. 21 POURD OR TWO PERCENT C'	ATION USING THIS YARE,
CODE DESIGNATION CCO-B-1 COMM	Maintain a copy of the
FROCESSOR/USER CALLFORNIA CANNERS AND Addison P.O. Dec 70130, Europysis, Ca. 94036	completed CTN at all
Established by Weights aster Contificate Number(s) authority of Title 4, Division 9, Chapter 9, Article 3, See a Type of Tere: Describer Dissension	weighing locations where
	it will be used.
PulsesPulsesPulses  Container Description <u>Solid places and a registation</u>	a forkish protesiska
Count Capt and States, redards represent 2-1/2" : 242. c	•A CTN can only be
Commodity_All Commodities	used by a licensed
	weighmaster at that
Total Container Wright 11.230 lbs	location.
Average Weights 118.5 Per.	(495)732.1995 (Wegtmader Business Phone)

## Average Tare

- Certificate issued will show the total number of containers, number of sample containers and the average weight
- Determined for each load at the time of certification
- Must meet uniform weight range conditions
- Cannot be used for subsequent loads



-

## **Establishing**

- •Average tare weight will be determined mathematically (total weight divided by sample number) and rounded to the nearest 0.1 lb if equal to or less than 30 lb or the nearest pound if greater than 30 lb.
- \*Randomly select two (2) containers for the first fifty (50) in the lot and one (1) for each fifty (50) additional containers in the lot
- •No less than three (3) containers weighed for a lot of 100 containers OR LESS




USE

Unless a party having legal or financial interest in the transaction notifies the weighmaster prior to issuance of a certificate that an average tare weight shall not be used, a weighmaster may use it.

28

## PREDETERMINED INDIVIDUAL TARE WEIGHT

The weight of a vehicle, container or pallet determined by a weighmaster prior to the time of delivery of a product; established and used in accordance with regulation and code.




## ESTABLISHING A PREDETERMINED TARE WEGGMANTER CEPTURATE WEGGMANTER CONTINUE WEGGMANTER W

A copy should remain with the vehicle in case it is needed by another weighmaster.

## (b) Each vehicle will be marked on both sides with:

- · company name or code
- · license number
- predetermined tare weight numbers and letters (not less than 3 inches in height, permanently marked on vehicle or placard). Gondola units will have required information applied to both sides of the container portion.

31



## (c) Each *container or pallet* that has a predetermined tare weight established shall be clearly marked on both sides with:

- ·company name or code
- ·company identification number
- predetermined tare weight numbers and letters (not less than 3 inches in height)

## **USE**

Unless a party having legal or financial interest in the transaction notifies the weighmaster prior to issuance of a certificate using a PT that a PT shall not be used. A weighmaster may use a PT if a TARE ONLY certificate is in his/her possession.

34

33

### **USE**

The weighmaster or contract hauler who uses a PT shall have in their possession a copy of the weighmaster certificate establishing the PT.

18.0419 12	WENGINAANTH CAT	RIPEANS .
3K5A737	Lomes, J. M. (1998) A West of the compact from a pull-following compact of the advanced one of the control of the compact following compact from the compact following compact following compact from the compact following compact from the compact following compact from the compact following compact following compact from the compact following compact following compact from the compact following compact from the compact following compact from the compact following compact fol	79860
To establish	predetermined tare	Roobs R to 1313 Street Ret Dr. Countparts, CA 9888
EMPTY FO	RD LBS. TARE ONLY	Barney Rubble 2' 2' 2000
Rocks R		Fred Flint 1213 Stoney Rat Dr. Gravelgerii, CA 95555
		Cravelgeni, CA 95555

### •RESPONSIBILITY-

..."it is the responsibility of the party for whom the tare weight was established to maintain the tare weight within the variations prescribed by the director."

In no event shall tare weights exceed the tolerance level of 0.2 lb or 2%, whichever is greater, of the established tare weight.

37

## PT: EXEMPTIONS FOR SPECIFIED ROCK PRODUCTS

The issuance of predetermined tare weights are exempt from the marking and "tare only" certificate provisions of the California Code of Regulations.



38

## PT: EXEMPTIONS FOR SPECIFIED ROCK PRODUCTS

## Establishing:

 Should weigh the vehicle fully fueled and compartments empty. The driver may be on or off.



35

## PT: EXEMPTIONS FOR SPECIFIED ROCK PRODUCTS

## Conditions of Use:

- •The certificate must note if driver was on for both the gross and tare weight.
- •Both the gross and tare weight must be determined with driver on or off.



## PT: EXEMPTIONS FOR SPECIFIED ROCK PRODUCTS

### Recording:

•Weighmaster will maintain verifiable records of PTW and vehicle identification information; electronic or hard copy.

## Conditions of use:

 At no time shall the actual weight of the vehicle exceed the recorded PT. The party for which the tare was established is responsible for maintaining the vehicle weight.

# Commonly referred to as a "Cab Card" The cab card may be used by a weighmaster to determine the net weight of bulk tomatoes



## Conditions


- •Only used for fuel consuming vehicles transporting bulk tomatoes.
- ·Valid for only one harvest season.
- •Must be kept in the vehicle for which it was established.
- •Must be submitted to the weighmaster to certify the net load.


44


## When Not To Use

- •If vehicle tare varies by more than 300 lb from established seasonal tare.
- If cab card weight figures have been changed or altered in any manner.
- •When the weight or vehicle identification information on the cab card changes

45







## **Timber Tare Weights**

Established on unladen log hauling trucks and used to determine net weight of logs weighed at a saw mill using an automated weight scaling program.

Net weight converted to board foot volume

Average of last five actual tare weights based on sample scale frequency



## **PENALTIES**

Common Tare Weight

Average Tare Weight Predetermined Individual Tare Weight

Timber Tare Weight

Seasonal Tare Weights

**Misdemeanors** 

Up to \$1,000 + court costs (approx. 170%)

And/or 6 months jail

<u>Infractions</u>

\$200 - \$800 + court costs (approx. 170%)

No jail

50



51

## Appendix E. Draft Survey Form

Juri	sdiction:				Date:	
Hov	r frequently does the	firm reweigh stored tares	?			
Тур	e of Business:					
Bus	iness Name and Loca	ition:				
	icle Scale Tested Price No, Please attach report)	or to Tare Verification?				
Esti	mated Number of Ve	chicles Weighed Daily:				
		modity or Services		Value of Commodit		
	(based on so	cale weights)	(6	e.g., price per ton o	r other unit).	
a.						
b.						
c.						
	A. Identity of Vehicle (e.g., user's ID or Truck Number)	B. Type of Vehicle (e.g., tractor-trailer, dump truck or other)	C. Stored Tare Weight of Vehicle (lb or ton)	D. Tare Weight of the Vehicle (lb or ton)	Error in Pounds (C- D) +/-	Remarks
1						
2						
3						
4						
5						
6						
7						
8						
9						
10 11						
12						
13						
14						
15						
16						
17						
18						
19						
20						
	cial Conducting Surv	vey:			Date	

## Examples of the Type of Information that will be reported.

Appendix F. Money Value of Scale Divisions

						Money	Value	of Scale						
							Price I	Per Ton						
	\$5	\$10	\$15	\$20	\$25	\$30	\$40	\$50	\$70	\$80	\$90	\$100	\$150	\$200
10	0.025	\$0.05	\$0.08	\$0.10	\$0.13	\$0.15	\$0.20	\$0.25	\$0.35	\$0.40	\$0.45	\$0.50	\$0.75	\$1.00
20	0.05	\$0.10	\$0.15	\$0.20	\$0.25	\$0.30	\$0.40	\$0.50	\$0.70	\$0.80	\$0.90	\$1.00	\$1.50	\$2.00
50	0.125	\$0.25	\$0.38	\$0.50	\$0.63	\$0.75	\$1.00	\$1.25	\$1.75	\$2.00	\$2.25	\$2.50	\$3.75	\$5.00
100	0.25	\$0.50	\$0.75	\$1.00	\$1.25	\$1.50	\$2.00	\$2.50	\$3.50	\$4.00	\$4.50	\$5.00	\$7.50	\$10.00
					I	Money \	Value o	f Scale a	·s					
10	\$0.03	\$0.05	\$0.08	\$0.10	\$0.13	\$0.15	\$0.20	\$0.25	\$0.35	\$0.40	\$0.45	\$0.50	\$0.75	\$1.00
20	\$0.05	\$0.10	\$0.15	\$0.20	\$0.25	\$0.30	\$0.40	\$0.50	\$0.70	\$0.80	\$0.90	\$1.00	\$1.50	\$2.00
40	\$0.10	\$0.20	\$0.30	\$0.40	\$0.50	\$0.60	\$0.80	\$1.00	\$1.40	\$1.60	\$1.80	\$2.00	\$3.00	\$4.00
60	\$0.15	\$0.30	\$0.45	\$0.60	\$0.75	\$0.90	\$1.20	\$1.50	\$2.10	\$2.40	\$2.70	\$3.00	\$4.50	\$6.00
80	\$0.20	\$0.40	\$0.60	\$0.80	\$1.00	\$1.20	\$1.60	\$2.00	\$2.80	\$3.20	\$3.60	\$4.00	\$6.00	\$8.00
100	\$0.25	\$0.50	\$0.75	\$1.00	\$1.25	\$1.50	\$2.00	\$2.50	\$3.50	\$4.00	\$4.50	\$5.00	\$7.50	\$10.00
120	\$0.30	\$0.60	\$0.90	\$1.20	\$1.50	\$1.80	\$2.40	\$3.00	\$4.20	\$4.80	\$5.40	\$6.00	\$9.00	\$12.00
140	\$0.35	\$0.70	\$1.05	\$1.40	\$1.75	\$2.10	\$2.80	\$3.50	\$4.90	\$5.60	\$6.30	\$7.00	\$10.50	\$14.00
160	\$0.40	\$0.80	\$1.20	\$1.60	\$2.00	\$2.40	\$3.20	\$4.00	\$5.60	\$6.40	\$7.20	\$8.00	\$12.00	\$16.00
180	\$0.45	\$0.90	\$1.35	\$1.80	\$2.25	\$2.70	\$3.60	\$4.50	\$6.30	\$7.20	. \$8.10	\$9.00	\$13.50	\$18.00
200	\$0.50	\$1.00	\$1.50	\$2.00	\$2.50	\$3.00	\$4.00	\$5.00	\$7.00	\$8.00	\$9.00	\$10.00	\$15.00	\$20.00
220	\$0.55	\$1.10	\$1.65	\$2.20	\$2.75	\$3.30	\$4.40	\$5.50	\$7.70	\$8.80	\$9.90	\$11.00	\$16.50	\$22.00
240	\$0.60	\$1.20	\$1.80	\$2.40	\$3.00	\$3.60	\$4.80	\$6.00	\$8.40	\$9.60	\$10.80	\$12.00	\$18.00	\$24.00
260	\$0.65	\$1.30	\$1.95	\$2.60	\$3.25	\$3.90	\$5.20	\$6.50	\$9.10	\$10.40	\$11.70	\$13.00	\$19.50	\$26.00
280	\$0.70	\$1.40	\$2.10	\$2.80	\$3.50	\$4.20	\$5.60	\$7.00	\$9.80	\$11.20	\$12.60	\$14.00	\$21.00	\$28.00
300	\$0.75	\$1.50	\$2.25	\$3.00	\$3.75	\$4.50	\$6.00	\$7.50	\$10.50	\$12.00	\$13.50	\$15.00	\$22.50	\$30.00
400	\$1.00	\$2.00	\$3.00	\$4.00	\$5.00	\$6.00	\$8.00	\$10.00	\$14.00	\$16.00	\$18.00	\$20.00	\$30.00	\$40.00
450	\$1.13	\$2.25	\$3.38	\$4.50	\$5.63	\$6.75	\$9.00	\$11.25	\$15.75	\$18.00	\$20.25	\$22.50	\$33.75	\$45.00
500	\$1.25	\$2.50	\$3.75	\$5.00	\$6.25	\$7.50	\$10.00	\$12.50	\$17.50	\$20.00	\$22.50	\$25.00	\$37.50	\$50.00
550	\$1.38	\$2.75	\$4.13	\$5.50	\$6.88	\$8.25	\$11.00	\$13.75	\$19.25	\$22.00	\$24.75	\$27.50	\$41.25	\$55.00
600	\$1.50	\$3.00	\$4.50	\$6.00	\$7.50	\$9.00	\$12.00	\$15.00	\$21.00	\$24.00	\$27.00	\$30.00	\$45.00	\$60.00
650	\$1.63	\$3.25	\$4.88	\$6.50	\$8.13	\$9.75	\$13.00	\$16.25	\$22.75	\$26.00	\$29.25	\$32.50	\$48.75	\$65.00
700	\$1.75	\$3.50	\$5.25	\$7.00	\$8.75	\$10.50	\$14.00	\$17.50	\$24.50	\$28.00	\$31.50	\$35.00	\$52.50	\$70.00
800	\$2.00	\$4.00	\$6.00	\$8.00	\$10.00	\$12.00	\$16.00	\$20.00	\$28.00	\$32.00	\$36.00	\$40.00	\$60.00	\$80.00
900	\$2.25	\$4.50	\$6.75	\$9.00	\$11.25	\$13.50	\$18.00	\$22.50	\$31.50	\$36.00	\$40.50	\$45.00	\$67.50	\$90.00
1000	\$2.50	\$5.00	\$7.50	\$10.00	\$12.50	\$15.00	\$20.00	\$25.00	\$35.00	\$40.00	\$45.00	\$50.00	\$75.00	\$100.00
1100	\$2.75	\$5.50	\$8.25	\$11.00	\$13.75	\$16.50	\$22.00	\$27.50	\$38.50	\$44.00	\$49.50	\$55.00	\$82.50	\$110.00
1200	\$3.00	\$6.00	\$9.00	\$12.00	\$15.00	\$18.00	\$24.00	\$30.00	\$42.00	\$48.00	\$54.00	\$60.00	\$90.00	\$120.00
1300	\$3.25	\$6.50	\$9.75	\$13.00	\$16.25	\$19.50	\$26.00	\$32.50	\$45.50	\$52.00	\$58.50	\$65.00	\$97.50	\$130.00
1400	\$3.50	\$7.00	\$10.50	\$14.00	\$17.50	\$21.00	\$28.00	\$35.00	\$49.00	\$56.00	\$63.00	\$70.00	\$105.00	\$140.00
1500	\$3.75	\$7.50	\$11.25	\$15.00	\$18.75	\$22.50	\$30.00	\$37.50	\$52.50	\$60.00	\$67.50	\$75.00	\$112.50	\$150.00
2000	\$5.00	\$10.00	\$15.00	\$20.00	\$25.00	\$30.00	\$40.00	\$50.00	\$70.00	\$80.00	\$90.00	\$100.00	\$150.00	\$200.00

Appendix G. Vehicle Scale Tolerances

Scale Division in Pounds

Г																Г						
20	Maint	20	20	100	150	200	250	300	350	400	450	200	550	009	650	700	750	800	820	006	950	400
Test Load	in Pounds	0	25000	20000	75000	100000	125000	150000	175000	200000	225000	250000	275000	300000	325000	350000	375000	400000	425000	450000	475000	00000
50	Accep.	25	25	20	75	100	125	150	175	200	225	250	275	300	325	350	375	400	425	450	475	002
20	Maint.	20	20	40	90	80	100	120	140	160	180	200	220	240	260	280	300	320	340	360	380	700
20   Test Load	in Pounds	0	10000	20000	00008	40000	20000	00009	00002	00008	00006	100000	110000	120000	130000	140000	150000	160000	170000	180000	190000	00000
20	Accep.	10	10	50	30	40	20	09	02	08	06	100	110	120	130	140	150	160	170	180	190	000
10	Maint.	10	10	20	30	40	50	9	70	80	90	100	110	120	130	140	150	160	170	180	190	900
Test Load	in Pounds	0	2000	10000	15000	20000	25000	30000	35000	40000	45000	20000	55000	00009	00059	70000	75000	80000	85000	00006	95000	10000
10	Accep.	5	5	10	15	20	25	30	35	40	45	20	22	09	65	20	22	80	85	06	92	400
Accp.Tol	in d	0.5	0.5	1	1.5	2	2.5	3	3.5	4	4.5	9	5.5	9	6.5	7	7.5	8	8.5	6	9.5	40
Test Load   Main. Tol   Accp.Tol	in d	1	1	2	3	4	5	9	7	8	6	10	11	12	13	14	15	16	17	18	19	00
Test Load	ju d	0	500	1000	1500	2000	2500	3000	3500	4000	4500	5000	5500	0009	6500	7000	7500	8000	8500	0006	9500	1000
		N.1.9 Zero	0 to	501 to	1001 to	1501 to	2001 to	2501 to	3001 to	3501 to	4001 to	4501 to	5001 to	5501 to	6001 to	6501 to	7001 to	7501 to	8001 to	8501 to	9001 to	0501 +0

## 1. Tolerances

T.N.2.1. - Values are plus and minus unless otherwise specified.

T.N.3.1. - Maintenance Tolerances are based on Table 6

T.N.3.2. - Acceptance Tolerances are one-half the maintenance tolerances in Table 6

T.N.4.4. - Range of results from section tests shall not exceed the absolute value of maintenance tolerance (e.g., 20 lb not +/- 20)

T.N.5. - The range of results from several weighings of the same load under reasonably static test conditions must agree within the absolute value of the maintenance tolerance (e.g., 20 not +/- 20). Applies even when acceptance tolerances are used.

N.1.9. Zero Load Balance Change - the zero load shall not change by more than the minimum tolerance applicable to the scale.

S.5. Accuracy Class - IIIL devices must have: (1) d equal to or greater than 5 lb, (2) at least 2000 d but not more than 10000.

Table 6. Maintenance Tolerances in Scale Divisions