
Table of Content

| | |
|---|------------|
| Foreword..... | iii |
| Table of Acronyms..... | v |
| Chapter 1. General Information..... | 1 |
| 1.1. Scope | 1 |
| a. When and where to use package checking procedures? | 1 |
| (1) Point-of-pack..... | 1 |
| (2) Wholesale..... | 1 |
| (3) Retail..... | 2 |
| b. What products can be tested?..... | 2 |
| 1.2. Package Requirements | 2 |
| (1) Inspection Lot | 3 |
| (2) Average Requirement..... | 3 |
| (3) Individual Package Requirement | 3 |
| (4) Maximum Allowable Variation | 3 |
| (5) Deviations Caused by Moisture Loss or Gain..... | 3 |
| a. Why and when do we allow for moisture loss or gain? | 4 |
| (1) Exceptions to the Average and Individual Package Requirements..... | 4 |
| 1.3. Sampling Plans..... | 5 |
| a. Why is sampling used to test packages? | 5 |
| b. Why is the test acceptance criteria statistically corrected and what are the confidence levels of the sampling plans?..... | 5 |
| c. Why use random samples?..... | 5 |
| d. May audit tests and other shortcuts be used to identify potentially violative lots?..... | 5 |
| e. Can audit tests and other shortcuts be used to take enforcement action? | 6 |
| 1.4. Other Regulatory Agencies Responsible for Package Regulations and Applicable Requirements | 6 |
| 1.5. Assistance in Testing Operations..... | 6 |
| 1.6. Health and Safety..... | 6 |
| 1.7. Good Measurement Practices | 7 |
| (1) Traceability Requirements for Measurement Standards and Test Equipment..... | 7 |
| (2) Certification Requirements for Standards and Test Equipment..... | 7 |
| Chapter 2. Basic Test Procedure – Gravimetric Testing..... | 9 |
| 2.1. Gravimetric Test Procedure for Checking the Net Contents of Packaged Goods..... | 9 |
| 2.2. Measurement Standards and Test Equipment..... | 9 |
| a. What type of scale is required to perform the gravimetric test method ? | 9 |
| b. How often should I verify the accuracy of a scale? | 9 |
| c. Which accuracy requirements apply? | 9 |

| | | |
|---------------|--|-----------|
| d. | What considerations affect measurement accuracy?..... | 10 |
| e. | In testing, which tolerances apply to the scale?..... | 10 |
| f. | Which performance tests should be conducted to ensure the accuracy of a scale? | 12 |
| (1) | Increasing-Load Test..... | 12 |
| (2) | Decreasing-Load Test | 12 |
| (3) | Shift Test..... | 12 |
| (4) | Return to Zero | 13 |
| g. | Which standards apply to other test equipment? | 13 |
| 2.3. | Basic Test Procedure | 13 |
| 2.3.1. | Define the Inspection Lot | 14 |
| a. | What is the difference between standard and random weight packages? | 14 |
| 2.3.2. | Select Sampling Plans..... | 14 |
| a. | Where are sampling plans located for “Category A” inspections? | 15 |
| b. | Where are sampling plans located for “Category B” inspections? | 15 |
| 2.3.3. | Basic Recordkeeping..... | 15 |
| a. | How are the specific steps of the Basic Test Procedure documented? | 15 |
| b. | Where are Maximum Allowable Variations found? | 16 |
| c. | How is the value of an MAV found?..... | 17 |
| d. | How many unreasonable minus errors (UMEs) are permitted in a sample?..... | 17 |
| 2.3.4. | Random Sample Selection..... | 17 |
| a. | How are sample packages selected? | 17 |
| b. | How is the size of the “Lot” determined?..... | 17 |
| c. | How is the sample size determined?..... | 17 |
| 2.3.5. | Measure Net Contents/Tare Procedures..... | 18 |
| a. | What types of tare may be used to determine the net weight of package goods?..... | 18 |
| (1) | Used Dry Tare..... | 18 |
| (2) | Unused Dry Tare..... | 18 |
| (3) | Wet Tare..... | 18 |
| b. | How is a tare weight determined?..... | 19 |
| c. | How is the number of packages in the initial tare sample determined?..... | 19 |
| d. | How is the total number of packages to be opened for tare determined and the tare weight of the packaging material determined? | 19 |
| e. | Does the inspection of aerosol containers require special procedures? | 20 |
| f. | How is the tare of vacuum-packed coffee determined?..... | 20 |
| g. | When and where is unused dry tare used, and how is it used to determine an average tare weight?..... | 21 |
| 2.3.6. | Determine Nominal Gross Weight and Package Errors for Tare Sample..... | 21 |
| a. | How do I compute a nominal gross weight?..... | 21 |
| b. | How do I compute the package error? | 21 |
| c. | How are individual package errors determined for the tare sample packages? | 21 |
| d. | How are individual package errors determined for the other packages in the sample?..... | 22 |

| | | |
|-------------------|---|-----------|
| e. | How is the total package error computed?..... | 22 |
| 2.3.7. | Evaluating Results | 22 |
| a. | How is it determined if a sample passes or fails? | 22 |
| b. | How is it determined if packages exceed the Maximum Allowable Variation?..... | 22 |
| c. | How is it determined if the negative package errors in the sample exceed the number of MAVs allowed for the sample? | 23 |
| d. | How is the average error of the sample determined and does the inspected lot pass or fail the average requirement? | 23 |
| 2.3.8. | Moisture Allowances..... | 24 |
| a. | How is reasonable moisture loss allowed? | 24 |
| b. | What are the moisture allowances for flour, dry pet food, and other products? (See Table 2-3. “Moisture Allowances”)..... | 24 |
| c. | What moisture allowance is used with Used Dry Tare when testing packages that bear a USDA Seal of Inspection?..... | 25 |
| d. | What moisture allowance is used with wet tare? | 25 |
| 2.3.9. | Calculations | 26 |
| a. | How is moisture allowance computed and applied? | 26 |
| b. | How is a Moisture Allowance made prior to determining package errors?..... | 26 |
| c. | How is a Moisture Allowance made after determining package errors? | 27 |
| d. | What should you do when a sample is in the moisture allowance (gray) area?..... | 28 |
| 2.4. | Borax..... | 29 |
| a. | How is it determined if the net weight labeled on packages of borax is accurate?..... | 29 |
| b. | How is the volume determined? | 30 |
| c. | What action can be taken based on the results of the density test?..... | 30 |
| 2.5. | Determination of Drained Weight..... | 30 |
| 2.6. | Determining the Net Weight of Encased-in-Ice and Ice Glazed Products..... | 32 |
| a. | How should the net weight of frozen seafood, meat, poultry, or similar products encased-in-ice and frozen into blocks or solid masses be determined?..... | 32 |
| b. | How should the net weight of ice glazed seafood, meat, poultry, or similar products be determined?..... | 33 |
| Chapter 3. | Test Procedures – For Packages Labeled by Volume..... | 37 |
| 3.1. | Scope | 37 |
| a. | What types of packaged goods can be tested using these procedures?..... | 37 |
| b. | What types of packages are not covered by these procedures? | 37 |
| c. | When can the gravimetric test procedure be used to verify the net quantity of contents of packages labeled by volume?..... | 37 |
| d. | What procedure is followed if the gravimetric test procedure cannot be used? | 37 |
| e. | What considerations besides density affect measurement accuracy? | 37 |
| f. | What reference temperature should be used to determine the volume of a liquid? | 38 |
| 3.2. | Gravimetric Test Procedure for Liquids | 38 |
| a. | How is “nominal gross weight” determined? | 42 |

| | | |
|---------------|---|-----------|
| b. | How are the errors in the sample determined?..... | 42 |
| 3.3. | Volumetric Test Procedure for Liquids..... | 43 |
| a. | How is the volume of liquid contained in a package determined volumetrically? | 43 |
| b. | How are the errors in the sample determined?..... | 43 |
| 3.4. | Other Volumetric Test Procedures | 43 |
| a. | What other methods can be used to determine the net contents of packages labeled by volume?..... | 43 |
| b. | How is the volume of oils, syrups, and other viscous liquids that have smooth and level surfaces determined?..... | 44 |
| c. | How is the volume of mayonnaise and salad dressing, and water immiscible products that do not have smooth and level surfaces determined?..... | 45 |
| 3.5. | Goods Labeled by Capacity – Volumetric Test Procedure..... | 46 |
| a. | What type of measurement equipment is needed to perform the headspace test procedures?..... | 46 |
| b. | How do you determine if goods labeled by capacity meet the average and individual requirements?..... | 46 |
| 3.6. | Pressed and Blown Glass Tumblers and Stemware..... | 47 |
| a. | What requirements apply to pressed and blown glass tumblers and stemware?..... | 47 |
| b. | How is it determined if tumblers and stemware meet the individual package requirement?..... | 47 |
| c. | What type of measuring equipment is needed to perform the test procedures?..... | 47 |
| d. | What are the steps of the test procedure?..... | 47 |
| e. | How is it determined if the samples conform to the allowable difference?..... | 47 |
| 3.7. | Volumetric Test Procedure for Paint, Varnish, and Lacquers – Non-aerosol | 48 |
| a. | How is the volume of paint, varnish, and lacquers contained in a package determined? | 48 |
| b. | What test procedure is used to conduct a retail audit test? | 51 |
| c. | How accurate is the dimensional test procedure? | 52 |
| d. | How is an in-plant audit conducted?..... | 52 |
| 3.7.1. | Violation Procedure..... | 53 |
| a. | How is it determined if the containers meet the package requirements? | 53 |
| b. | When can a gravimetric procedure be used? | 54 |
| c. | How is “nominal gross weight” determined? | 55 |
| 3.8. | Testing Viscous Materials – Such As Caulking Compounds and Pastes | 55 |
| a. | How are viscous materials such as caulking compounds and paste tested? | 55 |
| b. | What type of measurement equipment is needed to test packages of caulk, pastes, and glues?.... | 55 |
| c. | How is a pycnometer prepared for use?..... | 56 |
| d. | How is it determined if the containers meet the package requirements?..... | 56 |
| 3.9. | Peat Moss..... | 57 |
| a. | How are packages of peat and peat moss labeled by compressed volume tested? | 57 |
| b. | How are packages of peat and peat moss labeled by uncompressed volume tested? | 58 |
| 3.10. | Mulch and Soils Labeled by Volume..... | 59 |
| a. | What products are defined as mulch and soil?..... | 59 |

| | | |
|---|--|-----------|
| b. | What type of measurement equipment is needed to test packages of mulch and soil? | 59 |
| c. | How is it determined if the packages meet the package requirements? | 61 |
| d. | How are package errors determined? | 61 |
| 3.11. | Ice Cream Novelties | 61 |
| a. | How are ice cream novelties inspected to see if the labeled volume meets the package requirements? | 62 |
| b. | How is it determined if the ice cream novelty packages meet the requirements in this handbook? | 64 |
| c. | How is “nominal gross weight” determined? | 65 |
| d. | How are the errors in the sample determined? | 66 |
| 3.12. | Fresh Oysters Labeled by Volume | 66 |
| a. | What requirements apply to packages of fresh oysters labeled by volume? | 66 |
| b. | How is it determined if the containers meet the package requirements? | 67 |
| 3.13. | Determining the Net Contents of Compressed Gas in Cylinders | 68 |
| a. | What type of compressed gases may be tested with these procedures? | 68 |
| b. | What type of test procedures must be used? | 68 |
| c. | Should any specific safety procedures be followed? | 68 |
| d. | What type of measurement equipment is needed to test cylinders of compressed gas? | 69 |
| 3.13.1. | Test Procedure for Cylinders Labeled by Weight | 70 |
| a. | How is it determined if the containers meet the package requirements using the gravimetric test procedure? | 70 |
| 3.13.2 | Test Procedure for Cylinders Labeled by Volume | 71 |
| a. | How is it determined if the containers meet the package requirements using the volumetric test procedure? | 71 |
| 3.14. | Firewood | 72 |
| 3.14.1. | Volumetric Test Procedure for Packaged Firewood with a Labeled Volume of 113 L (4 ft³) or Less..... | 72 |
| a. | How are packages of firewood tested? | 72 |
| 3.14.2. | Boxed Firewood..... | 72 |
| a. | How is the volume of firewood contained in a box determined? | 72 |
| 3.14.3. | Crosshatched Firewood..... | 74 |
| a. | How must the volume of stacked or crosshatched firewood be measured?..... | 74 |
| 3.14.4. | Bundles and Bags of Firewood..... | 74 |
| a. | How is the volume of bundles and bags of firewood measured?..... | 74 |
| Chapter 4. Test Procedures – Packages Labeled by Count, Linear Measure, Area, Thickness, and Combinations of Quantities..... | | 77 |
| 4.1. | Scope | 77 |
| a. | What types of packaged goods can be tested using these procedures?..... | 77 |
| b. | Can the gravimetric test procedure be used to verify the net quantity of contents of packages labeled by count and linear measure? | 77 |

| | | |
|--------------------|---|------------|
| c. | What procedures may be used if the gravimetric test procedure cannot be used? | 77 |
| 4.2. | Packages Labeled by Count | 77 |
| a. | How are packages labeled by count tested? | 77 |
| b. | Can a gravimetric test procedure be used to verify the labeled count of a package? | 77 |
| 4.3. | Packages Labeled with 50 Items or Fewer..... | 78 |
| 4.4. | Packages Labeled by Count of More than 50 Items | 79 |
| 4.4.1. | Audit Procedure | 79 |
| 4.4.2. | Procedures to Use if the Inspector Suspects the Lot Violates the Package Requirements... | 80 |
| 4.5. | Paper Plates and Sanitary Paper Products..... | 82 |
| a. | How are the labeled dimensions of paper plates and sanitary paper products verified? | 82 |
| b. | How are paper products inspected? | 83 |
| c. | How are paper products measured? | 83 |
| 4.6. | Special Test Requirements for Packages Labeled by Linear or Square Measure (Area).... | 84 |
| a. | Are there special measurement requirements for packages labeled by dimensions? | 84 |
| 4.7. | Polyethylene Sheeting | 84 |
| a. | Which procedures are used to verify the declarations on polyethylene sheeting and bags? | 84 |
| 4.7.1. | Evaluation of Results – Length, Width, and Net Weight | 88 |
| 4.7.2. | Evaluation of Results – Individual Thickness | 89 |
| 4.7.3. | Evaluation of Results – Average Thickness..... | 89 |
| 4.8. | Packages Labeled by Linear or Square (Area) Measure | 89 |
| 4.9. | Baler Twine – Test Procedure for Length | 92 |
| 4.10. | Procedure for Checking the Area Measurement of Chamois | 94 |
| 4.11. | Procedure for Checking the Contents of Specific Agriculture Seed Packages Labeled by Count..... | 97 |
| a. | How is the number of seeds determined in a sample of soybean, corn, wheat, and field bean, when using a mechanical seed counter? | 97 |
| Appendix A. | Tables..... | 101 |
| | Table 1-1. Agencies Responsible for Package Regulations and Applicable Requirements | 101 |
| | Table 2-1. Sampling Plans for Category A | 103 |
| | Table 2-2. Sampling Plans for Category B for Use in USDA-Inspected Meat and Poultry Plants Only | 103 |
| | Table 2-3. Category A | 104 |
| | Table 2-4. Category B | 107 |
| | Table 2-5. Maximum Allowable Variations (MAVs) for Packages Labeled by Weight | 108 |
| | Table 2-6. Maximum Allowable Variations for Packages Labeled by Liquid and Dry Volume | 110 |
| | Table 2-7. Maximum Allowable Variations (MAVs) for Packages Labeled by Count | 113 |
| | Table 2-8. Maximum Allowable Variations for Packages Labeled by Length, (Width), or Area For Textiles, Polyethylene Sheeting and Film – Use Table 2-10. | 114 |

| | |
|---|------------|
| Table 2-9. U.S. Department of Agriculture, Meat and Poultry Groups and Lower Limits for Individual Packages (Maximum Allowable Variations)..... | 115 |
| Table 2-10. Exceptions to the Maximum Allowable Variations for Textiles, Polyethylene Sheeting and Film, Mulch and Soil Labeled by Volume, Packaged Firewood, and Packages Labeled by Count with 50 Items or Fewer, and Specific Agricultural Seeds Labeled by Count..... | 116 |
| Table 2-11. Accuracy Requirements for Packages Labeled by Low Count (50 or Fewer) and Packages Given Tolerances (Glass and Stemware) | 118 |
| Appendix B. Random Number Tables | 119 |
| Appendix C. Model Inspection Report Forms | 127 |
| Random Package Report | 129 |
| Random Package Report – Example | 130 |
| Standard Package Report..... | 131 |
| Standard Package Report – Example | 132 |
| Ice Glazed Package Worksheet | 133 |
| Ice Glazed Package Report..... | 135 |
| Ice Glazed Package Report – Example | 136 |
| Appendix D. AOSA Rules for Testing Seeds | 137 |
| AOSA Rules for Testing Seeds – Section 2: Preparation of Working Samples..... | 137 |
| SECTION 2: PREPARATION OF WORKING SAMPLES..... | 137 |
| AOSA Rules for Testing Seeds – Section 12: Mechanical Seed Count..... | 141 |
| Volume 1. Principles and Procedures..... | 141 |
| SECTION 12: MECHANICAL SEED COUNT | 141 |
| Appendix E. General Tables of Units of Measurement..... | 143 |
| Section 1. Tables of Metric Units of Measurement | 143 |
| Units of Length..... | 143 |
| Units of Area | 144 |
| Units of Liquid Volume | 144 |
| Units of Volume | 144 |
| Units of Mass..... | 144 |
| Section 2. Tables of U.S. Units of Measurement | 144 |
| Units of Length..... | 145 |
| Units of Area | 145 |
| Units of Volume ³ | 145 |
| Gunter’s or Surveyors Chain Units of Measurement | 145 |
| Units of Liquid Volume | 145 |
| Apothecaries Units of Liquid Volume | 145 |
| Units of Dry Volume..... | 146 |
| Avoirdupois Units of Mass..... | 146 |
| Troy Units of Mass..... | 147 |
| Apothecaries Units of Mass..... | 147 |

| | |
|--|------------|
| Section 3. Notes on British Units of Measurement..... | 147 |
| Section 4. Tables of Units of Measurement..... | 148 |
| Units of Length – International Measure..... | 148 |
| Units of Length – Survey Measure | 148 |
| Units of Area – International Measure | 149 |
| Units of Area – Survey Measure | 149 |
| Units of Volume | 150 |
| Units of Capacity or Volume – Dry Volume Measure..... | 151 |
| Units of Capacity or Volume – Liquid Volume Measure | 152 |
| Units of Mass Not Less Than Avoirdupois Ounces | 153 |
| Units of Mass Not Greater Than Pounds and Kilograms | 154 |
| Section 5. Tables of Equivalents | 155 |
| Units of Length..... | 155 |
| Units of Area | 157 |
| Units of Capacity or Volume..... | 157 |
| Units of Mass..... | 159 |
| Appendix F. Glossary | 161 |
| Index..... | 169 |
| References..... | 173 |
