Microwave Spectral Tables. III. Hydrocarbons, CH to $C_{10}H_{10}$

F. J. Lovas and R. D. Suenram

National Measurement Laboratory, National Institute of Standards and Technology, Gaithersburg, MD 20899

Received May 26, 1988; revised manuscript received October 29, 1988

All of the rotational spectral lines observed and reported in the open literature for 91 hydrocarbon molecules have been tabulated. This isotopic molecular species, assigned quantum numbers, observed frequency, estimated measurement uncertainty and reference are given for each transition reported. In addition to correcting a number of misprints and errors in the literature cited, the spectral lines for many normal isotopic species have been refit to produce a comprehensive and consistent analysis of all the data extracted from various literature sources. The derived molecular properties, such as rotational and centrifugal distortion constants, hyperfine structure constants, electric dipole moments, and rotational *g*-factors are listed.

Key words: dipole moments; hydrocarbons; hyperfine structure; internuclear distance; microwave spectra; rotational constants; rotational spectral lines.

CONTENTS

1. Introduction 1250
   1.1. General Description of the Tables 1250
      1.1.a. Molecular Constant Tables 1250
      1.1.b. Spectral Line Tables 1250
   1.2. Molecular Parameters and Energy 1250
      1.2.a. Linear Molecules 1250
      1.2.b. Symmetric Top Molecules 1251
      1.2.c. Asymmetric Top Molecules 1251
      1.2.d. Molecules with Doublet Electronic Ground States 1253
   1.3. Evaluation of the Spectral Data 1253
      1.3.a. General Procedure 1253
   1.4. List of Symbols 1253
      1.4.a. Quantum Numbers 1253
      1.4.b. Molecular Constants 1254
   1.5. Special Units, Fundamental Constants and Useful Conversion Factors 1254
      1.5.a. Special Units 1254
      1.5.b. Fundamental Constants and Conversion Factors 1255
   1.6. Acknowledgments 1255
   1.7. References to the Introduction 1255
2. Molecular Constants and Spectral Line Tables (see List of Tables below) 1255
3. References to Spectral Data 1521

List of Tables

CH
   1.1. Molecular constants for ^{12}CH and ^{13}CH 1256
   1.2. Microwave spectrum of methyladyne radical 1257

CH_2
   2.1. Molecular parameters of $CH_2(X^3B_1)$ ... 1258
   2.2. Molecular parameters of $^{13}CH_2$ 1259
   2.3. Molecular parameters for the (000) and (010) vibrational levels of CD_2 in its X^3B_1 ground electronic state 1260
   2.4. Microwave spectrum of methylene radical 1261

CH_4
   3.1. Molecular constants for CH_4 and $^{13}CH_4$ 1262
   3.2. Molecular constants for CH_3D and CH_2D_2 1262
   3.3. Molecular constants for CD_4 and $^{13}CH_4$ 1262
   3.4. Microwave spectrum of methane 1263

C_2H
   4.1. Molecular constants for the ethynyl radical 1265
   4.2. Microwave spectrum of ethynyl radical 1266

C_2H_2
   5.1. Molecular constants for d_1-acetylene (HCCD) 1267
   5.2. Molecular constants for DCCD from the $\nu_5^1 - \nu_4^1$ band 1267
   5.3. Microwave spectrum of acetylene (C_2H_2) 1268

C_2H_4
   6.1. Molecular constants for deuterated ethylene 1268
   6.2. Microwave spectrum of ethylene 1269

C_2H_6
   7.1. Molecular constants for ^{12}C and ^{13}C isotopic forms of CH_3CD_3 1270
   7.2. Molecular constants for CH_3CHD_2 1270
   7.3. Molecular constants of CH_3CH_2D, CD_3CH_2D and *gauche*-CH_2DCH_2D 1271

©1989 by the U. S. Secretary of Commerce on behalf of the United States. This copyright is assigned to the American Institute of Physics and the American Chemical Society.
Reprints available from ACS; see Reprints List at back of issue.

7.4. Microwave spectrum of ethane 1272

C_3H

8.1. Molecular constants of CCCH in the $X^2\Pi$ state 1276
8.2. Molecular constants of the c-C_3H radical 1276
8.3. Microwave spectrum of ℓ-C_3H radical . 1277
8.4. Microwave spectrum of cyclic-C_3H radical 1278

C_3H_2

9.1. Molecular constants for cyclopropenylidene (HCCCH) 1279
9.2. Molecular constants for cyclopropenylidene and its monosubstituted derivatives 1280
9.3. Microwave spectrum of cyclopropenylidene 1281

C_3H_4

10.1. Molecular constants for allene in vibrationally excited states 1288
10.2. Molecular constants for allene-d_1 and allene-1,1-d_2 1288
10.3. Microwave spectrum of allene 1289
11.1. Molecular constants for cyclopropene and 1,2-dideuterocyclopropene 1290
11.2. Rotational constants for $^{13}C_1$, $^{13}C_2$, D_2 (methylenic) and D (ethylenic) species of cyclopropene 1290
11.3. Microwave spectum of cyclopropene ....
12.1. Molecular constants for propyne and ^{13}C-propyne in the ground vibrational state 1295
12.2. Molecular constants for deuterated species of CH_3CCH 1296
12.3. Molecular constants for propyne in the $\nu_9 = 1$ and $\nu_5 = 1$ vibrational state 1296
12.4. Molecular constants for propyne in the ν_{10} excited state 1297
12.5. Microwave spectrum of propyne 1297

C_3H_6

13.1. Molecular constants for the ground state of propylene from fitting internal rotation and the A state alone 1304
13.2. Dipole moment and Zeeman constants for propylene 1304
13.3. Molecular constants for propylene ($CH_3CH=CH_2$) in excited torsional states 1304
13.4. Molecular constants for the deuterated propylene species t-$CHDCHCH_3$ and CH_2CDCH_3 in the ground and excited torsional states 1305
13.5. Rotational constants for substituted isotopic forms of propylene 1305
13.6. Microwave spectrum of propylene 1306
13.1.a. Molecular constants for cyclopropane-1,1-d_2 1308
13.2.a. Microwave sprectrum of cyclopropane . 1309

C_3H_8

14.1. Molecular constants for propane 1210
14.2. Rotational constants and electric dipole moment for ^{13}C and deuterated isotopic species of propane 1311
14.3. Microwave spectrum of propane 1312

C_4H

15.1. Molecular constants for the C_4H radical 1216
15.2. Microwave spectrum of butadiynyl radical 1317

C_4H_2

16.1. Molecular constants of 1,3-butediyne (diacetylene) in excited vibrational states 1318
16.2. Molecular constants of $HC{\equiv}CC{\equiv}CD$ 1319
16.3. Molecular constants of diacetylene-d_2 in excited vibrational states 1319
16.4. Microwave spectrum of 1,3-butadiyne .. 1320

C_4H_4

17.1. Rotational constants for the ground, the $\nu_{13} = 1$ and the $\nu_{18} = 1$ states of 1-butene-3-yne-4d 1325
17.2. Rotational analysis for the ground state of 1-butene-3-yne in the present work. .. 1325
17.3. Microwave spectrum of 1-butene-3-yne 1326
18.1. Molecular constants for methylene cyclopropene and its ^{13}C isotopic forms ... 1328
18.2. Microwave spectrum of methylenecyclopropene 1329

C_4H_6

19.1. Molecular constants for 2-butyne1,1,1-d_3 1329
19.2. Microwave spectrum of 2-butyne1,1,1-d_3 1330
20.1. Molecular constants for 1-butyne (C_4H_6) in the ground and lowest torsional and bending states 1333
20.2. Molecular constants for the vibrationally excited states $\nu_{15} = 2$ and 3 and $\nu_{14} = 1$ of 1-butyne 1334
20.3. Microwave spectrum of 1-butyne 1335
21.1. Molecular constants for 1,2-butadiene (methylallene) 1343
21.2. Microwave spectrum of methylallene. .. 1344
22.1. Molecular constants for bicyclo-[1.1.0]butane 1345
22.2. Microwave spectrum of bicyclo-[1.1.0]butane 1346
23.1. Molecular constants for cyclobutene and its ^{13}C isotopic species 1347
23.2. Molecular constants for monodeuterospecies of cyclobutene 1347
23.3. Microwave spectrum of cyclobutene 1348
24.1. Molecular constants for 1-methylcyclopene 1351
24.2. Microwave spectrum of methylcyclopene 1352
25.1. Molecular constants for methylenecyclopropane 1353

25.2. Rotational constants for the ^{13}C isotop species of methylenecyclopropane 1353
25.3. Microwave spectrum of methylenecyclopropane 1354

C_4H_8
26.1. Molecular constants for the ground vibrational state of *cis*- and *skew*-1-butene 1355
26.2. Molecular constants for excited vibrational states of 1-butene 1355
26.3. Rotational constants for deuterated and ^{13}C isotopic forms of 1-butene 1356
26.4. Centrifugal distortion constants for isotopic forms of 1-butene 1357
26.5. Microwave spectrum of 1-butene 1358
27.1. Molecular constants for *cis*-2-butene in the ground state 1364
27.2. Molecular constants for *sym*-$CH_2DCHCHCH_3$, *asy*-$CH_2DCHCHCH_3$ and $CH_3CDCDCH_3$ 1365
27.3. Molecular constants for $CH_3CDCHCH_3$ 1366
27.4. Molecular constants for d_8 *cis*-2-butene and d_6 *cis*-2-butene 1366
27.5. Microwave spectrum of cis-2-butene 1367
28.1. Molecular constants for isobutylene (2-methyl-propene) in the ground and torsionally excited states 1370
28.2. Rotational analysis of isobutylene AA state from the present study 1370
28.3. Rotational constants for deuterated and ^{13}C isotopic species of isobutylene 1370
28.4. Microwave spectrum of isobutylene 1371
29.1. Molecular constants for methylcyclopropane 1373
29.2. Microwave spectrum of methylcyclopropane 1374
29.1.a. Molecular constants for cyclobutane-d_1 1374
29.2.a. Microwave spectrum of cyclobutane-d_1 1375

C_4H_{10}
30.1. Molecular constants for the isobutane species: $(CH_3)_3CH$, $(CH_3)_3{}^{13}CH$ and $(CH_3)_3CD$ 1376
30.2. Rotational constants for asymmetricrotor species of isobutane 1376
30.3. Microwave spectrum of isobutane 1376
31.1. Molecular constants for the C_5H radical 1377
31.2 Microwave spectrum of C_5H 1377

C_5H_4
32.1. Rotational and centrifugal distortion constants for 1,4-pentadiyne 1378
32.2. Microwave spectrum of 1,4-pentadiyne 1379
33.1. Molecular constants for 1,3-pentadiyne and deuterated isotopic species in the ground state 1381
33.2. Rotational constants for 1,3-pentadiyne in the first excited vibrational state ($v = 1$) and for various ^{13}C substituted forms in the ground state 1381
33.3. Microwave spectrum of methyl diacetylene 1382

C_5H_6
34.1. Molecular constants for cyclopentadiene 1385
34.2. Rotational constants for ^{13}C substituted cyclopentadiene 1385
34.3. Microwave spectrum of cyclopentadiene 1386
35.1. Molecular constants for 1-penten-3-yne 1387
35.2. Microwave spectrum of 1-penten-3-yne 1387
36.1. Rotational constants and dipole moment for normal and deuterated cyclopropylacetylene 1387
36.2. Rotational constants for ^{13}C isotopic forms of cyclopropylacetylene 1387
36.3. Microwave spectrum of cyclopropylacetylene 1388
37.1. Molecular constants for 2-methyl-1-buten-3-yne 1389
37.2. Microwave spectrum of 2-methyl-1-buten-3-yne 1390
38.1. Molecular constants for cis-3-penten-1-yne 1391
38.2. Microwave spectrum of cis-3-penten-1-yne 1391
39.1. Molecular constants for bicyclo-[2.1.0]pent-2-ene 1392
39.2. Microwave spectrum of bicyclo-[2.1.0]pent-2-ene 1392
39.1.a. Molecular constants for 1,2,3-pentatriene 1392
39.2.a. Microwave spectrum of 1,2,3-pentatriene 1393

C_5H_8
40.1. Molecular constants for *trans*-isoprene (2-methyl-1,3-butadiene) 1394
40.2. Microwave spectrum of isoprene 1395
41.1. Molecular constants for 3-methyl-1-butyne (isopropyl acetylene) 1396
41.2. Rotational constants for the excited vibrational states and isotopic species of 3-methyl- 1-butyne 1396
41.3. Microwave spectrum of 3-methyl-1-butyne 1397
42.1. Molecular constants for the ground vibrational state of *trans*- and *gauche*-1-pentyne 1399
42.2. Molecular constants for excited vibrational states of *trans*- and *gauche*-1-pentyne 1400
42.3. Microwave spectrum of 1-pentyne
43.1. Molecular constants of *trans*-vinyl cyclopropane 1401
43.2. Microwave spectrum of vinyl cyclopropane 1407
44.1. Molecular constants for methylene cyclobutane 1408

44.2. Microwave spectrum of methylene cyclobutane 1409
45.1. Molecular constants for 1-methyl cyclobutene 1411
45.2. Microwave spectrum of 1-methyl cyclobutene 1412
46.1. Molecular constants for 1,1-dimethylallene in the ground vibrational state 1414
46.2. Rotational constants for excited vibrational states of 1,1-dimethylallene 1414
46.3. Microwave spectrum of dimethyallene . 1415
47.1. Molecular constants for *trans*- and *cis*-1,1-pentadiene 1420
47.2. Microwave spectrum of 1,3-pentadiene 1421
48.1. Molecular constants for bicyclo[2.1.0] pentane 1422
48.2. Microwave spectrum of bicyclo-[2.1.0]pentane 1423
49.1. Molecular constants of 3,3-dimethylcyclopropene 1424
49.2. Microwave spectrum of 3,3-dimethylcyclopropene 1424
50.1. Molecular constants for cyclopentene in the ground state and excited out-of-plane bending state 1425
50.2. Microwave spectrum of cyclopentene ... 1426

C_5H_{10}
51.1 Molecular constants of 1,1-dimethylcyclopropane 1429
51.2. Microwave spectrum of 1,1-dimethylcyclopropane 1430
52.1. Molecular constants of the ground state of *trans*-3-methyl-1-butene 1430
52.2. Molecular constants of the vibrational states of *trans*-3-methyl-1-butene 1431
52.3. Molecular constants for *gauche*-3-methyle-1-butene 1431
52.4. Microwave spectrum of 3-methyl-1-butene 1432
53.1. Molecular parameters of *cis*-2-pentene . 1434
53.2. Molecular parameters of excited torsional states of *cis*-2-pentene 1435
53.3. Microwave spectrum of *cis*-2-pentene ... 1436

C_6H
54.1. Molecular constants for the C_6H radical in the $^2\Pi_i$ state 1439
54.2. Microwave spectrum of C_6H radical 1440

C_6H_4
55.1. Molecular constants for *o*-benzyne 1441
55.2. Microwave spectrum of benzyne 1441

C_6H_6
56.1. Molecular constants for 3,4-dimethyle necyclobutene, $CH=CHC(CH_2)C(=CH_2)$ 1442
56.2. Molecular constants for the ^{13}C substituted species of 3,4-dimethylenecyclobutene 1442
56.3. Molecular constants for the deuterated isotopes of 3,4-dimethylenecyclobutene 1442
56.4. Microwave spectrum of 3,4-dimethylenecyclobutene 1443
57.1. Molecular constants of tricyclo[3.1.0.0^{2,6}]hex-3-ene (benzvalene) .. 1446
57.2. Microwave spectrum of tricyclo[3.1.0.0^{2,6}]hex-3-ene 1447
58.1. Molecular constants of 1-methylene-2,4-cyclopentadiene (fulvene) 1448
58.2. Microwave spectrum of 1-methylene-2,4-cyclopentadiene 1449
59.1. Molecular constants of bicyclo-[2.2.0]hexa-2,5-diene (dewar benzene) 1450
59.2. Microwave spectrum of bicyclo-[2.2.0]hexa-2,5-diene 1451
60.1. Molecular constants for benzene-d_1 1451
60.2. Microwave spectrum of benzene-d 1452

C_6H_8
61.1. Molecular constants 1,3-cyclohexadiene 1453
61.2. Microwave spectrum of 1,3-cyclohexadiene 1453
62.1. Molecular constants for tricyclo[2.2.0.0^{2,6}]hexane 1454
62.2 Microwave spectrum of tricyclo[2.2.0.0^{2,6}]hexane 1455
63.1. Molecular constants of bicyclo-[2.1.1]hex-2-ene 1456
63.2. Microwave spectrum of bicyclo-[2.1.1]hex-2-ene 1457
64.1 Molecular constants of bicyclo-[3.1.0]hex-2-ene 1458
64.2 Microwave spectrum of bicyclo-[3.1.0]hex-2-ene 1459
65.1. Molecular constants of 1,2-dimethylene cyclobutane 1460
65.2. Molecular constants of vibrational states of 1,2-dimethylene cyclobutane ... 1460
65.3. Microwave spectrum of 1,2-dimethylene cyclobutane 1461

C_6H_{10}
66.1. Molecular constants for *t*-butyl acetylene 1462
66.2. Microwave spectrum of *tertiary*butyl acetylene 1463
67.1. Molecular constants of cyclohexene 1464
67.2. Microwave spectrum of cyclohexene 1465
68.1. Molecular constants of *endo*- and *exo*-2-methylbicyclo[2.1.0]pentane 1466
68.2. Microwave spectrum of 2-methylbicyclo[2.1.0]pentane 1466
69.1. Molecular constants of methylenecyclopentane 1467
69.2. Microwave spectrum of methylenecyclopentane 1468
70.1. Molecular constants of bicyclo-[3.1.0]hexane 1469
70.2. Microwave spectrum of bicyclo-[3.1.0]hexane 1469

C_7H_4
71.1. Molecular constants for 1,3,5-heptatriyne (CH_3C_6H) ... 1469
71.2. Microwave spectrum of 1,3,5-heptatriyne ... 1470
C_7H_8
72.1. Molecular constants of 1,3,5-cycloheptatriene ... 1471
72.2 Microwave spectrum of 1,3,5-cycloheptatriene ... 1472
73.1. Molecular constants for toluene ... 1472
73.2. Microwave spectrum of toluene ... 143
74.1 Molecular constants of the ground state of spiro[2.4]hepta-4,6-diene ... 1477
74.2. Molecular constants of some isotopically substituted species of spiro-[2.4]hepta-4,6-diene ... 1477
74.3. Microwave spectrum of spiro-[2.4]hepta-4,6-diene ... 1478
C_7H_{10}
75.1. Molecular constants of bicyclo-[2.2.1]hept-2-ene (norbornene) ... 1482
75.2. Microwave spectrum of bicyclo-[2.2.1]hept-2-ene ... 1482
76.1. Molecular constants of the ground state of 1,3-cycloheptadiene ... 1483
76.2. Molecular constants of the vibrational states of 1,3-cycloheptadiene ... 1483
76.3. Microwave spectrum of 1,3-cycloheptadiene ... 1484
77.1. Molecular constants of the ground state of Δ^6-bicyclo[3.2.0]heptene ... 1490
77.2. Molecular constants for the vibrational states of Δ^6-bicyclo[3.2.0]heptene ... 1490
77.3. Microwave spectrum of bicyclo-[3.2.0]hept-6-ene ... 1491
78.1. Molecular constants of the axial and equatorial conformers of cyclopentyl acetylene ... 1492
78.2. Microwave spectrum of cyclopentyl acetylene ... 1493
C_7H_{12}
79.1. Molecular constants of bicyclo-[2.2.1]heptane (norbornane) ... 1494
79.2. Microwave spectrum of bicyclo-[2.2.1]heptane ... 1494
80.1. Molecular constants for methylene cyclohexane ... 1494
80.2. Microwave spectrum of methylene cyclohexane ... 1495
C_8H_6
81.1. Molecular constants of phenylacetylene 1496
81.2. Molecular constants for some isotopically substituted species of phenylacetylene ... 1496
81.3. Microwave spectrum of phenylacetylene ... 1497
C_8H_8
82.1. Molecular constants of methylene cycloheptatriene (heptafulvene) ... 1499
82.2. Microwave spectrum of methylene cycloheptatriene ... 1500
C_8H_{10}
83.1. Rotational constants for *o*-xylene ... 1501
83.2. Microwave spectrum of *ortho*-xylene ... 1502
84.1. Molecular constants of bicyclo-[2.2.2]octadiene ... 1508
84.2. Microwave spectrum of bicyclo[2.2.2]octadiene ... 1509
C_8H_{12}
85.1. Molecular constants of bicyclo[2.2.2]octene ... 1510
85.2. Microwave spectrum of bicyclo[2.2.2]octene ... 1510
86.1. Molecular constants of *axial* and *equatorial* ethynyl cyclohexane in the ground and lowest vibrational states ... 1510
86.2. Microwave spectrum of ethynyl cyclohexane in the ground and lowest vibrational states ... 1511
C_9H_8
87.1. Molecular constants of indene ... 1512
87.2. Microwave spectrum of indene ... 1512
$C_{10}H_8$
88.1. Rotational analysis of azulene in the ground vibrational state ... 1513
88.2. Molecular constants for azulene in the ground and excited vibrational states ... 1513
88.3. Microwave spectrum of azulene ... 1514
$C_{10}H_{10}$
89.1. Molecular constants for bullvalene ... 1518
89.2. Microwave spectrum of bullvalene ... 1519

1. Introduction

These tables represent the third part of a series of critical reviews on molecular rotational spectra in the microwave frequency region. The present review on hydrocarbon species is a partial revision of the previous tabulation on polyatomic species, NBS Monograph 70, Vol. IV (1968)[1]. The primary aim of the present critical review is directed at detecting errors, misprints and incomplete analyses in the literature. The coverage includes microwave rotational spectra and molecular properties derived therefrom for all the hydrocarbon species observed in the centimeter and millimeter wavelength region of the spectrum. There are two objectives which this review hopes to achieve: first, to provide an up-to-date and complete tabulation of the microwave spectra for hydrocarbon molecules, and second, to provide the best set of molecular properties which can be derived from the observed spectra. Although the spectral line frequencies are limited to the radio and microwave frequency region, derived molecular constants are included from a variety of sources, *e.g.*, molecular beam electric resonance, electron paramagnetic resonance and infrared spectroscopy, in order to provide the most complete set of properties presently available. All unpublished data communicated privately have been included, and the open literature has been searched through September 1987.

1.1. General Description of the Tables

Two types of tables are presented for each molecular species. The first tables contain the derived molecular constants for each isotopic form which has been studied, and the table following these constant tables contains the observed microwave spectral transition frequencies for all isotopic forms and vibrational states for which data are available. The ordering of the tables follows an alphabetic sequence in empirical molecular formulas. The sequence of the tables is indicated in the List of Tables shown in the Contents.

The molecular spectral data tables of Sec. 2 are followed in Sec. 3 with the references to these data. Literature references are labeled with 5-digit numerals. This system has been formulated such that the first two digits refer to the year of publication of the work while the remaining three digits correspond to a chronological ordering within the year as required for referencing purposes here. Since this system was introduced in the earlier parts of this series[2,3] these reference numbers follow the sequence established in the earlier work.

1.1.a. Molecular Constant Tables

Since a uniform format could not be readily constructed for these tables, they were composed in variable format depending on the type and amount of information available. In general, the rotational constants are listed first, followed by the centrifugal distortion parameters, hyperfine structure data, electric dipole moments and rotational g-factors. In cases where extensive data are available, several individual tables are used to present the molecular constants. A more detailed description of the molecular constants and their symbols is given in Sec. 1.2. In order to reduce the occurrence of misprints, these tables were photographically reproduced from the original final typewritten copy.

1.1.b. Spectral Line Tables

The spectral tables contain all of the data intrinsic to an assigned molecular transition. The first column of these tables contains the isotopic molecular species to which the data pertain. The next columns contain the observed transition frequency and its estimated uncertainty. The next columns contain the assigned quantum numbers for the transition in the sequence: rotational and the hyperfine for the upper state, rotational and hyperfine for the lower state, and vibrational state designation. The reference to the original source of the data is given in the last column. Since the maximum number of significant figures beyond the decimal point was fixed at three for the transition frequency and uncertainties, in a few cases it was necessary to round off the measured data. This situation occurs primarily in the reproduction of molecular beam measurements. When uncertainties were not given in the original source, an uncertainty was assigned on the basis of the internal consistency of all the data available for the molecule in question. An effort was made to locate all of the essential references through mid-1987.

1.2. Molecular Parameters and Energy Level Formulation

The discussion which follows deals with the most common cases which will provide the user with the essential definition of quantum numbers, molecular parameters and basic relations employed in the analysis of rotational spectra. For the reader interested in a more detailed description of polyatomic rotational spectral measurements and analysis, we refer to texts on this subject by Townes and Schawlow[4], Gordy and Cook[5], Wollrab[6] and Kroto[7] which have both detailed and excellent discussions of all facets of rotational spectra. The spectroscopic notation employed follows, as closely as possible, the recommendations of the Joint Commission for Spectroscopy of the International Astronomic Union and the International Union of Pure and Applied Physics[8].

1.2.a. Linear and Symmetric Top Molecules

The principal axes of a linear rigid rotor are along the molecular bond or a-axis for which the inertial moment is zero, and perpendicular to the bond axis in two orthogonal planes through the center-of-mass of the molecule. These are called the b- and c-axis whereby $I_c > I_b > I_a$ determines the labeling of the principal axes.

For linear molecules $I_b = I_c$ and $I_a = 0$, and the rotational constant, B, is related to the moment of the inertia as

$$B = \frac{h^2}{8\pi^2 I_b}$$

The selection rules for rotational transitions of a linear polyatomic molecule are $\Delta J = 0, \pm 1$, and $\Delta \ell = 0, \pm 1$ where J is the total angular momentum quantum number excluding nuclear spin and ℓ is the vibrational angular momentum quantum number which arises in degenerate bending vibrational states.

Since molecules are not rigid, the effects of molecular vibrations and centrifugal distortion must be included in the model in order to accurately fit the observed rotational spectra. The rotational energy levels are represented as:

$$F(J) = B_v[J(J+1) - \ell^2] - D_v[J(J+1) - \ell^2]^2 + H_v[J(J+1) - \ell^2]^3,$$

where B_v is the rotational constant for the nth vibrational state, and D_v and H_v are the centrifugal distortion constants. The rotational constant can be expressed in terms of its equilibrium value, B_e, and rotation-vibration interaction constants, α_i, as

$$B_v = B_{v_1, v_2, v_3} = B_e - \sum_{i=1,2,3} \alpha_i \left(v_i + \frac{d_i}{2}\right),$$

neglecting higher order terms. Within this level of approximation the frequencies of rotational transitions from lower state J'' to upper state $J' = J'' + 1$ are expressed:

$$\nu_{J \leftarrow J'} = 2B_v J' - 4D_v[(J')^3 - J'\ell^2] + 6J'H_v[(J')^4 + \tfrac{1}{3}J'^2 - 2(J')^2\ell^2 + \ell^4].$$

The treatment of rotational transitions in excited vibrational states requires additional terms to account for the rotation-vibrational interactions. The symmetry species of excited vibrational states are designed as Σ, Π, Δ, etc., when $\ell = 0, \pm 1, \pm 2$, etc., respectively. One of the most common rotation-vibration interactions is ℓ-type doubling in Π states. In this case each $J \rightarrow J+1$ transition has two components which are indicated as L (lower) and U (upper) components in the tables which follow. The doublet separation is represented as: $q_v(v+1)(J+1)$. In addition $\Delta J = 0$ transitions are observable with the frequency expressed as: $\nu = (q_v/2)(v+1)J(J+1)$. These transitions are also included in the spectral tables. Other rotation-vibration interactions, such as Fermi resonance, often must be included for particular measurements. Since the level of approximation and method of analysis is dependent on the extent and quality of the spectral measurements available, the user should refer to the literature references cited in the tables for details concerning the analysis. For more general treatments of ℓ-type doubling and resonance interactions see the texts mentioned earlier[4-7] or the review by D.R. Lide[9].

1.2.b. Symmetric Top Molecules

Like linear molecules, in a symmetric top one of the principal axes must be coincident with the molecular symmetry axis, which must also be the axis with nonzero dipole moment. In a prolate symmetric top ($I_a < I_b = I_c$), the a-axis lies along the symmetry and in an oblate symmetric top ($I_a = I_b, < I_c$). The rotational energy levels for the ground vibrational state of a symmetric top are represented as

$$E_{J,K} = BJ(J+1) + (A-B)K^2 - D_J J^2(J+1)^2 - D_{JK}J(J+1)K^2 - D_K K^4$$

including the first order (P^4) centrifugal distortion terms. The selection rules are $\Delta J = 0, \pm 1$, $\Delta K = 0$. The frequency for a $J+1 \leftarrow J$ and $K \leftarrow K$ rotational transition is

$$\nu = 2B_o J' - 4D_J(J')^3 - 2D_{JK}J'K^2 + H_{JJJ}(J')^3[(J'+1)^3 - (J'-1)^3] + 4H_{JJK}(J')^3K^2 + 2H_{KKJ}J'K^4$$

which includes the P^6 centrifugal distortion terms.

As in the case of linear molecules, vibrationally excited states can exhibit ℓ-type doubling which arises from the degenerate bending vibrational modes. Formulas for the rotational levels are given in the references cited in the molecular parameter tables here, e.g., propyne references, as well as in some of the text books referenced here[5-7].

1.2.c. Asymmetric Top Molecules

The majority of polyatomic molecules fall in the asymmetric-top category. When the three principal moments of inertia of a molecule differ, the molecule is classified as an asymmetric top. The energy level formulation for a rigid asymmetric top is considerably more complex than that for symmetric-tops or linear molecules. With the exception of low rotational levels, the rotational energy and transitions cannot be conveniently expressed in simple algebraic terms. Since Refs. 4–7 provide excellent discussions of the usual methods employed in solving the basic rigid asymmetric rotor Hamiltonian: $H_2 = A\ P_a^2 + B\ P_b^2 + C\ P_c^2$ as well as the more complex Hamiltonian which includes centrifugal distortion $H = H_2 + H_4 + H_6 + \ldots$, we will not delve into any details of the quantum mechanical formulation, but concentrate on describing the quantum number designations employed in the tables to follow, and provide the basic relationships between the different molecular constant notations used by various authors.

The rotational energy levels are characterized by the three quantum numbers $J_{K_{-1},K_{+1}}$ in the King-Hainer-Cross notation. Here, since $S = 0$, J is used rather than N for the rotational angular momentum. When $S \neq 0$ we will use $N_{K_{-1},K_{+1}}$ to designate the rotational state and J for rotation plus electron spin and orbital angular momenta. The K_{-1} subscript is the K value in the limiting case of prolate symmetric-top and K_{+1} corresponds to the limiting case for an oblate symmetric-top. Ray's asymmetry parameter, κ, is often used to characterize the degree of asymmetry:

$$\kappa = \frac{2B - A - C}{A - C}.$$

When $A \approx B$, κ approaches $+1$ for the oblate case and when $B \approx C$, κ approaches -1 for the prolate case.

(1) Selection Rules

In general an asymmetric rotor can exhibit three types of pure rotational transitions if the molecule has non-zero components of the electric dipole moment in the direction of the a, b, and c principal axes. For an asymmetric rotor the selection rules for a-type transitions are:

$$\Delta J=0,\ \pm 1;\ \Delta K_{-1}=0;\ \pm 2,\ \ldots;\Delta K_{+1}=\ \pm 1,\ \mp 3,\ ,$$

for b-type transitions:

$$\Delta J=0,\ \pm 1;\ \Delta K_{-1}=\pm 1,\ \pm 3,\ \Delta K_{+1}=\mp 1,\ \mp 3,\ \ldots\ .$$

for c-type transitions:

$$\Delta J=0,\ \pm 1;\ \Delta K_{-1}=\pm 1,\ \pm 3;\ \Delta K_{+1}=0,\ \mp 2.$$

When a molecule has a symmetry axis one must also examine the nuclear spin statistics which influence both the selection rules and the populations of the rotational levels.

(2) Rotational and Centrifugal Distortion Constants

Until approximately 1970 the Kivelson and Wilson[10] formulation of the Hamiltonian for a non-rigid asymmetric rotor was widely employed in analyzing rotational spectra. With the parameter notation employed by Kirchhoff[11] the Kivelson-Wilson Hamiltonian is:

$$\mathscr{H} = A'P_a^2 + B'P_b^2 + C'P_c^2 + 1/4 \sum_{\alpha,\beta} \tau'_{\alpha\alpha\beta\beta} P_\alpha^2 P_\beta^2 \quad ,$$

where $\alpha,\beta = a,b$, or c. For a planar molecule the following planarity relations reduce the six linear combinations of distortion constants to four and provide the determinable parameters shown in column 1 of Table 1.2.1:

$$\tau_{acac} = \tau_{bcbc} = 0,$$

$$\tau_{aacc} = \frac{C^2}{A^2}\,\tau_{aaaa} + \frac{C^2}{B^2}\,\tau_{aabb}\,,$$

$$\tau_{bbcc} = \frac{C^2}{B^2}\,\tau_{bbbb} + \frac{C^2}{A^2}\,\tau_{aabb}\,,$$

$$\tau_{cccc} = \frac{C^2}{A^2}\,\tau_{aacc} + \frac{C^2}{B^2}\,\tau_{\mathrm{bbcc}}\,.$$

For non-planar molecules Dreizler *et al.*[12,13] found that the Kivelson-Wilson distortion constants were indeterminant. Watson[14,15] introduced a new relationship which allows the Kivelson-Wilson Hamiltonian to be expressed in terms of five independent centrifugal distortion coefficients, or linear combinations of taus, which eliminates the indeterminancy noted by Dreizler *et al.* Much of the recent analysis of rotational spectra follows Watson's reformulation[16,17] in the form of a reduced Hamiltonian which simplified the computation of the energy levels.

Since there is not a unique unitary transformation which allows the nine Kivelson-Wilson parameters to be reduced to eight determinable parameters, several variations of the Watson reduced Hamiltonian are commonly employed in practice. The two most often employed result in the determinable parameters listed in columns 2 and 3 of Table 1.2.1. In reanalyzing the microwave spectra here both Kirchhoff's[11] formulation has been used as well as Watson's A-reduction[17]. See reference[11] for additional details. The second commonly used formulation is described in detail by Gordy and Cook[5]. Yamada and Winnewisser[18] have examined the effects of employing different reductions for the three King, Hainer and Cross axis representations I′, II′, and III′[19]. They provide a

TABLE 1.2.1. Determinable rotational and centrifugal distortion constants (P^4) employed by various workers[a]

Kivelson-Wilson parameters for planar molecules	Kirchhoff parameters (following Watson[15])	Watson parameters[16]
A'	$A''=A'-1/2\tau'_{bbcc}$	$\mathscr{A}$
B'	$B''=B'-1/2\tau'_{aacc}$	$\mathscr{B}$
C'	$C''=C'-1/2\tau'_{\mathrm{aabb}}$	$\mathscr{C}$
τ_{aaaa}	τ_{aaaa}	Δ_J
τ_{bbbb}	τ_{bbbb}	Δ_{JK}
τ_{abab}	τ_{cccc}	Δ_K
τ_{aabb}	$\tau_1=\tau'_{aabb}+\tau'_{bbcc}+\tau'_{ccaa}$	δ_J
τ_{aabb}	$\tau_2=(A'/S)\tau'_{bbcc}+(B'/S)\tau'_{aacc}+(C'/S)\tau'_{aabb}$	δ_K
	$\tau_3=[S/(B'-A')]\tau'_{aabb}+[S/(A'-C')]\tau'_{aacc}$ $+[S/(C'-B')]\tau'_{bbcc}$ where $S=A'+B'+C'$	

[a]For conversion between the various sets of parameters see Refs. 4, 9, 10, and 17.

useful set of relations between the spectroscopic constants determined in the various reduction procedures and discuss the implications of the τ defect when employing the planarity conditions. When the spectral data require a higher order Hamiltonian, such as inclusion of P^6 terms, generally the first-order perturbation treatment suggested by Watson[17] has been used.

1.2.d. Molecules with Doublet Electronic Ground States

The spectra and spectral analysis for molecules with one or more unpaired electrons are substantially more complex. The known hydrocarbon species that have doublet, $S=1/2$, ground states are HC_2 and HC_4. In addition to the molecular rotational angular momentum, N, the interactions from electronic spin, S, and nuclear spin, I, must be included in the Hamiltonian. Depending on the magnitude of the various interactions, one of the following three coupling schemes are used in limiting cases:

a) $N + S = J; J + I = F$
b) $S + I = G; G + N = F$
c) $N + I = E; E + S = F$

These interactions and the Hamiltonian for such molecules are discussed by Lin[20], Van Vleck[21], Curl and Kinsey[22] and others. Curl and Kinsey[22] have summarized the spectroscopic constant notation employed in the various formulations and developed an alternate method which can be applied to the hydrocarbon species. Since none of these species have been reanalyzed in the present work, the notation employed in the publications cited is followed in the present tables of spectroscopic constants.

1.3. Evaluation of the Spectral Data

The evaluation has a two-fold purpose, first, the selection of the best set of measured transition frequencies and, second, selection or calculation of consistent and reliable spectroscopic constants. Since measured or calculated uncertainties are the best indicators of the quality of the data, a substantial portion of the critical evaluation effort has gone into determining these uncertainites.

1.3.a. General Procedure

Generally, the selection of the most reliable transition frequencies posed few problems since there were relatively few cases where duplicate measurements have been reported for the same transition and most laboratories quote reliable uncertainties. In cases where problems did occur, the selection was based on both the overall consistency of the measurement in question with the other spectral data available, and on the reported uncertainty in the measurements. In nearly all cases the measurements with the smallest uncertainties reported by the authors were found to be the most reliable.

The determination of the most reliable molecular constants posed more severe difficulties. Occasionally inconsistencies arose in cases where data were reported by several independent workers who studied quite different regions of the spectrum, e.g., molecular beam measurements vs microwave measurements or centimeter vs millimeter-wave measurements. If all of the available data had not been analyzed simultaneously in these instances, a reanalysis was carried out to eliminate the discrepancies. These calculations also resulted in the detection of a number of misprints in the literature which were not obvious through simple inspection of the reported assignments and transition frequencies. Since a question might arise concerning the correct value when a difference is noted between the present compilation and the reference cited, there are comments following the molecular constant tables in these cases.

1.4. List of Symbols

In most cases, a uniform set of quantum state and molecular parameter symbols is employed. This common set is listed here with a brief description of the molecular quantity represented by the symbol. However, there are a few special cases for which the reader is required to consult the literature cited to obtain this information since the Hamiltonian employed is unique to those species and reanalysis was not carried out here. The species for which the above applies are: CH, CH_2, CH_4, C_2H, CH_3CD_3, C_3H, C_4H, and CH_3CCCD_3. The spectra of these species were not refit in this work since the published analyses are considered to be accurate and not readily reproduced by the authors. There are several instances where excited vibrational states have been assigned and the type of vibrations identified, i.e. bend, torsion, etc., but the mode number is not identified. We have followed the notation in the literature and used the following characters for the type of vibration: B = bend, T = torsion, P = ring pucker.

1.4.a. Quantum Numbers

J	Resultant total angular momentum quantum number, excluding nuclear spins.
N	Rotational angular momentum quantum number, excluding electron and nuclear spins, in the case where electron spin is present.
K_-,K_+	Projection of J (or N) on the symmetry axis in the limiting prolate or oblate symmetric top.
F_1	Resultant angular momentum quantum number including nuclear spin for one nucleus.
F	Resultant total angular momentum quantum number.
A,E	Torsional symmetry substates representing irreducible representations of the symmetry group of the rotation-internal rotation Hamiltonian.
v_1,v_2,v_3	Vibrational modes (v) and quantum numbers (v).

U or L — Upper or lower energy level or transition frequency.

' or " — Prime or double prime is used to distinguish the upper (') and lower (")levels in a transition. They occur as superscripts on the quantum numbers.

ℓ — Quantum number for vibrational angular momentum.

I(or I_i) — Angular momentum quantum number of nuclear spin for one (or ith) nucleus.

1.4.c. Molecular Constants

A,B,C — Rotational constants (MHz). These are related to the principal moments of inertia: $A=h/8\pi^2 I_a$, etc.

B — B-bar equals $(B+C)/2$.

τ,Δ,δ,D — Quartic centifugal distortion constants (MHz or kHz).

H,h — Sextic centrifugal distortion constants (MHz or kHz).

$L,\ell G,g$ — Octic centrifugal distortion constants (MHz).

I_α — Moment of inertia of the methyl top around internal rotation axis (u Å^2)

ρ — Internal rotation interaction constant $\rho = [\Sigma_x (\lambda_x I_\alpha/I_x)^2]^{1/2}$.

$\lambda_a,\lambda_b,\lambda_c$ — Direction cosines between the internal rotation axis and the principal axes a,b,c respectively.

α — Angle of rotation around internal rotation axis.

F — Internal rotation dynamical constant (GHz) $F = h/8\pi^2 r\, I_\alpha$.

V_3 — Threefold component of torsional barrier potential $V=V_3(1-\cos 3\alpha)/2$.

s — Reduced barrier height $s = 4V_3/9F$.

r — $r = 1-\Sigma_x (\lambda_x^2 I_\alpha/I_x)$.

Θ — Angle between CH_3 symmetry axis and a-principal axis.

$\omega_1(s)$ — Fourier coefficient.

Δ_o — Internal rotation interaction constant $\Delta_o=3Fa_1(s)/2=\frac{28}{8}F\,\omega_1(s)$.

μ_a, μ_b, μ_c — Components of the electric dipole moment along the a- or b- or c-principal axes.

α_v, γ_{vv} — Rotation-vibration coefficients in the power series representing B_v (see text).

q_v — ℓ-doubling constant (MHz).

$\sigma_\parallel,\sigma_\perp$ — Components of the magnetic shielding tensor which are parallel and perpendicular to the molecular axis, respectively.

Q — Molecular quadrupole moment relative to the center of mass (esu·cm^2).

$\alpha_\parallel\alpha_\perp$ — Electric polarizability anisotropy (cm^3).

$\chi_\perp,\chi_\parallel$ — Components of the magnetic susceptibility tensor which are respectively perpendicular and parallel to the molecular axis (erg/G^2·mol).

$\chi_{xx}-\chi_{yy}$ — Magnetic susceptibility anisotropy.

$g_\perp,g_\parallel$ — Components of the molecular **G** tensor which are respectively perpendicular and parallel to the molecular axis. $g_\perp$ is sometimes denoted g or g_J for linear molecules in the ground state (μ_N).

$g_{xx}-g_{yy}$ — Anistropy of the molecular **G** tensor perpendicular to the molecular axis (μ_N).

c_X *or* M — Spin rotation constant related to nucleus X(kHz).

S_{XY} — Spin-spin interaction constant between nucleus X and nucleus Y (kHz).

α_P,β_P — Ω-type doubling parameters,

$$\alpha_P = 4\Sigma(-1)^s \times \frac{\langle\Pi|(A+2B)L_y|\Sigma\rangle\langle\Sigma|BL_y|\Pi\rangle}{E_\Sigma-E_\Pi}$$

$$\beta_P = 4\Sigma(-1)^s \times \frac{|\langle\Pi|BL_y|\Sigma\rangle|^2}{E_\Sigma-E_\Pi}$$

p_{eff} — Λ-type doubling constant in the $^2\Pi_{1/2}$ state (MHz).

a,b,c,d — Magnetic hyperfine coupling constants (MHz) where,

$$a=2\mu_B g_N \mu_N \langle 1/r^3\rangle,$$

$$b=-\mu_B g_N \mu_N \left\langle\frac{3\cos^2\chi-1}{r^3}\right\rangle + \frac{16}{3}\pi\mu_B g_N \mu_N \Psi^2(0),$$

$$c=3\mu_B g_N \mu_N \left\langle\frac{3\cos^2\chi-1}{r^3}\right\rangle,$$

$$d=3\mu_B g_N \mu_N \left\langle\frac{\sin^2\chi-1}{r^3}\right\rangle.$$

Here μ_B is the Bohr magneton, μ_N is the nuclear magneton and g_N is the nuclear g-value.

A — Spin-orbit coupling constants defined by the power series expansion, $A = A_c + A_{(1)}\,\xi + A_{(12)}\,\xi^2 + \ldots$.

1.4.d. Other

X — Refers to unknown uncertainty when appearing in the uncertainty column.

* — Asterisks in the uncertainty column indicate that the transition frequency is calculated rather than measured.

(...) — Parentheses in the numerical listings contain measured or estimated uncertainties. For example, the value 1.407(83) should be interpreted as 1.407±0.083. Thus the value in parentheses refers to the last significant digits given.

a,b,c — Designate principal axes corresponding *to* A, B, and C, respectively.

1.5. Special Units, Fundamental Constants, and Useful Conversion Factors

1.5.a. Special Units

D — Abbreviation for Debye units (1 D$=10^{-18}$ electrostatic units of charge × centimeters, or 1 D$=3.33564\times10^{-30}$ coulomb meter).

cm^{-1}	Reciprocal wavelength (wave number) employed as a unit proportional to energy.
Å	Angstrom abbreviation for the unit of length in bond distances (1 Å $=10^{-10}$ m).

1.5.b. Fundamental Constants and Conversion Factors[23]

$A \cdot I_a$	$= 5.0537905(85)\times 10^5$ MHz·u·Å^2,
h	$=6.626176(36)\times 10^{-34}$ J·s,
c	$= 2.99792458(1)\times 10^8$ m·s^{-1}
1 cm^{-1}	$\cong 1.986478(11)\times 10^{-23}$ J,
	$\cong 11.96266$ J mol^{-1},
	$\cong 29979.2458$ MHz,
1 u	$= 1.6605655(86)\times 10^{-27}$kg.

1.6. Acknowledgments

The authors are grateful to the many Microwave Spectroscopists who provided reprints, preprints, and data prior to publication. This review has benefited from Dr. W. H. Kirchhoff's earlier work in developing computer programs for spectral analysis and formating the spectral tables. Mrs. Gloria Rotter deserves a special acknowledgment for carrying out many of the tedious tasks involving manuscript typing, keying the spectral data, literature searching, and proofreading spectral tables.

1.7. References to the Introduction

[1] M.S. Cord, J.D. Peterson, M.S. Lojko, and R.H. Haas, NBS Monograph 70. Vol. IV (1968).
[2] F.J. Lovas and E. Tiemann, J. Phys. Chem. Ref. Data **3**, 609 (1974).
[3] F.J. Lovas, J. Phys. Chem. Ref. Data **7**, 1445 (1978).
[4] C.H. Townes and A.L. Schawlow, *Microwave Spectroscopy*, McGraw-Hill, New York, 1955.
[5] W. Gordy and R.L. Cook, *Microwave Molecular Spectra in Techniques of Organic Chemistry*, Vol. IV, Pt. II, Second Ed., Interscience Publ., New York, 1970.
[6] J.E. Wollrab, *Rotational Spectra and Molecular Structure*, Academic Press, New York, 1967.
[7] H.W.Kroto, *Molecular Rotation Spectra*, John Wiley & Sons, New York, 1975.
[8] "Report on Notation for the Spectra of Polyatomic Molecules," J. Chem. Phys. **23**, 1997 (1955).
[9] D.R. Lide, Jr., "Microwave Spectrocopy," in Methods of Experimental Physics, Vol. **3**, Molecular Physics, 2d Ed., Pt. A. Academic Press, New York, 1974.
[10] D. Kivelson and E.B. Wilson, Jr., J. Chem. Phys. **20**, 1575 (1952).
[11] W.H. Kirchhoff, J. Mol. Spectrosc. **41**, 333 (1972).
[12] H. Dreizler and G. Dendl, Z. Naturforsch. **20a**, 30 (1965).
[13] H. Dreizler and H.D. Rudolph, Z.Naturforsch. **20a**, 749 (1965).
[14] J.K.G. Watson, J. Chem. Phys. **45**, 1360 (1966).
[15] J.K.G. Watson, J. Chem. Phys. **48**, 181 (1968).
[16] J.K.G. Watson, J. Chem. Phys. **46**, 1935 (1967).
[17] J.K.G. Watson, J. Chem. Phys. **48**, 4517 (1968).
[18] K. Yamada and M. Winnewisser, Z. Naturforsch. **31a**, 131 (1976).
[19] G.W. King, R.M. Hainer and P.C. Cross, J. Chem. Phys. **11**, 27 (1943).
[20] C.C. Lin, Phys. Rev. **116**, 903 (1959).
[21] J.H. Van Vleck, Rev. Modern Phys. **23**, 213 (1951).
[22] R.F. Curl, Jr. and J.L. Kinsey, J. Chem. Phys. **35**, 1758 (1961).
[23] E.R. Cohen and B.N. Taylor, J. Phys. Chem. Ref. Data **2**, 663 (1973).

2. Molecular Constants and Spectral Line Tables

As described in Sec. 1.1, the data tables for each molecule consist of a table of derived molecular constants followed by the spectral line table. These are ordered alphabetically by the empirical formula.

The molecular constants are presented for each isotopic species in the order: rotational constants, hyperfine structure constants, electric and magnetic dipole moments and, when appropriate, additional references which were not utilized in the tabulation. The molecular constants were either produced by our reanalysis of the data or then directly from the literature. A reference number in the table title means that all data is from that source. Reference numbers within the table refer only to the particular entry or column of entries. If no reference is given, the constants were determined in the present work. Reanalysis of the literature data focused on the normal isotopic species and ground vibrational states. For the most part the spectra for excited vibrational states and rare isotopic species were limited in quantum state covered. The published analyses, often rigid rotor fits, appeared accurate from inspection of the analyses.

The spectral line tables are organized first by isotopic species. For each species the transitions are listed by increasing frequency. All of the transitions listed after an isotopic species, formula belong to that species, since it is redundant to repeat these labels for every transition entry. The references to all data can be found in Sec. 3.

Table 1.1. Molecular constants for ^{12}CH and ^{13}CH.

Parameter	^{12}CH (MHz)	^{13}CH (MHz)
A_o	843817.57(69)	843806.97[a]
B_o	425476.852(73)	422957.033[a]
D_o	43.8255(32)	43.303[a]
H_o	0.0035	0.00344[a]
γ_o	-771.11(26)	-766.5[a]
γ_{Do}	0.158(24)	0.156[a]
p	1003.9957(23)	998.44(25)
p_D	-0.27335(28)	-0.298(25)
p_H	$-0.326(49)\times10^{-4}$	0.30×10^{-4}[a]
q	1159.6830(12)	1146.308(70)
q_D	-0.457479(47)	-0.4777(65)
q_H	$0.9632(51)\times10^{-4}$	0.9404×10^{-4}[a]
a(H)	54.28(14)	54.28[a]
b_F(H)	-57.67(20)	-57.67[a]
c(H)	57.17(17)	57.17[a]
d(H)	43.5167(40)	43.52[a]
d_D	-0.01601(52)	---
C_1'	0.0056(17)	0.504(101)
a(^{13}C)		221.2(15)
b_F(^{13}C)		46.8(20)
c(^{13}C)		-127.8(23)
d(^{13}C)		276.1(5)
Reference	[84033]	[86018]

[a]Calculated from ^{12}CH parameters.

TABLE 1.2. Microwave spectrum of methyladyne radical CH

Isotopic species	Frequency (MHz)	Unc. (MHz)	J' - J''	F' F_1' - F'' F_1''	Vib. state	Ref.
CH $^2\Pi_{1/2}$	3263.794	(0.003)	1/2 - 1/2	0 - 1	$v=0$	[74055]
	3335.481	(0.002)	1/2 - 1/2	1 - 1	$v=0$	[74055]
	3349.193	(0.003)	1/2 - 1/2	1 - 0	$v=0$	[74055]
	7274.78	(0.15)	3/2 - 3/2	+1 - −2	$v=0$	[84033]
	7325.15	(0.15)	3/2 - 3/2	+1 - −1	$v=0$	[84033]
	7348.28	(0.15)	3/2 - 3/2	+2 - −2	$v=0$	[84033]
	7398.38	(0.15)	3/2 - 3/2	+2 - −1	$v=0$	[84033]
	14713.78	(0.15)	5/2 - 5/2	−2 - +3	$v=0$	[83012]
	14756.81	(0.15)	5/2 - 5/2	−2 - +2	$v=0$	[83012]
	14778.97	(0.20)	5/2 - 5/2	−3 - +3	$v=0$	[83012]
	14821.88	(0.15)	5/2 - 5/2	−3 - +2	$v=0$	[83012]
	24381.57	(0.40)	7/2 - 7/2	+3 - −4	$v=0$	[83012]
	24420.65	(0.10)	7/2 - 7/2	+3 - −3	$v=0$	[83012]
	24442.56	(0.10)	7/2 - 7/2	+4 - −4	$v=0$	[83012]
	24482.10	(0.20)	7/2 - 7/2	+4 - −3	$v=0$	[83012]
	50299.750	(0.020)	11/2 - 11/2	−5 - +5	$v=0$	[83028]
	50321.276	(0.020)	11/2 - 11/2	−6 - +6	$v=0$	[83028]
	66400.098	(0.030)	13/2 - 13/2	+6 - −6	$v=0$	[83028]
	66421.466	(0.030)	13/2 - 13/2	+7 - −7	$v=0$	[83028]
CH $^2\Pi_{3/2}$	701.677	(0.010)	3/2 - 3/2	−2 - +2	$v=0$	[85016]
	724.789	(0.010)	3/2 - 3/2	−1 - +1	$v=0$	[85016]
	4847.84	(0.20)	5/2 - 5/2	+2 - −2	$v=0$	[83012]
	4870.12	(0.20)	5/2 - 5/2	+3 - −3	$v=0$	[83012]
	11250.79	(0.50)	7/2 - 7/2	−4 - +3	$v=0$	[83012]
	11265.21	(0.15)	7/2 - 7/2	−4 - +4	$v=0$	[83012]
	11287.05	(0.15)	7/2 - 7/2	−3 - +3	$v=0$	[83012]
	11301.22	(0.20)	7/2 - 7/2	−3 - +4	$v=0$	[83012]
	43851.026	(0.030)	13/2 - 13/2	+7 - −7	$v=0$	[83028]
	43872.591	(0.030)	13/2 - 13/2	+6 - −6	$v=0$	[83028]
	58986.633	(0.020)	15/2 - 15/2	−8 - +8	$v=0$	[83028]
	59008.076	(0.020)	15/2 - 15/2	−7 - +7	$v=0$	[83028]
	76147.336	(0.030)	17/2 - 17/2	−9 - +9	$v=0$	[83028]
	76168.632	(0.050)	17/2 - 17/2	−8 - +8	$v=0$	[83028]
^{13}CH $^2\Pi_{1/2}$	3030.26	(1.00)	1/2 - 1/2	−0 1/2 - +1 3/2	$v=0$	[86018]
	3041.14	(1.25)	1/2 - 1/2	−0 1/2 - +1 1/2	$v=0$	[86018]
	3323.30	(0.75)	1/2 - 1/2	−1 1/2 - +0 1/2	$v=0$	[86018]
	3343.94	(1.30)	1/2 - 1/2	−1 1/2 - +1 3/2	$v=0$	[86018]
	3355.73	(1.00)	1/2 - 1/2	−1 1/2 - +1 1/2	$v=0$	[86018]
	3373.57	(0.75)	1/2 - 1/2	−1 3/2 - +0 1/2	$v=0$	[86018]
	3394.58	(0.65)	1/2 - 1/2	−1 3/2 - +1 3/2	$v=0$	[86018]
	3406.53	(2.00)	1/2 - 1/2	−1 3/2 - +1 1/2	$v=0$	[86018]
	4712.13	(0.45)	5/2 - 5/2	+3 7/2 - −3 7/2	$v=0$	[86018]
	4734.34	(0.60)	5/2 - 5/2	+3 5/2 - −3 5/2	$v=0$	[86018]
	4743.92	(2.20)	5/2 - 5/2	+3 5/2 - −3 7/2	$v=0$	[86018]
	4848.36	(2.50)	5/2 - 5/2	+2 5/2 - −2 3/2	$v=0$	[86018]
	4855.63	(0.45)	5/2 - 5/2	+2 5/2 - −2 5/2	$v=0$	[86018]
	4878.25	(0.60)	5/2 - 5/2	+2 3/2 - −2 3/2	$v=0$	[86018]
	4887.73	(2.00)	5/2 - 5/2	+2 3/2 - −2 5/2	$v=0$	[86018]
	4899.75	(1.80)	5/2 - 5/2	+3 7/2 - −2 5/2	$v=0$	[86018]
	7093.95	(2.20)	3/2 - 3/2	+1 1/2 - −1 3/2	$v=0$	[86018]
	7144.53	(1.50)	3/2 - 3/2	+1 1/2 - −1 1/2	$v=0$	[86018]
	7159.27	(1.35)	3/2 - 3/2	+1 3/2 - −1 3/2	$v=0$	[86018]
	7210.11	(1.20)	3/2 - 3/2	+1 3/2 - −1 1/2	$v=0$	[86018]
	7245.41	(1.25)	3/2 - 3/2	+2 3/2 - −1 3/2	$v=0$	[86018]
	7269.91	(1.30)	3/2 - 3/2	+2 3/2 - −2 3/2	$v=0$	[86018]
	7309.94	(1.25)	3/2 - 3/2	+2 5/2 - −2 5/2	$v=0$	[86018]
	7363.69	(2.00)	3/2 - 3/2	+2 5/2 - −2 3/2	$v=0$	[86018]
	11047.51	(0.70)	7/2 - 7/2	−4 9/2 - +4 9/2	$v=0$	[86018]
	11070.85	(1.00)	7/2 - 7/2	−4 7/2 - +4 7/2	$v=0$	[86018]
	11190.16	(1.00)	7/2 - 7/2	−3 7/2 - +3 7/2	$v=0$	[86018]
	11212.77	(1.20)	7/2 - 7/2	−3 5/2 - +3 5/2	$v=0$	[86018]
	14458.28	(2.50)	5/2 - 5/2	−2 3/2 - +2 5/2	$v=0$	[86018]
	14499.52	(0.80)	5/2 - 5/2	−2 3/2 - +2 3/2	$v=0$	[86018]
	14515.81	(0.70)	5/2 - 5/2	−2 5/2 - +2 5/2	$v=0$	[86018]
	14539.69	(2.50)	5/2 - 5/2	−2 3/2 - +3 5/2	$v=0$	[86018]
	14561.96	(2.00)	5/2 - 5/2	−3 5/2 - +2 5/2	$v=0$	[86018]
	14599.89	(2.20)	5/2 - 5/2	−2 5/2 - + 5/2	$v=0$	[86018]

TABLE 1.2. Microwave spectrum of methyladyne radical — Continued CH

Isotopic species	Frequency (MHz)	Unc. (MHz)	J' - J''	F' F_1' - F'' F_1''	Vib. state	Ref.
	14623.54	(2.20)	5/2 - 5/2	−3 7/2 - + 5/2	$v=0$	[86018]
	14643.93	(0.50)	5/2 - 5/2	−3 5/2 - + 5/2	$v=0$	[86018]
	14662.00	(0.50)	5/2 - 5/2	−3 7/2 - +3 7/2	$v=0$	[86018]
	14704.94	(2.50)	5/2 - 5/2	−3 7/2 - +3 5/2	$v=0$	[86018]

Table 2.1. Molecular parameters[a] of $CH_2(X^3B_1)$.

Parameter	(000) State [82034]	(010) State [82033]
ν_o (cm^{-1})	---	963.09866(41)
A (cm^{-1})	73.05775(11)	184.12263(82)
B (cm^{-1})	8.415172(76)	8.36216(15)
C (cm^{-1})	7.219272(45)	7.09284(20)
Δ_K (cm^{-1})	1.991049(47)	23.969[b]
Δ_{NK} (cm^{-1})	-0.019660(27)	-0.07889(14)
Δ_N (cm^{-1})	0.0003013(34)	0.000162(18)
δ_N (cm^{-1})	$0.1012(12)\times10^{-3}$	0.1012×10^{-3}[c]
Φ_K (cm^{-1})	0.0	1.52[b]
Φ_{KN} (cm^{-1})	-0.0019417(21)	0.0
Φ_{NK} (cm^{-1})	$0.1281(186)\times10^{-4}$	$-4.671(57)\times10^{-4}$
Φ_N (cm^{-1})	$0.251(59)\times10^{-6}$	$0.78(58)\times10^{-6}$
ϕ_N (cm^{-1})	$0.195(30)\times10^{-6}$	0.0
D (cm^{-1})	0.77842(14)	0.79560(48)
E (cm^{-1})	0.039906(38)	0.03540(53)
ε_{aa} (cm^{-1})	0.000446(78)	0.00352(54)
ε_{bb} (cm^{-1})	-0.005148(18)	-0.00470(23)
ε_{cc} (cm^{-1})	-0.004106(27)	-0.00458(21)
a_{FC} (MHz)	-20.26(51)	
T_{aa} (MHz)	39.7(17)	
T_{bb} (MHz)	-20.2(19)	

[a]Parameters not given were fixed at zero. The numbers in parentheses are one standard deviation from the least-squares fit in units of the last quoted digit.
[b]Δ_K and Φ_K were fixed at values determined from the semi-rigid bender model.
[c]δ_N was fixed at its ground (000) state value.

Table 2.2. Molecular parameters[a] for $^{13}CH_2$. [83049]

Parameter	(000) State	(010) State
ν_o (cm^{-1})		959.1674(2)
A (cm^{-1})	72.627[b]	181.23423(143)
B (cm^{-1})	8.415767(67)	8.37093(76)
C (cm^{-1})	7.208087(390)	7.07665(73)
Δ_K (cm^{-1})	2.583[b]	23.657[b]
Δ_{NK} (cm^{-1})	-0.01966[c]	-0.07889[c]
Δ_N (cm^{-1})	0.2569(156)x10^{-3}	0.162x10^{-3}[c]
δ_N (cm^{-1})	0.1569(156)x10^{-3}	0.3948(307)x10^{-3}
Φ_K (cm^{-1})	0.127[b]	1.50[b]
Φ_{KN} (cm^{-1})	-0.19417x10^{-2}[c]	0
Φ_{NK} (cm^{-1})	0.1281x10^{-4}[c]	-0.4671x10^{-3}[c]
Φ_N (cm^{-1})	0.251x10^{-6}[c]	0.78x10^{-6}[c]
ϕ_N (cm^{-1})	0.195x10^{-6}[c]	0
D (cm^{-1})	0.78006(130)	0.79767(37)
E (cm^{-1})	0.04176(53)	0.03839(137)
ε_{aa} (cm^{-1})	0.0446x10^{-2}[c]	0.352x10^{-2}[c]
ε_{bb} (cm^{-1})	-0.5148x10^{-2}[c]	-0.470x10^{-2}[c]
ε_{cc} (cm^{-1})	-0.4106x10^{-2}[c]	-0.458x10^{-2}[c]
a_{FC} (cm^{-1})	0.7955(185)x10^{-2}	0.7330(209)x10^{-2}
T_{aa} (cm^{-1})	-0.2173(748)x10^{-2}	-0.2771(448)x10^{-2}

[a]Parameters not given here were fixed at zero. The numbers in parentheses are on standard deviation from the least-squares fit in units of the last quoted digit.
[b]These parameters were fixed at values determined from a fit to nonrigid bender calculations for $^{13}CH_2$ by Jensen et al. [82032].
[c]These parameters were fixed to $^{12}CH_2$ values.

Table 2.3. Molecular parameters for the (000) and (010) vibrational levels of CD_2 in its X^3B_1 ground electronic state. [84028]

Parameter		(000) State[a]	(010) State[b]
ν_o	(cm^{-1})		752.3795(4)
A	(cm^{-1})	37.786829(60)	70.45524(38)
$\frac{1}{2}(B+C)$	(cm^{-1})	3.962159(12)	3.930017(27)
$\frac{1}{2}(B-C)$	(cm^{-1})	0.26757(10)	0.3029(46)
Δ_K	(cm^{-1})	0.560228(16)	4.991843(60)
Δ_{NK}	(cm^{-1})	$-0.49753(79)\times10^{-2}$	-0.019590(62)
Δ_N	(cm^{-1})	$0.09242(63)\times10^{-3}$	$0.1052(52)\times10^{-3}$
δ_K	(cm^{-1})	$0.2783(50)\times10^{-2}$	$1.71(23)\times10^{-2}$
δ_N	(cm^{-1})	$0.2231(23)\times10^{-4}$	$0.232(18)\times10^{-4}$
Φ_K	(cm^{-1})	0.0196[c]	0.278[c]
Φ_{KN}	(cm^{-1})	$-0.2433(19)\times10^{-3}$	$-2.3749(66)\times10^{-3}$
Φ_{NK}	(cm^{-1})	$-0.189(18)\times10^{-5}$	-0.189×10^{-5}[d]
Φ_N	(cm^{-1})	0[e]	0[e]
D	(cm^{-1})	0.776466(93)	0.78935(24)
E	(cm^{-1})	0.040580(65)	0.03727(24)
ε_{aa}	(cm^{-1})	$0.282(36)\times10^{-3}$	$0.585(90)\times10^{-3}$
$\frac{1}{2}(\varepsilon_{bb}+\varepsilon_{cc})$	(cm^{-1})	$-0.2342(19)\times10^{-2}$	$-0.2420(48)\times10^{-2}$
$\frac{1}{2}(\varepsilon_{bb}-\varepsilon_{cc})$	(cm^{-1})	$-0.262(18)\times10^{-3}$	$-0.28(8)\times10^{-3}$

[a]From a fit to the previous far-infrared LMR data [83050] with the addition of the measurements of the $5_{23} \leftarrow 5_{14}$ transition.
[b]From a fit to ν_2-band diode-laser measurements [83055] and the data of [84028]. For both states, magnetic g values were fixed at theoretical values, and the numbers in parentheses are one standard deviation from the least-squares fit expressed units of the last quoted digit.
[c]Fixed at a value determined from the energy levels given by Bunker and Jensen [83048].
[d]Fixed at the ground-state value.
[e]This parameter and all others not listed were fixed at zero.

TABLE 2.4. Microwave spectrum of methylene radical CH_2

Isotopic species	Frequency (MHz)	Unc. (MHz)	$N'(K_{-1},K_{+1})$	-	$N''(K_{-1},K_{+1})$	J'	F_1'	-	J''	F_1''	Vib. state	Ref.
CH_2 ^3B	68371.278	(0.041)	4(0, 4)	-	3(1, 3)	5	6	-	4	5		[83046]
	68375.875	(0.039)	4(0, 4)	-	3(1, 3)	5	5	-	4	4		[83046]
	68380.873	(0.041)	4(0, 4)	-	3(1, 3)	5	4	-	4	3		[83046]
	69007.179	(0.037)	4(0, 4)	-	3(1, 3)	3	2	-	2	1		[83046]
	69014.202	(0.037)	4(0, 4)	-	3(1, 3)	3	3	-	2	2		[83046]
	69019.187	(0.044)	4(0, 4)	-	3(1, 3)	3	4	-	2	3		[83046]
	69264.	(*10.)	4(0, 4)	-	3(1, 3)							[82032]
	70678.633	(0.042)	4(0, 4)	-	3(1, 3)	4	3	-	3	2		[83046]
	70679.543	(0.045)	4(0, 4)	-	3(1, 3)	4	4	-	3	3		[83046]
	70680.720	(0.038)	4(0, 4)	-	3(1, 3)	4	5	-	3	4		[83046]
	443314.	(*10.)	2(1, 2)	-	3(0, 3)							[82032]
	593016.	(*10.)	5(0, 5)	-	4(1, 4)							[82032]
	942752.	(*10.)	1(1, 1)	-	2(0, 2)							[82032]
	1797031.	(*10.)	1(1, 0)	-	1(0, 1)						$1\nu_1$	[83048]
	1835021.	(*10.)	2(1, 1)	-	2(0, 2)						$1\nu_1$	[82032]
	1892863.	(*10.)	3(1, 2)	-	3(0, 3)						$1\nu_1$	[82032]
	1915159.	(*10.)	1(1, 0)	-	1(0, 1)							[82032]
	1953602.	(*10.)	2(1, 1)	-	2(0, 2)							[82032]
	2012061.	(*10.)	3(1, 2)	-	3(0, 3)							[82032]
	2091456.	(*10.)	4(1, 3)	-	4(0, 4)							[82032]
	2317734.	(*10.)	6(1, 5)	-	6(0, 6)							[82032]
	2348016.	(*10.)	1(1, 1)	-	0(0, 0)							[82032]
	2650643.	(*10.)	2(1, 2)	-	1(0, 1)						$1\nu_1$	[83048]
	2782846.	(*10.)	2(1, 2)	-	1(0, 1)							[82032]
	2924276.	(*10.)	4(2, 2)	-	5(1, 5)							[82032]
	2930008.	(*10.)	3(2, 2)	-	4(1, 3)							[82032]
	4754102.	(*10.)	5(2, 3)	-	5(1, 4)							[82032]
CD_2 ^3B	515403.	(*10.)	1(1, 1)	-	2(0, 2)							[83050]
	1005966.	(*10.)	1(1, 0)	-	1(0, 1)							[83050]
	1022406.	(*10.)	2(1, 1)	-	2(0, 2)							[83050]
	1047370.	(*10.)	3(1, 2)	-	3(0, 3)							[83050]
	1227818.	(*10.)	1(1, 1)	-	0(0, 0)							[83050]
	1450180.	(*10.)	2(1, 2)	-	1(0, 1)							[83050]
	1664966.	(*10.)	3(1, 3)	-	2(0, 2)							[83050]
	1767106.	(*10.)	4(2, 2)	-	5(1, 5)							[83050]
	1802739.	(*10.)	3(2, 2)	-	4(1, 3)							[83050]
	2069063.	(*10.)	2(2, 1)	-	3(1, 2)							[83050]
	2072840.	(*10.)	5(1, 5)	-	4(0, 4)							[83050]
	2758720.	(*10.)	4(2, 2)	-	4(1, 3)							[83050]
	2875172.	(*10.)	3(2, 1)	-	3(1, 2)							[83050]
	2805872.	(*10.)	2(2, 0)	-	2(1, 1)							[83050]
	2878376.	(*10.)	3(2, 2)	-	3(1, 3)							[83050]
	2912514.	(*10.)	4(2, 3)	-	4(1, 4)							[83050]
	3520937.	(*10.)	3(2, 2)	-	2(1, 1)							[83050]

Table 3.1. Molecular constants for CH_4 and $^{13}CH_4$.

Parameter	CH_4	$^{13}CH_4$
D_T (MHz)	0.13294357(97)	0.13298081(122)
H_{4T} (Hz)	-16.9790(90)	-16.9791(112)
H_{6T} (Hz)	10.9956(38)	11.1786(45)
L_{4T} (Hz)	$2.000(23)\times10^{-3}$	$1.975(27)\times10^{-3}$
L_{6T} (Hz)	$-2.519(15)\times10^{-3}$	$-2.643(18)\times10^{-3}$
L_{8T} (Hz)	$-2.617(92)\times10^{-3}$	$-2.957(101)\times10^{-3}$
Reference	[85020]	[86011]
Distortion Dipole Moment [71048], [78033]		
θ_z^{xy} (D) $v_1=0$	$24.06(45)\times10^{-6}$	
θ_z^{xy} (D) $v_1=1$	$13.8(20)\times10^{-6}$	
Nuclear Hyperfine Constants [80040]		
c_a (kHz)	10.372(83)	
c_d (kHz)	18.370(23)	
d (kHz)	21.17(32)	
Δ_2 (kHz)	7970.30(66)	

Table 3.2. Molecular constants for CH_3D and CH_2D_2.

Species	Parameter		Value	Reference
CH_3D	B_o	(MHz)	116325.308(9)	[80039]
	μ_o J,K=1,1	(D)	$5.641(3)\times10^{-3}$	[70068]
	μ_o J,K=1,2	(D)	$5.679(3)\times10^{-3}$	[70068]
	eqQ(D)	(kHz)	191.48(77)	[70068]
	c_α	(kHz)	16.54(35)	[70068]
	c_β	(kHz)	-1.58(100)	[70068]
CH_2D_2	A-C	(MHz)	37555.758	[75057]
	B-C	(MHz)	13664.280	[75057]
	μ_b	(D)	0.014(5)	[75057]

Table 3.3. Molecular constants for CD_4 and $^{13}CD_4$.

Parameter	CD_4	$^{13}CD_4$
D_T (MHz)	0.03265087(89)	0.0326600(12)
H_{4T} (Hz)	-2.0281(40)	-2.0302(61)
H_{6T} (Hz)	1.1480(14)	1.1692(29)
L_{4T} (Hz)	$0.1194(46)\times10^{-3}$	$0.1201(77)\times10^{-3}$
L_{6T} (Hz)	$-0.1431(28)\times10^{-3}$	$-0.1353(63)\times10^{-3}$
L_{8T} (Hz)	$-0.1560(85)\times10^{-3}$	$-0.1466(46)\times10^{-3}$
Reference	[85020]	[87003]
Distortion Dipole Moment $^{13}CD_4$ [83054]		
θ_z^{xy} (D)	$12.0(10)\times10^{-6}$	

TABLE 3.4. Microwave spectrum of methane CH_4

Isotopic species	Frequency (MHz)	Unc. (MHz)	J'	C'	T'	-	J''	C''	T''	Vib. state	Ref.
CH_4	7.970	(0.008)	2	F_2	1	-	2	E	1		[81044]
	423.02	(0.02)	7	F_1	2	-	7	F_2	2		[73082]
	1246.55	(0.02)	7	F_2	2	-	7	F_1	1		[73082]
	6895.204	(0.010)	6	F_1	2	-	6	F_2	2	$1\nu_3$ $\ell = 7$	[73083]
	7861.703	(0.050)	14	E	3	-	14	E	2		[85020]
	7944.957	(0.050)	12	F_1	3	-	12	F_2	1		[85020]
	8570.956	(0.050)	16	A_1	2	-	16	A_2	1		[85020]
	8620.452	(0.050)	16	F_1	3	-	16	F_2	2		[85020]
	8652.563	(0.150)	15	F_1	2	-	15	F_2	2		[85020]
	9046.922	(0.050)	14	F_2	4	-	14	F_1	2		[85020]
	9361.072	(0.050)	11	F_2	3	-	11	F_1	1		[85020]
	9591.270	(0.050)	19	A_2	2	-	19	A_1	1		[85020]
	9894.238	(0.200)	16	F_2	4	-	16	F_1	3		[85020]
	10321.942	(0.050)	12	E	2	-	12	E	1		[85020]
	10373.540	(0.100)	16	F_1	4	-	16	F_2	3		[85020]
	10474.550	(0.050)	14	F_2	3	-	14	F_1	1		[85020]
	10519.185	(0.050)	13	F_2	3	-	13	F_1	2		[85020]
	10652.609	(0.050)	17	F_2	3	-	17	F_1	3		[85020]
	10797.985	(0.050)	12	F_2	2	-	12	F_1	1		[85020]
	11261.362	(0.050)	13	E	2	-	13	E	1		[85020]
	11421.276	(0.050)	15	F_1	4	-	15	F_2	3		[85020]
	13154.727	(0.050)	17	E	3	-	17	E	2		[85020]
	13279.651	(0.050)	12	A_2	1	-	12	A_1	1		[85020]
	13401.780	(0.030)	9	F_1	1	-	9	F_1	1	$1\nu_4$	[87013]
	13663.922	(0.100)	15	F_2	4	-	15	F_1	2		[85020]
	13675.008	(0.030)	5	F_1	1	-	5	F_1	1	$1\nu_4$	[87013]
	13845.458	(0.050)	13	F_1	3	-	13	F_2	1		[85020]
	13915.890	(0.050)	17	F_1	4	-	17	F_2	2		[85020]
	14030.436	(0.050)	12	F_2	3	-	12	F_1	1		[85020]
	14151.879	(0.050)	15	E	2	-	15	E	1		[85020]
	14776.843	(0.030)	2	F_1	2	-	2	F_1	2	$1\nu_4$	[87013]
	14850.910	(0.050)	13	F_2	2	-	13	F_1	1		[85020]
	15146.857	(0.050)	15	F_1	3	-	15	F_2	2		[85020]
	15401.529	(0.050)	14	F_1	3	-	14	F_2	2		[85020]
	15601.846	(0.010)	6	F_2	1	-	6	F_1	2	$1\nu_3$ $\ell = 7$	[73083]
	16289.143	(0.030)	3	F_2	1	-	3	F_2	2	$1\nu_4$	[87013]
	17821.123	(0.030)	5	F_2	2	-	5	F_2	2	$1\nu_4$	[87013]
	18106.641	(0.030)	5	F_2	4	-	5	F_2	3	$1\nu_4$	[87013]
	18528.94	(0.20)	18	E	3	-	18	E	2		[75056]
	18562.40	(0.20)	16	E	3	-	16	E	2		[75056]
	19288.63	(0.20)	13	E	2	-	13	E	1		[75056]
$^{13}CH_4$	7865.140	(0.050)	14	E	2	-	14	E	1		[86011]
	7947.783	(0.050)	12	F_1	3	-	12	F_2	1		[86011]
	8571.452	(0.050)	16	A_1	2	-	16	A_2	1		[86011]
	8622.953	(0.050)	16	F_1	3	-	16	F_2	2		[86011]
	9051.096	(0.050)	14	F_2	4	-	14	F_1	2		[86011]
	9363.838	(0.050)	11	F_2	3	-	11	F_1	1		[86011]
	9589.706	(0.050)	19	A_2	2	-	19	A_1	1		[86011]
	10324.129	(0.050)	12	E	2	-	12	E	1		[86011]
	10476.730	(0.050)	14	F_2	3	-	14	F_1	1		[86011]
	10523.128	(0.050)	13	F_2	3	-	13	F_1	2		[86011]
	10800.324	(0.050)	12	F_2	2	-	12	F_1	1		[86011]
	11265.530	(0.050)	13	E	2	-	13	E	1		[86011]
	11422.993	(0.030)	8	F_2	1	-	8	F_2	1	$1\nu_4$	[87013]
	11426.496	(0.050)	15	F_1	4	-	15	F_2	3		[86011]
	12930.938	(0.030)	9	F_1	1	-	9	F_1	1	$1\nu_4$	[87013]
	13111.090	(0.030)	5	F_1	1	-	5	F_1	1	$1\nu_4$	[87013]
	13162.860	(0.050)	17	E	3	-	17	E	2		[86011]
	13283.732	(0.050)	12	A_2	1	-	12	A_1	1		[86011]
	13670.860	(0.050)	15	F_2	4	-	15	F_1	2		[86011]
	13848.256	(0.050)	13	F_1	3	-	13	F_2	1		[86011]
	13918.873	(0.050)	17	F_1	4	-	17	F_2	2		[86011]
	14085.537	(0.030)	2	F_1	2	-	2	F_1	2	$1\nu_4$	[87013]
	14154.662	(0.050)	15	E	2	-	15	E	1		[86011]
	14854.204	(0.050)	13	F_2	2	-	13	F_1	1		[86011]
	15150.224	(0.050)	15	F_1	3	-	15	F_2	2		[86011]
	15407.437	(0.050)	14	F_1	3	-	14	F_2	2		[86011]

TABLE 3.4. Microwave spectrum of methane — Continued CH_4

Isotopic species	Frequency (MHz)	Unc. (MHz)	J'	C'	T'	–	J''	C''	T''	Vib. state	Ref.
	15559.539	(0.030)	3	F_2	1	–	3	F_2	2	$1\nu_4$	[87013]
	17117.264	(0.030)	5	F_2	4	–	5	F_2	3	$1\nu_4$	[87013]
	17260.660	(0.050)	14	A_1	1	–	14	A_2	1		[86011]
	17280.932	(0.030)	5	F_2	2	–	5	F_2	2	$1\nu_4$	[87013]
	17376.218	(0.050)	16	F_1	4	–	16	F_2	2		[86011]
	17965.454	(0.030)	6	F_2	1	–	6	F_2	1	$1\nu_4$	[87013]
	18532.82	(0.10)	18	E	3	–	18	E	2		[76059]
	18572.00	(0.12)	16	E	3	–	16	E	2		[76059]
	18585.000	(0.030)	6	F_1	3	–	6	F_1	3	$1\nu_4$	[87013]
	19292.80	(0.15)	14	E	2	–	14	E	1		[76059]
CD_4	104.236	(0.010)	7	F_1	2	–	7	F_2	2		[81045]
	125.033	(0.105)	21	F_2	5	–	21	F_1	6		[81045]
	385.310	(0.036)	7	F_1	2	–	7	F_2	1		[81045]
	1243.318	(0.046)	10	A_1	1	–	10	A_2	1		[85020]
	2452.846	(0.050)	19	A_2	2	–	19	A_1	1		[85020]
	8259.506	(0.050)	20	F_1	4	–	20	F_2	2		[85020]
	8266.767	(0.050)	18	F_1	3	–	18	F_2	2		[85020]
	8547.542	(0.050)	9	F_2	1	–	9	F_1	1	$1\nu_4$	[85021]
	8920.583	(0.050)	20	E	3	–	20	E	2		[85020]
	8998.854	(0.050)	19	E	2	–	19	E	1		[85020]
	9070.706	(0.050)	17	F_2	2	–	17	F_1	1		[85020]
	9266.154	(0.050)	5	F_2	1	–	5	F_1	1	$1\nu_4$	[85021]
	9324.892	(0.050)	19	F_1	3	–	19	F_2	2		[85020]
	9909.461	(0.050)	2	F_2	2	–	2	F_1	2	$1\nu_4$	[85021]
	10474.455	(0.050)	19	A_1	1	–	19	A_2	1		[85020]
	10548.114	(0.050)	18	A_1	1	–	18	A_2	1		[85020]
	10794.793	(0.050)	18	F_1	2	–	18	F_2	1		[85020]
	10851.117	(0.050)	19	F_2	5	–	19	F_1	2		[85020]
	10898.099	(0.050)	22	E	3	–	22	E	2		[85020]
	10990.119	(0.050)	3	F_1	2	–	3	F_2	1	$1\nu_4$	[85021]
	11011.867	(0.050)	20	F_2	3	–	20	F_1	2		[85020]
	11047.427	(0.050)	21	F_2	4	–	21	F_1	3		[85020]
	11493.446	(0.050)	22	F_2	4	–	22	F_1	2		[85020]
	11642.592	(0.050)	20	F_1	3	–	20	F_2	1		[85020]
	11915.304	(0.050)	23	E	3	–	23	E	2		[85020]
	12457.713	(0.050)	6	F_1	1	–	6	F_2	1	$1\nu_4$	[85021]
	12500.125	(0.050)	6	F_2	3	–	6	F_1	3	$1\nu_4$	[85021]
	12626.803	(0.050)	10	A_2	1	–	10	A_1	1	$1\nu_4$	[85021]
	12788.210	(0.050)	19	F_1	2	–	19	F_2	1		[85020]
	12896.520	(0.050)	5	F_1	3	–	5	F_2	4	$1\nu_4$	[85021]
	12921.335	(0.050)	21	A_2	1	–	21	A_1	1		[85020]
	13090.017	(0.050)	11	F_1	7	–	11	F_2	6	$1\nu_4$	[85021]
	13297.122	(0.050)	23	F_1	4	–	23	F_2	3		[85020]
	13523.924	(0.050)	21	F_2	3	–	21	F_1	2		[85020]
	14054.956	(0.050)	22	A_2	2	–	22	A_1	1		[85020]
	14159.642	(0.050)	8	F_2	5	–	8	F_1	5	$1\nu_4$	[85021]
	14183.737	(0.050)	9	F_1	4	–	9	F_2	5	$1\nu_4$	[85021]
	14428.237	(0.050)	23	F_2	4	–	23	F_1	2		[85020]
	15157.079	(0.050)	24	A_1	2	–	24	A_2	1		[85020]
	15262.206	(0.050)	20	F_2	2	–	20	F_1	1		[85020]
	15414.963	(0.050)	12	F_2	6	–	12	F_1	6	$1\nu_4$	[85021]
	15675.150	(0.050)	22	F_2	3	–	22	F_1	1		[85020]
$^{13}CD_4$	698.843	(0.052)	22	F_1	4	–	22	F_2	5		[87003]
	911.938	(0.056)	12	F_2	3	–	12	F_2	2		[87003]
	923.452	(0.042)	12	F_2	2	–	12	F_1	2		[87003]
	1718.910	(0.051)	12	F_2	3	–	12	F_1	2		[87003]
	2106.762	(0.014)	21	F_2	4	–	21	F_1	4		[87003]
	3156.452	(0.077)	21	F_1	4	–	21	F_2	3		[87003]
	4416.682	(0.090)	22	F_1	4	–	22	F_2	4		[83054]
	8788.073	(0.077)	17	F_1	3	–	17	F_2	1		[87003]
	8788.285	(0.078)	21	F_1	4	–	21	F_2	2		[87003]
	9072.496	(0.045)	17	F_2	2	–	17	F_1	1		[87003]
	9144.378	(0.056)	21	F_2	5	–	21	F_1	4		[87003]
	9378.446	(0.007)	22	F_1	4	–	22	F_2	3		[87003]
	11369.124	(0.080)	5	F_2	4	–	5	F_1	3	$1\nu_4$	[87003]
	11453.252	(1.25)	17	F_2	1	–	17	F_1	1		[87003]

TABLE 3.4. Microwave spectrum of methane — Continued CH_4

Isotopic species	Frequency (MHz)	Unc. (MHz)	J'	C'	T'	-	J''	C''	T''	Vib. state	Ref.
CH_3D	232644.327	(0.018)		1(0, 0)		-	0(0, 0)				[80039]
CH_2D_2	37556.666	(0.050)		1(1, 0)		-	1(0, 1)				[75057]
	55617.92	(0.05)		2(1, 1)		-	2(0, 2)				[75057]
	74188.234	(0.050)		3(2, 1)		-	3(1, 2)				[75057]

Table 4.1. Molecular constants for the ethynyl radical.

Parameter	CCH	CCD
B (MHz)	43674.542(8)	36068.035(14)
D (MHz)	0.1076(8)	0.0687(7)
γ (MHz)	-62.647(35)	-55.84(3)
b (MHz)	40.54(20)	6.35(7)
c (MHz)	12.26(26)	1.59(26)
eqQ (MHz)		0.21(9)
Reference	[83008]	[85007],[85000]

TABLE 4.2. Microwave spectrum of ethynyl radical C_2H

Isotopic species	Frequency (MHz)	Unc. (MHz)	J' - J''	P	F' - F''	Vib. state	Ref.
CCH	87284.156	(0.030)	3/2 - 1/2		1 - 1	$v=0$	[83008]
	87316.924	(0.010)	3/2 - 1/2		2 - 1	$v=0$	[83008]
	87328.623	(0.016)	3/2 - 1/2		1 - 0	$v=0$	[83008]
	87402.037	(0.040)	1/2 - 1/2		1 - 1	$v=0$	[83008]
	87407.165	(0.011)	1/2 - 1/2		1 - 0	$v=0$	[83008]
	87446.512	(0.023)	1/2 - 1/2		0 - 1	$v=0$	[83008]
	170885.841	(0.082)	3/2 - 1/2	−	1 - 0	$v=1$	[87027]
	170887.030	(0.029)	3/2 - 1/2	−	2 - 1	$v=1$	[87027]
	170897.890	(0.042)	3/2 - 1/2	−	1 - 1	$v=1$	[87027]
	172246.787	(0.046)	3/2 - 1/2	+	1 - 0	$v=1$	[87027]
	172249.761	(0.020)	3/2 - 1/2	+	2 - 1	$v=1$	[87027]
	172263.532	(0.038)	3/2 - 1/2	+	1 - 1	$v=1$	[87027]
	172263.532	(0.038)	3/2 - 1/2	+	1 - 1	$v=1$	[87027]
	172263.532	(0.038)	3/2 - 1/2	+	1 - 1	$v=1$	[87027]
	174215.440	(0.026)	5/2 - 3/2	−	3 - 2	$v=1$	[87027]
	174219.435	(0.042)	5/2 - 3/2	−	2 - 1	$v=1$	[87027]
	174663.222	(0.008)	5/2 - 3/2		3 - 2	$v=0$	[83008]
	174667.685	(0.017)	5/2 - 3/2		2 - 1	$v=0$	[83008]
	174721.777	(0.026)	3/2 - 1/2		2 - 1	$v=0$	[83008]
	174728.100	(0.040)	3/2 - 1/2		1 - 1	$v=0$	[83008]
	175575.067	(0.095)	5/2 - 3/2	+	3 - 2	$v=1$	[87027]
	175578.769	(0.041)	5/2 - 3/2	+	2 - 1	$v=1$	[87027]
	259152.150	(0.038)	5/2 - 3/2	+		$v=1$	[87027]
	260447.247	(0.032)	7/2 - 5/2	+	4 - 3	$v=1$	[87027]
	260448.876	(0.032)	7/2 - 5/2	+	3 - 2	$v=1$	[87027]
	261196.725	(0.038)	5/2 - 3/2	−		$v=1$	[87027]
	262004.260	(0.100)	7/2 - 5/2		4 - 3	$v=0$	[81041]
	262006.482	(0.100)	7/2 - 5/2		3 - 2	$v=0$	[81041]
	262064.986	(0.100)	5/2 - 3/2		3 - 2	$v=0$	[81041]
	262067.469	(0.100)	5/2 - 3/2		2 - 1	$v=0$	[81041]
	262487.823	(0.020)	7/2 - 5/2	−	4 - 3	$v=1$	[87027]
	262489.430	(0.024)	7/2 - 5/2	−	3 - 2	$v=1$	[87027]
	346249.035	(0.050)	7/2 - 5/2	−		$v=1$	[87027]
	346928.993	(0.037)	9/2 - 5/2	−		$v=1$	[87027]
	348974.523	(0.054)	7/2 - 5/2	+		$v=1$	[87027]
	349338.103	(0.100)	9/2 - 7/2			$v=0$	[81041]
	349400.612	(0.100)	7/2 - 5/2			$v=0$	[81041]
CCD	72107.70	(0.03)	3/2 - 1/2		5/2 - 3/2	$v=0$	[85000]
	144241.91	(0.03)	5/2 - 3/2		7/2 - 5/2	$v=0$	[85000]
	144243.06	(0.03)	5/2 - 3/2		5/2 - 3/2	$v=0$	[85000]
	144243.06	(0.03)	5/2 - 3/2		3/2 - 1/2	$v=0$	[85000]
	144237.11	(0.03)	5/2 - 3/2		5/2 - 5/2	$v=0$	[85000]
	144239.71	(0.03)	5/2 - 3/2		3/2 - 3/2	$v=0$	[85000]
	144296.72	(0.03)	3/2 - 1/2		5/2 - 3/2	$v=0$	[85000]
	144297.66	(0.03)	3/2 - 1/2		3/2 - 1/2	$v=0$	[85000]
	144299.21	(0.03)	3/2 - 1/2		3/2 - 3/2	$v=0$	[85000]
	144299.21	(0.03)	3/2 - 1/2		1/2 - 1/2	$v=0$	[85000]
	216368.56	(0.05)	7/2 - 5/2		7/2 - 7/2	$v=0$	[85007]
	216369.99	(0.07)	7/2 - 5/2		5/2 - 5/2	$v=0$	[85007]
	216372.83	(0.02)	7/2 - 5/2		9/2 - 7/2	$v=0$	[85007]
	216373.32	(0.02)	7/2 - 5/2		7/2 - 5/2	$v=0$	[85007]
	216373.32	(0.02)	7/2 - 5/2		5/2 - 3/2	$v=0$	[85007]
	216428.32	(0.02)	5/2 - 3/2		7/2 - 5/2	$v=0$	[85007]
	216428.32	(0.02)	5/2 - 3/2		5/2 - 3/2	$v=0$	[85007]
	216428.76	(0.04)	5/2 - 3/2		3/2 - 1/2	$v=0$	[85007]
	216430.34	(0.06)	5/2 - 3/2		3/2 - 3/2	$v=0$	[85007]
	216431.26	(0.05)	5/2 - 3/2		5/2 - 5/2	$v=0$	[85007]
	288499.00	(0.05)	9/2 - 7/2			$v=0$	[85000]
	288554.59	(0.05)	7/2 - 5/2			$v=0$	[85000]
	360618.34	(0.15)	11/2 - 9/2			$v=0$	[85000]
	360674.17	(0.15)	9/2 - 7/2			$v=0$	[85000]

Table 5.1. Molecular constants for d_1-acetylene (HCCD).

Parameter	Ground State	ν_4	ν_5
B_o (MHz)	29725.24(5)	29803.003(6)	29766.750(4)
D_o (MHz)	0.0336(32)		
D_c (MHz)		0.0363(9)	0.0342(2)
D_d (MHz)		0.0303(12)	0.0352(3)
q_v (MHz)		132.993(14)	105.702(8)
μ_v (D)		0.02359(5)	0.05601(9)
Reference	[69062]	[80037]	[80037]
		$3\nu_4(\Pi)$	$3\nu_5(\Pi)$
B_v (MHz)		29969.052(43)	29861.189(27)
D_c (MHz)			0.0402(9)
D_d (MHz)			0.0450(12)
q_v (MHz)		135.529(25)	108.642(28)
μ_v (D)		0.090077(26)	0.1472(21)
Reference		[80037]	[80037]

Table 5.2. Molecular constants for DCCD from the $\nu_5^1 - \nu_4^1$ band. [77038]

Parameter		Value
ν_o	(cm^{-1})	27.10461(19)
B_4	(MHz)	25480.70(43)
B_5	(MHz)	25483.24(46)
D_4	(MHz)	0.02436(19)
D_5	(MHz)	0.02427(23)
q_4	(MHz)	97.02(18)
q_5	(MHz)	98.02(22)
ν_4	(MHz)	0.00023(17)
ν_5	(MHz)	0.00013(21)
$B_5 - B_4$	(MHz)	2.537(34)
$q_5 - q_4$	(MHz)	0.992(16)
$D_5 - D_4$	(MHz)	-0.000083(49)
Deuterium hyperfine constants [87023]		
eQq (ν_4)	(MHz)	0.20916
eQq (ν_5)	(MHz)	0.20870
c (ν_4)	(MHz)	-0.44×10^{-4}
c (ν_5)	(MHz)	$-0.40\times10^{-\sigma}$

TABLE 5.3. Microwave spectrum of acetylene C_2H_2

Isotopic species	Frequency (MHz)	Unc. (MHz)	J' - J''	Vib. state	Ref.
HCCD	59450.6	(0.2)	1 - 0		[64029]
	118854.778	(0.019)	2 - 1	$1\nu_5$ *c*	[80037]
	118945.132	(0.017)	2 - 1	$1\nu_4$ *c*	[80037]
	119009.24	(0.15)	2 - 1	$3\nu_5$ *c*	[80037]
	119277.553	(0.019)	2 - 1	$1\nu_5$ *d*	[80037]
	119333.134	(0.039)	2 - 1	$3\nu_4$ *c*	[80037]
	119477.295	(0.017)	2 - 1	$1\nu_4$ *d*	[80037]
	119878.22	(0.15)	2 - 1	$3\nu_5$ *d*	[80037]
	120417.362	(0.039)	2 - 1	$3\nu_4$ *d*	[80037]
DCCD	47672.55	(0.05)	14 - 15	$1\nu_4$ - $1\nu_5$ *d*	[77038]
	50367.48	(0.05)	14 - 15	$1\nu_4$ - $1\nu_5$ c	[77038]
	51084.63	(0.05)	17 - 16	$1\nu_5$ - $1\nu_4$ *c*	[77038]
	54101.63	(0.05)	17 - 16	$1\nu_5$ - $1\nu_4$ *d*	[77038]
	98582.83	(0.05)	13 - 14	$1\nu_4$ - $1\nu_5$ *d*	[77038]
	101789.73	(0.05)	18 - 17	$1\nu_5$ - $1\nu_4$ *c*	[77038]
	101113.20	(0.15)	13 - 14	$1\nu_4$ - $1\nu_5$ *c*	[77038]
	104964.42	(0.05)	18 - 17	$1\nu_5$ - $1\nu_4$ *d*	[77038]

Table 6.1. Molecular constants for deuterated ethylene [81042].

Parameter	CH_2CD_2 (MHz)	CH_2CHD (MHz)	cis-CHDCHD (MHz)
A	97496.7(18)[a]	120093.521(70)[a]	99667.262(89)
B	25675.260(44)	27470.737(26)	25417.208(41)
C	20268.791(40)	22297.745(14)	20199.073(24)
Δ_K	(1.224)[b]	2.1164(34)	1.4589(63)
Δ_{JK}	0.1919(28)	0.1804(45)	0.117(11)
Δ_J	0.03273(5)	0.03903(53)	0.0359(12)
δ_J	0.00788(13)	0.008405(63)	0.008648(98)
δ_K	0.206(22)	0.2438(43)	0.1966(66)
μ (D)	0.0091(4)		

[a]Uncertainties in parentheses are 2.5 standard deviations.
[b]Value from J.L. Duncan, D.C. McKear, and P.S. Mallinson, J. Mol. Spectrosc. **45**, 221 (1973).

TABLE 6.2. Microwave spectrum of ethylene C_2H_4

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Ref.
CH_2CHD	99325.280	(0.050)	2(0, 2) - 1(0, 1)	[81042]
	103174.346	(0.050)	2(1, 1) - 2(0, 2)	[81042]
	104706.688	(0.050)	2(1, 1) - 1(1, 0)	[81042]
	111635.872	(0.050)	3(1, 2) - 3(0, 3)	[81042]
	116368.314	(0.050)	4(0, 4) - 3(1, 3)	[81042]
	123623.433	(0.050)	4(1, 3) - 4(0, 4)	[81042]
	130218.210	(0.050)	7(1, 6) - 6(2, 5)	[81042]
	133418.797	(0.050)	6(3, 3) - 7(2, 6)	[81042]
	139677.511	(0.050)	5(1, 4) - 5(0, 5)	[81042]
	141414.091	(0.050)	3(1, 3) - 2(1, 2)	[81042]
	142389.091	(0.050)	1(1, 1) - 0(0, 0)	[81042]
	142405.002	(0.050)	13(5, 9) - 14(4,10)	[81042]
	147157.056	(0.050)	13(5, 8) - 14(4,11)	[81042]
	149296.905	(0.050)	3(2, 2) - 2(2, 1)	[81042]
	150136.632	(0.050)	3(2, 1) - 2(2, 0)	[81042]
	154766.524	(0.050)	9(4, 6) - 10(3, 7)	[81042]
	156573.485	(0.050)	11(2, 9) - 10(3, 8)	[81042]
	156923.058	(0.050)	3(1, 2) - 2(1, 1)	[81042]
	159588.607	(0.050)	15(3,12) - 14(4,11)	[81042]
	160356.907	(0.050)	6(1, 5) - 6(0, 6)	[81042]
	163685.633	(0.050)	9(4, 5) - 10(3, 8)	[81042]
CH_2CD_2	45943.928	(0.050)	1(0, 1) - 0(0, 0)	[81042]
	53090.598	(0.050)	8(2, 6) - 8(2, 7)	[81042]
	62937.912	(0.050)	13(3,10) - 13(3,11)	[81042]
	78305.078	(0.050)	9(2, 7) - 9(2, 8)	[81042]
	86480.818	(0.050)	2(1, 2) - 1(1, 1)	[81042]
	89944.923	(0.050)	14(3,11) - 14(3,12)	[81042]
	91593.381	(0.050)	2(0, 2) - 1(0, 1)	[81042]
	109211.211	(0.050)	10(2, 8) - 10(2, 9)	[81042]
	123173.558	(0.050)	15(3,12) - 15(3,13)	[81042]
	129541.200	(0.050)	3(1, 3) - 2(1, 2)	[81042]
	136659.623	(0.050)	3(0, 3) - 2(0, 2)	[81042]
	137824.016	(0.050)	3(2, 2) - 2(2, 1)	[81042]
	138993.053	(0.050)	3(2, 1) - 2(2, 0)	[81042]
	145746.403	(0.050)	3(1, 2) - 2(1, 1)	[81042]
	172399.023	(0.050)	4(1, 4) - 3(1, 3)	[81042]
	180882.216	(0.050)	4(0, 4) - 3(0, 3)	[81042]
	183533.569	(0.050)	4(2, 3) - 3(2, 2)	[81042]
c-CHDCHD	66491.771	(0.050)	3(0, 3) - 2(1, 2)	[81042]
	79466.095	(0.050)	1(1, 0) - 1(0, 1)	[81042]
	84947.955	(0.050)	2(1, 1) - 2(0, 2)	[81042]
	93658.879	(0.050)	3(1, 2) - 3(0, 3)	[81042]
	94342.540	(0.050)	6(1, 5) - 5(2, 4)	[81042]
	106146.344	(0.050)	4(1, 3) - 4(0, 4)	[81042]
	115339.012	(0.050)	8(4, 5) - 9(3, 6)	[81042]
	117477.979	(0.050)	4(0, 4) - 3(1, 3)	[81042]
	119864.960	(0.050)	1(1, 1) - 0(0, 0)	[81042]
	122880.431	(0.050)	8(4, 4) - 9(3, 7)	[81042]
	123042.478	(0.050)	5(1, 4) - 5(0, 5)	[81042]
	144932.159	(0.050)	6(1, 5) - 6(0, 6)	[81042]
	155362.920	(0.050)	7(1, 6) - 6(2, 5)	[81042]
	160262.662	(0.050)	2(1, 2) - 1(0, 1)	[81042]
	172182.699	(0.050)	7(1, 6) - 7(0, 7)	[81042]

Table 7.1. Molecular constants for ^{12}C and ^{13}C isotopic forms of CH_3CD_3.

Parameter		CH_3CD_3	$^{13}CH_3CD_3$	$CH_3{}^{13}CD_3$
B	(MHz)	16503.81(81)	16088.428(30)	16251.914(30)
D_J	(MHz)	0.0195(14)		
D_{JK}	(MHz)	0.0493(66)		
D_K	(MHz)	0.1421		
ρ		0.3339792(22)		
V_3	(cm^{-1})	1004.13(21)		
F	(MHz)	-143.(9)		
D_{Jm}	(MHz)	2.55(9)		
d_J	(MHz)	6.18(27)		
I_α	(u Å^2)	3.1549(12)[a]		
μ_0	(D)	0.0108617(5)	0.01067(10)	0.01096(11)
μ_1	(D)	0.01107(11)[b]		
$(\alpha_{\parallel}-\alpha_{\perp})$	($10^{-24}cm^3$)	0.672(27)		
$g_{\parallel}$	(μ_N)	+0.16451(25)		
$g_{\perp}$	(μ_N)	+0.00325(16)		
$(\chi_{\parallel}-\chi_{\perp})$	($10^{-3}J/T^2$)	-90.2(15)		
Reference		[84030]	[77039]	[77039]

[a]Calculated from $\rho = I_\alpha/(I_\alpha + I_F)$ using I_a = 9.4965(20) u Å^2.
[b]Reference [71047].

Table 7.2. Molecular constants for CH_3CHD_2.

Parameter		Ground State [79037]	Torsionally Excited State[b] [81043]
A	(MHz)	60809.592(5)	60847.(106)
B	(MHz)	17770.87(16)	17703.167(48)
C	(MHz)	17084.84(16)	17030.976(54)
Δ_J	(MHz)	0.02333(45)	
Δ_{JK}	(MHz)	0.0602(20)	
Δ_K	(MHz)	0.177(15)	
δ_J	(MHz)	0.00079(16)	
δ_K	(MHz)	0.050(81)	
D	(MHz)	-566.319±50[a]	
F	(GHz)	257.70(35)	
V_3	(cm^{-1})	1007.4(9)	1003.0(6)

[a]Assumed value.
[b]Centrifugal distortion, F and D values assumed to be the same as the ground state.

Table 7.3. Molecular constants of CH_3CH_2D, CD_3CH_2D and gauche-CH_2DCH_2D. [81043]

Parameter		CH_3CH_2D	CD_3CH_2D	g-CH_2DCH_2D
A	(MHz)	69640.504(69)[a]	48650.630(58)	61360.344(23)
B	(MHz)	18876.23(14)	15656.793(64)	17642.0291(75)
C	(MHz)	18209.90(13)	15194.324(63)	17036.3299(75)
Δ_J	(MHz)	0.02661(52)	0.01752(14)	0.024596(66)
Δ_{JK}	(MHz)	0.0673(13)	0.04093(57)	0.04976(10)
Δ_K	(MHz)	0.243(16)	0.100(15)	0.1963(35)
δ_J	(MHz)	0.00103(17)	0.000576(65)	0.00107276(91)
δ_K	(MHz)	-0.057(65)	-0.050(30)	0.18252(48)
D	(MHz)	(811.64)[b]	(611.36)[b]	
F	(GHz)	282.795(49)	203.49(65)	
V_3	(cm^{-1})	1010.90(12)	651.7(38)	

[a]Values in parentheses denote 2.5 standard errors and apply to the last digits of constants.
[b]Fixed. These values were obtained in the same way as in the case of CH_3CHD_2 (see Ref.(1)).
[c]Fixed.

TABLE 7.4. Microwave spectrum of ethane C_2H_6

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	v_t	Sym.	Vib. state	Ref.
CH_3CD_3	65896.92	(0.05)	2(1, 0) - 1(1, 0)				[71047]
	65675.54	(0.05)	2(1, 0) - 1(1, 0)			$1\nu_6$	[71047]
	98843.31	(0.15)	3(2, 0) - 2(2, 0)				[77039]
	98844.21	(0.10)	3(1, 0) - 2(1, 0)				[77039]
$^{13}CH_3CD_3$	64352.89	(0.05)	2(1, 0) - 1(1, 0)				[77039]
$CH_3{}^{13}CD_3$	65006.83	(0.05)	2(1, 0) - 1(1, 0)				[77039]
CH_3CHD_2	34848.309	(0.050)	1(0, 1) - 0(0, 0)	0	*A*		[79037]
	34848.309	(0.050)	1(0, 1) - 0(0, 0)	0	*E*		[79037]
	69009.321	(0.050)	2(1, 2) - 1(1, 1)	0	*A*		[79037]
	69009.569	(0.050)	2(1, 2) - 1(1, 1)	0	*E*		[79037]
	69687.933	(0.050)	2(0, 2) - 1(0, 1)	0	*A*		[79037]
	69687.933	(0.050)	2(0, 2) - 1(0, 1)	0	*E*		[79037]
	70382.122	(0.050)	2(1, 1) - 1(1, 0)	0	*E*		[79037]
	70382.374	(0.050)	2(1, 1) - 1(1, 0)	0	*A*		[79037]
	78580.504	(0.050)	1(1, 0) - 0(0, 0)	0	*E*		[79037]
	78591.698	(0.050)	1(1, 0) - 0(0, 0)	0	*A*		[79037]
	103185.586	(0.050)	3(1, 3) - 2(1, 2)	1	*A*		[81043]
	103304.920	(0.050)	3(1, 3) - 2(1, 2)	1	*E*		[81043]
	103507.612	(0.050)	3(1, 3) - 2(1, 2)	0	*A*		[79037]
	103507.612	(0.050)	3(1, 3) - 2(1, 2)	0	*E*		[79037]
	104148.140	(0.050)	3(0, 3) - 2(0, 2)	1	*A*		[81043]
	104148.483	(0.050)	3(0, 3) - 2(0, 2)	1	*E*		[81043]
	104176.795	(0.050)	3(2, 2) - 2(2, 1)	1	*A*		[81043]
	104191.702	(0.050)	3(2, 2) - 2(2, 1)	1	*E*		[81043]
	104191.702	(0.050)	3(2, 1) - 2(2, 0)	1	*E*		[81043]
	104206.945	(0.050)	3(2, 1) - 2(2, 0)	1	*A*		[81043]
	104510.156	(0.050)	3(0, 3) - 2(0, 2)	0	*A*		[79037]
	104510.156	(0.050)	3(0, 3) - 2(0, 2)	0	*E*		[79037]
	104541.261	(0.050)	3(2, 2) - 2(2, 1)	0	A		[79037]
	104550.026	(0.050)	3(2, 2) - 2(2, 1)	0	*E*		[79037]
	104565.086	(0.050)	3(2, 1) - 2(2, 0)	0	*E*		[79037]
	104573.816	(0.050)	3(2, 1) - 2(2, 0)	0	*A*		[79037]
	105041.573	(0.050)	3(1, 2) - 2(1, 1)	1	*E*		[81043]
	105160.894	(0.050)	3(1, 2) - 2(1, 1)	1	*A*		[81043]
	105566.990	(0.050)	3(1, 2) - 2(1, 1)	0	*A*		[79037]
	105566.990	(0.050)	3(1, 2) - 2(1, 1)	0	*E*		[79037]
	114114.303	(0.050)	2(1, 1) - 1(0, 1)	0	*E*		[79037]
	114125.760	(0.050)	2(1, 1) - 1(0, 1)	0	*A*		[79037]
	114993.749	(0.050)	9(2, 8) - 9(1, 8)	0	*E*		[79037]
	115021.635	(0.050)	9(2, 8) - 9(1, 8)	0	*A*		[79037]
	117981.178	(0.050)	8(2, 7) - 8(1, 7)	0	*E*		[79037]
	118009.195	(0.050)	8(2, 7) - 8(1, 7)	0	*A*		[79037]
	120657.325	(0.050)	7(2, 6) - 7(1, 6)	0	*E*		[79037]
	120685.559	(0.050)	7(2, 6) - 7(1, 6)	0	*A*		[79037]
	123013.867	(0.050)	6(2, 5) - 6(1, 5)	0	*E*		[79037]
	123042.531	(0.050)	6(2, 5) - 6(1, 5)	0	*A*		[79037]
	125043.888	(0.050)	5(2, 4) - 5(1, 4)	0	*E*		[79037]
	125073.422	(0.050)	5(2, 4) - 5(1, 4)	0	*A*		[79037]
	126741.329	(0.050)	4(2, 3) - 4(1, 3)	0	*E*		[79037]
	126773.166	(0.050)	4(2, 3) - 4(1, 3)	0	*A*		[79037]
	128099.573	(0.050)	3(2, 2) - 3(1, 2)	0	*E*		[79037]
	128137.266	(0.050)	3(2, 2) - 3(1, 2)	0	*A*		[79037]
	129116.578	(0.050)	2(2, 1) - 2(1, 1)	0	*E*		[79037]
	129163.067	(0.050)	2(2, 1) - 2(1, 1)	0	*A*		[79037]
	137569.628	(0.050)	4(1, 4) - 3(1, 3)	1	*A*		[81043]
	137625.242	(0.050)	4(1, 4) - 3(1, 3)	1	*E*		[81043]
	137998.215	(0.050)	4(1, 4) - 3(1, 3)	0	*A*		[79037]
	137998.215	(0.050)	4(1, 4) - 3(1, 3)	0	*E*		[79037]
	138826.507	(0.050)	4(0, 4) - 3(0, 3)	1	*A*		[81043]
	138827.257	(0.050)	4(0, 4) - 3(0, 3)	1	*E*		[81043]
	138893.987	(0.050)	4(2, 3) - 3(2, 2)	1	*A*		[81043]
	138912.243	(0.050)	4(3, 2) - 3(3, 1)	1	*A*		[81043]
	138912.243	(0.050)	4(3, 2) - 3(3, 1)	1	*E*		[81043]
	138912.243	(0.050)	4(3, 1) - 3(3, 0)	1	*A*		[81043]
	138912.243	(0.050)	4(3, 1) - 3(3, 0)	1	*E*		[81043]
	138930.138	(0.050)	4(2, 3) - 3(2, 2)	1	*E*		[81043]
	138932.294	(0.050)	4(2, 2) - 3(2, 1)	1	*E*		[81043]

TABLE 7.4. Microwave spectrum of ethane — Continued C_2H_6

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$	-	$J''(K_{-1},K_{+1})$	v_t	Sym.	Vib. state	Ref.
	138969.324	(0.050)	4(2, 2)	-	3(2, 1)	1	*A*		[81043]
	139306.370	(0.050)	4(0, 4)	-	3(0, 3)	0	*A*		[79037]
	139306.370	(0.050)	4(0, 4)	-	3(0, 3)	0	*E*		[79037]
	139379.421	(0.050)	4(2, 3)	-	3(2, 2)	0	*A*		[79037]
	139385.291	(0.050)	4(2, 3)	-	3(2, 2)	0	*E*		[79037]
	139399.614	(0.050)	4(3, 2)	-	3(3, 1)	0	*A*		[79037]
	139399.614	(0.050)	4(3, 2)	-	3(3, 1)	0	*E*		[79037]
	139399.614	(0.050)	4(3, 1)	-	3(3, 0)	0	*A*		[79037]
	139399.614	(0.050)	4(3, 1)	-	3(3, 0)	0	*E*		[79037]
	139454.888	(0.050)	4(2, 2)	-	3(2, 1)	0	*E*		[79037]
	139460.799	(0.050)	4(2, 2)	-	3(2, 1)	0	*A*		[79037]
	140147.508	(0.050)	4(1, 3)	-	3(1, 2)	1	*E*		[81043]
	140202.936	(0.050)	4(1, 3)	-	3(1, 2)	1	*A*		[81043]
	140743.724	(0.050)	4(1, 3)	-	3(1, 2)	0	*A*		[79037]
	140743.724	(0.050)	4(1, 3)	-	3(1, 2)	0	*E*		[79037]
CH_3CH_2D	110245.320	(0.050)	3(1, 3)	-	2(1, 2)	0	*A*		[81034]
	110245.687	(0.050)	3(1, 3)	-	2(1, 2)	0	*E*		[81034]
	111192.429	(0.050)	3(0, 3)	-	2(0, 2)	0	*A*		[81034]
	111192.429	(0.050)	3(0, 3)	-	2(0, 2)	0	*E*		[81034]
	111215.219	(0.050)	3(2, 2)	-	2(2, 1)	0	*A*		[81034]
	111224.831	(0.050)	3(2, 2)	-	2(2, 1)	0	*E*		[81034]
	111230.044	(0.050)	3(2, 1)	-	2(2, 0)	0	*E*		[81034]
	111239.644	(0.050)	3(2, 1)	-	2(2, 0)	0	*A*		[81034]
	112179.552	(0.050)	3(1, 2)	-	2(1, 1)	0	*E*		[81034]
	112179.908	(0.050)	3(1, 2)	-	2(1, 1)	0	*A*		[81034]
	124284.289	(0.050)	2(1, 2)	-	1(0, 1)	0	*E*		[81034]
	124313.493	(0.050)	2(1, 2)	-	1(0, 1)	0	*A*		[81034]
	141009.977	(0.050)	9(2, 7)	-	9(1, 8)	0	*E*		[81034]
	141071.575	(0.050)	9(2, 7)	-	9(1, 8)	0	*A*		[81034]
	143117.197	(0.050)	8(2, 6)	-	8(1, 7)	0	*E*		[81034]
	143178.750	(0.050)	8(2, 6)	-	8(1, 7)	0	*A*		[81034]
	145139.081	(0.050)	7(2, 5)	-	7(1, 6)	0	*E*		[81034]
	145200.095	(0.050)	7(2, 5)	-	7(1, 6)	0	*A*		[81034]
	146983.910	(0.050)	4(1, 4)	-	3(1, 3)	0	*A*		[81034]
	146983.910	(0.050)	4(1, 4)	-	3(1, 3)	0	*E*		[81034]
	147024.696	(0.050)	6(2, 4)	-	6(1, 5)	0	*E*		[81034]
	147084.193	(0.050)	6(2, 4)	-	6(1, 5)	0	*A*		[81034]
	148225.152	(0.050)	4(0, 4)	-	3(0, 3)	0	*A*		[81034]
	148225.152	(0.050)	4(0, 4)	-	3(0, 3)	0	*E*		[81034]
	148279.195	(0.050)	4(2, 3)	-	3(2, 2)	0	*A*		[81034]
	148292.174	(0.050)	4(2, 3)	-	3(2, 2)	0	*E*		[81034]
	148293.513	(0.050)	4(3, 2)	-	3(3, 1)	0	*A*		[81034]
	148293.513	(0.050)	4(3, 2)	-	3(3, 1)	0	*E*		[81034]
	148293.513	(0.050)	4(3, 1)	-	3(3, 0)	0	*A*		[81034]
	148293.513	(0.050)	4(3, 1)	-	3(3, 0)	0	*E*		[81034]
	148327.289	(0.050)	4(2, 2)	-	3(2, 1)	0	*E*		[81034]
	148340.247	(0.050)	4(2, 2)	-	3(2, 1)	0	*A*		[81034]
	148729.415	(0.050)	5(2, 3)	-	5(1, 4)	0	*E*		[81034]
	148785.331	(0.050)	5(2, 3)	-	5(1, 4)	0	*A*		[81034]
	149562.794	(0.050)	4(1, 3)	-	3(1, 2)	0	*A*		[81034]
	149562.794	(0.050)	4(1, 3)	-	3(1, 2)	0	*E*		[81034]
	150215.950	(0.050)	4(2, 2)	-	4(1, 3)	0	*E*		[81034]
	150263.731	(0.050)	4(2, 2)	-	4(1, 3)	0	*A*		[81034]
	151451.386	(0.050)	3(2, 1)	-	3(1, 2)	0	*E*		[81034]
	151486.463	(0.050)	3(2, 1)	-	3(1, 2)	0	*A*		[81034]
	152400.941	(0.050)	2(2, 0)	-	2(1, 1)	0	*E*		[81034]
	152426.685	(0.050)	2(2, 0)	-	2(1, 1)	0	*A*		[81034]
	154253.648	(0.050)	2(2, 1)	-	2(1, 2)	0	*E*		[81034]
	154355.339	(0.050)	2(2, 1)	-	2(1, 2)	0	*A*		[81034]
	155232.777	(0.050)	3(2, 2)	-	3(1, 3)	0	*E*		[81034]
	155325.217	(0.050)	3(2, 2)	-	3(1, 3)	0	*A*		[81034]
	156540.910	(0.050)	4(2, 3)	-	4(1, 4)	0	*E*		[81034]
	156620.526	(0.050)	4(2, 3)	-	4(1, 4)	0	*A*		[81034]
	158171.608	(0.050)	5(2, 4)	-	5(1, 5)	0	*E*		[81034]
	158243.142	(0.050)	5(2, 4)	-	5(1, 5)	0	*A*		[81034]
	160127.085	(0.050)	6(2, 5)	-	6(1, 6)	0	*E*		[81034]
	160194.865	(0.050)	6(2, 5)	-	6(1, 6)	0	*A*		[81034]

TABLE 7.4. Microwave spectrum of ethane — Continued C_2H_6

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	v_t	Sym.	Vib. state	Ref.
	160390.374	(0.050)	3(1, 3) - 2(0, 2)	0	*E*		[81034]
	160419.313	(0.050)	3(1, 3) - 2(0, 2)	0	A		[81034]
CD_3CH_2D	91852.580	(0.050)	3(1, 3) - 2(1, 2)	0	*A*		[81034]
	91852.580	(0.050)	3(1, 3) - 2(1, 2)	0	*E*		[81034]
	92500.262	(0.050)	3(0, 3) - 2(0, 2)	0	*A*		[81034]
	92500.262	(0.050)	3(0, 3) - 2(0, 2)	0	*E*		[81034]
	92516.865	(0.050)	3(2, 2) - 2(2, 1)	0	*A*		[81034]
	92517.476	(0.050)	3(2, 2) - 2(2, 1)	0	*E*		[81034]
	92533.862	(0.050)	3(2, 1) - 2(2, 0)	0	*E*		[81034]
	92534.498	(0.050)	3(2, 1) - 2(2, 0)	0	*A*		[81034]
	93177.102	(0.050)	3(1, 2) - 2(1, 1)	0	*A*		[81034]
	93177.102	(0.050)	3(1, 2) - 2(1, 1)	0	*E*		[81034]
	101934.857	(0.050)	4(2, 3) - 4(1, 4)	0	*E*		[81034]
	101941.912	(0.050)	4(2, 3) - 4(1, 4)	0	*A*		[81034]
	103046.424	(0.050)	5(2, 4) - 5(1, 5)	0	*E*		[81034]
	103053.458	(0.050)	5(2, 4) - 5(1, 5)	0	*A*		[81034]
	104383.724	(0.050)	6(2, 5) - 6(1, 6)	0	*E*		[81034]
	104390.734	(0.050)	6(2, 5) - 6(1, 6)	0	*A*		[81034]
	105948.419	(0.050)	7(2, 6) - 7(1, 7)	0	*E*		[81034]
	105955.410	(0.050)	7(2, 6) - 7(1, 7)	0	*A*		[81034]
	107742.159	(0.050)	8(2, 7) - 8(1, 8)	0	*E*		[81034]
	107749.188	(0.050)	8(2, 7) - 8(1, 8)	0	*A*		[81034]
	109766.725	(0.050)	9(2, 8) - 9(1, 9)	0	*E*		[81034]
	109773.713	(0.050)	9(2, 8) - 9(1, 9)	0	*A*		[81034]
	122463.143	(0.050)	4(1, 4) - 3(1, 3)	0	*A*		[81034]
	122463.143	(0.050)	4(1, 4) - 3(1, 3)	0	*E*		[81034]
	123311.192	(0.050)	4(0, 4) - 3(0, 3)	0	*A*		[81034]
	123311.192	(0.050)	4(0, 4) - 3(0, 3)	0	*E*		[81034]
	123350.492	(0.050)	4(2, 3) - 3(2, 2)	0	*A*		[81034]
	123350.492	(0.050)	4(2, 3) - 3(2, 2)	0	*E*		[81034]
	123361.047	(0.050)	4(3, 2) - 3(3, 1)	0	*A*		[81034]
	123361.047	(0.050)	4(3, 2) - 3(3, 1)	0	*E*		[81034]
	123361.047	(0.050)	4(3, 1) - 3(3, 0)	0	*A*		[81034]
	123361.047	(0.050)	4(3, 1) - 3(3, 0)	0	*E*		[81034]
	123394.328	(0.050)	4(2, 2) - 3(2, 1)	0	*A*		[81034]
	123394.328	(0.050)	4(2, 2) - 3(2, 1)	0	*E*		[81034]
	124228.913	(0.050)	4(1, 3) - 3(1, 2)	0	*A*		[81034]
	124228.913	(0.050)	4(1, 3) - 3(1, 2)	0	*E*		[81034]
	124434.724	(0.050)	3(1, 3) - 2(0, 2)	0	*E*		[81034]
	124439.121	(0.050)	3(1, 3) - 2(0, 2)	0	*A*		[81034]
	153067.769	(0.050)	5(1, 5) - 4(1, 4)	0	*A*		[81034]
	153067.769	(0.050)	5(1, 5) - 4(1, 4)	0	*E*		[81034]
	154102.907	(0.050)	5(0, 5) - 4(0, 4)	0	*A*		[81034]
	154102.907	(0.050)	5(0, 5) - 4(0, 4)	0	*E*		[81034]
	154179.349	(0.050)	5(2, 4) - 4(2, 3)	0	*A*		[81034]
	154179.349	(0.050)	5(2, 4) - 4(2, 3)	0	*E*		[81034]
	154194.108	(0.050)	5(4, 2) - 4(4, 1)	0	*A*		[81034]
	154194.108	(0.050)	5(4, 2) - 4(4, 1)	0	*E*		[81034]
	154194.108	(0.050)	5(4, 1) - 4(4, 0)	0	*A*		[81034]
	154194.108	(0.050)	5(4, 1) - 4(4, 0)	0	*E*		[81034]
	154202.228	(0.050)	5(3, 3) - 4(3, 2)	0	*E*		[81034]
	154202.228	(0.050)	5(3, 2) - 4(3, 1)	0	*E*		[81034]
	154267.193	(0.050)	5(2, 3) - 4(2, 2)	0	*A*		[81034]
	154267.193	(0.050)	5(2, 3) - 4(2, 2)	0	*E*		[81034]
	154397.649	(0.050)	4(1, 4) - 3(0, 3)	0	*E*		[81034]
	154402.041	(0.050)	4(1, 4) - 3(0, 3)	0	*A*		[81034]
	155274.453	(0.050)	5(1, 4) - 4(1, 3)	0	*A*		[81034]
	155274.453	(0.050)	5(1, 4) - 4(1, 3)	0	*E*		[81034]
g-$CHDCH_2D$	77445.640	(0.050)	13(1,12) - 13(0,13)	0	-		[81034]
	77446.349	(0.050)	13(1,12) - 13(0,13)	0	+		[81034]
	78396.638	(0.050)	1(1, 1) - 0(0, 0)	0			[81034]
	83467.019	(0.050)	14(1,13) - 14(0,14)	0	-		[81034]
	83467.878	(0.050)	14(1,13) - 14(0,14)	0	+		[81034]
	90105.326	(0.050)	15(1,14) - 15(0,15)	0	-		[81034]
	90106.333	(0.050)	15(1,14) - 15(0,15)	0	+		[81034]
	97365.259	(0.050)	16(1,15) - 16(0,16)	0	-		[81034]
	97366.416	(0.050)	16(1,15) - 16(0,16)	0	+		[81034]

TABLE 7.4. Microwave spectrum of ethane — Continued C_2H_6

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$	-	$J''(K_{-1},K_{+1})$	v_t	Sym.	Vib. state	Ref.
	105241.651	(0.050)	17(1,16)	-	17(0,17)	0	-		[81034]
	105242.991	(0.050)	17(1,16)	-	17(0,17)	0	+		[81034]
	111276.929	(0.050)	15(2,13)	-	15(1,14)	0			[81034]
	111350.322	(0.050)	19(2,17)	-	19(0,18)	0			[81034]
	112290.034	(0.050)	14(2,12)	-	14(1,13)	0			[81034]
	112469.187	(0.050)	2(1, 2)	-	1(0, 1)	0			[81034]
	113607.607	(0.050)	13(2,11)	-	13(1,12)	0			[81034]
	113719.162	(0.050)	18(1,17)	-	18(0,18)	0	-		[81034]
	113720.660	(0.050)	18(1,17)	-	18(0,18)	0	+		[81034]
	115169.134	(0.050)	12(2,10)	-	12(1,11)	0			[81034]
	116912.078	(0.050)	11(2, 9)	-	11(1, 0)	0			[81034]
	118773.025	(0.050)	10(2, 8)	-	10(1, 9)	0			[81034]
	118993.973	(0.050)	7(1, 6)	-	6(2, 5)	0			[81034]
	120689.399	(0.050)	9(2, 7)	-	9(1, 8)	0			[81034]
	122600.827	(0.050)	8(2, 6)	-	8(1, 7)	0			[81034]
	122772.194	(0.050)	19(1,18)	-	19(0,18)	0	-		[81034]
	122773.891	(0.050)	19(1,18)	-	19(0,18)	0	+		[81034]
	124450.640	(0.050)	7(2, 5)	-	7(1, 6)	0			[81034]
	125856.511	(0.050)	10(2, 9)	-	9(3, 6)	0			[81034]
	126186.723	(0.050)	6(2, 4)	-	6(1, 5)	0			[81034]
	127762.620	(0.050)	5(2, 3)	-	5(1, 4)	0			[81034]
	128920.627	(0.050)	10(2, 8)	-	9(3, 7)	0			[81034]
	129138.004	(0.050)	4(2, 2)	-	4(1, 3)	0			[81034]
	130278.990	(0.050)	3(2, 1)	-	3(1, 2)	0			[81034]
	131158.466	(0.050)	2(2, 0)	-	2(1, 1)	0			[81034]
	132182.656	(0.050)	5(0, 5)	-	4(1, 4)	0			[81034]
	132967.054	(0.050)	2(2, 1)	-	2(1, 2)	0			[81034]
	133464.872	(0.050)	8(1, 8)	-	7(2, 5)	0			[81034]
	133877.339	(0.050)	3(2, 2)	-	3(1, 3)	0			[81034]
	135093.274	(0.050)	4(2, 3)	-	4(1, 4)	0			[81034]
	136616.765	(0.050)	5(2, 4)	-	5(1, 5)	0			[81034]
	138449.877	(0.050)	6(2, 5)	-	6(1, 6)	0			[81034]
	140594.707	(0.050)	7(2, 6)	-	7(1, 7)	0			[81034]
	143053.896	(0.050)	8(2, 7)	-	8(1, 8)	0			[81034]
	145829.764	(0.050)	9(2, 8)	-	9(1, 9)	0	-		[81034]
	145830.070	(0.050)	9(2, 8)	-	9(1, 9)	0	+		[81034]
	146240.402	(0.050)	3(1, 3)	-	2(0, 2)	0			[81034]
	148924.720	(0.050)	10(2, 9)	-	10(1,10)	0	-		[81034]
	148925.091	(0.050)	10(2, 9)	-	10(1,10)	0	+		[81034]
	152340.534	(0.050)	11(2,10)	-	11(1,11)	0	-		[81034]
	152340.972	(0.050)	11(2,10)	-	11(1,11)	0	+		[81034]
	155994.334	(0.050)	8(1, 7)	-	7(2, 6)	0			[81034]
	156078.768	(0.050)	12(2,11)	-	12(1,12)	0	-		[81034]
	156079.256	(0.050)	12(2,11)	-	12(1,12)	0	+		[81034]
	160140.430	(0.050)	13(2,12)	-	13(1,13)	0	-		[81034]
	160141.073	(0.050)	13(2,12)	-	13(1,13)	0	+		[81034]

Table 8.1. Molecular constants of CCCH in the $X^2\Pi$ state. [86010]

Parameter		CCCH
A_{eff}	(MHz)	430828.(41)
B	(MHz)	11186.335(2)
D x 10^3	(MHz)	5.55(2)
γ_{eff}	(MHz)	36.9(11)
p	(MHz)	-7.20(7)
q	(MHz)	-16.62(3)
p_D x 10^3	(MHz)	47.4(24)
q_D x 10^3	(MHz)	1.6(6)
p_H x 10^6	(MHz)	45.(6)
q_H x 10^6	(MHz)	3.1(21)
a	(MHz)	12.3(2)
$b + \frac{c}{3}$	(MHz)	-13.8(6)
c	(MHz)	28.3(14)
d	(MHz)	16.2(1)

Table 8.2. Molecular Constants of the c-C_3H Radical. [87005]

Parameter		c-C_3H	Parameter		c-C_3H
A	(MHz)	44536.840(50)[a]	ε_{aa}	(MHz)	113.213(41)[a]
B	(MHz)	34016.349(28)	ε_{bb}	(MHz)	59.226(33)
C	(MHz)	19188.8540(109)	ε_{cc}	(MHz)	-205.808(35)
Δ_N	(MHz)	0.05556(34)	a_F	(MHz)	-27.270(72)
Δ_{NK}	(MHz)	0.58832(86)	T_{aa}	(MHz)	16.96(22)
Δ_K	(MHz)	-0.4153(44)	T_{bb}	(MHz)	-1.12(31)
δ_N	(MHz)	0.020994(174)			
δ_K	(MHz)	0.35928(121)			

[a] The numbers in parentheses represent three standard deviations in units of the last significant digits.

TABLE 8.3. Microwave spectrum of ℓ-C_3H radical C_3H

Isotopic species	Frequency (MHz)	Unc. (MHz)	J' - J''	P	F' - F''	Vib. state	Ref.
ℓ-C_3H $^2\Pi_{1/2}$	32627.300	(0.05)	3/2 - 1/2	a	2 - 1	$v=0$	[86010]
	32634.390	(0.05)	3/2 - 1/2	a	1 - 0	$v=0$	[86010]
	32660.655	(0.05)	3/2 - 1/2	b	2 - 1	$v=0$	[86010]
	32663.375	(0.05)	3/2 - 1/2	b	1 - 0	$v=0$	[86010]
	97995.166	(0.05)	9/2 - 7/2	b	5 - 4	$v=0$	[85006]
	97995.913	(0.05)	9/2 - 7/2	b	4 - 3	$v=0$	[85006]
	98011.611	(0.05)	9/2 - 7/2	a	5 - 4	$v=0$	[85006]
	98012.524	(0.05)	9/2 - 7/2	a	4 - 3	$v=0$	[85006]
	119804.682	(0.05)	11/2 - 9/2	b	6 - 5	$v=0$	[85006]
	119805.322	(0.05)	11/2 - 9/2	b	5 - 4	$v=0$	[85006]
	119847.476	(0.05)	11/2 - 9/2	a	6 - 5	$v=0$	[85006]
	119858.259	(0.05)	11/2 - 9/2	a	5 - 4	$v=0$	[85006]
	141635.793	(0.05)	13/2 - 11/2	a	7 - 6	$v=0$	[85006]
	141636.431	(0.05)	13/2 - 11/2	a	6 - 5	$v=0$	[85006]
	141708.728	(0.05)	13/2 - 11/2	a	7 - 6	$v=0$	[85006]
	141709.494	(0.05)	13/2 - 11/2	a	6 - 5	$v=0$	[85006]
	163491.035	(0.05)	15/2 - 13/2	a	8 - 7	$v=0$	[85006]
	163491.557	(0.05)	15/2 - 13/2	a	7 - 6	$v=0$	[85006]
	163597.232	(0.05)	15/2 - 13/2	b	8 - 7	$v=0$	[85006]
	163597.900	(0.05)	15/2 - 13/2	b	7 - 6	$v=0$	[85006]
	185371.952	(0.05)	17/2 - 15/2	a	9 - 8	$v=0$	[85006]
	185372.417	(0.05)	17/2 - 15/2	a	8 - 7	$v=0$	[85006]
	185513.968	(0.05)	17/2 - 15/2	b	9 - 8	$v=0$	[85006]
	185514.589	(0.05)	17/2 - 15/2	b	8 - 7	$v=0$	[85006]
ℓ-C_3H $^2\Pi_{3/2}$	80388.107	(0.05)	7/2 - 5/2	a	4 - 3	$v=0$	[85006]
	80389.442	(0.05)	7/2 - 5/2	a	3 - 2	$v=0$	[85006]
	80420.646	(0.05)	7/2 - 5/2	b	4 - 3	$v=0$	[85006]
	80422.052	(0.05)	7/2 - 5/2	b	3 - 2	$v=0$	[85006]
	80422.052	(0.05)	7/2 - 5/2	b	3 - 2	$v=0$	[85006]
	103319.276	(0.05)	9/2 - 7/2	a	5 - 4	$v=0$	[85006]
	103319.786	(0.05)	9/2 - 7/2	a	4 - 3	$v=0$	[85006]
	103372.483	(0.05)	9/2 - 7/2	b	5 - 4	$v=0$	[85006]
	103373.094	(0.05)	9/2 - 7/2	b	4 - 3	$v=0$	[85006]
	149106.972	(0.05)	13/2 - 11/2	a	6 - 5	$v=0$	[85006]
	149106.972	(0.05)	13/2 - 11/2	a	7 - 6	$v=0$	[85006]
	149212.667	(0.05)	13/2 - 11/2	b	6 - 5	$v=0$	[85006]
	149212.667	(0.05)	13/2 - 11/2	b	7 - 6	$v=0$	[85006]
	171958.650	(0.05)	15/2 - 13/2	a	7 - 6	$v=0$	[85006]
	171958.650	(0.05)	15/2 - 13/2	a	8 - 7	$v=0$	[85006]
	172094.778	(0.05)	15/2 - 13/2	b	8 - 7	$v=0$	[85006]
	172094.778	(0.05)	15/2 - 13/2	b	7 - 6	$v=0$	[85006]
	194780.373	(0.05)	17/2 - 15/2	a	8 - 7	$v=0$	[85006]
	194780.373	(0.05)	17/2 - 15/2	a	9 - 8	$v=0$	[85006]
	194948.795	(0.05)	17/2 - 15/2	b	8 - 7	$v=0$	[85006]
	194948.795	(0.05)	17/2 - 15/2	b	9 - 8	$v=0$	[85006]

TABLE 8.4. Microwave spectrum of cyclic−C_3H radical C_3H

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$	-	$J''(K_{-1},K_{+1})$	F'	F_1'	-	F''	F_1''	Ref.
CCHC	91494.349	(0.030)	2(1, 2)	-	1(1, 1)	5/2	3	-	3/2	2	[87005]
|__|	91497.608	(0.030)	2(1, 2)	-	1(1, 1)	5/2	2	-	3/2	2	[87005]
	91692.752	(0.030)	2(1, 2)	-	1(1, 1)	3/2	1	-	1/2	0	[87005]
	91699.471	(0.030)	2(1, 2)	-	1(1, 1)	3/2	2	-	1/2	1	[87005]
H	121211.689	(0.030)	2(1, 1)	-	1(1, 0)	5/2	3	-	3/2	2	[87005]
|	121213.226	(0.030)	2(1, 1)	-	1(1, 0)	5/2	2	-	3/2	1	[87005]
C	216488.036	(0.030)	4(1, 3)	-	3(1, 2)	9/2	5	-	7/2	4	[87005]
/ \	216492.396	(0.030)	4(1, 3)	-	3(1, 2)	9/2	4	-	7/2	3	[87005]
C−C	216638.026	(0.030)	4(1, 3)	-	3(1, 2)	7/2	4	-	5/2	3	[87005]
	216640.873	(0.030)	4(1, 3)	-	3(1, 2)	7/2	3	-	5/2	2	[87005]
	223301.273	(0.030)	4(3, 2)	-	3(3, 1)	9/2	5	-	7/2	4	[87005]
	223304.238	(0.030)	4(3, 2)	-	3(3, 1)	9/2	4	-	7/2	3	[87005]
	223439.668	(0.030)	4(3, 2)	-	3(3, 1)	7/2	3	-	5/2	2	[87005]
	223444.640	(0.030)	4(3, 2)	-	3(3, 1)	7/2	4	-	5/2	3	[87005]
	238636.443	(0.030)	4(3, 1)	-	3(3, 0)	9/2	5	-	7/2	4	[87005]
	238638.558	(0.030)	4(3, 1)	-	3(3, 0)	9/2	4	-	7/2	3	[87005]
	238686.633	(0.030)	4(3, 1)	-	3(3, 0)	7/2	3	-	5/2	2	[87005]
	238692.077	(0.030)	4(3, 1)	-	3(3, 0)	7/2	4	-	5/2	3	[87005]
	249544.254	(0.030)	6(1, 6)	-	5(1, 5)	13/2	7	-	11/2	6	[87005]
	249544.254	(0.030)	6(1, 6)	-	5(1, 5)	13/2	6	-	11/2	5	[87005]
	249746.796	(0.030)	6(1, 6)	-	5(1, 5)	11/2	6	-	9/2	5	[87005]
	249746.796	(0.030)	6(1, 6)	-	5(1, 5)	11/2	5	-	9/2	4	[87005]
	287920.669	(0.030)	7(1, 7)	-	6(1, 6)	15/2	8	-	13/2	7	[87005]
	287920.669	(0.030)	7(1, 7)	-	6(1, 6)	15/2	7	-	13/2	6	[87005]
	288124.063	(0.030)	7(1, 7)	-	6(1, 6)	13/2	7	-	11/2	6	[87005]
	288124.063	(0.030)	7(1, 7)	-	6(1, 6)	13/2	6	-	11/2	5	[87005]
	326286.929	(0.030)	8(1, 8)	-	7(1, 7)	17/2	9	-	15/2	8	[87005]
	326286.929	(0.030)	8(1, 8)	-	7(1, 7)	17/2	8	-	15/2	7	[87005]
	326490.831	(0.030)	8(1, 8)	-	7(1, 7)	15/2	8	-	13/2	7	[87005]
	326490.831	(0.030)	8(1, 8)	-	7(1, 7)	15/2	7	-	13/2	6	[87005]

Table 9.1. Molecular constants for cyclopropenylidene (HCCCH).

Parameter	Value [present]	Parameter	Value [86008]
A'' (MHz)	35092.5923(56)[a]	A (MHz)	35092.6121(18)[b]
B'' (MHz)	32212.9250(56)	B (MHz)	32212.7811(18)
C'' (MHz)	16749.3081(56)	C (MHz)	16749.1067(18)
τ_1 (MHz)	-0.6762(14)	D_J (MHz)	0.020307(37)
τ_2 (MHz)	-0.16277(46)	D_{JK}(MHz)	0.1720642(25)
τ_3 (MHz)	17.314(14)	D_K (MHz)	-0.0448652(41)
τ_{aaaa}(MHz)	-0.59028(46)	d_1 (MHz)	-0.0163698(14)
τ_{bbbb}(MHz)	-0.29821(46)	d_2 (MHz)	-0.01070597(70)
τ_{cccc}(MHz)	-0.03548(48)	H_J (Hz)	0[c]
H_J (Hz)	0[c]	H_{JK}(Hz)	3.2560(22)
H_{JK} (Hz)	4.388(17)	H_{KJ}(Hz)	-9.359(16)
H_{KJ} (Hz)	-11.747(110)	H_K (Hz)	7.288(28)
H_K (Hz)	8.716(101)	h_1 (Hz)	0[c]
h_J (Hz)	0.609(26)	h_2 (Hz)	0.16144(68)
h_{JK} (Hz)	0[c]	h_3 (Hz)	0[c]
h_K (Hz)	0.461(57)	L_{JK}(Hz)	-0.000126(19)
		L_K (Hz)	0.000292(38)
σ[d]	1.4	σ[e] (kHz)	19.2
Electric Dipole Moment			
μ (D)	3.32(5) [87011]		
	3.43(2) [87022]		

[a]Two standard deviations.
[b]One standard deviation.
[c]These constants were poorly determined and set to zero.
[d]Weighted fit. This gives a standard deviation of about 30 kHz.
[e]Unweighted fit.

Table 9.2. Molecular constants for cyclopropenylidene and its monosubstituted derivatives. [87004]

Parameter	C_3H_2	^{13}C on-axis	^{13}C off-axis	C_3HD
A (MHz)	35092.5083(32)[a]	33310.5202(50)	34857.1875(25)	34517.5188(16)
B (MHz)	32212.9468(32)	32212.5804(43)	31288.4887(24)	26965.8135(15)
C (MHz)	16749.0286(32)	16331.2875(27)	16443.0399(22)	15098.4567(12)
Δ_J (kHz)	41.689(65)	41.482(45)	40.338(35)	30.892(13)
Δ_{JK}(kHz)	44.017(55)	36.618(89)	38.941(26)	51.623(20)
Δ_K (kHz)	61.871(38)	53.679(99)	65.734(21)	61.068(24)
δ_J (kHz)	16.4338(86)	16.5134(81)	15.9455(40)	12.0039(38)
δ_K (kHz)	58.610(20)	53.155(20)	56.422(10)	60.265(11)
H_J (Hz)	0[b]	0[b]	0[b]	0[b]
H_{JK}(Hz)	6.37(84)	5.53(26)	5.268(18)	2.405(44)
H_{KJ}(Hz)	-14.7(12)	-14.32(49)	-11.019(28)	-4.39(16)
H_K (Hz)	10.08(56)	9.94(30)	7.319(44)	2.66(20)
h_J (Hz)	0.477(75)	0.477[c]	0.477[c]	0.2225(73)
h_{JK} (Hz)	-0.88(37)	-0.88[c]	-0.88[c]	-0.88[c]
h_K (Hz)	1.22(31)	1.22[c]	1.22[c]	3.706(88)
σ (kHz)[d]	34.1	37.6	26.7	28.3
eQq_{aa} (kHz)[e]				180.9(13)
eQq_{cc} (kHz)[e]				-87.5(18)

[a]The numbers in parentheses denote one standard deviaton in the last quoted digits.
[b]This constant was set equal to zero.
[c]These constants were constrained to the values obtained for the parent species.
[d]Standard deviation of the fit.
[e]Reference [87016].

TABLE 9.3. Microwave spectrum of cyclopropenylidene C_3H_2

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$ F' - F''	Ref.
CHCCH	18343.145	(0.002)	1(1, 0) - 1(0, 1)	[85018]
	46755.620	(0.020)	2(1, 1) - 2(0, 2)	[84034]
	85338.89	(0.02)	2(1, 2) - 1(0, 1)	[85019]
	118382.174	(0.020)	8(6, 3) - 8(5, 4)	[86008]
	119077.949	(0.020)	17(14, 3) - 17(13, 4)	[86008]
HC	119959.163	(0.020)	9(7, 3) - 9(6, 4)	[86008]
\ C	121791.957	(0.020)	21(16, 5) - 21(15, 6)	[86008]
HC /	122023.482	(0.020)	2(2, 1) - 1(1, 0)	[86008]
	122642.058	(0.020)	12(11, 1) - 12(10, 2)	[86008]
	122668.503	(0.020)	10(8, 3) - 10(7, 4)	[86008]
	123879.216	(0.020)	20(15, 5) - 20(14, 6)	[86008]
	124528.888	(0.020)	22(17, 5) - 22(16, 6)	[86008]
	125076.446	(0.020)	20(16, 4) - 20(15, 5)	[86008]
	129904.589	(0.020)	19(14, 5) - 19(13, 6)	[86008]
	130924.250	(0.020)	10(10, 1) - 10(9, 2)	[86008]
	131444.599	(0.020)	15(13, 2) - 15(12, 3)	[86008]
	132381.515	(0.020)	12(10, 3) - 12(9, 4)	[86008]
	132481.568	(0.020)	23(18, 5) - 23(17, 6)	[86008]
	133675.079	(0.020)	12(8, 4) - 12(7, 5)	[86008]
	137243.878	(0.020)	18(15, 3) - 18(14, 4)	[86008]
	138548.221	(0.020)	18(13, 5) - 18(12, 6)	[86008]
	138566.055	(0.020)	12(11, 2) - 12(10, 3)	[86008]
	150820.660	(0.030)	4(0, 4) - 3(1, 3)	[85019]
	150851.910	(0.020)	4(1, 4) - 3(0, 3)	[85019]
	162562.513	(0.020)	16(13, 4) - 16(12, 5)	[86008]
	162874.252	(0.020)	25(20, 5) - 25(19, 6)	[86008]
	164391.465	(0.020)	14(13, 2) - 14(12, 3)	[86008]
	165176.294	(0.020)	28(22, 6) - 28(21, 7)	[86008]
	165492.391	(0.020)	15(10, 5) - 15(9, 6)	[86008]
	165884.284	(0.080)	5(5, 0) - 5(2, 3)	[86008]
	167134.630	(0.080)	27(20, 7) - 27(19, 8)	[86008]
	169424.718	(0.020)	21(15, 6) - 21(14, 7)	[86008]
	169483.646	(0.020)	17(15, 2) - 17(14, 3)	[86008]
	169546.654	(0.040)	31(24, 7) - 31(23, 8)	[86008]
	169748.773	(0.040)	17(14, 4) - 17(13, 5)	[86008]
	170229.482	(0.020)	16(14, 3) - 16(13, 4)	[86008]
	171617.071	(0.030)	14(9, 5) - 14(8, 6)	[86008]
	172314.030	(0.020)	13(13, 0) - 13(12, 1)	[86008]
	173186.951	(0.020)	13(13, 1) - 13(12, 2)	[86008]
	174100.976	(0.020)	15(14, 1) - 15(13, 2)	[86008]
	174690.832	(0.050)	33(25, 8) - 33(24, 9)	[86008]
	176039.531	(0.020)	13(8, 5) - 13(7, 6)	[86008]
	177395.468	(0.120)	5(3, 3) - 4(4, 0)	[86008]
	177413.211	(0.100)	32(24, 8) - 32(23, 9)	[86008]
	177436.348	(0.020)	20(17, 3) - 20(16, 4)	[86008]
	177645.831	(0.030)	26(19, 7) - 26(18, 8)	[86008]
	177754.508	(0.080)	6(6, 0) - 6(3, 3)	[86008]
	177792.301	(0.050)	34(26, 8) - 34(25, 9)	[86008]
	178197.398	(0.020)	15(14, 2) - 15(13, 3)	[86008]
	178426.066	(0.020)	15(11, 5) - 15(10, 6)	[86008]
	178543.316	(0.020)	18(15, 4) - 18(14, 5)	[86008]
	178569.558	(0.020)	16(12, 5) - 16(11, 6)	[86008]
	178952.041	(0.020)	14(10, 5) - 14(9, 6)	[86008]
	179105.811	(0.020)	12(7, 5) - 12(6, 6)	[86008]
	179682.002	(0.020)	17(13, 5) - 17(12, 6)	[86008]
	179867.006	(0.020)	13(9, 5) - 13(8, 6)	[86008]
	180279.516	(0.020)	20(14, 6) - 20(13, 7)	[86008]
	180938.024	(0.020)	12(8, 5) - 12(7, 6)	[86008]
	181196.922	(0.020)	11(6, 5) - 11(5, 6)	[86008]
	181786.979	(0.020)	23(19, 4) - 23(18, 5)	[86008]
	181995.810	(0.020)	11(7, 5) - 11(6, 6)	[86008]
	182045.875	(0.020)	18(14, 5) - 18(13, 6)	[86008]
	182622.910	(0.020)	10(5, 5) - 10(4, 6)	[86008]
	182770.880	(0.020)	17(15, 3) - 17(14, 4)	[86008]
	182936.042	(0.020)	10(6, 5) - 10(5, 6)	[86008]
	183338.773	(0.020)	26(21, 5) - 26(20, 6)	[86008]
	183464.869	(0.030)	29(23, 6) - 29(22, 7)	[86008]

TABLE 9.3. Microwave spectrum of cyclopropenylidene — Continued C_3H_2

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$ F' - F''	Ref.
	183601.776	(0.020)	9(4, 5) - 9(3, 6)	[86008]
	183623.622	(0.020)	4(1, 3) - 3(2, 2)	[86008]
	183709.794	(0.020)	9(5, 5) - 9(4, 6)	[86008]
	183993.055	(0.050)	32(25, 7) - 32(24, 8)	[86008]
	184276.268	(0.020)	8(3, 5) - 8(2, 6)	[86008]
	184307.984	(0.020)	8(4, 5) - 8(3, 6)	[86008]
	184327.934	(0.020)	5(0, 5) - 4(1, 4)	[86008]
	184329.985	(0.020)	5(1, 5) - 4(0, 4)	[86008]
	184738.130	(0.020)	7(2, 5) - 7(1, 6)	[86008]
	184745.527	(0.020)	7(3, 5) - 7(2, 6)	[86008]
	185047.698	(0.020)	6(1, 5) - 6(0, 6)	[86008]
	185049.024	(0.020)	6(2, 5) - 6(1, 6)	[86008]
	185126.066	(0.020)	31(23, 8) - 31(22, 9)	[86008]
	185617.510	(0.020)	4(2, 3) - 3(1, 2)	[86008]
	185891.212	(0.020)	19(15, 5) - 19(14, 6)	[86008]
	186964.477	(0.050)	35(27, 8) - 35(26, 9)	[86008]
	187118.237	(0.020)	14(14, 0) - 14(13, 1)	[86008]
	187499.640	(0.020)	18(16, 2) - 18(15, 3)	[86008]
	187589.020	(0.020)	14(14, 1) - 14(13, 2)	[86008]
	193488.758	(0.020)	3(3, 1) - 2(2, 0)	[86008]
	194645.051	(0.100)	7(7, 0) - 7(4, 3)	[86008]
	196083.755	(0.020)	18(16, 3) - 18(15, 4)	[86008]
	196472.035	(0.080)	30(22, 8) - 30(21, 9)	[86008]
	197215.611	(0.020)	21(18, 3) - 21(17, 4)	[86008]
	197512.295	(0.020)	18(12, 6) - 18(11, 7)	[86008]
	198525.779	(0.020)	21(17, 5) - 21(16, 6)	[86008]
	200362.725	(0.020)	20(17, 4) - 20(16, 5)	[86008]
	201783.140	(0.020)	15(15, 0) - 15(14, 1)	[86008]
	202032.489	(0.020)	15(15, 1) - 15(14, 2)	[86008]
	202093.595	(0.020)	24(17, 7) - 24(16, 8)	[86008]
	202894.654	(0.060)	35(26, 9) - 35(25,10)	[86008]
	203034.961	(0.080)	33(26, 7) - 33(25, 8)	[86008]
	203102.564	(0.030)	24(20, 4) - 24(19, 5)	[86008]
	203340.626	(0.020)	17(11, 6) - 17(10, 7)	[86008]
	204611.028	(0.030)	19(17, 2) - 19(16, 3)	[86008]
	204788.926	(0.030)	4(2, 2) - 3(3, 1)	[86008]
	205313.470	(0.020)	17(16, 1) - 17(15, 2)	[86008]
	205387.990	(0.020)	27(22, 5) - 27(21, 6)	[86008]
	206686.948	(0.020)	17(16, 2) - 17(15, 3)	[86008]
	206744.224	(0.020)	20(15, 6) - 20(14, 7)	[86008]
	206879.581	(0.020)	19(14, 6) - 19(13, 7)	[86008]
	207318.462	(0.020)	22(18, 5) - 22(17, 6)	[86008]
	207609.734	(0.020)	16(10, 6) - 16(9, 7)	[86008]
	207644.919	(0.020)	21(16, 6) - 21(15, 7)	[86008]
	207753.464	(0.020)	18(13, 6) - 18(12, 7)	[86008]
	238572.986	(0.060)	21(19, 3) - 21(18, 4)	[86008]
	238976.748	(0.020)	19(12, 7) - 19(11, 8)	[86008]
	240245.969	(0.040)	23(20, 4) - 23(19, 5)	[86008]
	241250.040	(0.030)	19(13, 7) - 19(12, 8)	[86008]
	242076.807	(0.030)	18(11, 7) - 18(10, 8)	[86008]
	243204.340	(0.020)	18(12, 7) - 18(11, 8)	[86008]
	244461.198	(0.020)	17(10, 7) - 17(9, 8)	[86008]
	244988.078	(0.020)	17(11, 7) - 17(10, 8)	[86008]
	245358.580	(0.030)	18(18, 1) - 18(17, 2)	[86008]
	245627.243	(0.050)	28(22, 7) - 28(21, 8)	[86008]
	246326.853	(0.050)	16(9, 7) - 16(8, 8)	[86008]
	246557.769	(0.020)	16(10, 7) - 16(9, 8)	[86008]
	247807.193	(0.020)	15(8, 7) - 15(7, 8)	[86008]
	247901.483	(0.020	15(9, 7) - 15(8, 8)	[86008]
	248991.700	(0.020)	14(7, 7) - 14(6, 8)	[86008]
	249027.195	(0.020)	14(8, 7) - 14(7, 8)	[86008]
	249045.831	(0.080)	29(24. 5) - 29(23, 6)	[86008]
	249054.368	(0.020)	5(2. 3) - 4(3, 2)	[86008]
	249888.758	(0.060)	20(19, 1) - 20(18, 2)	[86008]
	249941.555	(0.020)	13(6, 7) - 13(5, 8)	[86008]
	249953.727	(0.020)	13(7, 7) - 13(6, 8)	[86008]
	250116.834	(0.050)	20(19, 2) - 20(18, 3)	[86008]

TABLE 9.3. Microwave spectrum of cyclopropenylidene — Continued C_3H_2

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$ F' - F''	Ref.
	250700.606	(0.020)	12(5, 7) - 12(4, 8)	[86008]
	250704.357	(0.020)	12(6, 7) - 12(5, 8)	[86008]
	260479.746	(0.020)	5(3, 2) - 4(4, 1)	[86008]
	262387.197	(0.030)	26(19, 8) - 26(18, 9)	[86008]
	262567.100	(0.060)	30(23, 8) - 30(22, 9)	[86008]
	264467.138	(0.030)	21(20, 1) - 21(19, 2)	[86008]
	265759.438	(0.030)	4(4, 1) - 3(3, 0)	[86008]
	266190.313	(0.030)	23(15, 8) - 23(14, 9)	[86008]
	266639.231	(0.030)	25(22, 3) - 25(21, 4)	[86008]
	266867.115	(0.030)	24(17, 8) - 24(16, 9)	[86008]
	270127.641	(0.030)	22(14, 8) - 22(13, 9)	[86008]
	271795.226	(0.030)	22(15, 8) - 22(14, 9)	[86008]
	273235.958	(0.050)	21(13, 8) - 21(12, 9)	[86008]
	274071.906	(0.050)	21(14, 8) - 21(13, 9)	[86008]
	274144.163	(0.120)	20(20, 1) - 20(19, 2)	[86008]
	275734.555	(0.080)	20(12, 8) - 20(11, 9)	[86008]
	276133.083	(0.050)	20(13, 8) - 20(12, 9)	[86008]
	310861.584	(0.080)	21(12, 9) - 21(11,10)	[86008]
	312488.672	(0.080)	20(12, 9) - 20(11,10)	[86008]
	326152.758	(0.100)	6(4, 3) - 5(3, 2)	[86008]
	345373.745	(0.080)	22(13,10) - 22(12,11)	[86008]
	346732.212	(0.100)	21(11,10) - 21(10,11)	[86008]
	386218.136	(0.080)	8(4, 5) - 7(3, 4)	[86008]
	410296.084	(0.100)	6(6, 1) - 5(5, 0)	[86008]
$CH^{13}CCH$	142698.170	(0.040)	15(11, 4) - 15(10, 5)	[87004]
	144839.149	(0.060)	18(15, 4) - 18(14, 5)	[87004]
	145060.711	(0.040)	16(13, 4) - 16(12, 5)	[87004]
	145148.239	(0.040)	13(9, 4) - 13(8, 5)	[87004]
	145353.129	(0.030)	3(1, 2) - 2(2, 1)	[87004]
	145501.597	(0.050)	20(17, 4) - 20(16, 5)	[87004]
	145705.463	(0.040)	14(11, 4) - 14(10, 5)	[87004]
	146490.725	(0.030)	11(7, 4) - 11(6, 5)	[87004]
	147026.576	(0.030)	10(7, 4) - 10(6, 5)	[87004]
	147069.698	(0.030)	4(1, 4) - 3(0, 3)	[87004]
	147201.828	(0.030)	9(5, 4) - 9(4, 5)	[87004]
	147255.449	(0.070)	9(6, 4) - 9(5, 5)	[87004]
	147436.085	(0.040)	8(5, 4) - 8(4, 5)	[87004]
	147565.703	(0.040)	7(3, 4) - 7(2, 5)	[87004]
	147671.722	(0.040)	6(3, 4) - 6(2, 5)	[87004]
	147739.746	(1.20)	5(1, 4) - 5(0, 5)	[87004]
	174781.357	(0.080)	19(14, 5) - 19(13, 6)	[87004]
	175607.464	(0.040)	20(16, 5) - 20(15, 6)	[87004]
	178091.994	(1.00)	16(12, 5) - 16(11, 6)	[87004]
	178423.923	(0.050)	15(10, 5) - 15(9, 6)	[87004]
	179013.395	(0.040)	14(10, 5) - 14(9, 6)	[87004]
	179337.748	(0.050)	13(8, 5) - 13(7, 6)	[87004]
	179728.417	(0.040)	5(0, 5) - 4(1, 4)	[87004]
	179728.417	(0.040)	5(1, 5) - 4(0, 4)	[87004]
	179782.257	(0.080)	4(1, 3) - 3(2, 2)	[87004]
	179923.496	(1.20)	11(6, 5) - 11(5, 6)	[87004]
	180067.190	(0.040)	4(2, 3) - 3(1, 2)	[87004]
	180128.715	(0.080)	10(5, 5) - 10(4, 6)	[87004]
	180131.596	(0.030)	10(6, 5) - 10(5, 6)	[87004]
	180289.074	(0.030)	9(4, 5) - 9(3, 6)	[87004]
	180412.793	(0.030)	8(4, 5) - 8(3, 6)	[87004]
	180506.019	(0.080)	7(2, 5) - 7(1, 6)	[87004]
	180575.288	(0.080)	6(2, 5) - 6(1, 6)	[87004]
	210761.946	(0.050)	18(13, 6) - 18(12, 7)	[87004]
	211219.261	(0.050)	17(11, 6) - 17(10, 7)	[87004]
	211613.800	(0.050)	3(3, 0) - 2(2, 1)	[87004]
	211649.403	(1.00)	16(10, 6) - 16(9, 7)	[87004]
	212014.497	(0.050)	15(9, 6) - 15(8, 7)	[87004]
	212020.063	(1.00)	15(10, 6) - 15(9, 7)	[87004]
	212322.747	(0.080)	14(8, 6) - 14(7, 7)	[87004]
	212325.189	(0.040)	14(9, 6) - 14(8, 7)	[87004]
	212387.110	(0.030)	6(0, 6) - 5(1, 5)	[87004]
	212387.110	(0.030)	6(1, 6) - 5(0, 5)	[87004]

TABLE 9.3. Microwave spectrum of cyclopropenylidene — Continued C_3H_2

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$ F' - F''	Ref.
	212563.331	(0.030)	5(1, 4) - 4(2, 3)	[87004]
	212575.631	(0.070)	5(2, 4) - 4(1, 3)	[87004]
	212581.455	(0.030)	13(7, 6) - 13(6, 7)	[87004]
	212797.375	(0.030)	12(7, 6) - 12(6, 7)	[87004]
	212975.143	(0.050)	11(5, 6) - 11(4, 7)	[87004]
	213120.737	(0.030)	10(5, 6) - 10(4, 7)	[87004]
	213238.520	(0.050)	9(3, 6) - 9(2, 7)	[87004]
	213332.649	(0.080)	8(3, 6) - 8(2, 7)	[87004]
	216083.568	(0.030)	4(3, 2) - 3(2, 1)	[87004]
	244920.515	(0.080)	16(10, 7) - 16(9, 8)	[87004]
	245040.632	(0.070)	5(2, 3) - 4(3, 2)	[87004]
	245044.421	(0.070)	7(0, 7) - 6(1, 6)	[87004]
	245044.421	(0.070)	7(1, 7) - 6(0, 6)	[87004]
	245189.410	(0.080)	15(8, 7) - 15(7, 8)	[87004]
	245421.364	(1.00)	14(8, 7) - 14(7, 8)	[87004]
	245789.540	(1.00)	12(6, 7) - 12(5, 8)	[87004]
	245932.686	(0.050)	11(4, 7) - 11(3, 8)	[87004]
^{13}CHCCH	119816.200	(0.040)	19(14, 5) - 19(13, 6)	[87004]
	120566.004	(0.040)	18(13, 5) - 18(12, 6)	[87004]
	120893.908	(0.030)	9(7, 3) - 9(6, 4)	[87004]
	122458.091	(0.040)	13(11, 2) - 13(10, 3)	[87004]
	125373.048	(0.030)	20(15, 5) - 20(14, 6)	[87004]
	141276.758	(0.030)	9(5, 4) - 9(4, 5)	[87004]
	141368.878	(0.030)	11(10, 2) - 11(9, 3)	[87004]
	141482.632	(0.030)	12(10, 3) - 12(9, 4)	[87004]
	143766.071	(0.030)	14(12, 2) - 14(11, 3)	[87004]
	144662.801	(0.030)	8(4, 4) - 8(3, 5)	[87004]
	145767.604	(0.040)	19(15, 4) - 19(14, 5)	[87004]
	146087.730	(0.030)	10(7, 4) - 10(6, 5)	[87004]
	146179.089	(0.040)	9(6, 4) - 9(5, 5)	[87004]
	146669.928	(0.030)	7(3, 4) - 7(2, 5)	[87004]
	146719.675	(0.030)	8(5, 4) - 8(4, 5)	[87004]
	146838.483	(0.030)	15(10, 5) - 15(9, 6)	[87004]
	146841.283	(0.030)	11(8, 4) - 11(7, 5)	[87004]
	147398.181	(0.040)	7(4, 4) - 7(3, 5)	[87004]
	147483.771	(0.040)	12(11, 1) - 12(10, 2)	[87004]
	147702.239	(0.040)	2(2, 0) - 1(1, 1)	[87004]
	147808.672	(0.040)	6(2, 4) - 6(1, 5)	[87004]
	148015.665	(0.040)	6(3, 4) - 6(2, 5)	[87004]
	148114.191	(0.040)	4(1, 4) - 3(0, 3)	[87004]
	148744.519	(0.080)	24(18, 6) - 24(17, 7)	[87004]
	148864.058	(0.040)	12(9, 4) - 12(8, 5)	[87004]
	174613.120	(0.040)	18(12, 6) - 18(11, 7)	[87004]
	175201.359	(0.040)	14(10, 5) - 14(9, 6)	[87004]
	175323.639	(0.050)	13(9, 5) - 13(8, 6)	[87004]
	175553.247	(0.040)	16(13, 4) - 16(12, 5)	[87004]
	177297.768	(0.060)	11(7, 5) - 11(6, 6)	[87004]
	177562.283	(0.060)	10(5, 5) - 10(4, 6)	[87004]
	178499.330	(0.030)	10(6, 5) - 10(5, 6)	[87004]
	178585.173	(0.040)	15(13, 3) - 15(12, 4)	[87004]
	178731.439	(0.040)	16(12, 5) - 16(11, 6)	[87004]
	179247.753	(0.060)	9(4, 5) - 9(3, 6)	[87004]
	179576.657	(0.070)	9(5, 5) - 9(4, 6)	[87004]
	179709.946	(1.00)	4(1, 3) - 3(2, 2)	[87004]
	180350.775	(0.030)	8(3, 5) - 8(2, 6)	[87004]
	180448.442	(0.050)	8(4, 5) - 8(3, 6)	[87004]
	180959.762	(0.030)	5(0, 5) - 4(1, 4)	[87004]
	180964.933	(0.030)	5(1, 5) - 4(0, 4)	[87004]
	181076.404	(0.030)	7(2, 5) - 7(1, 6)	[87004]
	181099.574	(0.030)	7(3, 5) - 7(2, 6)	[87004]
	181549.152	(0.030)	6(1, 5) - 6(0, 6)	[87004]
	181553.155	(0.030)	6(2, 5) - 6(1, 6)	[87004]
	183129.932	(0.050)	17(13, 5) - 17(12, 6)	[87004]
	184044.265	(0.030)	14(13, 1) - 14(12, 2)	[87004]
	185055.038	(0.030)	16(14, 2) - 16(13, 3)	[87004]
	185523.086	(0.030)	17(11, 6) - 17(10, 7)	[87004]
	186711.238	(0.040)	14(13, 2) - 14(12, 3)	[87004]

TABLE 9.3. Microwave spectrum of cyclopropenylidene — Continued C_3H_2

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	F' - F''	Ref.
	187145.455	(0.040)	17(14, 4) - 17(13, 5)		[87004]
	194151.163	(0.050)	16(10, 6) - 16(9, 7)		[87004]
	198205.561	(0.050)	19(15, 5) - 19(14, 6)		[87004]
	200320.180	(0.050)	18(15, 4) - 18(14, 5)		[87004]
	200455.279	(0.050)	15(9, 6) - 15(8, 7)		[87004]
	210517.874	(0.030)	12(7, 6) - 12(6, 7)		[87004]
	211148.987	(0.080)	14(14, 0) - 14(13, 1)		[87004]
	211294.440	(0.080)	14(14, 1) - 14(13, 2)		[87004]
	211803.069	(0.030)	11(6, 6) - 11(5, 7)		[87004]
	212457.672	(0.030)	3(3, 0) - 2(2, 1)		[87004]
	212787.837	(0.030)	10(4, 6) - 10(3, 7)		[87004]
	212831.126	(0.030)	10(5, 6) - 10(4, 7)		[87004]
	213024.399	(0.050)	21(16, 6) - 21(15, 7)		[87004]
	213610.032	(0.030)	9(3, 6) - 9(2, 7)		[87004]
	213621.174	(0.060)	9(4, 6) - 9(3, 7)		[87004]
	213872.779	(0.030)	5(1, 4) - 4(2, 3)		[87004]
	214204.883	(0.030)	8(2, 6) - 8(1, 7)		[87004]
	214207.154	(0.030)	8(3, 6) - 8(2, 7)		[87004]
	214289.476	(0.040)	20(13, 7) - 20(12, 8)		[87004]
	214313.034	(0.030)	5(2, 4) - 4(1, 3)		[87004]
	214733.266	(0.030)	19(16, 4) - 19(15, 5)		[87004]
	215640.852	(0.060)	22(18, 4) - 22(17, 5)		[87004]
	218144.439	(0.030)	16(15, 1) - 16(14, 2)		[87004]
	218882.838	(0.030)	16(15, 2) - 16(14, 3)		[87004]
	220443.116	(0.080)	22(17, 6) - 22(16, 7)		[87004]
	221232.367	(0.060)	22(17, 5) - 22(16, 6)		[87004]
	222005.497	(0.060)	20(17, 3) - 20(16, 4)		[87004]
	223160.614	(0.060)	19(12, 7) - 19(11, 8)		[87004]
	224958.482	(0.060)	18(16, 3) - 18(15, 4)		[87004]
	244025.570	(1.20)	13(7, 7) - 13(6, 8)		[87004]
	245141.334	(1.00)	12(5, 7) - 12(4, 8)		[87004]
	245159.726	(1.00)	12(6, 7) - 12(5, 8)		[87004]
	246055.002	(1.20)	11(4, 7) - 11(3, 8)		[87004]
	246723.236	(0.050)	7(1, 7) - 6(0, 6)		[87004]
	246723.236	(0.050)	7(0, 7) - 6(1, 6)		[87004]
	246911.608	(0.050)	6(1, 5) - 5(2, 4)		[87004]
	246958.487	(0.050)	6(2, 5) - 5(1, 4)		[87004]
CDCCH	19418.661	(0.002)	1(1, 0) - 1(0, 1)	1 - 1	[87016]
	19418.686	(0.002)	1(1, 0) - 1(0, 1)	2 - 1	[87016]
	19418.712	(0.002)	1(1, 0) - 1(0, 1)	1 - 2	[87016]
	19418.724	(0.002)	1(1, 0) - 1(0, 1)	0 - 1	[87016]
	19418.740	(0.002)	1(1, 0) - 1(0, 1)	2 - 2	[87016]
	19418.796	(0.002)	1(1, 0) - 1(0, 1)	1 - 0	[87016]
	118648.117	(0.030)	2(2, 1) - 1(1, 0)		[87004]
	119396.502	(0.030)	11(6, 5) - 11(5, 6)		[87004]
	119721.190	(0.030)	7(5, 3) - 7(4, 4)		[87004]
	121662.307	(0.030)	7(3, 4) - 7(2, 5)		[87004]
	124603.681	(0.030)	15(9, 6) - 15(8, 7)		[87004]
	125236.615	(0.030)	14(9, 5) - 14(8, 6)		[87004]
	128708.888	(0.040)	14(8, 6) - 14(7, 7)		[87004]
	129127.678	(0.030)	7(6, 2) - 7(5, 3)		[87004]
	130139.831	(0.030)	6(2, 4) - 6(1, 5)		[87004]
	132379.889	(0.040)	8(6, 3) - 8(5, 4)		[87004]
	134451.386	(0.030)	7(4, 4) - 7(3, 5)		[87004]
	134461.389	(0.030)	6(3, 4) - 6(2, 5)		[87004]
	134511.003	(0.040)	5(1, 4) - 5(0, 5)		[87004]
	134602.134	(0.080)	10(5, 5) - 10(4, 6)		[87004]
	134898.237	(0.040)	16(10, 6) - 16(9, 7)		[87004]
	135492.872	(0.050)	5(2, 4) - 5(1, 5)		[87004]
	135640.900	(0.030)	4(0, 4) - 3(1, 3)		[87004]
	136370.910	(0.030)	4(1, 4) - 3(0, 3)		[87004]
	136848.255	(0.030)	8(5, 4) - 8(4, 5)		[87004]
	136932.367	(0.030)	11(8, 3) - 11(7, 4)		[87004]
	137454.464	(0.030)	2(2, 0) - 1(1, 1)		[87004]
	140474.074	(0.030)	17(10, 7) - 17(9, 8)		[87004]
	142988.458	(0.030)	9(6, 4) - 9(5, 5)		[87004]
	143041.991	(0.030)	13(7, 6) - 13(6, 7)		[87004]

TABLE 9.3. Microwave spectrum of cyclopropenylidene — Continued C_3H_2

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$ F' - F''	Ref.
	143565.383	(0.030)	8(7, 1) - 8(6, 2)	[87004]
	145450.915	(0.030)	13(9, 4) - 13(8, 5)	[87004]
	145505.815	(0.030)	18(11, 7) - 18(10, 8)	[87004]
	148425.563	(0.030)	9(4, 5) - 9(3, 6)	[87004]
	148842.349	(0.030)	3(2, 2) - 2(1, 1)	[87004]
	149331.540	(0.030)	9(7, 3) - 9(6, 4)	[87004]
	149807.503	(0.030)	16(9, 7) - 16(8, 8)	[87004]
	163900.098	(0.030)	7(3, 5) - 7(2, 6)	[87004]
	165432.051	(0.050)	6(1, 5) - 6(0, 6)	[87004]
	165642.855	(0.050)	6(2, 5) - 6(1, 6)	[87004]
	165983.748	(0.030)	11(7, 5) - 11(6, 6)	[87004]
	166112.362	(0.030)	5(0, 5) - 4(1, 4)	[87004]
	166250.124	(0.050)	5(1, 5) - 4(0, 4)	[87004]
	166395.951	(0.030)	19(12, 7) - 19(11, 8)	[87004]
	167904.648	(0.060)	15(8, 7) - 15(7, 8)	[87004]
	168983.683	(0.030)	11(8, 4) - 11(7, 5)	[87004]
	169680.527	(0.030)	10(8, 3) - 10(7, 4)	[87004]
	169821.505	(0.030)	12(9, 3) - 12(8, 4)	[87004]
	170683.853	(0.030)	9(8, 1) - 9(7, 2)	[87004]
	172584.294	(0.030)	18(10, 8) - 18(9, 9)	[87004]
	173586.223	(0.030)	9(8, 2) - 9(7, 3)	[87004]
	173911.588	(0.050)	4(2, 3) - 3(1, 2)	[87004]
	174746.106	(0.040)	12(8, 5) - 12(7, 6)	[87004]
	175315.070	(0.030)	11(5, 6) - 11(4, 7)	[87004]
	179794.241	(0.030)	14(10, 4) - 14(9, 5)	[87004]
	184946.524	(0.030)	10(4, 6) - 10(3, 7)	[87004]
	186357.734	(0.030)	12(7, 6) - 12(6, 7)	[87004]
	186860.305	(0.040)	11(9, 2) - 11(8, 3)	[87004]
	186919.958	(0.030)	11(6, 6) - 11(5, 7)	[87004]
	187183.625	(0.030)	14(7, 7) - 14(6, 8)	[87004]
	187926.732	(0.030)	16(11, 5) - 16(10, 6)	[87004]
	193782.524	(0.030)	17(9, 8) - 17(8, 9)	[87004]
	193930.163	(0.030)	8(2, 6) - 8(1, 7)	[87004]
	194196.258	(0.040)	8(3, 6) - 8(2, 7)	[87004]
	194367.304	(0.030)	5(1, 4) - 4(2, 3)	[87004]
	194510.019	(0.030)	18(12, 6) - 18(11, 7)	[87004]
	195733.056	(0.030)	14(9, 6) - 14(8, 7)	[87004]
	195973.432	(0.040)	7(1, 6) - 7(0, 7)	[87004]
	196014.148	(0.050)	7(2, 6) - 7(1, 7)	[87004]
	196354.879	(0.030)	6(0, 6) - 5(1, 5)	[87004]
	196378.448	(0.030)	6(1, 6) - 5(0, 5)	[87004]
	196408.150	(0.030)	10(9, 1) - 10(8, 2)	[87004]
	196911.530	(0.030)	20(11, 9) - 20(10,10)	[87004]
	199319.827	(0.030)	5(2, 4) - 4(1, 3)	[87004]
	199915.622	(0.030)	20(13, 7) - 20(12, 8)	[87004]
	200294.630	(0.030)	3(3, 0) - 2(2, 1)	[87004]
	201139.060	(0.030)	13(10, 3) - 13(9, 4)	[87004]
	202258.579	(0.030)	13(6, 7) - 13(5, 8)	[87004]
	203812.890	(0.030)	5(2, 3) - 4(3, 2)	[87004]
	206200.330	(0.030)	14(10, 5) - 14(9, 6)	[87004]
	207475.381	(0.030)	15(10, 6) - 15(9, 7)	[87004]
	210950.643	(0.030)	14(8, 7) - 14(7, 8)	[87004]
	211828.536	(0.030)	15(9, 7) - 15(8, 8)	[87004]
	212105.543	(0.030)	12(5, 7) - 12(4, 8)	[87004]
	212803.902	(0.030)	13(7, 7) - 13(6, 8)	[87004]
	213491.394	(0.050)	15(11, 4) - 15(10, 5)	[87004]
	213872.297	(1.00)	12(10, 2) - 12(9, 3)	[87004]
	214070.086	(0.030)	16(8, 8) - 16(7, 9)	[87004]
	216092.555	(0.040)	12(10, 3) - 12(9, 4)	[87004]
	216779.279	(0.030)	16(10, 7) - 16(9, 8)	[87004]
	218181.896	(0.030)	11(4, 7) - 11(3, 8)	[87004]
	219356.349	(0.030)	11(5, 7) - 11(4, 8)	[87004]
	220438.926	(0.030)	19(10, 9) - 19(9,10)	[87004]
	221375.758	(0.030)	11(10, 1) - 11(9, 2)	[87004]
	221697.066	(0.030)	4(3, 2) - 3(2, 1)	[87004]
	221767.949	(0.030)	11(10, 2) - 11(9, 3)	[87004]
	222042.345	(0.030)	10(3, 7) - 10(2, 8)	[87004]

TABLE 9.3. Microwave spectrum of cyclopropenylidene — Continued C_3H_2

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$ F' - F''	Ref.
	223905.102	(0.030)	17(12, 5) - 17(11, 6)	[87004]
	223910.842	(0.030)	16(11, 6) - 16(10, 7)	[87004]
	224625.290	(0.030)	9(2, 7) - 9(1, 8)	[87004]
	224680.568	(0.030)	9(3, 7) - 9(2, 8)	[87004]
	226294.111	(0.030)	6(1, 5) - 5(2, 4)	[87004]
	226553.556	(0.050)	7(0, 7) - 6(1, 6)	[87004]
	226557.218	(0.050)	7(1, 7) - 6(0, 6)	[87004]
	227510.300	(0.030)	6(2, 5) - 5(1, 4)	[87004]
	240445.135	(0.050)	13(11, 3) - 13(10, 4)	[87004]
	244165.350	(0.030)	17(12, 6) - 17(11, 7)	[87004]
	244249.938	(0.030)	16(12, 4) - 16(11, 5)	[87004]
	245521.528	(0.030)	13(5, 8) - 13(4, 9)	[87004]
	246616.267	(0.030)	13(6, 8) - 13(5, 9)	[87004]
	248914.222	(0.030)	6(2, 4) - 5(3, 3)	[87004]
	249841.456	(0.030)	12(4, 8) - 12(3, 9)	[87004]
	250132.496	(0.030)	12(5, 8) - 12(4, 9)	[87004]
	250740.604	(0.030)	16(12, 5) - 16(11, 6)	[87004]
	280885.777	(0.030)	13(4, 9) - 13(3,10)	[87004]
	280951.936	(0.030)	13(5, 9) - 13(4,10)	[87004]
	283560.936	(1.00)	12(3, 9) - 12(2,10)	[87004]
	283574.008	(1.00)	12(4, 9) - 12(3,10)	[87004]
	284905.753	(0.080)	20(11,10) - 20(10,11)	[87004]
	285163.964	(0.030)	7(2, 5) - 6(3, 4)	[87004]
	286923.752	(0.030)	19(14, 5) - 19(13, 6)	[87004]
	286933.385	(0.050)	9(0, 9) - 8(1, 8)	[87004]
	286933.385	(0.050)	9(1, 9) - 8(0, 8)	[87004]
	287136.993	(0.030)	8(1, 7) - 7(2, 6)	[87004]
	287185.594	(0.030)	8(2, 7) - 7(1, 6)	[87004]
	289933.402	(0.040)	19(10,10) - 19(9,11)	[87004]
	290899.576	(0.030)	7(3, 5) - 6(2, 4)	[87004]
	292728.746	(0.030)	18(8,10) - 18(7,11)	[87004]
	295213.145	(0.040)	7(3, 4) - 6(4, 3)	[87004]
	295377.145	(0.050)	18(9,10) - 18(8,11)	[87004]
	296782.707	(0.050)	5(4, 2) - 4(3, 1)	[87004]

Table 10.1. Molecular constants for allene in vibrationally excited states. [87017]

Parameter	Vibrational State $v_{11} = 1$	$v_{10} = 1$	$v_9 = 1$
B (MHz)	8904.434(4)	8879.325(7)	8890.310(20)
D_J (kHz)	3.58(63)	3.50(83)	2.65[a]
μ (D)	0.010(1)	0.0452(6)	

[a]Value fixed.

Table 10.2 Molecular constants for allene-d_1 and allene-1,1-d_2. [86012]

Parameter	$CDHCCH_2$	CD_2CCH_2
A (MHz)	117600.541(744)	96431.962[a]
B (MHz)	8374.299(39)	7955.141(7)
C (MHz)	8261.946(41)	7737.167(7)
Δ_J (kHz)	3.06(44)	2.374(270)
Δ_{JK} (kHz)	154.(19)	129.57(84)
Δ_K (kHz)	2160.(460)	1316.[a]
δ_J (kHz)	0.0635(12)	0.0758(4)
δ_K (kHz)	-87.2(25)	-2.24(19)
<u>Electric Dipole Moment</u> [73081]		
μ (D)		0.0031(3)

[a]Constrained at the value from F. Hegelund and J. Kauppinen, J. Mol. Spectrosc. **110** 106 (1985).

TABLE 10.3. Microwave spectrum of allene C_3H_4

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Vib. state	Ref.
H_2CCCH_2	17758.637	(0.005)	1(0, 1) - 0(0, 0)	$1\nu_{10}$	[87017]
	17780.610	(0.018)	1(0, 1) - 0(0, 0)	$1\nu_9$	[87017]
	17808.853	(0.001)	1(0, 1) - 0(0, 0)	$1\nu_{11}$	[87017]
	35517.190	(0.010)	2(0, 2) - 1(0, 1)	$1\nu_{10}$	[87017]
	35617.620	(0.010)	2(0, 2) - 1(0, 1)	$1\nu_{11}$	[87017]
D_2CCCH_2	7846.450	(0.050)	8(1, 7) - 8(1, 8)		[86012]
	8066.768	(0.050)	26(2,24) - 26(2,25)		[86012]
	9327.856	(0.050)	27(2,25) - 27(2,26)		[86012]
	9807.638	(0.050)	9(1, 8) - 9(1, 9)		[86012]
	10725.376	(0.050)	28(2,26) - 28(2,27)		[86012]
	11986.452	(0.050)	10(1, 9) - 10(1,10)		[86012]
	12267.147	(0.050)	29(2,27) - 29(2,28)		[86012]
	13960.898	(0.050)	30(2,28) - 30(2,29)		[86012]
	14382.877	(0.050)	11(1,10) - 11(1,11)		[86012]
	15692.292	(0.050)	1(0, 1) - 0(0, 0)		[86012]
	15814.124	(0.050)	31(2,29) - 31(2,30)		[86012]
	16996.737	(0.050)	12(1,11) - 12(1,12)		[86012]
	17834.190	(0.050)	32(2,30) - 32(2,31)		[86012]
	47073.55	(0.10)	3(2, 2) - 2(2, 1)		[73081]
	47075.18	(0.10)	3(2, 1) - 2(2, 0)		[73081]
	62760.10	(0.10)	4(3, 2) - 3(3, 1)		[73081]
	62760.10	(0.10)	4(3, 1) - 3(3, 0)		[73081]
	62764.18	(0.10)	4(2, 3) - 3(2, 2)		[73081]
	62768.17	(0.10)	4(2, 2) - 3(2, 1)		[73081]
$DHCCCH_2$	7436.207	(0.050)	19(2,17) - 20(1,20)		[86012]
	7892.260	(0.050)	21(1,21) - 20(2,18)		[86012]
	8349.456	(0.050)	7(0, 7) - 6(1, 6)		[86012]
	8620.983	(0.050)	5(1, 5) - 6(0, 6)		[86012]
	8787.459	(0.050)	12(1,11) - 12(1,12)		[86012]
	10251.262	(0.050)	13(1,12) - 13(1,13)		[86012]
	10669.538	(0.050)	32(2,30) - 31(3,29)		[86012]
	11827.560	(0.050)	14(1,13) - 14(1,14)		[86012]
	13516.132	(0.050)	15(1,14) - 15(1,15)		[86012]
	14749.380	(0.050)	31(3,28) - 32(2,31)		[86012]
	15316.867	(0.050)	16(1,15) - 16(1,16)		[86012]
	16636.279	(0.050)	1(0, 1) - 0(0, 0)		[86012]
	16728.297	(0.050)	20(1,19) - 19(2,18)		[86012]
	18218.606	(0.050)	34(2,33) - 33(3,30)		[86012]
	18720.821	(0.050)	17(2,16) - 18(1,17)		[86012]

Table 11.1. Molecular constants for cyclopropene and 1,2-dideuterocyclopropene.

Parameter		CH_2 / \ HC=CH	CH_2 / \ DC=CD
A"	(MHz)	30061.2906(16)	23178.165(25)
B"	(MHz)	21825.7814(10)	20102.070(25)
C"	(MHz)	13795.7624(8)	11585.453(17)
τ_1	(MHz)	-0.486516(89)	-0.2772(426)
τ_2	(MHz)	-0.121949(28)	-0.0667(136)
τ_3	(MHz)	4.1633(4)	5.1(2)
τ_{aaaa}	(MHz)	-0.207119(78)	-0.1357(57)
τ_{bbbb}	(MHz)	-0.154729(22)	-0.1389(109)
τ_{cccc}	(MHz)	-0.026625(18)	----
H_{JK}	(Hz)	-0.393(96)	
H_{KJ}	(Hz)	1.69(29)	
H_K	(Hz)	-1.354(380)	
h_J	(Hz)	0.0364(12)	
h_{JK}	(Hz)	-0.168(54)	
h_K	(Hz)	1.249(13)	
Dipole moment [59017]			
μ_a	(D)	0.454(10)	0.461(10)

Table 11.2. Molecular constants for $^{13}C_1$, $^{13}C_2$, D_2 (methylenic) and D (ethylenic) species of cyclopropene.

Parameter [Reference]		CH_2 / \ HC=^{13}CH [75050]	$^{13}CH_2$ / \ HC=CH [75050]	HCD / \ HC=CH [75050]	CH_2 / \ DC=CH [59017]
A	(MHz)	30062.00(31)	29369.26(24)	28792.96(21)	26898.7
B	(MHz)	21129.22(22)	21601.94(18)	19356.66(19)	20520.1
C	(MHz)	13513.62(22)	13560.06(18)	13011.74(19)	12606.1
Dipole moments [59017]					
μ_a	(D)			0.446	0.443
μ_b	(D)			0	0.156(20)
μ_c	(D)			0.443	0

TABLE 11.3. Microwave spectrum of cyclopropene C_3H_4

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Ref.
$CHCH_2CH$	15089.620	(0.030)	3(2, 1) - 3(2, 2)	[69055]
	19247.250	(0.020)	29(16,13) - 29(16,14)	[75050]
	19784.260	(0.020)	12(7, 5) - 12(7, 6)	[75050]
	20488.440	(0.020)	31(17,14) - 31(17,15)	[75050]
$CH=CH$	21544.196	(0.030)	5(3, 2) - 5(3, 3)	[69055]
	21699.560	(0.020)	33(18,15) - 33(18,16)	[75050]
CH_2	22728.940	(0.020)	14(8, 6) - 14(8, 7)	[75050]
	22880.100	(0.020)	35(19,16) - 35(19,17)	[75050]
	24029.680	(0.020)	37(20,17) - 37(20,18)	[75050]
	24089.592	(0.020)	2(1, 1) - 2(1, 2)	[69055]
	25148.040	(0.020)	39(21,18) - 39(21,19)	[75050]
	25593.960	(0.020)	16(9, 7) - 16(9, 8)	[75050]
	27599.740	(0.020)	7(4, 3) - 7(4, 4)	[75050]
	28382.210	(0.020)	18(10, 8) - 18(10, 9)	[75050]
	31095.940	(0.020)	20(11, 9) - 20(11,10)	[75050]
	33353.410	(0.020)	9(5, 4) - 9(5, 5)	[75050]
	33737.110	(0.020)	22(12,10) - 22(12,11)	[75050]
	34935.353	(0.020)	4(2, 2) - 4(2, 3)	[69055]
	35621.290	(0.020)	1(0, 1) - 0(0, 0)	[69055]
	36306.970	(0.020)	24(13,11) - 24(13,12)	[75050]
	38807.120	(0.020)	26(14,12) - 26(14,13)	[75050]
	38860.280	(0.020)	11(6, 5) - 11(6, 6)	[75050]
	39098.420	(0.020)	3(0, 3) - 2(2, 0)	[75050]
	92868.180	(0.010)	3(1, 3) - 2(1, 2)	[87008]
	95444.193	(0.010)	3(0, 3) - 2(0, 2)	[87008]
	98817.024	(0.010)	5(1, 4) - 5(1, 5)	[87008]
	101782.053	(0.010)	5(2, 4) - 5(0, 5)	[87008]
	102488.675	(0.010)	6(3, 4) - 6(1, 5)	[87008]
	106860.325	(0.010)	3(2, 2) - 2(2, 1)	[87008]
	108505.921	(0.010)	12(4, 9) - 11(6, 6)	[87008]
	128959.020	(0.020)	28(14,14) - 28(14,15)	[86006]
	130207.269	(0.020)	9(5, 5) - 9(3, 6)	[86006]
	130719.509	(0.030)	11(5, 7) - 10(7, 4)	[86006]
	131660.858	(0.020)	17(8, 9) - 17(8,10)	[86006]
	134337.198	(0.030)	15(9, 7) - 14(11, 4)	[86006]
	135126.122	(0.020)	7(5, 3) - 7(3, 4)	[86006]
	135147.198	(0.020)	9(3, 6) - 9(3, 7)	[86006]
	135227.870	(0.020)	30(15,15) - 30(15,16)	[86006]
	135485.125	(0.020)	12(5, 7) - 12(5, 8)	[86006]
	135786.145	(0.030)	16(4,12) - 15(6, 9)	[86006]
	149279.120	(0.010)	5(1, 5) - 4(1, 4)	[87008]
	149432.519	(0.010)	14(6, 8) - 14(6, 9)	[87008]
	149548.939	(0.010)	5(0, 5) - 4(0, 4)	[87008]
	152662.769	(0.010)	19(5,14) - 18(7,11)	[87008]
	161402.303	(0.020)	10(3, 7) - 10(3, 8)	[86006]
	161478.222	(0.020)	23(11,12) - 23(11,13)	[86006]
	161958.377	(0.020)	12(6, 7) - 12(4, 8)	[86006]
	162920.429	(0.020)	16(7, 9) - 16(7,10)	[86006]
	163010.373	(0.010)	18(11, 8) - 17(13, 5)	[87008]
	163820.198	(0.020)	10(4, 7) - 10(2, 8)	[86006]
	164054.815	(0.030)	40(20,20) - 40(20,21)	[86006]
	165360.735	(0.010)	14(8, 6) - 13(10, 3)	[87008]
	166147.003	(0.010)	10(5, 5) - 9(7, 2)	[87008]
	166421.837	(0.020)	9(2, 7) - 9(2, 8)	[86006]
	166901.060	(0.020)	9(3, 7) - 9(1, 8)	[86006]
	168570.295	(0.020)	13(5, 8) - 13(5, 9)	[86006]
	169401.329	(0.020)	8(1, 7) - 8(1, 8)	[86006]
	169445.995	(0.020)	8(3, 5) - 7(5, 2)	[86006]
	169465.977	(0.020)	8(2, 7) - 8(0, 8)	[86006]
	170089.110	(0.020)	5(2, 4) - 4(2, 3)	[86006]
	170863.101	(0.020)	25(12,13) - 25(12,14)	[86006]
	170932.920	(0.010)	13(7, 7) - 13(5, 8)	[87008]
	171570.082	(0.020)	5(4, 1) - 5(2, 4)	[86006]
	171862.920	(0.020)	13(6, 8) - 12(8, 5)	[86006]
	172700.264	(0.010)	12(7, 6) - 12(5, 8)	[87008]
	174623.476	(0.020)	3(2, 1) - 2(0, 2)	[86006]
	174915.602	(0.010)	5(1, 4) - 4(1, 3)	[87008]
	176000.634	(0.020)	18(8,10) - 18(8,11)	[86006]

TABLE 11.3. Microwave spectrum of cyclopropene — Continued C_3H_4

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Ref.
	176563.929	(0.020)	9(4, 5) - 8(6, 2)	[86006]
	176954.339	(0.020)	6(1, 6) - 5(1, 5)	[86006]
	177022.433	(0.010)	6(0, 6) - 5(0, 5)	[87008]
	180569.324	(0.010)	8(6, 3) - 8(4, 4)	[87008]
	184626.564	(0.020)	14(7, 8) - 13(9, 5)	[87008]
	190269.093	(0.010)	25(8,18) - 24(10,15)	[87008]
	193665.941	(0.020)	9(3, 6) - 8(5, 3)	[86006]
	194658.487	(0.020)	14(8, 7) - 14(6, 8)	[86006]
	195615.548	(0.020)	6(5, 1) - 6(3, 4)	[86006]
	195955.301	(0.020)	3(3, 0) - 2(1, 1)	[86006]
	196379.160	(0.020)	21(6,15) - 20(8,12)	[87008]
	196397.198	(0.010)	5(2, 3) - 4(2, 2)	[87008]
	197254.017	(0.020)	14(5, 9) - 15(5,10)	[86006]
	197495.388	(0.020)	5(3, 2) - 4(3, 1)	[86006]
	197570.049	(0.010)	31(15,16) - 31(15,17)	[87008]
	198316.905	(0.020)	15(7, 9) - 15(5,10)	[86006]
	199136.982	(0.020)	6(2, 5) - 5(2, 4)	[87008]
	199301.345	(0.020)	16(8, 9) - 16(6,10)	[86006]
	199905.686	(0.020)	17(7,10) - 17(7,11)	[86006]
	201087.180	(0.020)	22(10,12) - 22(10,13)	[86006]
	201120.278	(0.020)	6(1, 5) - 5(1, 4)	[86006]
	201272.394	(0.010)	7(6, 2) - 7(4, 3)	[87008]
	201560.781	(0.020)	14(6, 9) - 14(4,10)	[86006]
	204121.257	(0.020)	6(4, 2) - 6(2, 5)	[86006]
	204560.676	(0.020)	7(1, 6) - 6(1, 6)	[86006]
	204576.617	(0.020)	7(0, 7) - 6(0, 6)	[86006]
	204732.293	(0.010)	13(4, 9) - 13(4,10)	[87008]
	205826.400	(0.020)	13(5, 9) - 13(3,10)	[86006]
	206024.480	(0.020)	33(16,17) - 33(16,18)	[86006]
	258536.982	(0.020)	20(11,10) - 20(9,11)	[86006]
	258613.762	(0.020)	19(7,12) - 19(7,13)	[86006]
	258619.637	(0.050)	32(15,17) - 32(15,18)	[86006]
	258797.927	(0.020)	13(2,11) - 13(2,12)	[86006]
	259733.320	(0.200)	9(0, 9) - 8(0, 8)	[86006]
	259733.320	(0.200)	9(1, 9) - 8(1, 8)	[86006]
	260042.732	(0.020)	7(4, 4) - 6(4, 3)	[86006]
	260780.767	(0.020)	7(6, 1) - 6(6, 0)	[86006]
	260963.843	(0.020)	19(8,12) - 19(6,13)	[86006]
	261021.910	(0.200)	12(2,11) - 12(0,12)	[86006]
	261021.910	(0.200)	12(1,11) - 12(1,12)	[86006]
	261051.753	(0.020)	17(10, 8) - 17(8, 9)	[86006]
	262442.820	(0.020)	7(5, 3) - 6(5, 2)	[86006]
	263535.563	(0.020)	22(9,13) - 22(9,14)	[86006]
	265663.338	(0.020)	7(5, 2) - 6(5, 1)	[86006]
	266019.889	(0.020)	18(6,12) - 18(6,13)	[86006]
	266640.816	(0.020)	18(7,12) - 18(5,13)	[86006]
	266861.064	(0.020)	23(12,12) - 23(10,13)	[86006]
	267176.301	(0.020)	14(9, 6) - 14(7, 7)	[86006]
	268385.389	(0.020)	23(11,13) - 23(9,14)	[86006]
	270473.476	(0.020)	24(12,13) - 24(10,14)	[86006]
	271446.951	(0.020)	17(5,12) - 17(5,13)	[86006]
	271587.728	(0.020)	17(6,12) - 17(4,13)	[86006]
	271631.600	(0.070)	27(12,15) - 27(12,16)	[86006]
	272482.493	(0.020)	22(10,13) - 22(8,14)	[86006]
	274950.092	(0.040)	10(7, 3) - 10(5, 6)	[86006]
	275664.418	(0.020)	16(4,12) - 16(4,13)	[86006]
	275691.261	(0.020)	16(5,12) - 16(3,13)	[86006]
	275802.194	(0.020)	21(8,13) - 21(8,14)	[86006]
	276292.091	(0.020)	12(5, 7) - 11(7, 4)	[86006]
	277108.711	(0.020)	8(3, 6) - 7(3, 5)	[86006]
	277212.986	(0.020)	7(4, 3) - 6(4, 2)	[86006]
	277312.300	(0.020)	7(3, 4) - 6(3, 3)	[86006]
	325642.564	(0.020)	9(4, 6) - 8(4, 5)	[86006]
	332580.788	(0.040)	22(7,15) - 22(7,16)	[86006]
	333187.194	(0.020)	10(3, 8) - 9(3, 7)	[86006]
	333522.130	(0.020)	10(2, 8) - 9(2, 7)	[86006]
	334362.950	(0.020)	9(8, 2) - 8(8, 1)	[86006]

TABLE 11.3. Microwave spectrum of cyclopropene — Continued C_3H_4

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$	-	$J''(K_{-1},K_{+1})$	Ref.
	334645.654	(0.020)	9(3, 6)	-	8(3, 5)	[86006]
	336811.212	(0.020)	9(7, 3)	-	8(7, 2)	[86006]
	337131.062	(0.020)	9(7, 2)	-	8(7, 1)	[86006]
	337500.944	(0.020)	21(7,15)	-	21(5,16)	[86006]
	337513.419	(0.020)	9(5, 5)	-	8(5, 4)	[86006]
	337779.745	(0.020)	11(2,10)	-	10(2, 9)	[86006]
	337782.580	(0.020)	11(1,10)	-	10(1, 9)	[86006]
	339348.140	(0.020)	9(6, 4)	-	8(6, 3)	[86006]
	342473.856	(0.050)	12(1,12)	-	11(1,11)	[86006]
	342473.856	(0.050)	12(0,12)	-	11(0,11)	[86006]
	343502.309	(0.020)	9(6, 3)	-	8(6, 2)	[86006]
	388329.470	(0.020)	12(3,10)	-	11(3, 9)	[86006]
	388354.773	(0.020)	12(2,10)	-	11(2, 9)	[86006]
	389373.044	(0.020)	10(4, 6)	-	9(4, 5)	[86006]
	389488.619	(0.020)	10(6, 4)	-	9(6, 3)	[86006]
	392915.652	(0.200)	13(1,12)	-	12(1,11)	[86006]
	392915.652	(0.200)	13(2,12)	-	12(2,11)	[86006]
	397625.816	(0.050)	14(0,14)	-	13(0,13)	[86006]
	397625.816	(0.050)	14(1,14)	-	13(1,13)	[86006]
	401513.206	(0.020)	10(5, 5)	-	9(5, 4)	[86006]
	403820.287	(0.020)	11(5, 7)	-	10(5, 6)	[86006]
	411462.546	(0.020)	12(4, 9)	-	11(4, 8)	[86006]
	411976.242	(0.020)	12(3, 9)	-	11(3, 8)	[86006]
	413450.659	(0.050)	11(8, 4)	-	10(8, 3)	[86006]
	413916.720	(0.050)	11(8, 3)	-	10(8, 2)	[86006]
	415328.566	(0.020)	11(6, 6)	-	10(6, 5)	[86006]
	452768.740	(0.040)	16(1,16)	-	15(1,15)	[86006]
	452768.740	(0.040)	16(0,16)	-	15(0,15)	[86006]
	462079.285	(0.080)	13(5, 9)	-	12(5, 8)	[86006]
	470335.604	(0.040)	12(5, 7)	-	11(5, 6)	[86006]
	470954.721	(0.200)	15(2,13)	-	14(2,12)	[86006]
	470954.721	(0.200)	15(3,13)	-	14(3,12)	[86006]
	475612.842	(0.050)	16(1,15)	-	15(1,14)	[86006]
	475612.842	(0.050)	16(2,15)	-	15(2,14)	[86006]
	480336.475	(0.050)	17(1,17)	-	16(1,16)	[86006]
	480336.475	(0.050)	17(0,17)	-	16(0,16)	[86006]
	480336.475	(0.050)	17(1,17)	-	16(1,16)	[86006]
	482190.737	(0.050)	13(6, 8)	-	12(6, 7)	[86006]
	482555.735	(0.040)	12(6, 6)	-	11(6, 5)	[86006]
$^{13}CHCH_2CH$	19342.29	(0.05)	10(6, 4)	-	10(6, 5)	[75050]
	22602.59	(0.05)	5(3, 2)	-	5(3, 3)	[75050]
	24125.30	(0.05)	2(1, 1)	-	2(1, 2)	[75050]
	29564.40	(0.05)	7(4, 3)	-	7(4, 4)	[75050]
	35161.58	(0.05)	1(0, 1)	-	0(0, 0)	[75050]
	35547.49	(0.05)	4(2, 2)	-	4(2, 3)	[75050]
	36447.37	(0.05)	9(5, 4)	-	9(5, 5)	[75050]
$CH^{13}CH_2CH$	18232.84	(0.05)	5(3, 2)	-	5(3, 3)	[75050]
	22134.49	(0.05)	7(4, 3)	-	7(4, 4)	[75050]
	22845.80	(0.05)	2(1, 1)	-	2(1, 2)	[75050]
	25361.12	(0.05)	9(5, 4)	-	9(5, 5)	[75050]
	31859.21	(0.05)	4(2, 2)	-	4(2, 3)	[75050]
	34642.43	(0.05)	1(0, 1)	-	0(0, 0)	[75050]
	39332.42	(0.10)	6(3, 3)	-	6(3, 4)	[75050]
$CDCH_2CH$	20700.90	(0.10)	8(5, 3)	-	8(5, 4)	[59017]
	23741.60	(0.10)	2(1, 1)	-	2(1, 2)	[59017]
	25209.60	(0.10)	5(3, 2)	-	5(3, 3)	[59017]
	27649.20	(0.10)	10(6, 4)	-	10(6, 5)	[59017]
	33126.10	(0.10)	1(0, 1)	-	0(0, 0)	[59017]
	34726.60	(0.10)	7(4, 3)	-	7(4, 4)	[59017]
	35306.10	(0.10)	12(7, 5)	-	12(7, 6)	[59017]
	36498.70	(0.10)	4(2, 2)	-	4(2, 3)	[59017]
CHCHDCH	19034.30	(0.10)	2(1, 1)	-	2(1, 2)	[59017]
	24449.10	(0.10)	4(2, 2)	-	4(2, 3)	[59017]
	27632.70	(0.10)	6(3, 3)	-	6(3, 4)	[59017]
	28790.10	(0.10)	12(6, 6)	-	12(6, 7)	[59017]
	29165.30	(0.10)	8(4, 4)	-	8(4, 5)	[59017]
	29446.20	(0.10)	10(5, 5)	-	10(5, 6)	[59017]

TABLE 11.3. Microwave spectrum of cyclopropene — Continued C_3H_4

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$	-	$J''(K_{-1},K_{+1})$	Ref.
	32368.00	(0.10)	1(0, 1)	-	0(0, 0)	[59017]
	37508.90	(0.10)	3(1, 2)	-	3(1, 3)	[59017]
$CDCH_2CD$	16449.774	(0.030)	4(3, 1)	-	4(3, 2)	[69055]
	19647.90	(0.10)	11(8, 3)	-	11(8, 4)	[59017]
	21429.055	(0.030)	3(2, 1)	-	3(2, 2)	[69055]
	23124.00	(0.10)	7(5, 2)	-	7(5, 3)	[59017]
	25549.330	(0.020)	2(1, 1)	-	2(1, 2)	[69055]
	28955.50	(0.10)	10(7, 3)	-	10(7, 4)	[59017]
	30819.70	(0.10)	6(4, 2)	-	6(4, 3)	[59017]
	31687.35	(0.03)	1(0, 1)	-	0(0, 0)	[69055]
	35471.348	(0.020)	2(2, 1)	-	2(0, 2)	[69055]
	37894.22	(0.02)	5(3, 2)	-	5(3, 3)	[69055]

Table 12.1. Molecular constants for propyne and ^{13}C-propyne in the ground vibrational state.

Parameter	CH_3CCH	$^{13}CH_3CCH$	$CH_3{}^{13}CCH$	$CH_3C^{13}CH$
Rotational constants [79038]				
B_o (MHz)	8545.87712(6)	8313.2469(22)	8542.3321(17)	8290.2498(16)
D_J (kHz)	2.9423(7)	2.796(23)	2.936(17)	2.801(16)
D_{JK} (kHz)	163.473(10)	155.201(61)	162.857(59)	155.533(57)
D_K[a] (kHz)	2983.	2991.	2984.	2991.
H_{JJJ} (Hz)	0.0097(20)	-0.044(62)	-0.048(50)	0.117(45)
H_{JJK} (Hz)	0.935(68)	0.84(20)	1.24(21)	0.78(18)
H_{JKK} (Hz)	5.23(14)	5.09(67)	4.80(38)	5.56(57)
Dipole moment [66042]				
μ (D)	0.7804			
Magnetic constants				
$g_\perp$	0.00350(15)		[69064]	
$g_\parallel$	0.295		[75055]	
$\chi_\perp-\chi_\parallel$	$7.74(14)\times10^{-6}$ erg/G^2·mol		[69064]	
$\theta_\parallel$	$4.82(23)\times10^{-26}$ esu·cm^2		[69064]	

[a]Calculated from the force field in reference [76058].

Table 12.2. Molecular constants for deuterated species of CH_3CCH.[a]

Species	B_o	C_o	D_J	D_{JK}	eqQ(D)	Reference
CH_3CCD	7788.1699(26)	---	0.00287(38)	0.1414(25)	0.228(2)[b]	[present]
CD_3CCH	7355.7680(122)	---	0.00227(40)	0.10386(26)[c]	b	[present]
CD_3CCD	6734.32(5)	---	~0.002	0.09		[55018]
CH_2DCCH	8155.67(10)	8025.46(10)	~0.003	0.13		[55018]
CHD_2CCH	7765.73(10)	7630.99(10)	~0.002	0.13		[55018]
CH_2DCCD	7440.77(10)	7331.96(10)	~0.001	0.12		[55018]
CHD_2CCD	7095.09(10)	6982.56(10	---	0.11		[55018]

Dipole moment for CD_3CCH [70029]

μ (K=0) = 0.78780(13) D

μ (K=2) = 0.78765(21) D

μ (K=3) = 0.78741(14) D

[a]Rotational, centrifugal distortion and hyperfine constants in MHz.
[b]From reference [82035]. For CD_3CCH $eq_{aa}Q$ = -0.0550(5) MHz, $eq_{zz}Q$ = 0.174(6) MHz and c_D = 0.06(9) kHz.
[c]From reference [70029].

Table 12.3. Molecular constants for propyne in the $v_9=1$ and $v_5=1$ vibrational states.

Parameter		$v_9=1$ Excited State	$v_9=2$ Excited State	$v_5=1$ Excited State
Rotational Constants				
A_v	(MHz)	142433.	137392.	
B_v	(MHz)	8551.0547	8556.1996	8508.119(3)
D_J	(MHz)	0.00286	0.00296	0.0018(2)
D_{JK}	(MHz)	0.1659	0.1672	0.169(1)
q_v	(MHz)	2.2592	2.2613	
q_{12}	(MHz)	-5.	-10.	
$\|u\|$	(MHz)	0.00043	---	
ζ_9	(MHz)	1.000	0.94	
$(B_v-C_v+C_v\ \zeta_9)^{-1}$	(MHz)	0.0001174	---	
η_J	(MHz)	0.4645	0.4687	
Electric Dipole Moment				
μ		0.58(12)[a] D		0.7954(10) D
Reference		[86019]	[86019]	[80038]

[a]From measurement of linewidth.

Table 12.4. Molecular constants for propyne in the ν_{10} excited state.

Parameter[a]		$v_{10}=1$	$v_{10}=2$	$v_{10}=3$	$v_{10}=4$
B_v[b]	(MHz)	8569.9919	8593.9546	8617.624	8640.569
D_J	(MHz)	0.003018	0.00312	0.0086	0.002974
D_{JK}	(MHz)	0.1638	0.1642	0.1095	0.1653
ρ^*	(MHz)	0.001950	---	---	---
q_J	(MHz)	4.1938	4.1938	4.1778	4.17786
$q_5^2/(B_v-C_v+\zeta_{10})$	(MHz)	-0.002051	---	---	---
$\gamma_{\ell\ell}$	(MHz)		-0.2164	-0.2143	-0.1798
ζ	(MHz)		0.889	0.750	0.76
q_{12}	(MHz)		-33.681	-37.64	-38.
d_{12}	(MHz)		112.11	77.1	81.
$\chi_{\ell\ell}$	(MHz)		147834.		144800.
η_J	(MHz)			0.4007	0.33714
η_{JJ}	(MHz)			0.00149	0.00125
η_{JK}	(MHz)			0.00296	0.003
α_{10}[b]	(MHz)		-24.280		
γ_{10}[b]	(MHz)		0.123		
Reference		[69063]	[85015]	[86007]	[86020]

[a]See references cited for definition of the parameters.
[b]Uncertainties are a few units in the least significant figure.
$B_{\nu_{10}} = B_o - \alpha_{10} - q_{10} + \gamma_{11}$ and $B_{2\nu_{10}} = B_o - 2\alpha_{10} - 4\gamma_{10}$.

TABLE 12.5. Microwave spectrum of propyne C_3H_4

Isotopic species	Frequency (MHz)	Unc. (MHz)	J' K' - J'' K''	F' F_1' - F'' F_1''	Vib. state	Ref.
CH_3CCH	17016.231	(0.010)	1(0) - 0(0)		$1\nu_5$	[80038]
	17091.718	(0.030)	1(0) - 0(0)			[84032]
	17102.050	(0.050)	1(0) - 0(0)		$1\nu_9$ $\ell=+1$	[84032]
	17139.588	(0.050)	1(0) - 0(0)		$1\nu_{10}$ $\ell=+1$	[84032]
	17186.451	(0.100)	1(0) - 0(0)		$2\nu_{10}$ $\ell=+2$	[85015]
	17187.337	(0.100)	1(0) - 0(0)		$2\nu_{10}$ $\ell=+0$	[85015]
	17232.13	(0.10)	1(0) - 0(0)		$3\nu_{10}$ $\ell=+3$	[86007]
	17232.86	(0.10)	1(0) - 0(0)		$3\nu_{10}$ $\ell=+1$	[86007]
	17233.36	(0.10)	1(0) - 0(0)		$3\nu_{10}$ $\ell=+1$	[86007]
	17277.010	(0.200)	1(0) - 0(0)		$4\nu_{10}$ $\ell=+4$	[86020]
	34031.744	(0.010)	2(0) - 1(0)		$1\nu_5$	[80038]
	34032.416	(0.010)	2(1) - 1(1)		$1\nu_5$	[80038]
	34182.762	(0.005)	2(1) - 1(1)			[80038]
	34183.413	(0.005)	2(0) - 1(0)			[80038]
	34187.238	(0.050)	2(+1) - 1(+1)		$1\nu_9$ $\ell=+1$	[84032]
	34202.900	(0.050)	2(+1) - 1(+1)		$1\nu_9$ $\ell=-1$	[84032]
	34204.130	(0.050)	2(0) - 1(0)		$1\nu_9$ $\ell=+1$	[84032]
	34223.401	(0.050)	2(+1) - 1(+1)		$1\nu_9$ $\ell=+1$	[84032]
	34227.592	(0.200)	2(+1) - 1(+1)		$2\nu_9$ $\ell=+2$	[86019]
	34246.269	(0.050)	2(+1) - 1(+1)		$1\nu_{10}$ $\ell=+1$	[84032]
	34277.184	(0.050)	2(+1) - 1(+1)		$1\nu_{10}$ $\ell=-1$	[84032]
	34279.161	(0.050)	2(0) - 1(0)		$1\nu_{10}$ $\ell=+1$	[84032]
	34313.523	(0.050)	2(+1) - 1(+1)		$1\nu_{10}$ $\ell=+1$	[84032]
	34369.481	(0.100)	2(+1) - 1(+1)		$2\nu_{10}$ $\ell=-2$	[85015]
	34373.015	(0.100)	2(0) - 1(0)		$2\nu_{10}$ $\ell=+2$	[85015]
	34373.759	(0.100)	2(1) - 1(1)		$2\nu_{10}$ $\ell=0$	[85015]
	34374.513	(0.100)	2(0) - 1(0)		$2\nu_{10}$ $\ell=0$	[85015]
	34402.40	(0.10)	2(−1) - 1(−1)		$3\nu_{10}$ $\ell=-1$	[86007]
	34459.79	(0.10)	2(+1) - 1(+1)		$3\nu_{10}$ $\ell=-3$	[86007]
	34464.81	(0.10)	2(0) - 1(0)		$3\nu_{10}$ $\ell=+3$	[86007]
	34465.50	(0.10)	2(0) - 1(0)		$3\nu_{10}$ $\ell=+1$	[86007]
	34467.96	(0.10)	2(+1) - 1(+1)		$3\nu_{10}$ $\ell=+3$	[86007]
	34536.12	(0.10)	2(1) - 1(1)		$3\nu_{10}$ $\ell=1$	[86007]
	34547.348	(0.200)	2(+1) - 1(+1)		$4\nu_{10}$ $\ell=+2$	[86020]
	34553.348	(0.200)	2(0) - 1(0)		$4\nu_{10}$ $\ell=+4$	[86020]
	34556.808	(0.200)	2(−1) - 1(−1)		$4\nu_{10}$ $\ell=+2$	[86020]
	34558.234	(0.200)	2(+1) - 1(+1)		$4\nu_{10}$ $\ell=0$	[86020]
	34561.225	(0.200)	2(0) - 1(0)		$4\nu_{10}$ $\ell=0$	[86020]
	34561.315	(0.200)	2(+1) - 1(+1)		$4\nu_{10}$ $\ell=+4$	[86020]
	34561.876	(0.200)	2(0) - 1(0)		$4\nu_{10}$ $\ell=+2$	[86020]
	51271.000	(0.030)	3(2) - 2(2)			[84032]
	51273.980	(0.030)	3(1) - 2(1)			[84032]
	51274.947	(0.030)	3(0) - 2(0)			[84032]
	51280.668	(0.050)	3(+1) - 2(+1)		$1\nu_9$ $\ell=+1$	[84032]
	51304.220	(0.050)	3(+1) - 2(+1)		$1\nu_9$ $\ell=-1$	[84032]
	51306.073	(0.050)	3(0) - 2(0)		$1\nu_9$ $\ell=+1$	[84032]
	51307.609	(0.050)	3(+2) - 2(+2)		$1\nu_9$ $\ell=+1$	[84032]
	51322.344	(0.200)	3(−2) - 2(−2)		$2\nu_9$ $\ell=+2$	[86019]
	51330.025	(0.200)	3(−1) - 2(−1)		$2\nu_9$ $\ell=+2$	[86019]
	51334.949	(0.050)	3(+1) - 2(+1)		$1\nu_9$ $\ell=+1$	[84032]
	51340.980	(0.200)	3(+1) - 2(+1)		$2\nu_9$ $\ell=+2$	[86019]
	51343.854	(0.200)	3(+2) - 2(+2)		$2\nu_9$ $\ell=+2$	[86019]
	51369.214	(0.050)	3(+1) - 2(+1)		$1\nu_{10}$ $\ell=+1$	[84032]
	51410.612	(0.050)	3(+2) - 2(+2)		$1\nu_{10}$ $\ell=-1$	[84032]
	51415.471	(0.050)	3(+1) - 2(+1)		$1\nu_{10}$ $\ell=-1$	[84032]
	51418.341	(0.050)	3(0) - 2(0)		$1\nu_{10}$ $\ell=+1$	[84032]
	51418.915	(0.050)	3(+2) - 2(+2)		$1\nu_{10}$ $\ell=+1$	[84032]
	51469.901	(0.050)	3(+1) - 2(+1)		$1\nu_{10}$ $\ell=+1$	[84032]
	51547.171	(0.100)	3(−2) - 2(−1)		$2\nu_{10}$ $\ell=+2$	[85015]
	51553.774	(0.100)	3(+1) - 2(+1)		$2\nu_{10}$ $\ell=-2$	[85015]
	51560.432	(0.100)	3(1) - 2(1)		$2\nu_{10}$ $\ell=0$	[85015]
	51560.785	(0.100)	3(2) - 2(2)		$2\nu_{10}$ $\ell=0$	[85015]
	51561.503	(0.100)	3(0) - 2(0)		$2\nu_{10}$ $\ell=0$	[85015]
	51563.414	(0.100)	3(+2) - 2(+2)		$2\nu_{10}$ $\ell=0$	[85015]
	51602.90	(0.10)	3(−1) - 2(−1)		$3\nu_{10}$ $\ell=-1$	[86007]
	51680.33	(0.10)	3(+2) - 2(+2)		$3\nu_{10}$ $\ell=-3$	[86007]
	51689.32	(0.10)	3(+2) - 2(+2)		$3\nu_{10}$ $\ell=-1$	[86007]

TABLE 12.5. Microwave spectrum of propyne — Continued C_3H_4

Isotopic species	Frequency (MHz)	Unc. (MHz)	J' K' - J'' K''	F' F_1' - F'' F_1''	Vib. state	Ref.
	51696.73	(0.10)	3(0) - 2(0)		$3\nu_{10}$ $\ell=+1$	[86007]
	51698.18	(0.10)	3(0) - 2(0)		$3\nu_{10}$ $\ell=+3$	[86007]
	51701.34	(0.10)	3(+2) - 2(+2)		$3\nu_{10}$ $\ell=+1$	[86007]
	51701.89	(0.10)	3(+1) - 2(+1)		$3\nu_{10}$ $\ell=+3$	[86007]
	51803.54	(0.10)	3(1) - 2(1)		$3\nu_{10}$ $\ell=1$	[86007]
	51804.910	(0.200)	3(−2) - 2(−2)		$4\nu_{10}$ $\ell=+4$	[86020]
	51832.710	(0.200)	3(−1) - 2(−1)		$4\nu_{10}$ $\ell=+2$	[86020]
	51836.464	(0.200)	3(+1) - 2(+1)		$4\nu_{10}$ $\ell=0$	[86020]
	51842.176	(0.200)	3(0) - 2(0)		$4\nu_{10}$ $\ell=0$	[86020]
	51843.421	(0.200)	3(+1) - 2(+1)		$4\nu_{10}$ $\ell=+4$	[86020]
	51844.724	(0.200)	3(0) - 2(0)		$4\nu_{10}$ $\ell=+2$	[86020]
	51854.655	(0.200)	3(+2) - 2(+2)		$4\nu_{10}$ $\ell=0$	[86020]
	51870.727	(0.200)	3(+2) - 2(+2)		$4\nu_{10}$ $\ell=+4$	[86020]
	68354.502	(0.005)	4(3) - 3(3)			[78031]
	68361.035	(0.001)	4(2) - 3(2)			[78031]
	68364.956	(0.001)	4(1) - 3(1)			[78031]
	68366.230	(0.030)	4(0) - 3(0)			[69063]
	68373.872	(0.050)	4(+1) - 3(+1)		$1\nu_9$ $\ell=+1$	[84032]
	68384.644	(0.050)	4(+3) - 3(+3)		$1\nu_9$ $\ell=-1$	[84032]
	68394.941	(0.050)	4(+2) - 3(+2)		$1\nu_9$ $\ell=-1$	[84032]
	68405.342	(0.050)	4(+1) - 3(+1)		$1\nu_9$ $\ell=-1$	[84032]
	68406.824	(0.050)	4(+3) - 3(+3)		$1\nu_9$ $\ell=+1$	[84032]
	68407.856	(0.050)	4(0) - 3(0)		$1\nu_9$ $\ell=+1$	[84032]
	68409.668	(0.050)	4(+2) - 3(+2)		$1\nu_9$ $\ell=+1$	[84032]
	68446.336	(0.050)	4(+1) - 3(+1)		$1\nu_9$ $\ell=+1$	[84032]
	68447.100	(0.050)	4(+1) - 3(+1)		$2\nu_9$ $\ell=0$	[86019]
	68448.633	(0.200)	4(0) - 3(0)		$2\nu_9$ $\ell=+2$	[86019]
	68448.875	(0.050)	4(0) - 3(0)		$2\nu_9$ $\ell=0$	[86019]
	68491.993	(0.030)	4(+1) - 3(+1)		$1\nu_{10}$ $\ell=+1$	[69063]
	68454.518	(0.200)	4(+1) - 3(+1)		$2\nu_9$ $\ell=+2$	[86019]
	68457.956	(0.200)	4(+2) - 3(+2)		$2\nu_9$ $\ell=+2$	[86019]
	68538.052	(0.030)	4(+3) - 3(+3)		$1\nu_{10}$ $\ell=-1$	[69063]
	68547.148	(0.030)	4(+2) - 3(+2)		$1\nu_{10}$ $\ell=-1$	[69063]
	68553.602	(0.030)	4(+1) - 3(+1)		$1\nu_{10}$ $\ell=-1$	[69063]
	68554.251	(0.030)	4(+3) - 3(+3)		$1\nu_{10}$ $\ell=+1$	[69063]
	68557.333	(0.030)	4(0) - 3(0)		$1\nu_{10}$ $\ell=+1$	[69063]
	68558.447	(0.030)	4(+2) - 3(+2)		$1\nu_{10}$ $\ell=+1$	[69063]
	68626.217	(0.030)	4(+1) - 3(+1)		$1\nu_{10}$ $\ell=+1$	[69063]
	68737.665	(0.100)	4(+1) - 3(+1)		$2\nu_{10}$ $\ell=-2$	[85015]
	68738.533	(0.100)	4(3) - 3(3)		$2\nu_{10}$ $\ell=0$	[85015]
	68740.904	(0.100)	4(2) - 3(2)		$2\nu_{10}$ $\ell=0$	[85015]
	68746.134	(0.100)	4(1) - 3(1)		$2\nu_{10}$ $\ell=0$	[85015]
	68747.724	(0.100)	4(0) - 3(0)		$2\nu_{10}$ $\ell=0$	[85015]
	68749.992	(0.100)	4(+2) - 3(+2)		$2\nu_{10}$ $\ell=+2$	[85015]
	85431.224	(0.060)	5(4) - 4(4)			[69063]
	85442.528	(0.060)	5(3) - 4(3)			[69063]
	85450.730	(0.060)	5(2) - 4(2)			[69063]
	85455.622	(0.060)	5(1) - 4(1)			[69063]
	85457.272	(0.060)	5(0) - 4(0)			[69063]
	85614.570	(0.060)	5(+1) - 4(+1)		$1\nu_{10}$ $\ell=+1$	[69063]
	85683.174	(0.060)	5(+2) - 4(+2)		$1\nu_{10}$ $\ell=-1$	[69063]
	85684.002	(0.060)	5(+4) - 4(+4)		$1\nu_{10}$ $\ell=+1$	[69063]
	85691.206	(0.060)	5(+1) - 4(+1)		$1\nu_{10}$ $\ell=-1$	[69063]
	85692.374	(0.060)	5(+3) - 4(+3)		$1\nu_{10}$ $\ell=+1$	[69063]
	85695.638	(0.060)	5(0) - 4(0)		$1\nu_{10}$ $\ell=+1$	[69063]
	85697.750	(0.060)	5(+2) - 4(+2)		$1\nu_{10}$ $\ell=+1$	[69063]
	85782.322	(0.060)	5(+1) - 4(+1)		$1\nu_{10}$ $\ell=+1$	[69063]
	102499.110	(0.090)	6(5) - 5(5)			[69063]
	102516.573	(0.090)	6(4) - 5(4)			[69063]
	102530.348	(0.003)	6(3) - 5(3)			[78031]
	102540.145	(0.002)	6(2) - 5(2)			[78031]
	102546.024	(0.001)	6(1) - 5(1)			[78031]
	102547.984	(0.001)	6(0) - 5(0)			[78031]
	102736.158	(0.090)	6(+1) - 5(+1)		$1\nu_{10}$ $\ell=+1$	[69063]
	102766.158	(0.090)	6(+5) - 5(+5)		$1\nu_{10}$ $\ell=-1$	[69063]
	102787.743	(0.090)	6(+4) - 5(+4)		$1\nu_{10}$ $\ell=-1$	[69063]
	102805.311	(0.090)	6(+3) - 5(+3)		$1\nu_{10}$ $\ell=-1$	[69063]

TABLE 12.5. Microwave spectrum of propyne — Continued C_3H_4

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'\ K'$ - $J''\ K''$	$F'\ F_1'$ - $F''\ F_1''$	Vib. state	Ref.
	102818.949	(0.090)	6(+2) - 5(+2)		$1\nu_{10}\ \ell=-1$	[69063]
	102820.305	(0.090)	6(+4) - 5(+4)		$1\nu_{10}\ \ell=+1$	[69063]
	102828.543	(0.090)	6(+1) - 5(+1)		$1\nu_{10}\ \ell=-1$	[69063]
	102830.418	(0.090)	6(+3) - 5(+3)		$1\nu_{10}\ \ell=+1$	[69063]
	102833.604	(0.090)	6(0) - 5(0)		$1\nu_{10}\ \ell=+1$	[69063]
	102837.186	(0.090)	6(+2) - 5(+2)		$1\nu_{10}\ \ell=+1$	[69063]
	102938.040	(0.090)	6(+1) - 5(+1)		$1\nu_{10}\ \ell=+1$	[69063]
	119556.066	(0.060)	7(6) - 6(6)			[69063]
	119581.168	(0.060)	7(5) - 6(5)			[69063]
	119601.726	(0.060)	7(4) - 6(4)			[69063]
	119617.671	(0.005)	7(3) - 6(3)			[78031]
	119629.101	(0.002)	7(2) - 6(2)			[78031]
	119635.958	(0.002)	7(1) - 6(1)			[78031]
	119638.244	(0.001)	7(0) - 6(0)			[78031]
	119858.368	(0.060)	7(+1) - 6(+1)		$1\nu_{10}\ \ell=+1$	[69063]
	119892.576	(0.060)	7(+5) - 6(+5)		$1\nu_{10}\ \ell=-1$	[69063]
	119917.696	(0.060)	7(+4) - 6(+4)		$1\nu_{10}\ \ell=-1$	[69063]
	119919.060	(0.060)	7(+6) - 6(+6)		$1\nu_{10}\ \ell=+1$	[69063]
	119938.214	(0.060)	7(+3) - 6(+3)		$1\nu_{10}\ \ell=-1$	[69063]
	119939.884	(0.060)	7(+5) - 6(+5)		$1\nu_{10}\ \ell=+1$	[69063]
	119954.032	(0.060)	7(+2) - 6(+2)		$1\nu_{10}\ \ell=-1$	[69063]
	119956.112	(0.060)	7(+4) - 6(+4)		$1\nu_{10}\ \ell=+1$	[69063]
	119965.098	(0.060)	7(+1) - 6(+1)		$1\nu_{10}\ \ell=-1$	[69063]
	119968.032	(0.060)	7(+3) - 6(+3)		$1\nu_{10}\ \ell=+1$	[69063]
	119970.604	(0.060)	7(0) - 6(0)		$1\nu_{10}\ \ell=+1$	[69063]
	119976.230	(0.060)	7(+2) - 6(+2)		$1\nu_{10}\ \ell=+1$	[69063]
	120093.174	(0.060)	7(+1) - 6(+1)		$1\nu_{10}\ \ell=+1$	[69063]
	136600.15	(0.30)	8(7) - 7(7)			[57014]
	136634.03	(0.30)	8(6) - 7(6)			[57014]
	136662.74	(0.30)	8(5) - 7(5)			[57014]
	136686.19	(0.30)	8(4) - 7(4)			[57014]
	136704.502	(0.002)	8(3) - 7(3)			[78031]
	136717.560	(0.002)	8(2) - 7(2)			[78031]
	136725.397	(0.001)	8(1) - 7(1)			[78031]
	136728.010	(0.001)	8(0) - 7(0)			[78031]
	153629.472	(0.050)	9(8) - 8(8)			[78031]
	153673.424	(0.030)	9(7) - 8(7)			[78031]
	153711.520	(0.030)	9(6) - 8(6)			[78031]
	153743.800	(0.030)	9(5) - 8(5)			[78031]
	153770.224	(0.030)	9(4) - 8(4)			[78031]
	153790.769	(0.002)	9(3) - 8(3)			[78031]
	153805.458	(0.002)	9(2) - 8(2)			[78031]
	153814.273	(0.001)	9(1) - 8(1)			[78031]
	153817.212	(0.001)	9(0) - 8(0)			[78031]
	170746.05	(0.35)	10(7) - 9(7)			[57014]
	170788.29	(0.35)	10(6) - 9(6)			[57014]
	170824.13	(0.35)	10(5) - 9(5)			[57014]
	170853.50	(0.35)	10(4) - 9(4)			[57014]
	170876.27	(0.35)	10(3) - 9(3)			[57014]
	170892.59	(0.35)	10(2) - 9(2)			[57014]
	170902.37	(0.35)	10(1) - 9(1)			[57014]
	170905.66	(0.35)	10(0) - 9(0)			[57014]
	187763.96	(0.40)	11(8) - 10(8)			[57014]
	187817.95	(0.40)	11(7) - 10(7)			[57014]
	187864.42	(0.40)	11(6) - 10(6)			[57014]
	187903.96	(0.40)	11(5) - 10(5)			[57014]
	187936.34	(0.40)	11(4) - 10(4)			[57014]
	187961.41	(0.40)	11(3) - 10(3)			[57014]
	187979.34	(0.40)	11(2) - 10(2)			[57014]
	187990.02	(0.40)	11(1) - 10(1)			[57014]
	187993.69	(0.40)	11(0) - 10(0)			[57014]
	204690.354	(0.050)	12(10) - 12(10)			[78031]
	204764.348	(0.050)	12(9) - 11(9)			[78031]
	204889.088	(0.040)	12(7) - 11(7)			[78031]
	204939.908	(0.050)	12(6) - 11(6)			[78031]
	204982.869	(0.050)	12(5) - 11(5)			[78031]
	205018.080	(0.050)	12(4) - 11(4)			[78031]

TABLE 12.5. Microwave spectrum of propyne — Continued C_3H_4

Isotopic species	Frequency (MHz)	Unc. (MHz)	J' K' - J'' K''	F' F_1' - F'' F_1''	Vib. state	Ref.
	205065.015	(0.050)	12(2) - 11(2)			[78031]
	205076.775	(0.050)	12(1) - 11(1)			[78031]
	205080.660	(0.050)	12(0) - 11(0)			[78031]
	221824.368	(0.050)	13(9) - 12(9)			[78031]
	221959.38	(0.45)	13(7) - 12(7)			[57014]
	222014.448	(0.050)	13(6) - 12(6)			[78031]
	222060.95	(0.45)	13(5) - 12(5)			[57014]
	222099.05	(0.45)	13(4) - 12(4)			[57014]
	222128.808	(0.050)	13(3) - 12(3)			[78031]
	222149.80	(0.45)	13(2) - 12(2)			[57014]
	222162.46	(0.45)	13(1) - 12(1)			[57014]
	222166.790	(0.005)	13(0) - 12(0)			[78031]
	238484.892	(0.090)	14(13) - 13(13)			[78031]
	238597.896	(0.060)	14(12) - 13(12)			[78031]
	238883.496	(0.060)	14(9) - 13(9)			[78031]
	238960.752	(0.060)	14(8) - 13(8)			[78031]
	239088.144	(0.030)	14(6) - 13(6)			[78031]
	239138.04	(0.50)	14(5) - 13(5)			[78031]
	239179.248	(0.030)	14(4) - 13(4)			[78031]
	239211.216	(0.020)	14(3) - 14(3)			[78031]
	239234.011	(0.020)	14(2) - 13(2)			[78031]
	239247.727	(0.007)	14(1) - 13(1)			[78031]
	239252.296	(0.003)	14(0) - 13(0)			[78031]
$^{13}CH_3CCH$	33252.22	(0.03)	2(1) - 1(1)			[50022]
	33252.88	(0.03)	2(0) - 1(0)			[50022]
	66503.98	(0.03)	4(1) - 3(1)			[78031]
	99710.02	(0.03)	6(5) - 5(5)			[78031]
	99726.79	(0.03)	6(4) - 5(4)			[78031]
	99739.77	(0.03)	6(3) - 5(3)			[78031]
	99749.10	(0.03)	6(2) - 5(2)			[78031]
	99754.70	(0.03)	6(1) - 5(1)			[78031]
	99756.55	(0.03)	6(0) - 5(0)			[78031]
	116362.10	(0.03)	7(3) - 6(3)			[78031]
	116372.96	(0.03)	7(2) - 6(2)			[78031]
	116379.48	(0.03)	7(1) - 6(1)			[78031]
	116381.65	(0.03)	7(0) - 6(0)			[78031]
	132916.94	(0.03)	8(6) - 7(6)			[78031]
	132944.31	(0.03)	8(5) - 7(5)			[78031]
	132966.54	(0.03)	8(4) - 7(4)			[78031]
	132983.87	(0.03)	8(3) - 7(3)			[78031]
	132996.26	(0.03)	8(2) - 7(2)			[78031]
	133003.74	(0.03)	8(1) - 7(1)			[78031]
	133006.22	(0.03)	8(0) - 7(0)			[78031]
	149529.91	(0.03)	9(6) - 8(6)			[78031]
	149585.65	(0.03)	9(4) - 8(4)			[78031]
	149605.14	(0.03)	9(3) - 8(3)			[78031]
	149619.10	(0.03)	9(2) - 8(2)			[78031]
	149627.46	(0.03)	9(1) - 8(1)			[78031]
	149630.26	(0.03)	9(0) - 8(0)			[78031]
	232389.79	(0.03)	14(9) - 13(9)			[78031]
	232463.11	(0.03)	14(8) - 13(8)			[78031]
	232584.12	(0.03)	14(6) - 13(6)			[78031]
	232631.81	(0.03)	14(5) - 13(5)			[78031]
	232670.76	(0.03)	14(4) - 13(4)			[78031]
	232701.07	(0.03)	14(3) - 13(3)			[78031]
	232722.70	(0.03)	14(2) - 13(2)			[78031]
	232735.78	(0.03)	14(1) - 13(1)			[78031]
	232740.07	(0.03)	14(0) - 13(0)			[78031]
$CH_3{}^{13}CCH$	34168.47	(0.10)	2(1) - 1(1)			[50022]
	34169.13	(0.10)	2(0) - 1(0)			[50022]
	68326.19	(0.03)	4(3) - 3(3)			[78031]
	68332.72	(0.03)	4(2) - 3(2)			[78031]
	68336.61	(0.03)	4(1) - 3(1)			[78031]
	102456.65	(0.03)	6(5) - 5(5)			[78031]
	102474.22	(0.03)	6(4) - 5(4)			[78031]
	102487.86	(0.03)	6(3) - 5(3)			[78031]
	102497.64	(0.03)	6(2) - 5(2)			[78031]

TABLE 12.5. Microwave spectrum of propyne — Continued C_3H_4

Isotopic species	Frequency (MHz)	Unc. (MHz)	J' K' - J'' K''	F' F_1' - F'' F_1''	Vib. state	Ref.
	102503.46	(0.03)	6(1) - 5(1)			[78031]
	102505.41	(0.03)	6(1) - 5(1)			[78031]
	119568.11	(0.03)	7(3) - 6(3)			[78031]
	119586.37	(0.03)	8(1) - 6(1)			[78031]
	119588.64	(0.03)	8(0) - 6(0)			[78031]
	136577.67	(0.03)	8(6) - 7(6)			[78031]
	136606.29	(0.03)	8(5) - 7(5)			[78031]
	136629.64	(0.03)	8(4) - 7(4)			[78031]
	136647.86	(0.03)	8(3) - 7(3)			[78031]
	136660.87	(0.03)	8(2) - 7(2)			[78031]
	136668.71	(0.03)	8(1) - 7(1)			[78031]
	136671.34	(0.03)	8(0) - 7(0)			[78031]
	153648.06	(0.03)	9(6) - 8(6)			[78031]
	153680.22	(0.03)	9(5) - 8(5)			[78031]
	153706.59	(0.03)	9(4) - 8(4)			[78031]
	153727.01	(0.03)	9(3) - 8(3)			[78031]
	153741.68	(0.03)	9(2) - 8(2)			[78031]
	153750.47	(0.03)	9(1) - 8(1)			[78031]
	153753.37	(0.03)	9(0) - 8(0)			[78031]
	204680.53	(0.03)	12(9) - 11(9)			[78031]
	204746.49	(0.03)	12(8) - 11(8)			[78031]
	204855.33	(0.03)	12(6) - 11(6)			[78031]
	204898.17	(0.03)	12(5) - 11(5)			[78031]
	204933.24	(0.03)	12(4) - 11(4)			[78031]
	204960.52	(0.03)	12(3) - 11(3)			[78031]
	204980.07	(0.03)	12(2) - 11(2)			[78031]
	204991.68	(0.03)	12(1) - 11(1)			[78031]
	204995.65	(0.03)	12(0) - 11(0)			[78031]
	221653.61	(0.03)	13(10) - 12(10)			[78031]
	221733.38	(0.03)	13(9) - 12(9)			[78031]
	221804.98	(0.03)	13(8) - 12(8)			[78031]
	221868.10	(0.03)	13(7) - 12(7)			[78031]
	221922.88	(0.03)	13(6) - 12(6)			[78031]
	221969.18	(0.03)	13(5) - 12(5)			[78031]
	222036.66	(0.03)	13(3) - 12(3)			[78031]
	222057.79	(0.03)	13(2) - 12(2)			[78031]
	222070.52	(0.03)	13(1) - 12(1)			[78031]
	222074.70	(0.03)	13(0) - 12(0)			[78031]
	239152.94	(0.03)	14(0) - 13(0)			[78031]
$CH_3C^{13}CH$	33160.35	(0.03)	2(1) - 1(1)			[50022]
	33160.94	(0.03)	2(0) - 1(0)			[50022]
	66310.05	(0.03)	4(3) - 3(3)			[78031]
	66320.01	(0.03)	4(1) - 3(1)			[78031]
	99433.95	(0.03)	6(5) - 5(5)			[78031]
	99450.75	(0.03)	6(4) - 5(4)			[78031]
	99463.77	(0.03)	6(3) - 5(3)			[78031]
	99473.07	(0.03)	6(2) - 5(2)			[78031]
	99478.69	(0.03)	6(1) - 5(1)			[78031]
	99480.52	(0.03)	6(0) - 5(0)			[78031]
	116040.13	(0.03)	7(3) - 6(3)			[78031]
	116051.01	(0.03)	7(2) - 6(2)			[78031]
	116057.53	(0.03)	7(1) - 6(1)			[78031]
	116059.70	(0.03)	7(0) - 6(0)			[78031]
	132548.86	(0.03)	8(6) - 7(6)			[78031]
	132576.16	(0.03)	8(5) - 7(5)			[78031]
	132598.52	(0.03)	8(4) - 7(4)			[78031]
	132615.92	(0.03)	8(3) - 7(3)			[78031]
	132628.35	(0.03)	8(2) - 7(2)			[78031]
	132635.81	(0.03)	8(1) - 7(1)			[78031]
	132638.26	(0.03)	8(0) - 7(0)			[78031]
	149115.84	(0.03)	9(6) - 8(6)			[78031]
	149146.51	(0.03)	9(5) - 8(5)			[78031]
	149171.62	(0.03)	9(4) - 8(4)			[78031]
	149191.26	(0.03)	9(3) - 8(3)			[78031]
	149205.18	(0.03)	9(2) - 8(2)			[78031]
	149213.55	(0.03)	9(1) - 8(1)			[78031]
	149216.35	(0.03)	9(0) - 8(0)			[78031]

TABLE 12.5. Microwave spectrum of propyne — Continued C_3H_4

Isotopic species	Frequency (MHz)	Unc. (MHz)	J' K' - J'' K''	F' F_1' - F'' F_1''	Vib. state	Ref.
	215324.65	(0.03)	13(7) - 12(7)			[78031]
	215376.95	(0.03)	13(6) - 12(6)			[78031]
	215421.31	(0.03)	13(5) - 12(5)			[78031]
	215457.58	(0.03)	13(4) - 12(4)			[78031]
	215485.82	(0.03)	13(3) - 12(3)			[78031]
	215505.96	(0.03)	13(2) - 12(2)			[78031]
	215518.12	(0.03)	13(1) - 12(1)			[78031]
	215522.17	(0.03)	13(0) - 12(0)			[78031]
	231745.61	(0.03)	14(9) - 13(9)			[78031]
	231819.11	(0.03)	14(8) - 13(8)			[78031]
	231884.04	(0.03)	14(7) - 13(7)			[78031]
	231940.37	(0.03)	14(6) - 13(6)			[78031]
	232027.20	(0.03)	14(4) - 13(4)			[78031]
	232057.54	(0.03)	14(3) - 13(3)			[78031]
	232079.26	(0.03)	14(2) - 13(2)			[78031]
	232092.26	(0.03)	14(1) - 13(1)			[78031]
	232096.61	(0.03)	14(0) - 13(0)			[78031]
CH_3CCD	15576.309	(0.001)	1(0) - 0(0)	2 5/2 - 1 5/2		[82035]
	15576.317	(0.001)	1(0) - 0(0)	2 3/2 - 1 3/2		[82035]
	15576.321	(0.001)	1(0) - 0(0)	2 7/2 - 1 5/2		[82035]
	15576.328	(0.001)	1(0) - 0(0)	2 1/2 - 1 1/2		[82035]
	15576.379	(0.001)	1(0) - 0(0)	1 1/2 - 1 1/2		[82035]
	15576.385	(0.001)	1(0) - 0(0)	1 5/2 - 1 5/2		[82035]
	15576.393	(0.001)	1(0) - 0(0)	1 3/2 - 1 3/2		[82035]
	31152.00	(0.10)	2(1) - 1(1)			[50022]
	31152.56	(0.10)	2(0) - 1(0)			[50022]
	46725.32	(0.10)	3(2) - 2(2)			[55018]
	46727.86	(0.10)	3(1) - 2(1)			[55018]
	46728.72	(0.10)	3(0) - 2(0)			[55018]
CD_3CCH	14711.523	(0.001)	1(0) - 0(0)	1 - 3		[82035]
	14711.531	(0.001)	1(0) - 0(0)	2 - 3		[82035]
	14711.566	(0.001)	1(0) - 0(0)	4 - 3		[82035]
	29422.50	(0.10)	2(1) - 1(1)			[55018]
	29422.89	(0.10)	2(0) - 1(0)			[55018]
	44131.76	(0.10)	3(2) - 2(2)			[55018]
	44133.62	(0.10)	3(1) - 2(1)			[55018]
	44134.19	(0.10)	3(0) - 2(0)			[55018]
	58845.565	(0.015)	4(0) - 3(0)			[70029]
CD_3CCD	26936.87	(0.10)	2(1) - 1(1)			[50022]
	26937.24	(0.10)	2(0) - 1(0)			[50022]
	40403.60	(0.10)	3(2) - 2(2)			[55018]
	40405.21	(0.10)	3(1) - 2(1)			[55018]
	40405.75	(0.10)	3(0) - 2(0)			[55018]
CH_2DCCH	16181.12	(0.10)	1(0, 1) - 0(0, 0)			[55018]
	32231.44	(0.10)	2(1, 2) - 1(1, 1)			[55018]
	32362.08	(0.10)	2(0, 2) - 1(0, 1)			[55018]
	32491.86	(0.10)	2(1, 1) - 1(1, 0)			[55018]
	48346.90	(0.10)	3(1, 3) - 2(1, 2)			[55018]
	48539.96	(0.10)	3(2, 2) - 2(2, 1)			[55018]
	48540.33	(0.10)	3(2, 1) - 2(2, 0)			[55018]
	48542.62	(0.10)	3(0, 3) - 2(0, 2)			[55018]
	48737.52	(0.10)	3(1, 2) - 2(1, 1)			[55018]
CHD_2CCH	30658.07	(0.10)	2(1, 2) - 1(1, 1)			[55018]
	30793.13	(0.10)	2(0, 2) - 1(0, 1)			[55018]
	30927.55	(0.10)	2(1, 1) - 1(1, 0)			[55018]
	45986.74	(0.10)	3(1, 3) - 2(1, 2)			[55018]
	46186.84	(0.10)	3(2, 2) - 2(2, 1)			[55018]
	46187.46	(0.10)	3(2, 1) - 2(2, 0)			[55018]
	46189.01	(0.10)	3(0, 3) - 2(0, 2)			[55018]
	46391.00	(0.10)	3(1, 2) - 2(1, 1)			[55018]
CH_2DCCD	29436.09	(0.10)	2(1, 2) - 1(1, 1)			[55018]
	29545.33	(0.10)	2(0, 2) - 1(0, 1)			[55018]
	29653.70	(0.10)	2(1, 1) - 1(1, 0)			[55018]
	44154.10	(0.10)	3(1, 3) - 2(1, 2)			[55018]
	44315.24	(0.10)	3(2, 2) - 2(2, 1)			[55018]
	44315.50	(0.10)	3(2, 1) - 2(2, 0)			[55018]
	44317.72	(0.10)	3(0, 3) - 2(0, 2)			[55018]

TABLE 12.5. Microwave spectrum of propyne — Continued C_3H_4

Isotopic species	Frequency (MHz)	Unc. (MHz)	J' K' - J'' K''	F' F_1' - F'' F_1''	Vib. state	Ref.
	44480.44	(0.10)	3(1, 2) - 2(1, 1)			[55018]
CHD_2CCD	28042.28	(0.10)	2(1, 2) - 1(1, 1)			[55018]
	28155.14	(0.10)	2(0, 2) - 1(0, 1)			[55018]
	28267.33	(0.10)	2(1, 1) - 1(1, 0)			[55018]
	42063.15	(0.10)	3(1, 3) - 2(1, 2)			[55018]
	42230.22	(0.10)	3(2, 2) - 2(2, 1)			[55018]
	42230.61	(0.10)	3(2, 1) - 2(2, 0)			[55018]
	42232.30	(0.10)	3(0, 3) - 2(0, 2)			[55018]
	42400.70	(0.10)	3(1, 2) - 2(1, 1)			[55018]

Table 13.1. Molecular constants for the ground state of propylene from fitting internal rotation and the A state alone.

Parameter	Fit to A and E States Value[a]	Parameter	Fit to A State Value[b]
A (MHz)	46280.33(23)	A'' (MHz)	46290.523(204)
B (MHz)	9305.238(25)	B'' (MHz)	9305.354(25)
C (MHz)	8134.214(23)	C'' (MHz)	8134.314(21)
Δ_J (MHz)	0.00655(83)	τ_1 (MHz)	0.0174(352)
Δ_{JK} (MHz)	-0.0264(84)	τ_2 (MHz)	-0.0141(60)
Δ_K (MHz)	0.479(49)	τ_3 (MHz)	1.037(130)
δ_J (MHz)	0.001238(312)	τ_{aaaa} (MHz)	-2.794(154)
δ_K (MHz)	-0.0291(22)	τ_{bbbb} (MHz)	-0.0348(23)
I_α (u Å^2)	3.16	τ_{cccc} (MHz)	-0.0151(20)
θ	24.84°		
V_3 (cm^{-1})	687.87(7)		

[a]Uncertainties 1σ.
[b]Uncertainties 2σ.

Table 13.2. Dipole moment and Zeeman constants for propylene.

Parameter	Value
Electric Dipole Moment [57015]	
μ_a	0.360(1) D
μ_b	0.05(2) D
Zeeman Parameters [69065]	
g_{aa}	-0.0789(6) μ_N
g_{bb}	-0.0424(4) μ_N
g_{cc}	+0.0107(5) μ_N
$2\chi_{aa}-\chi_{bb}-\chi_{cc}$	$-0.74(3)\times10^{-6}$ erg/G^2·mol
$-\chi_{aa}+2\chi_{bb}-\chi_{cc}$	$+13.4(5)\times10^{-6}$ erg/G^2·mol
Q_{aa}	$0.6(3)\times10^{-26}$ esu·cm^2
Q_{bb}	$2.9(5)\times10^{-26}$ esu·cm^2
Q_{cc}	$-3.5(7)\times10^{-26}$ esu·cm^2

Table 13.3. Molecular constants for propylene ($CH_3CH{=}CH_2$) in excited torsional states.

Parameter	v=1 State	v=2 State
A (MHz)	46280.[a]	46280.[a]
B (MHz)	9293.902	9282.001
C (MHZ)	8138.561	8142.708
I_α (uÅ^2)	3.160[a]	3.160[a]
θ	(24.8°)	(24.6°)
λ_a	0.90762	0.90898
λ_b	0.41980	0.41684
V_3 (cm^{-1})	697.48	703.65
s	43.652	44.005
F (cm^{-1})	7.1010	7.1063
Reference	[66045]	[66045]

[a]Values fixed in the analysis.

Table 13.4. Molecular constants for the deuterated propylene species t-$CHDCHCH_3$ and CH_2CDCH_3 in the ground and excited torsional states. [66045]

Parameter	t-$CHDCHCH_3$ v=0	t-$CHDCHCH_3$ v=1	CH_2CDCH_3 v=0	CH_2CDCH_3 v=1
A (MHz)	45912.6[a]	45912.6[a]	38154.2[a]	38154.2[a]
B (MHz)	8548.01	8538.45	9301.81	9290.65
C (MHz)	7542.20	7546.21	7837.18	7839.64
I_α (uÅ^2)	3.16[a]	3.16[a]	3.16[a]	3.16[a]
λ_a	0.924	0.913	0.897	0.909
λ_b	0.381	0.408	0.442	0.415
V_3 (cm^{-1})	691.	699.1	688.	698.9
s	43.0	43.78	45.6	46.19
F (cm^{-1})	7.144	7.096	6.697	6.731

[a]Fixed value.

Table 13.5. Rotational constants for substituted isotopic forms of propylene.

Species	A (GHz)	B (MHz)	C (MHz)	Reference
$^{13}CH_2CHCH_3$	46.00(20)	9048.33(5)	8430.84(5)	[61013]
$CH_2{}^{13}CHCH_3$	45.30(20)	9304.15(5)	8107.14(5)	[61013]
$CH_2CH^{13}CH_3$	46.17(20)	9047.94(5)	7932.98(5)	[61013]
c-$CHDCHCH_3$	40.22(20)	9040.09(5)	7729.65(5)	[61013]
s-CH_2CHCH_2D	40.59(20)	9066.99(5)	7765.98(5)	[61013]
a-CH_2CHCH_2D	43.26(20)	8659.02(5)	7718.11(5)	[61013]
s-CH_2CDCH_2D	34.06	9058.28	7483.72	[66044]
t-$CDHCDCH_3$	33.71	9038.74	7451.01	[66044]
c-$CDHCHCH_2D$	35.71	8821.61	7397.33	[66044]
a-CH_2CDCH_2D	36.18	8654.53	7449.49	[66044]
c-$CHDCDCH_3$	37.96	8546.43	7289.36	[66044]
a-CH_2CHCD_2H	38.22	8469.44	7395.45	[66044]
ca-$CDHCHCH_2D$	38.20	8411.37	7340.45	[66044]
CD_2CHCH_3	39.82	8347.03	7203.75	[66044]
ts-$CHDCHCH_2D$	40.36	8324.23	7210.10	[66044]
s-CH_2CHCHD_2	39.73	8111.44	7370.87	[66044]
ta-$CHDCHCH_2D$	43.04	7976.26	7164.02	[66044]

TABLE 13.6. Microwave spectrum of propylene C_3H_6

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$	-	$J''(K_{-1},K_{+1})$	v_t	Sym.	Ref.
CH_2CHCH_3	8586.71	(0.20)	9(2, 7)	-	9(2, 8)	0	*A*	[66045]
	8588.64	(0.20)	9(2, 7)	-	9(2, 8)	0	*E*	[66045]
	9409.09	(0.20)	6(2, 4)	-	7(1, 7)	0	*E*	[66045]
	9447.61	(0.20)	6(2, 4)	-	7(1, 7)	0	*A*	[66045]
	9845.22	(0.20)	16(3,13)	-	16(3,14)	0	*A*	[66045]
	9848.63	(0.20)	16(3,13)	-	16(3,14)	0	*E*	[66045]
	11707.32	(0.20)	4(1, 3)	-	4(1, 4)	0	*E*	[66045]
	11708.48	(0.20)	4(1, 3)	-	4(1, 4)	0	*A*	[66045]
	12592.45	(0.20)	10(2, 8)	-	10(2, 9)	0	*A*	[66045]
	12594.41	(0.20)	10(2, 8)	-	10(2, 9)	0	*E*	[66045]
	13687.19	(0.20)	17(3,14)	-	17(3,15)	0	*A*	[66045]
	13691.20	(0.20)	17(3,14)	-	17(3,15)	0	*E*	[66045]
	16367.68	(0.20)	3(0, 3)	-	2(1, 2)	0	*A*	[66045]
	16382.24	(0.20)	3(0, 3)	-	2(1, 2)	0	*E*	[66045]
	16901.20	(0.20)	4(2, 3)	-	5(1, 4)	0	*A*	[66045]
	16856.49	(0.20)	4(2, 3)	-	5(1, 4)	0	*E*	[66045]
	17228.89	(0.20)	1(0, 1)	-	0(0, 0)	2	*E*	[66045]
	17429.51	(0.20)	1(0, 1)	-	0(0, 0)	1	*A*	[66045]
	17434.19	(0.20)	1(0, 1)	-	0(0, 0)	1	*E*	[66045]
	17439.439	(0.200)	1(0, 1)	-	0(0, 0)	0	*A*	[66045]
	17439.439	(0.200)	1(0, 1)	-	0(0, 0)	0	*E*	[66045]
	17468.52	(0.20)	1(0, 1)	-	0(0, 0)	2	*A*	[66045]
	17553.02	(0.20)	5(1, 4)	-	5(1, 5)	0	*E*	[66045]
	17554.97	(0.20)	5(1, 4)	-	5(1, 5)	0	*A*	[66045]
	17688.22	(0.20)	11(2, 9)	-	11(2,10)	0	*A*	[66045]
	17690.37	(0.20)	11(2, 9)	-	11(2,10)	0	*E*	[66045]
	18550.81	(0.20)	18(3,15)	-	18(3,16)	0	*A*	[66045]
	18555.61	(0.20)	18(3,15)	-	18(3,16)	0	*E*	[66045]
	21594.51	(0.20)	5(2, 3)	-	6(1, 6)	0	*E*	[66045]
	21632.43	(0.20)	5(2, 3)	-	6(1, 6)	0	*A*	[66045]
	23954.23	(0.20)	12(2,10)	-	12(2,11)	0	*A*	[66045]
	23956.64	(0.20)	12(2,10)	-	12(2,11)	0	*E*	[66045]
	24555.02	(0.20)	6(1, 5)	-	6(1, 6)	0	*E*	[66045]
	24556.41	(0.20)	19(3,16)	-	19(3,17)	0	*A*	[66045]
	24557.85	(0.20)	6(1, 5)	-	6(1, 6)	0	*A*	[66045]
	24562.05	(0.20)	19(3,16)	-	19(3,17)	0	*E*	[66045]
	25149.89	(0.20)	7(1, 6)	-	6(2, 5)	0	*A*	[66045]
	25187.87	(0.20)	7(1, 6)	-	6(2, 5)	0	*E*	[66045]
	31438.71	(0.20)	13(2,11)	-	13(2,12)	0	*A*	[66045]
	31441.25	(0.20)	13(2,11)	-	13(2,12)	0	*E*	[66045]
	32698.96	(0.20)	7(1, 6)	-	7(1, 7)	0	*E*	[66045]
	32702.89	(0.20)	7(1, 6)	-	7(1, 7)	0	*A*	[66045]
	33707.783	(0.200)	2(1, 2)	-	1(1, 1)	0	*A*	[66045]
	33708.23	(0.20)	2(1, 2)	-	1(1, 1)	0	*E*	[66045]
	33708.48	(0.20)	2(1, 2)	-	1(1, 1)	1	*A*	[66045]
	33742.16	(0.20)	2(1, 2)	-	1(1, 1)	2	*A*	[66045]
	34087.90	(0.20)	2(1, 2)	-	1(1, 1)	1	*E*	[66045]
	34462.18	(0.20)	2(0, 2)	-	1(0, 1)	2	*E*	[66045]
	34832.16	(0.20)	2(0, 2)	-	1(0, 1)	1	*A*	[66045]
	34841.70	(0.20)	2(0, 2)	-	1(0, 1)	1	*E*	[66045]
	34851.335	(0.200)	2(0, 2)	-	1(0, 1)	0	*A*	[66045]
	34851.335	(0.200)	2(0, 2)	-	1(0, 1)	0	*E*	[66045]
	34865.35	(0.20)	2(1, 1)	-	1(1, 0)	2	*E*	[66045]
	34912.42	(0.20)	2(0, 2)	-	1(0, 1)	2	*A*	[66045]
	35003.09	(0.20)	2(1, 1)	-	1(1, 0)	2	*E*	[66045]
	35649.85	(0.20)	2(1, 1)	-	1(1, 0)	1	*E*	[66045]
	36011.62	(0.20)	2(1, 1)	-	1(1, 0)	1	*A*	[66045]
	36049.233	(0.200)	2(1, 1)	-	1(1, 0)	0	*E*	[66045]
	36050.132	(0.200)	2(1, 1)	-	1(1, 0)	0	*A*	[66045]
	36112.68	(0.20)	2(1, 1)	-	1(1, 0)	2	*A*	[66045]
$^{13}CH_2CHCH_3$	32841.16	(0.10)	2(1, 2)	-	1(1, 1)	0	*A*	[61031]
	33933.42	(0.10)	2(0, 2)	-	1(0, 1)	0	*A*	[61031]
	35075.17	(0.10)	2(1, 1)	-	1(1, 0)	0	*E*	[61031]
	35076.09	(0.10)	2(1, 1)	-	1(1, 0)	0	*A*	[61031]
$CH_2{}^{13}CHCH_3$	17411.29	(0.03)	1(0, 1)	-	0(0, 0)	0	*A*	[57015]
	33625.62	(0.03)	2(1, 2)	-	1(1, 1)	0	*A*	[57015]
	33626.01	(0.03)	2(1, 2)	-	1(1, 1)	0	*E*	[57015]

TABLE 13.6. Microwave spectrum of propylene — Continued C_3H_6

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$	-	$J''(K_{-1},K_{+1})$	v_t	Sym.	Ref.
	34793.13	(0.03)	2(0, 2)	-	1(0, 1)	0	*E*	[57015]
	34793.38	(0.03)	2(0, 2)	-	1(0, 1)	0	*A*	[57015]
	36019.03	(0.03)	2(1, 1)	-	1(1, 0)	0	*E*	[57015]
	36019.84	(0.03)	2(1, 1)	-	1(1, 0)	0	*A*	[57015]
$CH_2CH^{13}CH_3$	32847.20	(0.10)	2(1, 2)	-	1(1, 1)	0	*A*	[61013]
	33937.14	(0.10)	2(0, 2)	-	1(0, 1)	0	*A*	[61013]
	35076.09	(0.10)	2(1, 1)	-	1(1, 0)	0	*E*	[61013]
	35077.02	(0.10)	2(1, 1)	-	1(1, 0)	0	*A*	[61013]
c-$CHDCHCH_3$	32229.17	(0.05)	2(1, 2)	-	1(1, 1)	0	*A*	[61013]
	33499.06	(0.05)	2(0, 2)	-	1(0, 1)	0	*A*	[61013]
	34849.69	(0.05)	2(1, 1)	-	1(1, 0)	0	*E*	[61013]
t-$CHDCHCH_3$	6082.05	(0.20)	1(0, 1)	-	0(0, 0)	1	*A*	[66045]
	16085.73	(0.20)	1(0, 1)	-	0(0, 0)	1	*E*	[66045]
	16090.177	(0.200)	1(0, 1)	-	0(0, 0)	0	*A*,*E*	[66045]
	31174.65	(0.20)	2(1, 2)	-	1(1, 1)	0	*A*	[66045]
	31175.24	(0.20)	2(1, 2)	-	1(1, 1)	0	*E*	[66045]
	31175.25	(0.20)	2(1, 2)	-	1(1, 1)	1	*A*	[66045]
	31547.55	(0.20)	2(1, 2)	-	1(1, 1)	1	*E*	[66045]
	32144.41	(0.20)	2(0, 2)	-	1(0, 1)	1	*A*	[66045]
	32151.89	(0.20)	2(0, 2)	-	1(0, 1)	1	*E*	[66045]
	32160.32	(0.20)	2(0, 2)	-	1(0, 1)	0	*A*	[66045]
	32160.32	(0.20)	2(0, 2)	-	1(0, 1)	0	*E*	[66045]
	32796.00	(0.20)	2(1, 1)	-	1(1, 0)	1	*E*	[66045]
	33154.44	(0.20)	2(1, 1)	-	1(1, 0)	1	*A*	[66045]
	33185.491	(0.200)	2(1, 1)	-	1(1, 0)	0	*E*	[66045]
	33186.386	(0.200)	2(1, 1)	-	1(1, 0)	0	*A*	[66045]
CH_2CDCH_3	17128.02	(0.20)	1(0, 1)	-	0(0, 0)	1	*A*	[66045]
	17131.31	(0.20)	1(0, 1)	-	0(0, 0)	1	*E*	[66045]
	17138.997	(0.200)	1(0, 1)	-	0(0, 0)	0	*A*,E	[66045]
	32807.79	(0.20)	2(1, 2)	-	1(1, 1)	1	*E*	[66045]
	32813.399	(0.200)	2(1, 2)	-	1(1, 1)	0	*A*	[66045]
	32813.453	(0.200)	2(1, 2)	-	1(1, 1)	0	*E*	[66045]
	32985.41	(0.20)	2(1, 2)	-	1(1, 1)	1	*E*	[66045]
	34202.14	(0.20)	2(0, 2)	-	1(0, 1)	1	*A*	[66045]
	34209.03	(0.20)	2(0, 2)	-	1(0, 1)	1	*E*	[66045]
	34223.637	(0.200)	2(0, 2)	-	1(0, 1)	0	*A*	[66045]
	35540.31	(0.20)	2(1, 1)	-	1(1, 0)	1	*E*	[66045]
	35705.11	(0.20)	2(1, 1)	-	1(1, 0)	1	*A*	[66045]
	35742.374	(0.200)	2(1, 1)	-	1(1, 0)	0	*E*	[66045]
	35742.775	(0.200)	2(1, 1)	-	1(1, 0)	0	*A*	[66045]
sym-CH_2CHCH_2D	16832.90	(0.15)	1(0, 1)	-	0(0, 0)	0		[58009]
	32364.93	(0.05)	2(1, 2)	-	1(1, 1)	0	*A*	[61013]
	33626.41	(0.05)	2(0, 2)	-	1(0, 1)	0	*A*	[61013]
	34966.94	(0.05)	2(1, 1)	-	1(1, 0)	0	*A*	[61013]
asy-CH_2CHCH_2D	8370.50	(0.05)	17(3,14)	-	17(3,15)	0		[68047]
	8831.43	(0.05)	10(2, 8)	-	10(2, 9)	0		[68047]
	9407.14	(0.05)	4(1, 3)	-	4(1, 4)	0		[68047]
	11444.67	(0.05)	18(3,15)	-	18(3,16)	0		[68047]
	12481.33	(0.05)	11(2, 9)	-	11(2,10)	0		[68047]
	14106.06	(0.05)	5(1, 4)	-	5(1, 5)	0		[68047]
	16377.116	(0.100)	1(0, 1)	-	0(0, 0)	0		[70066]
	16379.54	(0.05)	1(0, 1)	-	0(0, 0)	1	*E*	[70066]
	16379.99	(0.05)	1(0, 1)	-	0(0, 0)	1	*A*	[70066]
	17018.66	(0.05)	12(2,10)	-	12(2,11)	0		[68047]
	19737.07	(0.05)	6(1, 5)	-	6(1, 6)	0		[68047]
	22500.50	(0.05)	13(2,11)	-	13(2,12)	0		[68047]
	26291.77	(0.05)	7(1, 6)	-	7(1, 7)	0		[68047]
	28961.55	(0.05)	14(2,12)	-	14(2,13)	0		[68047]
	31399.682	(0.050)	2(1, 2)	-	1(1, 1)	1	*E*-*A*	[68047]
	31813.36	(0.05)	2(1, 2)	-	1(1, 1)	0	*A*	[61013]
	31852.17	(0.05)	2(1, 2)	-	1(1, 1)	1	*A*	[68047]
	31953.879	(0.05)	2(1, 2)	-	1(1, 1)	1	*E*	[68047]
	32735.34	(0.05)	2(0, 2)	-	1(0, 1)	0	*A*	[61013]
	32740.49	(0.05)	2(0, 2)	-	1(0, 1)	1	*E*	[70066]
	32741.51	(0.05)	2(0, 2)	-	1(0, 1)	1	*A*	[70066]
	33565.347	(0.050)	2(1, 1)	-	1(1, 0)	1	*A*	[68047]
	33667.14	(0.05)	2(1, 1)	-	1(1, 0)	1	*E*	[68047]

TABLE 13.6. Microwave spectrum of propylene — Continued C_3H_6

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$	-	$J''(K_{-1},K_{+1})$	v_t	Sym.	Ref.
	33695.17	(0.05)	2(1, 1)	-	1(1, 0)	0	*A*	[61013]
	34119.667	(0.05)	3(1, 3)	-	2(1, 2)	1	*A-E*	[68047]
	47744.37	(0.05)	3(1, 3)	-	2(1, 2)	1	*A*	[68047]
	47751.57	(0.05)	3(1, 3)	-	2(1, 2)	1	*E*	[68047]
	49055.60	(0.10)	3(0, 3)	-	2(0, 2)	0		[70066]
	49064.24	(0.05)	3(0, 3)	-	2(0, 2)	1	*E*	[70066]
	49066.05	(0.05)	3(0, 3)	-	2(0, 2)	1	*A*	[70066]
	49133.40	(0.10)	3(2, 2)	-	2(1, 1)	0	*A*	[70066]
	49135.28	(0.10)	3(2, 2)	-	2(1, 1)	0	*E*	[70066]
	49163.01	(0.05)	3(2, 2)	-	2(2, 1)	1	*A*	[70066]
	49169.39	(0.05)	3(2, 2)	-	2(2, 1)	1	*E*	[70066]
	49191.66	(0.05)	3(2, 1)	-	2(2, 0)	1	*A*	[70066]
	49196.04	(0.05)	3(2, 1)	-	2(2, 0)	1	*E*	[70066]
	49202.95	(0.10)	3(2, 1)	-	2(2, 0)	0	*A*	[70066]
	49204.77	(0.10)	3(2, 1)	-	2(2, 0)	0	*E*	[70066]
	50503.25	(0.05)	3(1, 2)	-	2(1, 1)	1	*A*	[68047]
	50510.57	(0.05)	3(1, 2)	-	2(1, 1)	1	*E*	[68047]

Table 13.1A. Molecular constants for cyclopropane-1,1-d_2. [87019]

Parameter	$\underbrace{CD_2CH_2}CH_2$	$\underbrace{CH_2CH_2}CH_2$ [a]	$\underbrace{CD_2CD_2}CD_2$ [b]
A (MHz)	18835.662(18)		
B (MHz)	16370.2703(70)	20093.317(30)	13832.06(60)
C (MHz)	11409.2285(67)	12522.3(90)	
Δ_J (MHz)	0.011246(12)	0.028985(29)	0.01148(51)
Δ_{JK} (MHz)	0.005087(35)	-0.037447(87)	
Δ_K (MHz)	0.00706(12)		
δ_J (MHz)	0.0030280(79)		
δ_K (MHz)	0.005561(27)		

[a] J. Pliva and J.W.C. Johns, Can. J. Phys. **62**, 1369 (1984).
[b] A.H. Nielsen, S.J. Daunt, and G.W. Halsey, J. Mol. Spectrosc. **81**, 494 (1980).

TABLE 13.2A. Microwave spectrum of cyclopropane C_3H_6

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Ref.
$CD_2CH_2CH_2$	321268.010	(0.030)	11(5, 6) - 10(5, 5)	[87019]
	321824.834	(0.030)	11(10, 2) - 10(10, 1)	[87019]
	321844.590	(0.030)	11(10, 1) - 10(10, 0)	[87019]
	323955.440	(0.030)	11(9, 3) - 10(9, 2)	[87019]
D_2C-CH_2	324386.186	(0.030)	11(9, 2) - 10(9, 1)	[87019]
\/	324408.298	(0.030)	11(7, 5) - 10(7, 4)	[87019]
CH_2	325467.300	(0.030)	14(0,14) - 13(0,13)	[87019]
	325842.859	(0.030)	11(8, 4) - 10(8, 3)	[87019]
	326946.663	(0.030)	13(2,11) - 12(2,10)	[87019]
	328659.275	(0.030)	12(5, 8) - 11(5, 7)	[87019]
	328767.649	(0.030)	12(4, 8) - 11(4, 7)	[87019]
	330013.656	(0.030)	11(8, 3) - 10(8, 2)	[87019]
	336505.346	(0.030)	11(6, 5) - 10(6, 4)	[87019]
	337600.932	(0.030)	14(1,13) - 13(1,12)	[87019]
	338682.422	(0.030)	11(7, 4) - 10(7, 3)	[87019]
	339135.753	(0.030)	13(4,10) - 12(4, 9)	[87019]
	339136.662	(0.030)	13(3,10) - 12(3, 9)	[87019]
	340804.130	(0.030)	12(6, 7) - 11(6, 6)	[87019]
	342197.491	(0.030)	12(5, 7) - 11(5, 6)	[87019]
	348271.963	(0.030)	15(0,15) - 14(0,14)	[87019]
	349745.818	(0.030)	14(2,12) - 13(2,11)	[87019]
	350881.725	(0.030)	12(11, 2) - 11(11, 1)	[87019]
	350888.518	(0.030)	12(11, 1) - 11(11, 0)	[87019]
	350945.579	(0.030)	12(7, 6) - 11(7, 5)	[87019]
	351413.027	(0.030)	13(5, 9) - 12(5, 8)	[87019]
	351435.011	(0.030)	13(4, 9) - 12(4, 8)	[87019]
	352996.924	(0.030)	12(10, 3) - 11(10, 2)	[87019]
	353169.261	(0.030)	12(10, 2) - 11(10, 1)	[87019]
	355390.625	(0.030)	12(9, 4) - 11(9, 3)	[87019]
	355847.597	(0.030)	12(8, 5) - 11(8, 4)	[87019]
	357507.248	(0.030)	12(9, 3) - 11(9, 2)	[87019]
	358790.477	(0.030)	12(6, 6) - 11(6, 5)	[87019]
	360403.585	(0.030)	15(1,14) - 14(1,13)	[87019]
	361920.815	(0.030)	14(3,11) - 13(3,10)	[87019]
	363784.137	(0.030)	13(6, 8) - 12(6, 7)	[87019]
	364154.077	(0.030)	13(5, 8) - 12(5, 7)	[87019]
	366543.349	(0.030)	12(8, 4) - 11(8, 3)	[87019]
	370423.613	(0.030)	12(7, 5) - 11(7, 4)	[87019]
	371074.679	(0.030)	16(0,16) - 15(0,15)	[87019]
	372544.191	(0.030)	15(2,13) - 14(2,12)	[87019]
	374164.417	(0.030)	14(5,10) - 13(5, 9)	[87019]
	374168.480	(0.030)	14(4,10) - 13(4, 9)	[87019]
	375534.238	(0.030)	13(7, 7) - 12(7, 6)	[87019]
	378920.091	(0.030)	13(6, 7) - 12(6, 6)	[87019]
	379936.740	(0.030)	13(12, 2) - 12(12, 1)	[87019]
	379939.033	(0.030)	13(12, 1) - 12(12, 0)	[87019]
	381999.699	(0.030)	13(11, 3) - 12(11, 2)	[87019]
	382065.669	(0.030)	13(11, 2) - 12(11, 1)	[87019]
	383204.412	(0.030)	16(1,15) - 15(1,14)	[87019]
	383923.248	(0.030)	13(8, 6) - 12(8, 5)	[87019]
	384583.308	(0.030)	13(10, 4) - 12(10, 3)	[87019]
	384708.388	(0.030)	15(3,12) - 14(3,11)	[87019]
	385559.722	(0.030)	13(10, 3) - 12(10, 2)	[87019]
	386375.036	(0.030)	13(9, 5) - 12(9, 4)	[87019]
	386621.154	(0.030)	14(5, 9) - 13(5, 8)	[87019]
	386536.245	(0.030)	14(6, 9) - 13(6, 8)	[87019]
	393257.856	(0.030)	13(9, 4) - 12(9, 3)	[87019]
	393875.397	(0.030)	17(0,17) - 16(0,16)	[87019]
	395341.296	(0.030)	16(2,14) - 15(2,13)	[87019]
	395958.747	(0.030)	13(7, 6) - 12(7, 5)	[87019]
	396925.153	(0.030)	15(5,11) - 14(5,10)	[87019]
	396925.937	(0.030)	15(4,11) - 14(4,10)	[87019]
	398894.664	(0.030)	14(7, 8) - 13(7, 7)	[87019]
	399965.905	(0.030)	14(6, 8) - 13(6, 7)	[87019]

Table 14.1. Molecular constants for propane.

Parameter	Ground State	$v_n=1_1$ State	$v_n=1_2$ State
Rotational Constants	[85022]	[67033]	[67033]
A (MHz)	29207.4815(31)	29166.55	29088.18
B (MHz)	8445.96770(71)	8432.45	8415.31
C (MHz)	7459.00196(73)	7449.47	7445.81
Δ_J (kHz)	7.19296(86)		
Δ_{JK} (kHz)	-26.9670(83)		
Δ_K (kHz)	159.845(94)		
δ_J (kHz)	1.39693(42)		
δ_K (kHz)	3.0585(75)		
ϕ_{JK} (Hz)	0.0296(101)		
ϕ_{KJ} (Hz)	-1.423(168)		
ϕ_K (Hz)	5.52(92)		
ϕ_J (Hz)	0.00368(28)		
Internal Rotation Constants			
	[85023]	[73084]	
ω_1(s)	$-0.1909(29)10^{-5}$		
θ_a	35.17(64)		
θ_b	54.83(64)	57.07	
I_α (u Å^2)	3.198(21)	3.13	
s	80.22(15)	80.10(25)	
F (GHz)	183.99(121)	191.64	
V_3 (cm^{-1})	1108.(10)	1153.(4)	
V'_{12} (cm^{-1})		-51.8(8)	
Electric Dipole Moment [66042]			
μ_b (D)	0.0848(10)[a]		

[a]Average of values for several transitions.

Table 14.2. Rotational constants and electric dipole moment for ^{13}C and deuterated isotopic species of propane.

Isotopic Species	A (MHz)	B (MHz)	C (MHz)
Rotational Constants [60009]			
$^{13}CH_3CH_2CH_3$	29092.05(10)	8228.77(10)	7281.73(10)
$CH_3{}^{13}CH_2CH_3$	28660.90(10)	8447.11(10)	7423.19(10)
CH_3CHDCH_3	25829.94(10)	8358.76(10)	7283.00(10)
sym-$CH_2DCH_2CH_3$	29017.79(10)	7838.32(10)	6971.96(10)
asy-$CH_2DCH_2CH_3$	26828.97(10)	8123.10(10)	7185.14(10)
Electric Dipole Moment [66042]			
$CH_3CD_2CH_3$	μ_b = 0.095(1)[a] D		
$CD_3CH_2CD_3$	μ_b = 0.076(1)[a] D		

[a]Average of values for several transitions.

TABLE 14.3. Microwave spectrum of propane C_3H_8

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$ $\nu_1\nu_2$	Sym.	Ref.
$CH_3CH_2CH_3$	8308.032	(0.030)	7(2, 5) - 6(3, 4)	*AA*	[85023]
	8308.279	(0.030)	7(2, 5) - 6(3, 4)	*EE*	[85023]
	8308.534	(0.030)	7(2, 5) - 6(3, 4)	*AE*+*EA*	[85023]
	8877.344	(0.020)	29(12,18) - 30(11,19)		[85022]
	8954.121	(0.030)	5(3, 3) - 6(2, 4)	*EA*	[85023]
	8954.195	(0.030)	5(3, 3) - 6(2, 4)	*AE*	[85023]
	8954.414	(0.030)	5(3, 3) - 6(2, 4)	*EE*	[85023]
	8954.680	(0.030)	5(3, 3) - 6(2, 4)	*AA*	[85023]
	9281.940	(0.030)	21(9,13) - 22(8,14)	*AE*	[85023]
	9282.033	(0.030)	21(9,12) - 22(8,15)	**EE*	[85023]
	9282.238	(0.030)	21(9,13) - 22(8,14)	*AA*	[85023]
	9282.328	(0.030)	21(9,12) - 22(8,15)	AA	[85023]
	9723.963	(0.030)	13(6, 8) - 14(5, 9)	*EA*	[85023]
	9724.884	(0.030)	13(6, 8) - 14(5, 9)	*EE*	[85023]
	9725.085	(0.030)	13(6, 8) - 14(5, 9)	*AE*	[85022]
	9725.680	(0.030)	13(6, 8) - 14(5, 9)	*AA*	[85023]
	9725.982	(0.030)	13(6, 7) - 14(5,10)	**EE*	[85023]
	9744.810	(0.030)	13(6, 8) - 14(5, 9)	*EE	[85023]
	9745.145	(0.030)	13(6, 7) - 14(5,10)	*AE*	[85023]
	9745.720	(0.030)	13(6, 7) - 14(5,10)	*AA*	[85023]
	9745.910	(0.030)	13(6, 7) - 14(5,10)	*EE*	[85023]
	9746.203	(0.030)	13(6, 7) - 14(5,10)	**EA*	[85023]
	11013.883	(0.030)	2(0, 2) - 1(1, 1)	*AA*	[85023]
	11013.937	(0.030)	2(0, 2) - 1(1, 1)	*EE*	[85023]
	11013.995	(0.030)	2(0, 2) - 1(1, 1)	*AE*	[85023]
	11014.005	(0.030)	2(0, 2) - 1(1, 1)	*EA*	[85023]
	11124.522	(0.030)	10(3, 8) - 9(4, 5)	*AA*	[85023]
	11124.784	(0.030)	10(3, 8) - 9(4, 5)	*EE*	[85023]
	11125.007	(0.030)	10(3, 8) - 9(4, 5)	*EA*	[85023]
	11319.739	(0.030)	5(3, 2) - 6(2, 5)	*AE*	[85023]
	11319.824	(0.030)	5(3, 2) - 6(2, 5)	*EA*	[85023]
	11320.043	(0.030)	5(3, 2) - 6(2, 5)	*EE*	[85023]
	11320.299	(0.030)	5(3, 2) - 6(2, 5)	*AA*	[85023]
	12061.159	(0.030)	18(6,13) - 17(7,10)	*EA*	[85023]
	12061.408	(0.030)	18(6,13) - 17(7,10)	*EE*	[85023]
	12061.542	(0.030)	18(6,13) - 17(7,10)	*AA*	[85023]
	12062.003	(0.030)	18(6,13) - 17(7,10)	*AE*	[85023]
	12062.204	(0.030)	18(6,12) - 17(7,11)	**EE*	[85023]
	12070.246	(0.030)	18(6,13) - 17(7,10)	*EE	[85023]
	12070.427	(0.030)	18(6,12) - 17(7,11)	*AA*	[85023]
	12070.912	(0.030)	18(6,12) - 17(7,11)	*AE*	[85023]
	12071.045	(0.030)	18(6,12) - 17(7,11)	*EE*	[85023]
	12071.742	(0.030)	18(6,12) - 17(7,11)	*EA*	[85023]
	12381.595	(0.030)	10(3, 7) - 9(4, 6)	*AA*	[85023]
	12381.901	(0.030)	10(3, 7) - 9(4, 6)	*EE*	[85023]
	12382.165	(0.030)	10(3, 7) - 9(4, 6)	*AE*	[85023]
	12382.264	(0.030)	10(3, 7) - 9(4, 6)	*EA*	[85023]
	12435.726	(0.020)	26(9,18) - 25(10,15)		[85022]
	12435.726	(0.020)	26(9,17) - 25(10,16)		[85022]
	14384.156	(0.020)	26(11,15) - 27(10,18)		[85022]
	14824.451	(0.030)	18(8,11) - 19(7,12)	*AE*	[85023]
	14824.742	(0.030)	18(8,10) - 19(7,13)	**EE*	[85023]
	14824.870	(0.030)	18(8,11) - 19(7,12)	*AA*	[85023]
	14824.910	(0.030)	18(8,10) - 19(7,13)	*AE*	[85023]
	14825.049	(0.030)	18(8,11) - 19(7,12)	**EE*	[85023]
	14825.331	(0.030)	18(8,10) - 19(7,13)	*AA*	[85023]
	15245.380	(0.030)	10(5, 6) - 11(4, 7)	*EA*	[85023]
	15246.273	(0.030)	10(5, 6) - 11(4, 7)	*EE*	[85023]
	15246.963	(0.030)	10(5, 6) - 11(4, 7)	*AA*	[85023]
	15247.652	(0.030)	10(5, 5) - 11(4, 8)	**EE*	[85023]
	15247.888	(0.030)	10(5, 5) - 11(4, 8)	**EA*	[85023]
	15330.706	(0.030)	10(5, 6) - 11(4, 7)	**EA*	[85023]
	15331.599	(0.030)	10(5, 6) - 11(4, 7)	**EE*	[85023]
	15332.312	(0.030)	10(5, 5) - 11(4, 8)	*AE*	[85023]
	15332.930	(0.030)	10(5, 5) - 11(4, 8)	*AA*	[85023]
	15332.998	(0.030)	10(5, 5) - 11(4, 8)	*EE*	[85023]
	15333.286	(0.030)	10(5, 5) - 11(4, 8)	*EA*	[85023]
	17119.125	(0.030)	13(4,10) - 12(5, 7)	*AA*	[85023]

TABLE 14.3. Microwave spectrum of propane — Continued C_3H_8

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$	-	$J''(K_{-1},K_{+1})$	$\nu_1\nu_2$	Sym.	Ref.
	17119.340	(0.030)	13(4,10)	-	12(5, 7)		*EE*	[85023]
	17119.436	(0.030)	13(4,10)	-	12(5, 7)		*EA*	[85023]
	17119.736	(0.030)	13(4,10)	-	12(5, 7)		*AE*	[85023]
	17440.628	(0.030)	13(4, 9)	-	12(5, 8)		*AA*	[85023]
	17441.010	(0.030)	13(4, 9)	-	12(5, 8)		*EE*	[85023]
	17441.253	(0.030)	13(4, 9)	-	12(5, 8)		*AE*	[85023]
	17441.521	(0.030)	13(4, 9)	-	12(5, 8)		*EA*	[85023]
	17611.181	(0.030)	21(7,15)	-	20(8,12)		*EE*	[85023]
	17611.284	(0.030)	21(7,15)	-	20(8,12)		*AA*	[85023]
	17612.676	(0.030)	21(7,14)	-	20(8,13)		**EE*	[85023]
	17613.194	(0.030)	21(7,14)	-	20(8,13)		*AA*	[85023]
	17613.698	(0.030)	21(7,14)	-	20(8,13)		*EE*	[85023]
	19250.538	(0.030)	8(2, 7)	-	7(3, 4)		*AA*	[85023]
	19250.766	(0.030)	8(2, 7)	-	7(3, 4)		*EE*	[85023]
	19250.992	(0.030)	8(2, 7)	-	7(3, 4)		*AE*	[85023]
	20371.965	(0.030)	15(7, 9)	-	16(6,10)		AE	[85023]
	20371.990	(0.030)	15(7, 9)	-	16(6,10)		*EE*	[85023]
	20372.790	(0.030)	15(7, 9)	-	16(6,10)		*AA*	[85023]
	20372.864	(0.030)	15(7, 8)	-	16(6,11)		**EE*	[85023]
	20374.330	(0.030)	15(7, 9)	-	16(6,10)		*EE	[85023]
	20374.404	(0.030)	15(7, 8)	-	16(6,11)		*AE*	[85023]
	20374.951	(0.030)	15(7, 8)	-	16(6,11)		*AA*	[85023]
	20375.202	(0.030)	15(7, 8)	-	16(6,11)		*EE*	[85023]
	20657.876	(0.030)	7(4, 4)	-	8(3, 5)		*EA*	[85022]
	20658.414	(0.030)	7(4, 4)	-	8(3, 5)		*AE*	[85022]
	20658.573	(0.030)	7(4, 4)	-	8(3, 5)		*EE*	[85022]
	20659.021	(0.030)	7(4, 4)	-	8(3, 5)		*AA*	[85022]
	21001.174	(0.030)	7(4, 3)	-	8(3, 6)		*AE*	[85023]
	21001.615	(0.030)	7(4, 3)	-	8(3, 6)		*EE*	[85023]
	21001.786	(0.030)	7(4, 3)	-	8(3, 6)		*AA*	[85023]
	21642.31	(0.05)	1(1, 0)	-	1(0, 1)	1 2	A_2A_1	[73084]
	21644.27	(0.05)	1(1, 0)	-	1(0, 1)	1 2	*EE*	[73084]
	21646.21	(0.05)	1(1, 0)	-	1(0, 1)	1 2	A_2E	[73084]
	21646.21	(0.05)	1(1, 0)	-	1(0, 1)	1 2	EA_1	[73084]
	21717.05	(0.05)	1(1, 0)	-	1(0, 1)	1 1	A_1A_2	[73084]
	21718.67	(0.05)	1(1, 0)	-	1(0, 1)	1 1	*EE*	[73084]
	21720.33	(0.05)	1(1, 0)	-	1(0, 1)	1 1	A_1E	[73084]
	21720.33	(0.05)	1(1, 0)	-	1(0, 1)	1 1	EA_2	[73084]
	21748.288	(0.030)	1(1, 0)	-	1(0, 1)		*AE*+*EA*	[85023]
	21748.363	(0.030)	1(1, 0)	-	1(0, 1)		*EE*	[85023]
	21748.432	(0.030)	1(1, 0)	-	1(0, 1)		*AA*	[85023]
	22645.06	(0.05)	2(1, 1)	-	2(0, 2)	1 2	A_2A_1	[73048]
	22647.00	(0.05)	2(1, 1)	-	2(0, 2)	1 2	*EE*	[73048]
	22648.99	(0.05)	2(1, 1)	-	2(0, 2)	1 2	A_2E	[73048]
	22648.99	(0.05)	2(1, 1)	-	2(0, 2)	1 2	E_1	[73048]
	22733.90	(0.05)	2(1, 1)	-	2(0, 2)	1 1	A_1A_2	[73048]
	22735.68	(0.05)	2(1, 1)	-	2(0, 2)	1 1	*EE*	[73048]
	22737.35	(0.05)	2(1, 1)	-	2(0, 2)	1 1	A_1E	[73048]
	22737.35	(0.05)	2(1, 1)	-	2(0, 2)	1 1	EA_2	[73048]
	22769.662	(0.030)	2(1, 1)	-	2(0, 2)		*AE*+*EA*	[85023]
	22769.737	(0.030)	2(1, 1)	-	2(0, 2)		*EE*	[85023]
	22769.813	(0.030)	2(1, 1)	-	2(0, 2)		*AA*	[85023]
	22786.123	(0.030)	16(5,12)	-	15(6, 9)		AA	[85023]
	22786.199	(0.030)	16(5,12)	-	15(6, 9)		*EE*	[85023]
	22786.695	(0.030)	16(5,12)	-	15(6, 9)		*AE*	[85023]
	22861.950	(0.030)	16(5,11)	-	15(6,10)		*AA*	[85023]
	22862.444	(0.030)	16(5,11)	-	15(6,10)		*EE*	[85023]
	22862.528	(0.030)	16(5,11)	-	15(6,10)		*AE*	[85023]
	22933.680	(0.030)	5(1, 4)	-	4(2, 3)		*AA*	[85022]
	22933.830	(0.030)	5(1, 4)	-	4(2, 3)		*EE*	[85022]
	22933.985	(0.030)	5(1, 4)	-	4(2, 3)		*AE*+*EA*	[85022]
	24210.73	(0.05)	3(1, 2)	-	3(0, 3)	1 2	A_2A_1	[73048]
	24212.82	(0.05)	3(1, 2)	-	3(0, 3)	1 2	*EE*	[73048]
	24214.99	(0.05)	3(1, 2)	-	3(0, 3)	1 2	A_2E	[73048]
	24214.99	(0.05)	3(1, 2)	-	3(0, 3)	1 2	EA_1	[73048]
	24322.78	(0.05)	3(1, 2)	-	3(0, 3)	1 1	A_1A_2	[73048]
	24324.54	(0.05)	3(1, 2)	-	3(0, 3)	1 1	*EE*	[73048]

TABLE 14.3. Microwave spectrum of propane — Continued C_3H_8

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$	-	$J''(K_{-1},K_{+1})$	v_1v_2	Sym.	Ref.
	24326.37	(0.05)	3(1, 2)	-	3(0, 3)	1 1	A_1E	[73048]
	24326.37	(0.05)	3(1, 2)	-	3(0, 3)	1 1	EA_2	[73048]
	24365.370	(0.030)	3(1, 2)	-	3(0, 3)		$AE+EA$	[85023]
	24365.451	(0.030)	3(1, 2)	-	3(0, 3)		EE	[85023]
	24365.531	(0.030)	3(1, 2)	-	3(0, 3)		AA	[85023]
	25916.034	(0.030)	12(6, 7)	-	13(5, 8)		EE	[85023]
	25916.258	(0.030)	12(6, 7)	-	13(5, 8)		AE	[85023]
	25916.931	(0.030)	12(6, 7)	-	13(5, 8)		AA	[85023]
	25917.154	(0.030)	12(6, 6)	-	13(5, 9)		EE	[85023]
	25925.572	(0.030)	12(6, 7)	-	13(5, 8)		EE	[85023]
	25925.804	(0.030)	12(6, 6)	-	13(5, 9)		AE	[85023]
	25926.705	(0.030)	12(6, 6)	-	13(5, 9)		EE	[85023]
	25926.452	(0.030)	12(6, 6)	-	13(5, 9)		AA	[85023]
	26132.816	*(0.030)*	*8(2, 6)*	-	*7(3, 5)*		AA	[*85023*]
	26133.035	*(0.030)*	*8(2, 6)*	-	*7(3, 5)*		EE	[*85023*]
	26133.245	*(0.030)*	*8(2, 6)*	-	*7(3, 5)*		$AE+EA$	[*85023*]
	26411.06	(0.05)	4(1, 3)	-	4(0, 4)	1 2	A_2A_1	[73048]
	26413.30	(0.05)	4(1, 3)	-	4(0, 4)	1 2	EE	[73048]
	26415.55	(0.05)	4(1, 3)	-	4(0, 4)	1 2	A_2E	[73048]
	26415.55	(0.05)	4(1, 3)	-	4(0, 4)	1 2	EA_1	[73048]
	26556.51	(0.05)	4(1, 3)	-	4(0, 4)	1 1	A_1A_2	[73048]
	26558.40	(0.05)	4(1, 3)	-	4(0, 4)	1 1	EE	[73048]
	26560.30	(0.05)	4(1, 3)	-	4(0, 4)	1 1	A_1E	[73048]
	26560.30	(0.05)	4(1, 3)	-	4(0, 4)	1 1	EA_2	[*73048*]
	26609.24	(0.03)	4(1, 3)	-	4(0, 4)			[60009]
	29334.72	(0.05)	5(1, 4)	-	5(0, 5)	1 2	A_2A_1	[67033]
	29337.18	(0.05)	5(1, 4)	-	5(0, 5)	1 2	EE	[67033]
	29339.60	(0.05)	5(1, 4)	-	5(0, 5)	1 2	A_2E	[67033]
	29339.60	(0.05)	5(1, 4)	-	5(0, 5)	1 2	EA_1	[*67033*]
	29525.87	(0.05)	5(1, 4)	-	5(0, 5)	1 1	A_1A_2	[67033]
	29527.91	(0.05)	5(1, 4)	-	5(0, 5)	1 1	EE	[67033]
	29529.98	(0.05)	5(1, 4)	-	5(0, 5)	1 1	A_1E	[67033]
	29529.98	(0.05)	5(1, 4)	-	5(0, 5)	1 1	EA_2	[*67033*]
	29592.51	(0.03)	5(1, 4)	-	5(0, 5)			[60009]
	33414.72	(0.03)	6(1, 5)	-	6(0, 6)			[60009]
	36616.05	(0.05)	1(1, 1)	-	0(0, 0)	1 1	A_1A_2	[73084]
	36617.73	(0.05)	1(1, 1)	-	0(0, 0)	1 1	EE	[73084]
	36619.24	(0.05)	1(1, 1)	-	0(0, 0)	1 1	A_1E	[73084]
	36619.24	(0.05)	1(1, 1)	-	0(0, 0)	1 1	EA_2	[*73084*]
	36534.10	(0.05)	1(1, 1)	-	0(0, 0)	1 2	A_2A_1	[73084]
	36535.95	(0.05)	1(1, 1)	-	0(0, 0)	1 2	EE	[73084]
	36537.80	(0.05)	1(1, 1)	-	0(0, 0)	1 2	A_2E	[73084]
	36537.80	(0.05)	1(1, 1)	-	0(0, 0)	1 2	EA_1	[*73084*]
	36666.33	(0.05)	1(1, 1)	-	0(0, 0)			[60009]
	51425.55	(0.05)	2(1, 2)	-	1(0, 1)	1 2	A_2A_1	[73084]
	51427.45	(0.05)	2(1, 2)	-	1(0, 1)	1 2	EE	[73084]
	51429.25	(0.05)	2(1, 2)	-	1(0, 1)	1 2	A_2E	[73084]
	51429.25	(0.05)	2(1, 2)	-	1(0, 1)	1 2	EA_1	[*73084*]
	51514.95	(0.05)	2(1, 2)	-	1(0, 1)	1 1	A_1A_2	[73084]
	51516.55	(0.05)	2(1, 2)	-	1(0, 1)	1 1	EE	[*73084*]
	51518.15	(0.05)	2(1, 2)	-	1(0, 1)	1 1	A_1E	[*73084*]
	51518.15	(0.05)	2(1, 2)	-	1(0, 1)	1 1	EA_2	[*73084*]
	140017.440	(0.010)	18(1,17)	-	18(0,18)			[15022]
	140209.001	(0.010)	29(5,24)	-	29(4,25)			[85022]
	140620.619	(0.010)	17(2,16)	-	17(1,17)			[85022]
	141025.107	(0.010)	36(5,31)	-	36(4,32)			[85022]
	141203.180	(0.010)	14(4,10)	-	14(3,11)			[85022]
	141387.150	(0.010)	27(3,24)	-	27(2,25)			[85022]
	142672.637	(0.010)	17(3,14)	-	16(4,13)			[85022]
	142955.170	(0.010)	32(4,28)	-	32(3,29)			[85022]
	143346.340	(0.010)	13(4, 9)	-	13(3,10)			[85022]
	143622.180	(0.010)	19(3,17)	-	19(2,18)			[85022]
	144760.500	(0.010)	28(5,23)	-	28(4,24)			[85022]
	145001.150	(0.010)	12(4, 8)	-	12(3, 9)			[85022]
	145856.220	(0.010)	19(3,17)	-	18(4,14)			[85022]
	146021.260	(0.010)	14(2,12)	-	13(3,11)			[85022]
	146232.500	(0.010)	11(4, 7)	-	11(3, 8)			[85022]

TABLE 14.3. Microwave spectrum of propane — Continued C_3H_8

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$	-	$J''(K_{-1},K_{+1})$	$\nu_1\nu_2$	Sym.	Ref.
	146232.500	(0.010)	11(4, 7)	-	11(3, 8)			[85022]
	146601.280	(0.010)	9(1, 9)	-	8(0, 8)			[85022]
	147044.370	(0.010)	21(4,18)	-	20(5,15)			[85022]
	147116.440	(0.010)	10(4, 6)	-	10(3, 7)			[85022]
	147362.080	(0.010)	37(5,32)	-	37(4,33)			[85022]
	147538.060	(0.010)	10(0,10)	-	9(1, 9)			[85022]
	147728.480	(0.010)	9(4, 5)	-	9(3, 6)			[85022]
	148136.610	(0.010)	8(4, 4)	-	8(3, 5)			[85022]
	211188.559	(0.010)	32(5,28)	-	32(4,29)			[85022]
	211446.958	(0.010)	14(0,14)	-	13(1,13)			[85022]
	211481.852	(0.010)	8(2, 6)	-	7(1, 7)			[85022]
	211766.984	(0.010)	17(2,15)	-	16(3,14)			[85022]
	212660.630	(0.010)	11(2,10)	-	10(1, 9)			[85022]
	212717.237	(0.010)	28(3,26)	-	28(2,27)			[85022]
	213455.847	(0.010)	28(6,22)	-	28(5,23)			[85022]
	214776.052	(0.010)	33(3,30)	-	33(2,31)			[85022]
	214833.358	(0.010)	31(4,28)	-	31(3,29)			[85022]
	215513.772	(0.010)	14(1,14)	-	13(0,13)			[85022]
	216107.921	(0.010)	27(5,22)	-	26(6,21)			[85022]
	216117.906	(0.010)	7(3, 5)	-	6(2, 4)			[85022]
	216255.769	(0.010)	33(5,29)	-	33(4,30)			[85022]
	217127.058	(0.010)	27(6,21)	-	27(5,22)			[85022]
	217297.294	(0.010)	15(1,14)	-	14(2,13)			[85022]
	218618.306	(0.010)	7(3, 4)	-	6(2, 5)			[85022]
	219527.413	(0.010)	26(1,25)	-	26(0,26)			[85022]
	220215.357	(0.010)	26(6,20)	-	26(5,21)			[85022]
	220436.493	(0.010)	26(2,25)	-	26(1,26)			[85022]
	221631.655	(0.010)	29(3,27)	-	29(2,28)			[85022]
	221857.648	(0.010)	34(5,30)	-	34(4,31)			[85022]
	280971.706	(0.010)	17(2,16)	-	16(1,15)			[85022]
	283543.557	(0.010)	12(3,10)	-	11(2, 9)			[85022]
	286689.990	(0.010)	6(5, 2)	-	5(4, 1)			[85022]
	287574.584	(0.010)	19(0,19)	-	18(1,18)			[85022]
	288181.882	(0.010)	11(3, 8)	-	10(2, 9)			[85022]
	288365.749	(0.010)	19(1,19)	-	18(0,18)			[85022]
	288605.341	(0.010)	41(8,33)	-	41(7,34)			[85022]
	289146.451	(0.010)	19(1,18)	-	18(2,17)			[85022]
	291586.293	(0.010)	9(4, 6)	-	8(3, 5)			[85022]
	291944.025	(0.010)	9(4, 5)	-	8(3, 6)			[85022]
	293185.436	(0.010)	18(2,17)	-	17(1,16)			[85022]
	293477.608	(0.010)	27(4,23)	-	26(5,22)			[85022]
	295099.457	(0.010)	13(3,11)	-	12(2,10)			[85022]
	296256.010	(0.010)	39(8,31)	-	39(7,32)			[85022]
$^{13}CH_3CH_2CH_3$	22788.80	(0.06)	2(1, 1)	-	2(0, 2)			[60009]
	24315.01	(0.06)	3(1, 2)	-	3(0, 3)			[60009]
	26456.74	(0.06)	4(1, 3)	-	4(0, 4)			[60009]
	29298.58	(0.06)	5(1, 4)	-	5(0, 5)			[60009]
	32933.58	(0.06)	6(1, 5)	-	6(0, 6)			[60009]
	36373.78	(0.06)	1(1, 1)	-	0(0, 0)			[60009]
$CH_3{}^{13}CH_2CH_3$	22299.03	(0.06)	2(1, 1)	-	2(0, 2)			[60009]
	23961.76	(0.06)	3(1, 2)	-	3(0, 3)			[60009]
	26306.35	(0.06)	4(1, 3)	-	4(0, 4)			[60009]
	29432.48	(0.06)	5(1, 4)	-	5(0, 5)			[60009]
	33446.47	(0.06)	6(1, 5)	-	6(0, 6)			[60009]
	36083.69	(0.06)	1(1, 1)	-	0(0, 0)			[60009]
CH_3CHDCH_3	19670.78	(0.06)	2(1, 1)	-	2(0, 2)			[60009]
	21445.48	(0.06)	3(1, 2)	-	3(0, 3)			[60009]
	23971.76	(0.06)	4(1, 3)	-	4(0, 4)			[60009]
	27370.09	(0.06)	5(1, 4)	-	5(0, 5)			[60009]
	31759.70	(0.06)	6(1, 5)	-	6(0, 6)			[60009]
	33112.93	(0.06)	1(1, 1)	-	0(0, 0)			[60009]
sym-$CH_2DCH_2CH_3$	22938.16	(0.06)	2(1, 1)	-	2(0, 2)			[60009]
	24324.96	(0.06)	3(1, 2)	-	3(0, 3)			[60009]
	26262.62	(0.06)	4(1, 3)	-	4(0, 4)			[60009]
	28822.23	(0.06)	5(1, 4)	-	5(0, 5)			[60009]
	32083.91	(0.06)	6(1, 5)	-	6(0, 6)			[60009]
	35989.76	(0.06)	1(1, 1)	-	0(0, 0)			[60009]

TABLE 14.3. Microwave spectrum of propane — Continued C_3H_8

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$ v_1v_2	Sym.	Ref.
asy-$CH_2DCH_2CH_3$	20616.12	(0.06)	2(1, 1) - 2(0, 2)		[60009]
	22137.98	(0.06)	3(1, 2) - 3(0, 3)		[60009]
	24283.11	(0.06)	4(1, 3) - 4(0, 4)		[60009]
	27141.90	(0.06)	5(1, 4) - 5(0, 5)		[60009]
	30811.32	(0.06)	6(1, 5) - 6(0, 6)		[60009]
	34014.10	(0.06)	1(1, 1) - 0(0, 0)		[60009)

Table 15.1. Molecular constants for the C_4H radical.

Parameter	Ground State [83053]	v=1 State [87018]
B (MHz)	4758.6557(7)	4782.160(2)
D (kHz)	0.8627(10)	0.910(2)
γ (MHz)	-38.555(2)	-56.97(13)
γ_D (kHz)	0.127	1.40(9)
b (MHz)	-19.088(6)	
c (MHz)	12.435(10)	

TABLE 15.2. Microwave spectrum of butadiynl radical C_4H

Isotopic species	Frequency (MHz)	Unc. (MHz)	J' - J''	P	F' - F''	Vib. state	Ref.
C_4H	9493.067	(0.003)	3/2 - 1/2		1 - 0	$v=0$	[83052]
	9497.624	(0.003)	3/2 - 1/2		2 - 1	$v=0$	[83052]
	9508.016	(0.003)	3/2 - 1/2		1 - 1	$v=0$	[83052]
	9547.967	(0.003)	1/2 - 1/2		1 - 0	$v=0$	[83052]
	9551.728	(0.003)	1/2 - 1/2		0 - 1	$v=0$	[83052]
	9562.915	(0.003)	1/2 - 1/2		1 - 1	$v=0$	[83052]
	85633.9	(1.0)	19/2 - 17/2			$v=0$	[78032]
	85672.4	(1.0)	17/2 - 15/2			$v=0$	[78032]
	86048.50	(0.25)	9/1 - 8/1	l		$v=1$	[87018]
	86104.44	(0.25)	9/1 - 8/1	u		$v=1$	[87018]
	95149.5	(1.0)	21/2 - 19/2			$v=0$	[78032]
	95189.0	(1.0)	19/2 - 17/2			$v=0$	[78032]
	95611.13	(0.25)	10/1 - 9/1	l		$v=1$	[87018]
	95667.89	(0.25)	10/1 - 9/1	u		$v=1$	[87018]
	104667.3	(1.0)	23/2 - 21/2			$v=0$	[78032]
	104706.0	(1.0)	21/2 - 19/2			$v=0$	[78032]
	105174.58	(0.20)	11/1 - 10/1	l		$v=1$	[87018]
	105230.65	(0.20)	11/1 - 10/1	u		$v=1$	[87018]
	114182.	(1.0)	25/2 - 23/2			$v=0$	[78032]
	114221.	(1.0)	23/2 - 21/2			$v=0$	[78032]
	114737.17	(0.20)	12/1 - 11/1	l		$v=1$	[87018]
	114793.82	(0.35)	12/1 - 11/1	u		$v=1$	[87018]
	133862.50	(0.20)	14/1 - 13/1	l		$v=1$	[87018]
	133918.54	(0.20)	14/1 - 13/1	u		$v=1$	[87018]
	142728.773	(0.018)	31/2 - 29/2			$v=0$	[83053]
	142767.280	(0.016)	29/2 - 27/2			$v=0$	[83053]
	143424.39	(0.20)	15/1 - 14/1	l		$v=1$	[87018]
	143480.41	(0.20)	15/1 - 14/1	u		$v=1$	[87018]
	152986.00	(0.20)	16/1 - 15/1	l		$v=1$	[87018]
	153041.88	(0.20)	16/1 - 15/1	u		$v=1$	[87018]
	162547.41	(0.15)	17/1 - 16/1	l		$v=1$	[*87018*]
	162603.18	*(0.15)*	*17/1 - 16/1*	u		$v=1$	[87018]
	171272.249	(0.014)	37/2 - 35/2			$v=0$	[83053]
	171310.707	(0.014)	35/2 - 33/2			$v=0$	[83053]
	172108.36	(0.50)	18/1 - 17/1	l		$v=1$	[87018]
	172164.12	(0.80)	18/1 - 17/1	u		$v=1$	[87018]
	180786.031	(0.017)	39/2 - 37/2			$v=0$	[83053]
	180824.472	(0.016)	37/2 - 35/2			$v=0$	[83053]
	181669.38	(0.03)	19/1 - 18/1	l		$v=1$	[87018]
	181725.00	(0.05)	19/1 - 18/1	u		$v=1$	[87018]
	190299.425	(0.014)	41/2 - 39/2			$v=0$	[83053]
	190337.804	(0.013)	39/2 - 37/2			$v=0$	[83053]
	191229.68	(0.04)	20/1 - 19/1	l		$v=1$	[87018]
	191285.01	(0.06)	20/1 - 19/1	u		$v=1$	[87018]
	199812.391	(0.016)	43/2 - 41/2			$v=0$	[83053]
	199850.787	(0.015)	41/2 - 39/2			$v=0$	[83053]
	200789.44	(0.04)	21/1 - 20/1	l		$v=1$	[87018]
	200844.62	(0.04)	21/1 - 20/1	u		$v=1$	[87018]
	210348.87	(0.05)	22/1 - 21/1	l		$v=1$	[87018]
	210403.74	(0.04)	22/1 - 21/1	u		$v=1$	[87018]
	219907.70	(0.03)	23/1 - 22/1	l		$v=1$	[87018]
	219962.41	(0.05)	23/1 - 22/1	u		$v=1$	[87018]

Table 16.1. Molecular constants of 1,3-butadiyne (diacetylene) in excited vibrational states.

Parameter	Upper State[a]	Lower State[a]
ν_8-ν_6 band [81046]	ν_8	ν_6
B_v (MHz)	4391.1921(94)	4391.3230(84)
D_v (kHz)	0.594(179)	0.582(154)
q_v (MHz)	2.4073(37)	2.4830(32)
ΔG_v (MHz)	71868.336(57)	
μ (D)	0.0787(10)	
Σ_g^+ - Σ_u^+ subband [82036]	$\nu_8 + \nu_9$ (g)	$\nu_6 + \nu_9$ (u)
B_v (MHz)	4402.9090(61)	4403.8625(56)
D_v (kHz)	0.854(54)	1.826(47)
H_v (Hz)	-0.118(155)	0.003(121)
ΔG_v (MHz)	46112.301(42)	
μ (D)	0.0755(5)	
Σ_g^- - Σ_u^- subband [82036]		
B_v (MHz)	4403.7414(36)	4403.8795(41)
D_v (MHz)	0.713(37)	0.767(43)
H_v (Hz)	0.243(207)	0.212(179)
ΔG_v (MHz)	73412.284(29)	
μ (D)	0.0805(4)	
Δ_g - Δ_u subband [82036]		
B_v (MHz)	4403.7192(56)	4403.8715(64)
D_v (kHz)	0.302(49)	-0.216(56)
H_v (Hz)	0.425(229)	0.296(201)
ρ_v (kHz)	0.0492(134)	0.5185(128)
ρ_v' (Hz)	0.320(68)	0.212(57)
ΔG_v (MHz)	77573.622(58)	

[a]Values in parentheses denote 2.5 standard errors.

Table 16.2. Molecular constants of HC≡CC≡CD. [81047]

State	B (MHz)	D (kHz)	q (MHz)	μ (D)
ν_6 (Π)	4086.2165(44)[a]	0.408(36)	2.1316(28)	0.0907(6)
$2\nu_6$ (Δ)	4087.6963(58)	0.349(50)		0.1681(14)
$\nu_6 + \nu_9$ (Δ)	4097.7537(50)	0.358(44)		0.0900(4)
$2\nu_8$ (Δ)	4094.4786(103)	0.351(85)		
$\nu_6 + \nu_7$ (Δ)	4092.9074(176)	1.419(145)		
$\nu_7 + \nu_8$ (Δ)	4095.8925(354)	0.355(290)		
$2\nu_6 + \nu_9$ (ϕ)	4098.9505(339)	0.372(303)		
Ground[b]	4084.74			0.0133

[a]The 2.5σ uncertainties are given in parentheses for the last digits shown.
[b]Extrapolated from the ν_6 and $2\nu_6$ state values.

Table 16.3. Molecular constants of 1,3-butadiyne (diacetylene-d_2) in excited vibrational states. [84037]

Parameter		Upper State[a]	Lower State[a]
$\nu_6 - \nu_8$ band		ν_6	ν_8
B_v (MHz)		3814.2822(15)	3812.9142(16)
D_v (kHz)		0.3113(128)	0.3149(113)
q_v (MHz)		2.2874(17)	2.2767(15)
ΔG_v (MHz)		86417.951(13)	
μ (D)		0.0450(11)	
		$\nu_6 + \nu_9$ (u)	$\nu_8 + \nu_9$ (g)
B_v (MHz)	Σ^+	3824.3631(43)	3823.0200(44)
	Σ^-	3824.4347(40)	3823.0598(43)
	Δ	3824.3726(33)	3823.0410(36)
D_v (kHz)	Σ^+	0.3439(731)	0.3469(674)
	Σ^-	0.3493(388)	0.3519(381)
	Δ	0.3182(283)	0.3197(278)
δG (MHz)	$\Delta - \Sigma^+$	27847.(681)	53389.(681)
	$\Delta - \Sigma^-$	32184.(2242)	30382.(2242)
ΔG (MHz)	Σ^+	111358.561(38)	
	Σ^-	84014.468(35)	
	Δ	85816.240(33)	
q_9 (MHz)		4.898(240)	
q_6 (MHz)		2.2874 fixed	
q_8 (MHz)		2.2767 fixed	

[a]Values in parentheses denote 2.5 standard deviations.

TABLE 16.4. Microwave spectrum of 1,3 -butadiyne C_4H_2

Isotopic species	Frequency (MHz)	Unc. (MHz)	J' - J''	Vib. state		Ref.
HCCCCH	10366.206	(0.050)	6 - 7	$1\nu_8$ - $1\nu_6$	f	[81046]
	10404.158	(0.050)	6 - 7	$1\nu_8$ - $1\nu_6$	e	[81046]
	15939.238	(0.050)	10 - 9	$1\nu_6$ - $1\nu_8$	e	[81036]
	15995.727	(0.050)	10 - 9	$1\nu_6$ - $1\nu_8$	f	[81046]
	19153.113	(0.050)	5 - 6	$1\nu_8$ - $1\nu_6$	f	[81046]
	19185.188	(0.050)	5 - 6	$1\nu_8$ - $1\nu_6$	e	[81046]
	19326.369	(0.050)	12 - 11	$1\nu_{6+9}$ - $1\nu_{8+9}$	Δ f	[82036]
	19343.214	(0.050)	12 - 11	$1\nu_{6+9}$ - $1\nu_{8+9}$	Δ e	[82036]
	23483.668	(0.050)	11 - 10	$1\nu_{6+9}$ - $1\nu_{8+9}$	Σ^-	[82036]
	24396.116	(0.050)	9 - 8	$1\nu_{6+9}$ - $1\nu_{8+9}$	Σ^+	[82036]
	24720.622	(0.050)	11 - 10	$1\nu_6$ - $1\nu_8$	e	[81046]
	24722.001	(0.050)	5 - 6	$1\nu_{8+9}$ - $1\nu_{6+9}$	Δ e	[82036]
	24723.720	(0.050)	5 - 6	$1\nu_{8+9}$ - $1\nu_{6+9}$	Δ f	[82036]
	24783.608	(0.050)	11 - 10	$1\nu_6$ - $1\nu_8$	f	[81046]
	27939.711	(0.050)	4 - 5	$1\nu_8$ - $1\nu_6$	f	[81046]
	27966.101	(0.050)	4 - 5	$1\nu_8$ - $1\nu_6$	e	[81046]
	28137.188	(0.050)	13 - 12	$1\nu_{6+9}$ - $1\nu_{8+9}$	Δ f	[82036]
	28160.648	(0.050)	13 - 12	$1\nu_{6+9}$ - $1\nu_{8+9}$	Δ e	[82036]
	28495.001	(0.050)	2 - 3	$1\nu_{8+9}$ - $1\nu_{6+9}$	Σ^+	[82036]
	29371.105	(0.050)	4 - 5	$1\nu_{8+9}$ - $1\nu_{6+9}$	Σ^-	[82036]
	32293.064	(0.050)	13 - 12	$1\nu_{6+9}$ - $1\nu_{8+9}$	Σ^-	[82036]
	33215.564	(0.050)	10 - 9	$1\nu_{6+9}$ - $1\nu_{8+9}$	Σ^+	[82036]
	33502.016	(0.050)	12 - 11	$1\nu_6$ - $1\nu_8$	e	[81046]
	33531.917	(0.050)	4 - 5	$1\nu_{8+9}$ - $1\nu_{6+9}$	Δ e	[82036]
	33532.717	(0.050)	4 - 5	$1\nu_{8+9}$ - $1\nu_{6+9}$	Δ f	[82036]
	33571.597	(0.050)	12 - 11	$1\nu_6$ - $1\nu_8$	f	[81046]
	36726.056	(0.050)	3 - 4	$1\nu_8$ - $1\nu_6$	f	[81046]
	36746.882	(0.050)	3 - 4	$1\nu_8$ - $1\nu_6$	e	[81046]
	36948.320	(0.050)	14 - 13	$1\nu_{6+9}$ - $1\nu_{8+9}$	Δ f	[82036]
	36980.115	(0.050)	14 - 13	$1\nu_{6+9}$ - $1\nu_{8+9}$	Δ e	[82036]
	38179.817	(0.050)	4 - 3	$1\nu_{8+9}$ - $1\nu_{6+9}$	Σ^-	[82036]
	41102.447	(0.050)	14 - 13	$1\nu_{6+9}$ - $1\nu_{8+9}$	Σ^-	[82036]
	42035.688	(0.050)	10 - 9	$1\nu_{6+9}$ - $1\nu_{8+9}$	Σ^+	[82036]
	42283.382	(0.050)	13 - 12	$1\nu_6$ - $1\nu_8$	e	[81046]
	42341.222	(0.050)	4 - 5	$1\nu_{8+9}$ - $1\nu_{6+9}$	Δ e	[82036]
	42359.748	(0.050)	13 - 12	$1\nu_6$ - $1\nu_8$	f	[81046]
	45512.063	(0.050)	2 - 3	$1\nu_8$ - $1\nu_6$	f	[81046]
	45527.446	(0.050)	2 - 3	$1\nu_8$ - $1\nu_6$	e	[81046]
	46988.213	(0.050)	2 - 3	$1\nu_{8+9}$ - $1\nu_{6+9}$	Σ^-	[82036]
	49911.775	(0.050)	15 - 14	$1\nu_{6+9}$ - $1\nu_{8+9}$	Σ^-	[82036]
	50856.220	(0.050)	12 - 11	$1\nu_{6+9}$ - $1\nu_{8+9}$	Σ^+	[82036]
	51064.793	(0.050)	14 - 13	$1\nu_6$ - $1\nu_8$	e	[81046]
	51148.101	(0.050)	14 - 13	$1\nu_6$ - $1\nu_8$	f	[81046]
	51150.114	(0.050)	4 - 3	$1\nu_{8+9}$ - $1\nu_{6+9}$	Δ f	[82036]
	54297.885	(0.050)	1 - 2	$1\nu_8$ - $1\nu_6$	f	[81046]
	54307.948	(0.050)	1 - 2	$1\nu_8$ - $1\nu_6$	e	[81046]
	54571.471	(0.050)	16 - 15	$1\nu_{6+9}$ - $1\nu_{8+9}$	Δ f	[82036]
	54626.336	(0.050)	16 - 15	$1\nu_{6+9}$ - $1\nu_{8+9}$	Δ e	[82036]
	54918.086	(0.050)	1 - 0	$1\nu_{8+9}$ - $1\nu_{6+9}$	Σ^+	[82036]
	55796.541	(0.050)	1 - 2	$1\nu_{8+9}$ - $1\nu_{6+9}$	Σ^-	[82036]
	58721.023	(0.050)	16 - 15	$1\nu_{6+9}$ - $1\nu_{8+9}$	Σ^-	[82036]
	59676.925	(0.050)	13 - 12	$1\nu_{6+9}$ - $1\nu_{8+9}$	Σ^+	[82036]
	59846.248	(0.050)	15 - 14	$1\nu_6$ - $1\nu_8$	e	[81046]
	59936.594	(0.050)	15 - 14	$1\nu_6$ - $1\nu_8$	f	[81046]
	63383.530	(0.050)	17 - 16	$1\nu_{6+9}$ - $1\nu_{8+9}$	Δ f	[82036]
	63453.736	(0.050)	17 - 16	$1\nu_{6+9}$ - $1\nu_{8+9}$	Δ e	[82036]
	63721.981	(0.050)	2 - 1	$1\nu_{8+9}$ - $1\nu_{6+9}$	Σ^+	[82036]
	64604.556	(0.050)	1 - 1	$1\nu_{8+9}$ - $1\nu_{6+9}$	Σ^-	[82036]
	67530.224	(0.050)	17 - 16	$1\nu_{6+9}$ - $1\nu_{8+9}$	Σ^-	[82036]
	68497.670	(0.050)	14 - 13	$1\nu_{6+9}$ - $1\nu_{8+9}$	Σ^+	[82036]
	68627.629	(0.050)	16 - 15	$1\nu_6$ - $1\nu_8$	e	[81046]
	68725.304	(0.050)	16 - 15	$1\nu_6$ - $1\nu_8$	f	[81046]
	71816.892	(0.050)	4 - 4	$1\nu_8$ - $1\nu_6$	ef	[81046]
	71837.647	(0.050)	3 - 3	$1\nu_8$ - $1\nu_6$	ef	[81046]
	71852.994	(0.050)	2 - 2	$1\nu_8$ - $1\nu_6$	e	[81046]
	71863.314	(0.050)	1 - 1	$1\nu_8$ - $1\nu_6$	ef	[81046]
	71873.102	(0.050)	1 - 1	$1\nu_8$ - $1\nu_6$	fe	[81046]

TABLE 16.4. Microwave spectrum of 1,3 -butadiyne — Continued C_4H_2

Isotopic species	Frequency (MHz)	Unc. (MHz)	J' - J''	Vib. state		Ref.
	71882.396	(0.050)	2 - 2	$1\nu_8$ - $1\nu_6$	*fe*	[81046]
	71896.242	(0.050)	3 - 3	$1\nu_8$ - $1\nu_6$	*fe*	[81046]
	71914.713	(0.050)	4 - 4	$1\nu_8$ - $1\nu_6$	*fe*	[81046]
	72195.871	(0.050)	18 - 17	$1\nu_{6+9}$ - $1\nu_{8+9}$	Δ *f*	[82036]
	72284.350	(0.050)	18 - 17	$1\nu_{6+9}$ - $1\nu_{8+9}$	Δ *e*	[82036]
	72524.001	(0.050)	3 - 2	$1\nu_{8+9}$ - $1\nu_{6+9}$	Σ^+	[82036]
	76339.339	(0.050)	18 - 17	$1\nu_{6+9}$ - $1\nu_{8+9}$	Σ^-	[82036]
	77317.949	(0.050)	15 - 14	$1\nu_{6+9}$ - $1\nu_{8+9}$	Σ^+	[82036]
	77409.181	(0.050)	17 - 16	$1\nu_6$ - $1\nu_8$	*e*	[82036]
	77514.202	(0.050)	17 - 16	$1\nu_6$ - $1\nu_8$	*f*	[82036]
	77570.815	(0.050)	4 - 4	$1\nu_{8+9}$ - $1\nu_{6+9}$	*fe*	[82036]
	77572.418	(0.050)	3 - 3	$1\nu_{8+9}$ - $1\nu_{6+9}$	*ef*	[82036]
	77573.323	(0.050)	2 - 2	$1\nu_{8+9}$ - $1\nu_{6+9}$	*fe*	[82036]
	81008.656	(0.050)	19 - 18	$1\nu_{6+9}$ - $1\nu_{8+9}$	Δ *f*	[82036]
	81118.771	(0.050)	19 - 18	$1\nu_{6+9}$ - $1\nu_{8+9}$	Δ *e*	[82036]
	81324.066	(0.050)	3 - 2	$1\nu_{8+9}$ - $1\nu_{6+9}$	Σ^+	[82036]
	82219.760	(0.050)	1 - 0	$1\nu_{8+9}$ - $1\nu_{6+9}$	Σ^-	[82036]
	85148.237	(0.050)	19 - 18	$1\nu_{6+9}$ - $1\nu_{8+9}$	Σ^-	[82036]
	86137.441	(0.050)	16 - 15	$1\nu_{6+9}$ - $1\nu_{8+9}$	Σ^+	[82036]
	86190.631	(0.050)	18 - 17	$1\nu_6$ - $1\nu_8$	*e*	[82036]
	86303.186	(0.050)	18 - 17	$1\nu_6$ - $1\nu_8$	*f*	[82036]
	89428.244	(0.050)	2 - 1	$1\nu_8$ - $1\nu_6$	*e*	[82036]
	89437.861	(0.050)	2 - 1	$1\nu_8$ - $1\nu_6$	*f*	[82036]
	89821.699	(0.050)	10 - 19	$1\nu_{6+9}$ - $1\nu_{8+9}$	Δ *f*	[82036]
	89956.981	(0.050)	10 - 19	$1\nu_{6+9}$ - $1\nu_{8+9}$	Δ *e*	[82036]
	90122.305	(0.050)	5 - 4	$1\nu_{8+9}$ - $1\nu_{6+9}$	Σ^+	[82036]
	91026.942	(0.050)	2 - 1	$1\nu_{8+9}$ - $1\nu_{6+9}$	Σ^-	[82036]
	93956.940	(0.050)	20 - 19	$1\nu_{6+9}$ - $1\nu_{8+9}$	Σ^-	[82036]
	94955.928	(0.050)	17 - 16	$1\nu_{6+9}$ - $1\nu_{8+9}$	Σ^+	[82036]
	94972.022	(0.050)	19 - 18	$1\nu_6$ - $1\nu_8$	*e*	[82036]
	95092.267	(0.050)	19 - 18	$1\nu_6$ - $1\nu_8$	*f*	[82036]
	98635.136	(0.050)	21 - 20	$1\nu_{6+9}$ - $1\nu_{8+9}$	Δ *f*	[82036]
	98799.479	(0.050)	21 - 20	$1\nu_{6+9}$ - $1\nu_{8+9}$	Δ *e*	[82036]
	102765.404	(0.050)	21 - 20	$1\nu_{6+9}$ - $1\nu_{8+9}$	Σ^-	[82036]
	103753.379	(0.050)	20 - 19	$1\nu_6$ - $1\nu_8$	*e*	[82036]
	103773.020	(0.050)	18 - 17	$1\nu_{6+9}$ - $1\nu_{8+9}$	Σ^+	[82036]
	103881.484	(0.050)	20 - 19	$1\nu_6$ - $1\nu_8$	*f*	[82036]
	103995.578	(0.050)	3 - 2	$1\nu_{8+9}$ - $1\nu_{6+9}$	*e*	[82036]
	106987.262	(0.050)	4 - 3	$1\nu_8$ - $1\nu_6$	*e*	[82036]
	107005.664	(0.050)	4 - 3	$1\nu_8$ - $1\nu_6$	*f*	[82036]
	107448.891	(0.050)	22 - 21	$1\nu_{6+9}$ - $1\nu_{8+9}$	*f*	[82036]
	107646.637	(0.050)	22 - 21	$1\nu_{6+9}$ - $1\nu_{8+9}$	Δ *e*	[82036]
	107713.512	(0.050)	7 - 6	$1\nu_{8+9}$ - $1\nu_{6+9}$	Σ^+	[82036]
	108640.399	(0.050)	4 - 3	$1\nu_{8+9}$ - $1\nu_{6+9}$	Σ^-	[82036]
	111573.608	(0.050)	22 - 21	$1\nu_{6+9}$ - $1\nu_{8+9}$	Σ^-	[82036]
	112534.685	(0.050)	21 - 20	$1\nu_6$ - $1\nu_8$	*e*	[82036]
	112588.369	(0.050)	19 - 18	$1\nu_{6+9}$ - $1\nu_{8+9}$	Σ^+	[82036]
	112670.794	(0.050)	21 - 20	$1\nu_6$ - $1\nu_8$	*f*	[82036]
	112802.051	(0.050)	4 - 3	$1\nu_{8+9}$ - $1\nu_{6+9}$	*f*	[82036]
	115766.433	(0.050)	5 - 4	$1\nu_8$ - $1\nu_6$	*e*	[82036]
	115789.016	(0.050)	5 - 4	$1\nu_8$ - $1\nu_6$	*f*	[82036]
	116263.138	(0.050)	23 - 22	$1\nu_{6+9}$ - $1\nu_{8+9}$	Δ *f*	[82036]
	116498.772	(0.050)	23 - 22	$1\nu_{6+9}$ - $1\nu_{8+9}$	Δ *e*	[82036]
	116506.680	(0.050)	8 - 7	$1\nu_{8+9}$ - $1\nu_{6+9}$	Σ^+	[82036]
	117446.561	(0.050)	5 - 4	$1\nu_{8+9}$ - $1\nu_{6+9}$	Σ^-	[82036]
	120381.531	(0.050)	23 - 22	$1\nu_{6+9}$ - $1\nu_{8+9}$	Σ^-	[82036]
	121315.959	(0.050)	22 - 21	$1\nu_6$ - $1\nu_8$	*e*	[82036]
	121401.629	(0.050)	20 - 19	$1\nu_{6+9}$ - $1\nu_{8+9}$	Σ^+	[82036]
	121460.178	(0.050)	22 - 21	$1\nu_6$ - $1\nu_8$	*f*	[82036]
	121608.007	(0.050)	5 - 4	$1\nu_{8+9}$ - $1\nu_{6+9}$	Δ *e*	[82036]
	124545.399	(0.050)	6 - 5	$1\nu_8$ - $1\nu_6$	*e*	[82036]
	124572.043	(0.050)	6 - 5	$1\nu_8$ - $1\nu_6$	*f*	[82036]
	125077.626	(0.050)	24 - 23	$1\nu_{6+9}$ - $1\nu_{8+9}$	Δ *f*	[82036]
	125298.468	(0.050)	9 - 8	$1\nu_{8+9}$ - $1\nu_{6+9}$	Σ^+	[82036]
	125356.186	(0.050)	24 - 23	$1\nu_{6+9}$ - $1\nu_{8+9}$	Δ *e*	[82036]
	126252.506	(0.050)	6 - 5	$1\nu_{8+9}$ - $1\nu_{6+9}$	Σ^-	[82036]
	129189.080	(0.050)	24 - 23	$1\nu_{6+9}$ - $1\nu_{8+9}$	Σ^-	[82036]

TABLE 16.4. Microwave spectrum of 1,3 -butadiyne — Continued C_4H_2

Isotopic species	Frequency (MHz)	Unc. (MHz)	J' - J''	Vib. state		Ref.
	130097.135	(0.050)	23 - 22	$1\nu_6$ - $1\nu_8$	e	[82036]
	130212.435	(0.050)	21 - 20	$1\nu_{6+9}$ - $1\nu_{8+9}$	Σ^+	[82036]
	130249.652	(0.050)	23 - 22	$1\nu_6$ - $1\nu_8$	f	[82036]
	130414.035	(0.050)	6 - 5	$1\nu_{8+9}$ - $1\nu_{6+9}$	Δ f	[82036]
	133324.095	(0.050)	7 - 6	$1\nu_8$ - $1\nu_6$	e	[82036]
	133354.629	(0.050)	7 - 6	$1\nu_8$ - $1\nu_6$	f	[82036]
	133892.550	(0.050)	25 - 24	$1\nu_{8+9}$ - $1\nu_{6+9}$	Δ f	[82036]
	134088.978	(0.050)	10 - 9	$1\nu_{8+9}$ - $1\nu_{6+9}$	Σ^+	[82036]
	134219.116	(0.050)	25 - 24	$1\nu_{6+9}$ - $1\nu_{8+9}$	Δ e	[82036]
	135058.018	(0.050)	7 - 6	$1\nu_{8+9}$ - $1\nu_{6+9}$	Σ^-	[82036]
	139218.165	(0.050)	7 - 6	$1\nu_{8+9}$ - $1\nu_{6+9}$	Δ e	[82036]
	139219.435	(0.050)	7 - 6	$1\nu_{8+9}$ - $1\nu_{6+9}$	Δ f	[82036]
	142102.507	(0.050)	8 - 7	$1\nu_8$ - $1\nu_6$	e	[82036]
	142136.842	(0.050)	8 - 7	$1\nu_8$ - $1\nu_6$	f	[82036]
	142707.939	(0.050)	26 - 25	$1\nu_{6+9}$ - $1\nu_{8+9}$	Δ f	[82036]
	142878.315	(0.050)	11 - 10	$1\nu_{8+9}$ - $1\nu_{6+9}$	Σ^+	[82036]
	143088.041	(0.050)	26 - 25	$1\nu_{6+9}$ - $1\nu_{8+9}$	Δ e	[82036]
	143863.183	(0.050)	8 - 7	$1\nu_{8+9}$ - $1\nu_{6+9}$	Σ^-	[82036]
	148022.182	(0.050)	8 - 7	$1\nu_{8+9}$ - $1\nu_{6+9}$	Δ e	[82036]
	148024.537	(0.050)	8 - 7	$1\nu_{8+9}$ - $1\nu_{6+9}$	Δ f	[82036]
	150880.704	(0.050)	9 - 8	$1\nu_8$ - $1\nu_6$	e	[82036]
	150918.629	(0.050)	9 - 8	$1\nu_8$ - $1\nu_6$	f	[82036]
	151666.863	(0.050)	12 - 11	$1\nu_{8+9}$ - $1\nu_{6+9}$	Σ^+	[82036]
	152667.962	(0.050)	9 - 8	$1\nu_{8+9}$ - $1\nu_{6+9}$	Σ^-	[82036]
	156825.143	(0.050)	9 - 8	$1\nu_{8+9}$ - $1\nu_{6+9}$	Δ e	[82036]
	156829.215	(0.050)	9 - 8	$1\nu_{8+9}$ - $1\nu_{6+9}$	Δ f	[82036]
	159658.615	(0.050)	10 - 9	$1\nu_8$ - $1\nu_6$	e	[82036]
	160454.614	(0.050)	13 - 12	$1\nu_{8+9}$ - $1\nu_{6+9}$	Σ^+	[82036]
	161472.445	(0.050)	10 - 9	$1\nu_{8+9}$ - $1\nu_{6+9}$	Σ^-	[82036]
	165627.043	(0.050)	10 - 9	$1\nu_{8+9}$ - $1\nu_{6+9}$	Δ e	[82036]
	165633.481	(0.050)	10 - 9	$1\nu_{8+9}$ - $1\nu_{6+9}$	Δ f	[82036]
	168436.178	(0.050)	11 - 10	$1\nu_8$ - $1\nu_6$	e	[82036]
	168480.873	(0.050)	11 - 10	$1\nu_8$ - $1\nu_6$	f	[82036]
	174427.490	(0.050)	11 - 10	$1\nu_{8+9}$ - $1\nu_{6+9}$	Δ e	[82036]
	174437.376	(0.050)	11 - 10	$1\nu_{8+9}$ - $1\nu_{6+9}$	Δ f	[82036]
HCCCCD	40851.35	(0.05)	5 - 4	$1\nu_6$	e	[81047]
	40872.61	(0.05)	5 - 4	$1\nu_6$	f	[81047]
	40876.84	(0.05)	5 - 4	$2\nu_6$		[81047]
	40977.41	(0.05)	5 - 4	$1\nu_6$, $1\nu_9$		[81047]
	49021.48	(0.05)	6 - 5	$1\nu_6$	e	[81047]
	49047.01	(0.05)	6 - 5	$1\nu_6$	f	[81047]
	49052.06	(0.05)	6 - 5	$2\nu_6$		[81047]
	49113.84	(0.05)	6 - 5	$1\nu_6$, $1\nu_7$		[81047]
	49133.48	(0.05)	6 - 5	$2\nu_8$		[81047]
	49150.51	(0.05)	6 - 5	$1\nu_7$, $1\nu_8$		[81047]
	49172.77	(0.05)	6 - 5	$1\nu_6$, $1\nu_9$		[81047]
	49187.24	(0.05)	6 - 5	$2\nu_6$, $1\nu_9$		[81047]
	57191.54	(0.05)	7 - 6	$1\nu_6$	e	[81047]
	57221.41	(0.05)	7 - 6	$1\nu_6$	f	[81047]
	57227.30	(0.05)	7 - 6	$2\nu_6$		[81047]
	57298.85	(0.05)	7 - 6	$1\nu_6$, $1\nu_7$		[81047]
	57322.23	(0.05)	7 - 6	$2\nu_8$		[81047]
	57341.96	(0.05)	7 - 6	$1\nu_7$, $1\nu_8$		[81047]
	57368.08	(0.05)	7 - 6	$1\nu_6$, $1\nu_9$		[81047]
	57384.88	(0.05)	7 - 6	$2\nu_6$, $1\nu_9$		[81047]
	65361.59	(0.05)	8 - 7	$1\nu_6$	e	[81047]
	65395.71	(0.05)	8 - 7	$1\nu_6$	f	[81047]
	65402.49	(0.05)	8 - 7	$2\nu_6$		[81047]
	65483.82	(0.05)	8 - 7	$1\nu_6$, $1\nu_7$		[81047]
	65511.02	(0.05)	8 - 7	$2\nu_8$		[81047]
	65563.36	(0.05)	8 - 7	$1\nu_6$, $1\nu_9$		[81047]
	65582.42	(0.05)	8 - 7	$2\nu_6$, $1\nu_9$		[81047]
	73531.52	(0.05)	9 - 8	$1\nu_6$	e	[81047]
	73569.92	(0.05)	9 - 8	$1\nu_6$	f	[81047]
	73577.56	(0.05)	9 - 8	$2\nu_6$		[81047]
	73668.40	(0.05)	9 - 8	$1\nu_6$, $1\nu_7$		[81047]
	73699.63	(0.05)	9 - 8	$2\nu_8$		[81047]

TABLE 16.4. Microwave spectrum of 1,3 -butadiyne — Continued C_4H_2

Isotopic species	Frequency (MHz)	Unc. (MHz)	J' - J''	Vib. state	Ref.
	73725.10	(0.05)	9 - 8	$1\nu_7$, $1\nu_8$	[81047]
	73758.59	(0.05)	9 - 8	$1\nu_6$, $1\nu_9$	[81047]
	73780.22	(0.05)	9 - 8	$2\nu_6$, $1\nu_9$	[81047]
DCCCCD	32344.532	(0.050)	6 - 7	$1\nu_{6+9}$ - $1\nu_{8+9}$ Δ f	[84037]
	33077.941	(0.050)	6 - 7	$1\nu_6$ - $1\nu_8$ f	[84037]
	33109.382	(0.050)	6 - 7	$1\nu_6$ - $1\nu_8$ e	[84037]
	33516.980	(0.050)	19 - 18	$1\nu_{8+9}$ - $1\nu_{6+9}$ Σ^+	[84037]
	35016.295	(0.050)	9 - 10	$1\nu_{6+9}$ - $1\nu_{8+9}$ Σ^+	[84037]
	35227.837	(0.050)	16 - 15	$1\nu_8$ - $1\nu_6$ e	[84037]
	35298.118	(0.050)	16 - 15	$1\nu_8$ - $1\nu_6$ f	[84037]
	36167.930	(0.050)	16 - 15	$1\nu_{8+9}$ - $1\nu_{6+9}$ Δ e	[84037]
	36204.173	(0.050)	16 - 15	$1\nu_{8+9}$ - $1\nu_{6+9}$ Δ f	[84037]
	37984.890	(0.050)	16 - 15	$1\nu_{8+9}$ - $1\nu_{6+9}$ Σ^-	[84037]
	38179.389	(0.050)	5 - 6	$1\nu_{6+9}$ - $1\nu_{8+9}$ Σ^-	[84037]
	39974.857	(0.050)	5 - 6	$1\nu_{6+9}$ - $1\nu_{8+9}$ Δ e	[84037]
	40689.422	(0.050)	5 - 6	$1\nu_6$ - $1\nu_8$ f	[84037]
	40716.456	(0.050)	5 - 6	$1\nu_6$ - $1\nu_8$ e	[84037]
	41127.064	(0.050)	10 - 19	$1\nu_{8+9}$ - $1\nu_{6+9}$ Σ^+	[84037]
	42639.419	(0.050)	8 - 9	$1\nu_{6+9}$ - $1\nu_{8+9}$ Σ^+	[84037]
	42806.715	(0.050)	17 - 16	$1\nu_8$ - $1\nu_6$ e	[84037]
	42881.229	(0.050)	17 - 16	$1\nu_8$ - $1\nu_6$ f	[84037]
	43760.288	(0.050)	17 - 16	$1\nu_{8+9}$ - $1\nu_{6+9}$ Δ e	[84037]
	43807.142	(0.050)	17 - 16	$1\nu_{8+9}$ - $1\nu_{6+9}$ Δ f	[84037]
	45811.595	(0.050)	4 - 5	$1\nu_{6+9}$ - $1\nu_{8+9}$ Σ^-	[84037]
	45585.334	(0.050)	17 - 16	$1\nu_{8+9}$ - $1\nu_{6+9}$ Σ^-	[84037]
	47607.257	(0.050)	4 - 5	$1\nu_{6+9}$ - $1\nu_{8+9}$ Δ f	[84037]
	48303.674	(0.050)	4 - 5	$1\nu_6$ - $1\nu_8$ f	[84037]
	48326.218	(0.050)	4 - 5	$1\nu_6$ - $1\nu_8$ e	[84037]
	48737.095	(0.050)	21 - 20	$1\nu_{8+9}$ - $1\nu_{6+9}$ Σ^+	[84037]
	50264.776	(0.050)	7 - 8	$1\nu_{6+9}$ - $1\nu_{8+9}$ Σ^+	[84037]
	50382.694	(0.050)	18 - 17	$1\nu_8$ - $1\nu_6$ e	[84037]
	50461.391	(0.050)	18 - 17	$1\nu_8$ - $1\nu_6$ f	[84037]
	51347.882	(0.050)	18 - 17	$1\nu_{8+9}$ - $1\nu_{6+9}$ Δ e	[84037]
	51407.438	(0.050)	18 - 17	$1\nu_{8+9}$ - $1\nu_{6+9}$ Δ f	[84037]
	53182.728	(0.050)	18 - 17	$1\nu_{8+9}$ - $1\nu_{6+9}$ Σ^-	[84037]
	53446.647	(0.050)	3 - 4	$1\nu_{6+9}$ - $1\nu_{8+9}$ Σ^-	[84037]
	55242.595	(0.050)	3 - 4	$1\nu_{6+9}$ - $1\nu_{8+9}$ Δ e	[84037]
	55920.701	(0.050)	3 - 4	$1\nu_6$ - $1\nu_8$ f	[84037]
	55938.802	(0.050)	3 - 4	$1\nu_6$ - $1\nu_8$ e	[84037]
	56347.221	(0.050)	22 - 21	$1\nu_{8+9}$ - $1\nu_{6+9}$ Σ^+	[84037]
	57892.468	(0.050)	6 - 7	$1\nu_{6+9}$ - $1\nu_{8+9}$ Σ^+	[84037]
	57955.823	(0.050)	19 - 18	$1\nu_8$ - $1\nu_6$ e	[84037]
	58038.667	(0.050)	19 - 18	$1\nu_8$ - $1\nu_6$ f	[84037]
	58930.412	(0.050)	19 - 18	$1\nu_{8+9}$ - $1\nu_{6+9}$ Δ e	[84037]
	59004.969	(0.050)	19 - 18	$1\nu_{8+9}$ - $1\nu_{6+9}$ Δ f	[84037]
	60777.046	(0.050)	19 - 18	$1\nu_{8+9}$ - $1\nu_{6+9}$ Σ^-	[84037]
	61084.375	(0.050)	2 - 3	$1\nu_{6+9}$ - $1\nu_{8+9}$ Σ^-	[84037]
	62880.639	(0.050)	2 - 3	$1\nu_{6+9}$ - $1\nu_{8+9}$ Δ f	[84037]
	63540.539	(0.050)	2 - 3	$1\nu_6$ - $1\nu_8$ f	[84037]
	63554.142	(0.050)	2 - 3	$1\nu_6$ - $1\nu_8$ e	[84037]
	63957.678	(0.050)	23 - 22	$1\nu_{8+9}$ - $1\nu_{6+9}$ Σ^+	[84037]
	65522.258	(0.050)	5 - 6	$1\nu_{6+9}$ - $1\nu_{8+9}$ Σ^+	[84037]
	65526.057	(0.050)	20 - 19	$1\nu_8$ - $1\nu_6$ e	[84037]
	65613.063	(0.050)	20 - 19	$1\nu_8$ - $1\nu_6$ f	[84037]
	66507.655	(0.050)	20 - 19	$1\nu_{8+9}$ - $1\nu_{6+9}$ Δ e	[84037]
	66599.864	(0.050)	20 - 19	$1\nu_{8+9}$ - $1\nu_{6+9}$ Δ f	[84037]
	68368.383	(0.050)	20 - 19	$1\nu_{8+9}$ - $1\nu_{6+9}$ Σ^-	[84037]
	68725.135	(0.050)	1 - 2	$1\nu_{6+9}$ - $1\nu_{8+9}$ Σ^-	[84037]
	71163.138	(0.050)	1 - 2	$1\nu_6$ - $1\nu_8$ f	[84037]
	71172.216	(0.050)	1 - 2	$1\nu_6$ - $1\nu_8$ e	[84037]
	71568.712	(0.050)	24 - 23	$1\nu_{8+9}$ - $1\nu_{6+9}$ Σ^+	[84037]
	73093.418	(0.050)	21 - 20	$1\nu_8$ - $1\nu_6$ e	[84037]
	73155.331	(0.050)	4 - 5	$1\nu_{6+9}$ - $1\nu_{8+9}$ Σ^+	[84037]
	73184.521	(0.050)	21 - 20	$1\nu_8$ - $1\nu_6$ f	[84037]
	74079.297	(0.050)	21 - 20	$1\nu_{8+9}$ - $1\nu_{6+9}$ Δ e	[84037]
	74191.989	(0.050)	21 - 20	$1\nu_{8+9}$ - $1\nu_{6+9}$ Δ f	[84037]
	75956.650	(0.050)	21 - 20	$1\nu_{8+9}$ - $1\nu_{6+9}$ Σ^-	[84037]

TABLE 16.4. Microwave spectrum of 1,3 -butadiyne — Continued C_4H_2

Isotopic species	Frequency (MHz)	Unc. (MHz)	J' - J''	Vib. state	Ref.
	79180.490	(0.050)	25 - 24	$1\nu_{8+9}$ - $1\nu_{6+9}$ Σ^+	[84037]
	80657.824	(0.050)	22 - 21	$1\nu_8$ - $1\nu_6$ e	[84037]
	80753.049	(0.050)	22 - 21	$1\nu_8$ - $1\nu_6$ f	[84037]
	80790.589	(0.050)	3 - 4	$1\nu_{6+9}$ - $1\nu_{8+9}$ Σ^+	[84037]
	81645.035	(0.050)	22 - 21	$1\nu_{8+9}$ - $1\nu_{6+9}$ Δ e	[84037]
	81781.383	(0.050)	22 - 21	$1\nu_{8+9}$ - $1\nu_{6+9}$ Δ f	[84037]
	83541.884	(0.050)	22 - 21	$1\nu_{8+9}$ - $1\nu_{6+9}$ Σ^-	[84037]
	85818.945	(0.050)	2 - 2	$1\nu_{6+9}$ - $1\nu_{8+9}$ fe	[84037]
	85826.894	(0.050)	3 - 3	$1\nu_{6+9}$ - $1\nu_{8+9}$ ef	[84037]
	86411.081	(0.050)	2 - 2	$1\nu_6$ - $1\nu_8$ ef	[84037]
	86414.742	(0.050)	1 - 1	$1\nu_6$ - $1\nu_8$ ef	[84037]
	86423.868	(0.050)	1 - 1	$1\nu_6$ - $1\nu_8$ fe	[84037]
	86438.408	(0.050)	2 - 2	$1\nu_6$ - $1\nu_8$ fe	[84037]
	88428.528	(0.050)	2 - 3	$1\nu_{6+9}$ - $1\nu_{8+9}$ Σ^+	[84037]
	91663.350	(0.050)	1 - 0	$1\nu_{6+9}$ - $1\nu_{8+9}$ Σ^-	[84037]
	96069.222	(0.050)	1 - 2	$1\nu_{6+9}$ - $1\nu_{8+9}$ Σ^+	[84037]
	99314.932	(0.050)	2 - 1	$1\nu_{6+9}$ - $1\nu_{8+9}$ Σ^-	[84037]
	101671.864	(0.050)	2 - 1	$1\nu_6$ - $1\nu_8$ e	[84037]
	101681.069	(0.050)	2 - 1	$1\nu_6$ - $1\nu_8$ f	[84037]
	103712.513	(0.050)	0 - 1	$1\nu_{6+9}$ - $1\nu_{8+9}$ Σ^+	[84037]
	106969.288	(0.050)	3 - 2	$1\nu_{6+9}$ - $1\nu_{8+9}$ Σ^-	[84037]
	108765.215	(0.050)	3 - 2	$1\nu_{6+9}$ - $1\nu_{8+9}$ Δ e	[84037]
	109303.585	(0.050)	3 - 2	$1\nu_6$ - $1\nu_8$ e	[84037]
	109317.300	(0.050)	3 - 2	$1\nu_6$ - $1\nu_8$ f	[84037]
	114626.348	(0.050)	4 - 3	$1\nu_{6+9}$ - $1\nu_{8+9}$ Σ^-	[84037]
	116421.888	(0.050)	4 - 3	$1\nu_{6+9}$ - $1\nu_{8+9}$ Δ f	[84037]
	116938.002	(0.050)	4 - 3	$1\nu_6$ - $1\nu_8$ e	[84037]
	116956.002	(0.050)	4 - 3	$1\nu_6$ - $1\nu_8$ f	[84037]
	119007.306	(0.050)	1 - 0	$1\nu_{6+9}$ - $1\nu_{8+9}$ Σ^+	[84037]
	122286.102	(0.050)	5 - 4	$1\nu_{6+9}$ - $1\nu_{8+9}$ Σ^-	[84037]
	124081.088	(0.050)	5 - 4	$1\nu_{6+9}$ - $1\nu_{8+9}$ Δ f	[84037]
	124081.895	(0.050)	5 - 4	$1\nu_{6+9}$ - $1\nu_{8+9}$ Δ e	[84037]
	124575.054	(0.050)	5 - 4	$1\nu_6$ - $1\nu_8$ e	[84037]
	124598.152	(0.050)	5 - 4	$1\nu_6$ - $1\nu_8$ f	[84037]
	126658.622	(0.050)	2 - 1	$1\nu_{6+9}$ - $1\nu_{8+9}$ Σ^+	[84037]
	129948.152	(0.050)	6 - 5	$1\nu_{6+9}$ - $1\nu_{8+9}$ Σ^-	[84037]
	131743.177	(0.050)	6 - 5	$1\nu_{6+9}$ - $1\nu_{8+9}$ Δ f	[84037]
	131744.522	(0.050)	6 - 5	$1\nu_{6+9}$ - $1\nu_{8+9}$ Δ e	[84037]
	132214.860	(0.050)	6 - 5	$1\nu_6$ - $1\nu_8$ e	[84037]
	132242.665	(0.050)	6 - 5	$1\nu_6$ - $1\nu_8$ f	[84037]
	134312.637	(0.050)	3 - 2	$1\nu_{6+9}$ - $1\nu_{8+9}$ Σ^+	[84037]
	137613.722	(0.050)	7 - 6	$1\nu_{6+9}$ - $1\nu_{8+9}$ Σ^-	[84037]
	139407.832	(0.050)	7 - 6	$1\nu_{6+9}$ - $1\nu_{8+9}$ Δ f	[84037]
	139410.194	(0.050)	7 - 6	$1\nu_{6+9}$ - $1\nu_{8+9}$ Δ e	[84037]
	139857.357	(0.050)	7 - 6	$1\nu_6$ - $1\nu_8$ e	[84037]
	139889.795	(0.050)	7 - 6	$1\nu_6$ - $1\nu_8$ f	[84037]
	141969.201	(0.050)	4 - 3	$1\nu_{6+9}$ - $1\nu_{8+9}$ Σ^+	[84037]
	145281.547	(0.050)	8 - 7	$1\nu_{6+9}$ - $1\nu_{8+9}$ Σ^-	[84037]
	147074.973	(0.050)	8 - 7	$1\nu_{6+9}$ - $1\nu_{8+9}$ Δ f	[84037]
	147079.000	(0.050)	8 - 7	$1\nu_{6+9}$ - $1\nu_{8+9}$ Δ e	[84037]
	147502.487	(0.050)	8 - 7	$1\nu_6$ - $1\nu_8$ e	[84037]
	147539.698	(0.050)	8 - 7	$1\nu_6$ - $1\nu_8$ f	[84037]
	149628.128	(0.050)	5 - 4	$1\nu_{6+9}$ - $1\nu_{8+9}$ Σ^+	[84037]

Table 17.1. Rotational constants for the ground, the v_{13}=1 and the v_{18}=1 states of 1-butene-3-yne and 1-butene-3-yne-4d.

Parameter	Ground State	v_{13} = 1	v_{18} = 1	Ground State	v_{13} = 1	v_{18} = 1
Rotational Constants [80032]						
A (MHz)	50308.(55)	49274.(59)	51676.(53)	49393.(34)	48337.(36)	50866.(49)
B (MHz)	4744.9317(77)	4763.276(11)	4747.7146(81)	4403.9538(40)	4420.6331(43)	4406.1168(51)
C (MHz)	4329.7899(77)	4337.5385(99)	4338.6433(83)	4037.8007(40)	4044.8607(43)	4045.6294(51)
D_J (kHz)	1.93(22)	2.17(28)	1.86(21)	1.56(11)	1.60(12)	1.60(14)
D_{JK} (kHz)	-83.22(67)	-70.90(86)	-93.19(64)	-77.35(34)	-66.43(46)	-88.66(44)
Electric Dipole Moment [70061]						
μ_a (D)	0.223(20)			0.206(8)		
μ_b (D)	0.02			0.02		

Table 17.2. Rotational analysis for the ground state of 1-butene-3-yne in the present work.

Parameter		CH_2=CHC≡CH
A"	(MHz)	50291.4(107)
B"	(MHz)	4744.872(5)
C"	(MHz)	4329.687(5)
τ_1	(MHz)	0.31029(46)
τ_2	(MHz)	0.01873(37)
τ_3[a]	(MHz)	1.119(88)
τ_{bbbb}	(MHz)	-0.01055(39)
τ_{cccc}	(MHz)	-0.00449(36)

[a]The value of τ_3 is derived from the planarity conditions.

TABLE 17.3. Microwave spectrum of 1-butene-3-yne C_4H_4

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Vib. state	Ref.
CH_2CHCCH	9074.740	(0.020)	1(0, 1) - 0(0, 0)		[70061]
	9086.30	(0.02)	1(0, 1) - 0(0, 0)	$1\nu_{18}$	[70061]
	9100.73	(0.02)	1(0, 1) - 0(0, 0)	$1\nu_{13}$	[70061]
	9113.0	(0.1)	1(0, 1) - 0(0, 0)	$1\nu_{13}$, $1\nu_{18}$	[70061]
	9127.5	(0.1)	1(0, 1) - 0(0, 0)	$2\nu_{13}$	[70061]
	17734.530	(0.020)	2(1, 2) - 1(1, 1)		[70061]
	17763.05	(0.02)	2(1, 2) - 1(1, 1)	$1\nu_{18}$	[70061]
	17776.05	(0.02)	2(1, 2) - 1(1, 1)	$1\nu_{13}$	[70061]
	17794.0	(0.3)	2(1, 2) - 1(1, 1)	$2\nu_{18}$	[70061]
	17806.5	(0.1)	2(1, 2) - 1(1, 1)	$1\nu_{13}$, $1\nu_{18}$	[70061]
	17816.5	(0.1)	2(1, 2) - 1(1, 1)	$2\nu_{13}$	[70061]
	18146.580	(0.020)	2(0, 2) - 1(0, 1)		[70061]
	18169.97	(0.02)	2(0, 2) - 1(0, 1)	$1\nu_{18}$	[70061]
	18198.58	(0.02)	2(0, 2) - 1(0, 1)	$1\nu_{13}$	[70061]
	18221.1	(0.1)	2(0, 2) - 1(0, 1)	$1\nu_{13}$, $1\nu_{18}$	[70061]
	18429.1	(0.1)	2(0, 2) - 1(0, 1)	$2\nu_{13}$	[70061]
	18564.910	(0.020)	2(1, 1) - 1(1, 0)		[70061]
	18582.16	(0.02)	2(1, 1) - 1(1, 0)	$1\nu_{18}$	[70061]
	18600.3	(0.3)	2(1, 1) - 1(1, 0)	$2\nu_{18}$	[70061]
	18627.64	(0.02)	2(1, 1) - 1(1, 0)	$1\nu_{13}$	[70061]
	18643.0	(0.2)	2(1, 1) - 1(1, 0)	$1\nu_{13}$, $1\nu_{18}$	[70061]
	18689.3	(0.1)	2(1, 1) - 1(1, 0)	$2\nu_{13}$	[70061]
	26599.930	(0.020)	3(1, 3) - 2(1, 2)		[70061]
	26644.19	(0.02)	3(1, 3) - 2(1, 2)	$1\nu_{18}$	[70061]
	26662.18	(0.02)	3(1, 3) - 2(1, 2)	$1\nu_{13}$	[70061]
	26688.0	(0.3)	3(1, 3) - 2(1, 2)	$2\nu_{18}$	[70061]
	26707.0	(0.1)	3(1, 3) - 2(1, 2)	$1\nu_{13}$, $1\nu_{18}$	[70061]
	26723.00	(0.05)	3(1, 3) - 2(1, 2)	$2\nu_{13}$	[70061]
	27212.620	(0.020)	3(0, 3) - 2(0, 2)		[70061]
	27225.990	(0.020)	3(2, 2) - 2(2, 1)		[70061]
	27237.270	(0.020)	3(2, 1) - 2(2, 0)		[70061]
	27248.22	(0.02)	3(0, 3) - 2(0, 2)	$1\nu_{18}$	[70061]
	27261.07	(0.02)	3(2, 2) - 2(2, 1)	$1\nu_{18}$	[70061]
	27271.76	(0.03)	3(2, 1) - 2(2, 0)	$1\nu_{18}$	[70061]
	27290.06	(0.02)	3(0, 3) - 2(0, 2)	$1\nu_{13}$	[70061]
	27303.86	(0.02)	3(2, 2) - 2(2, 1)	$1\nu_{13}$	[70061]
	27316.07	(0.02)	3(2, 1) - 2(2, 0)	$1\nu_{13}$	[70061]
	27365.77	(0.05)	3(0, 3) - 2(0, 2)	$2\nu_{13}$	[70061]
	27380.29	(0.05)	3(2, 2) - 2(2, 1)	$2\nu_{13}$	[70061]
	27392.95	(0.05)	3(2, 1) - 2(2, 0)	$2\nu_{13}$	[70061]
	27845.380	(0.020)	3(1, 2) - 2(1, 1)		[70061]
	27871.38	(0.02)	3(1, 2) - 2(1, 1)	$1\nu_{18}$	[70061]
	27898.0	(0.3)	3(1, 2) - 2(1, 1)	$2\nu_{18}$	[70061]
	27939.32	(0.02)	3(1, 2) - 2(1, 1)	$1\nu_{13}$	[70061]
	27961.70	(0.05)	3(1, 2) - 2(1, 1)	$1\nu_{13}$, $1\nu_{18}$	[70061]
	28031.60	(0.05)	3(1, 2) - 2(1, 1)	$2\nu_{13}$	[70061]
	35463.220	(0.050)	4(1, 4) - 3(1, 3)		[80032]
	35522.305	(0.050)	4(1, 4) - 3(1, 3)	$1\nu_{18}$	[80032]
	35545.760	(0.050)	4(1, 4) - 3(1, 3)	$1\nu_{13}$	[80032]
	36270.165	(0.050)	4(0, 4) - 3(0, 3)		[80032]
	36298.870	(0.050)	4(2, 3) - 3(2, 2)		[80032]
	36310.025	(0.10)	4(3, 1) - 3(3, 0)		[80032]
	36310.025	(0.10)	4(3, 2) - 3(3, 1)		[80032]
	36318.335	(0.050)	4(0, 4) - 3(0, 3)	$1\nu_{18}$	[80032]
	36327.075	(0.050)	4(2, 2) - 3(2, 1)		[80032]
	36345.890	(0.050)	4(2, 3) - 3(2, 2)	$1\nu_{18}$	[80032]
	36356.990	(0.050)	4(3, 1) - 3(3, 0)	$1\nu_{18}$	[80032]
	36356.990	(0.050)	4(3, 2) - 3(3, 1)	$1\nu_{18}$	[80032]
	36372.310	(0.050)	4(0, 4) - 3(0, 3)	$1\nu_{13}$	[80032]
	36372.480	(0.050)	4(2, 2) - 3(2, 1)	$1\nu_{18}$	[80032]
	36402.620	(0.050)	4(2, 3) - 3(2, 2)	$1\nu_{13}$	[80032]
	36413.893	(0.050)	4(3, 1) - 3(3, 0)	$1\nu_{13}$	[80032]
	36413.893	(0.050)	4(3, 2) - 3(3, 1)	$1\nu_{13}$	[80032]
	36432.990	(0.050)	4(2, 2) - 3(2, 1)	$1\nu_{13}$	[80032]
	37123.640	(0.050)	4(1, 3) - 3(1, 2)		[80032]
	37158.465	(0.050)	4(1, 3) - 3(1, 2)	$1\nu_{18}$	[80032]
	37248.615	(0.050)	4(1, 3) - 3(1, 2)	$1\nu_{13}$	[80032]

TABLE 17.3. Microwave spectrum of 1-butene-3-yne — Continued C_4H_4

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Vib. state	Ref.
	63362.840	(0.050)	7(0, 7) - 6(0, 6)		[77036]
	63503.250	(0.050)	7(2, 6) - 6(2, 5)		[77036]
	63555.250	(0.100)	7(3, 4) - 6(3, 3)		[77036]
	63559.630	(0.100)	7(5, 2) - 6(5, 1)		[77036]
	63660.820	(0.050)	7(2, 5) - 6(2, 4)		[77036]
	64936.590	(0.100)	7(1, 6) - 6(1, 5)		[77036]
	88558.980	(0.130)	10(1,10) - 9(1, 9)		[77036]
	90279.350	(0.130)	10(0,10) - 9(0, 9)		[77036]
	90675.270	(0.070)	10(2, 9) - 9(2, 8)		[77036]
	90802.530	(0.070)	10(4, 7) - 9(4, 6)		[77036]
	90805.710	(0.070)	10(5, 5) - 9(5, 4)		[77036]
	90813.630	(0.070)	10(3, 8) - 9(3, 7)		[77036]
	90817.790	(0.050)	10(6, 4) - 9(6, 3)		[77036]
	90823.130	(0.070)	10(3, 7) - 9(3, 6)		[77036]
	90835.610	(0.070)	10(7, 3) - 9(7, 2)		[77036]
	90858.100	(0.070)	10(8, 2) - 9(8, 1)		[77036]
	90884.550	(0.070)	10(9, 1) - 9(9, 0)		[77036]
	91135.390	(0.070)	10(2, 8) - 9(2, 7)		[77036]
CH_2CHCCD	8441.741	(0.050)	1(0, 1) - 0(0, 0)		[80032]
	8451.730	(0.050)	1(0, 1) - 0(0, 0)	$1\nu_{18}$	[80032]
	8465.504	(0.050)	1(0, 1) - 0(0, 0)	$1\nu_{13}$	[80032]
	8489.0	(0.1)	1(0, 1) - 0(0, 0)	$2\nu_{13}$	[70061]
	8512.0	(0.1)	1(0, 1) - 0(0, 0)	$3\nu_{13}$	[70061]
	16517.602	(0.050)	2(1, 2) - 1(1, 1)		[80032]
	16543.265	(0.050)	2(1, 2) - 1(1, 1)	$1\nu_{18}$	[80032]
	16555.400	(0.050)	2(1, 2) - 1(1, 1)	$1\nu_{13}$	[80032]
	16569.0	(0.3)	2(1, 2) - 1(1, 1)	$2\nu_{18}$	[70061]
	16592.5	(0.2)	2(1, 2) - 1(1, 1)	$2\nu_{13}$	[70061]
	16881.231	(0.050)	2(0, 2) - 1(0, 1)		[80032]
	16901.368	(0.050)	2(0, 2) - 1(0, 1)	$1\nu_{18}$	[80032]
	16922.0	(0.3)	2(0, 2) - 1(0, 1)	$2\nu_{18}$	[70061]
	16928.523	(0.050)	2(0, 2) - 1(0, 1)	$1\nu_{13}$	[80032]
	16975.5	(0.2)	2(0, 2) - 1(0, 1)	$2\nu_{13}$	[70061]
	17019.5	(0.2)	2(0, 2) - 1(0, 1)	$3\nu_{13}$	[70061]
	17249.939	(0.050)	2(1, 1) - 1(1, 0)		[80032]
	17264.280	(0.050)	2(1, 1) - 1(1, 0)	$1\nu_{18}$	[80032]
	17279.5	(0.3)	2(1, 1) - 1(1, 0)	$2\nu_{18}$	[70061]
	17307.000	(0.050)	2(1, 1) - 1(1, 0)	$1\nu_{13}$	[80032]
	17362.3	(0.3)	2(1, 1) - 1(1, 0)	$2\nu_{13}$	[70061]
	17418.7	(0.3)	2(1, 1) - 1(1, 0)	$3\nu_{13}$	[70061]
	24774.933	(0.050)	3(1, 3) - 2(1, 2)		[80032]
	24813.560	(0.050)	3(1, 3) - 2(1, 2)	$1\nu_{18}$	[80032]
	24831.552	(0.050)	3(1, 3) - 2(1, 2)	$1\nu_{13}$	[80032]
	24853.1	(0.3)	3(1, 3) - 2(1, 2)	$2\nu_{18}$	[70061]
	24886.5	(0.3)	3(1, 3) - 2(1, 2)	$2\nu_{13}$	[70061]
	24942.1	(0.3)	3(1, 3) - 2(1, 2)	$3\nu_{13}$	[70061]
	25316.186	(0.050)	3(0, 3) - 2(0, 2)		[80032]
	25326.982	(0.050)	3(2, 2) - 2(2, 1)		[80032]
	25335.828	(0.050)	3(2, 1) - 2(2, 0)		[80032]
	25346.700	(0.050)	3(0, 3) - 2(0, 2)	$1\nu_{18}$	[80032]
	25357.249	(0.050)	3(2, 2) - 2(2, 1)	$1\nu_{18}$	[80032]
	25365.538	(0.050)	3(2, 1) - 2(2, 0)	$1\nu_{18}$	[80032]
	25386.704	(0.050)	3(0, 3) - 2(0, 2)	$1\nu_{13}$	[80032]
	25397.912	(0.050)	3(2, 2) - 2(2, 1)	$1\nu_{13}$	[80032]
	25407.487	(0.050)	3(2, 1) - 2(2, 0)	$1\nu_{13}$	[80032]
	25468.3	(0.5)	3(2, 2) - 2(2, 1)	$2\nu_{13}$	[70061]
	25476.5	(0.5)	3(2, 1) - 2(2, 0)	$2\nu_{13}$	[70061]
	25536.8	(0.5)	3(2, 2) - 2(2, 1)	$3\nu_{13}$	[70061]
	25546.0	(0.5)	3(2, 1) - 2(2, 0)	$3\nu_{13}$	[70061]
	25873.410	(0.050)	3(1, 2) - 2(1, 1)		[80032]
	25895.031	(0.050)	3(1, 2) - 2(1, 1)	$1\nu_{18}$	[80032]
	25918.3	(0.3)	3(1, 2) - 2(1, 1)	$2\nu_{18}$	[70061]
	25958.880	(0.050)	3(1, 2) - 2(1, 1)	$1\nu_{13}$	[80032]
	26043.3	(0.3)	3(1, 2) - 2(1, 1)	$2\nu_{13}$	[70061]
	26125.3	(0.5)	3(1, 2) - 2(1, 1)	$3\nu_{13}$	[70061]
	33030.523	(0.050)	4(1, 4) - 3(1, 3)		[80032]
	33082.178	(0.050)	4(1, 4) - 3(1, 3)	$1\nu_{18}$	[80032]

TABLE 17.3. Microwave spectrum of 1-butene-3-yne — Continued C_4H_4

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Vib. state	Ref.
	33105.801	(0.050)	4(1, 4) - 3(1, 3)	$1\nu_{13}$	[80032]
	33179.8	(0.3)	4(1, 4) - 3(1, 3)	$2\nu_{13}$	[70061]
	33251.7	(0.3)	4(1, 4) - 3(1, 3)	$3\nu_{13}$	[70061]
	33744.355	(0.050)	4(0, 4) - 3(0, 3)		[80032]
	33767.383	(0.050)	4(2, 3) - 3(2, 2)		[80032]
	33776.635	(0.050)	4(3, 2) - 3(3, 1)		[80032]
	33776.635	(0.050)	4(3, 1) - 3(3, 0)		[80032]
	33785.663	(0.050)	4(0, 4) - 3(0, 3)	$1\nu_{18}$	[80032]
	33789.618	(0.050)	4(2, 2) - 3(2, 1)		[80032]
	33807.800	(0.050)	4(2, 3) - 3(2, 2)	$1\nu_{18}$	[80032]
	33817.130	(0.050)	4(3, 2) - 3(3, 1)	$1\nu_{18}$	[80032]
	33817.130	(0.050)	4(3, 1) - 3(3, 0)	$1\nu_{18}$	[80032]
	33828.670	(0.050)	4(2, 2) - 3(2, 1)	$1\nu_{18}$	[80032]
	33837.553	(0.050)	4(0, 4) - 3(0, 3)	$1\nu_{13}$	[80032]
	33861.830	(0.050)	4(2, 3) - 3(2, 2)	$1\nu_{13}$	[80032]
	33871.151	(0.050)	4(3, 2) - 3(3, 1)	$1\nu_{13}$	[80032]
	33871.151	(0.050)	4(3, 1) - 3(3, 0)	$1\nu_{13}$	[80032]
	33885.830	(0.050)	4(2, 2) - 3(2, 1)	$1\nu_{13}$	[80032]
	33955.0	(0.5)	4(2, 3) - 3(2, 2)	$2\nu_{13}$	[70061]
	33964.0	(0.5)	4(3, 2) - 3(3, 1)	$2\nu_{13}$	[70061]
	33964.0	(0.5)	4(3, 1) - 3(3, 0)	$2\nu_{13}$	[70061]
	33980.3	(0.5)	4(2, 2) - 3(2, 1)	$2\nu_{13}$	[70061]
	34495.050	(0.050)	4(1, 3) - 3(1, 2)		[80032]
	34524.050	(0.050)	4(1, 3) - 3(1, 2)	$1\nu_{18}$	[80032]
	34554.0	(0.3)	4(1, 3) - 3(1, 2)	$2\nu_{18}$	[70061]
	34608.790	(0.050)	4(1, 3) - 3(1, 2)	$1\nu_{13}$	[80032]
	34720.0	(0.3)	4(1, 3) - 3(1, 2)	$2\nu_{13}$	[70061]
	34831.0	(0.3)	4(1, 3) - 3(1, 2)	$3\nu_{13}$	[70061]

Table 18.1. Molecular constants for methylene cyclopropene and its ^{13}C isotopic forms. [86013]

Parameter	$HC{=}CHC{=}CH_2$	$H^{13}C{=}CHC{=}CH_2$	$HC{=}CHC{=}^{13}CH_2$
Rotational Constants			
A (MHz)	29294.60(103)	28618.83(1019)	29322.21(1599)
B (MHz)	7154.36(6)	7055.65(2)	6903.74(5)
C (MHz)	5744.23(6)	5653.55(2)	5581.52(5)
Δ (u Å^2)	0.0894	0.1048	0.1059
Electric Dipole Moment			
μ_a (D)	1.90(2)		

TABLE 18.2. Microwave spectrum of methylenecyclopropene C_4H_4

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Ref.
CHCHCCH$_2$	27207.47	(0.10)	2(1, 1) - 1(1, 0)	[86013]
	29454.45	(0.10)	6(1, 5) - 6(1, 6)	[86013]
CH$_2$	34760.46	(0.10)	11(2, 9) - 11(2,10)	[86013]
||	35015.64	(0.10)	16(3,13) - 16(3,14)	[86013]
C	36540.88	(0.10)	3(1, 3) - 2(1, 2)	[86013]
/ \	38436.00	(0.10)	3(0, 3) - 2(0, 2)	[86013]
HC=CH	38695.53	(0.10)	3(2, 2) - 2(2, 1)	[86013]
	38955.44	(0.10)	3(2, 1) - 2(2, 0)	[86013]
^{13}CHCHCCH$_2$	26820.73	(0.10)	2(1, 1) - 1(1, 0)	[86013]
	29281.19	(0.10)	6(1, 5) - 6(1, 6)	[86013]
	35984.12	(0.10)	3(1, 3) - 2(1, 2)	[86013]
	37863.85	(0.10)	3(0, 3) - 2(0, 2)	[86013]
	38127.43	(0.10)	3(2, 2) - 2(2, 1)	[86013]
	38391.30	(0.10)	3(2, 1) - 2(2, 0)	[86013]
CHCHC^{13}CH$_2$	35437.85	(0.10)	3(1, 3) - 2(1, 2)	[86013]
	37229.35	(0.10)	3(0, 3) - 2(0, 2)	[86013]
	37455.56	(0.10)	3(2, 2) - 2(2, 1)	[86013]
	37682.22	(0.10)	3(2, 1) - 2(2, 0)	[86013]
	39402.98	(0.10)	3(1, 2) - 2(1, 1)	[86013]

Table 19.1. Molecular constants for 2-butyne-1,1,1-d_3 (dimethyl acetylene). [84027]

Parameter	Value[a]
B (MHz)	2982.4980(11)
D_J (kHz)	0.2570(9)
D_{JK} (kHz)	9.776(12)
G (kHz)	-93.90(11)
L (kHz)	25.97(6)
C (kHz)	-38.2(1)
s^2L (kHz)	2.65(15)
s^b	0.319(9)
$V_3{}^b$ (cm^{-1})	5.62(16)
F^b (kHz)	-123.2(75)

[a]The uncertainties are 2.5 times standard deviations. See reference [84027] for definition of parameters.
[b]Derived from other constants.

TABLE 19.2. Microwave spectrum of 2-butyne-1,1,1-d_3 C_4H_6

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'K'm_H'$ - $J''K''m_H''$	Ref.
CH_3CCCD_3	89446.00	(0.05)	15 0 3 - 14 0 3	[84027]
	89458.51	(0.05)	15 2 3 - 14 2 3	[84027]
	89458.51	(0.05)	15 4 0 - 14 4 0	[84027]
	89459.52	(0.05)	15 7 3 - 14 7 3	[84027]
	89459.52	(0.05)	15 2 -1 - 14 2 -1	[84027]
	89462.03	(0.05)	15 3 3 - 14 3 3	[84027]
	89463.94	(0.05)	15 1 2 - 14 1 2	[84027]
	89463.94	(0.05)	15 3 0 - 14 3 0	[84027]
	89464.63	(0.05)	15 5 3 - 14 5 3	[84027]
	89470.64	(0.05)	15 1 1 - 14 1 1	[84027]
	89470.64	(0.05)	15 1 0 - 14 1 0	[84027]
	89470.64	(0.05)	15 2 1 - 14 2 1	[84027]
	89471.60	(0.05)	15 0 0 - 14 0 0	[84027]
	113281.20	(0.05)	19 6 6 - 18 6 6	[84027]
	113283.10	(0.05)	19 1 4 - 18 1 4	[84027]
	113283.60	(0.05)	19 3 -2 - 18 3 -2	[84027]
	113284.50	(0.05)	19 1 -3 - 18 1 -3	[84027]
	113287.10	(0.05)	19 7 6 - 18 7 6	[84027]
	113288.10	(0.05)	19 6 0 - 18 6 0	[84027]
	113290.90	(0.05)	19 8 6 - 18 8 6	[84027]
	113292.30	(0.05)	19 9 6 - 18 9 6	[84027]
	113293.30	(0.05)	19 4 -1 - 18 4 -1	[84027]
	113293.30	(0.05)	19 2 4 - 18 2 4	[84027]
	113295.63	(0.05)	19 0 3 - 18 0 3	[84027]
	113300.15	(0.05)	19 6 5 - 18 6 5	[84027]
	113300.15	(0.05)	19 5 0 - 18 5 0	[84027]
	113301.07	(0.05)	19 3 4 - 18 3 4	[84027]
	113301.07	(0.05)	19 9 5 - 18 9 5	[84027]
	113304.04	(0.05)	19 3 -1 - 18 3 -1	[84027]
	113304.71	(0.05)	19 1 3 - 18 1 3	[84027]
	113305.60	(0.05)	19 1 -2 - 18 1 -2	[84027]
	113306.43	(0.05)	19 8 3 - 18 8 3	[84027]
	113307.03	(0.05)	19 7 2 - 18 7 2	[84027]
	113307.03	(0.05)	19 4 4 - 18 4 4	[84027]
	113308.30	(0.05)	19 8 4 - 18 8 4	[84027]
	113309.86	(0.05)	19 7 4 - 18 7 4	[84027]
	113310.63	(0.05)	19 5 4 - 18 5 4	[84027]
	113311.49	(0.05)	19 2 3 - 18 2 3	[84027]
	113311.49	(0.05)	19 4 0 - 18 4 0	[84027]
	113312.68	(0.05)	19 7 3 - 18 7 3	[84027]
	113312.68	(0.05)	19 2 -1 - 18 2 -1	[84027]
	113313.44	(0.05)	19 0 2 - 18 0 2	[84027]
	113313.96	(0.05)	19 5 1 - 18 5 1	[84027]
	113314.67	(0.05)	19 6 2 - 18 6 2	[84027]
	113315.95	(0.05)	19 3 3 - 18 3 3	[84027]
	113317.11	(0.05)	19 6 3 - 18 6 3	[84027]
	113317.60	(0.05)	19 4 3 - 18 4 3	[84027]
	113318.32	(0.05)	19 1 2 - 18 1 2	[84027]
	113318.32	(0.05)	19 3 0 - 18 3 0	[84027]
	113319.20	(0.05)	19 5 3 - 18 5 3	[84027]
	113319.90	(0.05)	19 5 2 - 18 5 2	[84027]
	113320.40	(0.05)	19 4 1 - 18 4 1	[84027]
	113320.80	(0.05)	19 1 -1 - 18 1 -1	[84027]
	113323.21	(0.05)	19 2 2 - 18 2 2	[84027]
	113323.21	(0.05)	19 4 2 - 18 4 2	[84027]
	113323.70	(0.05)	19 2 0 - 18 2 0	[84027]
	113324.13	(0.05)	19 3 2 - 18 3 2	[84027]
	113324.65	(0.05)	19 0 1 - 18 0 1	[84027]
	113324.65	(0.05)	19 3 1 - 18 3 1	[84027]
	113326.89	(0.05)	19 1 1 - 18 1 1	[84027]
	113326.89	(0.05)	19 1 0 - 18 1 0	[84027]
	113326.89	(0.05)	19 2 1 - 18 2 1	[84027]
	113328.04	(0.05)	19 0 0 - 18 0 0	[84027]
	137125.90	(0.05)	23 6 6 - 22 6 6	[84027]
	137128.30	(0.05)	23 1 4 - 22 1 4	[84027]
	137128.80	(0.05)	23 3 -2 - 22 3 -2	[84027]
	137129.90	(0.05)	23 1 -3 - 22 1 -3	[84027]

TABLE 19.2. Microwave spectrum of 2-butyne-1,1,1-d_3 — Continued C_4H_6

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'K'm_H'$ - $J''K''m_H''$	Ref.
	137133.10	(0.05)	23 7 6 - 22 7 6	[84027]
	137134.30	(0.05)	23 6 0 - 22 6 0	[84027]
	137137.60	(0.05)	23 8 6 - 22 8 6	[84027]
	137139.40	(0.05)	23 9 6 - 22 9 6	[84027]
	137140.40	(0.05)	23 4−1 - 22 4−1	[84027]
	137140.40	(0.05)	23 2 4 - 22 2 4	[84027]
	137143.39	(0.05)	23 0 3 - 22 0 3	[84027]
	137145.45	(0.05)	23 8 2 - 22 8 2	[84027]
	137146.10	(0.05)	23 9 3 - 22 9 3	[84027]
	137148.86	(0.05)	23 5 0 - 22 5 0	[84027]
	137148.86	(0.05)	23 6 5 - 22 6 5	[84027]
	137149.99	(0.05)	23 3 4 - 22 3 4	[84027]
	137149.99	(0.05)	23 9 5 - 22 9 5	[84027]
	137153.64	(0.05)	23 3−1 - 22 3−1	[84027]
	137154.37	(0.05)	23 1 3 - 22 1 3	[84027]
	137155.51	(0.05)	23 1−2 - 22 1−2	[84027]
	137156.45	(0.05)	23 8 3 - 22 8 3	[84027]
	137157.23	(0.05)	23 4 4 - 22 4 4	[84027]
	137157.23	(0.05)	23 7 2 - 22 7 2	[84027]
	137158.74	(0.05)	23 8 4 - 22 8 4	[84027]
	137160.60	(0.05)	23 7 4 - 22 7 4	[84027]
	137161.46	(0.05)	23 5 4 - 22 5 4	[84027]
	137162.54	(0.05)	23 2 3 - 22 2 3	[84027]
	137162.54	(0.05)	23 4 0 - 22 4 0	[84027]
	137164.08	(0.05)	23 2−1 - 22 2−1	[84027]
	137164.08	(0.05)	23 7 3 - 22 7 3	[84027]
	137164.84	(0.05)	23 0 2 - 22 0 2	[84027]
	137165.56	(0.05)	23 5 1 - 22 5 1	[84027]
	137166.21	(0.05)	23 6 2 - 22 6 2	[84027]
	137167.96	(0.05)	23 3 3 - 22 3 3	[84027]
	137169.29	(0.05)	23 6 3 - 22 6 3	[84027]
	137169.90	(0.05)	23 4 3 - 22 4 3	[84027]
	137170.85	(0.05)	23 1 2 - 22 1 2	[84027]
	137170.85	(0.05)	23 3 0 - 22 3 0	[84027]
	137171.82	(0.05)	23 5 3 - 22 5 3	[84027]
	137172.81	(0.05)	23 5 2 - 22 5 2	[84027]
	137173.32	(0.05)	23 4 1 - 22 4 1	[84027]
	137173.73	(0.05)	23 1−1 - 22 1−1	[84027]
	137176.74	(0.05)	23 2 2 - 22 2 2	[84027]
	137176.74	(0.05)	23 4 2 - 22 4 2	[84027]
	137177.33	(0.05)	23 2 0 - 22 2 0	[84027]
	137177.94	(0.05)	23 3 2 - 22 3 2	[84027]
	137178.50	(0.05)	23 0 1 - 22 0 1	[84027]
	137178.50	(0.05)	23 3 1 - 22 3 1	[84027]
	137181.18	(0.05)	23 1 1 - 22 1 1	[84027]
	137181.18	(0.05)	23 1 0 - 22 1 0	[84027]
	137181.18	(0.05)	23 2 1 - 22 2 1	[84027]
	137182.58	(0.05)	23 0 0 - 22 0 0	[84027]
	155027.73	(0.05)	26 0 3 - 25 0 3	[84027]
	155030.13	(0.05)	26 8 2 - 25 8 2	[84027]
	155030.81	(0.05)	26 9 3 - 25 9 3	[84027]
	155033.93	(0.05)	26 5 0 - 25 5 0	[84027]
	155033.93	(0.05)	26 6 5 - 25 6 5	[84027]
	155035.17	(0.05)	26 3 4 - 25 3 4	[84027]
	155035.17	(0.05)	26 9 5 - 25 9 5	[84027]
	155039.27	(0.05)	26 3−1 - 25 3−1	[84027]
	155040.14	(0.05)	26 1 3 - 25 1 3	[84027]
	155041.46	(0.05)	26 1−2 - 25 1−2	[84027]
	155042.47	(0.05)	26 8 3 - 25 8 3	[84027]
	155043.40	(0.05)	26 4 4 - 25 4 4	[84027]
	155043.40	(0.05)	26 7 2 - 25 7 2	[84027]
	155047.22	(0.05)	26 7 4 - 25 7 4	[84027]
	155048.19	(0.05)	26 5 4 - 25 5 4	[84027]
	155049.37	(0.05)	26 2 3 - 25 2 3	[84027]
	155049.37	(0.05)	26 4 0 - 25 4 0	[84027]
	155051.13	(0.05)	26 2−1 - 25 2−1	[84027]
	155051.13	(0.05)	26 7 3 - 25 7 3	[84027]

TABLE 19.2. Microwave spectrum of 2-butyne-1,1,1-d_3 — Continued C_4H_6

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'K'm_H'$	-	$J''K''m_H''$	Ref.
	155052.02	(0.05)	26 0 2	-	25 0 2	[84027]
	155052.74	(0.05)	26 5 1	-	25 5 1	[84027]
	155053.70	(0.05)	26 6 2	-	25 6 2	[84027]
	155055.51	(0.05)	26 3 3	-	25 3 3	[84027]
	155057.03	(0.05)	26 6 3	-	25 6 3	[84027]
	155057.70	(0.05)	26 4 3	-	25 4 3	[84027]
	155058.77	(0.05)	26 1 2	-	25 1 2	[84027]
	155058.77	(0.05)	26 3 0	-	25 3 0	[84027]
	155059.87	(0.05)	26 5 3	-	25 5 3	[84027]
	155060.97	(0.05)	26 5 2	-	25 5 2	[84027]
	155061.57	(0.05)	26 4 1	-	25 4 1	[84027]
	155062.06	(0.05)	26 1 −1	-	25 1 −1	[84027]
	155065.41	(0.05)	26 2 2	-	25 2 2	[84027]
	155065.41	(0.05)	26 4 2	-	25 4 2	[84027]
	155066.10	(0.05)	26 2 0	-	25 2 0	[84027]
	155066.79	(0.05)	26 3 2	-	25 3 2	[84027]
	155067.41	(0.05)	26 0 1	-	25 0 1	[84027]
	155067.41	(0.05)	26 3 1	-	25 3 1	[84027]
	155070.43	(0.05)	26 1 0	-	25 1 0	[84027]
	155070.43	(0.05)	26 1 1	-	25 1 1	[84027]
	155070.43	(0.05)	26 2 1	-	25 2 1	[84027]
	155072.03	(0.05)	26 0 0	-	25 0 0	[84027]

Table 20.1. Molecular constants for 1-butyne (C_4H_6) in the ground and lowest torsional and bending states.

Parameter		Ground State	v_{24} = 1 Methyl torsion	v_{15} = 1 C≡C-C bend
Rotational Constants [present]				
A"	(MHz)	27147.8126(50)	28014.44(97)	26407.94(25)
B"	(MHz)	4546.47932(83)	4544.7101(82)	4559.084(8)
C"	(MHz)	4086.87510(80)	4086.3148(95)	4092.689(4)
τ_1	(MHz)	0.150285(16)	0.2328(30)	0.0786(13)
τ_2	(MHz)	0.0118211(46)	0.02317(52)	$-0.69(170)\times10^{-4}$
τ_3[a]	(MHz)	1.019(1)	1.31(12)	0.077(26)
τ_{aaaa}	(MHz)	-2.147587(584)	-2.75(354)	3.71(78)
τ_{bbbb}	(MHz)	-0.0160141(43)	-0.015469(83)	-0.015969(65)
τ_{cccc}	(MHz)	-0.0059185(41)	-0.00426(38)	-0.005428(16)
H_J	(Hz)	0.00933(36)		
H_{JK}	(Hz)	-0.3410(280)		-4.84(41)
H_{KJ}	(Hz)	-0.6504(933)		
H_K	(Hz)	33.55(130)		
h_J	(Hz)	0.00681(22)		
h_{JK}	(Hz)	0.1754(238)		
h_K	(Hz)	-15.68(196)		
Internal Rotation Constants [85014, 83039]				
$\omega_1(s)$		$-0.1469(12)\times10^{-5}$		
$\theta(a,i)$		47.55(19)°	48.454(13)°	
I_α	(u Å^2)	3.180(12)	3.1635[b]	
s		82.81(8)	86.57(26)	
F	(GHz)	175.30(66)	176.162	
V_3	(cm^{-1})	1089.9(53)	1144.8(4)	
Electric Dipole Moment [83038]				
μ_a	(D)	0.763(3)		
μ_b	(D)	0.170(4)		

[a]The value of τ_3 is fixed by setting R_6 = 0.
[b]Assumed value.

Table 20.2. Molecular constants for the vibrationally excited states v_{15} = 2 and 3 and v_{14} = 1 of 1-butyne. [83038]

Vibrational State	A (MHz)	B (MHz)	C (MHz)	D_{JK} (kHz)
v_{15} = 2	25728.(39)	4571.424(23)	4098.195(23)	-8.8(21)
v_{15} = 3	25000.(32)	4583.534(26)	4103.500(29)	21.2(25)
v_{14} = 1	26991.(38)	4547.096(23)	4091.436(23)	-45.6(22)

Comments: For the v_{24}=1 state the following transitions were not included in the fit:

Transition	Frequency (MHz)	Δν(obs-calc) (MHz)
$18_{2,17}-17_{2,16}$	154299.32	-0.58
$18_{3,15}-17_{3,14}$	156595.53	0.26
$18_{1,17}-17_{1,16}$	157387.87	0.14

and similarly for the v_{15}=1 state:

$4_{13} - 4_{04}$	24504.22	-2.02
$27_{3,24}-27_{3,25}$	30421.88	-4.35
$17_{6,12}-16_{6,11}$	147247.37	-0.82
$17_{5,13}-16_{5,12}$	147316.53	-0.40
$18_{5,14}-17_{5,13}$	156006.17	-0.56
$25_{1,24}-24_{1,23}$	215354.31	-0.45
$25_{3,23}-24_{3,22}$	216453.67	+0.93
$27_{1,26}-26_{1,25}$	231539.29	-1.02

TABLE 20.3. Microwave spectrum of 1-butyne C_4H_6

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$	-	$J''(K_{-1},K_{+1})$	v_t	Sym.	Vib. state	Ref.
CH_3CH_2CCH	8378.740	(0.010)	32(7,26)	-	33(6,27)	0	*E*		[85014]
	8378.862	(0.010)	32(7,26)	-	33(6,27)	0	*A*		[85014]
	8466.011	(0.010)	32(7,25)	-	33(6,28)	0	*E*		[85014]
	8466.081	(0.010)	32(7,25)	-	33(6,28)	0	*A*		[85014]
	8597.043	(0.010)	8(1, 7)	-	7(2, 6)	0	*A*		[85014]
	8597.093	(0.010)	8(1, 7)	-	7(2, 6)	0	*E*		[85014]
	8633.419	(0.010)	1(0, 1)	-	0(0, 0)	0	*E*		[85014]
	8633.419	(0.010)	1(0, 1)	-	0(0, 0)	0	*A*		[85014]
	8704.757	(0.010)	13(2,11)	-	13(2,12)	0	*E*		[85014]
	8704.778	(0.010)	13(2,11)	-	13(2,12)	0	*A*		[85014]
	8778.098	(0.010)	7(2, 5)	-	8(1, 8)	0	*E*		[85014]
	8778.182	(0.010)	7(2, 5)	-	8(1, 8)	0	*A*		[85014]
	9533.726	(0.010)	35(6,30)	-	34(7,27)	0	*A*		[85014]
	9533.801	(0.010)	35(6,30)	-	34(7,27)	0	*E*		[85014]
	9545.926	(0.010)	19(3,16)	-	18(4,15)	0	*A*		[85014]
	9546.030	(0.010)	19(3,16)	-	18(4,15)	0	*E*		[85014]
	9644.014	(0.010)	6(1, 5)	-	6(1, 6)	0	*E*		[85014]
	9644.014	(0.010)	6(1, 5)	-	6(1, 6)	0	*A*		[85014]
	9707.115	(0.010)	35(6,29)	-	34(7,28)	0	*A*		[85014]
	9707.209	(0.010)	35(6,29)	-	34(7,28)	0	*E*		[85014]
	9732.268	(0.010)	31(4,27)	-	30(4,28)	0	*E*		[85014]
	9732.298	(0.010)	31(4,27)	-	30(4,28)	0	*A*		[85014]
	9815.607	(0.010)	16(4,13)	-	17(3,14)	0	*E*		[85014]
	9815.726	(0.010)	16(4,13)	-	17(3,14)	0	*A*		[85014]
	9980.311	(0.010)	22(3,19)	-	22(3,20)	0	*E*		[85014]
	9980.337	(0.010)	22(3,19)	-	22(3,20)	0	*A*		[85014]
	10585.075	(0.010)	37(8,30)	-	38(7,31)	0	*E*		[85014]
	10585.209	(0.010)	37(8,30)	-	38(7,31)	0	*A*		[85014]
	10608.173	(0.010)	37(8,29)	-	38(7,32)	0	*E*		[85014]
	10608.173	(0.010)	37(8,29)	-	38(7,32)	0	*A*		[85014]
	10647.743	(0.010)	15(2,14)	-	14(3,11)	0	*A*		[85014]
	10647.852	(0.010)	15(2,14)	-	14(3,11)	0	*E*		[85014]
	11334.829	(0.010)	14(2,12)	-	14(2,13)	0	*E*		[85014]
	11334.851	(0.010)	14(2,12)	-	14(2,13)	0	*A*		[85014]
	11559.633	(0.010)	30(5,26)	-	29(6,23)	0	*A*		[85014]
	11559.735	(0.010)	30(5,26)	-	29(6,23)	0	*E*		[85014]
	11656.016	(0.010)	12(1,12)	-	11(2, 9)	0	*A*		[85014]
	11656.122	(0.010)	12(1,12)	-	11(2, 9)	0	*E*		[85014]
	11951.037	(0.010)	5(2, 4)	-	6(1, 5)	0	*E*		[85014]
	11951.100	(0.010)	5(2, 4)	-	6(1, 5)	0	*A*		[85014]
	12148.512	(0.010)	32(4,28)	-	32(4,29)	0	*E*		[85014]
	12148.545	(0.010)	32(4,28)	-	32(4,29)	0	*A*		[85014]
	12179.704	(0.010)	30(5,25)	-	29(6,24)	0	*A*		[85014]
	12179.811	(0.010)	30(5,25)	-	29(6,24)	0	*E*		[85014]
	12280.437	(0.010)	16(4,12)	-	17(3,15)	0	*E*		[85014]
	12280.560	(0.010)	16(4,12)	-	17(3,15)	0	*A*		[85014]
	12392.817	(0.010)	11(3, 8)	-	12(2,11)	0	*E*		[85014]
	12392.918	(0.010)	11(3, 8)	-	12(2,11)	0	*A*		[85014]
	17814.934	(0.010)	16(2,15)	-	15(3,12)	0	*A*		[85014]
	17815.038	(0.010)	16(2,15)	-	15(3,12)	0	*E*		[85014]
	17993.857	(0.010)	16(2,14)	-	16(2,15)	0	*E*		[85014]
	17993.903	(0.010)	16(2,14)	-	16(2,15)	0	*A*		[85014]
	18277.470	(0.010)	14(1,14)	-	13(2,11)	0	*A*		[85014]
	18277.587	(0.010)	14(1,14)	-	13(2,11)	0	*E*		[85014]
	18322.023	(0.010)	34(4,30)	-	34(4,31)	0	*E*		[85014]
	18322.080	(0.010)	34(4,30)	-	34(4,31)	0	*A*		[85014]
	18578.509	(0.010)	36(6,31)	-	35(7,28)	0	*A*		[85014]
	18578.587	(0.010)	36(6,31)	-	35(7,28)	0	*E*		[85014]
	18819.114	(0.010)	36(6,30)	-	35(7,29)	0	*A*		[85014]
	18819.196	(0.010)	36(6,30)	-	35(7,29)	0	*E*		[85014]
	19161.649	(0.010)	9(1, 8)	-	8(2, 7)	0	*A*		[85014]
	19161.699	(0.010)	9(1, 8)	-	8(2, 7)	0	*E*		[85014]
	19203.422	(0.010)	15(4,12)	-	16(3,13)	0	*E*		[85014]
	19203.541	(0.010)	15(4,12)	-	16(3,13)	0	*A*		[85014]
	19246.242	(0.010)	21(1,21)	-	20(2,18)	0	*A*		[85014]
	19246.446	(0.010)	21(1,21)	-	20(2,18)	0	*E*		[85014]
	19274.586	(0.010)	25(3,22)	-	25(3,23)	0	*E*		[85014]

TABLE 20.3. Microwave spectrum of 1-butyne — Continued C_4H_6

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	v_t	Sym.	Vib. state	Ref.
	19274.638	(0.010)	25(3,22) - 25(3,23)	0	*A*		[85014]
	19525.595	(0.010)	36(8,29) - 37(7,30)	0	*E*		[85014]
	19525.765	(0.010)	36(8,29) - 37(7,30)	0	*A*		[85014]
	19541.712	(0.010)	36(8,28) - 37(7,31)	0	*E*		[85014]
	19541.712	(0.010)	36(8,28) - 37(7,31)	0	*A*		[85014]
	19580.715	(0.010)	20(3,17) - 19(4,16)	0	*A*		[85014]
	19580.814	(0.010)	20(3,17) - 19(4,16)	0	*E*		[85014]
	20460.103	(0.010)	10(3, 7) - 11(2,10)	0	*E*		[85014]
	20460.211	(0.010)	10(3, 7) - 11(2,10)	0	*A*		[85014]
	20559.226	(0.010)	15(1,15) - 14(2,12)	0	*A*		[85014]
	20559.362	(0.010)	15(1,15) - 14(2,12)	0	*E*		[85014]
	20590.394	(0.010)	31(5,27) - 30(6,24)	0	*A*		[85014]
	20590.491	(0.010)	31(5,27) - 30(6,24)	0	*E*		[85014]
	20611.922	(0.010)	9(1, 8) - 9(1, 9)	0	*E*		[85014]
	20611.955	(0.010)	9(1, 8) - 9(1, 9)	0	*A*		[85014]
	20941.642	(0.010)	15(4,11) - 16(3,14)	0	*E*		[85014]
	20941.763	(0.010)	15(4,11) - 16(3,14)	0	*A*		[85014]
	21213.563	(0.010)	20(1,20) - 19(2,17)	0	*A*		[85014]
	21213.772	(0.010)	20(1,20) - 19(2,17)	0	*E*		[85014]
	21441.066	(0.010)	31(5,26) - 30(6,25)	0	*A*		[85014]
	21441.171	(0.010)	31(5,26) - 30(6,25)	0	*E*		[85014]
	21752.955	(0.010)	21(3,19) - 20(4,16)	0	*A*		[85014]
	21753.070	(0.010)	21(3,19) - 20(4,16)	0	*E*		[85014]
	21837.181	(0.010)	5(2, 3) - 6(1, 6)	0	*E*		[85014]
	21837.266	(0.010)	5(2, 3) - 6(1, 6)	0	*A*		[85014]
	21889.923	(0.010)	20(5,16) - 21(4,17)	0	*E*		[85014]
	21890.059	(0.010)	20(5,16) - 21(4,17)	0	*A*		[85014]
	21918.565	(0.010)	4(2, 3) - 5(1, 4)	0	*E*		[85014]
	21918.628	(0.010)	4(2, 3) - 5(1, 4)	0	*A*		[85014]
	21991.115	(0.010)	26(4,23) - 25(5,20)	0	*A*		[85014]
	21991.229	(0.010)	26(4,23) - 25(5,20)	0	*E*		[85014]
	22043.809	(0.010)	17(2,15) - 17(2,16)	0	*E*		[85014]
	22043.862	(0.010)	17(2,15) - 17(2,16)	0	*A*		[85014]
	22127.227	(0.010)	16(1,16) - 15(2,13)	0	*A*		[85014]
	22127.380	(0.010)	16(1,16) - 15(2,13)	0	*E*		[85014]
	22149.020	(0.010)	35(4,31) - 35(4,32)	0	*E*		[85014]
	22149.084	(0.010)	35(4,31) - 35(4,32)	0	*A*		[85014]
	22407.987	(0.010)	5(0, 5) - 4(1, 4)	0	*A*		[85014]
	22407.987	(0.010)	5(0, 5) - 4(1, 4)	0	*E*		[85014]
	22428.630	(0.010)	20(5,15) - 21(4,18)	0	*E*		[85014]
	22428.752	(0.010)	20(5,15) - 21(4,18)	0	*A*		[85014]
	22503.813	(0.010)	19(1,19) - 18(2,16)	0	*A*		[85014]
	22503.989	(0.010)	19(1,19) - 18(2,16)	0	*E*		[85014]
	22972.558	(0.010)	17(1,17) - 16(2,14)	0	*A*		[85014]
	22972.709	(0.010)	17(1,17) - 16(2,14)	0	*E*		[85014]
	23060.375	(0.010)	1(1, 0) - 1(0, 1)	0	*A*		[85014]
	23060.399	(0.010)	1(1, 0) - 1(0, 1)	0	*E*		[85014]
	23095.302	(0.010)	18(1,18) - 17(2,15)	0	*A*		[85014]
	23095.476	(0.010)	18(1,18) - 17(2,15)	0	*E*		[85014]
	23148.910	(0.100)	17(2,15) - 17(2,16)			$1\nu_{15}$	[83038]
	23357.735	(0.010)	26(3,23) - 26(3,24)	0	*E*		[85014]
	23357.798	(0.010)	26(3,23) - 26(3,24)	0	*A*		[85014]
	23514.680	(0.100)	3(1, 2) - 3(0, 3)			$1\nu_{15}$	[83038]
	23527.086	(0.010)	2(1, 1) - 2(0, 2)	0	*E*		[85014]
	23527.111	(0.010)	2(1, 1) - 2(0, 2)	0	*A*		[85014]
	24162.217	(0.010)	25(6,20) - 26(5,21)	0	*E*		[85014]
	24162.365	(0.010)	25(6,20) - 26(5,21)	0	*A*		[85014]
	24240.063	(0.010)	3(1, 2) - 3(0, 3)	0	*E*		[85014]
	24240.086	(0.010)	3(1, 2) - 3(0, 3)	0	*A*		[85014]
	24316.393	(0.010)	26(6,19) - 26(5,22)	0	*E*		[85014]
	24316.490	(0.010)	26(6,19) - 26(5,22)	0	*A*		[85014]
	24504.220	(0.100)	4(1, 3) - 4(0, 4)			$1\nu_{15}$	[83038]
	24652.929	(0.010)	17(2,16) - 16(3,13)	0	*A*		[85014]
	24653.034	(0.010)	17(2,16) - 16(3,13)	0	*E*		[85014]
	24786.453	(0.010)	26(4,22) - 25(5,21)	0	*A*		[85014]
	24786.561	(0.010)	26(4,22) - 25(5,21)	0	*E*		[85014]
	25092.47	(0.10)	10(1, 9) - 10(1,10)	1	*A*		[83038]

TABLE 20.3. Microwave spectrum of 1-butyne — Continued C_4H_6

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	v_t	Sym.	Vib. state	Ref.
	25094.50	(0.10)	10(1, 9) - 10(1,10)	1	*E*		[83038]
	25103.21	(0.10)	3(1, 2) - 3(0, 3)	1	*A*		[83038]
	25104.54	(0.10)	3(1, 2) - 3(0, 3)	1	*E*		[83038]
	25151.704	(0.010)	10(1, 9) - 10(1,10)	0	*A*		[85014]
	25151.704	(0.010)	10(1, 9) - 10(1,10)	0	*E*		[85014]
	25201.98	(0.10)	3(1, 3) - 2(1, 2)	1	*A*		[83038]
	25206.638	(0.010)	3(1, 3) - 2(1, 2)	0	*E*		[85014]
	25206.638	(0.010)	3(1, 3) - 2(1, 2)	0	*A*		[85014]
	25214.664	(0.010)	4(1, 3) - 4(0, 4)	0	*A*		[85014]
	25214.689	(0.010)	4(1, 3) - 4(0, 4)	0	*E*		[85014]
	25228.08	(0.10)	3(1, 3) - 2(1, 2)			$1\nu_{14}$	[83038]
	25251.160	(0.100)	3(1, 3) - 2(1, 2)			$1\nu_{15}$	[83038]
	25287.038	(0.010)	9(3, 7) - 10(2, 8)	0	*E*		[85014]
	25287.144	(0.010)	9(3, 7) - 10(2, 8)	0	*A*		[85014]
	25294.04	(0.10)	3(1, 3) - 2(1, 2)			$2\nu_{15}$	[83038]
	25394.410	(0.100)	42(7,36) - 41(8,33)				[83038]
	25484.010	(0.100)	42(7,35) - 41(8,34)				[83038]
	25785.31	(0.10)	18(2,16) - 18(2,17)	1	*A*		[83038]
	25786.130	(0.100)	5(1, 4) - 5(0, 5)			$1\nu_{15}$	[83038]
	25787.80	(0.10)	18(2,16) - 18(2,17)	1	*E*		[83038]
	25863.003	(0.010)	15(2,13) - 14(3,12)	0	*A*		[85014]
	25863.076	(0.010)	15(2,13) - 14(3,12)	0	*E*		[85014]
	25866.62	(0.10)	3(0, 3) - 2(0, 2)	1	*A*		[83038]
	25872.27	(0.01)	3(0, 3) - 2(0, 2)	0	*A*		[85014]
	25872.27	(0.01)	3(0, 3) - 2(0, 2)	0	*E*		[85014]
	25887.87	(0.10)	3(0, 3) - 2(0, 2)			$1\nu_{14}$	[83038]
	25894.74	(0.10)	3(2, 2) - 2(2, 1)	1	*A*		[83038]
	25899.58	(0.10)	3(2, 2) - 2(2, 1)	1	*E*		[83038]
	25901.108	(0.010)	3(2, 2) - 2(2, 1)	0	*A*		[85014]
	25901.108	(0.010)	3(2, 2) - 2(2, 1)	0	*E*		[85014]
	25916.50	(0.10)	3(2, 1) - 2(2, 0)	1	*E*		[83038]
	25916.50	(0.10)	3(2, 2) - 2(2, 1)			$1\nu_{14}$	[83038]
	25921.23	(0.10)	3(2, 1) - 2(2, 0)	1	*A*		[83038]
	25925.510	(0.100)	3(0, 3) - 2(0, 2)			$1\nu_{15}$	[83038]
	25928.839	(0.010)	3(2, 1) - 2(2, 0)	0	*A*		[85014]
	25928.839	(0.010)	3(2, 1) - 2(2, 0)	0	*E*		[85014]
	25943.75	(0.10)	3(2, 1) - 2(2, 0)			$1\nu_{14}$	[83038]
	25955.760	(0.100)	3(2, 2) - 2(2, 1)			$1\nu_{15}$	[83038]
	25977.23	(0.10)	3(0, 3) - 2(0, 2)			$2\nu_{15}$	[83038]
	25985.210	(0.100)	3(2, 1) - 2(2, 0)			$1\nu_{15}$	[83038]
	26008.77	(0.10)	3(2, 2) - 2(2, 1)			$2\nu_{15}$	[83038]
	26027.37	(0.10)	3(0, 3) - 2(0, 2)			$3\nu_{15}$	[83038]
	26040.22	(0.10)	3(2, 1) - 2(2, 0)			$2\nu_{15}$	[83038]
	26060.32	(0.10)	3(2, 2) - 2(2, 1)			$3\nu_{15}$	[83038]
	26073.17	(0.10)	4(1, 3) - 4(0, 4)	1	*A*		[83038]
	26074.63	(0.10)	4(1, 3) - 4(0, 4)	1	*E*		[83038]
	26093.72	(0.10)	3(2, 1) - 2(2, 0)			$3\nu_{15}$	[83038]
	26260.04	(0.10)	27(3,24) - 27(3,25)	1	*A*		[83038]
	26262.86	(0.10)	27(3,24) - 27(3,25)	1	*E*		[83038]
	26309.129	(0.010)	30(7,24) - 31(6,25)	0	*E*		[85014]
	26309.321	(0.010)	30(7,24) - 31(6,25)	0	*A*		[85014]
	26351.178	(0.010)	30(7,23) - 31(6,26)	0	*A*		[85014]
	26351.178	(0.010)	30(7,23) - 31(6,26)	0	*E*		[85014]
	26471.062	(0.010)	5(1, 4) - 5(0, 5)	0	*A*		[85014]
	26471.062	(0.010)	5(1, 4) - 5(0, 5)	0	*E*		[85014]
	26505.694	(0.010)	36(4,32) - 36(4,33)	0	*E*		[85014]
	26505.775	(0.010)	36(4,32) - 36(4,33)	0	*A*		[85014]
	26576.070	(0.100)	18(2,16) - 18(2,17)				[83038]
	26576.93	(0.10)	3(1, 2) - 2(1, 1)	1	*A*		[83038]
	26585.250	(0.100)	3(1, 2) - 2(1, 1)				[83038]
	26594.70	(0.10)	3(1, 2) - 2(1, 1)			$1\nu_{14}$	[83038]
	26713.46	(0.10)	3(1, 2) - 2(1, 1)			$2\nu_{15}$	[83038]
	26775.32	(0.10)	3(1, 2) - 2(1, 1)			$3\nu_{15}$	[83038]
	27322.16	(0.10)	5(1, 4) - 5(0, 5)	1	*A*		[83038]
	27323.68	(0.10)	5(1, 4) - 5(0, 5)	1	*E*		[83038]
	27380.260	(0.100)	6(1, 5) - 6(0, 6)			$1\nu_{15}$	[83038]
	27653.560	(0.100)	37(6,32) - 36(7,29)				[83038]

TABLE 20.3. Microwave spectrum of 1-butyne — Continued C_4H_6

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	v_t	Sym.	Vib. state	Ref.
	27810.580	(0.100)	46(5,41) - 46(5,42)				[83038]
	27852.890	(0.100)	18(2,16) - 18(2,17)			$1\nu_{15}$	[83038]
	27959.250	(0.100)	27(3,24) - 27(3,25)				[83038]
	27984.060	(0.100)	37(6,31) - 36(7,30)				[83038]
	28033.410	(0.100)	6(1, 5) - 6(0, 6)				[83038]
	28434.520	(0.100)	14(4,11) - 15(3,12)				[83038]
	28439.730	(0.100)	35(8,28) - 36(7,29)				[83038]
	28450.790	(0.100)	35(8,27) - 36(7,30)				[83038]
	28667.580	(0.100)	9(3, 6) - 10(2, 9)				[83038]
	28873.53	(0.10)	6(1, 5) - 6(0, 6)	1	*A*		[83038]
	28875.22	(0.10)	6(1, 5) - 6(0, 6)	1	*E*		[83038]
	29318.030	(0.100)	7(1, 6) - 7(0, 7)			$1\nu_{15}$	[83038]
	29630.800	(0.100)	14(4,10) - 15(3,13)				[83038]
	29640.910	(0.100)	32(5,28) - 31(6,25)				[83038]
	29891.530	(0.100)	21(3,18) - 20(4,17)				[83038]
	29929.810	(0.100)	7(1, 6) - 7(0, 7)				[83038]
	29998.250	(0.100)	22(3,20) - 21(4,17)				[83038]
	30117.500	(0.100)	11(1,10) - 11(1,11)				[83038]
	30421.880	(0.100)	27(3,24) - 27(3,25)			$1\nu_{15}$	[83038]
	30592.800	(0.100)	40(9,32) - 41(8,33)				[83038]
	30595.400	(0.100)	40(9,31) - 41(8,34)				[83038]
	30754.33	(0.10)	7(1, 6) - 7(0, 7)	1	*A*		[83038]
	30756.20	(0.10)	7(1, 6) - 7(0, 7)	1	*E*		[83038]
	30794.720	(0.100)	32(5,27) - 31(6,26)				[83038]
	30846.620	(0.100)	27(4,24) - 26(5,21)				[83038]
	30918.670	(0.100)	19(5,15) - 20(4,16)				[83038]
	31112.700	(0.100)	18(2,17) - 17(3,14)				[83038]
	31156.31	(0.10)	28(3,25) - 28(3,26)	1	*A*		[83038]
	31159.56	(0.10)	28(3,25) - 28(3,26)	1	*E*		[83038]
	31286.920	(0.100)	19(5,14) - 20(4,17)				[83038]
	31409.710	(0.100)	37(4,33) - 37(4,34)				[83038]
	31584.840	(0.100)	19(2,17) - 19(2,18)				[83038]
	31630.530	(0.100)	8(1, 7) - 8(0, 8)			$1\nu_{15}$	[83038]
	31977.240	(0.100)	6(0, 6) - 5(1, 5)				[83038]
	32190.130	(0.100)	8(1, 7) - 8(0, 8)				[83038]
	32993.63	(0.10)	8(1, 7) - 8(0, 8)	1	*A*		[83038]
	32995.70	(0.10)	8(1, 7) - 8(0, 8)	1	*E*		[83038]
	33594.88	(0.10)	4(1, 4) - 3(1, 3)	1	*A*		[83038]
	33600.660	(0.100)	4(1, 4) - 3(1, 3)				[83038]
	33629.22	(0.10)	4(1, 4) - 3(1, 3)			$1\nu_{14}$	[83038]
	33659.450	(0.100)	4(1, 4) - 3(1, 3)			$1\nu_{15}$	[83038]
	33716.21	(0.10)	4(1, 4) - 3(1, 3)			$3\nu_{15}$	[83038]
	33771.04	(0.10)	4(1, 4) - 3(1, 3)			$2\nu_{15}$	[83038]
	34349.540	(0.100)	9(1, 8) - 9(0, 9)			$1\nu_{15}$	[83038]
	34457.64	(0.10)	4(0, 4) - 3(0, 3)	1	*A*		[83038]
	34463.650	(0.100)	4(0, 4) - 3(0, 3)				[83038]
	34520.88	(0.10)	4(2, 3) - 3(2, 2)	1	*A*		[83038]
	34528.910	(0.100)	4(2, 3) - 3(2, 2)				[83038]
	34532.920	(0.100)	4(0, 4) - 3(0, 3)			$1\nu_{15}$	[83038]
	34550.310	(0.100)	4(3, 1) - 3(3, 0)				[83038]
	34550.310	(0.100)	4(3, 2) - 3(3, 1)				[83038]
	34566.690	(0.100)	27(4,23) - 26(5,22)				[83038]
	34570.45	(0.10)	4(3, 1) - 3(3, 0)			$1\nu_{14}$	[83038]
	34570.45	(0.10)	4(3, 2) - 3(3, 1)			$1\nu_{14}$	[83038]
	34587.15	(0.10)	4(2, 2) - 3(2, 1)	1	*A*		[83038]
	34598.200	(0.100)	4(2, 2) - 3(2, 1)				[83038]
	34601.460	(0.100)	4(2, 3) - 3(2, 2)			$1\nu_{15}$	[83038]
	34618.01	(0.10)	4(2, 2) - 3(2, 1)			$1\nu_{14}$	[83038]
	34671.86	(0.10)	4(2, 3) - 3(2, 2)			$2\nu_{15}$	[83038]
	34675.240	(0.100)	4(2, 2) - 3(2, 1)			$1\nu_{15}$	[83038]
	34694.12	(0.10)	4(3, 1) - 3(3, 0)			$2\nu_{15}$	[83038]
	34694.12	(0.10)	4(3, 2) - 3(3, 1)			$2\nu_{15}$	[83038]
	34740.11	(0.10)	4(2, 3) - 3(2, 2)			$3\nu_{15}$	[83038]
	34750.26	(0.10)	4(2, 2) - 3(2, 1)			$2\nu_{15}$	[83038]
	34762.66	(0.10)	4(3, 1) - 3(3, 0)			$3\nu_{15}$	[83038]
	34762.66	(0.10)	4(3, 2) - 3(3, 1)			$3\nu_{15}$	[83038]
	34823.74	(0.10)	4(2, 2) - 3(2, 1)			$3\nu_{15}$	[83038]

TABLE 20.3. Microwave spectrum of 1-butyne — Continued C_4H_6

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	v_t	Sym.	Vib. state	Ref.
	34844.610	(0.100)	9(1, 8) - 9(0, 9)				[83038]
	35224.610	(0.100)	29(7,23) - 30(6,24)				[83038]
	35253.330	(0.100)	29(7,22) - 30(6,25)				[83038]
	35427.69	(0.10)	4(1, 3) - 3(1, 2)	1	*A*		[83038]
	35438.280	(0.100)	4(1, 3) - 3(1, 2)				[83038]
	35450.97	(0.10)	4(1, 3) - 3(1, 2)			$1\nu_{14}$	[83038]
	35495.960	(0.100)	12(1,11) - 12(1,12)				[83038]
	35524.240	(0.100)	4(1, 3) - 3(1, 2)			$1\nu_{15}$	[83038]
	35608.06	(0.10)	4(1, 3) - 3(1, 2)			$2\nu_{15}$	[83038]
	35623.10	(0.10)	9(1, 8) - 9(0, 9)	1	*E*		[83038]
	35690.12	(0.10)	4(1, 3) - 3(1, 2)			$3\nu_{15}$	[83038]
	37922.130	(0.100)	10(1, 9) - 10(0,10)				[83038]
	41116.730	(0.100)	11(1,10) - 11(0,11)			$1\nu_{15}$	[83038]
	41268.650	(0.100)	13(1,12) - 13(1,13)				[83038]
	58729.06	(0.10)	7(1, 7) - 6(1, 6)	1	*A*		[83038]
	58736.270	(0.100)	7(1, 7) - 6(1, 6)				[83038]
	58835.160	(0.100)	7(1, 7) - 6(1, 6)			$1\nu_{15}$	[83038]
	60047.260	(0.100)	7(0, 7) - 6(0, 6)				[83038]
	60151.310	(0.100)	7(0, 7) - 6(0, 6)			$1\nu_{15}$	[83038]
	60378.970	(0.100)	7(2, 6) - 6(2, 5)				[83038]
	60489.710	(0.100)	7(3, 5) - 6(3, 4)				[83038]
	60497.830	(0.100)	7(3, 4) - 6(3, 3)				[83038]
	60734.25	(0.10)	7(2, 5) - 6(2, 4)	1	*A*		[83038]
	60762.110	(0.100)	7(2, 5) - 6(2, 4)				[83038]
	60910.300	(0.100)	7(2, 5) - 6(2, 4)			$1\nu_{15}$	[83038]
	61928.48	(0.10)	7(1, 6) - 6(1, 5)	1	*A*		[83038]
	61943.540	(0.100)	7(1, 6) - 6(1, 5)				[83038]
	62088.930	(0.100)	7(1, 6) - 6(1, 5)			$1\nu_{15}$	[83038]
	68492.750	(0.100)	8(0, 8) - 7(0, 7)				[83038]
	68498.34	(0.10)	8(0, 8) - 7(0, 7)	1	*A*		[83038]
	68603.700	(0.100)	8(0, 8) - 7(0, 7)			$1\nu_{15}$	[83038]
	68967.83	(0.10)	8(2, 7) - 7(2, 6)	1	*A*		[83038]
	68980.200	(0.100)	8(2, 7) - 7(2, 6)				[83038]
	69114.170	(0.100)	8(5, 3) - 7(5, 2)				[83038]
	69114.170	(0.100)	8(6, 2) - 7(6, 1)				[83038]
	69119.190	(0.100)	8(7, 1) - 7(7, 0)				[83038]
	69119.700	(0.100)	8(2, 7) - 7(2, 6)			$1\nu_{15}$	[83038]
	69122.250	(0.100)	8(4, 4) - 7(4, 3)				[83038]
	69122.250	(0.100)	8(4, 5) - 7(4, 4)				[83038]
	69143.550	(0.100)	8(3, 6) - 7(3, 5)				[83038]
	69159.960	(0.100)	8(3, 5) - 7(3, 4)				[83038]
	69255.960	(0.100)	8(5, 4) - 7(5, 3)			$1\nu_{15}$	[83038]
	69291.980	(0.100)	8(3, 6) - 7(3, 5)			$1\nu_{15}$	[83038]
	69310.390	(0.100)	8(3, 5) - 7(3, 4)			$1\nu_{15}$	[83038]
	69513.71	(0.10)	8(2, 6) - 7(2, 5)	1	*A*		[83038]
	69549.340	(0.100)	8(2, 6) - 7(2, 5)				[83038]
	70737.45	(0.10)	8(1, 7) - 7(1, 6)	1	*A*		[83038]
	70752.820	(0.100)	8(1, 7) - 7(1, 6)				[83038]
	70916.220	(0.100)	8(1, 7) - 7(1, 6)			$1\nu_{15}$	[83038]
	76902.60	(0.03)	9(0, 9) - 8(0, 8)	1	*A*		[83038]
	76902.872	(0.030)	9(0, 9) - 8(0, 8)	1	*E*		[83039]
	77559.224	(0.030)	9(2, 8) - 8(2, 7)	1	*A*		[83039]
	77559.529	(0.030)	9(2, 8) - 8(2, 7)	1	*E*		[83039]
	78329.277	(0.030)	9(2, 7) - 8(2, 6)	1	*A*		[83039]
	78329.625	(0.030)	9(2, 7) - 8(2, 6)	1	*E*		[83039]
	79529.90	(0.03)	9(1, 8) - 8(1, 7)	1	*A*		[83039]
	79530.365	(0.030)	9(1, 8) - 8(1, 7)	1	*E*		[83039]
	83776.900	(0.100)	10(1,10) - 9(1, 9)				[83038]
	83910.560	(0.100)	10(1,10) - 9(1, 9)			$1\nu_{15}$	[83038]
	85239.240	(0.100)	10(0,10) - 9(0, 9)				[83038]
	85259.624	(0.100)	10(0,10) - 9(0, 9)	1	*A*		[83038]
	85357.740	(0.100)	10(0,10) - 9(0, 9)			$1\nu_{15}$	[83038]
	86140.532	(0.100)	10(2, 9) - 9(2, 8)	1	*A*		[83038]
	86152.530	(0.100)	10(2, 9) - 9(2, 8)				[83038]
	86322.000	(0.100)	10(2, 9) - 9(2, 8)			$1\nu_{15}$	[83038]
	86462.570	(0.100)	10(3, 8) - 9(3, 7)				[83038]
	86513.840	(0.100)	10(3, 7) - 9(3, 6)				[83038]

TABLE 20.3. Microwave spectrum of 1-butyne — Continued C_4H_6

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	v_t	Sym.	Vib. state	Ref.
	86649.190	(0.100)	10(3, 8) - 9(3, 7)			$1\nu_{15}$	[83038]
	86706.620	(0.100)	10(3, 7) - 9(3, 6)			$1\nu_{15}$	[83038]
	87181.866	(0.100)	10(2, 8) - 9(2, 7)	1	*A*		[83038]
	87235.840	(0.100)	10(2, 8) - 9(2, 7)				[83038]
	87470.670	(0.100)	10(2, 8) - 9(2, 7)			$1\nu_{15}$	[83038]
	88316.640	(0.100)	10(1, 9) - 9(1, 8)				[83038]
	88511.930	(0.100)	10(1, 9) - 9(1, 8)			$1\nu_{15}$	[83038]
	100406.52	(0.10)	12(1,12) - 11(1,11)	1	*A*		[83038]
	100407.980	(0.100)	12(1,12) - 11(1,11)				[83038]
	101796.690	(0.100)	12(0,12) - 11(0,11)				[83038]
	101834.76	(0.10)	12(0,12) - 11(0,11)	1	*A*		[83038]
	101917.550	(0.100)	12(0,12) - 11(0,11)			$1\nu_{15}$	[83038]
	103267.82	(0.10)	12(2,11) - 11(2,10)	1	*A*		[83038]
	103277.220	(0.100)	12(2,11) - 11(2,10)				[83038]
	103473.030	(0.100)	12(2,11) - 11(2,10)			$1\nu_{15}$	[83038]
	103721.80	(0.10)	12(4, 9) - 11(4, 8)	1	*A*		[83038]
	103724.70	(0.10)	12(4, 8) - 11(4, 7)	1	*A*		[83038]
	103725.400	(0.100)	12(10, 2) - 11(10, 1)				[83038]
	103884.44	(0.10)	12(3, 9) - 11(3, 8)	1	*A*		[83038]
	103900.887	(0.100)	12(6, 6) - 11(6, 5)			$1\nu_{15}$	[83038]
	103921.222	(0.100)	12(5, 8) - 11(5, 7)			$1\nu_{15}$	[83038]
	103921.740	(0.100)	12(3, 9) - 11(3, 8)				[83038]
	103966.458	(0.100)	12(4, 9) - 11(4, 8)			$1\nu_{15}$	[83038]
	103970.300	(0.100)	12(4, 8) - 11(4, 7)			$1\nu_{15}$	[83038]
	129630.240	(0.100)	15(7, 8) - 14(7, 7)				[83038]
	129631.300	(0.100)	15(8, 7) - 14(8, 6)				[83038]
	129641.280	(0.100)	15(9, 6) - 14(9, 5)				[83038]
	129642.540	(0.100)	15(6,10) - 14(6, 9)				[83038]
	129657.700	(0.100)	15(10, 5) - 14(10, 4)				[83038]
	129756.720	(0.100)	15(4,12) - 14(4,11)				[83038]
	129768.260	(0.100)	15(14, 1) - 14(14, 0)				[83038]
	129772.620	(0.100)	15(4,11) - 14(4,10)				[83038]
	140352.810	(0.030)	16(1,15) - 15(1,14)	1	*A*		[83039]
	140353.470	(0.030)	16(1,15) - 15(1,14)	1	*E*		[83039]
	140825.594	(0.030)	16(2,14) - 15(2,13)	1	*A*		[83039]
	140826.375	(0.030)	16(2,14) - 15(2,13)	1	*E*		[83039]
	142767.540	(0.030)	17(0,17) - 16(0,16)			$1\nu_{15}$	[83039]
	146071.040	(0.030)	17(2,16) - 16(2,15)			$1\nu_{15}$	[83039]
	146923.496	(0.030)	17(8, 9) - 16(8, 8)				[83039]
	146928.455	(0.030)	17(7,10) - 16(7, 9)				[83039]
	146930.570	(0.030)	17(9, 8) - 16(9, 7)				[83039]
	146946.235	(0.030)	17(10, 7) - 16(10, 6)				[83039]
	146952.248	(0.030)	17(6,11) - 16(6,10)				[83039]
	146968.434	(0.030)	17(11, 6) - 16(11, 5)				[83039]
	146996.121	(0.030)	17(12, 5) - 16(12, 4)				[83039]
	147009.169	(0.030)	17(5,13) - 16(5,12)				[83039]
	147010.193	(0.030)	17(5,12) - 16(5,11)				[83039]
	147120.281	(0.030)	17(4,14) - 16(4,13)				[83039]
	147122.558	(0.030)	17(3,15) - 16(3,14)				[83039]
	147158.755	(0.030)	17(4,13) - 16(4,12)				[83039]
	147247.370	(0.030)	17(6,12) - 16(6,11)			$1\nu_{15}$	[83039]
	147316.530	(0.030)	17(5,13) - 16(5,12)			$1\nu_{15}$	[83039]
	147318.280	(0.030)	17(5,12) - 16(5,11)			$1\nu_{15}$	[83039]
	147433.720	(0.030)	17(3,15) - 16(3,14)			$1\nu_{15}$	[83039]
	147440.050	(0.030)	17(4,14) - 16(4,13)			$1\nu_{15}$	[83039]
	147485.400	(0.030)	17(4,13) - 16(4,12)			$1\nu_{15}$	[83039]
	147739.790	(0.030)	17(3,14) - 16(3,13)	1	*A*		[83039]
	147740.350	(0.030)	17(3,14) - 16(3,13)	1	*E*		[83039]
	148214.020	(0.030)	17(3,14) - 16(3,13)			$1\nu_{15}$	[83039]
	148848.347	(0.030)	17(1,16) - 16(1,15)				[83039]
	149080.150	(0.030)	17(1,16) - 16(1,15)			$1\nu_{15}$	[83039]
	149786.230	(0.030)	17(2,15) - 16(2,14)	1	*A*		[83039]
	149787.060	(0.030)	17(2,15) - 16(2,14)	1	*E*		[83039]
	149875.734	(0.030)	17(2,15) - 16(2,14)				[83039]
	149998.449	(0.030)	18(1,18) - 17(1,17)				[83039]
	150203.210	(0.030)	18(1,18) - 17(1,17)			$1\nu_{15}$	[83039]
	150286.440	(0.030)	17(2,15) - 16(2,14)			$1\nu_{15}$	[83039]

TABLE 20.3. Microwave spectrum of 1-butyne — Continued C_4H_6

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	v_t	Sym.	Vib. state	Ref.
	150748.243	(0.030)	18(0,18) - 17(0,17)				[83039]
	150898.790	(0.030)	18(0,18) - 17(0,17)			$1\nu_{15}$	[83039]
	154283.853	(0.030)	18(2,17) - 17(2,16)				[83039]
	154299.320	(0.030)	18(2,17) - 17(2,16)	1	*A*		[83039]
	154299.790	(0.030)	18(2,17) - 17(2,16)	1	*E*		[83039]
	154535.790	(0.030)	18(2,17) - 17(2,16)			$1\nu_{15}$	[83039]
	155570.723	(0.030)	18(8,11) - 17(8,10)				[83039]
	155575.754	(0.030)	18(9,10) - 17(9, 9)				[83039]
	155579.536	(0.030)	18(7,12) - 17(7,11)				[83039]
	155590.560	(0.030)	18(10, 9) - 17(10, 8)				[83039]
	155610.315	(0.030)	18(6,13) - 17(6,12)				[83039]
	155612.770	(0.030)	18(11, 8) - 17(11, 7)				[83039]
	155641.151	(0.030)	18(12, 7) - 17(12, 6)				[83039]
	155674.641	(0.030)	18(13, 6) - 17(13, 5)				[83039]
	155679.954	(0.030)	18(5,14) - 17(5,13)				[83039]
	155681.729	(0.030)	18(5,13) - 17(5,12)				[83039]
	155712.785	(0.030)	18(14, 5) - 17(14, 4)				[83039]
	155748.470	(0.030)	18(3,16) - 17(3,15)	1	*A*		[83039]
	155749.020	(0.030)	18(3,16) - 17(3,15)	1	*E*		[83039]
	155755.123	(0.030)	18(15, 4) - 17(15, 3)				[83039]
	155777.656	(0.030)	18(3,16) - 17(3,15)				[83039]
	155801.449	(0.030)	18(16, 3) - 17(16, 2)				[83039]
	155808.730	(0.030)	18(4,15) - 17(4,14)				[83039]
	155851.507	(0.030)	18(17, 2) - 17(17, 1)				[83039]
	155866.079	(0.030)	18(4,14) - 17(4,13)				[83039]
	156006.170	(0.030)	18(5,14) - 17(5,13)			$1\nu_{15}$	[83039]
	156009.040	(0.030)	18(5,13) - 17(5,12)			$1\nu_{15}$	[83039]
	156103.500	(0.030)	18(3,16) - 17(3,15)			$1\nu_{15}$	[83039]
	156148.340	(0.030)	18(4,15) - 17(4,14)			$1\nu_{15}$	[83039]
	156215.920	(0.030)	18(4,14) - 17(4,13)			$1\nu_{15}$	[83039]
	156595.530	(0.030)	18(3,15) - 17(3,14)	1	*A*		[83039]
	156596.120	(0.030)	18(3,15) - 17(3,14)	1	*E*		[83039]
	156693.385	(0.030)	18(3,15) - 17(3,14)				[83039]
	157120.000	(0.030)	18(3,15) - 17(3,14)			$1\nu_{15}$	[83039]
	157324.525	(0.030)	18(1,17) - 17(1,16)				[83039]
	157387.870	(0.030)	18(1,17) - 17(1,16)	1	*A*		[83039]
	157388.560	(0.030)	18(1,17) - 17(1,16)	1	*E*		[83039]
	157548.810	(0.030)	18(1,17) - 17(1,16)			$1\nu_{15}$	[83039]
	158224.720	(0.030)	19(1,19) - 18(1,18)				[83039]
	158437.520	(0.030)	19(1,19) - 18(1,18)			$1\nu_{15}$	[83039]
	158731.400	(0.030)	18(2,16) - 17(2,15)	1	*A*		[83039]
	158732.260	(0.030)	18(2,16) - 17(2,15)	1	*E*		[83039]
	158816.208	(0.030)	18(2,16) - 17(2,15)				[83039]
	158867.902	(0.030)	19(0,19) - 18(0,18)				[83039]
	159028.960	(0.030)	19(0,19) - 18(0,18)			$1\nu_{15}$	[83039]
	159239.760	(0.030)	18(2,16) - 17(2,15)			$1\nu_{15}$	[83039]
	213039.730	(0.030)	25(2,24) - 24(2,23)	1	*A*		[83039]
	213040.220	(0.030)	25(2,24) - 24(2,23)	1	*E*		[83039]
	215354.310	(0.030)	25(1,24) - 24(1,23)			$1\nu_{15}$	[83039]
	215440.590	(0.030)	25(1,24) - 24(1,23)	1	*A*		[83039]
	215441.150	(0.030)	25(1,24) - 24(1,23)	1	*E*		[83039]
	215871.360	(0.030)	26(1,26) - 25(1,25)			$1\nu_{15}$	[83039]
	216023.720	(0.030)	26(0,26) - 25(0,25)			$1\nu_{15}$	[83039]
	216453.870	(0.030)	25(3,23) - 24(3,22)			$1\nu_{15}$	[83039]
	216995.440	(0.030)	25(5,20) - 24(5,19)			$1\nu_{15}$	[83039]
	217170.640	(0.030)	25(4,22) - 24(4,21)			$1\nu_{15}$	[83039]
	217795.510	(0.030)	25(4,21) - 24(4,20)			$1\nu_{15}$	[83039]
	220481.429	(0.030)	25(2,23) - 24(2,22)	1	*A*		[83039]
	220482.490	(0.030)	25(2,23) - 24(2,22)	1	*E*		[83039]
	223773.601	(0.030)	27(1,27) - 26(1,26)				[83039]
	223916.235	(0.030)	27(0,27) - 26(0,26)				[83039]
	224055.570	(0.030)	27(1,27) - 26(1,26)			$1\nu_{15}$	[83039]
	224178.440	(0.030)	27(0,27) - 26(0,26)			$1\nu_{15}$	[83039]
	229564.277	(0.030)	27(2,26) - 26(2,25)				[83039]
	231415.881	(0.030)	27(1,26) - 26(1,25)				[83039]
	231539.290	(0.030)	27(1,26) - 26(1,25)			$1\nu_{15}$	[83039]
	231944.949	(0.030)	28(1,28) - 27(1,27)				[83039]

TABLE 20.3. Microwave spectrum of 1-butyne — Continued C_4H_6

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	v_t	Sym.	Vib. state	Ref.
	232060.337	(0.030)	28(0,28) - 27(0,27)				[83039]
	232236.290	(0.030)	28(1,28) - 27(1,27)			$1\nu_{15}$	[83039]
	232334.990	(0.030)	28(0,28) - 27(0,27)			$1\nu_{15}$	[83039]
	233148.469	(0.030)	27(3,25) - 26(3,24)				[83039]
	233393.175	(0.030)	27(10,18) - 26(10,17)				[83039]
	233400.855	(0.030)	27(9,19) - 26(9,18)				[83039]
	233404.369	(0.030)	27(11,17) - 26(11,16)				[83039]
	233430.205	(0.030)	27(12,16) - 26(12,15)				[83039]
	233435.560	(0.030)	27(8,20) - 26(8,19)				[83039]
	233467.477	(0.030)	27(13,15) - 26(13,14)				[83039]
	233511.303	(0.030)	27(7,21) - 26(7,20)				[83039]
	233514.305	(0.030)	27(14,14) - 26(14,13)				[83039]
	233569.398	(0.030)	27(15,13) - 26(15,12)				[83039]
	233631.992	(0.030)	27(16,12) - 26(16,11)				[83039]
	233654.905	(0.030)	27(6,22) - 26(6,21)				[83039]
	233657.794	(0.030)	27(6,21) - 26(6,20)				[83039]
	233701.367	(0.030)	27(17,11) - 26(17,10)				[83039]
	233776.852	(0.030)	27(18,10) - 26(18, 9)				[83039]
	233858.377	(0.030)	27(19, 9) - 26(19, 8)				[83039]
	233902.235	(0.030)	27(5,23) - 26(5,22)				[83039]
	233945.507	(0.030)	27(20, 8) - 26(20, 7)				[83039]
	233968.988	(0.030)	27(5,22) - 26(5,21)				[83039]
	234037.962	(0.030)	27(21, 7) - 26(21, 6)				[83039]
	234097.584	(0.030)	27(4,24) - 26(4,23)				[83039]
	234135.698	(0.030)	27(22, 6) - 26(22, 5)				[83039]
	234238.360	(0.030)	27(23, 5) - 26(23, 4)				[83039]
	234345.937	(0.030)	27(24, 4) - 26(24, 3)				[83039]
	234458.414	(0.030)	27(25, 3) - 26(25, 2)				[83039]
	234575.510	(0.030)	27(26, 2) - 26(26, 1)				[83039]
	234974.328	(0.030)	27(4,23) - 26(4,22)				[83039]
	237562.970	(0.030)	27(3,24) - 26(3,23)	1	*A*		[83039]
	237564.080	(0.030)	27(3,24) - 26(3,23)	1	*E*		[83039]
	237655.972	(0.030)	27(2,25) - 26(2,24)				[83039]
	237735.300	(0.030)	27(2,25) - 26(2,24)	1	*A*		[83039]
	237736.360	(0.030)	27(2,25) - 26(2,24)	1	*E*		[83039]
	239488.394	(0.030)	28(1,27) - 27(1,26)				[83039]
	304069.833	(0.030)	36(1,35) - 35(1,34)				[83039]
	305371.868	(0.030)	37(1,37) - 36(1,36)				[83039]
	305387.097	(0.030)	37(0,37) - 36(0,36)				[83039]
	308996.439	(0.030)	36(3,34) - 35(3,33)				[83039]
	311205.304	(0.030)	36(13,24) - 35(13,23)				[83039]
	311268.036	(0.030)	36(9,28) - 35(9,27)				[83039]
	311306.870	(0.030)	36(15,22) - 35(15,21)				[83039]
	311459.616	(0.030)	36(17,20) - 35(17,19)				[83039]
	311611.879	(0.030)	36(7,30) - 35(7,29)				[83039]
	311615.304	(0.030)	36(7,29) - 35(7,28)				[83039]
	311652.431	(0.030)	36(19,18) - 35(19,17)				[83039]
	311769.796	(0.030)	37(2,36) - 36(2,35)				[83039]
	311879.554	(0.030)	36(21,16) - 35(21,15)				[83039]
	311910.203	(0.030)	36(4,33) - 35(4,32)				[83039]
	311971.139	(0.030)	36(6,31) - 35(6,30)				[83039]
	312035.945	(0.030)	36(6,30) - 35(6,29)				[83039]
	312137.370	(0.030)	36(23,14) - 35(23,13)				[83039]
	312167.085	(0.030)	37(1,36) - 36(1,35)				[83039]
	312226.217	(0.030)	36(2,34) - 35(2,33)				[83039]
	312372.976	(0.030)	36(5,32) - 35(5,31)				[83039]
	312423.035	(0.030)	36(25,12) - 35(25,11)				[83039]
	312735.206	(0.030)	36(27,10) - 35(27, 9)				[83039]
	313072.181	(0.030)	36(29, 8) - 35(29, 7)				[83039]
	313142.560	(0.030)	36(5,31) - 35(5,30)				[83039]
	313433.174	(0.030)	36(31, 6) - 35(31, 5)				[83039]
	313520.719	(0.030)	38(1,38) - 37(1,37)				[83039]
	313532.888	(0.030)	38(0,38) - 37(0,37)				[83039]
	313622.520	(0.030)	36(32, 5) - 35(32, 4)				[83039]
	313817.501	(0.030)	36(33, 4) - 35(33, 3)				[83039]
	316266.804	(0.030)	36(4,32) - 35(4,31)				[83039]
	317318.688	(0.030)	37(3,35) - 36(3,34)				[83039]
	317687.681	(0.030)	36(3,33) - 35(3,32)				[83039]

Table 21.1. Molecular constants for 1,2-butadiene (methyl allene).

Parameter		Value
Rotational Constants [present]		
A	(MHz)	34023.(46)
B	(MHz)	4201.278(14)
C	(MHz)	3928.099(15)
Δ_J	(kHz)	1.78(16)
Δ_{JK}	(kHz)	-56.82(63)
δ_J	(kHz)	0.32(25)
Internal Rotation Constants[a] [present]		
I_α	(u Å^2)	3.103
θ		38.16°
V_3	(cm^{-1})	556.94(87)
Δ_o	(MHz)	-151.9
β	(rad)	0.09673
ρ		0.16503
Dipole Moment [57016]		
μ_a	(D)	0.394(2)
μ_b	(D)	0.070(1)

[a]Only the rotational constants and V_3 were fit.

TABLE 21.2. Microwave spectrum of methylallene C_4H_6

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$	-	$J''(K_{-1},K_{+1})$	v_t	Sym.	Ref.
$H_2CCCHCH_3$	15985.82	(0.03)	2(1, 2)	-	1(1, 1)	0	*A*	[57016]
	15987.84	(0.03)	2(1, 2)	-	1(1, 1)	0	*E*	[57016]
	16256.76	(0.03)	2(0, 2)	-	1(0, 1)	0	*E*	[57016]
	16256.93	(0.03)	2(0, 2)	-	1(0, 1)	0	*A*	[57016]
	16529.90	(0.03)	2(1, 1)	-	1(1, 0)	0	*E*	[57016]
	16532.29	(0.03)	2(1, 1)	-	1(1, 0)	0	*A*	[57016]
	23977.46	(0.03)	3(1, 3)	-	2(1, 2)	0	*A*	[57016]
	23977.89	(0.03)	3(1, 3)	-	2(1, 2)	0	*E*	[57016]
	24380.36	(0.03)	3(0, 3)	-	2(0, 2)	0	*E*	[57016]
	24380.63	(0.03)	3(0, 3)	-	2(0, 2)	0	*A*	[57016]
	24389.35	(0.03)	3(2, 2)	-	2(2, 1)	0	*A*	[57016]
	24392.80	(0.03)	3(2, 2)	-	2(2, 1)	0	*E*	[57016]
	24393.20	(0.03)	3(2, 1)	-	2(2, 0)	0	*E*	[57016]
	24396.90	(0.03)	3(2, 1)	-	2(2, 0)	0	*A*	[57016]
	24796.20	(0.03)	3(1, 2)	-	2(1, 1)	0	*E*	[57016]
	24797.09	(0.03)	3(1, 2)	-	2(1, 1)	0	*A*	[57016]
	31967.61	(0.03)	4(1, 4)	-	3(1, 3)	0	*A*	[57016]
	31967.67	(0.03)	4(1, 4)	-	3(1, 3)	0	*E*	[57016]
	32498.28	(0.03)	4(0, 4)	-	3(0, 3)	0	*E*	[57016]
	32498.63	(0.03)	4(0, 4)	-	3(0, 3)	0	*A*	[57016]
	32517.58	(0.03)	4(2, 3)	-	3(2, 2)	0	*A*	[57016]
	32525.00	(0.03)	4(2, 3)	-	3(2, 2)	0	*E*	[57016]
	32525.00	(0.03)	4(3, 2)	-	3(3, 1)	0	*A*,*E*	[57016]
	32525.00	(0.03)	4(3, 1)	-	3(3, 0)	0	*A*,*E*	[57016]
	32528.10	(0.03)	4(2, 2)	-	3(2, 1)	0	*E*	[57016]
	32536.26	(0.03)	4(2, 2)	-	3(2, 1)	0	*A*	[57016]
	33059.64	(0.03)	4(1, 3)	-	3(1, 2)	0	*E*	[57016]
	33060.34	(0.03)	4(1, 3)	-	3(1, 2)	0	*A*	[57016]

Table 22.1. Molecular constants for bicyclo[1.1.0.]butane.

Species	A (MHz)	B (MHz)	C (MHz)	Reference
Rotational Constants				
$CH_2CHCHCH_2$	17311.974(40)	9313.516(32)	8393.521(30)	[present]
$CH_2{}^{13}CHCHCH_2$ (1-^{13}C)	16934.17(14)	9298.37(18)	8316.53(14)	[69057]
$^{13}CH_2CHCHCH_2$ (2-^{13}C)	17256.84(13)	9085.62(17)	8220.44(13)	[69057]
$CD_2CHCHCH_2$ (7,9-D_2)	16221.47(13)	8164.35(17)	7670.79(13)	[69057]
$CH_2CDCHCH_2$ (5-D)	15554.92(8)	9151.50(10)	8077.18(8)	[69057]
Dipole Moment [66041]				
μ_c	$0.67_5(1_0)$ D			
Zeeman Constants [72061]				
g_{aa}	0.0593(2)[a] μ_N			
g_{bb}	0.0025(2)[a] μ_N			
g_{cc}	0.0412(2)[a] μ_N			
$2\chi_{aa}-\chi_{bb}-\chi_{cc}$	$-5.9(3)\times10^{-6}$ erg/G^2·mol			
$-\chi_{aa}+2\chi_{bb}-\chi_{cc}$	$21.1(3)\times10^{-6}$ erg/G^2·mol			

[a]Sign not determined, but positive values are favored.

TABLE 22.2. Microwave spectrum of bicyclo[1.1.0]butane C_4H_6

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Ref.
$CHCH_2CHCH_2$	20927.71	(0.02)	4(2, 3) - 4(1, 3)	[66041]
	22664.24	(0.02)	3(2, 2) - 3(1, 2)	[72061]
	23995.40	(0.02)	2(2, 1) - 2(1, 1)	[72061]
	26420.70	(0.02)	2(0, 2) - 1(1, 0)	[72061]
	26625.57	(0.02)	1(1, 0) - 0(0, 0)	[72061]
	26830.19	(0.02)	2(2, 0) - 2(1, 2)	[72061]
$^{13}CHCH_2CHCH_2$	17444.92	(0.10)	5(2, 4) - 5(1, 4)	[69057]
	19653.46	(0.10)	4(2, 3) - 4(1, 3)	[69057]
	21492.81	(0.10)	3(2, 2) - 3(1, 2)	[69057]
	22907.47	(0.10)	2(2, 1) - 2(1, 1)	[69057]
	26232.58	(0.10)	1(1, 0) - 0(0, 0)	[69057]
	26523.32	(0.10)	2(0, 2) - 1(1, 0)	[69057]
$CH^{13}CH_2CHCH_2$	19627.78	(0.10)	5(2, 4) - 5(1, 4)	[69057]
	21617.08	(0.10)	4(2, 3) - 4(1, 3)	[69057]
	23258.20	(0.10)	3(2, 2) - 3(1, 2)	[69057]
	24513.66	(0.10)	2(2, 1) - 2(1, 1)	[69057]
	25510.43	(0.10)	2(0, 2) - 1(1, 0)	[69057]
	26342.53	(0.10)	1(1, 0) - 0(0, 0)	[69057]
$CDCH_2CHCH_2$	19210.19	(0.10)	2(2, 1) - 2(1, 1)	[69057]
	22557.42	(0.10)	2(2, 0) - 2(1, 2)	[69057]
	24706.50	(0.10)	1(1, 0) - 0(0, 0)	[69057]
	24728.46	(0.10)	3(2, 1) - 3(1, 3)	[69057]
	26855.28	(0.10)	2(0, 2) - 1(1, 0)	[69057]
	28156.41	(0.10)	4(2, 2) - 4(1, 4)	[69057]
$CHCD_2CHCH_2$	21306.68	(0.10)	5(2, 4) - 5(1, 4)	[69057]
	22486.78	(0.10)	4(2, 3) - 4(1, 3)	[69057]
	23097.49	(0.10)	2(0, 2) - 1(1, 0)	[69057]
	23445.13	(0.10)	3(2, 2) - 3(1, 2)	[69057]
	24171.30	(0.10)	2(2, 1) - 2(1, 1)	[69057]
	24385.89	(0.10)	1(1, 0) - 0(0, 0)	[69057]

Table 23.1. Molecular constants for cyclobutene and its ^{13}C isotopic species.

Parameter		Cyclobutene	1-^{13}C-Cyclobutene	3-^{13}C-Cyclobutene
Rotational Constants				
A"	(MHz)	12892.8825(23)	12784.7842(71)	12742.881(16)
B"	(MHz)	12226.1058(22)	12015.5953(71)	12033.857(16)
C"	(MHz)	6816.2674(13)	6720.5173(65)	6714.547(14)
τ_1	(MHz)	-0.047866(2693)	-0.05134(301)	-0.04776(664)
τ_2	(MHz)	-0.012535(902)	-0.01398(101)	-0.01285(223)
τ_3[a]	(MHz)	1.80(3)	1.52(3)	1.58(8)
τ_{aaaa}	(MHz)	-0.028287(839)	-0.030417(940)	-0.03002(208)
τ_{bbbb}	(MHz)	-0.026388(860)	-0.028334(961)	-0.02762(212)
Electric Dipole Moment [65029]				
μ		0.131(1) D		
Zeeman Constants [70063]				
g_{aa}		-0.0516(7) μ_N		
g_{bb}		-0.0663(7) μ_N		
g_{cc}		-0.0219(6) μ_N		
$2\chi_{aa}-\chi_{bb}-\chi_{cc}$		$-0.9(5)\times10^{-6}$erg/G^2·mol		
$-\chi_{aa}+2\chi_{bb}-\chi_{cc}$		$5.0(7)\times10^{-6}$erg/G^2·mol		
Q_{aa}		$-0.3(6)\times10^{-26}$esu·cm^2		
Q_{bb}		$1.6(7)\times10^{-26}$esu·cm^2		
Q_{cc}		$-1.3(10)\times10^{-26}$esu·cm^2		

[a]The value of τ_3 is fixed by setting R_6 = 0.

Table 23.2. Molecular constants for monodeutero-species of cyclobutene.

Parameter		DC=CHCH$_2$CH$_2$	HC=CHCHDCH$_2$
Rotational Constants			
A"	(MHz)	12658.7572(50)	12419.2632(50)
B"	(MHz)	11220.9574(54)	11431.6151(51)
C"	(MHz)	6432.0155(37)	6557.7960(33)
τ_1	(MHz)	-0.03095(416)	-0.04505(386)
τ_2	(MHz)	-0.00833(138)	-0.01290(129)
τ_3[a]	(MHz)	0.62(2)	0.92(3)
τ_{aaaa}	(MHz)	-0.0297(11)	-0.0316(11)
τ_{bbbb}	(MHz)	-0.0217(13)	-0.0268(12)

[a]The value of τ_3 is fixed by setting R_6 = 0.

TABLE 23.3. Microwave spectrum of cyclobutene C_4H_6

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Ref.
$CHCHCH_2CH_2$	8978.350	(0.050)	7(6, 1) - 7(6, 2)	[65029]
	10799.790	(0.050)	6(5, 1) - 6(5, 2)	[65029]
	12117.960	(0.050)	12(10, 2) - 12(10, 3)	[65029]
	12505.920	(0.050)	5(4, 1) - 5(4, 2)	[65029]
HC=CH	12692.450	(0.050)	23(19, 4) - 23(19, 5)	[69056]
	13689.510	(0.050)	28(23, 5) - 28(23, 6)	[69056]
H_2C-CH_2	14013.860	(0.050)	4(3, 1) - 4(3, 2)	[65029]
	14538.640	(0.050)	17(14, 3) - 17(14, 4)	[69056]
	14844.600	(0.050)	11(9, 2) - 11(9, 3)	[65029]
	15266.996	(0.010)	3(2, 1) - 3(2, 2)	[70063]
	16229.412	(0.010)	2(1, 1) - 2(1, 2)	[70063]
	16396.190	(0.050)	22(18, 4) - 22(18, 5)	[69056]
	17566.250	(0.050)	10(8, 2) - 10(8, 3)	[69056]
	17791.170	(0.050)	27(22, 5) - 27(22, 6)	[69056]
	18006.690	(0.050)	16(13, 3) - 16(13, 4)	[69056]
	18287.640	(0.050)	2(2, 1) - 2(0, 2)	[65029]
	19042.345	(0.005)	1(0, 1) - 0(0, 0)	[70063]
	19551.500	(0.020)	3(3, 1) - 3(1, 2)	[65029]
	20157.350	(0.050)	9(7, 2) - 9(7, 3)	[69056]
	20483.820	(0.050)	21(17, 4) - 21(17, 5)	[69056]
	21580.450	(0.050)	15(12, 3) - 15(12, 4)	[69056]
	22508.530	(0.050)	8(6, 2) - 8(6, 3)	[69056]
	24305.940	(0.050)	5(5, 1) - 5(3, 2)	[69056]
	24526.770	(0.050)	7(5, 2) - 7(5, 3)	[69056]
	24791.660	(0.050)	20(16, 4) - 20(16, 5)	[69056]
	25105.050	(0.050)	14(11, 3) - 14(11, 4)	[69056]
	26140.110	(0.050)	6(4, 2) - 6(4, 3)	[69056]
	27312.200	(0.050)	5(3, 2) - 5(3, 3)	[69056]
	27339.550	(0.050)	25(20, 5) - 25(20, 6)	[69056]
	28061.070	(0.050)	4(2, 2) - 4(2, 3)	[69056]
	28097.620	(0.050)	6(6, 1) - 6(4, 2)	[69056]
	28435.670	(0.050)	13(10, 3) - 13(10, 4)	[69056]
	28753.690	(0.050)	3(2, 2) - 3(0, 3)	[69056]
	28924.070	(0.050)	4(3, 2) - 4(1, 3)	[69056]
	29143.220	(0.050)	19(15, 4) - 19(15, 5)	[69056]
	29285.270	(0.050)	5(4, 2) - 5(2, 3)	[69056]
	29320.590	(0.050)	30(24, 6) - 30(24, 7)	[69056]
	29951.850	(0.050)	6(5, 2) - 6(3, 3)	[69056]
	31072.440	(0.050)	7(6, 2) - 7(4, 3)	[69056]
	31442.020	(0.050)	12(9, 3) - 12(9, 4)	[69056]
	32428.970	(0.050)	24(19, 5) - 24(19, 6)	[69056]
	32674.801	(0.010)	2(1, 2) - 1(1, 1)	[70063]
	32825.200	(0.050)	8(7, 2) - 8(5, 3)	[69056]
	32934.350	(0.050)	7(7, 1) - 7(5, 2)	[69056]
	33283.680	(0.050)	2(0, 2) - 1(0, 1)	[65029]
	33365.070	(0.050)	18(14, 4) - 18(14, 5)	[69056]
	34015.330	(0.050)	11(8, 3) - 11(8, 4)	[69056]
	35067.080	(0.050)	29(23, 6) - 29(23, 7)	[69056]
$^{13}CHCHCH_2CH_2$	13173.610	(0.050)	26(21, 5) - 26(21, 6)	[69056]
	13377.110	(0.050)	16(13, 3) - 16(13, 4)	[69056]
	14782.630	(0.050)	3(2, 1) - 3(2, 2)	[69056]
	15141.950	(0.050)	10(8, 2) - 10(8, 3)	[69056]
	15885.150	(0.050)	2(1, 1) - 2(1, 2)	[69056]
	16695.060	(0.050)	30(24, 6) - 30(24, 7)	[69056]
	17712.640	(0.050)	20(16, 4) - 20(16, 5)	[69056]
	18027.730	(0.050)	9(7, 2) - 9(7, 3)	[69056]
	18270.580	(0.050)	2(2, 1) - 2(0, 2)	[65956]
	18736.100	(0.050)	1(0, 1) - 0(0, 0)	[69056]
	19776.840	(0.050)	3(3, 1) - 3(1, 2)	[69056]
	20729.610	(0.050)	8(6, 2) - 8(6, 3)	[69056]
	20827.780	(0.050)	14(11, 3) - 14(11, 4)	[69056]
	21841.250	(0.050)	29(23, 6) - 29(23, 7)	[69056]
	22130.720	(0.050)	4(4, 1) - 4(2, 2)	[69056]
	22448.790	(0.050)	24(19, 5) - 24(19, 6)	[69056]
	23117.750	(0.050)	7(5, 2) - 7(5, 3)	[69056]
	25084.910	(0.050)	6(4, 2) - 6(4, 3)	[69056]
	25534.090	(0.050)	5(5, 1) - 5(3, 2)	[69056]

TABLE 23.3. Microwave spectrum of cyclobutene — Continued C_4H_6

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Ref.
	26558.880	(0.050)	5(3, 2) - 5(3, 3)	[69056]
	26563.530	(0.050)	33(26, 7) - 33(26, 8)	[69056]
	26842.920	(0.050)	18(14, 4) - 18(14, 5)	[69056]
	27527.900	(0.050)	4(2, 2) - 4(2, 3)	[69056]
	27581.840	(0.050)	28(22, 6) - 28(22, 7)	[69056]
	28163.070	(0.050)	12(9, 3) - 12(9, 4)	[69056]
	28449.390	(0.050)	3(2, 2) - 3(0, 3)	[69056]
	28681.020	(0.050)	4(3, 2) - 4(1, 3)	[69056]
	29174.680	(0.050)	5(4, 2) - 5(2, 3)	[69056]
	30089.690	(0.050)	6(5, 2) - 6(3, 3)	[69056]
	30116.980	(0.050)	6(6, 1) - 6(4, 2)	[69056]
	30890.660	(0.050)	12(9, 3) - 12(8, 4)	[69056]
	31630.060	(0.050)	7(6, 2) - 7(4, 3)	[69056]
	31902.800	(0.050)	17(14, 3) - 17(13, 4)	[69056]
	32177.040	(0.050)	2(1, 2) - 1(1, 1)	[69056]
	32804.780	(0.050)	11(8, 3) - 11(7, 4)	[69056]
	32868.360	(0.050)	2(0, 2) - 1(0, 1)	[69056]
	33105.740	(0.050)	32(25, 7) - 32(25, 8)	[69056]
	33191.120	(0.050)	22(17, 5) - 22(17, 6)	[69056]
	33678.740	(0.050)	27(21, 6) - 27(21, 7)	[69056]
	34030.040	(0.050)	8(7, 2) - 8(5, 3)	[69056]
	34347.640	(0.050)	15(13, 2) - 15(12, 3)	[69056]
	34737.930	(0.050)	10(7, 3) - 10(6, 4)	[69056]
	34878.280	(0.050)	19(15, 4) - 19(14, 5)	[69056]
	35432.940	(0.050)	18(15, 3) - 18(14, 4)	[69056]
	35551.980	(0.050)	20(16, 4) - 20(15, 5)	[69056]
	35908.370	(0.050)	7(7, 1) - 7(5, 2)	[69056]
$CHCH^{13}CH_2CH_2$	13108.050	(0.050)	22(18, 4) - 22(18, 5)	[69056]
	13436.270	(0.050)	27(22, 5) - 27(22, 6)	[69056]
	14937.670	(0.050)	3(2, 1) - 3(2, 2)	[69056]
	15670.680	(0.050)	16(13, 3) - 16(13, 4)	[69056]
	15957.860	(0.050)	2(1, 1) - 2(1, 2)	[69056]
	16317.070	(0.050)	10(8, 2) - 10(8, 3)	[69056]
	17638.860	(0.050)	26(21, 5) - 26(21, 6)	[69056]
	18151.190	(0.050)	2(2, 1) - 2(0, 2)	[69056]
	18748.400	(0.050)	1(0, 1) - 0(0, 0)	[69056]
	19035.370	(0.050)	9(7, 2) - 9(7, 3)	[69056]
	19515.360	(0.050)	3(3, 1) - 3(1, 2)	[69056]
	21242.280	(0.050)	20(16, 4) - 20(16, 5)	[69056]
	21537.330	(0.050)	8(6, 2) - 8(6, 3)	[69056]
	21633.300	(0.050)	4(4, 1) - 4(2, 2)	[69056]
	22834.550	(0.050)	30(24, 6) - 30(24, 7)	[69056]
	22946.770	(0.050)	14(11, 3) - 14(11, 4)	[69056]
	23714.640	(0.050)	7(5, 2) - 7(5, 3)	[69056]
	24689.020	(0.050)	5(5, 1) - 5(3, 2)	[69056]
	25479.970	(0.050)	6(4, 2) - 6(4, 3)	[69056]
	26781.140	(0.050)	5(3, 2) - 5(3, 3)	[69056]
	27458.760	(0.050)	24(19, 5) - 24(19, 6)	[69056]
	27623.440	(0.050)	4(2, 2) - 4(2, 3)	[69056]
	28412.270	(0.050)	3(2, 2) - 3(0, 3)	[69056]
	28418.280	(0.050)	29(23, 6) - 29(23, 7)	[69056]
	28608.300	(0.050)	4(3, 2) - 4(1, 3)	[69056]
	28813.330	(0.050)	6(6, 1) - 6(4, 2)	[69056]
	29024.700	(0.050)	5(4, 2) - 5(2, 3)	[69056]
	29735.270	(0.050)	12(9, 3) - 12(9, 4)	[69056]
	29794.850	(0.050)	6(5, 2) - 6(3, 3)	[69056]
	30124.010	(0.050)	18(14, 4) - 18(14, 5)	[69056]
	30185.340	(0.050)	17(14, 3) - 17(13, 4)	[69056]
	31090.770	(0.050)	7(6, 2) - 7(4, 3)	[69056]
	31462.860	(0.050)	15(13, 2) - 15(12, 3)	[69056]
	31779.600	(0.050)	12(9, 3) - 12(8, 4)	[69056]
	32177.360	(0.050)	2(1, 2) - 1(1, 1)	[69056]
	32775.260	(0.050)	18(15, 3) - 18(14, 4)	[69056]
	32820.190	(0.050)	2(0, 2) - 1(0, 1)	[69056]
	33115.040	(0.050)	8(7, 2) - 8(5, 3)	[69056]
	33659.350	(0.050)	11(8, 3) - 11(7, 4)	[69056]
	34052.600	(0.050)	7(7, 1) - 7(5, 2)	[69056]

TABLE 23.3. Microwave spectrum of cyclobutene — Continued C_4H_6

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Ref.
	34296.890	(0.050)	28(22, 6) - 28(22, 7)	[69056]
	34912.930	(0.050)	20(16, 4) - 20(15, 5)	[69056]
	34964.950	(0.050)	10(9, 2) - 10(8, 3)	[69056]
	35101.650	(0.050)	33(26, 7) - 33(26, 8)	[69056]
	35163.070	(0.050)	19(15, 4) - 19(14, 5)	[69056]
	35438.630	(0.050)	10(7, 3) - 10(6, 4)	[69056]
$CDCHCH_2CH_2$	12403.970	(0.050)	3(2, 1) - 3(2, 2)	[69056]
	13781.880	(0.050)	22(16, 6) - 22(16, 7)	[69056]
	14366.730	(0.050)	2(1, 1) - 2(1, 2)	[69056]
	15068.330	(0.050)	7(5, 2) - 7(5, 3)	[69056]
	16523.210	(0.050)	25(18, 7) - 25(18, 8)	[69056]
	16866.450	(0.050)	18(13, 5) - 18(13, 6)	[69056]
	17652.930	(0.050)	1(0, 1) - 0(0, 0)	[69056]
	18680.110	(0.050)	2(2, 1) - 2(1, 2)	[69056]
	18862.600	(0.050)	6(4, 2) - 6(4, 3)	[69056]
	18958.120	(0.050)	2(2, 1) - 2(0, 2)	[69056]
	19090.760	(0.050)	1(1, 1) - 0(0, 0)	[69056]
	19264.820	(0.050)	14(10, 4) - 14(10, 5)	[69056]
	19452.160	(0.050)	28(20, 8) - 28(20, 9)	[69056]
	20203.160	(0.050)	10(7, 3) - 10(7, 4)	[69056]
	22183.560	(0.050)	5(3, 2) - 5(3, 3)	[69056]
	22323.780	(0.050)	3(3, 1) - 3(1, 2)	[69056]
	24027.880	(0.050)	24(17, 7) - 24(17, 8)	[69056]
	24742.360	(0.050)	4(2, 2) - 4(2, 3)	[69056]
	25204.180	(0.050)	9(6, 3) - 9(6, 4)	[69056]
	27733.050	(0.050)	3(2, 2) - 3(0, 3)	[69056]
	27763.050	(0.050)	4(4, 1) - 4(2, 2)	[69056]
	27897.880	(0.050)	27(19, 8) - 27(19, 9)	[69056]
	28057.100	(0.050)	20(14, 6) - 20(14, 7)	[69056]
	28619.590	(0.050)	4(3, 2) - 4(1, 3)	[69056]
	29684.540	(0.050)	8(5, 3) - 8(5, 4)	[69056]
	30238.940	(0.050)	2(0, 2) - 1(1, 1)	[69056]
	30516.930	(0.050)	2(1, 2) - 1(1, 1)	[69056]
	30797.620	(0.050)	16(11, 5) - 16(11, 6)	[69056]
	31541.360	(0.050)	12(8, 4) - 12(8, 5)	[69056]
	31676.740	(0.050)	2(0, 2) - 1(0, 1)	[69056]
	31954.750	(0.050)	2(1, 2) - 1(0, 1)	[69056]
	31957.870	(0.050)	30(21, 9) - 30(21,10)	[69056]
	31957.870	(0.050)	30(21, 9) - 30(21,10)	[69056]
	35483.300	(0.050)	5(5, 1) - 5(3, 2)	[69056]
$CHCHCH_2CHD$	12803.540	(0.050)	18(14, 4) - 18(14, 5)	[69056]
	13230.540	(0.050)	3(2, 1) - 3(2, 2)	[69056]
	13230.540	(0.050)	3(2, 1) - 3(2, 2)	[69056]
	13762.560	(0.050)	22(17, 5) - 22(17, 6)	[69056]
	14399.510	(0.050)	26(20, 6) - 26(20, 7)	[69056]
	14620.860	(0.050)	2(1, 1) - 2(1, 2)	[69056]
	14764.690	(0.050)	30(23, 7) - 30(23, 8)	[69056]
	15995.340	(0.050)	8(6, 2) - 8(6, 3)	[69056]
	17583.810	(0.050)	2(2, 1) - 2(1, 2)	[69056]
	17719.250	(0.050)	2(2, 1) - 2(0, 2)	[69056]
	17989.550	(0.050)	1(0, 1) - 0(0, 0)	[69056]
	18977.240	(0.050)	1(1, 1) - 0(0, 0)	[69056]
	19040.630	(0.050)	7(5, 2) - 7(5, 3)	[69056]
	19553.270	(0.050)	12(9, 3) - 12(9, 4)	[69056]
	19805.750	(0.050)	3(3, 1) - 3(1, 2)	[69056]
	21718.690	(0.050)	6(4, 2) - 6(4, 3)	[69056]
	22354.920	(0.050)	16(12, 4) - 16(12, 5)	[69056]
	23137.830	(0.050)	4(4, 1) - 4(2, 2)	[69056]
	23865.560	(0.050)	5(3, 2) - 5(3, 3)	[69056]
	24527.850	(0.050)	20(15, 5) - 20(15, 6)	[69056]
	25376.300	(0.050)	4(2, 2) - 4(2, 3)	[69056]
	26159.620	(0.050)	24(18, 6) - 24(18, 7)	[69056]
	26928.310	(0.050)	3(2, 2) - 3(0, 3)	[69056]
	27317.500	(0.050)	28(21, 7) - 28(21, 8)	[69056]
	27342.630	(0.050)	4(3, 2) - 4(1, 3)	[69056]
	27529.140	(0.050)	10(7, 3) - 10(7, 4)	[69056]
	27955.630	(0.050)	5(5, 1) - 5(3, 2)	[69056]

TABLE 23.3. Microwave spectrum of cyclobutene — Continued C_4H_6

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Ref.
	30830.500	(0.050)	9(6, 3) - 9(6, 4)	[69056]
	30969.960	(0.050)	2(0, 2) - 1(1, 1)	[69056]
	31105.370	(0.050)	2(1, 2) - 1(1, 1)	[69056]
	31957.590	(0.050)	2(0, 2) - 1(0, 1)	[69056]
	32093.040	(0.050)	2(1, 2) - 1(0, 1)	[69056]
	32357.000	(0.050)	14(10, 4) - 14(10, 5)	[69056]

Table 24.1. Molecular constants for 1-methylcyclopropene.

Parameter		$CH_3\underbrace{CCH_2C}H$ Ground State	$CH_3\underbrace{CCH_2C}H$ Torsional State
Rotational Constants			
A	(MHz)	20549.975(92)	20322.347
B	(MHz)	6357.084(28)	6342.620
C	(MHz)	5176.431(17)	5172.440
Δ_J	(kHz)	2.67(134)	
Δ_{JK}	(kHz)	9.98(314)	
Δ_K	(kHz)	77.0(72)	
δ_J	(kHz)	0.39(6)	
δ_K	(kHz)	6.9(50)	
Reference		[present]	[69066]
Internal Rotation Constants			
I_α	(u Å^2)	3.124[a]	3.124[a]
θ		6.16°[a]	
λ_a		0.99423	0.9922(65)
λ_b		-0.10730	-0.1262(52)
V_3	(cm^{-1})	488.27(28)	483.3(7)
Reference		[present]	[69066]
Dipole Moment [69066]			
μ_a	(D)	0.818(8)	
μ_b	(D)	0.19(2)	

[a]Assumed parameter.
Comments: In reference [67066] a quantum number error 6_{16}-6_{16} has been corrected to 6_{16}-6_{15} and the 8_{27}-8_{26} transition deviates by 1 MHz and thus, was not fit.

TABLE 24.2. Microwave spectrum of methyl cyclopropene C_4H_6

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	v_t	Sym.	Ref.
CH_3CCHCH_2	9311.70	(0.20)	6(1, 6) - 5(2, 3)	0	*A*	[69066]
	10715.37	(0.20)	12(3, 9) - 12(3,10)	0	*A*	[69066]
	10727.09	(0.20)	12(3, 9) - 12(3,10)	0	*E*	[69066]
	11515.16	(0.20)	1(0, 1) - 0(0, 0)	1	*A*,*E*	[69066]
	11533.51	(0.20)	1(0, 1) - 0(0, 0)	0	*A*,*E*	[69066]
	11787.58	(0.20)	4(1, 3) - 4(1, 4)	0	*A*	[69066]
	11787.68	(0.20)	4(1, 3) - 4(1, 4)	0	*E*	[69066]
	12435.58	(0.20)	17(4,13) - 17(4,14)	0	*A*	[69066]
	12453.93	(0.20)	8(2, 6) - 8(2, 7)	0	*A*	[69066]
	12461.36	(0.20)	8(2, 6) - 8(2, 7)	0	*E*	[69066]
	15371.51	(0.20)	1(1, 0) - 1(0, 1)	0	*E*	[69066]
	15379.86	(0.20)	1(1, 0) - 1(0, 1)	0	*A*	[69066]
	16621.89	(0.20)	2(1, 1) - 2(0, 2)	0	*E*	[69066]
	16630.94	(0.20)	2(1, 1) - 2(0, 2)	0	*A*	[69066]
	17635.13	(0.20)	5(1, 4) - 5(1, 5)	0	*A*	[69066]
	18380.64	(0.20)	3(1, 2) - 3(0, 3)	1	*A*	[69066]
	18627.85	(0.20)	3(1, 2) - 3(0, 3)	0	*E*	[69066]
	18636.95	(0.20)	3(1, 2) - 3(0, 3)	0	*A*	[69066]
	19024.97	(0.20)	3(1, 2) - 3(0, 3)	1	*E*	[69066]
	21230.55	(0.20)	3(0, 3) - 2(1, 2)	0	*A*	[69066]
	21240.35	(0.20)	3(0, 3) - 2(1, 2)	0	*E*	[69066]
	21384.95	(0.20)	3(0, 3) - 2(1, 2)	1	*A*	[69066]
	21531.01	(0.20)	4(1, 3) - 4(0, 4)	0	*E*	[69066]
	21539.86	(0.20)	4(1, 3) - 4(0, 4)	0	*A*	[69066]
	21577.29	(0.20)	3(0, 3) - 2(1, 2)	1	*E*	[69066]
	21859.99	(0.20)	2(1, 2) - 1(1, 1)	1	*A*	[69066]
	21886.30	(0.20)	2(1, 2) - 1(1, 1)	0	*A*	[69066]
	21887.22	(0.20)	2(1, 2) - 1(1, 1)	0	*E*	[69066]
	22322.66	(0.20)	2(1, 2) - 1(1, 1)	1	*E*	[69066]
	22959.79	(0.20)	2(0, 2) - 1(0, 1)	1	*A*	[69066]
	22961.32	(0.20)	2(0, 2) - 1(0, 1)	1	*E*	[69066]
	22996.37	(0.20)	2(0, 2) - 1(0, 1)	0	*A*,*E*	[69066]
	23729.21	(0.20)	2(1, 1) - 1(1, 0)	1	E	[69066]
	24200.36	(0.20)	2(1, 1) - 1(1, 0)	1	*A*	[69066]
	24246.60	(0.20)	2(1, 1) - 1(1, 0)	0	*E*	[69066]
	24247.53	(0.20)	2(1, 1) - 1(1, 0)	0	*A*	[69066]
	24572.15	(0.20)	6(1, 5) - 6(1, 6)	0	*E*	[69066]
	24572.59	(0.20)	6(1, 5) - 6(1, 6)	0	*A*	[69066]
	24828.50	(0.20)	1(1, 1) - 0(0, 0)	1	*E*	[69066]
	25494.80	(0.20)	1(1, 1) - 0(0, 0)	1	*A*	[69066]
	25721.74	(0.20)	1(1, 1) - 0(0, 0)	0	*E*	[69066]
	25732.61	(0.20)	1(1, 1) - 0(0, 0)	0	*A*	[69066]
	30621.58	(0.20)	6(1, 5) - 6(0, 6)	0	*E*	[69066]
	30629.55	(0.20)	6(1, 5) - 6(0, 6)	0	*A*	[69066]
	32747.21	(0.20)	3(1, 3) - 2(1, 2)	1	*A*	[69066]
	32786.00	(0.20)	3(1, 3) - 2(1, 2)	0	*A*	[69066]
	32786.23	(0.20)	3(1, 3) - 2(1, 2)	0	*E*	[69066]
	32986.28	(0.20)	3(1, 3) - 2(1, 2)	1	*E*	[69066]
	33398.01	(0.20)	11(2, 9) - 11(2,10)	0	*A*	[69066]
	33407.93	(0.20)	11(2, 9) - 11(2,10)	0	*E*	[69066]
	34265.23	(0.20)	3(0, 3) - 2(0, 2)	1	*A*	[69066]
	34272.90	(0.20)	3(0, 3) - 2(0, 2)	1	*E*	[69066]
	34319.62	(0.20)	3(0, 3) - 2(0, 2)	0	*E*	[69066]
	34319.78	(0.20)	3(0, 3) - 2(0, 2)	0	*A*	[69066]
	34544.95	(0.20)	3(2, 2) - 2(2, 1)	1	*A*	[69066]
	34599.99	(0.20)	3(2, 2) - 2(2, 1)	0	*A*	[69066]
	34633.68	(0.20)	3(2, 2) - 2(2, 1)	0	*E*	[69066]
	34680.80	(0.20)	3(2, 1) - 2(2, 0)	1	*E*	[69066]
	34684.4	(0.2)	3(2, 2) - 2(2, 1)	1	*E*	[69066]
	34824.96	(0.20)	3(2, 1) - 2(2, 0)	1	*A*	[69066]
	34847.38	(0.20)	3(2, 1) - 2(2, 0)	0	*E*	[69066]
	34880.95	(0.20)	3(2, 1) - 2(2, 0)	0	*A*	[69066]
	35839.23	(0.20)	2(0, 2) - 1(0, 1)	1	*A*	[69066]
	36018.19	(0.20)	3(1, 2) - 2(1, 1)	1	*A*	[69066]
	36075.46	(0.20)	2(1, 2) - 1(0, 1)	0	*E*	[69066]
	36085.55	(0.20)	2(1, 2) - 1(0, 1)	0	*A*	[69066]
	36255.04	(0.20)	3(1, 2) - 2(1, 1)	1	*A*	[69066]

TABLE 24.2. Microwave spectrum of methyl cyclopropene — Continued C_4H_6

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$	-	$J''(K_{-1},K_{+1})$	v_t	Sym.	Ref.
	36325.16	(0.20)	3(1, 2)	-	2(1, 1)	0	*E*	[69066]
	36325.49	(0.20)	3(1, 2)	-	2(1, 1)	0	*A*	[69066]

Table 25.1. Molecular constants for methylene cyclopropane.

Parameter		Value
A"	(MHz)	19415.25(88)
B"	(MHz)	6877.1615(65)
C"	(MHz)	5445.1776(80)
τ_1	(MHz)	-0.09252(813)
τ_2	(MHz)	-0.01784(239)
τ_3[a]	(MHz)	0.53(22)
τ_{bbbb}	(MHz)	-0.0099(20)
τ_{cccc}	(MHz)	-0.0052(24)
Dipole Moment [70062]		
μ_a	(D)	0.402
Zeeman Constants [70063]		
g_{aa}	(μ_N)	-0.0672(7)
g_{bb}	(μ_N)	-0.0231(4)
g_{cc}	(μ_N)	+0.0244(4)
$2\chi_{aa}-\chi_{bb}-\chi_{cc}$		$18.3(5)\times10^{-6}$ erg/G^2·mol
$-\chi_{aa}+2\chi_{bb}-\chi_{cc}$		$14.9(6)\times10^{-6}$ erg/G^2·mol

[a]The value of τ_3 is fixed by setting R_6 = 0.

Table 25.2. Rotational constants for the ^{13}C isotopic species of Methylene cyclopropane. [70062]

Parameter	$^{13}CH_2$ ‖ CH_2CCH_2	CH_2 ‖ $CH_2{}^{13}CCH_2$	CH_2 ‖ $^{13}CH_2CCH_2$
A (MHz)	19424.(10)	19422.(10)	18998.1(1)
B (MHz)	6641.30(3)	6869.05(3)	6795.51(3)
C (MHz)	5296.18(3)	5440.07(3)	5360.78(3)

TABLE 25.3. Microwave spectrum of methylenecyclopropane C_4H_6

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Ref.
$CH_2CCH_2CH_2$	8585.980	(0.050)	3(1, 2) - 3(1, 3)	[70062]
	12090.430	(0.050)	7(2, 5) - 7(2, 6)	[70062]
	12322.307	(0.010)	1(0, 1) - 0(0, 0)	[70063]
CH_2	14278.707	(0.040)	4(1, 3) - 4(1, 4)	[70063]
‖	18487.390	(0.050)	8(2, 6) - 8(2, 7)	[70062]
C	21316.600	(0.050)	5 1, 4) - 5 1, 5)	[70062]
/ \	23212.478	(0.020)	2(1, 2) - 1(1, 1)	[70063]
H_2C—CH_2	24528.790	(0.020)	2(0, 2) - 1(0, 1)	[70063]
	26076.420	(0.010)	2(1, 1) - 1(1, 0)	[70063]
	26350.970	(0.050)	9 2, 7) - 9 2, 8)	[70062]
	34749.020	(0.050)	3(1, 3) - 2(1, 2)	[70062]
	36508.560	(0.050)	3(0, 3) - 2(0, 2)	[70062]
	36966.320	(0.050)	3(2, 2) - 2(2, 1)	[70062]
	37424.430	(0.050)	3(2, 1) - 2(2, 0)	[70062]
	39039.020	(0.050)	3(1, 2) - 2(1, 1)	[70062]
$^{13}CH_2CCH_2CH_2$ $^{13}C_1$	11937.540	(0.050)	1(0, 1) - 0(0, 0)	[70062]
	22529.840	(0.050)	2(1, 2) - 1(1, 1)	[70062]
	23774.300	(0.050)	2(0, 2) - 1(0, 1)	[70062]
	25220.080	(0.050)	2(1, 1) - 1(1, 0)	[70062]
$CH_2{}^{13}CCH_2CH_2$ $^{13}C_2$	12309.200	(0.050)	1(0, 1) - 0(0, 0)	[70062]
	23189.260	(0.050)	2(1, 2) - 1(1, 1)	[70062]
	24503.060	(0.050)	2(0, 2) - 1(0, 1)	[70062]
	26047.220	(0.050)	2(1, 1) - 1(1, 0)	[70062]
$CH_2C^{13}CH_2CH_2$ $^{13}C_3$	12156.350	(0.050)	1(0, 1) - 0(0, 0)	[70062]
	12350.090	(0.050)	7(2, 5) - 7(2, 6)	[70062]
	18834.220	(0.050)	8(2, 6) - 8(2, 7)	[70062]
	22877.860	(0.050)	2(1, 2) - 1(1, 1)	[70062]
	24193.450	(0.050)	2(0, 2) - 1(0, 1)	[70062]
	25747.310	(0.050)	2(1, 1) - 1(1, 0)	[70062]
	26776.6	(0.2)	9 2, 7) - 9(2, 8)	[70062]

Table 26.1. Molecular constants for the ground vibrational state of cis- and skew-1-butene.

Parameter		cis-1-butene	skew-1-butene
Rotational Constants [present]			
A'	(MHz)	15302.559(25)	22557.431(33)
B'	(MHz)	5574.9560(64)	4156.123(13)
C'	(MHz)	4303.1269(75)	4056.202(13)
τ_1	(MHz)	a	0.2425(66)
τ_2	(kHz)	-4.3111(4)	28.50(221)
τ_3	(MHz)	0.37(3)	6.86(150)
τ_{aaaa}	(MHz)	-0.103(21)	a
τ_{bbbb}	(kHz)	-21.528(804)	-8.422(2053)
τ_{cccc}	(kHz)	-5.093(1009)	-15.033(2020)
Electric Dipole Moment [68043]			
μ_a	(D)	0.368(4)	0.345(7)
μ_b	(D)	0.237(6)	0.081(11)
μ_c	(D)	---	0.059(16)

[a]Not determinable.
Comments: An error in reference [68043] has been corrected. The 1_{11}-0_{00} transition frequency for skew-1-butene should b3 26713.84 rather than 26613.84.

Table 26.2. Molecular constants for excited vibrational states of 1-butene. [68043]

Parameter	cis-1-butene	skew-1-butene
CC torsion v=1		
A (MHz)	15338.60	22545.89
B (MHz)	5539.25	4166.65
C (MHz)	4301.14	4068.25
CC torsion v=2		
A (MHz)	15392.70	22542.82[a] 22543.99[a]
B (MHz)	5516.67	4177.15
C (MHz)	4294.62	4078.45
Methyl torsion v=1		
A (MHz)	15274.57	22571.19
B (MHz)	5547.22	4150.52
C (MHz)	4290.53	4052.51
Methyl torsion v=2		
A (MHz)	15274.57	
B (MHz)	5519.95	
C (MHz)	4278.05	
Skeletal bend v=1		
B (MHz)		4148.85
C (MHz)		4043.08

[a]The two values refer to the doublet components for the J(1,J-1) - J(0,J) transitions.

Table 26.3. Rotational constants for deuterated and ^{13}C isotopic forms of 1-butene.

Species[a]	Parameter	cis-1-butene	skew-1-butene	Reference
1-d	A (MHz)	15154.73	22159.8	[68043]
	B (MHz)	5197.01	3924.04	
	C (MHz)	4063.89	3823.00	
2-d	A (MHz)	14279.29	21083.7	[68043]
	B (MHz)	5518.02	4006.04	
	C (MHz)	4185.50	3924.16	
3-d	A (MHz)	14381.80	20477.	[68043]
	B (MHz)	5456.94	4108.80	
	C (MHz)	4159.06	4002.65	
4-d	A (MHz)	14261.64	20342.4	[68043]
	B (MHz)	5474.89	4113.03	
	C (MHz)	4207.41	3981.11	
5-d	A (MHz)		20592.9	[68043]
	B (MHz)		4143.13	
	C (MHz)		3993.69	
6-d	A (MHz)	15233.15		[68043]
	B (MHz)	5209.19	3925.09	
	C (MHz)	4077.42	3837.82	
7-d	A (MHz)	14367.82		[68043]
	B (MHz)	5441.16	4023.63	
	C (MHz)	4197.86	3902.19	
8-d	B (MHz)		4047.80	[68043]
	C (MHz)		3946.61	
1,1-d_2	A (MHz)	14187.125(11)	20858.(200)	[81038]
	B (MHz)	5148.606(4)	3795.009(34)	[80033]
	C (MHz)	3962.463(4)	3710.571(34)	
1,3-d_2	A (MHz)	14197.37	20173.	[68043]
	B (MHz)	5105.83	3880.38	
	C (MHz)	3937.88	3780.03	
2,3-d_2	B (MHz)		3980.54	[68043]
	C (MHz)		3857.63	
4,5-d_2	B (MHz)		4081.14	[68043]
	C (MHz)		3939.25	
4,6-d_2	B (MHz)		3886.88	[68043]
	C (MHz)		3774.58	
4,7-d_2	B (MHz)		3974.43	[68043]
	C (MHz)		3844.13	
4,8-d_2	B (MHz)		4024.61	[68043]
	C (MHz)		3861.02	
5,6-d_2	B (MHz)		3915.52	[68043]
	C (MHz)		3782.18	
5,7-d_2	B (MHz)		4016.84	[68043]
	C (MHz)		3839.49	
5,8-d_2	B (MHz)		4021.58	[68043]
	C (MHz)		3901.38	
d_8	A (MHz)	10597.801(8)		[81038]
	B (MHz)	4412.849(6)	3313.17	[79033]
	C (MHz)	3374.997(6)	3221.16	
1-^{13}C	A (MHz)	15148.537(16)		[81038]
	B (MHz)	5442.077(3)	4044.66	[79033]
	C (MHz)	4211.638(3)	3952.64	
4-^{13}C	B (MHz)		4053.72	[79033]
	C (MHz)		3956.64	

[a]See references [68043] and [79033] for hydrogen atom numbering.

Table 26.4. Centrifugal distortion constants for isotopic forms of 1-butene.

Parameter	cis-1,1-d_2 [81038]	cis-1-^{13}C [81038]	cis-d_8 [81038]	skew-1,1d_2 [80033]
Δ_J (kHz)	2.959(56)	3.37(6)	2.01(12)	3.13(24)
Δ_{JK} (kHz)	-7.94(32)	-9.90(27)	-4.16(15)	-53.89(72)
Δ_K (kHz)	24.8(12)	31.7(34)	11.6(10)	
δ_J (kHz)	0.888(25)	0.991(14)	0.590(10)	-0.82(40)
δ_K (kHz)	3.67(7)	4.15(36)	1.06(22)	

TABLE 26.5. Microwave spectrum of 1-butene C_4H_8

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	v_t	Sym.	Vib. state	Ref.
c-$CH_2CHCH_2CH_3$	9878.05	(0.10)	1(0, 1) - 0(0, 0)				[68043]
	9911.79	(0.10)	2(0, 2) - 1(1, 1)				[68043]
	10093.93	(0.10)	14(4,10) - 14(4,11)				[68043]
	10999.38	(0.10)	1(1, 0) - 1(0, 1)				[68043]
	12387.99	(0.10)	2(1, 1) - 2(0, 2)				[68043]
	14186.07	(0.10)	11(3, 8) - 11(3, 9)				[68043]
	14679.49	(0.10)	3(1, 2) - 3(0, 3)				[68043]
	15550.86	(0.10)	15(4,11) - 15(4,12)				[68043]
	16094.77	(0.10)	19(5,14) - 19(5,15)				[68043]
	18080.54	(0.10)	4(1, 3) - 4(0, 4)				[68043]
	18484.30	(0.10)	2(1, 2) - 1(1, 1)				[68043]
	19605.70	(0.10)	1(1, 1) - 0(0, 0)				[68043]
	19639.36	(0.10)	2(0, 2) - 1(0, 1)				[68043]
	20600.76	(0.10)	3(0, 3) - 2(1, 2)				[68043]
	21027.90	(0.10)	2(1, 1) - 1(1, 0)				[68043]
	22762.12	(0.10)	5(1, 4) - 5(0, 5)				[68043]
	23340.92	(0.10)	20(5,15) - 20(5,16)				[68043]
	25890.90	(0.10)	5(2, 3) - 5(1, 4)				[68043]
	25980.86	(0.10)	6(2, 4) - 6(1, 5)				[68043]
	26661.14	(0.10)	4(2, 2) - 4(1, 3)				[68043]
	27091.00	(0.10)	7(2, 5) - 7(1, 6)	2	*E*		[68043]
	27093.92	(0.10)	7(2, 5) - 7(1, 6)	2	*A*		[68043]
	27220.76	(0.10)	7(2, 5) - 7(1, 6)				[68043]
	27464.68	(0.10)	3(1, 3) - 2(1, 2)	2	*A*		[68043]
	27656.48	(0.10)	3(1, 3) - 2(1, 2)				[68043]
	27928.88	(0.10)	3(2, 1) - 3(1, 2)				[68043]
	28211.92	(0.10)	2(1, 2) - 1(0, 1)				[68043]
	28266.80	(0.10)	6(1, 5) - 6(0, 6)	2	*E*		[68043]
	28272.40	(0.10)	6(1, 5) - 6(0, 6)	2	*A*		[68043]
	28763.56	(0.10)	6(1, 5) - 6(0, 6)				[68043]
	28954.80	(0.10)	3(0, 3) - 2(0, 2)	2	*E*		[68043]
	28955.50	(0.10)	3(0, 3) - 2(0, 2)	2	*A*		[68043]
	29173.48	(0.10)	3(0, 3) - 2(0, 2)				[68043]
	29299.48	(0.10)	2(2, 0) - 2(1, 1)				[68043]
	29531.02	(0.10)	8(2, 6) - 8(1, 7)	2	*E*		[68043]
	29535.12	(0.10)	8(2, 6) - 8(1, 7)	2	*A*		[68043]
	29634.40	(0.10)	3(2, 2) - 2(2, 1)				[68043]
	29830.44	(0.10)	8(2, 6) - 8(1, 7)				[68043]
	30094.44	(0.10)	3(2, 1) - 2(2, 0)				[68043]
	31180.46	(0.10)	17(4,13) - 17(4,14)				[68043]
	31183.52	(0.10)	3(1, 2) - 2(1, 1)	2	*E*		[68043]
	31184.88	(0.10)	3(1, 2) - 2(1, 1)	2	*A*		[68043]
	31343.56	(0.10)	4(0, 4) - 3(1, 3)				[68043]
	31465.02	(0.10)	3(1, 2) - 2(1, 1)				[68043]
	33215.64	(0.10)	10(2, 8) - 10(2, 9)				[68043]
	33442.80	(0.10)	9 2, 7) - 9 1, 8)	2	*E*		[68043]
	33448.66	(0.10)	9 2, 7) - 9 1, 8)	2	*A*		[68043]
	33958.86	(0.10)	9 2, 7) - 9 1, 8)				[68043]
	34975.72	(0.10)	3(2, 2) - 3(1, 3)				[68043]
c-$^{13}CH_2CHCH_2CH_3$	8348.35	(0.10)	10(3, 7) - 10(3, 8)				[81038]
	9136.60	(0.10)	14(4,10) - 14(4,11)				[81038]
	9327.52	(0.10)	18(5,13) - 18(5,14)				[81038]
	9491.20	(0.10)	2(0, 2) - 1(1, 1)				[81038]
	9653.70	(0.10)	1(0, 1) - 0(0, 0)				[81038]
	10936.87	(0.10)	1(1, 0) - 1(0, 1)				[81038]
	11112.32	(0.10)	7(2, 5) - 7(2, 6)				[81038]
	27049.63	(0.10)	3(1, 3) - 2(1, 2)				[81038]
	27783.45	(0.10)	2(1, 2) - 1(0, 1)				[81038]
	27888.53	(0.10)	3(2, 1) - 3(1, 2)				[81038]
	28035.05	(0.10)	6(1, 5) - 6(0, 6)				[81038]
	28527.62	(0.10)	3(0, 3) - 2(0, 2)				[81038]
	28961.00	(0.10)	3(2, 2) - 2(2, 1)				[81038]
	29325.20	(0.10)	8(2, 6) - 8(1, 7)				[81038]
	29394.13	(0.10)	3(2, 1) - 2(2, 0)				[81038]
	30734.48	(0.10)	3(1, 2) - 2(1, 1)				[81038]
	32810.35	(0.10)	2(2, 1) - 2(1, 2)				[81038]
	33181.15	(0.10)	9(2, 7) - 9(1, 8)				[81038]

TABLE 26.5. Microwave spectrum of 1-butene — Continued C_4H_8

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$ ν_t	Sym.	Vib. state	Ref.
	34721.80	(0.10)	3(2, 2) - 3(1, 3)			[81038]
	35635.38	(0.10)	3(1, 3) - 2(0, 2)			[81038]
	35931.38	(0.10)	4(1, 4) - 3(1, 3)			[81038]
	37299.28	(0.10)	4(2, 3) - 4(1, 4)			[81038]
	37873.70	(0.10)	8(2, 6) - 7(3, 5)			[81038]
	38290.50	(0.10)	6(1, 5) - 5(2, 4)			[81038]
	38528.83	(0.10)	4(2, 3) - 3(2, 2)			[81038]
	38548.10	(0.10)	10(2, 8) - 10(1, 9)			[81038]
	38816.85	(0.10)	4(3, 2) - 3(3, 1)			[81038]
	38853.47	(0.10)	4(3, 1) - 3(3, 0)			[81038]
	39152.77	(0.10)	11(3, 8) - 11(2, 9)			[81038]
	39271.28	(0.10)	10(3, 7) - 10(2, 8)			[81038]
	39576.70	(0.10)	4(2, 2) - 3(2, 1)			[81038]
c-$CD_2CDCD_2CD_3$	27002.65	(0.10)	3(1, 3) - 2(0, 2)			[81038]
	27181.95	(0.10)	11(3, 8) - 11(2, 9)			[81038]
	27572.00	(0.10)	7(3, 4) - 7(2, 5)			[81038]
	28074.08	(0.10)	7(1, 6) - 7(0, 7)			[81038]
	28264.02	(0.10)	5(2, 4) - 5(1, 5)			[81038]
	28859.47	(0.10)	4(1, 4) - 3(1, 3)			[81038]
	29347.10	(0.10)	6(3, 3) - 6(2, 4)			[81038]
	30036.83	(0.10)	4(0, 4) - 3(0, 3)			[81038]
	30207.20	(0.10)	12(3, 9) - 12(2,10)			[81038]
	31004.85	(0.10)	5(3, 2) - 5(2, 3)			[81038]
	31057.40	(0.10)	4(2, 3) - 3(2, 2)			[81038]
	31367.07	(0.10)	4(3, 2) - 3(3, 1)			[81038]
	31418.97	(0.10)	4(3, 1) - 3(3, 0)			[81038]
	31587.97	(0.10)	6(2, 5) - 6(1, 6)			[81038]
	31664.25	(0.10)	10(2, 8) - 10(1, 9)			[81038]
	32170.90	(0.10)	4(2, 2) - 3(2, 1)			[81038]
	32257.33	(0.10)	4(3, 1) - 4(2, 2)			[81038]
	32958.59	(0.10)	4(1, 3) - 3(1, 2)			[81038]
	32968.35	(0.10)	4(1, 4) - 3(0, 3)			[81038]
	33511.55	(0.10)	14(4,10) - 14(3,11)			[81038]
	33553.80	(0.10)	13(4, 9) - 13(3,10)			[81038]
	33899.62	(0.10)	4(3, 2) - 4(2, 3)			[81038]
	33976.66	(0.10)	5(0, 5) - 4(1, 4)			[81038]
	34494.67	(0.10)	5(3, 3) - 5(2, 4)			[81038]
	34677.32	(0.10)	13(3,10) - 13(2,11)			[81038]
	34817.07	(0.10)	12(4, 8) - 12(3, 9)			[81038]
	34956.13	(0.10)	15(4,11) - 15(3,12)			[81038]
	35168.25	(0.10)	2(2, 1) - 1(1, 0)			[81038]
	35424.07	(0.10)	7(2, 6) - 7(1, 7)			[81038]
	35473.48	(0.10)	6(3, 4) - 6(2, 5)			[81038]
	35697.43	(0.10)	6(1, 5) - 5(2, 4)			[81038]
	35902.22	(0.10)	5(1, 5) - 4(1, 4)			[81038]
	36326.15	(0.10)	2(2, 0) - 1(1, 1)			[81038]
	36908.17	(0.10)	5(0, 5) - 4(0, 4)			[81038]
	36912.95	(0.10)	11(4, 7) - 11(3, 8)			[81038]
	36921.52	(0.10)	7(3, 5) - 7(2, 6)			[81038]
	38021.70	(0.10)	16(4,12) - 16(3,13)			[81038]
	38672.17	(0.10)	5(2, 4) - 4(2, 3)			[81038]
	38833.72	(0.10)	5(1, 5) - 4(0, 4)			[81038]
	39267.18	(0.10)	5(3, 3) - 4(3, 2)			[81038]
	39445.56	(0.10)	5(3, 2) - 4(3, 1)			[81038]
c-$CD_2CHCH_2CH_3$	8459.65	(0.10)	10(3, 7) - 10(3, 8)			[81038]
	9111.25	(0.10)	1(0, 1) - 0(0, 0)			[81038]
	9496.05	(0.10)	14(4,10) - 14(4,11)			[81038]
	9951.02	(0.10)	18(5,13) - 18(5,14)			[81038]
	10224.70	(0.10)	1(1, 0) - 1(0, 1)			[81038]
	10949.15	(0.10)	7(2, 5) - 7(2, 6)			[81038]
	11520.25	(0.10)	2(1, 1) - 2(0, 2)			[81038]
	11818.55	(0.10)	4(1, 3) - 4(1, 4)			[81038]
	27224.10	(0.10)	2(2, 0) - 2(1, 1)			[81038]
	27333.75	(0.10)	3(2, 2) - 2(2, 1)			[81038]
	27764.72	(0.10)	3(2, 1) - 2(2, 0)			[81038]
	27770.48	(0.10)	8(2, 6) - 8(1, 7)			[81038]
	28855.65	(0.10)	4(0, 4) - 3(1, 3)			[81038]

TABLE 26.5. Microwave spectrum of 1-butene — Continued C_4H_8

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	v_t	Sym.	Vib. state	Ref.
	29004.15	(0.10)	12(4, 8) - 11(5, 7)				[81038]
	29041.18	(0.10)	3(1, 2) - 2(1, 1)				[81038]
	30673.70	(0.10)	2(2, 1) - 2(1, 2)				[81038]
	31638.40	(0.10)	9(2, 7) - 9(1, 8)				[81038]
	32518.65	(0.10)	3(2, 2) - 3(1, 3)				[81038]
	32760.00	(0.10)	10(3, 7) - 9(4, 6)				[81038]
	33450.07	(0.10)	3(1, 3) - 2(0, 2)				[81038]
	33871.12	(0.10)	4(1, 4) - 3(1, 3)				[81038]
	35006.90	(0.10)	4(2, 3) - 4(1, 4)				[81038]
	35403.32	(0.10)	4(0, 4) - 3(0, 3)				[81038]
	35833.15	(0.10)	17(6,11) - 16(7,10)				[81038]
	36359.41	(0.10)	4(2, 3) - 3(2, 2)				[81038]
	36528.65	(0.10)	10(3, 7) - 10(2, 8)				[81038]
	36641.55	(0.10)	6(1, 5) - 5(2, 4)				[81038]
	36643.27	(0.10)	11(3, 8) - 11(2, 9)				[81038]
	36645.70	(0.10)	4(3, 2) - 3(3, 1)				[81038]
	36683.38	(0.10)	4(3, 1) - 3(3, 0)				[81038]
	36722.30	(0.10)	8(2, 6) - 7(3, 5)				[81038]
	37400.18	(0.10)	4(2, 2) - 3(2, 1)				[81038]
	37584.08	(0.10)	9(3, 6) - 9(2, 7)				[81038]
	38146.40	(0.10)	5(2, 4) - 5(1, 5)				[81038]
	38194.23	(0.10)	12(3, 9) - 12(2,10)				[81038]
	38578.33	(0.10)	4(1, 3) - 3(1, 2)				[81038]
	38587.72	(0.10)	5(0, 5) - 4(1, 4)				[81038]
	39448.42	(0.10)	8(3, 5) - 8(2, 6)				[81038]
s-$CH_2CHCH_2CH_3$	8212.46	(0.10)	1(0, 1) - 0(0, 0)				[68043]
	13181.66	(0.10)	15(1,15) - 15(0,15)				[68043]
	13190.73	(0.10)	15(1,15) - 15(0,15)	0	A	$2\nu_1$	[68043]
	13200.86	(0.10)	15(1,15) - 15(0,15)	0	E	$2\nu_1$	[68043]
	13230.51	(0.10)	15(1,15) - 15(0,15)	0	A	$1\nu_1$	[68043]
	13230.87	(0.10)	15(1,15) - 15(0,15)	0	E	$1\nu_1$	[68043]
	13763.28	(0.10)	14(1,14) - 14(0,14)				[68043]
	13766.70	(0.10)	14(1,14) - 14(0,14)	0	A	$2\nu_1$	[68043]
	13776.69	(0.10)	14(1,14) - 14(0,14)	0	E	$2\nu_1$	[68043]
	13805.03	(0.10)	14(1,14) - 14(0,14)	0	A	$1\nu_1$	[68043]
	13805.40	(0.10)	14(1,14) - 14(0,14)	0	E	$1\nu_1$	[68043]
	14323.54	(0.10)	13(1,13) - 13(0,13)	0	A	$2\nu_1$	[68043]
	14325.69	(0.10)	13(1,13) - 13(0,13)				[68043]
	14333.51	(0.10)	13(1,13) - 13(0,13)	0	E	$2\nu_1$	[68043]
	14360.38	(0.10)	13(1,13) - 13(0,13)	0	A	$1\nu_1$	[68043]
	14360.75	(0.10)	13(1,13) - 13(0,13)	0	E	$1\nu_1$	[68043]
	14857.60	(0.10)	12(1,12) - 12(0,12)	0	A,E	$2\nu_1$	[68043]
	14864.97	(0.10)	12(1,12) - 12(0,12)				[68043]
	14892.71	(0.10)	12(1,12) - 12(0,12)	0	A	$1\nu_1$	[68043]
	14893.03	(0.10)	12(1,12) - 12(0,12)	0	E	$1\nu_1$	[68043]
	15365.11	(0.10)	11(1,11) - 11(0,11)	0	A	$2\nu_1$	[68043]
	15374.89	(0.10)	11(1,11) - 11(0,11)	0	E	$2\nu_1$	[68043]
	15377.58	(0.10)	11(1,11) - 11(0,11)				[68043]
	15398.38	(0.10)	11(1,11) - 11(0,11)	0	A	$1\nu_1$	[68043]
	15398.74	(0.10)	11(1,11) - 11(0,11)	0	E	$1\nu_1$	[68043]
	15842.62	(0.10)	10(1,10) - 10(0,10)	0	A	$2\nu_1$	[68043]
	15852.50	(0.10)	10(1,10) - 10(0,10)	0	E	$2\nu_1$	[68043]
	15859.89	(0.10)	10(1,10) - 10(0,10)				[68043]
	15874.13	(0.10)	10(1,10) - 10(0,10)	0	A	$1\nu_1$	[68043]
	15874.48	(0.10)	10(1,10) - 10(0,10)	0	E	$1\nu_1$	[68043]
	16307.89	(0.10)	2(1, 2) - 1(1, 1)	1	A		[68043]
	16308.17	(0.10)	2(1, 2) - 1(1, 1)	1	E		[68043]
	16325.14	(0.10)	2(1, 2) - 1(1, 1)				[68043]
	16424.43	(0.10)	2(0, 2) - 1(0, 1)				[68043]
	16503.95	(0.10)	2(1, 1) - 1(1, 0)	1	E		[68043]
	16504.15	(0.10)	2(1, 1) - 1(1, 0)	1	A		[68043]
	16525.00	(0.10)	2(1, 1) - 1(1, 0)				[68043]
	16695.60	(0.10)	8(1, 8) - 8(0, 8)	0	A	$2\nu_1$	[68043]
	16705.22	(0.10)	8(1, 8) - 8(0, 8)	0	E	$2\nu_1$	[68043]
	16721.29	(0.10)	8(1, 8) - 8(0, 8)				[68043]
	16723.28	(0.10)	8(1, 8) - 8(0, 8)	0	A	$1\nu_1$	[68043]
	16723.62	(0.10)	8(1, 8) - 8(0, 8)	0	E	$1\nu_1$	[68043]

TABLE 26.5. Microwave spectrum of 1-butene — Continued C_4H_8

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$	-	$J''(K_{-1},K_{+1})$	v_t	Sym.	Vib. state	Ref.
	17065.04	(0.10)	7(1, 7)	-	7(0, 7)	0	*A*	$2\nu_1$	[68043]
	17074.78	(0.10)	7(1, 7)	-	7(0, 7)	0	*E*	$2\nu_1$	[68043]
	17091.24	(0.10)	7(1, 7)	-	7(0, 7)	0	*A*	$1\nu_1$	[68043]
	17091.54	(0.10)	7(1, 7)	-	7(0, 7)	0	*E*	$1\nu_1$	[68043]
	17094.62	(0.10)	7(1, 7)	-	7(0, 7)				[68043]
	17393.78	(0.10)	6(1, 6)	-	6(0, 6)	0	*A*	$2\nu_1$	[68043]
	17403.40	(0.10)	6(1, 6)	-	6(0, 6)	0	*E*	$2\nu_1$	[68043]
	17418.20	(0.10)	6(1, 6)	-	6(0, 6)	0	*A*	$1\nu_1$	[68043]
	17418.60	(0.10)	6(1, 6)	-	6(0, 6)	0	*E*	$1\nu_1$	[68043]
	17426.56	(0.10)	6(1, 6)	-	6(0, 6)				[68043]
	17679.56	(0.10)	5(1, 5)	-	5(0, 5)	0	*A*	$2\nu_1$	[68043]
	17688.86	(0.10)	5(1, 5)	-	5(0, 5)	0	*E*	$2\nu_1$	[68043]
	17702.40	(0.10)	5(1, 5)	-	5(0, 5)	0	*A*	$1\nu_1$	[68043]
	17702.70	(0.10)	5(1, 5)	-	5(0, 5)	0	*E*	$1\nu_1$	[68043]
	17714.77	(0.10)	5(1, 5)	-	5(0, 5)				[68043]
	17919.40	(0.10)	4(1, 4)	-	4(0, 4)	0	*A*	$2\nu_1$	[68043]
	17928.80	(0.10)	4(1, 4)	-	4(0, 4)	0	*E*	$2\nu_1$	[68043]
	17957.80	(0.10)	4(1, 4)	-	4(0, 4)				[68043]
	18113.60	(0.10)	3(1, 3)	-	3(0, 3)	0	*A*,*E*	$2\nu_1$	[68043]
	18153.93	(0.10)	3(1, 3)	-	3(0, 3)				[68043]
	18302.10	(0.10)	2(1, 2)	-	2(0, 2)				[68043]
	18401.20	(0.10)	1(1, 1)	-	1(0, 1)				[68043]
	18501.28	(0.10)	1(1, 0)	-	1(0, 1)				[68043]
	18601.64	(0.10)	2(1, 1)	-	2(0, 2)				[68043]
	18712.42	(0.10)	3(1, 2)	-	3(0, 3)	0	*A*	$2\nu_1$	[68043]
	18713.66	(0.10)	3(1, 2)	-	3(0, 3)	0	*E*	$2\nu_1$	[68043]
	18725.60	(0.10)	3(1, 2)	-	3(0, 3)	0	*A*,*E*	$1\nu_1$	[68043]
	18753.00	(0.10)	3(1, 2)	-	3(0, 3)				[68043]
	18764.62	(0.10)	3(1, 2)	-	3(0, 3)	1	*A*		[68043]
	18766.22	(0.10)	3(1, 2)	-	3(0, 3)	1	*E*		[68043]
	18914.20	(0.10)	4(1, 3)	-	4(0, 4)	0	*A*	$2\nu_1$	[68043]
	18915.30	(0.10)	4(1, 3)	-	4(0, 4)	0	*E*	$2\nu_1$	[68043]
	18926.10	(0.10)	4(1, 3)	-	4(0, 4)	0	*A*,*E*	$1\nu_1$	[68043]
	18957.26	(0.10)	4(1, 3)	-	4(0, 4)				[68043]
	18964.72	(0.10)	4(1, 3)	-	4(0, 4)	1	*A*		[68043]
	18966.26	(0.10)	4(1, 3)	-	4(0, 4)	1	*E*		[68043]
	19168.80	(0.10)	5(1, 4)	-	5(0, 5)	0	*A*	$2\nu_1$	[68043]
	19169.92	(0.10)	5(1, 4)	-	5(0, 5)	0	*E*	$2\nu_1$	[68043]
	19179.42	(0.10)	5(1, 4)	-	5(0, 5)	0	*A*,*E*	$1\nu_1$	[68043]
	19214.20	(0.10)	5(1, 4)	-	5(0, 5)				[68043]
	19217.24	(0.10)	5(1, 4)	-	5(0, 5)	1	*A*		[68043]
	19218.86	(0.10)	5(1, 4)	-	5(0, 5)	1	*E*		[68043]
	19477.53	(0.10)	6(1, 5)	-	6(0, 6)	0	*A*	$2\nu_1$	[68043]
	19478.67	(0.10)	6(1, 5)	-	6(0, 6)	0	*E*	$2\nu_1$	[68043]
	19486.46	(0.10)	6(1, 5)	-	6(0, 6)	0	*A*,*E*	$1\nu_1$	[68043]
	19523.06	(0.10)	6(1, 5)	-	6(0, 6)	1	*A*		[68043]
	19524.62	(0.10)	6(1, 5)	-	6(0, 6)	1	*E*		[68043]
	19526.14	(0.10)	6(1, 5)	-	6(0, 6)				[68043]
	19842.45	(0.10)	7(1, 6)	-	7(0, 7)	0	*A*	$2\nu_1$	[68043]
	19843.61	(0.10)	7(1, 6)	-	7(0, 7)	0	*E*	$2\nu_1$	[68043]
	19849.20	(0.10)	7(1, 6)	-	7(0, 7)	0	*A*,*E*	$1\nu_1$	[68043]
	19884.73	(0.10)	7(1, 6)	-	7(0, 7)	1	*A*		[68043]
	19886.41	(0.10)	7(1, 6)	-	7(0, 7)	1	*E*		[68043]
	19894.69	(0.10)	7(1, 6)	-	7(0, 7)				[68043]
	20265.59	(0.10)	8(1, 7)	-	8(0, 8)	0	*A*	$2\nu_1$	[68043]
	20266.70	(0.10)	8(1, 7)	-	8(0, 8)	0	*E*	$2\nu_1$	[68043]
	20269.88	(0.10)	8(1, 7)	-	8(0, 8)	0	*A*,*E*	$1\nu_1$	[68043]
	20304.14	(0.10)	8(1, 7)	-	8(0, 8)	1	*A*		[68043]
	20305.92	(0.10)	8(1, 7)	-	8(0, 8)	1	*E*		[68043]
	20322.18	(0.10)	8(1, 7)	-	8(0, 8)				[68043]
	20749.27	(0.10)	9(1, 8)	-	9(0, 9)	0	*A*	$2\nu_1$	[68043]
	20750.38	(0.10)	9(1, 8)	-	9(0, 9)	0	*E*	$2\nu_1$	[68043]
	20750.84	(0.10)	9(1, 8)	-	9(0, 9)	0	*A*,*E*	$1\nu_1$	[68043]
	20783.64	(0.10)	9(1, 8)	-	9(0, 9)	1	*A*		[68043]
	20785.47	(0.10)	9(1, 8)	-	9(0, 9)	1	*E*		[68043]
	20811.02	(0.10)	9(1, 8)	-	9(0, 9)				[68043]
	21294.66	(0.10)	10(1, 9)	-	10(0,10)	0	*A*,*E*	$1\nu_1$	[68043]

TABLE 26.5. Microwave spectrum of 1-butene — Continued C_4H_8

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	v_i	Sym.	Vib. state	Ref.
	21296.28	(0.10)	10(1, 9) - 10(0,10)	0	*A*	$2\nu_1$	[68043]
	21297.42	(0.10)	10(1, 9) - 10(0,10)	0	*E*	$2\nu_1$	[68043]
	21325.93	(0.10)	10(1, 9) - 10(0,10)	1	*A*		[68043]
	21327.87	(0.10)	10(1, 9) - 10(0,10)	1	*E*		[68043]
	21363.88	(0.10)	10(1, 9) - 10(0,10)				[68043]
	21904.18	(0.10)	11(1,10) - 11(0,11)	0	*A*,*E*	$1\nu_1$	[68043]
	21909.25	(0.10)	11(1,10) - 11(0,11)	0	*A*	$2\nu_1$	[68043]
	21910.41	(0.10)	11(1,10) - 11(0,11)	0	*E*	$2\nu_1$	[68043]
	21933.64	(0.10)	11(1,10) - 11(0,11)	1	*A*		[68043]
	21935.76	(0.10)	11(1,10) - 11(0,11)	1	*E*		[68043]
	21983.88	(0.10)	11(1,10) - 11(0,11)				[68043]
	22582.60	(0.10)	12(1,11) - 12(0,12)	0	*A*,*E*	$1\nu_1$	[68043]
	22591.36	(0.10)	12(1,11) - 12(0,12)	0	*A*	$2\nu_1$	[68043]
	22592.61	(0.10)	12(1,11) - 12(0,12)	0	*E*	$2\nu_1$	[68043]
	22610.08	(0.10)	12(1,11) - 12(0,12)	1	*A*		[68043]
	22612.34	(0.10)	12(1,11) - 12(0,12)	1	*E*		[68043]
	22674.14	(0.10)	12(1,11) - 12(0,12)				[68043]
	23334.00	(0.10)	13(1,12) - 13(0,13)	0	*A*,*E*	$1\nu_1$	[68043]
	23346.40	(0.10)	13(1,12) - 13(0,13)	0	*A*	$2\nu_1$	[68043]
	23347.60	(0.10)	13(1,12) - 13(0,13)	0	*E*	$2\nu_1$	[68043]
	23438.14	(0.10)	13(1,12) - 13(0,13)				[68043]
	24160.00	(0.10)	14(1,13) - 14(0,14)	0	*A*,*E*	$1\nu_1$	[68043]
	24177.20	(0.10)	14(1,13) - 14(0,14)	0	*A*	$2\nu_1$	[68043]
	24178.40	(0.10)	14(1,13) - 14(0,14)	0	*E*	$2\nu_1$	[68043]
	24279.38	(0.10)	14(1,13) - 14(0,14)				[68043]
	24461.32	(0.10)	3(1, 3) - 2(1, 2)	1	*A*		[68043]
	24461.46	(0.10)	3(1, 3) - 2(1, 2)	1	*E*		[68043]
	24487.28	(0.10)	3(1, 3) - 2(1, 2)				[68043]
	24635.40	(0.10)	3(0, 3) - 2(0, 2)				[68043]
	24638.82	(0.10)	3(2, 2) - 2(2, 1)				[68043]
	24640.00	(0.10)	3(2, 1) - 2(2, 0)				[68043]
	24755.84	(0.10)	3(1, 2) - 2(1, 1)	1	*A*		[68043]
	24755.88	(0.10)	3(1, 2) - 2(1, 1)	1	*E*		[68043]
	24787.28	(0.10)	3(1, 2) - 2(1, 1)				[68043]
	25065.28	(0.10)	15(1,14) - 15(0,15)	0	*A*,*E*	$1\nu_1$	[68043]
	25087.42	(0.10)	15(1,14) - 15(0,15)	0	*A*	$2\nu_1$	[68043]
	25088.60	(0.10)	15(1,14) - 15(0,15)	0	*E*	$2\nu_1$	[68043]
	25201.76	(0.10)	15(1,14) - 15(0,15)				[68043]
	26713.84	(0.10)	1(1, 0) - 0(0, 0)				[68043]
	32648.84	(0.10)	4(1, 4) - 3(1, 3)				[68043]
	32845.10	(0.10)	4(0, 4) - 3(0, 3)				[68043]
	32851.26	(0.10)	4(2, 3) - 3(2, 2)				[68043]
	32854.16	(0.10)	4(2, 2) - 3(2, 1)				[68043]
	33048.66	(0.10)	4(1, 3) - 3(1, 2)				[68043]
	34726.46	(0.10)	2(1, 2) - 1(0, 1)				[68043]
s-$^{13}CH_2CHCH_2CH_3$	23853.35	(0.10)	3(1, 3) - 2(1, 2)				[79033]
	23990.28	(0.10)	3(0, 3) - 2(0, 2)				[79033]
	23993.38	(0.10)	3(2, 2) - 2(2, 1)				[79033]
	23994.58	(0.10)	3(2, 1) - 2(2, 0)				[79033]
	24130.42	(0.10)	3(1, 2) - 2(1, 1)				[79033]
	31803.64	(0.10)	4(1, 4) - 3(1, 3)				[79033]
	31985.14	(0.10)	4(0, 4) - 3(0, 3)				[79033]
	31990.41	(0.10)	4(2, 3) - 3(2, 2)				[79033]
	31993.88	(0.10)	4(2, 2) - 3(2, 1)				[79033]
	32173.18	(0.10)	4(1, 3) - 3(1, 2)				[79033]
	39753.19	(0.10)	5(1, 5) - 4(1, 4)				[79033]
	39987.00	(0.10)	5(2, 4) - 4(2, 3)				[79033]
	39992.20	(0.10)	5(3, 2) - 4(3, 1)				[79033]
	39993.88	(0.10)	5(4, 1) - 4(4, 0)				[79033]
	39996.34	(0.10)	5(2, 3) - 4(2, 2)				[79033]
s-$CH_2CHCH_2{}^{13}CH_3$	24029.00	(0.10)	3(0, 3) - 2(0, 2)				[79033]
	31846.12	(0.10)	4(1, 4) - 3(1, 3)				[79033]
	32042.39	(0.10)	4(2, 3) - 3(2, 2)				[79033]
	32046.07	(0.10)	4(3, 1) - 3(3, 0)				[79033]
	32046.30	(0.10)	4(2, 2) - 3(2, 1)				[79033]
	32234.37	(0.10)	4(1, 3) - 3(1, 2)				[79033]
	39806.18	(0.10)	5(1, 5) - 4(1, 4)				[79033]

TABLE 26.5. Microwave spectrum of 1-butene — Continued C_4H_8

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$ ν_t	Sym.	Vib. state	Ref.
	40051.75	(0.10)	5(2, 4) - 4(2, 3)			[79033]
	40057.27	(0.10)	5(3, 2) - 4(3, 1)			[79033]
	40059.75	(0.10)	5(2, 3) - 4(2, 2)			[79033]
	40061.45	(0.10)	5(4, 1) - 4(4, 0)			[79033]
s-$CD_2CDCD_2CD_3$	19464.66	(0.10)	3(1, 3) - 2(1, 2)			[79033]
	19600.62	(0.10)	3(0, 3) - 2(0, 2)			[79033]
	19603.49	(0.10)	3(2, 2) - 2(2, 1)			[79033]
	19605.74	(0.10)	3(2, 1) - 2(2, 0)			[79033]
	19740.73	(0.10)	3(1, 2) - 2(1, 1)			[79033]
	25951.90	(0.10)	4(1, 4) - 3(1, 3)			[79033]
	26137.30	(0.10)	4(2, 3) - 3(2, 2)			[79033]
	26139.77	(0.10)	4(3, 1) - 3(3, 0)			[79033]
	26139.77	(0.10)	4(3, 2) - 3(3, 1)			[79033]
	26142.96	(0.10)	4(2, 2) - 3(2, 1)			[79033]
	26320.14	(0.10)	4(1, 3) - 3(1, 2)			[79033]
	32438.35	(0.10)	5(1, 5) - 4(1, 4)			[79033]
	32659.39	(0.10)	5(0, 5) - 4(0, 4)			[79033]
	32670.52	(0.10)	5(2, 4) - 4(2, 3)			[79033]
	32674.86	(0.10)	5(3, 3) - 4(3, 2)			[79033]
	32674.86	(0.10)	5(3, 2) - 4(3, 1)			[79033]
	32675.77	(0.10)	5(4, 2) - 4(4, 1)			[79033]
	32675.77	(0.10)	5(4, 1) - 4(4, 0)			[79033]
	32681.92	(0.10)	5(2, 3) - 4(2, 2)			[79033]
	32898.79	(0.10)	5(1, 4) - 4(1, 3)			[79033]
	38923.76	(0.10)	6(1, 6) - 5(1, 5)			[79033]
	39203.02	(0.10)	6(2, 5) - 5(2, 4)			[79033]
	39210.08	(0.10)	6(3, 4) - 5(3, 3)			[79033]
	39210.08	(0.10)	6(3, 3) - 5(3, 2)			[79033]
	39210.77	(0.10)	6(4, 2) - 5(4, 1)			[79033]
	39210.77	(0.10)	6(4, 3) - 5(4, 2)			[79033]
	39212.73	(0.10)	6(5, 2) - 5(5, 1)			[79033]
	39212.73	(0.10)	6(5, 1) - 5(5, 0)			[79033]
	39222.98	(0.10)	6(2, 4) - 5(2, 3)			[79033]
	39476.48	(0.10)	6(1, 5) - 5(1, 4)			[79033]
s-$CD_2CHCD_2CD_3$	32781.60	(0.10)	5(1, 5) - 4(1, 4)			[79033]
	36335.90	(0.10)	6(1, 6) - 5(1, 5)			[79033]
	39896.20	(0.10)	6(1, 5) - 5(1, 4)			[79033]
s-$CD_2CHCH_2CH_3$	22389.78	(0.10)	3(1, 3) - 2(1, 2)			[80033]
	22515.22	(0.10)	3(0, 3) - 2(0, 2)			[80033]
	22517.80	(0.10)	3(2, 2) - 2(2, 1)			[80033]
	22518.85	(0.10)	3(2, 1) - 2(2, 0)			[80033]
	22643.26	(0.10)	3(1, 2) - 2(1, 1)			[80033]
	29852.23	(0.10)	4(1, 4) - 3(1, 3)			[80033]
	30018.38	(0.10)	4(0, 4) - 3(0, 3)			[80033]
	30023.02	(0.10)	4(2, 3) - 3(2, 2)			[80033]
	30026.05	(0.10)	4(2, 2) - 3(2, 1)			[80033]
	30026.05	(0.10)	4(3, 1) - 3(3, 0)			[80033]
	30190.42	(0.10)	4(1, 3) - 3(1, 2)			[80033]
	37314.02	(0.10)	5(1, 5) - 4(1, 4)			[80033]
	37520.02	(0.10)	5(0, 5) - 4(0, 4)			[80033]
	37527.81	(0.10)	5(2, 4) - 4(2, 3)			[80033]
	37532.70	(0.10)	5(3, 3) - 4(3, 2)			[80033]
	37532.70	(0.10)	5(3, 2) - 4(3, 1)			[80033]
	37534.09	(0.10)	5(2, 3) - 4(2, 2)			[80033]
	37535.64	(0.10)	5(4, 1) - 4(4, 0)			[80033]
	37737.01	(0.10)	5(1, 4) - 4(1, 3)			[80033]

Table 27.1. Molecular constants for cis-2-butene in the ground state.

Parameter Reference	$CH_3CHCHCH_3$ [70067]	Parameter	$CH_3CHCHCH_3$ [68049]	
Rotational Constants				
	A_1A_1 State		Rigid Rotor	A_1A_1 State
A (MHz)	16086.12	A (MHz)	16059.61	16085.76
B (MHz)	5144.33	B (MHz)	5139.15	5144.61
C (MHz)	4087.93	C (MHz)	4088.16	4088.16
Internal Rotation Constants				
I_α (u Å^2)	3.130	I_α (u Å^2)	3.194[a]	
λ_a	0.5850(12)	θ	35.0°[a]	
λ_b	0.8111(9)	α	0.058199[b]	
r	0.94504			
q	0.0131	β	0.026598[b]	
s	20.39(11)	s	20.332	
F (GHz)	170.937	F (GHz)	167.54	
V_3 (cm^{-1})	261.7(14)	V_3 (cm^{-1})	255.8	
Electric Dipole Moment				
μ_b (D)	0.253(5)	μ_b (D)	0.257(10)	

[a]Assumed.
[b]The values are defined as $\alpha = (I_\alpha/I_a)\sin\theta$, $\beta = (I_\alpha/I_b)\cos\theta$.
Comments: The 7^{16}-7^{07} transition reported at 31829.11 MHz deviates by about 3 MHz in the analysis and was not fit.

Table 27.2. Molecular constants for sym-$CH_2DCHCHCH_3$, asy-$CH_2DCHCHCH_3$ and $CH_3CDCDCH_3$. [70067]

Parameter		sym-$CH_2DCHCHCH_3$ Value	asy-$CH_2DCHCHCH_3$ Value	$CH_3CDCDCH_3$ Value
Rotational Constants				
A-C (A_1)	(MHz)	11040.37	11681.12	10033.99
B-C (A_1)	(MHz)	1101.06	938.69	1155.42
A-C (A_2)	(MHz)		11672.24	
B-C (A_2)	(MHz)		937.77	
Internal Rotation Constants[a]				
λ_a		0.5538(16)	0.5684(28)	0.5883(54)
λ_b		0.8259(12)	0.8228(20)[b]	0.8086(39)
I_α	(u Å^2)	3.130	3.130	3.130
r		0.94904	0.94823	0.95002
F	(GHz)	170.184	170.329	170.026
s		20.42(2)	20.66(4)	20.96(7)
V_3	(cm^{-1})	260.9(3)	264.2(5)	267.6(9)

[a]Values with no uncertainties are calculated.
[b]A value for λ_c = 0.0034 was included.

Table 27.3. Molecular constants for $CH_3CDCHCH_3$. [70067]

Parameter	Value	
Rotational Constants		
A-C (A_1A_1) (MHz)	10942.28	
B-C (A_1A_1) (MHz)	1107.63	
Internal Rotation Constants[a]		
	A_1 State	A_2 State
λ_a	-0.5700(164)	0.6118(124)
λ_b	0.8216(114)	0.7910(96)
I_α (u Å^2)	3.130	3.130
r	0.94883	0.94883
q	0.01178	0.01178
F (GHz)	170.248	170.789
s	20.68(11)	20.61(11)
x	-0.01245	
V_3 (cm^{-1})	264.4(14)	264.4(14)

[a]Values without uncertainties are calculated.

Table 27.4. Molecular constants for d_8 and d_6 cis-2-butene. [79039]

Parameter	$CD_3CDCDCD_3$	$CD_3CHCHCD_3$
Rotational Constants		
A (MHz)	11136.1(3)	12684.2(2)
B (MHz)	3997.05(14)	4008.11(4)
C (MHz)	3170.96(11)	3346.45(4)
Internal Rotation Constants		
I_α (u Å^2)	5.83(20)	5.98(20)
θ	54.08(12)	54.27(1)
s	40.34(10)	39.31(8)
V_3 (cm^{-1})	284.(11)	272.(11)

TABLE 27.5. Microwave spectrum of cis-2-butene C_4H_8

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$	-	$J''(K_{-1},K_{+1})$	Sym.	Ref.
c-$CH_3CHCHCH_3$	20014.47	(0.20)	1(1, 1)	-	0(0, 0)	*EA*	[68049]
	20122.01	(0.20)	1(1, 1)	-	0(0, 0)	*EE*	[68049]
	20134.69	(0.20)	1(1, 1)	-	0(0, 0)	*AE*	[68049]
	20173.92	(0.20)	1(1, 1)	-	0(0, 0)	*AA*	[68049]
	21165.48	(0.20)	5(1, 4)	-	5(0, 5)	*EA*	[68049]
	21172.39	(0.20)	5(1, 4)	-	5(0, 5)	*AE*	[68049]
	21219.83	(0.20)	5(1, 4)	-	5(0, 5)	*EE*	[68049]
	21270.86	(0.20)	5(1, 4)	-	5(0, 5)	*AA*	[68049]
	25858.50	(0.20)	6(1, 5)	-	6(0, 6)	*EA*	[68049]
	25862.39	(0.20)	6(1, 5)	-	6(0, 6)	*AE*	[68049]
	25932.77	(0.20)	6(1, 5)	-	6(0, 6)	*EE*	[68049]
	26005.44	(0.20)	6(1, 5)	-	6(0, 6)	*AA*	[68049]
	27582.30	(0.20)	4(0, 4)	-	3(1, 3)	*AE*	[68049]
	27600.71	(0.20)	4(0, 4)	-	3(1, 3)	*EE*	[68049]
	27602.95	(0.20)	4(0, 4)	-	3(1, 3)	*AA*	[68049]
	28266.51	(0.20)	2(1, 2)	-	1(0, 1)	*EA*	[68049]
	28312.13	(0.20)	2(1, 2)	-	1(0, 1)	*AE*	[68049]
	28319.44	(0.20)	2(1, 2)	-	1(0, 1)	*EE*	[68049]
	28349.99	(0.20)	2(1, 2)	-	1(0, 1)	*AA*	[68049]
	28597.98	(0.20)	6(2, 4)	-	6(1, 5)	*AE*	[68049]
	28653.75	(0.20)	6(2, 4)	-	6(1, 5)	*EE*	[68049]
	28666.47	(0.20)	6(2, 4)	-	6(1, 5)	*AA*	[68049]
	28682.92	(0.20)	6(2, 4)	-	6(1, 5)	*EA*	[68049]
	28759.36	(0.20)	7(2, 5)	-	7(1, 6)	*AE*	[68049]
	28791.23	(0.20)	7(2, 5)	-	7(1, 6)	*EA*	[68049]
	28803.35	(0.20)	7(2, 5)	-	7(1, 6)	*EE*	[68049]
	28831.34	(0.20)	7(2, 5)	-	7(1, 6)	*AA*	[68049]
	29181.21	(0.20)	5(2, 3)	-	5(1, 4)	*AE*	[68049]
	29254.17	(0.20)	5(2, 3)	-	5(1, 4)	*AA*	[68049]
	29266.37	(0.20)	5(2, 3)	-	5(1, 4)	*EE*	[68049]
	29865.88	(0.20)	8(2, 6)	-	8(1, 7)	*AE*	[68049]
	29869.14	(0.20)	8(2, 6)	-	8(1, 7)	*EA*	[68049]
	29910.23	(0.20)	8(2, 6)	-	8(1, 7)	*EE*	[68049]
	29952.96	(0.20)	8(2, 6)	-	8(1, 7)	*AA*	[68049]
	30342.23	(0.20)	4(2, 2)	-	4(1, 3)	*AA*	[68049]
	30411.56	(0.20)	4(2, 2)	-	4(1, 3)	*EE*	[68049]
	31629.61	(0.20)	7(1, 6)	-	7(0, 7)	*AE*	[68049]
	31634.78	(0.20)	7(1, 6)	-	7(0, 7)	*EA*	[68049]
	31648.00	(0.20)	3(2, 1)	-	3(1, 2)	*AA*	[68049]
	31728.18	(0.20)	7(1, 6)	-	7(0, 7)	*EE*	[68049]
	31814.98	(0.20)	3(2, 1)	-	3(1, 2)	*EE*	[68049]
	31829.11	(0.20)	7(1, 6)	-	7(0, 7)	*AA*	[68049]
	32063.74	(0.20)	9(2, 7)	-	9(1, 8)	*EA*	[68049]
	32074.22	(0.20)	9(2, 7)	-	9(1, 8)	*AE*	[68049]
	32130.20	(0.20)	9(2, 7)	-	9(1, 8)	*EE*	[68049]
	32191.72	(0.20)	9(2, 7)	-	9(1, 8)	*AA*	[68049]
	32896.24	(0.20)	2(2, 0)	-	2(1, 1)	*AA*	[68049]
	33185.83	(0.20)	2(2, 0)	-	2(1, 1)	*EE*	[68049]
	35488.26	(0.20)	10(2, 8)	-	10(1, 9)	*EA*	[68049]
	35502.09	(0.20)	10(2, 8)	-	10(1, 9)	*AE*	[68049]
	35580.12	(0.20)	10(2, 8)	-	10(1, 9)	*EE*	[68049]
	35665.47	(0.20)	10(2, 8)	-	10(1, 9)	*AA*	[68049]
	35970.58	(0.20)	3(1, 3)	-	2(0, 2)	*EA*	[68049]
	35994.96	(0.20)	3(1, 3)	-	2(0, 2)	*AE*	[68049]
	36004.04	(0.20)	3(1, 3)	-	2(0, 2)	*EE*	[68049]
	36026.46	(0.20)	3(1, 3)	-	2(0, 2)	*AA*	[68049]
	37711.74	(0.20)	5(0, 5)	-	4(1, 4)	*EE*	[68049]
	37720.95	(0.20)	5(0, 5)	-	4(1, 4)	*AA*	[68049]
	38364.38	(0.20)	8(1, 7)	-	8(0, 8)	*AE*	[68049]
	38493.01	(0.20)	8(1, 7)	-	8(0, 8)	*EE*	[68049]
sym-$CH_2DCHCHCH_3$	26149.00	(0.20)	6(2, 4)	-	6(1, 5)	*E*	[70067]
	26162.34	(0.20)	6(2, 4)	-	6(1, 5)	A_1	[70067]
	26710.08	(0.20)	7(2, 5)	-	7(1, 6)	*E*	[70067]
	26737.00	(0.20)	7(2, 5)	-	7(1, 6)	A_1	[70067]
	28355.88	(0.20)	8(2, 6)	-	8(1, 7)	*E*	[70067]
	28398.54	(0.20)	8(2, 6)	-	8(1, 7)	A_1	[70067]
	31237.86	(0.20)	9(2, 7)	-	9(1, 8)	*E*	[70067]
	31301.40	(0.20)	9(2, 7)	-	9(1, 8)	A_1	[70067]

TABLE 27.5. Microwave spectrum of cis-2-butene — Continued C_4H_8

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$	-	$J''(K_{-1},K_{+1})$	Sym.	Ref.
asy-$CH_2DCHCHCH_3$	28010.06	(0.20)	7(2, 5)	-	7(1, 6)	*E*	[70067]
	28030.08	(0.20)	7(2, 5)	-	7(1, 6)	A_2	[70067]
	28031.04	(0.20)	7(2, 5)	-	7(1, 6)	*E*	[70067]
	28051.38	(0.20)	7(2, 5)	-	7(1, 6)	A_1	[70067]
	28118.60	(0.20)	6(2, 4)	-	6(1, 5)	*E*	[70067]
	28124.20	(0.20)	6(2, 4)	-	6(1, 5)	A_2	[70067]
	28138.72	(0.20)	6(2, 4)	-	6(1, 5)	*E*	[70067]
	28145.26	(0.20)	6(2, 4)	-	6(1, 5)	A_1	[70067]
	28695.36	(0.20)	8(2, 6)	-	8(1, 7)	*E*	[70067]
	28718.68	(0.20)	8(2, 6)	-	8(1, 7)	*E*	[70067]
	28728.14	(0.20)	8(2, 6)	-	8(1, 7)	A_2	[70067]
	28751.68	(0.20)	8(2, 6)	-	8(1, 7)	A_1	[70067]
	30318.50	(0.20)	9(2, 7)	-	9(1, 8)	*E*	[70067]
	30346.10	(0.20)	9(2, 7)	-	9(1, 8)	*E*	[70067]
	30366.92	(0.20)	9(2, 7)	-	9(1, 8)	A_2	[70067]
	30394.52	(0.20)	9(2, 7)	-	9(1, 8)	A_1	[70067]
	32993.72	(0.20)	10(2, 8)	-	10(1, 9)	E	[70067]
	33026.84	(0.20)	10(2, 8)	-	10(1, 9)	*E*	[70067]
	33061.90	(0.20)	10(2, 8)	-	10(1, 9)	A_2	[70067]
	33095.24	(0.20)	10(2, 8)	-	10(1, 9)	A_1	[70067]
c-$CH_3CDCHCH_3$	25894.22	(0.20)	6(2, 4)	-	6(1, 5)	E_1	[70067]
	25898.28	(0.20)	6(2, 4)	-	6(1, 5)	E_2	[70067]
	25911.20	(0.20)	6(2, 4)	-	6(1, 5)	A_1	[70067]
	26184.52	(0.20)	5(2, 3)	-	5(1, 4)	A_1	[70067]
	26185.86	(0.20)	5(2, 3)	-	5(1, 4)	E_1	[70067]
	26187.28	(0.20)	5(2, 3)	-	5(1, 4)	E_2	[70067]
	26476.60	(0.20)	7(2, 5)	-	7(1, 6)	E_4	[70067]
	26489.14	(0.20)	7(2, 5)	-	7(1, 6)	E_3	[70067]
	26513.04	(0.20)	7(2, 5)	-	7(1, 6)	E_2	[70067]
	26508.78	(0.20)	7(2, 5)	-	7(1, 6)	E_1	[70067]
	26539.20	(0.20)	7(2, 5)	-	7(1, 6)	A_1	[70067]
	28182.36	(0.20)	8(2, 6)	-	8(1, 7)	E_3	[70067]
	28187.60	(0.20)	8(2, 6)	-	8(1, 7)	E_4	[70067]
	28225.90	(0.20)	8(2, 6)	-	8(1, 7)	E_1	[70067]
	28229.18	(0.20)	8(2, 6)	-	8(1, 7)	E_2	[70067]
	28270.52	(0.20)	8(2, 6)	-	8(1, 7)	A_1	[70067]
	31129.54	(0.20)	9(2, 7)	-	9(1, 8)	E_3	[70067]
	31140.68	(0.20)	9(2, 7)	-	9(1, 8)	E_4	[70067]
	31196.14	(0.20)	9(2, 7)	-	9(1, 8)	E_1	[70067]
	31197.76	(0.20)	9(2, 7)	-	9(1, 8)	E_2	[70067]
	31259.06	(0.20)	9(2, 7)	-	9(1, 8)	A_1	[70067]
c-$CH_3CDCDCH_3$	23584.76	(0.20)	5(2, 3)	-	5(1, 4)	*AE*	[70067]
	23626.24	(0.20)	5(2, 3)	-	5(1, 4)	*EE*	[70067]
	23629.56	(0.20)	5(2, 3)	-	5(1, 4)	*AA*	[70067]
	23653.98	(0.20)	6(2, 4)	-	6(1, 5)	*AE*	[70067]
	23659.86	(0.20)	5(2, 3)	-	5(1, 4)	*EA*	[70067]
	23679.92	(0.20)	6(2, 4)	-	5(1, 5)	*EA*	[70067]
	23683.20	(0.20)	6(2, 4)	-	5(1, 5)	*EE*	[70067]
	23699.60	(0.20)	6(2, 4)	-	5(1, 5)	*AA*	[70067]
	24754.92	(0.20)	7(2, 5)	-	7(1, 6)	*AE*	[70067]
	24756.76	(0.20)	7(2, 5)	-	7(1, 6)	*EA*	[70067]
	24783.72	(0.20)	7(2, 5)	-	7(1, 6)	*EE*	[70067]
	24811.86	(0.20)	7(2, 5)	-	7(1, 6)	*AA*	[70067]
	27076.08	(0.20)	8(2, 6)	-	8(1, 7)	*EA*	[70067]
	27084.30	(0.20)	8(2, 6)	-	8(1, 7)	*AE*	[70067]
	27123.02	(0.20)	8(2, 6)	-	8(1, 7)	*EE*	[70067]
	27166.12	(0.20)	8(2, 6)	-	8(1, 7)	*AA*	[70067]
	30769.50	(0.20)	9(2, 7)	-	9(1, 8)	*EA*	[70067]
	30778.20	(0.20)	9(2, 7)	-	9(1, 8)	*AE*	[70067]
	30836.28	(0.20)	9(2, 7)	-	9(1, 8)	*EE*	[70067]
	30899.04	(0.20)	9(2, 7)	-	9(1, 8)	*AA*	[70067]
c-$CD_3CHCHCD_3$	18977.98	(0.02)	6(1, 5)	-	6(0, 6)	*EA* + *AE*	[79039]
	18982.75	(0.02)	6(1, 5)	-	6(0, 6)	*EE*	[79039]
	18987.52	(0.02)	6(1, 5)	-	6(0, 6)	*AA*	[79039]
	22425.82	(0.02)	7(2, 5)	-	7(1, 6)	*EA* + *AE*	[79039]
	22428.39	(0.02)	7(2, 5)	-	7(1, 6)	*EE*	[79039]
	22430.96	(0.02)	7(2, 5)	-	7(1, 6)	*AA*	[79039]

TABLE 27.5. Microwave spectrum of cis-2-butene — Continued C_4H_8

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$	-	$J''(K_{-1},K_{+1})$	Sym.	Ref.
	22523.63	(0.02)	6(2, 4)	-	6(1, 5)	*EA+AE*	[79039]
	22525.90	(0.02)	6(2, 4)	-	6(1, 5)	*EE*	[79039]
	22528.17	(0.02)	6(2, 4)	-	6(1, 5)	*AA*	[79039]
	22948.10	(0.02)	8(2, 6)	-	8(1, 7)	*EA+AE*	[79039]
	22951.22	(0.02)	8(2, 6)	-	8(1, 7)	*EE*	[79039]
	22954.28	(0.02)	8(2, 6)	-	8(1, 7)	*AA*	[79039]
	26300.16	(0.02)	10(2, 8)	-	10(1, 9)	*EA+AE*	[79039]
	26305.34	(0.02)	10(2, 8)	-	10(1, 9)	*EE*	[79039]
	26310.50	(0.02)	10(2, 8)	-	10(1, 9)	*AA*	[79039]
	30480.30	(0.02)	5(0, 5)	-	4(1, 4)	*EA+AE*	[79039]
	30480.95	(0.02)	5(0, 5)	-	4(1, 4)	*EE*	[79039]
	30481.595	(0.020)	5(0, 5)	-	4(1, 4)	*AA*	[79039]
	34038.54	(0.02)	13(3,10)	-	13(2,11)	*AA*	[79039]
	34041.24	(0.02)	13(3,10)	-	13(2,11)	*EE*	[79039]
	34043.84	(0.02)	13(3,10)	-	13(2,11)	*AA*	[79039]
	34662.04	(0.02)	14(3,11)	-	14(2,12)	*EA+AE*	[79039]
	34665.68	(0.02)	14(3,11)	-	14(2,12)	*EE*	[79039]
	34669.38	(0.02)	14(3,11)	-	14(2,12)	*AA*	[79039]
	35110.25	(0.02)	4(1, 4)	-	3(0, 3)	*EA+AE*	[79039]
	35111.255	(0.020)	4(1, 4)	-	3(0, 3)	*EE*	[79039]
	35112.20	(0.02)	4(1, 4)	-	3(0, 3)	*AA*	[79039]
	38508.14	(0.02)	6(0, 6)	-	5(1, 5)	*EA+AE*	[79039]
	38509.02	(0.02)	6(0, 6)	-	5(1, 5)	*EE*	[79039]
	38510.00	(0.02)	6(0, 6)	-	5(1, 5)	*AA*	[79039]
c-$CD_3CDCDCD_3$	18842.08	(0.02)	6(2, 4)	-	6(1, 5)	*EA+AE*	[79039]
	18843.72	(0.02)	6(2, 4)	-	6(1, 5)	*EE*	[79039]
	18845.36	(0.02)	6(2, 4)	-	6(1, 5)	*AA*	[79039]
	18998.52	(0.02)	5(2, 3)	-	5(1, 4)	*EA+AE*	[79039]
	18999.95	(0.02)	5(2, 3)	-	5(1, 4)	*EE*	[79039]
	19001.39	(0.02)	5(2, 3)	-	5(1, 4)	*AA*	[79039]
	19371.04	(0.02)	7(2, 5)	-	7(1, 6)	*EA+AE*	[79039]
	19373.13	(0.02)	7(2, 5)	-	7(1, 6)	*EE*	[79039]
	19375.19	(0.02)	7(2, 5)	-	7(1, 6)	*AA*	[79039]
	23049.56	(0.02)	9(2, 7)	-	9(1, 8)	*EA+AE*	[79039]
	23053.28	(0.02)	9(2, 7)	-	9(1, 8)	*EE*	[79039]
	23056.96	(0.02)	9(2, 7)	-	9(1, 8)	*AA*	[79039]
	30364.50	(0.02)	5(0, 5)	-	4(1, 4)	*EE*	[79039]
	30450.23	(0.02)	13(3,10)	-	13(2,11)	*EA+AE*	[79039]
	30453.78	(0.02)	13(3,10)	-	13(2,11)	*EE*	[79039]
	30457.31	(0.02)	13(3,10)	-	13(2,11)	*AA*	[79039]
	32261.00	(0.02)	4(1, 4)	-	3(0, 3)	*EE*	[79039]
	33039.96	(0.02)	14(3,11)	-	14(2,12)	*EA+AE*	[79039]
	33044.76	(0.02)	14(3,11)	-	14(2,12)	*EE*	[79039]
	33049.58	(0.02)	14(3,11)	-	14(2,12)	*AA*	[79039]
	37752.00	(0.02)	16(4,12)	-	16(3,13)	*EA+AE*	[79039]
	37753.20	(0.02)	16(4,12)	-	16(3,13)	*EE*	[79039]
	37754.46	(0.02)	16(4,12)	-	16(3,13)	*AA*	[79039]
	37870.00	(0.02)	6(0, 6)	-	5(1, 5)	*EE*	[79039]

Table 28.1. Molecular constants for isobutylene (2-methyl propene) in the ground and torsionally excited states.

Parameter	Ground State	$(CH_3)_2C{=}CH_2$ $v_t = 1_1$ State	$v_t = 1_2$ State
Rotational constants[a] [75058]			
A (MHz)	9133.31(3)	9132.01(3)	9140.61(3)
B (MHz)	8381.80(3)	8369.09(3)	8353.22(3)
C (MHz)	4615.97(2)	4613.46(2)	4613.41(2)
Δ_{JK} (kHz)	-16.70(7)		
Δ_J (kHz)	7.88(46)		
δ_J (Hz)	-65.3(30)		
δ_K (kHz)	-19.385(48)		
Internal Rotation Constants [75058]			
I_α (u Å^2)	3.18(1)	3.18[b]	
θ	58.21(6)°	58.21[b]	
V_3 (cm^{-1})	759.8(32)	767.9(35)	
V'_{12} (cm^{-1})		-74.(11)	
Δ_o (MHz)	-9.659(58)		
ρ	0.05620(20)		
β (rad)	0.5172(12)		
Electric Dipole Moment [61014]			
μ_b (D)	0.503(9)		

[a]Representation III^r was used for AA state.
[b]Values fixed.

Table 28.2. Rotational analysis of isobutylene AA state from the present study.

Parameter	AA State
A" (MHz)	9133.392(35)
B" (MHz)	8381.846(35)
C" (MHz)	4615.966(35)
τ_1 (MHz)	-0.021(25)
τ_2 (MHz)	-0.0054(84)
τ_3[a] (MHz)	0.60(25)
τ_{aaaa} (MHz)	-0.028(8)
τ_{bbbb} (MHz)	-0.029(8)
τ_{cccc} (MHz)	0.0041(85)

[a]The value of τ_3 is fixed by setting $R_6 = 0$.

Table 28.3. Rotational constants for deuterated and ^{13}C isotopic species of isobutylene.

Species	A (MHz)	B (MHz)	C (MHz)	Reference
s-$CH_2DCH_3CCH_2$	9132.59	7788.98	4431.05	[61014]
a-$CH_2DCH_3CCH_2$	8819.46	7981.08	4469.59	[61014]
$(CH_3)_2CCHD$	8693.49	8114.67	4422.67	[63027]
$(CH_3)_2C^{13}CH_2$	8810.08	8381.73	4531.84	[63027]
$CH_3{}^{13}CH_3CCH_2$	9074.31	8149.00	4529.72	[63027]

TABLE 28.4. Microwave spectrum of isobutylene — Continued C_4H_8

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$	-	$J''(K_{-1},K_{+1})$	$\nu_1\nu_2$	Sym.	Vib. state	Ref.
	22128.05	(0.10)	2(0, 2)	-	1(1, 1)				[61014]
	22320.86	(0.10)	6(5, 2)	-	6(4, 3)				[61014]
	22976.59	(0.10)	10(7, 3)	-	10(6, 4)				[61014]
	22981.28	(0.10)	2(1, 2)	-	1(0, 1)				[61014]
	23490.64	(0.10)	7(6, 2)	-	7(5, 3)				[61014]
	23524.30	(0.10)	7(7, 1)	-	7(6, 2)		*AE*+*EA*		[61014]
	23524.94	(0.10)	7(7, 1)	-	7(6, 2)		*EE*		[61014]
	23525.58	(0.10)	7(7, 1)	-	7(6, 2)		AA		[61014]
	23993.911	(0.030)	8(8, 0)	-	8(7, 1)		*AE*		[75058]
	23994.287	(0.030)	8(8, 0)	-	8(7, 1)		*EA*		[75058]
	23994.821	(0.030)	8(8, 0)	-	8(7, 1)		*EE*		[75058]
	23995.551	(0.030)	8(8, 0)	-	8(7, 1)		AA		[75058]
	24638.80	(0.10)	9 6, 3)	-	9(5, 4)				[61014]
	26574.382	(0.030)	8(8, 1)	-	8(7, 2)		*EA*		[75058]
	26574.774	(0.030)	8(8, 1)	-	8(7, 2)		*AE*		[75058]
	26575.365	(0.030)	8(8, 1)	-	8(7, 2)		*EE*		[75058]
	26576.146	(0.030)	8(8, 1)	-	8(7, 2)		AA		[75058]
	28121.48	(0.10)	6(3, 3)	-	6(2, 4)				[61014]
	28219.237	(0.030)	9 9, 0)	-	9(8, 1)		*AE*		[75058]
	28220.382	(0.030)	9 9, 0)	-	9(8, 1)		*EE*		[75058]
	28221.066	(0.030)	9 9, 0)	-	9(8, 1)		AA		[75058]
	28330.145	(0.030)	9 9, 0)	-	9(8, 1)		*EA*		[75058]
	28557.285	(0.10)	5 2, 3)	-	5(1, 4)				[61014]
	28759.698	(0.10)	4(2, 3)	-	4(1, 4)		A_2A_1	$1\nu_2$	[75058]
	28765.930	(0.10)	4(2, 3)	-	4(1, 4)		*EE*	$1\nu_2$	[75058]
	28771.06	(0.10)	4(1, 3)	-	4(0, 4)				[61014]
	28772.171	(0.10)	4(1, 3)	-	4(0, 4)	A_2	$E+EA_1$	$1\nu_2$	[75058]
	28775.67	(0.10)	6(4, 3)	-	6(3, 4)				[61014]
	28794.628	(0.030)	4(2, 3)	-	4(1, 4)		A_1A_2	$1\nu_1$	[75058]
	28799.251	(0.030)	4(2, 3)	-	4(1, 4)		*EE*	$1\nu_1$	[75058]
	28803.859	(0.030)	4(2, 3)	-	4(1, 4)	A_1	$E+EA_2$	$1\nu_1$	[75058]
	28830.61	(0.10)	4(2, 3)	-	4(1, 4)				[61014]
	28851.31	(0.10)	7(5, 3)	-	7(4, 4)				[61014]
	29089.07	(0.10)	8(6, 3)	-	8(5, 4)				[61014]
	29851.100	(0.030)	9 9, 1)	-	9(8, 2)		*EA*		[75058]
	29852.000	(0.030)	9 9, 1)	-	9(8, 2)		*AE*		[75058]
	29852.580	(0.030)	9 9, 1)	-	9(8, 2)		*EE*		[75058]
	29853.583	(0.030)	9 9, 1)	-	9(8, 2)		AA		[75058]
	29908.76	(0.10)	14(12, 2)	-	14(11, 3)		*AE*+*EA*		[61014]
	29909.89	(0.10)	14(12, 2)	-	14(11, 3)		*EE*		[61014]
	29910.98	(0.10)	14(12, 2)	-	14(11, 3)		AA		[61014]
	31768.96	(0.10)	3(0, 3)	-	2(1, 2)				[61014]
	31879.31	(0.10)	3(1, 3)	-	2(0, 2)				[61014]
	31932.784	(0.030)	12(11, 1)	-	12(10, 2)		*AE*		[75058]
	31933.042	(0.030)	12(11, 1)	-	12(10, 2)		*EA*		[75058]
	31933.956	(0.030)	12(11, 1)	-	12(10, 2)		*EE*		[75058]
	31934.994	(0.030)	12(11, 1)	-	12(10, 2)		AA		[75058]
	31937.872	(0.030)	17(14, 3)	-	17(13, 4)		*AE*+*EA*		[75058]
	31938.959	(0.030)	17(14, 3)	-	17(13, 4)		*EE*		[75058]
	31940.047	(0.030)	17(14, 3)	-	17(13, 4)		AA		[75058]
	32015.95	(0.10)	2(2, 1)	-	1(1, 0)				[61014]
	33291.123	(0.030)	10(10, 1)	-	10(9, 2)		*EA*		[75058]
	33293.126	(0.030)	10(10, 1)	-	10(9, 2)		*AE*		[75058]
	33293.497	(0.030)	10(10, 1)	-	10(9, 2)		*EE*		[75058]
	33294.910	(0.030)	10(10, 1)	-	10(9, 2)		AA		[75058]
sym-$CH_2DCH_3CCH_2$	18852.70	(0.10)	3(1, 2)	-	3(0, 3)				[61014]
	20334.26	(0.10)	3(2, 2)	-	3(1, 3)				[61014]
	20752.87	(0.10)	2(0, 2)	-	1(1, 1)				[61014]
	22425.74	(0.10)	2(1, 2)	-	1(0, 1)				[61014]
	30377.99	(0.10)	3(0, 3)	-	2(1, 2)				[61014]
	30759.55	(0.10)	3(1, 3)	-	2(0, 2)				[61014]
	31828.82	(0.10)	2(2, 1)	-	1(1, 0)				[61014]
asy-$CH_2DCH_3CCH_2$	18347.00	(0.10)	4(2, 2)	-	4(1, 3)				[61014]
	19730.99	(0.10)	3(2, 2)	-	3(1, 3)				[61014]
	20065.05	(0.10)	4(3, 2)	-	4(2, 3)				[61014]
	21256.85	(0.10)	2(0, 1)	-	1(1, 1)				[61014]
	22228.22	(0.10)	2(1, 2)	-	1(0, 1)				[61014]

TABLE 28.4. Microwave spectrum of isobutylene C_4H_8

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	$\nu_1\nu_2$	Sym.	Vib. state	Ref.
$(CH_3)_2CCH_2$	9016.803	(0.030)	4(4, 0) - 4(3, 1)		$AE+EA$		[75058]
	9017.080	(0.030)	4(4, 0) - 4(3, 1)		EE		[75058]
	9017.356	(0.030)	4(4, 0) - 4(3, 1)		AA		[75058]
	10658.393	(0.030)	3(2, 1) - 3(1, 2)		A_2A_1	$1\nu_2$	[75058]
	10659.734	(0.030)	3(2, 1) - 3(1, 2)		EE	$1\nu_2$	[75058]
	10660.932	(0.030)	3(2, 1) - 3(1, 2)		A_2E	$1\nu_2$	[75058]
	10661.227	(0.030)	3(2, 1) - 3(1, 2)		EA_1	$1\nu_2$	[75058]
	10704.889	(0.030)	3(2, 1) - 3(1, 2)		A_1A_2	$1\nu_1$	[75058]
	10705.844	(0.030)	3(2, 1) - 3(1, 2)		EE	$1\nu_1$	[75058]
	10706.846	(0.030)	3(2, 1) - 3(1, 2)	A_1	$E+EA_2$	$1\nu_1$	[75058]
	11331.276	(0.030)	2(1, 1) - 2(0, 2)		A_2A_1	$1\nu_2$	[75058]
	11332.948	(0.030)	2(1, 1) - 2(0, 2)		EE	$1\nu_2$	[75058]
	11334.640	(0.030)	2(1, 1) - 2(0, 2)	A_2	$E+EA_1$	$1\nu_2$	[75058]
	11371.830	(0.030)	2(1, 1) - 2(0, 2)		A_1A_2	$1\nu_1$	[75058]
	11373.090	(0.030)	2(1, 1) - 2(0, 2)		EE	$1\nu_1$	[75058]
	11374.192	(0.030)	2(1, 1) - 2(0, 2)	A_1	$E+EA_2$	$1\nu_1$	[75058]
	11994.512	(0.030)	5 5, 0) - 5(4, 1)		$AE+EA$		[75058]
	11994.926	(0.030)	5 5, 0) - 5(4, 1)		EE		[75058]
	11995.316	(0.030)	5 5, 0) - 5(4, 1)		AA		[75058]
	12771.162	(0.030)	7(6, 1) - 7(5, 2)		$AE+EA$		[75058]
	12771.509	(0.030)	7(6, 1) - 7(5, 2)		EE		[75058]
	12771.852	(0.030)	7(6, 1) - 7(5, 2)		AA		[75058]
	13555.767	(0.030)	2(2, 1) - 2(1, 2)		A_1A_2	$1\nu_1$	[75058]
	13558.812	(0.030)	2(2, 1) - 2(1, 2)		EE	$1\nu_1$	[75058]
	13561.588	(0.030)	2(2, 1) - 2(1, 2)		EA_2	$1\nu_1$	[75058]
	13562.053	(0.030)	2(2, 1) - 2(1, 2)		A_1E	$1\nu_1$	[75058]
	13581.727	(0.030)	2(2, 1) - 2(1, 2)		A_1A_2	$1\nu_2$	[75058]
	13585.767	(0.030)	2(2, 1) - 2(1, 2)		EE	$1\nu_2$	[75058]
	13589.411	(0.030)	2(2, 1) - 2(1, 2)		EA_1	$1\nu_2$	[75058]
	13590.397	(0.030)	2(2, 1) - 2(1, 2)		A_2E	$1\nu_2$	[75058]
	13745.462	(0.030)	1(1, 1) - 0(0, 0)		A_1A_2	$1\nu_1$	[75058]
	13746.535	(0.030)	1(1, 1) - 0(0, 0)		EE	$1\nu_1$	[75058]
	13747.575	(0.030)	1(1, 1) - 0(0, 0)	A_1	$E+EA_2$	$1\nu_1$	[75058]
	13754.019	(0.030)	1(1, 1) - 0(0, 0)		A_2A_1	$1\nu_2$	[75058]
	13755.377	(0.030)	1(1, 1) - 0(0, 0)		EE	$1\nu_2$	[75058]
	13756.602	(0.030)	1(1, 1) - 0(0, 0)		EA_1	$1\nu_2$	[75058]
	15320.412	(0.030)	8(7, 1) - 8(6, 2)		$AE+EA$		[75058]
	15320.930	(0.030)	8(7, 1) - 8(6, 2)		EE		[75058]
	15321.466	(0.030)	8(7, 1) - 8(6, 2)		AA		[75058]
	15646.492	(0.030)	6(6, 0) - 6(5, 1)		$AE+EA$		[75058]
	15647.046	(0.030)	6(6, 0) - 6(5, 1)		EE		[75058]
	15647.607	(0.030)	6(6, 0) - 6(5, 1)		AA		[75058]
	18358.45	(0.10)	5 5, 1) - 5(4, 2)				[61014]
	18473.09	(0.10)	11(9, 2) - 11(8, 3)		EE		[61014]
	18473.73	(0.10)	11(9, 2) - 11(8, 3)		AA		[61014]
	18703.70	(0.10)	5 3, 2) - 5(2, 3)				[61014]
	18746.62	(0.10)	9 8, 1) - 9(7, 2)		$AE+EA$		[61014]
	18747.34	(0.10)	9 8, 1) - 9(7, 2)		EE		[61014]
	18748.06	(0.10)	9 8, 1) - 9(7, 2)		EE		[61014]
	18748.06	(0.10)	9 8, 1) - 9(7, 2)		AA		[61014]
	19669.25	(0.10)	4(2, 2) - 4(1, 3)				[61014]
	19736.00	(0.10)	7(7, 0) - 7(6, 1)		$AE+EA$		[61014]
	19736.70	(0.10)	7(7, 0) - 7(6, 1)		EE		[61014]
	20202.223	(0.030)	3(1, 2) - 3(0, 3)		EE	$1\nu_2$	[75058]
	20198.505	(0.030)	3(1, 2) - 3(0, 3)		A_2A_1	$1\nu_2$	[75058]
	20205.970	(0.030)	3(1, 2) - 3(0, 3)	A_2	$E+EA_1$	$1\nu_2$	[75058]
	20244.318	(0.030)	3(1, 2) - 3(0, 3)		A_2A_1	$1\nu_1$	[75058]
	20247.070	(0.030)	3(1, 2) - 3(0, 3)		EE	$1\nu_1$	[75058]
	20249.838	(0.030)	3(1, 2) - 3(0, 3)	A_1	$E+EA_2$	$1\nu_1$	[75058]
	20279.79	(0.10)	3(1, 2) - 3(0, 3)				[61014]
	20765.21	(0.10)	6(6, 1) - 6(5, 2)		$AE+EA$		[61014]
	20766.70	(0.10)	6(6, 1) - 6(5, 2)		EE		[61014]
	20767.23	(0.10)	6(6, 1) - 6(5, 2)		AA		[61014]
	20767.71	(0.10)	3(2, 2) - 3(1, 3)				[61014]
	21026.60	(0.10)	4(3, 2) - 4(2, 3)				[61014]
	21448.58	(0.10)	12(10, 2) - 12(9, 3)		$AE+EA$		[61014]
	21449.36	(0.10)	12(10, 2) - 12(9, 3)		EE		[61014]
	21450.11	(0.10)	12(10, 2) - 12(9, 3)		AA		[61014]
	21519.40	(0.10)	5 4, 2) - 5 3, 3)				[61014]

TABLE 28.4. Microwave spectrum of isobutylene — Continued C_4H_8

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$ v_1v_2	Sym.	Vib. state	Ref.
	30657.22	(0.10)	3(0, 3) - 2(1, 2)			[61014]
	30803.61	(0.10)	3(1, 3) - 2(0, 2)			[61014]
	30927.96	(0.10)	2(2, 1) - 1(1, 0)			[61014]
$(CH_3)_2CCDH$	19944.54	(0.10)	3(1, 2) - 3(1, 3)			[63027]
	19639.41	(0.10)	3(1, 2) - 3(0, 3)			[63027]
	21319.80	(0.10)	2(0, 2) - 1(1, 1)			[63027]
	21961.51	(0.10)	2(1, 2) - 1(0, 1)			[63027]
	30475.68	(0.10)	3(0, 3) - 2(1, 2)			[63027]
	30503.15	(0.10)	2(2, 1) - 1(1, 0)			[63027]
	30542.80	(0.10)	3(1, 3) - 2(0, 2)			[63027]
$^{13}CH_3(CH_3)CCH_2$	13604.08	(0.10)	1(1, 1) - 0(0, 0)			[63027]
	18905.09	(0.10)	4(2, 2) - 4(1, 3)			[63027]
	19764.88	(0.10)	3(1, 2) - 3(0, 3)			[63027]
	20889.82	(0.10)	4(3, 2) - 4(2, 3)			[63027]
	21582.34	(0.10)	2(0, 2) - 1(1, 1)			[63027]
	22663.50	(0.10)	2(1, 2) - 1(0, 1)			[63027]
	31153.16	(0.10)	3(0, 3) - 2(1, 2)			[63027]
	31325.69	(0.10)	3(1, 3) - 2(0, 2)			[63027]
	31752.65	(0.10)	2(2, 1) - 1(1, 0)			[63027]
$(CH_3)_2C^{13}CH_2$	13342.01	(0.10)	1(1, 1) - 0(0, 0)			[63027]
	19947.74	(0.10)	4(2, 2) - 4(1, 3)			[63027]
	20174.97	(0.10)	3(1, 2) - 3(0, 3)			[63027]
	20340.93	(0.10)	3(2, 2) - 3(1, 3)			[63027]
	20429.62	(0.10)	4(3, 2) - 4(2, 3)			[63027]
	21943.47	(0.10)	2(0, 2) - 1(1, 1)			[63027]
	22405.60	(0.10)	2(1, 2) - 1(0, 1)			[63027]
	30962.08	(0.10)	2(2, 1) - 1(1, 0)			[63027]
	31233.01	(0.10)	3(0, 3) - 2(1, 2)			[63027]
	31268.52	(0.10)	3(1, 3) - 2(0, 2)			[63027]

Table 29.1. Molecular constants for methylcyclopropane.

Parameter		$CH_3\underbrace{CHCH_2}CH_2$
Rotational Constants		
A"	(MHz)	15503.225(33)
B"	(MHz)	6363.4072(78)
C"	(MHz)	5586.4839(69)
τ_1	(MHz)	-0.0077(53)
τ_2	(MHz)	-0.0017(15)
τ_3[a]	(MHz)	0.147(58)
τ_{aaaa}	(MHz)	-0.112(41)
τ_{bbbb}	(MHz)	-0.0028(6)
Internal Rotation Barrier [68048]		
V_3	(cm^{-1})	1001.(18)
Dipole Moments [68048]		
μ_a	(D)	0.097(1)
μ_c	(D)	0.100(5)

[a]The value of τ_3 is fixed by setting $R_6 = 0$.

TABLE 29.2. Microwave spectrum of methylcyclopropane C_4H_8

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	v_t	Sym.	Ref.
$CH_2CH_2CHCH_3$	11949.95	(0.05)	1(0, 1) - 0(0, 0)	0		[68048]
	16017.18	(0.05)	8(2, 7) - 8(1, 7)	0		[68048]
	20867.76	(0.05)	6(2, 5) - 6(1, 5)	0		[68048]
	21157.80	(0.05)	21(4,18) - 21(3,18)	0	*E*	[68048]
H_2C-CH_2	21158.03	(0.05)	21(4,18) - 21(3,18)	0	*A*	[68048]
\ /	21868.57	(0.05)	1(1, 0) - 0(0, 0)	0		[68048]
CH	22979.60	(0.05)	5(2, 4) - 5(1, 4)	0		[68048]
|	23122.90	(0.05)	2(1, 2) - 1(1, 1)	0		[68048]
CH_3	23550.83	(0.05)	27(5,23) - 27(4,23)	0	*E*	[68048]
	23551.11	(0.05)	27(5,23) - 27(4,23)	0	*A*	[68048]
	23852.38	(0.05)	2(0, 2) - 1(0, 1)	0		[68048]
	24676.68	(0.05)	2(1, 1) - 1(1, 0)	0		[68048]
	24800.03	(0.05)	4(2, 3) - 4(1, 3)	0		[68048]
	24917.95	(0.05)	3(0, 3) - 2(1, 1)	0		[68048]
	25230.80	(0.05)	30(6,24) - 30(6,25)	0	*A*	[68048]
	25231.12	(0.05)	30(6,24) - 30(6,25)	0	*E*	[68048]
	25399.07	(0.05)	13(3,11) - 13(2,11)	0		[68048]
	25780.06	(0.05)	20(4,17) - 20(3,17)	0	*E*	[68048]
	25780.30	(0.05)	20(4,17) - 20(3,17)	0	*A*	[68048]
	30656.08	(0.05)	19(4,16) - 19(3,16)	0	*E*	[68048]
	30656.36	(0.05)	19(4,16) - 19(3,16)	0	*A*	[68048]
	33257.28	(0.05)	4(2, 2) - 4(1, 4)	0		[68048]
	34595.38	(0.05)	2(1, 1) - 1(0, 1)	0		[68048]
	35660.95	(0.05)	3(0, 3) - 2(0, 2)	0		[68048]

Table 29.1A. Molecular constants for cyclobutane-d_1.

Parameter	Equatorial	Axial
A (MHz)	10617.908(17)	10377.613(18)
B (MHz)	9817.535(17)	9975.708(18)
C (MHz)	6050.794(17)	6193.449(18)
Δ_J (kHz)	4.3(22)	5.3(20)
Δ_{JK} (kHz)	-3.18(89)	-4.4(12)
Δ_K (kHz)	6.04(66)	6.25(83)
δ_J (kHz)	0.79(13)	0.95(19)
δ_K (kHz)	1.31(37)	0.65(45)
H_{KJ} (Hz)	-0.0079(6)	-0.014(7)
Electric Dipole Moment [87024]		
μ_a (D)	0.0043(14)	---
μ_c (D)	---	0.0043(14)

TABLE 29.2.a. Microwave spectrum of cyclobutane-d_1 C_4H_8

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Ref.
e-$CH_2CH_2CH_2CHD$	12739.495	(0.030)	21(16, 5) - 21(16, 6)	[87024]
	12772.716	(0.030)	33(25, 8) - 33(25, 9)	[87024]
	13012.180	(0.030)	29(22, 7) - 29(22, 8)	[87024]
	13020.253	(0.030)	25(19, 6) - 25(19, 7)	[87024]
H_2C-CH_2	13145.023	(0.030)	20(15, 6) - 20(14, 6)	[87024]
	13688.896	(0.030)	8(7, 2) - 8(6, 2)	[87024]
H_2C-CHD	13815.810	(0.030)	2(2, 1) - 2(0, 2)	[87024]
	14134.661	(0.030)	17(13, 5) - 17(12, 5)	[87024]
	14308.461	(0.030)	12(9, 3) - 12(9, 4)	[87024]
	14417.826	(0.030)	7(5, 2) - 7(5, 3)	[87024]
	14592.582	(0.030)	11(9, 3) - 11(8, 3)	[87024]
	14676.210	(0.030)	14(11, 4) - 14(10, 4)	[87024]
	15526.665	(0.030)	3(3, 1) - 3(1, 2)	[87024]
	15868.311	(0.030)	1(0, 1) - 0(0, 0)	[87024]
	15966.320	(0.030)	16(12, 4) - 16(12, 5)	[87024]
	16593.370	(0.030)	6(4, 2) - 6(4, 3)	[87024]
	16851.363	(0.030)	40(30,10) - 40(30,11)	[87024]
	17064.296	(0.030)	20(15, 5) - 20(15, 6)	[87024]
	17320.902	(0.030)	24(18, 7) - 24(17, 7)	[87024]
	17447.226	(0.030)	36(27, 9) - 36(27,10)	[87024]
	17618.221	(0.030)	11(8, 3) - 11(8, 4)	[87024]
	17692.049	(0.030)	24(18, 6) - 24(18, 7)	[87024]
	17822.241	(0.030)	32(24, 8) - 32(24, 9)	[87024]
	28655.670	(0.020)	2(0, 2) - 1(0, 1)	[87024]
	40070.4	(0.1)	2(1, 1) - 1(0, 1)	[87024]
a-$CH_2CH_2CH_2CHD$	12582.760	(0.030)	2(2, 1) - 2(0, 2)	[87024]
	12582.760	(0.030)	11(10, 2) - 11(9, 2)	[87024]
	12873.781	(0.030)	19(16, 4) - 19(15, 4)	[87024]
	12878.909	(0.030)	23(19, 4) - 23(19, 5)	[87024]
	12880.044	(0.030)	17(14, 3) - 17(14, 4)	[87024]
	13127.925	(0.030)	15(13, 3) - 15(12, 3)	[87024]
	13324.220	(0.030)	3(3, 1) - 3(1, 2)	[87024]
	13455.845	(0.030)	10(8, 2) - 10(8, 3)	[87024]
	13713.366	(0.030)	34(28, 6) - 34(28, 7)	[87024]
	13845.385	(0.030)	8(8, 1) - 8(7, 1)	[87024]
	14392.214	(0.100)	28(23, 6) - 28(22, 6)	[87024]
	14454.588	(0.030)	4(4, 1) - 4(2, 2)	[87024]
	15028.504	(0.100)	28(23, 5) - 28(23, 6)	[87024]
	15037.261	(0.030)	9(7, 2) - 9(7, 3)	[87024]
	15198.348	(0.030)	16(13, 3) - 16(13, 4)	[87024]
	15244.820	(0.030)	39(32, 7) - 39(32, 8)	[87024]
	15619.761	(0.030)	22(18, 4) - 22(18, 5)	[87024]
	15656.575	(0.100)	24(20, 5) - 24(19, 5)	[87024]
	15757.851	(0.030)	12(11, 2) - 12(10, 2)	[87024]
	16071.080	(0.030)	5(5, 1) - 5(3, 2)	[87024]
	16169.136	(0.030)	1(0, 1) - 0(0, 0)	[87024]
	16436.670	(0.030)	8(6, 2) - 8(6, 3)	[87024]
	16440.175	(0.100)	20(17, 4) - 20(16, 4)	[87024]
	16543.855	(0.030)	16(14, 3) - 16(13, 3)	[87024]
	16888.486	(0.030)	9(9, 1) - 9(8, 1)	[87024]
	17054.099	(0.100)	33(27, 6) - 33(27, 7)	[87024]
	17478.178	(0.030)	15(12, 3) - 15(12, 4)	[87024]
	17608.137	(0.030)	7(5, 2) - 7(5, 3)	[87024]
	28927.6	(0.1)	2(0, 2) - 1(0, 1)	[87024]
	40304.550	(0.020)	2(1, 1) - 1(0, 1)	[87024]

Table 30.1. Molecular constants for the isobutane species: $(CH_3)_3CH$, $(CH_3)_3{}^{13}CH$ and $(CH_3)_3CD$.

Parameter		$(CH_3)_3CH$	$(CH_3)_3{}^{13}CH$	$(CH_3)_3CD$
B_o	(MHz)	7789.45(3)	7773.88(3)	7540.82(2)
B_{τ_a}	(MHz)	7782.84(5)		
B_{τ_e}	(MHz)	7774.67(5)		
B_{δ_a}	(MHz)	7790.3(3)		
B_{δ_e}	(MHz)	7795.0(3)		
D_J	(MHz)	0.011(4)		
$q\ell(\tau_e)$	(MHz)	21.0		
$q\ell(\delta_e)$	(MHz)	17.		
μ	(D)	0.132(1)		0.141(2)
Reference		[58010]	[60010]	[60010]

Table 30.2. Rotational constants for asymmetric-rotor species of isobutane. [60010]

Parameter	$^{13}CH_3(CH_3)_2CH$	sym-$CH_2D(CH_3)_2CH$	asy-$CH_2D(CH_3)_2CH$
A (MHz)	7788.28(5)	7629.15(20)	7782.70(3)
B (MHz)	7546.10(5)	7378.95(40)	7259.37(3)
C (MHz)	4431.(45)	4466.(140)	4319.(7)

TABLE 30.3. Microwave spectrum of isobutane C_4H_{10}

Isotopic species	Frequency (MHz)	Unc (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Vib. state	Ref.
$(CH_3)_3CH$	15578.9	(0.10)	1( ) - 0( )		[58010]
	31098.35	(0.10)	2( ) - 1( )	$1\nu_t$ e	[58010]
	31130.99	(0.10)	2( ) - 1( )	$1\nu_t$ a	[58010]
	31157.46	(0.10)	2( ) - 1( )		[58010]
	31161.00	(0.10)	2( ) - 1( )	$1\nu_d$ a	[58010]
	31180.00	(0.10)	2( ) - 1( )	$1\nu_d$ e	[60010]
$(CH_3)_3{}^{13}CH$	31095.18	(0.10)	2( ) - 1( )		[60010]
$(CH_3)_3CD$	31162.95	(0.05)	2( ) - 1( )		[60010]
$^{13}CH_3(CH_3)_2CH$	30426.24	(0.10)	2(1, 1) - 1(0, 1)		[60010]
	30682.00	(0.10)	2(2, 0) - 1(1, 0)		[60010]
	30910.58	(0.10)	2(2, 1) - 1(1, 1)		[60010]
sym-$CH_2D(CH_3)_2CH$	29765.6	(0.1)	2(1, 1) - 1(0, 1)		[60010]
	30031.28	(0.10)	2(2, 0) - 1(1, 0)		[60010]
	30266.06	(0.20)	2(2, 1) - 1(1, 1)		[60010]
asy-$CH_2D(CH_3)_2CH$	29560.45	(0.05)	2(1, 1) - 1(0, 1)		[60010]
	30147.92	(0.05)	2(2, 0) - 1(1, 0)		[60010]
	30607.11	(0.05)	2(2, 1) - 1(1, 1)		[60010]

Table 31.1. Molecular constants for the C_5H radical. [86004]

Parameter		Value
A_{eff}	(MHz)	710039.(33)
B	(MHz)	2395.131(1)
D	(MHz)	$0.129(1)\times10^{-3}$
p + 2q	(MHz)	3.72(7)
q	(MHz)	-0.304(2)
B_{eff} ($^2\Pi_{1/2}$)	(MHz)	2387.003(2)
B_{eff} ($^2\Pi_{3/2}$)	(MHz)	2403.241(6)
D_{eff} ($^2\Pi_{1/2}$)	(MHz)	$0.041(1)\times10^{-3}$
D_{eff} ($^2\Pi_{3/2}$)	(MHz)	$0.211(2)\times10^{-3}$
Hyperfine parameters [87012]		
$a' = a - \frac{(b+c)}{2}$	(MHz)	20.04(15)
d	(MHz)	10.9(6)

TABLE 31.2. Microwave spectrum of C_5H radical C_5H

Isotopic species	Frequency (MHz)	Unc. (MHz)	J' - J''	P	F' - F''	Vib. state	Ref.
CCCCCH $^2\Pi_{1/2}$	21480.823	(0.022)	9/2 - 7/2	*a*	5 - 4	$v=0$	[87012]
	21481.312	(0.022)	9/2 - 7/2	*a*	4 - 3	$v=0$	[87012]
	21484.710	(0.022)	9/2 - 7/2	*b*	5 - 4	$v=0$	[87012]
	21485.261	(0.025)	9/2 - 7/2	*b*	4 - 3	$v=0$	[87012]
	73993.8	(0.3)	31/2 - 29/2	*a*		$v=0$	[86024]
	73998.9	(0.3)	31/2 - 29/2	*b*		$v=0$	[86024]
	83541.5	(0.8)	35/2 - 33/2	*a*		$v=0$	[86024]
	83547.1	(0.6)	35/2 - 33/2	*b*		$v=0$	[86024]
	88315.2	(0.4)	37/2 - 35/2	*a*		$v=0$	[86024]
	88321.0	(0.4)	37/2 - 35/2	*b*		$v=0$	[86024]
	93089.0	(0.3)	39/2 - 37/2	*a*		$v=0$	[86024]
	93094.9	(0.4)	39/2 - 37/2	*b*		$v=0$	[86024]
	97862.6	(0.4)	41/2 - 39/2	*a*		$v=0$	[86024]
	97868.8	(0.4)	41/2 - 39/2	*b*		$v=0$	[86024]
	102635.7	(0.7)	43/2 - 41/2	*a*		$v=0$	[86024]
	102642.4	(0.7)	43/2 - 41/2	*b*		$v=0$	[86024]
	107409.91	(0.10)	45/2 - 43/2	*a*		$v=0$	[86004]
	107416.65	(0.10)	45/2 - 43/2	*b*		$v=0$	[86004]
	112183.49	(0.10)	47/2 - 45/2	*a*		$v=0$	[86004]
	112190.58	(0.10)	47/2 - 45/2	*b*		$v=0$	[86004]
	116957.11	(0.10)	49/2 - 47/2	*a*		$v=0$	[86004]
	116964.39	(0.10)	49/2 - 47/2	*b*		$v=0$	[86004]
	169464.50	(0.10)	71/2 - 69/2	*a*		$v=0$	[86004]
	169475.49	(0.10)	71/2 - 69/2	*b*		$v=0$	[86004]
	183783.87	(0.10)	77/2 - 75/2	*a*		$v=0$	[86004]
	183796.03	(0.10)	77/2 - 75/2	*b*		$v=0$	[86004]
	188556.91	(0.10)	79/2 - 77/2	*a*		$v=0$	[86004]
	188569.50	(0.10)	79/2 - 77/2	*b*		$v=0$	[86004]
CCCCCH $^2\Pi_{3/2}$	165785.43	(0.10)	69/2 - 67/2	*a*		$v=0$	[86004]
	165792.36	(0.10)	69/2 - 67/2	*b*		$v=0$	[86004]
	170588.58	(0.10)	71/2 - 69/2	*a*		$v=0$	[86004]
	170595.94	(0.10)	71/2 - 69/2	*b*		$v=0$	[86004]
	184997.07	(0.10)	77/2 - 75/2	*a*		$v=0$	[86004]
	185005.57	(0.10)	77/2 - 75/2	*b*		$v=0$	[86004]
	189799.43	(0.10)	79/2 - 77/2	*a*		$v=0$	[86004]
	189808.36	(0.10)	79/2 - 77/2	*b*		$v=0$	[86004]

Table 32.1. Rotational and centrifugal distortion constants for 1,4-pentadiyne. [81036]

Parameter		$CH_2(CCH)_2$ ground state	$CH_2(CCH)_2$ $v_{21} = 1$	$CH_2(CCD)_2$ ground state
A"	(MHz)	19076.77(2)[a]	19300.82(11)	17408.3(112)
B"	(MHz)	2859.224(3)	2870.209(2)	2574.372(13)
C"	(MHz)	2520.801(3)	2524.646(5)	2270.134(13)
τ_1	(MHz)	0.2392(1)	0.2379(90)	0.2012(63)
τ_2	(MHz)	0.02182(1)	0.02491(38)	0.0207(89)
τ_3[b]	(MHz)	0.6068(11)	1.58(90)	1.25(220)
τ_{aaaa}	(MHz)	-2.963(3)	-10.2(45)	-17.5(450)
τ_{bbbb}	(MHz)	-0.01138(1)	-0.1296(146)	-0.01059(171)
τ_{cccc}	(MHz)	-0.00317(2)	-0.00394(83)	-0.00316(57)

[a]Uncertainties are one standard deviation.
[b]Value determined by setting $R_6 = 0$.

TABLE 32.2. Microwave spectrum of 1,4-pentadiyne C_5H_4

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{-1})$ - $J''(K_{+1},K_{+1})$	Vib. state	Ref.
$HCCCH_2CCH$	16899.14	(0.20)	2(1, 1) - 2(0, 2)		[81036]
	18018.53	(0.20)	6(0, 6) - 5(1, 5)	$1\nu_{21}$	[81036]
	18100.37	(0.20)	6(0, 6) - 5(1, 5)		[81036]
	18143.73	(0.20)	4(1, 3) - 4(0, 4)		[81036]
	18396.02	(0.20)	4(1, 3) - 4(0, 4)	$1\nu_{21}$	[81036]
	19071.16	(0.20)	5(1, 4) - 5(0, 5)		[81036]
	19343.51	(0.20)	5(1, 4) - 5(0, 5)	$1\nu_{21}$	[81036]
	20225.36	(0.20)	6(1, 5) - 6(0, 6)		[81036]
	20523.09	(0.20)	6(1, 5) - 6(0, 6)	$1\nu_{21}$	[81036]
	21596.93	(0.20)	1(1, 1) - 0(0, 0)		[81036]
	21627.28	(0.20)	7(1, 6) - 7(0, 7)		[81036]
	21823.07	(0.20)	1(1, 1) - 0(0, 0)	$1\nu_{21}$	[81036]
	21956.17	(0.20)	7(1, 6) - 7(0, 7)	$1\nu_{21}$	[81036]
	23299.28	(0.20)	8(1, 7) - 8(0, 8)		[81036]
	23665.60	(0.20)	8(1, 7) - 8(0, 8)	$1\nu_{21}$	[81036]
	24192.14	(0.20)	7(0, 7) - 6(1, 6)	$1\nu_{21}$	[81036]
	24244.96	(0.20)	7(0, 7) - 6(1, 6)		[81036]
	25264.01	(0.20)	9(1, 8) - 9(0, 9)		[81036]
	25674.78	(0.20)	9(1, 8) - 9(0, 9)	$1\nu_{21}$	[81036]
	26638.85	(0.20)	2(1, 2) - 1(0, 1)		[81036]
	26872.62	(0.20)	2(1, 2) - 1(0, 1)	$1\nu_{21}$	[81036]
	27542.53	(0.20)	10(1, 9) - 10(0,10)		[81036]
	28005.01	(0.20)	10(1, 9) - 10(0,10)	$1\nu_{21}$	[81036]
	30152.26	(0.20)	11(1,10) - 11(0,11)		[81036]
	30419.34	(0.20)	8(0, 8) - 7(1, 7)	$1\nu_{21}$	[81036]
	30442.87	(0.20)	8(0, 8) - 7(1, 7)		[81036]
	30674.16	(0.20)	11(1,10) - 11(0,11)	$1\nu_{21}$	[81036]
	31513.62	(0.20)	3(1, 3) - 2(0, 2)		[81036]
	31751.77	(0.20)	3(1, 3) - 2(0, 2)	$1\nu_{21}$	[81036]
	36227.87	(0.20)	4(1, 4) - 3(0, 3)		[81036]
	36466.88	(0.20)	4(1, 4) - 3(0, 3)	$1\nu_{21}$	[81036]
	100496.36	(0.20)	19(1,19) - 18(0,18)		[81036]
	101169.15	(0.20)	26(4,22) - 26(3,23)		[81036]
	101278.05	(0.20)	20(0,20) - 19(1,19)		[81036]
	101333.49	(0.20)	22(1,21) - 21(2,20)		[81036]
	102758.06	(0.20)	12(2,11) - 11(1,10)		[81036]
	103791.43	(0.20)	27(2,25) - 26(3,24)		[81036]
	104876.70	(0.20)	24(4,20) - 24(3,21)		[81036]
	105081.94	(0.20)	25(2,24) - 25(1,25)		[81036]
	105120.35	(0.20)	20(1,20) - 19(0,19)		[81036]
	106230.55	(0.20)	13(2,12) - 12(1,11)		[81036]
	106273.67	(0.20)	27(1,26) - 27(0,27)		[81036]
	106496.20	(0.20)	23(4,19) - 23(3,20)		[81036]
	106664.48	(0.20)	21(0,21) - 20(1,20)		[81036]
	109584.52	(0.20)	14(2,13) - 13(1,12)		[81036]
	109808.00	(0.20)	21(1,21) - 20(0,20)		[81036]
	111968.50	(0.20)	18(4,14) - 18(3,15)		[81036]
	111991.90	(0.20)	22(0,22) - 21(1,21)		[81036]
	112209.61	(0.20)	22(0,22) - 21(1,21)	$1\nu_{21}$	[81036]
	113790.93	(0.20)	14(4,10) - 14(3,11)		[81036]
	114197.88	(0.20)	12(4, 8) - 12(3, 9)		[81036]
	114255.51	(0.20)	6(3, 3) - 5(2, 4)		[81036]
	114324.65	(0.20)	11(4, 7) - 11(3, 8)		[81036]
	114353.96	(0.20)	16(4,13) - 16(3,14)		[81036]
	114362.56	(0.20)	15(4,12) - 15(3,13)		[81036]
	114364.44	(0.20)	17(4,14) - 17(3,15)		[81036]
	114383.65	(0.20)	14(4,11) - 14(3,12)		[81036]
	114401.67	(0.20)	18(4,15) - 18(3,16)		[81036]
	114411.77	(0.20)	13(4,10) - 13(3,11)		[81036]
	114414.55	(0.20)	10(4, 6) - 10(3, 7)		[81036]
	114442.45	(0.20)	12(4, 9) - 12(3,10)		[81036]
	114522.22	(0.20)	9(4, 6) - 9(3, 7)		[81036]
	114539.83	(0.20)	8(4, 5) - 8(3, 6)		[81036]
	114541.85	(0.20)	7(4, 3) - 7(3, 4)		[81036]
	114556.12	(0.20)	6(4, 2) - 6(3, 3)		[81036]
	114560.32	(0.20)	6(4, 3) - 6(3, 4)		[81036]
	114563.05	(0.20)	5(4, 1) - 5(3, 2)		[81036]

TABLE 32.2. Microwave spectrum of 1,4-pentadiyne — Continued C_5H_4

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{-1})$ - $J''(K_{+1},K_{+1})$	Vib. state	Ref.
	114564.45	(0.20)	5(4, 2) - 5(3, 3)		[81036]
	114756.95	(0.20)	22(1,22) - 21(0,21)	$1\nu_{21}$	[81036]
	116980.68	(0.20)	29(1,28) - 29(0,29)		[81036]
	117268.50	(0.20)	23(0,23) - 22(1,22)		[81036]
	122174.89	(0.20)	29(2,28) - 29(1,29)		[81036]
	122502.40	(0.20)	24(0,24) - 23(1,23)		[81036]
$DCCCH_2CCD$	18428.85	(0.20)	6(1, 5) - 6(0, 6)		[81036]
	19674.14	(0.20)	1(1, 1) - 0(0, 0)		[81036]
	19686.03	(0.20)	7(1, 6) - 7(0, 7)		[81036]
	21184.71	(0.20)	8(1, 7) - 8(0, 8)		[81036]
	22945.11	(0.20)	9(1, 8) - 9(0, 9)		[81036]
	24214.72	(0.20)	2(1, 2) - 1(0, 1)		[81036]
	24986.27	(0.20)	10(1, 9) - 10(0,10)		[81036]
	27194.30	(0.20)	8(0, 8) - 7(1, 7)		[81036]
	27323.91	(0.20)	11(1,10) - 11(0,11)		[81036]
	28604.97	(0.20)	3(1, 3) - 2(0, 2)		[81036]
	32804.24	(0.20)	9(0, 9) - 8(1, 8)		[81036]
	32850.84	(0.20)	4(1, 4) - 3(0, 3)		[81036]
	32928.62	(0.20)	13(1,12) - 13(0,13)		[81036]
	36199.12	(0.20)	14(1,13) - 14(0,14)		[81036]

Table 33.1. Molecular constants for 1,3-pentadiyne and deuterated isotopic species in the ground state.

Parameter	CH_3C_4H	CH_3C_4D	CD_3C_4H	CD_3C_4D
Rotational Constants				
B_o (MHz)	2035.74706(8)	1929.772(30)	1834.856(20)	1742.214(20)
D_{JK} (kHz)	19.8630(13)	18.3(1)	14.5(1)	13.5(1)
D_J (kHz)	0.086687(40)	0.06	0.1	0.1
H_{KJ} (Hz)	0.3278(37)			
H_{JK} (Hz)	0.03568(21)			
H_J (Hz)	0.0000130(66)			
Reference	[84035]	[55019]	[55019]	[55019]
Dipole Moment	[85035]			
μ (D)	1.2071(10)			

Table 33.2. Rotational constants for 1,3-pentadiyne in the first excited vibrational state (v=1)[a] and for various ^{13}C substituted forms in the ground state.[b]

Species	v	B_v (MHz)	q (MHz)	D_{JK} (kHz)	ζ	X^a (kHz)
CH_3C_4H	1	2040.14(2)	2.104	20.0	0.9	0.15
CH_3C_4D	1	1933.86(2)	1.956	18.7	0.92	0.20
CD_3C_4H	1	1838.69(2)	1.804	14.6	0.9	0.23
CD_3C_4D	1	1745.80(2)	1.684	14.0	0.9	0.23
$^{13}CH_3C_4H$	0	1982.68(4)				
$CH_3{}^{13}CC_3H$	0	2025.31(4)				
$CH_3C_2{}^{13}CCH$	0	2018.96(4)				
$CH_3C_3{}^{13}CH$	0	1980.22(4)				
$^{13}CH_3C_4D$	0	1879.93(4)				
$CH_3{}^{13}CC_3D$	0	1919.42(4)				
$CH_3C_2{}^{13}CCD$	0	1915.84(4)				
$CH_3C_3{}^{13}CD$	0	1881.88(4)				

[a]From reference [55019].
[b]From reference [57017].

TABLE 33.3. Microwave spectrum of methyl diacetylene C_5H_4

Isotopic species	Frequency (MHz)	Unc. (MHz)	J' K_{-1} - J" K_{+1}	Vib. state		Ref.
CH_3C_4H	20354.18	(0.10)	5(4) - 4(4)			[55019]
	20355.55	(0.10)	5(3) - 4(3)			[55019]
	20356.56	(0.10)	5(2) - 4(2)			[55019]
	20357.226	(0.014)	5(1) - 4(1)			[84036]
	20357.423	(0.014)	5(0) - 4(0)			[84036]
	20390.87	(0.10)	5(+1) - 4(+1)	$1\nu_1$	$\ell=+1$	[55019]
	20399.69	(0.10)	5(+2) - 4(+2)	$1\nu_1$	$\ell=-1$	[55019]
	20399.69	(0.10)	5(+4) - 4(+4)	$1\nu_1$	$\ell=+1$	[55019]
	20400.64	(0.10)	5(+1) - 4(+1)	$1\nu_1$	$\ell=-1$	[55019]
	20400.64	(0.10)	5(+3) - 4(+3)	$1\nu_1$	$\ell=+1$	[55019]
	20401.24	(0.10)	5(+2) - 4(+2)	$1\nu_1$	$\ell=+1$	[55019]
	20401.24	(0.10)	5(0) - 4(0)	$1\nu_1$	$\ell=+1$	[55019]
	20411.95	(0.10)	5(+1) - 4(+1)	$1\nu_1$	$\ell=+1$	[55019]
	24422.83	(0.10)	6(5) - 5(5)			[55019]
	24425.03	(0.10)	6(4) - 5(4)			[55019]
	24426.69	(0.10)	6(3) - 5(3)			[55019]
	24427.85	(0.10)	6(2) - 5(2)			[55019]
	24428.652	(0.016)	6(1) - 5(1)			[84036]
	24428.886	(0.016)	6(0) - 5(0)			[84036]
	24469.11	(0.10)	6(+1) - 5(+1)	$1\nu_1$	$\ell=+1$	[55019]
	24475.95	(0.10)	6(+4) - 5(+4)	$1\nu_1$	$\ell=-1$	[55019]
	24479.62	(0.10)	6(+2) - 5(+2)	$1\nu_1$	$\ell=-1$	[55019]
	24479.62	(0.10)	6(+4) - 5(+4)	$1\nu_1$	$\ell=+1$	[55019]
	24480.78	(0.10)	6(+1) - 5(+1)	$1\nu_1$	$\ell=-1$	[55019]
	24480.78	(0.10)	6(+3) - 5(+3)	$1\nu_1$	$\ell=+1$	[55019]
	24481.52	(0.10)	6(+2) - 5(+2)	$1\nu_1$	$\ell=+1$	[55019]
	24481.52	(0.10)	6(0) - 5(0)	$1\nu_1$	$\ell=+1$	[55019]
	24494.38	(0.10)	6(+1) - 5(+1)	$1\nu_1$	$\ell=+1$	[55019]
	36630.24	(0.10)	9(6) - 8(6)			[55019]
	36634.20	(0.10)	9(5) - 8(5)			[55019]
	36637.49	(0.10)	9(4) - 8(4)			[55019]
	36639.90	(0.10)	9(3) - 8(3)			[55019]
	36641.70	(0.10)	9(2) - 8(2)			[55019]
	36642.77	(0.10)	9(1) - 8(1)			[55019]
	36643.08	(0.10)	9(0) - 8(0)			[55019]
	36703.62	(0.10)	9(+1) - 8(+1)	$1\nu_1$	$\ell=+1$	[55019]
	36710.05	(0.10)	9(+5) - 8(+5)	$1\nu_1$	$\ell=-1$	[55019]
	36713.83	(0.10)	9(+4) - 8(+4)	$1\nu_1$	$\ell=-1$	[55019]
	36716.90	(0.10)	9(+5) - 8(+5)	$1\nu_1$	$\ell=+1$	[55019]
	36716.90	(0.10)	9(+3) - 8(+3)	$1\nu_1$	$\ell=-1$	[55019]
	36719.38	(0.10)	9(+4) - 8(+4)	$1\nu_1$	$\ell=+1$	[55019]
	36719.38	(0.10)	9(+2) - 8(+2)	$1\nu_1$	$\ell=-1$	[55019]
	36721.20	(0.10)	9(+3) - 8(+3)	$1\nu_1$	$\ell=+1$	[55019]
	36721.20	(0.10)	9(+1) - 8(+1)	$1\nu_1$	$\ell=-1$	[55019]
	36722.30	(0.10)	9(+2) - 8(+2)	$1\nu_1$	$\ell=+1$	[55019]
	36722.30	(0.10)	9(0) - 8(0)	$1\nu_1$	$\ell=+1$	[55019]
	36741.46	(0.10)	9(+1) - 8(+1)	$1\nu_1$	$\ell=+1$	[55019]
	40695.10	(0.10)	10(7) - 9(7)			[55019]
	40700.28	(0.10)	10(6) - 9(6)			[55019]
	40704.62	(0.10)	10(5) - 9(5)			[55019]
	40708.20	(0.10)	10(4) - 9(4)			[55019]
	40710.96	(0.10)	10(3) - 9(3)			[55019]
	40712.96	(0.10)	10(2) - 9(2)			[55019]
	40714.14	(0.10)	10(1) - 9(1)			[55019]
	40714.56	(0.10)	10(0) - 9(0)			[55019]
	44750.52	(0.10)	11(9) - 10(9)			[55019]
	44764.52	(0.10)	11(7) - 10(7)			[55019]
	44770.20	(0.10)	11(6) - 10(6)			[55019]
	44775.04	(0.10)	11(5) - 10(5)			[55019]
	44778.98	(0.10)	11(4) - 10(4)			[55019]
	44782.02	(0.10)	11(3) - 10(3)			[55019]
	44784.16	(0.10)	11(2) - 10(2)			[55019]
	44785.48	(0.10)	11(1) - 10(1)			[55019]
	44785.92	(0.10)	11(0) - 10(0)			[55019]
	146238.500	(0.005)	36(15) - 35(15)			[84035]
	146279.553	(0.005)	36(14) - 35(14)			[84035]
	146317.722	(0.005)	36(13) - 35(13)			[84035]

TABLE 33.3. Microwave spectrum of methyl diacetylene — Continued C_5H_4

Isotopic species	Frequency (MHz)	Unc. (MHz)	J' K_{-1} - J" K_{+1}	Vib. state		Ref.
	146353.109	(0.005)	36(12) - 35(12)			[84035]
	146385.722	(0.005)	36(11) - 35(11)			[84035]
	146415.497	(0.005)	36(10) - 35(10)			[84035]
	146442.465	(0.005)	36(9) - 35(9)			[84035]
	146466.609	(0.005)	36(8) - 35(8)			[84035]
	146487.914	(0.005)	36(7) - 35(7)			[84035]
	146506.397	(0.005)	36(6) - 35(6)			[84035]
	146522.046	(0.005)	36(5) - 35(5)			[84035]
	146534.848	(0.005)	36(4) - 35(4)			[84035]
	146544.810	(0.005)	36(3) - 35(3)			[84035]
	146551.920	(0.005)	36(2) - 35(2)			[84035]
	146556.188	(0.005)	36(1) - 35(1)			[84035]
	146557.620	(0.005)	36(0) - 35(0)			[84035]
CH_3C_4D	19296.08	(0.10)	5(3) - 4(3)			[55019]
	19296.98	(0.10)	5(2) - 4(2)			[55019]
	19297.52	(0.10)	5(1) - 4(1)			[55019]
	19297.70	(0.10)	5(0) - 4(0)			[55019]
	19328.94	(0.10)	5(+1) - 4(+1)	$1\nu_1$	$\ell=+1$	[55019]
	19335.80	(0.10)	5(+3) - 4(+3)	$1\nu_1$	$\ell=-1$	[55019]
	19337.14	(0.10)	5(+2) - 4(+2)	$1\nu_1$	$\ell=-1$	[55019]
	19337.14	(0.10)	5(+4) - 4(+4)	$1\nu_1$	$\ell=+1$	[55019]
	19338.02	(0.10)	5(+1) - 4(+1)	$1\nu_1$	$\ell=-1$	[55019]
	19338.02	(0.10)	5(+3) - 4(+3)	$1\nu_1$	$\ell=+1$	[55019]
	19338.58	(0.10)	5(0) - 4(0)	$1\nu_1$	$\ell=+1$	[55019]
	19338.58	(0.10)	5(+2) - 4(+2)	$1\nu_1$	$\ell=+1$	[55019]
	19348.50	(0.10)	5(+1) - 4(+1)	$1\nu_1$	$\ell=+1$	[55019]
	23151.67	(0.10)	6(5) - 5(5)			[55019]
	23153.71	(0.10)	6(4) - 5(4)			[55019]
	23155.25	(0.10)	6(3) - 5(3)			[55019]
	23156.34	(0.10)	6(2) - 5(2)			[55019]
	23156.99	(0.10)	6(1) - 5(1)			[55019]
	23157.21	(0.10)	6(0) - 5(0)			[55019]
	23194.67	(0.10)	6(+1) - 5(+1)	$1\nu_1$	$\ell=+1$	[55019]
	23202.96	(0.10)	6(+3) - 5(+3)	$1\nu_1$	$\ell=-1$	[55019]
	23204.48	(0.10)	6(+2) - 5(+2)	$1\nu_1$	$\ell=-1$	[55019]
	23204.48	(0.10)	6(+4) - 5(+4)	$1\nu_1$	$\ell=+1$	[55019]
	23205.54	(0.10)	6(+3) - 5(+3)	$1\nu_1$	$\ell=+1$	[55019]
	23205.54	(0.10)	6(+1) - 5(+1)	$1\nu_1$	$\ell=-1$	[55019]
	23206.23	(0.10)	6(+2) - 5(+2)	$1\nu_1$	$\ell=+1$	[55019]
	23206.23	(0.10)	6(0) - 5(0)	$1\nu_1$	$\ell=+1$	[55019]
	23218.17	(0.10)	6(+1) - 5(+1)	$1\nu_1$	$\ell=+1$	[55019]
	42434.89	(0.10)	11(7) - 10(7)			[55019]
	42440.20	(0.10)	11(6) - 10(6)			[55019]
	42444.61	(0.10)	11(5) - 10(5)			[55019]
	42448.24	(0.10)	11(4) - 10(4)			[55019]
	42451.03	(0.10)	11(3) - 10(3)			[55019]
	42453.05	(0.10)	11(2) - 10(2)			[55019]
	42454.25	(0.10)	11(1) - 10(1)			[55019]
	42454.66	(0.10)	11(0) - 10(0)			[55019]
	46298.32	(0.10)	12(6) - 11(6)			[55019]
	46303.13	(0.10)	12(5) - 11(5)			[55019]
	46307.07	(0.10)	12(4) - 11(4)			[55019]
	46310.16	(0.10)	12(3) - 11(3)			[55019]
	46312.36	(0.10)	12(2) - 11(2)			[55019]
	46313.66	(0.10)	12(1) - 11(1)			[55019]
	46314.11	(0.10)	12(0) - 11(0)			[55019]
	46389.10	(0.10)	12(+1) - 11(+1)	$1\nu_1$	$\ell=+1$	[55019]
	46389.94	(0.10)	12(+8) - 11(+8)	$1\nu_1$	$\ell=+1$	[55019]
	46390.82	(0.10)	12(+6) - 11(+6)	$1\nu_1$	$\ell=-1$	[55019]
	46396.24	(0.10)	12(+7) - 11(+7)	$1\nu_1$	$\ell=+1$	[55019]
	46396.90	(0.10)	12(+5) - 11(+5)	$1\nu_1$	$\ell=-1$	[55019]
	46405.40	(0.10)	12(+3) - 11(+3)	$1\nu_1$	$\ell=-1$	[55019]
	46405.40	(0.10)	12(+5) - 11(+5)	$1\nu_1$	$\ell=+1$	[55019]
	46408.54	(0.10)	12(+2) - 11(+2)	$1\nu_1$	$\ell=-1$	[55019]
	46408.54	(0.10)	12(+4) - 11(+4)	$1\nu_1$	$\ell=+1$	[55019]
	46410.76	(0.10)	12(+3) - 11(+3)	$1\nu_1$	$\ell=+1$	[55019]
	46410.76	(0.10)	12(+1) - 11(+1)	$1\nu_1$	$\ell=-1$	[55019]

TABLE 33.3. Microwave spectrum of methyl diacetylene — Continued C_5H_4

Isotopic species	Frequency (MHz)	Unc. (MHz)	J′ K_{-1} - J″ K_{+1}	Vib. state		Ref.
	46411.82	(0.10)	12(0) - 11(0)	$1\nu_1$	$\ell=+1$	[55019]
	46412.42	(0.10)	12(+2) - 11(+2)	$1\nu_1$	$\ell=+1$	[55019]
	46436.04	(0.10)	12(+1) - 11(+1)	$1\nu_1$	$\ell=+1$	[55019]
CD_3C_4H	25684.57	(0.10)	7(4) - 6(4)			[55019]
	25686.05	(0.10)	7(3) - 6(3)			[55019]
	25687.03	(0.10)	7(2) - 6(2)			[55019]
	25687.66	(0.10)	7(1) - 6(1)			[55019]
	25687.84	(0.10)	7(0) - 6(0)			[55019]
	33010.35	(0.10)	9(8) - 8(8)			[55019]
	33014.30	(0.10)	9(7) - 8(7)			[55019]
	33017.74	(0.10)	9(6) - 8(6)			[55019]
	33020.60	(0.10)	9(5) - 8(5)			[55019]
	33022.94	(0.10)	9(4) - 8(4)			[55019]
	33024.77	(0.10)	9(3) - 8(3)			[55019]
	33026.08	(0.10)	9(2) - 8(2)			[55019]
	33026.86	(0.10)	9(1) - 8(1)			[55019]
	33027.09	(0.10)	9(0) - 8(0)			[55019]
	33080.20	(0.10)	9(+1) - 8(+1)	$1\nu_1$	$\ell=+1$	[55019]
	33083.30	(0.10)	9(+8) - 8(+8)	$1\nu_1$	$\ell=+1$	[55019]
	33087.11	(0.10)	9(+5) - 8(+5)	$1\nu_1$	$\ell=-1$	[55019]
	33089.98	(0.10)	9(+4) - 8(+4)	$1\nu_1$	$\ell=-1$	[55019]
	33092.23	(0.10)	9(+3) - 8(+3)	$1\nu_1$	$\ell=-1$	[55019]
	33092.23	(0.10)	9(+5) - 8(+5)	$1\nu_1$	$\ell=+1$	[55019]
	33094.08	(0.10)	9(+2) - 8(+2)	$1\nu_1$	$\ell=-1$	[55019]
	33094.08	(0.10)	9(+4) - 8(+4)	$1\nu_1$	$\ell=+1$	[55019]
	33095.39	(0.10)	9(+1) - 8(+1)	$1\nu_1$	$\ell=-1$	[55019]
	33095.39	(0.10)	9(+3) - 8(+3)	$1\nu_1$	$\ell=+1$	[55019]
	33096.06	(0.10)	9(0) - 8(0)	$1\nu_1$	$\ell=+1$	[55019]
	33096.27	(0.10)	9(+2) - 8(+2)	$1\nu_1$	$\ell=+1$	[55019]
	33112.67	(0.10)	9(+1) - 8(+1)	$1\nu_1$	$\ell=+1$	[55019]
	44023.24	(0.10)	12(6) - 11(6)			[55019]
	44027.08	(0.10)	12(5) - 11(5)			[55019]
	44030.18	(0.10)	12(4) - 11(4)			[55019]
	44032.64	(0.10)	12(3) - 11(3)			[55019]
	44034.42	(0.10)	12(2) - 11(2)			[55019]
	44035.48	(0.10)	12(1) - 11(1)			[55019]
	44035.80	(0.10)	12(0) - 11(0)			[55019]
CD_3C_4D	24386.10	(0.10)	7(5) - 6(5)			[55019]
	24387.83	(0.10)	7(4) - 6(4)			[55019]
	24389.17	(0.10)	7(3) - 6(3)			[55019]
	24390.12	(0.10)	7(2) - 6(2)			[55019]
	24390.68	(0.10)	7(1) - 6(1)			[55019]
	24390.85	(0.10)	7(0) - 6(0)			[55019]
	34822.04	(0.10)	10(9) - 9(9)			[55019]
	34826.67	(0.10)	10(8) - 9(8)			[55019]
	34830.70	(0.10)	10(7) - 9(7)			[55019]
	34834.26	(0.10)	10(6) - 9(6)			[55019]
	34837.21	(0.10)	10(5) - 9(5)			[55019]
	34839.63	(0.10)	10(4) - 9(4)			[55019]
	34841.53	(0.10)	10(3) - 9(3)			[55019]
	34842.86	(0.10)	10(2) - 9(2)			[55019]
	34843.65	(0.10)	10(1) - 9(1)			[55019]
	34843.89	(0.10)	10(0) - 9(0)			[55019]
	34898.93	(0.10)	10(+1) - 9(+1)	$1\nu_1$	$\ell=+1$	[55019]
	34909.06	(0.10)	10(+4) - 9(+4)	$1\nu_1$	$\ell=-1$	[55019]
	34911.46	(0.10)	10(+3) - 9(+3)	$1\nu_1$	$\ell=-1$	[55019]
	34911.46	(0.10)	10(+5) - 9(+5)	$1\nu_1$	$\ell=+1$	[55019]
	34913.28	(0.10)	10(+4) - 9(+4)	$1\nu_1$	$\ell=+1$	[55019]
	34913.28	(0.10)	10(+2) - 9(+2)	$1\nu_1$	$\ell=-1$	[55019]
	34914.63	(0.10)	10(+1) - 9(+1)	$1\nu_1$	$\ell=-1$	[55019]
	34914.63	(0.10)	10(+3) - 9(+3)	$1\nu_1$	$\ell=+1$	[55019]
	34915.35	(0.10)	10(0) - 9(0)	$1\nu_1$	$\ell=+1$	[55019]
	34915.70	(0.10)	10(+2) - 9(+2)	$1\nu_1$	$\ell=+1$	[55019]
	34932.59	(0.10)	10(+1) - 9(+1)	$1\nu_1$	$\ell=+1$	[55019]
	45284.10	(0.10)	13(6) - 12(6)			[55019]
	45287.88	(0.10)	13(5) - 12(5)			[55019]
	45291.10	(0.10)	13(4) - 12(4)			[55019]

TABLE 33.3. Microwave spectrum of methyl diacetylene — Continued C_5H_4

Isotopic species	Frequency (MHz)	Unc. (MHz)	J' K_{-1} - J" K_{+1}	Vib. state	Ref.
	45293.56	(0.10)	13(3) - 12(3)		[55019]
	45295.30	(0.10)	13(2) - 12(2)		[55019]
	45296.40	(0.10)	13(1) - 12(1)		[55019]
	45296.66	(0.10)	13(0) - 12(0)		[55019]

Table 34.1. Molecular constants for cyclopentadiene.

Parameter	Value
Rotational Constants [present analysis]	
A" (MHz)	6426.1205(69)
B" (MHz)	8225.6602(12)
C" (MHz)	4271.4441(31)
τ_1 (MHz)	-0.02703(603)
τ_2 (MHz)	-0.00822(203)
τ_3[a] (MHz)	1.37(20)
τ_{aaaa} (MHz)	-0.01347(199)
τ_{bbbb} (MHz)	-0.01484(228)
Dipole Moment [65030]	
μ_b	0.419(4) D
Magnetic Constants [70065]	
g_{aa}	-0.0700(3) μ_N
g_{bb}	-0.0827(3) μ_N
g_{cc}	0.0385(2) μ_N
$2\chi_{aa}-\chi_{bb}-\chi_{cc}$	$+30.7(3)\times10^{-6}$ erg/(G^2·mol)
$2\chi_{bb}-\chi_{aa}-\chi_{cc}$	$+37.8(3)\times10^{-6}$ erg/(G^2·mol)
Q_{aa}	$1.4(4)\times10^{-26}$ esu·cm^2
Q_{bb}	$3.7(4)\times10^{-26}$ esu·cm^2
Q_{cc}	$-5.1(5)\times10^{-26}$ esu·cm^2

[a]Value determined by setting R_6 = 0.

Table 34.2. Rotational constants for ^{13}C substituted cyclopentadiene. [65030]

Parameter	$^{13}C_1$[a]	$^{13}C_2$	$^{13}C_3$
A (MHz)	8226.04(3)	8420.02(3)	8345.11(3)
B (MHz)	8219.46(3)	8040.41(3)	8108.70(3)
C (MHz)	4217.76(3)	4119.40(3)	4119.07(3)

[a]Atom numbering is as follows: $C_1H_2C_2H{=}C_3HC_4H{=}C_5H$ where C_3 and C_4 and C_3 and C_5 are equivalent.

TABLE 34.3. Microwave spectrum of cyclopentadiene C_5H_6

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Ref.
$CH_2CHCHCHCH$	11869.990	(0.050)	2(1, 1) - 2(0, 2)	[65030]
	12697.560	(0.008)	1(1, 1) - 0(0, 0)	[70065]
	19658.900	(0.100)	7(5, 2) - 7(4, 3)	[56018]
	19914.700	(0.100)	6(4, 2) - 6(3, 3)	[56018]
	20085.220	(0.100)	5(3, 2) - 5(2, 3)	[56018]
HC—CH	20186.990	(0.050)	4(2, 2) - 4(1, 3)	[65030]
‖ ‖	20239.702	(0.020)	3(1, 2) - 3(0, 3)	[70065]
HC CH	20276.615	(0.020)	3(2, 2) - 3(1, 3)	[70065]
\ /	20291.300	(0.100)	12(12, 1) - 12(11, 2)	[56018]
CH_2	20296.530	(0.050)	4(3, 2) - 4(2, 3)	[65030]
	20336.680	(0.050)	5(4, 2) - 5(3, 3)	[65030]
	20406.400	(0.100)	6(5, 2) - 6(4, 3)	[56018]
	21032.498	(0.009)	2(0, 2) - 1(1, 1)	[70065]
	21240.397	(0.010)	2(1, 2) - 1(0, 1)	[70065]
	29549.691	(0.010)	2(2, 1) - 1(1, 0)	[70065]
	29678.259	(0.020)	3(0, 3) - 2(1, 2)	[70065]
	29685.863	(0.010)	3(1, 3) - 2(0, 2)	[70065]
$^{13}CH_2CHCHCHCH$	11965.43	(0.05)	5(4, 1) - 5(4, 2)	[65030]
	11981.95	(0.05)	4(3, 1) - 4(3, 2)	[65030]
	11995.20	(0.05)	3(2, 1) - 3(2, 2)	[65030]
	12024.86	(0.05)	2(2, 1) - 2(0, 2)	[65030]
	12034.69	(0.05)	3(3, 1) - 3(1, 2)	[65030]
	12064.32	(0.05)	5(3, 2) - 5(5, 1)	[65030]
	20872.74	(0.05)	2(1, 2) - 1(1, 1)	[65030]
	28876.14	(0.05)	2(1, 1) - 1(1, 0)	[65030]
	29311.54	(0.05)	3(3, 0) - 2(2, 0)	[65030]
	37311.57	(0.05)	3(2, 2) - 2(2, 1)	[65030]
	37331.25	(0.05)	3(1, 2) - 2(1, 1)	[65030]
$CH_2{}^{13}CHCHCHCH$	11489.92	(0.05)	2(1, 1) - 2(0, 2)	[65030]
	19418.77	(0.05)	5(3, 2) - 5(2, 3)	[65030]
	19754.90	(0.05)	4(2, 2) - 4(1, 3)	[65030]
	20070.25	(0.05)	3(2, 2) - 3(1, 3)	[65030]
	20281.58	(0.05)	5(4, 2) - 5(3, 3)	[65030]
	20671.73	(0.05)	2(0, 2) - 1(1, 1)	[65030]
$CH_2CH^{13}CHCHCH$	20755.44	(0.05)	2(0, 2) - 1(1, 1)	[65030]
$CH_2{}^{13}CHCHCHCH$	21078.23	(0.05)	2(1, 2) - 1(0, 1)	[65030]
	29309.79	(0.05)	3(0, 3) - 2(1, 2)	[65030]
	29337.87	(0.05)	3(1, 3) - 2(0, 2)	[65030]
	29479.47	(0.05)	2(2, 1) - 1(1, 0)	[65030]
$CH_2CH^{13}CHCHCH$	11679.34	(0.05)	2(1, 1) - 2(0, 2)	[65030]
	19920.14	(0.05)	4(2, 2) - 4(1, 3)	[65030]
	19779.11	(0.05)	5(3, 2) - 5(2, 3)	[65030]
	20045.53	(0.05)	3(2, 2) - 3(1, 3)	[65030]
	20129.60	(0.05)	5(4, 2) - 5(3, 3)	[65030]
	20991.80	(0.05)	2(0, 2) - 1(0, 1)	[65030]
	21002.32	(0.05)	2(1, 2) - 1(0, 1)	[65030]
	28545.06	(0.05)	2(1, 1) - 1(1, 0)	[65030]
	29254.40	(0.05)	2(2, 1) - 1(1, 0)	[65030]
	29326.24	(0.05)	3(1, 3) - 2(0, 2)	[65030]

Table 35.1. Molecular constants for 1-penten-3-yne.

Parameter		CH_2=CHCCCH$_3$
A	(GHz)	36.8(17)
B	(MHz)	2126.90(10)
C	(MHz)	2026.32(10)
Dipole Moment [71045]		
μ_a	(D)	0.571(2)
μ_b	(D)	0.334(41)

TABLE 35.2. Microwave spectrum of 1-penten-3-yne C_5H_6

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Ref.
$CH_2CHCCCH_3$	8205.87	(0.10)	2(1, 2) - 1(1, 1)	[71045]
	8306.08	(0.10)	2(0, 2) - 1(0, 1)	[71045]
	8407.04	(0.10)	2(1, 1) - 1(1, 0)	[71045]
	12308.71	(0.10)	3(1, 3) - 2(1, 2)	[71045]
	12458.68	(0.10)	3(0, 3) - 2(0, 2)	[71045]
	12610.44	(0.10)	3(1, 2) - 2(1, 1)	[71045]
	16411.31	(0.10)	4(1, 4) - 3(1, 3)	[71045]
	16813.73	(0.10)	4(1, 3) - 3(1, 2)	[71045]
	20513.72	(0.10)	5(1, 5) - 4(1, 4)	[71045]
	21016.46	(0.10)	5(1, 4) - 4(1, 3)	[71045]
	24615.90	(0.10)	6(1, 6) - 5(1, 5)	[71045]
	25219.37	(0.10)	6(1, 5) - 5(1, 4)	[71045]
	29421.74	(0.10)	7(1, 6) - 6(1, 5)	[71045]

Table 36.1. Rotational constants and dipole moment for normal and deuterated cyclopropylacetylene.

Parameter	$C_3H_5C{\equiv}CH$	$C_3H_5C{\equiv}CD$
A (MHz)	15722.90(133)	15653.(63)
B (MHz)	3360.006(4)	3139.67(2)
C (MHz)	3192.703(4)	2997.95(2)
μ_a (D)	0.891(10)	
μ_c (D)	0.048(10)	
References	[83051] [72062]	[72062]

Table 36.2. Rotational constants for ^{13}C isotopic forms of cyclopropylacetylene.

Isotopic Species	A (MHz)	B (MHz)	C (MHz)
Rotational Constants [83051]			
$CH_2CH_2{}^{13}CHCCH$ (1-^{13}C)	15538.76(3604)	3350.53(2)	3190.99(2)
$CH_2{}^{13}CH_2CHCCH$ (2-^{13}C)	15426.69(2363)	3319.58(2)	3146.32(2)
$CH_2CH_2CH^{13}CCH$ (4-^{13}C)	15681.92(2400)	3334.68(2)	3170.33(2)
$CH_2CH_2CHC^{13}CH$ (5-^{13}C)	15772.14(2171)	3254.22(2)	3097.90(1)

TABLE 36.3. Microwave spectrum of cyclopropylacetylene C_5H_6

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Ref.
$CH_2CH_2CH(CCH)$	12938.25	(0.05)	2(1, 2) - 1(1, 1)	[72062]
	13103.80	(0.05)	2(0, 2) - 1(0, 1)	[72062]
	13272.72	(0.05)	2(1, 1) - 1(1, 0)	[72062]
	19406.24	(0.05)	3(1, 3) - 2(1, 2)	[72062]
	19651.50	(0.05)	3(0, 3) - 2(0, 2)	[72062]
H_2C-CH_2	19658.18	(0.05)	3(2, 2) - 2(2, 1)	[72062]
\/	19664.80	(0.05)	3(2, 1) - 2(2, 0)	[72062]
CH	19908.02	(0.05)	3(1, 2) - 2(1, 1)	[72062]
|	25872.90	(0.05)	4(1, 4) - 3(1, 3)	[72062]
C	26193.97	(0.05)	4(0, 4) - 3(0, 3)	[72062]
‖	26209.56	(0.05)	4(2, 3) - 3(2, 2)	[72062]
CH	26214.59	(0.05)	4(3, 1) - 3(3, 0)	[72062]
	26214.59	(0.05)	4(3, 2) - 3(3, 1)	[72062]
	26226.20	(0.05)	4(2, 2) - 3(2, 1)	[72062]
	26541.96	(0.05)	4(1, 3) - 3(1, 2)	[72062]
	28051.36	(0.05)	18(1,17) - 18(1,18)	[83051]
	31026.02	(0.05)	19(1,18) - 19(1,19)	[83051]
	34110.84	(0.05)	20(1,19) - 20(1,20)	[83051]
	37294.97	(0.05)	21(1,20) - 21(1,21)	[83051]
$CH_2CH_2CH(CCD)$	12133.54	(0.05)	2(1, 2) - 1(1, 1)	[72062]
	12274.03	(0.05)	2(0, 2) - 1(0, 1)	[72062]
	12416.95	(0.05)	2(1, 1) - 1(1, 0)	[72062]
	18199.50	(0.05)	3(1, 3) - 2(1, 2)	[72062]
	18408.02	(0.05)	3(0, 3) - 2(0, 2)	[72062]
	18412.89	(0.05)	3(2, 2) - 2(2, 1)	[72062]
	18417.59	(0.05)	3(2, 1) - 2(2, 0)	[72062]
	18624.67	(0.05)	3(1, 2) - 2(1, 1)	[72062]
$CH_2CH_2{}^{13}CH(CCH)$	32302.18	(0.05)	5(1, 5) - 4(1, 4)	[83051]
	32704.17	(0.05)	5(2, 4) - 4(2, 3)	[83051]
	32711.22	(0.05)	5(4, 1) - 4(4, 0)	[83051]
	32712.90	(0.05)	5(3, 3) - 4(3, 2)	[83051]
	32735.28	(0.05)	5(2, 3) - 4(2, 2)	[83051]
	33099.62	(0.05)	5(1, 4) - 4(1, 3)	[83051]
	38758.14	(0.05)	6(1, 5) - 5(1, 5)	[83051]
	39241.85	(0.05)	6(2, 5) - 5(2, 4)	[83051]
	39296.24	(0.05)	6(2, 4) - 5(2, 3)	[83051]
	39714.88	(0.05)	6(1, 5) - 5(1, 4)	[83051]
$CH_2{}^{13}CH_2CH(CCH)$	31888.41	(0.05)	5(1, 5) - 4(1, 4)	[83051]
	32292.78	(0.05)	5(0, 5) - 4(0, 4)	[83051]
	32325.48	(0.05)	5(2, 4) - 4(2, 3)	[83051]
	32333.81	(0.05)	5(4, 1) - 4(4, 0)	[83051]
	32362.44	(0.05)	5(2, 3) - 4(2, 2)	[83051]
	38261.00	(0.05)	6(1, 6) - 5(1, 5)	[83051]
	38730.90	(0.05)	6(0, 6) - 5(0, 5)	[83051]
	38786.90	(0.05)	6(2, 5) - 5(2, 4)	[83051]
	38851.26	(0.05)	6(2, 4) - 5(2, 3)	[83051]
	39299.92	(0.05)	6(1, 5) - 5(1, 4)	[83051]
$CH_2CH_2CH(^{13}CCH)$	32107.28	(0.05)	5(1, 5) - 4(1, 4)	[83051]
	32521.56	(0.05)	5(2, 4) - 4(2, 3)	[83051]
	32554.05	(0.05)	5(2, 3) - 4(2, 2)	[83051]
	38524.22	(0.05)	6(1, 6) - 5(1, 5)	[83051]
	38973.20	(0.05)	6(0, 6) - 5(0, 5)	[83051]
	39022.64	(0.05)	6(2, 5) - 5(2, 4)	[83051]
	39039.00	(0.05)	6(3, 4) - 5(3, 3)	[83051]
	39079.52	(0.05)	6(2, 4) - 5(2, 3)	[83051]
$CH_2CH_2CH(C^{13}CH)$	31363.66	(0.05)	5(1, 5) - 4(1, 4)	[83051]
	31731.59	(0.05)	5(0, 5) - 4(0, 4)	[83051]
	31757.48	(0.05)	5(2, 4) - 4(2, 3)	[83051]
	31765.63	(0.05)	5(3, 3) - 4(3, 2)	[83051]
	31786.68	(0.05)	5(2, 3) - 4(2, 2)	[83051]
	32145.08	(0.05)	5(1, 4) - 4(1, 3)	[83051]
	37632.28	(0.05)	6(1, 6) - 5(1, 5)	[83051]
	38061.62	(0.05)	6(0, 6) - 5(0, 5)	[83051]
	38106.06	(0.05)	6(2, 5) - 5(2, 4)	[83051]
	38116.33	(0.05)	6(5, 1) - 5(5, 0)	[83051]
	38117.60	(0.05)	6(4, 2) - 5(4, 1)	[83051]
	38120.38	(0.05)	6(3, 4) - 5(3, 3)	[83051]
	38157.09	(0.05)	6(2, 4) - 5(2, 3)	[83051]

Table 37.1. Molecular constants for 2-methyl-1-buten-3-yne.

Parameter	$CH_2{=}C(CH_3){-}C{\equiv}CH$
Rotation-Internal Rotation Constants [present]	
A (MHz)	9359.699(32)
B (MHz)	4013.514(20)
C (MHz)	2854.749(11)
Δ_{JK} (kHz)	15.9(12)
δ_J (kHz)	0.45(18)
δ_K (kHz)	5.9(30)
I_α (u Å^2)	3.133[a]
θ	59.2[a]
V_3 (cm^{-1})	2016.(40)
Electric Dipole Moment [69067]	
μ_a (D)	0.448(15)
μ_b (D)	0.248(10)

[a]Assumed value.

TABLE 37.2. Microwave spectrum of 2-methyl-1-buten-3-yne C_5H_6

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Sym.	Ref.
$CH_2C(CH_3)$ CCH	10108.5	(0.1)	3(1, 2) - 3(0, 3)	*A*	[69067]
	12214.6	(0.1)	1(1, 1) - 0(0, 0)	*A*	[69067]
CH_3	12578.0	(0.1)	2(1, 2) - 1(1, 1)	*A*	[69067]
|	13567.9	(0.1)	2(0, 2) - 1(0, 1)	*A*	[69067]
$H_2C{=}CCCH$	14680.8	(0.1)	4(2, 2) - 4(1, 3)	*A*	[69067]
	14895.3	(0.1)	2(1, 1) - 1(1, 0)	*A*	[69067]
	14955.9	(0.1)	5(2, 3) - 5(1, 4)	*A*	[69067]
	15235.5	(0.1)	3(2, 1) - 3(1, 2)	*A*	[69067]
	17924.0	(0.1)	2(1, 2) - 1(0, 1)	*A*	[69067]
	18767.9	(0.1)	3(1, 3) - 2(1, 2)	*A*	[69067]
	19942.73	(0.10)	8(2, 6) - 8(2, 7)	*E*	[69067]
	19943.1	(0.1)	8(2, 6) - 8(2, 7)	*A*	[69067]
	19952.3	(0.1)	3(0, 3) - 2(0, 2)	*A*	[69067]
	20604.5	(0.1)	3(2, 2) - 2(2, 1)	*A*	[69067]
	21256.9	(0.1)	3(2, 1) - 2(2, 0)	*A*	[69067]
	22228.4	(0.1)	3(1, 2) - 2(1, 1)	*A*	[69067]
	23124.0	(0.1)	3(1, 3) - 2(0, 2)	*A*	[69067]
	23332.5	(0.1)	8(2, 6) - 8(1, 7)	*A*	[69067]
	23332.23	(0.10)	8(2, 6) - 8(1, 7)	*E*	[69067]
	23800.6	(0.1)	6(1, 5) - 6(0, 6)	*E*	[69067]
	23800.9	(0.1)	6(1, 5) - 6(0, 6)	*A*	[69067]
	24859.8	(0.1)	4(1, 4) - 3(1, 3)	*A*	[69067]
	25964.7	(0.1)	4(0, 4) - 3(0, 3)	*A*	[69067]
	27340.5	(0.1)	4(2, 3) - 3(2, 2)	*A*	[69067]
	27767.8	(0.1)	4(3, 2) - 3(3, 1)	*A*	[69067]
	27859.38	(0.10)	4(3, 1) - 3(3, 0)	*E*	[69067]
	27859.6	(0.1)	4(3, 1) - 3(3, 0)	*A*	[69067]
	28847.7	(0.1)	4(2, 2) - 3(2, 1)	*A*	[69067]
	29402.6	(0.1)	4(1, 3) - 3(1, 2)	*A*	[69067]
	30849.6	(0.1)	5(1, 5) - 4(1, 4)	*A*	[69067]
	30933.5	(0.1)	2(2, 1) - 1(1, 0)	*A*	[69067]
	30961.4	(0.1)	5(3, 3) - 5(2, 4)	*A*	[69067]
	31692.5	(0.1)	5(0, 5) - 4(0, 4)	*A*	[69067]
	32261.1	(0.1)	2(2, 0) - 1(1, 1)	*A*	[69067]
	32268.1	(0.1)	6(3, 4) - 6(2, 5)	*A*	[69067]
	33966.5	(0.1)	5(2, 4) - 4(2, 3)	*A*	[69067]
	34713.0	(0.1)	5(4, 2) - 4(4, 1)	*A*	[69067]
	34714.12	(0.10)	5(4, 2) - 4(4, 1)	*E*	[69067]
	34721.14	(0.10)	5(4, 1) - 4(4, 0)	*E*	[69067]
	34722.4	(0.1)	5(4, 1) - 4(4, 0)	*A*	[69067]
	34775.2	(0.1)	5(3, 3) - 4(3, 2)	*A*	[69067]
	35087.3	(0.1)	5(3, 2) - 4(3, 1)	*A*	[69067]
	36606.2	(0.1)	5(2, 3) - 4(2, 2)	*A*	[69067]
	36606.08	(0.10)	5(2, 3) - 4(2, 2)	*E*	[69067]

Table 38.1. Molecular constants for cis-3-penten-1-yne.

Parameter	$CH_3CH{=}CHC{\equiv}CH$
A (MHz)	11792.088(63)
B (MHz)	3388.222(18)
C (MHz)	2672.221(20)
Δ_J (MHz)	0.00230(16)
Δ_{JK} (MHz)	-0.0132(12)
δ_J (MHz)	0.00088(27)
Internal Rotation Constants	
I_α (u Å^2)	3.16 (assumed)
θ	76.8(2)°
s	31.63
V_3 (cm^{-1})	389.3(10)

TABLE 38.2. Microwave spectrum of *cis*-3-pentene-1-yne C_5H_6

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Sym.	Ref.
$CH_3CHCHCCH$	9880.18	(0.05)	2(1, 1) - 2(0, 2)	*A*	[71049]
	12076.72	(0.05)	2(0, 2) - 1(0, 1)	*E*	[71049]
	12077.43	(0.05)	2(0, 2) - 1(0, 1)	*A*	[71049]
	18006.55	(0.05)	3(0, 3) - 2(0, 2)	*E*	[71049]
	18007.53	(0.05)	3(0, 3) - 2(0, 2)	*A*	[71049]
	18182.21	(0.05)	3(2, 2) - 2(2, 1)	*A*	[71049]
	18185.19	(0.05)	3(2, 2) - 2(2, 1)	*E*	[71049]
	18351.03	(0.05)	3(2, 1) - 2(2, 0)	*E*	[71049]
	18356.41	(0.05)	3(2, 1) - 2(2, 0)	*A*	[71049]
	19226.25	(0.05)	3(1, 2) - 2(1, 1)	*E*	[71049]
	19227.91	(0.05)	3(1, 2) - 2(1, 1)	*A*	[71049]
	22726.46	(0.05)	4(1, 4) - 3(1, 3)	*E*	[71049]
	22727.19	(0.05)	4(1, 4) - 3(1, 3)	*A*	[71049]
	23812.19	(0.05)	4(0, 4) - 3(0, 3)	*E*	[71049]
	23813.31	(0.05)	4(0, 4) - 3(0, 3)	*A*	[71049]
	24634.62	(0.05)	4(2, 2) - 3(2, 1)	*E*	[71049]
	24637.25	(0.05)	4(2, 2) - 3(2, 1)	*A*	[71049]
	31033.36	(0.05)	5(2, 3) - 4(2, 2)	*E*	[71049]
	31036.14	(0.05)	5(2, 3) - 4(2, 2)	*A*	[71049]
	31880.08	(0.05)	5(1, 4) - 4(1, 3)	*E*	[71049]
	31882.59	(0.05)	5(1, 4) - 4(1, 3)	*A*	[71049]

Table 39.1. Molecular constants for bicyclo[2.1.0]pent-2-ene.

Parameter	CHCH=CHCHCH$_2$
Rotational Constants	
A (MHz)	10811.65(11)
B (MHz)	6517.883(3)
C (MHz)	5216.287(3)
Dipole Moment	
μ_a	0.398(1) D
μ_c	0.025(2) D
Zeeman Constants	
g_{aa}	-0.0046(18) μ_N
g_{bb}	-0.0342(11) μ_N
g_{cc}	-0.0218(12) μ_N
$2\chi_{aa}-\chi_{bb}-\chi_{cc}$	-14.9(11)x10^{-6}erg/(G^2·mol)
$-\chi_{aa}+2\chi_{bb}-\chi_{cc}$	7.8(15)x10^{-6}erg/(G^2·mol)
Reference	[70064]

TABLE 39.2. Microwave spectrum of bicyclo [2.1.0]pent-2-ene C_5H_6

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Ref.
CHCHCHCHCH$_2$	11734.19	(0.10)	1(0, 1) - 0(0, 0)	[70064]
	12799.54	(0.10)	4(1, 3) - 4(1, 4)	[70064]
	22166.75	(0.10)	2(1, 2) - 1(1, 1)	[70064]
	23214.68	(0.10)	2(0, 2) - 1(0, 1)	[70064]
HC=CH	24769.92	(0.10)	2(1, 1) - 1(1, 0)	[70064]
| |	33104.42	(0.10)	3(1, 3) - 2(1, 2)	[70064]
HC−CH	34245.47	(0.10)	3(0, 3) - 2(0, 2)	[70064]
\V	35202.53	(0.10)	3(2, 2) - 2(2, 1)	[70064]
CH$_2$	36159.53	(0.10)	3(2, 1) - 2(2, 0)	[70064]
	36977.55	(0.10)	3(1, 2) - 2(1, 1)	[70064]

Table 39.1A. Molecular constants for 1,2,3-pentatriene

Parameter	CH$_2$=C=C=CHCH$_3$
A (MHz)	29788.(20)
B (MHz)	2212.987(5)
C (MHz)	2085.026(4)
D_J (kHz)	0.446(22)
D_{JK} (kHz)	-33.95(5)
I_α (u Å^2)	3.10[a]
Θ	44.4°
V_3 (cm^{-1})	468.5(7)
Electric Dipole Moment [87021]	
μ_a (D)	0.50(5)
μ_b (D)	0.122(3)

TABLE 39.2.a. Microwave spectrum of 1,2,3-pentatriene C_5H_6

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Sym.	Ref.
$CH_2CCCHCH_3$	12702.10	(0.50)	3(1, 3) - 2(1, 2)	*A*	[87021]
	12892.32	(0.50)	3(0, 3) - 2(0, 2)	*A*	[87021]
	13086.13	(0.50)	3(1, 2) - 2(1, 1)	*A*	[87021]
	16935.46	(0.50)	4(1, 4) - 3(1, 3)	*A*	[87021]
	16936.44	(0.50)	4(1, 4) - 3(1, 3)	*E*	[87021]
	17187.55	(0.50)	4(0, 4) - 3(0, 3)	*A*	[87021]
	17447.55	(0.50)	4(1, 3) - 3(1, 2)	*A*	[87021]
	21168.31	(0.50)	5(1, 5) - 4(1, 4)	*A*	[87021]
	21168.78	(0.50)	5(1, 5) - 4(1, 4)	*E*	[87021]
	25400.87	(0.50)	6(1, 6) - 5(1, 5)	*A*	[87021]
	25772.42	(0.50)	6(0, 6) - 5(0, 5)	*A*	[87021]
	25787.51	(0.50)	6(2, 5) - 5(2, 4)	*A*	[87021]
	25794.00	(0.50)	6(3, 3) - 5(3, 2)	*A*	[87021]
	25794.00	(0.50)	6(3, 4) - 5(3, 3)	*A*	[87021]
	25795.79	(0.50)	6(4, 3) - 5(4, 2)	*A*	[87021]
	25803.00	(0.50)	6(2, 4) - 5(2, 3)	*A*	[87021]
	26168.79	(0.50)	6(1, 5) - 5(1, 4)	*A*	[87021]
	29632.40	(0.50)	7(1, 7) - 6(1, 6)	*A*	[87021]
	30060.51	(0.50)	7(0, 7) - 6(0, 6)	*E*	[87021]
	30060.81	(0.50)	7(0, 7) - 6(0, 6)	*A*	[87021]
	30084.21	(0.50)	7(2, 6) - 6(2, 5)	*A*	[87021]
	30093.50	(0.50)	7(3, 4) - 6(3, 3)	*A*	[87021]
	30093.50	(0.50)	7(3, 5) - 6(3, 4)	*A*	[87021]
	30093.50	(0.50)	7(2, 6) - 6(2, 5)	*E*	[87021]
	30095.35	(0.50)	7(4, 4) - 6(4, 3)	*A*	[87021]
	30099.20	(0.50)	7(5, 3) - 6(5, 2)	*A*	[87021]
	30099.20	(0.50)	7(2, 5) - 6(2, 4)	*E*	[87021]
	30103.80	(0.50)	7(6, 2) - 6(6, 1)	*A*	[87021]
	30109.00	(0.50)	7(2, 5) - 6(2, 4)	*A*	[87021]
	30527.48	(0.50)	7(1, 6) - 6(1, 5)	*E*	[87021]
	30528.32	(0.50)	7(1, 6) - 6(1, 5)	*A*	[87021]
	33863.25	(0.50)	8(1, 8) - 7(1, 7)	*A*	[87021]
	34345.69	(0.50)	8(0, 8) - 7(0, 7)	*E*	[87021]
	34346.20	(0.50)	8(0, 8) - 7(0, 7)	*A*	[87021]
	34380.18	(0.50)	8(2, 7) - 7(2, 6)	*A*	[87021]
	34391.20	(0.50)	8(2, 7) - 7(2, 6)	*E*	[87021]
	34393.60	(0.50)	8(3, 6) - 7(3, 5)	*A*	[87021]
	34395.15	(0.50)	8(4, 5) - 7(4, 4)	*A*	[87021]
	34399.07	(0.50)	8(5, 4) - 7(5, 3)	*A*	[87021]
	34404.40	(0.50)	8(6, 3) - 7(6, 2)	*A*	[87021]
	34405.62	(0.50)	8(2, 6) - 7(2, 5)	*E*	[87021]
	34411.09	(0.50)	8(7, 2) - 7(7, 1)	*A*	[87021]
	34417.48	(0.50)	8(2, 6) - 7(2, 5)	*A*	[87021]
	34886.13	(0.50)	8(1, 7) - 7(1, 6)	*E*	[87021]
	34887.00	(0.50)	8(1, 7) - 7(1, 6)	*A*	[87021]
	38093.20	(0.50)	9(1, 9) - 8(1, 8)	*A*	[87021]
	38627.51	(0.50)	9(0, 9) - 8(0, 8)	*E*	[87021]
	38627.96	(0.50)	9(0, 9) - 8(0, 8)	*A*	[87021]
	38675.60	(0.50)	9(2, 8) - 8(2, 7)	*A*	[87021]
	38686.75	(0.50)	9(2, 8) - 8(2, 7)	*E*	[87021]
	38693.88	(0.50)	9(3, 6) - 8(3, 5)	*A*	[87021]
	38693.88	(0.50)	9(3, 7) - 8(3, 6)	*A*	[87021]
	38695.00	(0.50)	9(4, 5) - 8(4, 4)	*A*	[87021]
	38695.00	(0.50)	9(4, 6) - 8(4, 5)	*A*	[87021]
	38699.10	(0.50)	9(5, 5) - 8(5, 4)	*A*	[87021]
	38705.19	(0.50)	9(6, 4) - 8(6, 3)	*A*	[87021]
	38712.48	(0.50)	9(7, 3) - 8(7, 2)	*A*	[87021]
	38716.74	(0.50)	9(2, 7) - 8(2, 6)	*E*	[87021]
	38721.10	(0.50)	9(8, 2) - 8(8, 1)	*A*	[87021]
	38728.78	(0.50)	9(2, 7) - 8(2, 6)	*A*	[87021]
	39243.83	(0.50)	9(1, 8) - 8(1, 7)	*E*	[87021]
	39244.73	(0.50)	9(1, 8) - 8(1, 7)	*A*	[87021]

Table 40.1. Molecular constants for trans-isoprene (2-methyl-1,3-butadiene).

Parameter		$CH_2{=}C(CH_3){-}CH{=}CH_2$
Rotational Constants [present]		
A''	(MHz)	8527.025(7)
B''	(MHz)	4175.529(17)
C''	(MHz)	2852.170(6)
τ_1	(kHz)	-29.4(3)
τ_2	(kHz)	-6.64(96)
τ_3	(kHz)	100.7(102)
τ_{bbbb}	(kHz)	-4.97(82)
Derived Constants		
D_J	(kHz)	6.22(52)
D_{JK}	(kHz)	5.49(53)
δ_J	(kHz)	0.31(5)
Internal Rotation Constants [69058]		
I_α	(u Å^2)	3.132
θ		6.1730
V_3	(cm^{-1})	917.(35)
Electric Dipole Moment [64028]		
μ_a	(D)	0.035(2)
μ_b	(D)	0.25(1)
Magnetic Constants [70065]		
g_{aa}		-0.0621(13) μ_N
g_{bb}		-0.0339(16) μ_N
g_{cc}		0.0080(16) μ_N
$2\chi_{aa}-\chi_{bb}-\chi_{cc}$		16.7(12)x10^{-6}erg/(G^2·mol)
$2\chi_{bb}-\chi_{aa}-\chi_{cc}$		19.2(10)x10^{-6}erg/(G^2·mol)
Q_{aa}		1.7(2.2)x10^{-26}esu·cm^2
Q_{bb}		3.3(2.3)x10^{-26}esu·cm^2
Q_{cc}		-5.0(3.2)x10^{-26}esu·cm^2

TABLE 40.2. Microwave spectrum of isoprene C_5H_8

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Ref.
t-$CH_2C(CH_3)CHCH_2$	16189.000	(0.100)	6(2, 4) - 6(1, 5)	[69058]
	17083.468	(0.007)	2(1, 2) - 1(0, 1)	[70065]
	20473.700	(0.100)	7(2, 5) - 7(1, 6)	[69058]
	22236.310	(0.070)	3(1, 3) - 2(0, 2)	[70065]
	22694.040	(0.050)	4(3, 1) - 4(2, 2)	[64028]
	24013.660	(0.050)	3(3, 0) - 3(2, 1)	[64028]
	24734.710	(0.100)	10(4, 6) - 10(3, 7)	[64028]
	25048.550	(0.100)	11(4, 7) - 11(3, 8)	[64028]
	25214.870	(0.100)	3(3, 1) - 3(2, 2)	[64028]
	25619.790	(0.100)	5(2, 4) - 5(1, 5)	[64028]
	25852.100	(0.050)	4(3, 2) - 4(2, 3)	[64028]
	26022.200	(0.100)	9(4, 5) - 9(3, 6)	[64028]
	26169.410	(0.100)	8(2, 6) - 8(1, 7)	[64028]
	26261.080	(0.100)	10(3, 7) - 10(2, 8)	[64028]
	27027.700	(0.200)	5(3, 3) - 5(2, 4)	[64028]
	27158.000	(0.050)	4(1, 4) - 3(0, 3)	[64028]
	27349.430	(0.100)	12(4, 8) - 12(3, 9)	[64028]
	28433.200	(0.008)	2(2, 1) - 1(1, 0)	[70065]
	30014.840	(0.030)	2(2, 0) - 1(1, 1)	[70065]
	32217.260	(0.050)	11(3, 8) - 11(2, 9)	[64028]
	32717.030	(0.050)	9(2, 7) - 9(1, 8)	[64028]
	38201.000	(0.100)	8(1, 7) - 8(0, 8)	[69058]
	39172.800	(0.100)	12(3, 9) - 12(2,10)	[69058]
	39487.400	(0.100)	10(2, 8) - 10(1, 9)	[69058]

Table 41.1. Molecular constants for 3-methyl-1-butyne (isopropyl acetylene).

Parameter		$HC{\equiv}CCH(CH_3)_2$ [Present]	Parameter		$HC{\equiv}CCH(CH_3)_2$ [73079]
A"	(MHz)	7969.49123(2168)	A	(MHz)	7969.48(2)
B"	(MHz)	3828.80099(293)	B	(MHz)	3828.801(2)
C"	(MHz)	2833.23999(258)	C	(MHz)	2833.216(2)
τ_1	(MHz)	-50.1343(10727)	D_J	(MHz)	$-2.29(17)\times10^{-3}$
τ_2	(MHz)	-10.6737(3265)	D_{JK}	(MHz)	$-71.0(35)\times10^{-3}$
τ_3[a]	(MHz)	202.82(8)	D_K	(MHz)	-0.1128(38)
τ_{aaaa}	(MHz)	-22.248(3856)	D_{wj}	(MHz)	$0.89(4)\times10^{-6}$
τ_{bbbb}	(MHz)	-4.43347(23010)	D_{wk}	(MHz)	$23.2(10)\times10^{-6}$
τ_{cccc}	(MHz)	-0.83960(28223)			
			Electric Dipole Moment		
			μ_a	(D)	0.684(8)
			μ_c	(D)	0.227(4)

[a]The value of τ_3 is fixed by setting $R_6 \approx 0$.

Table 41.2. Rotational constants for the excited vibrational states and isotopic species of 3-methyl-1-butyne. [73079]

Species		A (MHz)	B (MHz)	C (MHz)
$(CH_3)_2CHCCH$	ν_{19}	8035.7(5)	3833.19(2)	2837.93(2)
$(CH_3)_2CHCCH$	ν_{23}	7963.4(11)	3825.45(4)	2830.30(3)
$(CH_3)_2CHCCH$	ν_{24}	7916.7(4)	3840.43(2)	2832.66(2)
$(CH_3)_2CHCCD$		7957.2(5)	3553.60(1)	2681.19(1)
$^{13}CH_3(CH_3)CHCCH$		7776.4(12)	3791.51(4)	2788.91(4)
$^{13}CH_3(CH_3)CHCCD$		7763.0(7)	3519.01(2)	2640.07(2)

TABLE 41.3. Microwave spectrum of 3-methyl-1-butyne C_5H_8

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$	-	$J''(K_{-1},K_{+1})$	Vib. state	Ref.
$HCCCH(CH_3)_2$	9191.84	(0.05)	9(3, 6)	-	9(3, 7)		[73079]
	9212.10	(0.05)	21(7,14)	-	21(7,15)		[73079]
	9495.56	(0.05)	37(12,25)	-	37(12,26)		[73079]
	9662.71	(0.05)	18(6,12)	-	18(6,13)		[73079]
	9762.66	(0.05)	12(4, 8)	-	12(4, 9)		[73079]
	9878.95	(0.05)	15(5,10)	-	15(5,11)		[73079]
	12316.45	(0.10)	2(1, 2)	-	1(1, 1)	$1\nu_{23}$	[73079]
	12328.44	(0.05)	2(1, 2)	-	1(1, 1)		[73079]
	12338.49	(0.10)	2(1, 2)	-	1(1, 1)	$1\nu_{24}$	[73079]
	12347.50	(0.10)	2(1, 2)	-	1(1, 1)	$1\nu_{19}$	[73079]
	13152.73	(0.10)	2(0, 2)	-	1(0, 1)	$1\nu_{23}$	[73079]
	13165.12	(0.05)	2(0, 2)	-	1(0, 1)		[73079]
	13181.40	(0.10)	2(0, 2)	-	1(0, 1)	$1\nu_{24}$	[73079]
	13185.60	(0.10)	2(0, 2)	-	1(0, 1)	$1\nu_{19}$	[73079]
	13698.44	(0.05)	25(8,17)	-	25(8,18)		[73079]
	14046.18	(0.05)	10(3, 7)	-	10(3, 8)		[73079]
	14306.83	(0.10)	2(1, 1)	-	1(1, 0)	$1\nu_{23}$	[73079]
	14319.54	(0.05)	2(1, 1)	-	1(1, 0)		[73079]
	14337.59	(0.10)	2(1, 1)	-	1(1, 0)	$1\nu_{19}$	[73079]
	14354.05	(0.10)	2(1, 1)	-	1(1, 0)	$1\nu_{24}$	[73079]
	14483.38	(0.05)	22(7,15)	-	22(7,16)		[73079]
	14912.90	(0.05)	13(4, 9)	-	13(4,10)		[73079]
	14987.18	(0.05)	38(12,26)	-	38(12,27)		[73079]
	15013.64	(0.05)	19(6,13)	-	19(6,14)		[73079]
	16492.40	(0.05)	35(11,24)	-	35(11,25)		[73079]
	17672.43	(0.05)	8(2, 6)	-	8(2, 7)		[73079]
	18382.19	(0.10)	3(1, 3)	-	2(1, 2)	$1\nu_{23}$	[73079]
	18400.14	(0.05)	3(1, 3)	-	2(1, 2)		[73079]
	18411.92	(0.10)	3(1, 3)	-	2(1, 2)	$1\nu_{24}$	[73079]
	18429.21	(0.10)	3(1, 3)	-	2(1, 2)	$1\nu_{19}$	[73079]
	19270.66	(0.05)	29(9,20)	-	29(9,21)		[73079]
	19356.99	(0.10)	3(0, 3)	-	2(0, 2)	$1\nu_{23}$	[73079]
	19375.50	(0.05)	3(0, 3)	-	2(0, 2)		[73079]
	19387.25	(0.10)	3(0, 3)	-	2(0, 2)	$1\nu_{24}$	[73079]
	19410.52	(0.10)	3(0, 3)	-	2(0, 2)	$1\nu_{19}$	[73079]
	19804.13	(0.05)	11(3, 8)	-	11(3, 9)		[73079]
	19967.23	(0.10)	3(2, 2)	-	2(2, 1)	$1\nu_{23}$	[73079]
	19985.73	(0.05)	3(2, 2)	-	2(2, 1)		[73079]
	20013.20	(0.10)	3(2, 2)	-	2(2, 1)	$1\nu_{19}$	[73079]
	20019.11	(0.10)	3(2, 2)	-	2(2, 1)	$1\nu_{24}$	[73079]
	20399.12	(0.05)	26(8,18)	-	26(8,19)		[73079]
	20577.23	(0.10)	3(2, 1)	-	2(2, 0)	$1\nu_{23}$	[73079]
	20596.18	(0.05)	3(2, 1)	-	2(2, 0)		[73079]
	20616.10	(0.10)	3(2, 1)	-	2(2, 0)	$1\nu_{19}$	[73079]
	20651.26	(0.10)	3(2, 1)	-	2(2, 0)	$1\nu_{24}$	[73079]
	21097.58	(0.05)	14(4,10)	-	14(4,11)		[73079]
	21241.86	(0.05)	23(7,16)	-	23(7,17)		[73079]
	21351.52	(0.10)	3(1, 2)	-	2(1, 1)	$1\nu_{23}$	[73079]
	21370.70	(0.05)	3(1, 2)	-	2(1, 1)		[73079]
	21399.29	(0.10)	3(1, 2)	-	2(1, 1)	$1\nu_{19}$	[73079]
	21418.07	(0.10)	3(1, 2)	-	2(1, 1)	$1\nu_{24}$	[73079]
	21692.90	(0.05)	17(5,12)	-	17(5,13)		[73079]
	21705.95	(0.05)	20(6,14)	-	20(6,15)		[73079]
	23463.37	(0.05)	9(2, 7)	-	9(2, 8)		[73079]
	24357.57	(0.10)	4(1, 4)	-	3(1, 3)	$1\nu_{23}$	[73079]
	24381.54	(0.05)	4(1, 4)	-	3(1, 3)		[73079]
	24392.33	(0.10)	4(1, 4)	-	3(1, 3)	$1\nu_{24}$	[73079]
	24421.95	(0.10)	4(1, 4)	-	3(1, 3)	$1\nu_{19}$	[73079]
	25066.38	(0.05)	7(1, 6)	-	7(1, 7)		[73079]
	25229.96	(0.10)	4(0, 4)	-	3(0, 3)	$1\nu_{23}$	[73079]
	25254.89	(0.05)	4(0, 4)	-	3(0, 3)		[73079]
	25255.50	(0.10)	4(0, 4)	-	3(0, 3)	$1\nu_{24}$	[73079]
	25306.02	(0.10)	4(0, 4)	-	3(0, 3)	$1\nu_{19}$	[73079]
	26523.24	(0.05)	4(2, 3)	-	3(2, 2)		[73079]
	27417.30	(0.05)	30(9,21)	-	30(9,22)		[73079]
	30271.75	(0.05)	5(1, 5)	-	4(1, 4)		[73079]
	30904.28	(0.05)	5(0, 5)	-	4(0, 4)		[73079]

TABLE 41.3. Microwave spectrum of 3-methyl-1-butyne C_5H_8

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$	-	$J''(K_{-1},K_{+1})$	Vib. state	Ref.
	31726.59	(0.05)	40(12,28)	-	40(12,29)		[73079]
	32957.16	(0.05)	5(2, 4)	-	4(2, 3)		[73079]
	33707.38	(0.05)	5(3, 3)	-	4(3, 2)		[73079]
	34929.40	(0.05)	5(1, 4)	-	4(1, 3)		[73079]
$DCCCH(CH_3)_2$	11597.26	(0.05)	2(1, 2)	-	1(1, 1)		[73079]
	12352.45	(0.05)	2(0, 2)	-	1(0, 1)		[73079]
	13342.11	(0.05)	2(1, 1)	-	1(1, 0)		[73079]
	17326.93	(0.05)	3(1, 3)	-	2(1, 2)		[73079]
	18248.91	(0.05)	3(0, 3)	-	2(0, 2)		[73079]
	18704.40	(0.05)	3(2, 2)	-	2(2, 1)		[73079]
	19159.90	(0.05)	3(2, 1)	-	2(2, 0)		[73079]
	19934.19	(0.05)	3(1, 2)	-	2(1, 1)		[73079]
	22986.83	(0.05)	4(1, 4)	-	3(1, 3)		[73079]
	23875.36	(0.05)	4(0, 4)	-	3(0, 3)		[73079]
	24847.35	(0.05)	4(2, 3)	-	3(2, 2)		[73079]
	25146.66	(0.05)	4(3, 2)	-	3(3, 1)		[73079]
	25205.58	(0.05)	4(3, 1)	-	3(3, 0)		[73079]
	25910.64	(0.05)	4(2, 2)	-	3(2, 1)		[73079]
	26417.43	(0.05)	4(1, 3)	-	3(1, 2)		[73079]
$HCCCH(^{13}CH_3)(CH_3)$	19103.66	(0.10)	3(0, 3)	-	2(0, 2)		[73079]
	21130.99	(0.10)	3(1, 2)	-	2(1, 1)		[73079]
	24029.73	(0.10)	4(1, 4)	-	3(1, 3)		[73079]
	24875.35	(0.10)	4(0, 4)	-	3(0, 3)		[73079]
	26191.10	(0.10)	4(2, 3)	-	3(2, 2)		[73079]
$DCCCH(^{13}CH_3)(CH_3)$	19712.79	(0.10)	3(1, 2)	-	2(1, 1)		[73079]
	22661.99	(0.10)	4(1, 4)	-	3(1, 3)		[73079]
	23528.99	(0.10)	4(0, 4)	-	3(0, 3)		[73079]
	24540.12	(0.10)	4(2, 3)	-	3(2, 2)		[73079]
	25646.71	(0.10)	4(2, 2)	-	3(2, 1)		[73079]
	26113.32	(0.10)	4(1, 3)	-	3(1, 2)		[73079]

Table 42.1. Molecular constants for the ground vibrational state of trans- and gauche-1-pentyne.

Parameter		trans-1-pentyne	gauche-1-pentyne
Rotational Constants [present]			
A"	(MHz)	23382.(66)	9921.116(21)
B"	(MHz)	2230.560(15)	3172.7689(36)
C"	(MHz)	2116.362(15)	2634.0128(36)
τ_1	(MHz)	0.0423(75)	0.03355(90)
τ_2	(MHz)	0.00247(53)	0.002203(202)
τ_3[a]	(MHz)	0.6(6)	0.472(6)
τ_{aaaa}	(MHz)	---	-0.1777(116)
τ_{bbbb}	(MHz)	-0.00166(70)	-0.018440(115)
τ_{cccc}	(MHz)	-0.00149(65)	-0.004336(140)
Centrifugal Distortion Constants [71046]			
D_J	(MHz)	0.00038(4)	0.0022(3)
D_{JK}	(MHz)	-0.013(1)	-0.016(2)
D_K	(MHz)	---	0.45(5)
Electric Dipole Moment [71046]			
μ_a	(D)	0.8385(5)	0.687(2)
μ_b	(D)	0.158(7)	0.317(4)
μ_c	(D)		0.07(2)

[a]The value of τ_3 is fixed by setting $R_6 = 0$.

Table 42.2. Molecular constants for excited vibrational states of trans- and gauche-1-pentyne. [72063]

Species	Vibrational State[a]	A (MHz)	B (MHz)	C (MHz)	E (cm^{-1})
trans-1-pentyne	$v_{33}=1$	(22200)	2231.75	2121.08	106(10)
	$v_{33}=2$	(21500)	2233.09	2125.94	213(25)
	$v_{33}=3$	(20500)	2234.66	2130.97	330(30)
	$v_{33}=4$	(19500)	2236.32	2136.16	426(30)
	$v_{32}=1$	(23800)	2235.63	2118.28	166(15)
	$v_{32}=2$	(23900)	2240.58	2120.13	---
	$v_{33}=1,v_{32}=1$	(22700)	2236.33	2123.07	---
	$v_{31}=1$	(23000)	2228.39	2114.99	253(20)
	$v_{33}=1,v_{31}=1$	(20400)	2229.88	2119.39	---
gauche-1-pentyne	$v_{33}=1$	9974.64	3165.12	2629.18	114(10)
	$v_{33}=2$	10032.33	3156.99	2624.26	223(25)
	$v_{33}=3$	10092.15	3148.34	2619.26	323(30)
	$v_{33}=4$	(10163)	3138.43	2613.71	425(30)
	$v_{32}=1$	9948.04	3175.51	2634.81	177(15)
	$v_{32}=2$	(9968)	3178.12	2635.47	---
	$v_{33}=1,v_{32}=1$	10000.17	3167.50	2629.93	---
	$v_{31}=1$	9881.04	3174.83	2634.09	250(20)

[a]The vibrational modes are: ν_{33} (C_3-C_4 torsion), ν_{32} (C-C≡C bend) and ν_{31} (methyl internal rotation).

TABLE 42.3. Microwave spectrum of 1-pentyne C_5H_8

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Vib. state	Ref.
g-$CH_3CH_2CH_2CCH$	8768.50	(0.10)	3(1, 2) - 3(0, 3)		[71046]
	10084.55	(0.10)	4(1, 3) - 4(0, 4)		[71046]
	10120.25	(0.10)	4(1, 3) - 4(0, 4)	$1\nu_{32}$	[72063]
	10122.95	(0.10)	4(1, 3) - 4(0, 4)	$1\nu_{33}$	[72063]
	11074.77	(0.10)	2(1, 2) - 1(1, 1)		[71046]
	11582.48	(0.10)	2(0, 2) - 1(0, 1)		[71046]
	11589.40	(0.10)	2(0, 2) - 1(0, 1)	$1\nu_{32}$	[72063]
	11810.61	(0.10)	5(1, 4) - 4(2, 3)		[72063]
	11857.64	(0.10)	5(1, 4) - 5(0, 5)	$1\nu_{31}$	[72063]
	11874.15	(0.10)	5(1, 4) - 5(0, 5)		[71046]
	11898.20	(0.10)	5(1, 4) - 5(0, 5)	$1\nu_{33}$	[72063]
	11916.45	(0.10)	5(1, 4) - 5(0, 5)	$1\nu_{32}$	[72063]
	11922.78	(0.10)	5(1, 4) - 5(0, 5)	$2\nu_{33}$	[72063]
	11945.35	(0.10)	5(1, 4) - 5(0, 5)	$3\nu_{33}$	[72063]
	12095.20	(0.10)	2(1, 1) - 1(1, 0)	$2\nu_{33}$	[72063]
	12124.46	(0.10)	2(1, 1) - 1(1, 0)	$1\nu_{33}$	[72063]
	12152.19	(0.10)	2(1, 1) - 1(1, 0)		[71046]
	12158.56	(0.10)	2(1, 1) - 1(1, 0)	$1\nu_{31}$	[72063]
	12161.30	(0.10)	2(1, 1) - 1(1, 0)	$1\nu_{32}$	[72063]
	12555.12	(0.10)	1(1, 1) - 0(0, 0)		[72063]
	14193.40	(0.10)	6(1, 5) - 6(0, 6)	$1\nu_{31}$	[72063]
	14196.15	(0.10)	6(1, 5) - 6(0, 6)		[72063]
	14201.46	(0.10)	6(1, 5) - 6(0, 6)	$1\nu_{33}$	[72063]
	14204.87	(0.10)	6(1, 5) - 6(0, 6)	$2\nu_{33}$	[72063]
	16526.44	(0.10)	3(1, 3) - 2(1, 2)	$2\nu_{33}$	[72063]
	16560.41	(0.10)	3(1, 3) - 2(1, 2)	$1\nu_{33}$	[72063]
	16593.31	(0.10)	3(1, 3) - 2(1, 2)		[71046]
	16601.03	(0.10)	3(1, 3) - 2(1, 2)	$1\nu_{32}$	[72063]
	17039.24	(0.10)	7(1, 6) - 7(0, 7)	$2\nu_{33}$	[72063]
	17060.75	(0.10)	7(1, 6) - 7(0, 7)	$1\nu_{33}$	[72063]
	17077.75	(0.10)	7(1, 6) - 7(0, 7)		[72063]
	17139.20	(0.10)	7(1, 6) - 7(0, 7)	$1\nu_{32}$	[72063]
	17225.03	(0.10)	3(0, 3) - 2(0, 2)	$2\nu_{33}$	[72063]
	17261.72	(0.10)	3(0, 3) - 2(0, 2)	$1\nu_{33}$	[72063]
	17296.83	(0.10)	3(0, 3) - 2(0, 2)		[71046]
	17301.65	(0.10)	3(0, 3) - 2(0, 2)	$1\nu_{31}$	[72063]
	17307.04	(0.10)	3(0, 3) - 2(0, 2)	$1\nu_{32}$	[72063]
	17385.64	(0.10)	4(0, 4) - 3(1, 3)		[72063]
	17420.52	(0.10)	3(2, 2) - 2(2, 1)		[71046]
	17538.13	(0.10)	7(2, 5) - 7(1, 6)		[72063]
	17543.60	(0.10)	3(2, 1) - 2(2, 0)		[71046]
	17713.02	(0.10)	6(2, 4) - 6(1, 5)		[72063]
	17786.38	(0.10)	8(2, 6) - 8(1, 7)		[72063]
	17823.15	(0.10)	2(1, 2) - 1(0, 1)		[72063]
	18024.05	(0.10)	3(1, 2) - 2(1, 1)	$4\nu_{33}$	[72063]
	18077.38	(0.10)	3(1, 2) - 2(1, 1)	$3\nu_{33}$	[72063]
	18123.42	(0.10)	3(1, 2) - 2(1, 1)	$2\nu_{33}$	[72063]
	18166.97	(0.10)	3(1, 2) - 2(1, 1)	$1\nu_{33}$	[72063]
	18178.72	(0.10)	3(1, 2) - 2(1, 1)	$1\nu_{33}$, $1\nu_{32}$	[72063]
	18202.18	(0.10)	5(2, 3) - 5(1, 4)		[72063]
	18208.31	(0.10)	3(1, 2) - 2(1, 1)		[71046]
	18217.38	(0.10)	3(1, 2) - 2(1, 1)	$1\nu_{31}$	[72063]
	18221.71	(0.10)	3(1, 2) - 2(1, 1)	$1\nu_{32}$	[72063]
	18234.40	(0.10)	3(1, 2) - 2(1, 1)	$2\nu_{32}$	[72063]
	18483.14	(0.10)	9(2, 7) - 9(1, 8)	$1\nu_{31}$	[72063]
	18545.57	(0.10)	9(2, 7) - 9(1, 8)		[71046]
	18612.19	(0.10)	9(2, 7) - 9(1, 8)	$1\nu_{32}$	[72063]
	18638.83	(0.10)	9(2, 7) - 9(1, 8)	$1\nu_{33}$	[72063]
	18805.36	(0.10)	10(2, 9) - 9(3, 6)		[72063]
	18879.00	(0.10)	4(2, 2) - 4(1, 3)		[72063]
	18890.46	(0.10)	8(1, 7) - 8(1, 8)		[72063]
	19102.56	(0.10)	12(2,10) - 12(2,11)		[72063]
	19610.92	(0.10)	3(2, 1) - 3(1, 2)		[72063]
	19886.12	(0.10)	10(2, 8) - 10(1, 9)		[72063]
	19939.97	(0.10)	10(2, 8) - 10(1, 9)	$1\nu_{33}$	[72063]
	19957.53	(0.10)	10(2, 8) - 10(1, 9)	$1\nu_{32}$	[72063]
	20275.50	(0.10)	2(2, 0) - 2(1, 1)		[72063]

TABLE 42.3. Microwave spectrum of 1-pentyne — Continued C_5H_8

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Vib. state	Ref.
	20410.72	(0.10)	8(1, 7) - 8(0, 8)	$2\nu_{33}$	[72063]
	20458.28	(0.10)	8(1, 7) - 8(0, 8)	$1\nu_{33}$	[72063]
	20498.22	(0.10)	8(1, 7) - 8(0, 8)		[72063]
	20572.07	(0.10)	8(1, 7) - 8(0, 8)	$1\nu_{32}$	[72063]
	21856.38	(0.10)	11(2, 9) - 11(1,10)	$1\nu_{31}$	[72063]
	21859.39	(0.10)	11(2, 9) - 11(1,10)		[72063]
	21860.60	(0.10)	2(2, 1) - 2(1, 2)		[72063]
	21867.55	(0.10)	11(2, 9) - 11(1,10)	$1\nu_{33}$	[72063]
	21875.55	(0.10)	11(2, 9) - 11(1,10)	$2\nu_{33}$	[72063]
	21879.41	(0.10)	11(2, 9) - 11(1,10)	$3\nu_{33}$	[72063]
	21904.94	(0.10)	4(1, 4) - 3(1, 3)	$4\nu_{33}$	[72063]
	21936.91	(0.10)	11(2, 9) - 11(1,10)	$1\nu_{32}$	[72063]
	21956.64	(0.10)	4(1, 4) - 3(1, 3)	$3\nu_{33}$	[72063]
	22002.66	(0.10)	4(1, 4) - 3(1, 3)	$2\nu_{33}$	[72063]
	22047.32	(0.10)	4(1, 4) - 3(1, 3)	$1\nu_{33}$	[72063]
	22056.41	(0.10)	4(1, 4) - 3(1, 3)	$1\nu_{33}$, $1\nu_{32}$	[72063]
	22090.59	(0.10)	4(1, 4) - 3(1, 3)		[71046]
	22094.37	(0.10)	4(1, 4) - 3(1, 3)	$1\nu_{31}$	[72063]
	22100.62	(0.10)	4(1, 4) - 3(1, 3)	$1\nu_{32}$	[72063]
	22109.54	(0.10)	4(1, 4) - 3(1, 3)	$2\nu_{32}$	[72063]
	22687.80	(0.10)	3(2, 2) - 3(1, 3)		[72063]
	22729.66	(0.10)	4(0, 4) - 3(0, 3)	$4\nu_{33}$	[72063]
	22783.98	(0.10)	4(0, 4) - 3(0, 3)	$3\nu_{33}$	[72063]
	22832.14	(0.10)	4(0, 4) - 3(0, 3)	$2\nu_{33}$	[72063]
	22833.98	(0.10)	3(1, 3) - 2(0, 2)		[72063]
	22878.19	(0.10)	4(0, 4) - 3(0, 3)	$1\nu_{33}$	[72063]
	22922.71	(0.10)	4(0, 4) - 3(0, 3)		[71046]
	22927.28	(0.10)	4(0, 4) - 3(0, 3)	$1\nu_{31}$	[72063]
	22947.37	(0.10)	4(0, 4) - 3(0, 3)	$2\nu_{32}$	[72063]
	22986.49	(0.10)	4(2, 3) - 3(2, 2)	$4\nu_{33}$	[72063]
	23047.62	(0.10)	4(2, 3) - 3(2, 2)	$3\nu_{33}$	[72063]
	23101.72	(0.10)	4(2, 3) - 3(2, 2)	$2\nu_{33}$	[72063]
	23153.42	(0.10)	4(2, 3) - 3(2, 2)	$1\nu_{33}$	[72063]
	23202.91	(0.10)	4(2, 3) - 3(2, 2)		[71046]
	23211.09	(0.10)	4(2, 3) - 3(2, 2)	$1\nu_{31}$	[72063]
	23216.96	(0.10)	4(2, 3) - 3(2, 2)	$1\nu_{32}$	[72063]
	23264.59	(0.10)	4(2, 2) - 3(2, 1)	$4\nu_{33}$	[72063]
	23333.25	(0.10)	4(2, 2) - 3(2, 1)	$3\nu_{33}$	[72063]
	23393.83	(0.10)	4(2, 2) - 3(2, 1)	$2\nu_{33}$	[72063]
	23451.54	(0.10)	4(2, 2) - 3(2, 1)	$1\nu_{33}$	[72063]
	23506.62	(0.10)	4(2, 2) - 3(2, 1)		[71046]
	23518.72	(0.10)	4(2, 2) - 3(2, 1)	$1\nu_{31}$	[72063]
	23521.72	(0.10)	4(2, 2) - 3(2, 1)	$1\nu_{32}$	[72063]
	23536.18	(0.10)	4(2, 2) - 3(2, 1)	$2\nu_{32}$	[72063]
	23697.42	(0.10)	13(2,11) - 13(2,12)		[72063]
	23737.06	(0.10)	5(0, 5) - 4(1, 4)		[72063]
	23800.19	(0.10)	4(2, 3) - 4(1, 4)		[72063]
	23997.56	(0.10)	4(1, 3) - 3(1, 2)	$4\nu_{33}$	[72063]
	24066.42	(0.10)	4(1, 3) - 3(1, 2)	$3\nu_{33}$	[72063]
	24126.83	(0.10)	4(1, 3) - 3(1, 2)	$2\nu_{33}$	[72063]
	24184.01	(0.10)	4(1, 3) - 3(1, 2)	$1\nu_{33}$	[72063]
	24199.67	(0.10)	4(1, 3) - 3(1, 2)	$1\nu_{33}$, $1\nu_{32}$	[72063]
	24238.50	(0.10)	4(1, 3) - 3(1, 2)		[71046]
	24250.05	(0.10)	4(1, 3) - 3(1, 2)	$1\nu_{31}$	[72063]
	24256.22	(0.10)	4(1, 3) - 3(1, 2)	$1\nu_{32}$	[72063]
	24272.94	(0.10)	4(1, 3) - 3(1, 2)	$2\nu_{32}$	[72063]
	24449.03	(0.10)	12(2,10) - 12(1,11)	$1\nu_{33}$	[72063]
	24490.71	(0.10)	12(2,10) - 12(1,11)		[72063]
	26371.18	(0.10)	7(1, 6) - 6(2, 5)		[72063]
	27334.00	(0.10)	5(1, 5) - 4(1, 4)	$4\nu_{33}$	[72063]
	27397.47	(0.10)	5(1, 5) - 4(1, 4)	$3\nu_{33}$	[72063]
	27453.88	(0.10)	5(1, 5) - 4(1, 4)	$2\nu_{33}$	[72063]
	27508.85	(0.10)	5(1, 5) - 4(1, 4)	$1\nu_{33}$	[72063]
	27520.04	(0.10)	5(1, 5) - 4(1, 4)	$1\nu_{33}$, $1\nu_{32}$	[72063]
	27562.11	(0.10)	5(1, 5) - 4(1, 4)		[72063]
	27566.17	(0.10)	5(1, 4) - 4(1, 4)	$1\nu_{31}$	[72063]
	27574.39	(0.10)	5(1, 5) - 4(1, 4)	$1\nu_{32}$	[72063]

TABLE 42.3. Microwave spectrum of 1-pentyne — Continued C_5H_8

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Vib. state	Ref.
	27582.03	(0.10)	15(3,12) - 15(2,13)		[72063]
	28389.85	(0.10)	5(0, 5) - 4(0, 4)	$1\nu_{33}$	[72063]
	28441.98	(0.10)	5(0, 5) - 4(0, 4)		[72063]
	28457.48	(0.10)	5(0, 5) - 4(0, 4)	$1\nu_{32}$	[72063]
	28639.30	(0.10)	10(1, 9) - 10(0,10)		[72063]
	28839.55	(0.10)	5(2, 4) - 4(2, 3)	$2\nu_{33}$	[72063]
	28885.06	(0.10)	7(2, 6) - 7(1, 7)		[72063]
	28903.36	(0.10)	5(2, 4) - 4(2, 3)	$1\nu_{33}$	[72063]
	28964.55	(0.10)	5(2, 4) - 4(2, 3)		[71046]
	29129.40	(0.10)	5(3, 3) - 4(3, 2)		[72063]
	29152.50	(0.10)	5(3, 2) - 4(3, 1)		[72063]
	29554.87	(0.10)	5(2, 3) - 4(2, 2)		[71046]
	29571.92	(0.10)	5(2, 3) - 4(2, 2)	$1\nu_{31}$	[72063]
	29574.36	(0.10)	5(2, 3) - 4(2, 2)	$1\nu_{32}$	[72063]
	29936.83	(0.10)	5(1, 4) - 4(1, 3)	$4\nu_{33}$	[72063]
	30020.94	(0.10)	5(1, 4) - 4(1, 3)	$3\nu_{33}$	[72063]
	30095.05	(0.10)	5(1, 4) - 4(1, 3)	$2\nu_{33}$	[72063]
	30165.08	(0.10)	5(1, 4) - 4(1, 3)	$1\nu_{33}$	[72063]
	30184.44	(0.10)	5(1, 4) - 4(1, 3)	$1\nu_{33}$, $1\nu_{32}$	[72063]
	30231.73	(0.10)	5(1, 4) - 4(1, 3)		[72063]
	30245.30	(0.10)	5(1, 4) - 4(1, 3)	$1\nu_{31}$	[72063]
	30253.65	(0.10)	5(1, 4) - 4(1, 3)	$1\nu_{32}$	[72063]
	32736.35	(0.10)	6(1, 6) - 5(1, 5)	$4\nu_{33}$	[72063]
	32810.93	(0.10)	6(1, 6) - 5(1, 5)	$3\nu_{33}$	[72063]
	32877.51	(0.10)	6(1, 6) - 5(1, 5)	$2\nu_{33}$	[72063]
	32942.15	(0.10)	6(1, 6) - 5(1, 5)	$1\nu_{33}$	[72063]
	32955.45	(0.10)	6(1, 6) - 5(1, 5)	$1\nu_{33}$, $1\nu_{32}$	[72063]
	33004.94	(0.10)	6(1, 6) - 5(1, 5)		[72063]
	33009.05	(0.10)	6(1, 6) - 5(1, 5)	$1\nu_{31}$	[72063]
	33019.48	(0.10)	6(1, 6) - 5(1, 5)	$1\nu_{32}$	[72063]
	33032.26	(0.10)	6(1, 6) - 5(1, 5)	$2\nu_{32}$	[72063]
	33045.15	(0.10)	11(1,10) - 11(0,11)	$1\nu_{33}$	[72063]
	33125.78	(0.10)	11(1,10) - 11(0,11)		[72063]
	33670.19	(0.10)	6(0, 6) - 5(0, 5)	$3\nu_{33}$	[72063]
	33692.72	(0.10)	6(3, 3) - 6(2, 4)		[72063]
	33703.17	(0.10)	9(2, 8) - 9(1, 9)		[72063]
	33732.81	(0.10)	6(0, 6) - 5(0, 5)	$2\nu_{33}$	[72063]
	33793.36	(0.10)	6(0, 6) - 5(0, 5)	$1\nu_{33}$	[72063]
	33808.69	(0.10)	8(1, 7) - 7(2, 6)		[72063]
	33809.49	(0.10)	6(0, 6) - 5(0, 5)	$1\nu_{33}$, $1\nu_{32}$	[72063]
	33852.13	(0.10)	6(0, 6) - 5(0, 5)		[72063]
	33853.40	(0.10)	6(0, 6) - 5(0, 5)	$1\nu_{31}$	[72063]
	33869.71	(0.10)	6(0, 6) - 5(0, 5)	$1\nu_{32}$	[72063]
	33884.89	(0.10)	6(0, 6) - 5(0, 5)	$2\nu_{32}$	[72063]
	34700.28	(0.10)	6(2, 5) - 5(2, 4)		[72063]
	34711.13	(0.10)	6(2, 5) - 5(2, 4)	$1\nu_{31}$	[72063]
	34720.98	(0.10)	6(2, 5) - 5(2, 4)	$1\nu_{32}$	[72063]
	34980.96	(0.10)	6(3, 4) - 5(3, 3)		[72063]
	35042.32	(0.10)	6(3, 3) - 5(3, 2)		[72063]
	35501.43	(0.10)	15(3,13) - 14(4,10)		[72063]
	35503.53	(0.10)	6(2, 4) - 5(2, 3)	$2\nu_{33}$	[72063]
	35596.70	(0.10)	6(2, 4) - 5(2, 3)	$1\nu_{33}$	[72063]
	35617.76	(0.10)	6(2, 4) - 5(2, 3)	$1\nu_{33}$, $1\nu_{32}$	[72063]
	35685.33	(0.10)	6(2, 4) - 5(2, 3)		[72063]
	35707.62	(0.10)	6(2, 4) - 5(2, 3)	$1\nu_{31}$	[72063]
	35709.52	(0.10)	6(2, 4) - 5(2, 3)	$1\nu_{32}$	[72063]
	36174.52	(0.10)	6(1, 5) - 5(1, 4)		[72063]
	36189.16	(0.10)	6(1, 5) - 5(1, 4)	$1\nu_{31}$	[72063]
	36200.48	(0.10)	6(1, 5) - 5(1, 4)	$1\nu_{32}$	[72063]
t-$H_3CH_2CH_2CCH$	8579.72	(0.10)	2(1, 2) - 1(1, 1)		[72063]
	8693.36	(0.10)	2(0, 2) - 1(0, 1)		[71046]
	8705.28	(0.10)	2(0, 2) - 1(0, 1)	$1\nu_{33}$	[72063]
	8808.11	(0.10)	2(1, 1) - 1(1, 0)		[72063]
	12859.73	(0.10)	3(1, 3) - 2(1, 2)	$1\nu_{31}$	[72063]
	12869.32	(0.10)	3(1, 3) - 2(1, 2)		[71046]
	12881.82	(0.10)	3(1, 3) - 2(1, 2)	$1\nu_{33}$, $1\nu_{31}$	[72063]
	12885.50	(0.10)	3(1, 3) - 2(1, 2)	$1\nu_{32}$	[72063]

TABLE 42.3. Microwave spectrum of 1-pentyne — Continued C_5H_8

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Vib. state	Ref.
	12892.30	(0.10)	3(1, 3) - 2(1, 2)	$1\nu_{33}$	[72063]
	12908.13	(0.10)	3(1, 3) - 2(1, 2)	$1\nu_{33}$,, $1\nu_{32}$	[72063]
	12916.15	(0.10)	3(1, 3) - 2(1, 2)	$2\nu_{33}$	[72063]
	12941.07	(0.10)	3(1, 3) - 2(1, 2)	$3\nu_{33}$	[72063]
	13028.38	(0.10)	3(0, 3) - 2(0, 2)	$1\nu_{31}$	[72063]
	13038.87	(0.10)	3(0, 3) - 2(0, 2)		[72063]
	13056.68	(0.10)	3(0, 3) - 2(0, 2)	$1\nu_{33}$	[72063]
	13059.81	(0.10)	3(0, 3) - 2(0, 2)	$1\nu_{32}$	[72063]
	13211.74	(0.10)	3(1, 2) - 2(1, 1)		[71046]
	13224.27	(0.10)	3(1, 2) - 2(1, 1)	$1\nu_{33}$	[72063]
	13237.56	(0.20)	3(1, 2) - 2(1, 1)	$2\nu_{33}$	[72063]
	13237.56	(0.20)	3(1, 2) - 2(1, 1)	$1\nu_{32}$	[72063]
	17145.89	(0.10)	4(1, 4) - 3(1, 3)	$1\nu_{31}$	[72063]
	17158.42	(0.10)	4(1, 4) - 3(1, 3)		[71046]
	17180.08	(0.10)	4(1, 4) - 3(1, 3)	$1\nu_{32}$	[72063]
	17189.12	(0.10)	4(1, 4) - 3(1, 3)	$1\nu_{33}$	[72063]
	17210.25	(0.10)	4(1, 4) - 3(1, 3)	$1\nu_{33}$, $1\nu_{32}$	[72063]
	17221.07	(0.10)	4(1, 4) - 3(1, 3)	$2\nu_{33}$	[72063]
	17254.19	(0.10)	4(1, 4) - 3(1, 3)	$3\nu_{33}$	[72063]
	17288.90	(0.10)	4(1, 4) - 3(1, 3)	$4\nu_{33}$	[72063]
	17383.10	(0.10)	4(0, 4) - 3(0, 3)		[71046]
	17599.48	(0.10)	4(1, 3) - 3(1, 2)	$1\nu_{31}$	[72063]
	17615.27	(0.10)	4(1, 3) - 3(1, 2)		[71046]
	17631.78	(0.10)	4(1, 3) - 3(1, 2)	$1\nu_{33}$	[72063]
	17649.58	(0.20)	4(1, 3) - 3(1, 2)	$2\nu_{33}$	[72063]
	17649.58	(0.20)	4(1, 3) - 3(1, 2)	$1\nu_{32}$	[72063]
	17663.34	(0.10)	4(1, 3) - 3(1, 2)	$1\nu_{33}$, $1\nu_{32}$	[72063]
	17668.98	(0.10)	4(1, 3) - 3(1, 2)	$3\nu_{33}$	[72063]
	21431.54	(0.10)	5(1, 5) - 4(1, 4)	$1\nu_{31}$	[72063]
	21447.14	(0.10)	5(1, 5) - 4(1, 4)		[71046]
	21467.91	(0.10)	5(1, 5) - 4(1, 4)	$1\nu_{33}$, $1\nu_{31}$	[72063]
	21474.26	(0.10)	5(1, 5) - 4(1, 4)	$1\nu_{32}$	[72063]
	21485.44	(0.10)	5(1, 5) - 4(1, 4)	$1\nu_{33}$	[72063]
	21500.25	(0.10)	5(1, 5) - 4(1, 4)	$2\nu_{32}$	[72063]
	21511.90	(0.10)	5(1, 5) - 4(1, 4)	$1\nu_{33}$, $1\nu_{32}$	[72063]
	21525.47	(0.10)	5(1, 5) - 4(1, 4)	$2\nu_{33}$	[72063]
	21566.96	(0.10)	5(1, 5) - 4(1, 4)	$3\nu_{33}$	[72063]
	21610.32	(0.10)	5(1, 5) - 4(1, 4)	$4\nu_{33}$	[72063]
	21707.80	(0.10)	5(0, 5) - 4(0, 4)	$1\nu_{31}$	[72063]
	21725.31	(0.10)	5(0, 5) - 4(0, 4)		[71046]
	21734.04	(0.10)	5(2, 4) - 4(2, 3)		[71046]
	21743.17	(0.10)	5(2, 3) - 4(2, 2)		[71046]
	21755.04	(0.10)	5(0, 5) - 4(0, 4)	$1\nu_{33}$	[72063]
	21760.17	(0.10)	5(0, 5) - 4(0, 4)	$1\nu_{32}$	[72063]
	21772.25	(0.10)	5(2, 3) - 4(2, 2)	$1\nu_{33}$	[72063]
	21786.41	(0.10)	5(0, 5) - 4(0, 4)	$2\nu_{33}$	[72063]
	21787.84	(0.10)	5(0, 5) - 4(0, 4)	$1\nu_{33}$, $1\nu_{32}$	[72063]
	21854.28	(0.10)	5(0, 5) - 4(0, 4)	$4\nu_{33}$	[72063]
	21998.45	(0.10)	5(1, 4) - 4(1, 3)	$1\nu_{31}$	[72063]
	22018.18	(0.10)	5(1, 4) - 4(1, 3)		[71046]
	22038.86	(0.10)	5(1, 4) - 4(1, 3)	$1\nu_{33}$	[72063]
	22061.06	(0.30)	5(1, 4) - 4(1, 3)	$2\nu_{33}$	[72063]
	22061.06	(0.30)	5(1, 4) - 4(1, 3)	$1\nu_{32}$	[72063]
	22078.27	(0.10)	5(1, 4) - 4(1, 3)	$1\nu_{33}$, $1\nu_{32}$	[72063]
	22085.37	(0.10)	5(1, 4) - 4(1, 3)	$3\nu_{33}$	[72063]
	22102.49	(0.10)	5(1, 4) - 4(1, 3)	$2\nu_{32}$	[72063]
	22111.18	(0.10)	5(1, 4) - 4(1, 3)	$4\nu_{33}$	[72063]
	25716.40	(0.10)	6(1, 6) - 5(1, 5)	$1\nu_{31}$	[72063]
	25735.28	(0.10)	6(1, 6) - 5(1, 5)		[71046]
	25767.65	(0.10)	6(1, 6) - 5(1, 5)	$1\nu_{32}$	[72063]
	25781.29	(0.10)	6(1, 6) - 5(1, 5)	$1\nu_{33}$	[72063]
	25798.99	(0.10)	6(1, 6) - 5(1, 5)	$2\nu_{32}$	[72063]
	25813.03	(0.10)	6(1, 6) - 5(1, 5)	$1\nu_{33}$, $1\nu_{32}$	[72063]
	25829.30	(0.10)	6(1, 6) - 5(1, 5)	$2\nu_{33}$	[72063]
	25879.03	(0.10)	6(1, 6) - 5(1, 5)	$3\nu_{33}$	[72063]
	25931.16	(0.10)	6(1, 6) - 5(1, 5)	$4\nu_{33}$	[72063]
	26044.24	(0.10)	6(0, 6) - 5(0, 5)	$1\nu_{31}$	[72063]

TABLE 42.3. Microwave spectrum of 1-pentyne — Continued C_5H_8

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$	–	$J''(K_{-1},K_{+1})$	Vib. state	Ref.
	26065.28	(0.10)	6(0, 6)	–	5(0, 5)		[71046]
	26079.88	(0.10)	6(2, 5)	–	5(2, 4)		[71046]
	26095.81	(0.10)	6(2, 4)	–	5(2, 3)		[71046]
	26100.92	(0.10)	6(0, 6)	–	5(0, 5)	$1\nu_{33}$	[72063]
	26106.86	(0.10)	6(0, 6)	–	5(0, 5)	$1\nu_{32}$	[72063]
	26138.20	(0.10)	6(2, 4)	–	5(2, 3)	$1\nu_{32}$	[72063]
	26138.66	(0.10)	6(0, 6)	–	5(0, 5)	$2\nu_{33}$	[72063]
	26140.20	(0.10)	6(0, 6)	–	5(0, 5)	$1\nu_{33}$, $1\nu_{32}$	[72063]
	26220.60	(0.10)	6(0, 6)	–	5(0, 5)	$4\nu_{33}$	[72063]
	26396.80	(0.10)	6(1, 5)	-	5(1, 4)	$1\nu_{31}$	[72063]
	26420.37	(0.10)	6(1, 5)	–	5(1, 4)		[71046]
	26423.03	(0.10)	6(1, 5)	–	5(1, 4)	$1\nu_{33}$ $1\nu_{31}$	[72063]
	26445.27	(0.10)	6(1, 5)	–	5(1, 4)	$1\nu_{33}$	[72063]
	26471.77	(0.20)	6(1, 5)	–	5(1, 4)	$1\nu_{32}$	[72063]
	26472.12	(0.20)	6(1, 5)	–	5(1, 4)	$2\nu_{33}$	[72063]
	26492.48	(0.10)	6(1, 5)	–	5(1, 4)	$1\nu_{33}$, $1\nu_{32}$	[72063]
	26501.10	(0.10)	6(1, 5)	–	5(1, 4)	$3\nu_{33}$	[72063]
	26521.54	(0.10)	6(1, 5)	–	5(1, 4)	$2\nu_{32}$	[72063]
	26532.18	(0.10)	6(1, 5)	–	5(1, 4)	$4\nu_{33}$	[72063]
	30000.76	(0.10)	7(1, 7)	–	6(1, 6)	$1\nu_{31}$	[72063]
	30022.62	(0.10)	7(1, 7)	–	6(1, 6)		[71046]
	30060.35	(0.10)	7(1, 7)	–	6(1, 6)	$1\nu_{32}$	[72063]
	30076.42	(0.10)	7(1, 7)	–	6(1, 6)	$1\nu_{33}$	[72063]
	30113.33	(0.10)	7(1, 7)	–	6(1, 6)	$1\nu_{33}$, $1\nu_{32}$	[72063]
	30132.29	(0.10)	7(1, 7)	–	6(1, 6)	$2\nu_{33}$	[72063]
	30190.47	(0.10)	7(1, 7)	–	6(1, 6)	$3\nu_{33}$	[72063]
	30402.31	(0.10)	7(0, 7)	–	6(0, 6)		[72063]
	30425.23	(0.10)	7(2, 6)	–	6(2, 5)		[71046]
	30450.98	(0.10)	7(2, 5)	–	6(2, 4)		[71046]
	30466.57	(0.10)	7(2, 6)	–	6(2, 5)	$1\nu_{33}$	[72063]
	30474.47	(0.10)	7(2, 6)	–	6(2, 5)	$1\nu_{32}$	[72063]
	30794.40	(0.10)	7(1, 6)	–	6(1, 5)	$1\nu_{31}$	[72063]
	30821.85	(0.10)	7(1, 6)	–	6(1, 5)		[71046]
	30825.02	(0.10)	7(1, 6)	–	6(1, 5)	$1\nu_{33}$, $1\nu_{31}$	[72063]
	30850.93	(0.10)	7(1, 6)	–	6(1, 5)	$1\nu_{33}$	[72063]
	30881.76	(0.10)	7(1, 6)	–	6(1, 5)	$1\nu_{32}$	[72063]
	30882.32	(0.10)	7(1, 6)	–	6(1, 5)	$2\nu_{33}$	[72063]
	30905.99	(0.10)	7(1, 6)	–	6(1, 5)	$1\nu_{33}$, $1\nu_{32}$	[72063]
	30916.22	(0.10)	7(1, 6)	–	6(1, 5)	$3\nu_{33}$	[72063]
	30952.40	(0.10)	7(1, 6)	–	6(1, 5)	$4\nu_{33}$	[72063]
	34284.14	(0.10)	8(1, 8)	–	7(1, 7)	$1\nu_{31}$	[72063]
	34309.15	(0.10)	8(1, 8)	–	7(1, 7)		[71046]
	34352.21	(0.10)	8(1, 8)	–	7(1, 7)	$1\nu_{32}$	[72063]
	34370.65	(0.10)	8(1, 8)	–	7(1, 7)	$1\nu_{33}$	[72063]
	34412.82	(0.10)	8(1, 8)	–	7(1, 7)	$1\nu_{33}$, $1\nu_{32}$	[72063]
	34434.62	(0.10)	8(1, 8)	–	7(1, 7)	$2\nu_{33}$	[72063]
	34501.17	(0.10)	8(1, 8)	–	7(1, 7)	$3\nu_{33}$	[72063]
	34570.85	(0.10)	8(1, 8)	–	7(1, 7)	$4\nu_{33}$	[72063]
	34736.11	(0.10)	8(0, 8)	–	7(0, 7)		[72063]
	34769.94	(0.10)	8(2, 7)	–	7(2, 6)		[71046]
	34808.59	(0.10)	8(2, 6)	–	7(2, 5)		[71046]
	34817.26	(0.10)	8(2, 7)	–	7(2, 6)	$1\nu_{33}$	[72063]
	35191.08	(0.10)	8(1, 7)	–	7(1, 6)	$1\nu_{31}$	[72063]
	35222.36	(0.10)	8(1, 7)	–	7(1, 6)		[71046]
	35255.63	(0.10)	8(1, 7)	–	7(1, 6)	$1\nu_{33}$	[72063]
	35290.81	(0.10)	8(1, 7)	–	7(1, 6)	$1\nu_{32}$	[72063]
	35291.63	(0.10)	8(1, 7)	–	7(1, 6)	$2\nu_{33}$	[72063]
	35318.57	(0.10)	8(1, 7)	–	7(1, 6)	$1\nu_{33}$, $1\nu_{32}$	[72063]
	35330.37	(0.10)	8(1, 7)	–	7(1, 6)	$3\nu_{33}$	[72063]
	35371.72	(0.10)	8(1, 7)	–	7(1, 6)	$4\nu_{33}$	[72063]
	39066.24	(0.10)	9(0, 9)	–	8(0, 8)		[72063]
	39113.97	(0.10)	9(2, 8)	–	8(2, 7)		[72063]
	39659.38	(0.10)	9(1, 8)	–	8(1, 7)	$1\nu_{33}$	[72063]

TABLE 44.2. Microwave spectrum of methylene cyclobutane — Continued C_5H_8

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Vib. state	Ref.
	29803.94	(0.05)	4(1, 4) - 3(1, 3)	$1\nu_p$	[68044]
	29806.53	(0.05)	4(1, 4) - 3(1, 3)	$5\nu_p$	[68044]
	29877.75	(0.05)	4(1, 4) - 3(1, 3)	$6\nu_p$	[68044]
	30669.83	(0.05)	4(0, 4) - 3(0, 3)	$2\nu_p$	[68044]
	30870.65	(0.05)	4(0, 4) - 3(0, 3)		[68044]
	30845.70	(0.05)	4(0, 4) - 3(0, 3)	$4\nu_p$	[68044]
	30860.24	(0.05)	4(0, 4) - 3(0, 3)	$3\nu_p$	[68044]
	30910.21	(0.05)	4(0, 4) - 3(0, 3)	$1\nu_p$	[68044]
	30958.68	(0.05)	4(0, 4) - 3(0, 3)	$5\nu_p$	[68044]
	31023.29	(0.05)	4(0, 4) - 3(0, 3)	$6\nu_p$	[68044]
	31953.83	(0.05)	4(2, 3) - 3(2, 2)	$2\nu_p$	[68044]
	32064.71	(0.05)	4(2, 3) - 3(2, 2)		[68044]
	32092.58	(0.05)	4(3, 2) - 3(3, 1)		[68044]
	32124.78	(0.05)	4(2, 3) - 3(2, 2)	$4\nu_p$	[68044]
	32137.13	(0.05)	4(2, 3) - 3(2, 2)	$3\nu_p$	[68044]
	32234.43	(0.05)	4(2, 3) - 3(2, 2)	$5\nu_p$	[68044]
	32298.35	(0.05)	4(2, 3) - 3(2, 2)	$6\nu_p$	[68044]
	32348.07	(0.05)	4(3, 2) - 3(3, 1)	$2\nu_p$	[68044]
	32407.05	(0.05)	4(3, 2) - 3(3, 1)	$1\nu_p$	[68044]
	32425.86	(0.05)	4(3, 1) - 3(3, 0)	$2\nu_p$	[68044]
	32445.01	(0.05)	4(3, 1) - 3(3, 0)		[68044]
	32482.60	(0.05)	4(3, 1) - 3(3, 0)	$1\nu_p$	[68044]
	32518.37	(0.05)	4(3, 2) - 3(3, 1)	$4\nu_p$	[68044]
	32530.78	(0.05)	4(3, 2) - 3(3, 1)	$3\nu_p$	[68044]
	32596.27	(0.05)	4(3, 1) - 3(3, 0)	$4\nu_p$	[68044]
	32608.25	(0.05)	4(3, 1) - 3(3, 0)	$3\nu_p$	[68044]
	32627.44	(0.05)	4(3, 2) - 3(3, 1)	$5\nu_p$	[68044]
	32691.23	(0.05)	4(3, 2) - 3(3, 1)	$6\nu_p$	[68044]
	32705.46	(0.05)	4(3, 1) - 3(3, 0)	$5\nu_p$	[68044]
	32769.54	(0.05)	4(3, 1) - 3(3, 0)	$6\nu_p$	[68044]
	33359.01	(0.05)	4(2, 2) - 3(2, 1)	$2\nu_p$	[68044]
	33523.72	(0.05)	4(2, 2) - 3(2, 1)	$4\nu_p$	[68044]
	33506.17	(0.05)	4(2, 2) - 3(2, 1)		[68044]
	33532.58	(0.05)	4(2, 2) - 3(2, 1)	$3\nu_p$	[68044]
	33599.42	(0.05)	4(2, 3) - 3(2, 2)	$1\nu_p$	[68044]
	33629.78	(0.05)	4(2, 2) - 3(2, 1)	$5\nu_p$	[68044]
	33693.03	(0.05)	4(2, 2) - 3(2, 1)	$6\nu_p$	[68044]
	33714.43	(0.05)	4(2, 2) - 3(2, 1)	$1\nu_p$	[68044]
	34033.71	(0.05)	4(1, 3) - 3(1, 2)	$2\nu_p$	[68044]
	34179.86	(0.05)	4(1, 3) - 3(1, 2)		[68044]
	34183.52	(0.05)	4(1, 3) - 3(1, 2)	$4\nu_p$	[68044]
	34193.42	(0.05)	4(1, 3) - 3(1, 2)	$3\nu_p$	[68044]
	34243.14	(0.05)	4(1, 3) - 3(1, 2)	$1\nu_p$	[68044]
	34279.98	(0.05)	4(1, 3) - 3(1, 2)	$5\nu_p$	[68044]
	34336.55	(0.05)	4(1, 3) - 3(1, 2)	$6\nu_p$	[68044]
	36651.14	(0.05)	5(1, 5) - 4(1, 4)	$2\nu_p$	[68044]
	36892.54	(0.05)	5(1, 5) - 4(1, 4)	$4\nu_p$	[68044]
	36911.07	(0.05)	5(1, 5) - 4(1, 4)	$3\nu_p$	[68044]
	36919.56	(0.05)	5(1, 5) - 4(1, 4)		[68044]
	37047.41	(0.05)	5(1, 5) - 4(1, 4)	$5\nu_p$	[68044]
	37136.64	(0.05)	5(1, 5) - 4(1, 4)	$6\nu_p$	[68044]
	37141.00	(0.05)	5(1, 5) - 4(1, 4)	$1\nu_p$	[68044]
	37590.34	(0.05)	5(0, 5) - 4(0, 4)	$2\nu_p$	[68044]
	37815.95	(0.05)	5(0, 5) - 4(0, 4)	$4\nu_p$	[68044]
	37835.34	(0.05)	5(0, 5) - 4(0, 4)	$3\nu_p$	[68044]
	37846.63	(0.05)	5(0, 5) - 4(0, 4)		[68044]
	37920.11	(0.05)	5(0, 5) - 4(0, 4)	$1\nu_p$	[68044]
	37960.66	(0.05)	5(0, 5) - 4(0, 4)	$5\nu_p$	[68044]
	38043.16	(0.05)	5(0, 5) - 4(0, 4)	$6\nu_p$	[68044]
	39749.52	(0.05)	5(2, 4) - 4(2, 3)	$2\nu_p$	[68044]
	39792.83	(0.05)	5(2, 4) - 4(2, 3)		[68044]
	39964.04	(0.05)	5(2, 4) - 4(2, 3)	$4\nu_p$	[68044]
	39980.24	(0.05)	5(2, 4) - 4(2, 3)	$3\nu_p$	[68044]
	40086.12	(0.05)	5(3, 3) - 4(3, 2)		[68044]
	40571.01	(0.05)	5(4, 2) - 4(4, 1)	$1\nu_p$	[68044]
	40572.65	(0.05)	5(3, 3) - 4(3, 2)	$1\nu_p$	[68044]
	40577.72	(0.05)	5(4, 1) - 4(4, 0)	$1\nu_p$	[68044]

TABLE 44.2. Microwave spectrum of methylene cyclobutane — Continued C_5H_8

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Vib. state	Ref.
	40654.28	(0.05)	5(2, 4) - 4(2, 3)	$1\nu_p$	[68044]
	40827.63	(0.05)	5(3, 2) - 4(3, 1)	$1\nu_p$	[68044]
	40844.02	(0.05)	5(4, 2) - 4(4, 1)		[68044]
	40858.29	(0.05)	5(4, 1) - 4(4, 0)		[68044]
	40909.99	(0.05)	5(3, 2) - 4(3, 1)		[68044]
	42324.34	(0.05)	5(1, 4) - 4(1, 3)		[68044]
	42420.05	(0.05)	5(2, 3) - 4(2, 2)		[68044]
	42433.65	(0.05)	5(1, 4) - 4(1, 3)	$1\nu_p$	[68044]
	42564.68	(0.05)	5(2, 3) - 4(2, 2)	$1\nu_p$	[68044]

Table 45.1. Molecular constants for 1-methyl cyclobutene.

Parameter	CH_3-C=CHCH$_2$CH$_2$ Ground State [present]	CH_3-C=CHCH$_2$CH$_2$ Torsional Excited State [70069]
A (MHz)	11679.182(23)	11653.63
B (MHz)	4219.51(10)	4214.93
C (MHz)	3292.015(8)	3290.19
Δ_J (MHz)	1.02(21)	
Δ_{JK} (kHz)	3.49(65)	
Δ_K (kHz)	-12.9(57)	
δ_J (kHz)	0.068(29)	
δ_K (kHz)	3.73(87)	
Internal Rotation Constants		
I_α (u Å^2)	3.16[a]	3.13[a]
λ_a	0.9945	0.9945
λ_b	0.1045	0.1045
θ	6.0°[a]	---
s	43.63	44.33
F (GHz)	172.43	175.04
V_3 (cm^{-1})	565.1(7)	583.(4)
V_6 (cm^{-1})	---	-13.7(88)
Electric Dipole Moment [70069]		
μ_a (D)	0.322(10)	
μ_b (D)	0.156(12)	

[a]Assumed value.
Comments: Several errors in reference [70069] have been corrected. The 2_{11}-2_{02} transition frequency should be 93$\underline{9}$5.59, and the A,E assignments of the 3_{12}-3_{03} transition are reversed. The quantum numbers for the transition at 22213.7 MHz should be 3_{03} (not 2_{03}) and the line at 30222. MHz should be 3_{30} (not 3_{03}). The 5_{24}-5_{15} E transition at 30990.92 deviates by 1 MHz and was not fit.

TABLE 45.2. Microwave spectrum of 1-methylcyclobutene C_5H_8

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	ν_t	Sym.	Ref.
$C(CH_3)CHCH_2CH_2$	9395.59	(0.10)	2(1, 1) - 2(0, 2)		*E*	[70069]
	9396.49	(0.10)	2(1, 1) - 2(0, 2)		*A*	[70069]
	11054.39	(0.10)	3(1, 2) - 3(0, 3)		*A*	[70069]
	11055.23	(0.10)	3(1, 2) - 3(0, 3)		*E*	[70069]
H_2C-CH_2	13471.43	(0.10)	4(1, 3) - 4(0, 4)	1	*A*	[70069]
$HC=C-CH_3$	13510.06	(0.10)	4(1, 3) - 4(0, 4)		*E*	[70069]
	13510.82	(0.10)	4(1, 3) - 4(0, 4)		*A*	[70069]
	14085.49	(0.10)	2(1, 2) - 1(1, 1)	1	*A*	[70069]
	14095.49	(0.10)	2(1, 2) - 1(1, 1)		*A*	[70069]
	14130.43	(0.10)	2(1, 2) - 1(1, 1)	1	*E*	[70069]
	14929.44	(0.10)	2(0, 2) - 1(0, 1)	1	*A*	[70069]
	14941.76	(0.10)	2(0, 2) - 1(0, 1)		*A*	[70069]
	15890.04	(0.10)	2(1, 2) - 1(1, 1)	1	*E*	[70069]
	15935.08	(0.10)	2(1, 1) - 1(1, 0)	1	*A*	[70069]
	15950.48	(0.10)	2(1, 1) - 1(1, 0)		*A*	[70069]
	16841.04	(0.10)	5(1, 4) - 5(0, 5)	1	*A*	[70069]
	16875.26	(0.10)	5(1, 4) - 5(0, 5)	1	*E*	[70069]
	16889.58	(0.10)	5(1, 4) - 5(0, 5)		*E*	[70069]
	16890.25	(0.10)	5(1, 4) - 5(0, 5)		*A*	[70069]
	19790.89	(0.10)	5(2, 3) - 5(1, 4)	1	*A*	[70069]
	19810.48	(0.10)	6(2, 4) - 6(1, 5)		*E*	[70069]
	19812.48	(0.10)	6(2, 4) - 6(1, 5)		*A*	[70069]
	19845.72	(0.10)	5(2, 3) - 5(1, 4)		*E*	[70069]
	19848.00	(0.10)	5(2, 3) - 5(1, 4)		*A*	[70069]
	20421.28	(0.10)	4(2, 2) - 4(1, 3)	1	*A*	[70069]
	20477.62	(0.10)	4(2, 2) - 4(1, 3)		*E*	[70069]
	20479.91	(0.10)	4(2, 2) - 4(1, 3)		*A*	[70069]
	20528.95	(0.10)	7(2, 5) - 7(1, 6)	1	*A*	[70069]
	20586.45	(0.10)	7(2, 5) - 7(1, 6)		*E*	[70069]
	20588.71	(0.10)	7(2, 5) - 7(1, 6)		*A*	[70069]
	21079.69	(0.10)	3(1, 3) - 2(1, 2)	1	*A*	[70069]
	21092.02	(0.10)	3(1, 3) - 2(1, 2)	1	*E*	[70069]
	21094.46	(0.10)	3(1, 3) - 2(1, 2)		*A*	[70069]
	21235.21	(0.10)	6(1, 5) - 6(0, 6)		*E*	[70069]
	21235.96	(0.10)	6(1, 5) - 6(0, 6)		*A*	[70069]
	21383.32	(0.10)	3(2, 1) - 3(1, 2)	1	*E*	[70069]
	21442.57	(0.10)	3(2, 1) - 3(1, 2)		*E*	[70069]
	21444.73	(0.10)	3(2, 1) - 3(1, 2)		*A*	[70069]
	21524.20	(0.10)	2(1, 2) - 1(0, 1)	1	*A*	[70069]
	21534.58	(0.10)	2(1, 2) - 1(0, 1)	1	*E*	[70069]
	21554.89	(0.10)	2(1, 2) - 1(0, 1)		*E*	[70069]
	21555.74	(0.10)	2(1, 2) - 1(0, 1)		*A*	[70069]
	22195.52	(0.10)	3(0, 3) - 2(0, 2)	1	*A*	[70069]
	22196.83	(0.10)	3(0, 3) - 2(0, 2)	1	*E*	[70069]
	22213.70	(0.10)	3(0, 3) - 2(0, 2)		*A*	[70069]
	22515.37	(0.10)	3(2, 2) - 2(2, 1)	1	*A*	[70069]
	22534.38	(0.10)	3(2, 2) - 2(2, 1)		*A*	[70069]
	22535.89	(0.10)	3(2, 2) - 2(2, 1)		*E*	[70069]
	22641.57	(0.10)	3(2, 2) - 2(2, 1)	1	*E*	[70069]
	22707.48	(0.10)	3(2, 1) - 2(2, 0)	1	*E*	[70069]
	22835.17	(0.10)	3(2, 1) - 2(2, 0)	1	*A*	[70069]
	22853.51	(0.10)	3(2, 1) - 2(2, 0)		*E*	[70069]
	22855.15	(0.10)	3(2, 1) - 2(2, 0)		*A*	[70069]
	23837.44	(0.10)	3(1, 2) - 2(1, 1)	1	*E*	[70069]
	23848.81	(0.10)	3(1, 2) - 2(1, 1)	1	*A*	[70069]
	23872.44	(0.10)	3(1, 2) - 2(1, 1)		*A*	[70069]
	25108.70	(0.10)	9(2, 7) - 9(1, 8)	1	*A*	[70069]
	25158.84	(0.10)	2(2, 1) - 2(1, 2)		*E*	[70069]
	25160.98	(0.10)	9(2, 7) - 9(1, 8)	1	*E*	[70069]
	25163.45	(0.10)	2(2, 1) - 2(1, 2)		*A*	[70069]
	25180.70	(0.10)	9(2, 7) - 9(1, 8)		*E*	[70069]
	25181.72	(0.10)	9(2, 7) - 9(1, 8)		*A*	[70069]
	26462.96	(0.10)	7(1, 6) - 7(0, 7)		*E*	[70069]
	26463.72	(0.10)	7(1, 6) - 7(0, 7)		*A*	[70069]
	26526.51	(0.10)	3(2, 2) - 3(1, 3)	1	*A*	[70069]
	26600.21	(0.10)	3(2, 2) - 3(1, 3)		*E*	[70069]
	26603.19	(0.10)	3(2, 2) - 3(1, 3)		*A*	[70069]

TABLE 45.2. Microwave spectrum of 1-methylcyclobutene — Continued C_5H_8

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$	-	$J''(K_{-1},K_{+1})$	v_t	Sym.	Ref.
	27674.61	(0.10)	3(1, 3)	-	2(0, 2)	1	*A*	[70069]
	27697.07	(0.10)	3(1, 3)	-	2(0, 2)	1	*E*	[70069]
	27707.75	(0.10)	3(1, 3)	-	2(0, 2)		*E*	[70069]
	27708.61	(0.10)	3(1, 3)	-	2(0, 2)		*A*	[70069]
	28021.59	(0.10)	4(1, 4)	-	3(1, 3)	1	*A*	[70069]
	28026.89	(0.10)	4(1, 4)	-	3(1, 3)	1	*E*	[70069]
	28040.95	(0.10)	4(1, 4)	-	3(1, 3)		*A*	[70069]
	28541.86	(0.10)	4(2, 3)	-	4(1, 4)		*E*	[70069]
	28544.67	(0.10)	4(2, 3)	-	4(1, 4)		*A*	[70069]
	29079.75	(0.10)	10(2, 8)	-	10(1, 9)	1	*A*	[70069]
	29113.96	(0.10)	10(2, 8)	-	10(1, 9)	1	*E*	[70069]
	29164.33	(0.10)	10(2, 8)	-	10(1, 9)		*E*	[70069]
	29164.91	(0.10)	10(2, 8)	-	10(1, 9)		*A*	[70069]
	29245.66	(0.10)	4(0, 4)	-	3(0, 3)	1	*A*	[70069]
	29248.49	(0.10)	4(0, 4)	-	3(0, 3)	1	*E*	[70069]
	29268.65	(0.10)	4(0, 4)	-	3(0, 3)		*A*	[70069]
	29936.95	(0.10)	11(3, 8)	-	11(2, 9)	1	*A*	[70069]
	29957.32	(0.10)	4(2, 3)	-	3(2, 2)	1	*A*	[70069]
	29982.54	(0.10)	4(2, 3)	-	3(2, 2)		*A*	[70069]
	30018.74	(0.10)	11(3, 8)	-	11(2, 9)		*E*	[70069]
	30021.78	(0.10)	11(3, 8)	-	11(2, 9)		*A*	[70069]
	30120.40	(0.10)	4(2, 3)	-	3(2, 2)	1	*E*	[70069]
	30123.08	(0.10)	10(3, 7)	-	10(2, 8)	1	*A*	[70069]
	30169.72	(0.10)	4(3, 2)	-	3(3, 1)	1	*A*	[70069]
	30180.89	(0.10)	4(3, 1)	-	3(3, 0)	1	*E*	[70069]
	30195.47	(0.10)	4(3, 2)	-	3(3, 1)		*A*	[70069]
	30195.90	(0.10)	4(3, 1)	-	3(3, 0)	1	*A*	[70069]
	30203.53	(0.10)	4(3, 2)	-	3(3, 1)		*E*	[70069]
	30204.28	(0.10)	10(3, 7)	-	10(2, 8)		*E*	[70069]
	30207.92	(0.10)	10(3, 7)	-	10(2, 8)		*A*	[70069]
	30214.26	(0.10)	4(3, 1)	-	3(3, 0)		*E*	[70069]
	30222.08	(0.10)	4(3, 1)	-	3(3, 0)		*A*	[70069]
	30341.91	(0.10)	10(3, 7)	-	10(2, 8)	1	*E*	[70069]
	30569.18	(0.10)	4(2, 2)	-	3(2, 1)	1	*E*	[70069]
	30731.93	(0.10)	4(2, 2)	-	3(2, 1)	1	*A*	[70069]
	30759.44	(0.10)	4(2, 2)	-	3(2, 1)		*A*	[70069]
	30820.89	(0.10)	12(3, 9)	-	12(2,10)	1	*A*	[70069]
	30906.53	(0.10)	12(3, 9)	-	12(2,10)		*E*	[70069]
	30908.90	(0.10)	12(3, 9)	-	12(2,10)		*A*	[70069]
	30942.68	(0.10)	12(3, 9)	-	12(2,10)	1	*E*	[70069]
	30990.92	(0.10)	5(2, 4)	-	5(1, 5)		*E*	[70069]
	30994.53	(0.10)	5(2, 4)	-	5(1, 5)		*A*	[70069]
	31155.91	(0.10)	9(3, 6)	-	9(2, 7)	1	*A*	[70069]
	31239.54	(0.10)	9(3, 6)	-	9(2, 7)		*E*	[70069]
	31243.58	(0.10)	9(3, 6)	-	9(2, 7)		*A*	[70069]
	31456.75	(0.10)	9(3, 6)	-	9(2, 7)	1	*E*	[70069]
	31689.91	(0.10)	4(1, 3)	-	3(1, 2)	1	*E*	[70069]
	31693.96	(0.10)	4(1, 3)	-	3(1, 2)	1	*A*	[70069]
	31724.41	(0.10)	4(1, 3)	-	3(1, 2)		*A*	[70069]
	31791.25	(0.10)	5(0, 5)	-	4(1, 4)	1	*E*	[70069]
	31810.04	(0.10)	5(0, 5)	-	4(1, 4)	1	*A*	[70069]
	31825.21	(0.10)	5(0, 5)	-	4(1, 4)		*A*	[70069]
	31825.94	(0.10)	5(0, 5)	-	4(1, 4)		*E*	[70069]
	33535.01	(0.10)	4(1, 4)	-	3(0, 3)		*E*	[70069]
	33535.91	(0.10)	4(1, 4)	-	3(0, 3)		*A*	[70069]
	34903.03	(0.10)	5(1, 5)	-	4(1, 4)	1	*A*	[70069]
	34906.41	(0.10)	5(1, 5)	-	4(1, 4)	1	*E*	[70069]
	34926.94	(0.10)	5(1, 5)	-	4(1, 4)		*A*	[70069]
	36064.99	(0.10)	5(0, 5)	-	4(0, 4)	1	*E*	[70069]
	36069.70	(0.10)	5(0, 5)	-	4(0, 4)	1	*A*	[70069]
	36092.22	(0.10)	5(0, 5)	-	4(0, 4)		*A*	[70069]
	37759.54	(0.10)	5(3, 3)	-	4(3, 2)	1	*A*	[70069]
	37792.32	(0.10)	5(3, 3)	-	4(3, 2)		*A*	[70069]
	37798.19	(0.10)	5(3, 3)	-	4(3, 2)		*E*	[70069]
	37851.50	(0.10)	5(3, 2)	-	4(3, 1)	1	*A*	[70069]
	37877.76	(0.10)	5(3, 2)	-	4(3, 1)		*E*	[70069]
	37884.24	(0.10)	5(3, 2)	-	4(3, 1)		*A*	[70069]

Table 46.1. Molecular constants for 1,1-dimethylallene in the ground vibrational state.

Parameter	$(CH_3)_2C{=}C{=}CH_2$ [76060]
$\tilde{A}$ (MHz)	8263.99082(298)
$\tilde{B}$ (MHz)	3614.19398(136)
$\tilde{C}$ (MHz)	2639.48826(89)
Δ_J (MHz)	$0.4970(95)\times10^{-3}$
Δ_{JK} (MHz)	$0.010490(60)\times10^{-3}$
Δ_K (MHz)	$1.985(204)\times10^{-3}$
δ_J (MHz)	$0.15723(173)\times10^{-3}$
δ_K (MHz)	$6.108(40)\times10^{-3}$
Internal Rotation Constants [71050]	
I_α (u Å^2)	3.13 (assumed)
θ	52.8°
s	56.66(6)
V_3 (cm^{-1})	708.7(11)
Dipole Moment [71050]	
μ_a (D)	0.549(1)

Table 46.2. Rotational constants for excited vibrational states of 1,1-dimethylallene. [77040]

State	A (MHz)	B (MHz)	C (MHz)	E (cm^{-1})
ν_I[a]	8259.16(20)	3617.640(20)	2640.214(20)	~191.
ν_{II}[a]	8248.25(10)	3626.382(20)	2640.565(20)	
ν_{16}	8251.23(20)	3613.797(3)	2638.384(3)	~236.
ν_{32}	8270.73(4)	3618.352(5)	2643.832(5)	~241.
$2\nu_{32}$	8274.1(25)	3622.60(9)	2648.28(1)	--
ν_{11}	8206.9(5)	3621.87(2)	2639.99(1)	~355.

[a]Coriolis perturbation analysis yields the constants D=5989.38(40) MHz and $\Delta E_{II,I}$ = 48761.2(10) MHz.

TABLE 46.3. Microwave spectrum of dimethylallene C_5H_8

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Sym.	Vib. state	Ref.
$(CH_3)_2CCCH_2$	6248.88	(0.05)	28(9,19) - 28(9,20)			[76060]
	9976.06	(0.05)	9(3, 6) - 9(3, 7)	*EE*	$1\nu_{I}$	[76060]
H_3C \ / $C=C=CH_2$	11523.34	(0.05)	14(4,10) - 14(4,11)	*EE*	$1\nu_{II}$	[77040]
H_3C	11532.64	(0.05)	2(1, 2) - 1(1, 1)			[71050]
	11541.830	(0.050)	2(1, 2) - 1(1, 1)		$1\nu_{11}$	[71050]
	11549.84	(0.05)	2(1, 2) - 1(1, 1)	*EE*	$1\nu_{32}$	[77040]
	11564.87	(0.05)	2(1, 2) - 1(1, 1)	*EE*	$1\nu_{I}$	[77040]
	11578.42	(0.05)	2(1, 2) - 1(1, 1)	*EE*	$1\nu_{II}$	[77040]
	12014.68	(0.05)	12(4, 8) - 12(4, 9)	*EE*	$1\nu_{I}$	[77040]
	12361.66	(0.05)	2(0, 2) - 1(0, 1)	*EE*	$1\nu_{I}$	[77040]
	12365.69	(0.05)	2(0, 2) - 1(0, 1)	A_2A_1	$1\nu_{16}$	[77040]
	12366.03	(0.05)	2(0, 2) - 1(0, 1)	*EE*	$1\nu_{16}$	[77040]
	12366.44	(0.05)	2(0, 2) - 1(0, 1)	*AE*+*EA*	$1\nu_{16}$	[77040]
	12369.58	(0.05)	2(0, 2) - 1(0, 1)			[71050]
	12382.250	(0.050)	2(0, 2) - 1(0, 1)		$1\nu_{11}$	[77040]
	12386.68	(0.05)	2(0, 2) - 1(0, 1)	*EE*	$1\nu_{32}$	[77040]
	12420.32	(0.05)	2(0, 2) - 1(0, 1)	*EE*	$1\nu_{II}$	[77040]
	13462.64	(0.05)	2(1, 1) - 1(1, 0)	*EE*	$1\nu_{I}$	[77040]
	13478.95	(0.05)	2(1, 1) - 1(1, 0)	A_2A_1	$1\nu_{16}$	[77040]
	13479.64	(0.05)	2(1, 1) - 1(1, 0)	*EE*	$1\nu_{16}$	[77040]
	13480.33	(0.05)	2(1, 1) - 1(1, 0)	*AE*+*EA*	$1\nu_{16}$	[77040]
	13481.98	(0.05)	2(1, 1) - 1(1, 0)			[71050]
	13493.08	(0.05)	2(1, 1) - 1(1, 0)	*EE*	$1\nu_{II}$	[77040]
	13498.73	(0.05)	2(1, 1) - 1(1, 0)	*EE*	$1\nu_{32}$	[77040]
	13505.480	(0.050)	2(1, 1) - 1(1, 0)		$1\nu_{11}$	[77040]
	13673.57	(0.05)	8(1, 7) - 7(3, 4)			[76060]
	13762.286	(0.080)	23(7,16) - 23(7,17)	*AE*+*EA*		[71050]
	13762.837	(0.080)	23(7,16) - 23(7,17)	*EE*		[71050]
	13763.368	(0.080)	23(7,16) - 23(7,17)	*AA*		[71050]
	14272.59	(0.05)	15(4,11) - 15(4,12)	*EE*	$1\nu_{I}$	[77040]
	15419.158	(0.080)	20(6,14) - 20(6,15)	*AE*+*EA*		[71050]
	15419.661	(0.080)	20(6,14) - 20(6,15)	*EE*		[71050]
	15420.174	(0.080)	20(6,14) - 20(6,15)	*AA*		[71050]
	16034.36	(0.08)	10(2, 8) - 9(4, 5)			[76060]
	16459.89	(0.05)	8(2, 6) - 8(2, 7)	*EE*	$1\nu_{II}$	[77040]
	16594.39	(0.05)	8(2, 6) - 8(2, 7)			[71050]
	16722.28	(0.05)	17(5,12) - 17(5,13)	*EE*	$1\nu_{32}$	[77040]
	16725.13	(0.05)	17(5,12) - 17(5,13)	*EE*	$1\nu_{32}$	[77040]
	16727.95	(0.05)	17(5,12) - 17(5,13)	*EE*	$1\nu_{32}$	[77040]
	16750.943	(0.080)	17(5,12) - 17(5,13)	*AE*+*EA*		[71050]
	16751.419	(0.080)	17(5,12) - 17(5,13)	*EE*		[71050]
	16751.890	(0.080)	17(5,12) - 17(5,13)	*AA*		[71050]
	16863.49	(0.05)	17(5,12) - 17(5,13)	A_2A_1	$1\nu_{16}$	[77040]
	16873.55	(0.05)	17(5,12) - 17(5,13)	*EE*	$1\nu_{16}$	[77040]
	16883.62	(0.05)	17(5,12) - 17(5,13)	*AE*+*EA*	$1\nu_{16}$	[77040]
	17033.113	(0.080)	37(11,26) - 37(11,27)	*AE*+*EA*		[71050]
	17033.969	(0.080)	37(11,26) - 37(11,27)	*EE*		[71050]
	17034.842	(0.080)	37(11,26) - 37(11,27)	*AA*		[71050]
	17212.02	(0.05)	3(1, 3) - 2(1, 2)	A_2A_1	$1\nu_{16}$	[77040]
	17212.31	(0.05)	3(1, 3) - 2(1, 2)	*EE*	$1\nu_{16}$	[77040]
	17212.62	(0.05)	3(1, 3) - 2(1, 2)	*AE*+*EA*	$1\nu_{16}$	[77040]
	17218.19	(0.05)	3(1, 3) - 2(1, 2)			[71050]
	17229.930	(0.050)	3(1, 3) - 2(1, 2)		$1\nu_{11}$	[77040]
	17244.00	(0.05)	3(1, 3) - 2(1, 2)	*EE*	$1\nu_{32}$	[77040]
	17253.80	(0.05)	3(1, 3) - 2(1, 2)	*EE*	$1\nu_{I}$	[77040]
	17269.87	(0.05)	3(1, 3) - 2(1, 2)	*AE*+*EA*	$2\nu_{32}$	[77040]
	17270.26	(0.05)	3(1, 3) - 2(1, 2)	*EE*	$2\nu_{32}$	[77040]
	17270.62	(0.05)	3(1, 3) - 2(1, 2)	*AA*	$2\nu_{32}$	[77040]
	17311.34	(0.05)	3(1, 3) - 2(1, 2)	*EE*	$1\nu_{II}$	[77040]
	17525.60	(0.05)	14(4,10) - 14(4,11)	*EE*	$1\nu_{32}$	[77040]
	17528.02	(0.05)	14(4,10) - 14(4,11)	*EE*	$1\nu_{32}$	[77040]
	17530.49	(0.05)	14(4,10) - 14(4,11)	*EE*	$1\nu_{32}$	[77040]
	17547.544	(0.080)	14(4,10) - 14(4,11)	*AE*+*EA*		[71050]
	17547.940	(0.080)	14(4,10) - 14(4,11)	*EE*		[71050]
	17548.345	(0.080)	14(4,10) - 14(4,11)	*AA*		[71050]
	17564.23	(0.05)	11(3, 8) - 11(3, 9)	*EE*	$1\nu_{32}$	[77040]
	17566.20	(0.05)	11(3, 8) - 11(3, 9)	*EE*	$1\nu_{32}$	[77040]

TABLE 46.3. Microwave spectrum of dimethylalleney — Continued C_5H_8

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Sym.	Vib. state	Ref.
	17568.17	(0.05)	11(3, 8) - 11(3, 9)	*EE*	$1\nu_{32}$	[77040]
	17579.159	(0.080)	11(3, 8) - 11(3, 9)	*AE+EA*		[71050]
	17579.494	(0.080)	11(3, 8) - 11(3, 9)	*EE*		[71050]
	17579.832	(0.080)	11(3, 8) - 11(3, 9)	*AA*		[71050]
	17698.38	(0.05)	13(4, 9) - 13(4,10)	*EE*	$1\nu_{I}$	[77040]
	17766.73	(0.05)	8(2, 6) - 8(2, 7)	*EE*	$1\nu_{I}$	[77040]
	18007.680	(0.080)	27(8,19) - 27(8,20)	*AE+EA*		[71050]
	18008.362	(0.080)	27(8,19) - 27(8,20)	*EE*		[71050]
	18009.088	(0.080)	27(8,19) - 27(8,20)	*AA*		[71050]
	18181.84	(0.05)	3(0, 3) - 2(0, 2)	*EE*	$1\nu_{I}$	[77040]
	18220.37	(0.05)	3(0, 3) - 2(0, 2)	A_2A_1	$1\nu_{16}$	[77040]
	18220.80	(0.05)	3(0, 3) - 2(0, 2)	*EE*	$1\nu_{16}$	[77040]
	18221.31	(0.05)	3(0, 3) - 2(0, 2)	*AE+EA*	$1\nu_{16}$	[77040]
	18227.25	(0.05)	3(0, 3) - 2(0, 2)			[71050]
	18238.250	(0.050)	3(0, 3) - 2(0, 2)		$1\nu_{11}$	[77040]
	18353.20	(0.05)	3(0, 3) - 2(0, 2)	*EE*	$1\nu_{32}$	[77040]
	18357.82	(0.05)	3(0, 3) - 2(0, 2)	*EE*	$1\nu_{II}$	[77040]
	18611.37	(0.05)	6(1, 5) - 6(1, 6)	*EE*	$1\nu_{I}$	[77040]
	18741.60	(0.05)	6(1, 5) - 6(1, 6)	*EE*	$1\nu_{II}$	[77040]
	18755.51	(0.05)	3(2, 2) - 2(2, 1)	*EE*	$1\nu_{I}$	[77040]
	18760.73	(0.05)	3(2, 2) - 2(2, 1)			[71050]
	18786.23	(0.05)	3(2, 2) - 2(2, 1)	*EE*	$1\nu_{32}$	[77040]
	18807.23	(0.05)	3(2, 2) - 2(2, 1)	*EE*	$1\nu_{II}$	[77040]
	19138.75	(0.05)	18(5,13) - 17(7,10)			[76060]
	19261.60	(0.05)	3(2, 1) - 2(2, 0)	*EE*	$1\nu_{II}$	[77040]
	19294.45	(0.05)	3(2, 1) - 2(2, 0)			[71050]
	19319.30	(0.05)	3(2, 1) - 2(2, 0)	*EE*	$1\nu_{32}$	[77040]
	19508.79	(0.08)	6(1, 5) - 6(1, 6)			[71050]
	19817.634	(0.080)	34(10,24) - 34(10,25)	*AE+EA*		[71050]
	19818.540	(0.080)	34(10,24) - 34(10,25)	*EE*		[71050]
	19819.472	(0.080)	34(10,24) - 34(10,25)	*AA*		[71050]
	19918.52	(0.05)	34(10,24) - 34(10,25)			[76060]
	20083.13	(0.05)	3(1, 2) - 2(1, 1)	*EE*	$1\nu_{I}$	[77040]
	20124.99	(0.05)	3(1, 2) - 2(1, 1)	A_2A_1	$1\nu_{16}$	[77040]
	20126.00	(0.05)	3(1, 2) - 2(1, 1)	*EE*	$1\nu_{16}$	[77040]
	20126.98	(0.05)	3(1, 2) - 2(1, 1)	*AE+EA*	$1\nu_{16}$	[77040]
	20129.84	(0.05)	3(1, 2) - 2(1, 1)			[71050]
	20155.19	(0.05)	3(1, 2) - 2(1, 1)	*EE*	$1\nu_{32}$	[77040]
	20162.720	(0.050)	3(1, 2) - 2(1, 1)		$1\nu_{11}$	[77040]
	20171.94	(0.05)	3(1, 2) - 2(1, 1)	*EE*	$1\nu_{II}$	[77040]
	20218.063	(0.080)	24(7,17) - 24(7,18)	*AE+EA*		[71050]
	20218.775	(0.080)	24(7,17) - 24(7,18)	*EE*		[71050]
	20219.475	(0.080)	24(7,17) - 24(7,18)	*AA*		[71050]
	21450.58	(0.05)	11(3, 8) - 11(3, 9)	*EE*	$1\nu_{I}$	[77040]
	21528.29	(0.05)	5(2, 4) - 5(0, 5)	*EE*	$1\nu_{I}$	[77040]
	22015.75	(0.05)	9(2, 7) - 9(2, 8)	*EE*	$1\nu_{II}$	[77040]
	22092.64	(0.05)	13(3,10) - 12(5, 7)			[76060]
	22107.438	(0.080)	21(6,15) - 21(6,16)	*AE+EA*		[71050]
	22108.089	(0.080)	21(6,15) - 21(6,16)	*EE*		[71050]
	22108.749	(0.080)	21(6,15) - 21(6,16)	*AA*		[71050]
	22236.94	(0.05)	11(2, 9) - 10(4, 6)			[76060]
	22341.71	(0.05)	9(2, 7) - 9(2, 8)	*EE*	$1\nu_{32}$	[77040]
	22343.57	(0.05)	9(2, 7) - 9(2, 8)	*EE*	$1\nu_{32}$	[77040]
	22345.47	(0.05)	9(2, 7) - 9(2, 8)	*EE*	$1\nu_{32}$	[77040]
	22350.32	(0.05)	4(2, 3) - 4(0, 4)			[76060]
	22378.88	(0.05)	9(2, 7) - 9(2, 8)	A_2A_1	$1\nu_{16}$	[77040]
	22385.35	(0.05)	9(2, 7) - 9(2, 8)	*EE*	$1\nu_{16}$	[77040]
	22391.77	(0.05)	9(2, 7) - 9(2, 8)	*AE+EA*	$1\nu_{16}$	[77040]
	22814.19	(0.05)	4(1, 4) - 3(1, 3)	A_2A_1	$1\nu_{16}$	[77040]
	22814.56	(0.05)	4(1, 4) - 3(1, 3)	*EE*	$1\nu_{16}$	[77040]
	22814.93	(0.05)	4(1, 4) - 3(1, 3)	*AE+EA*	$1\nu_{16}$	[77040]
	22822.82	(0.05)	4(1, 4) - 3(1, 3)			[71050]
	22826.972	(0.080)	31(9,22) - 31(9,23)	*AE+EA*		[71050]
	22827.913	(0.080)	31(9,22) - 31(9,23)	*EE*		[71050]
	22828.833	(0.080)	31(9,22) - 31(9,23)	*AA*		[71050]
	22835.390	(0.050)	4(1, 4) - 3(1, 3)		$1\nu_{11}$	[77040]
	22852.15	(0.05)	4(1, 4) - 3(1, 3)	*EE*	$1\nu_{I}$	[77040]

TABLE 46.3. Microwave spectrum of dimethylallene — Continued C_5H_8

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$	-	$J''(K_{-1},K_{+1})$	Sym.	Vib. state	Ref.
	22857.41	(0.05)	4(1, 4)	-	3(1, 3)	*EE*	$1\nu_{32}$	[77040]
	22891.90	(0.05)	4(1, 4)	-	3(1, 3)	*AE+EA*	$2\nu_{32}$	[77040]
	22892.37	(0.05)	4(1, 4)	-	3(1, 3)	*EE*	$2\nu_{32}$	[77040]
	22892.80	(0.05)	4(1, 4)	-	3(1, 3)	*AA*	$2\nu_{32}$	[77040]
	22993.87	(0.05)	4(1, 4)	-	3(1, 3)	*EE*	$1\nu_{II}$	[77040]
	23438.77	(0.05)	18(5,13)	-	18(5,14)	*EE*	$1\nu_{32}$	[77040]
	23442.32	(0.05)	18(5,13)	-	18(5,14)	*EE*	$1\nu_{32}$	[77040]
	23445.78	(0.05)	18(5,13)	-	18(5,14)	*EE*	$1\nu_{32}$	[77040]
	23473.106	(0.080)	18(5,13)	-	18(5,14)	*AE+EA*		[71050]
	23473.692	(0.080)	18(5,13)	-	18(5,14)	*EE*		[71050]
	23474.294	(0.080)	18(5,13)	-	18(5,14)	*AA*		[71050]
	23606.27	(0.05)	18(5,13)	-	18(5,14)	A_2A_1	$1\nu_{16}$	[77040]
	23618.73	(0.05)	18(5,13)	-	18(5,14)	*EE*	$1\nu_{16}$	[77040]
	23631.13	(0.05)	18(5,13)	-	18(5,14)	*AE+EA*	$1\nu_{16}$	[77040]
	23681.59	(0.05)	4(0, 4)	-	3(0, 3)	*EE*	$1\nu_{I}$	[77040]
	23765.62	(0.05)	4(0, 4)	-	3(0, 3)	A_2A_1	$1\nu_{16}$	[77040]
	23766.02	(0.05)	4(0, 4)	-	3(0, 3)	*EE*	$1\nu_{16}$	[77040]
	23766.51	(0.05)	4(0, 4)	-	3(0, 3)	*AE+EA*	$1\nu_{16}$	[77040]
	23773.80	(0.05)	9(2, 7)	-	9(2, 8)	*EE*	$1\nu_{I}$	[77040]
	23775.97	(0.05)	4(0, 4)	-	3(0, 3)			[71050]
	23780.190	(0.050)	4(0, 4)	-	3(0, 3)		$1\nu_{11}$	[77040]
	23810.90	(0.05)	4(0, 4)	-	3(0, 3)	*EE*	$1\nu_{32}$	[77040]
	23845.89	(0.05)	4(0, 4)	-	3(0, 3)	*AE+EA*	$2\nu_{32}$	[77040]
	23846.45	(0.05)	4(0, 4)	-	3(0, 3)	*EE*	$2\nu_{32}$	[77040]
	23846.96	(0.05)	4(0, 4)	-	3(0, 3)	*AA*	$2\nu_{32}$	[77040]
	24024.82	(0.05)	4(0, 4)	-	3(0, 3)	*EE*	$1\nu_{II}$	[77040]
	24055.82	(0.05)	6(2, 5)	-	6(0, 6)	*EE*	$1\nu_{I}$	[77040]
	24230.90	(0.05)	5(2, 4)	-	5(0, 5)			[76060]
	24560.85	(0.05)	14(4,10)	-	14(4,11)	*EE*	$1\nu_{I}$	[77040]
	24712.33	(0.05)	4(2, 3)	-	3(2, 2)	*EE*	$1\nu_{II}$	[77040]
	24863.45	(0.05)	4(2, 3)	-	3(2, 2)	*EE*	$1\nu_{I}$	[77040]
	24906.63	(0.05)	4(2, 3)	-	3(2, 2)			[71050]
	24940.79	(0.05)	4(2, 3)	-	3(2, 2)	*EE*	$1\nu_{32}$	[77040]
	25256.34	(0.05)	4(3, 2)	-	3(3, 1)			[71050]
	25265.69	(0.05)	4(3, 2)	-	3(3, 1)	*EE*	$1\nu_{I}$	[77040]
	25285.42	(0.05)	4(3, 2)	-	3(3, 1)	*EE*	$1\nu_{II}$	[77040]
	25329.05	(0.05)	4(3, 1)	-	3(3, 0)			[71050]
	25337.76	(0.05)	4(3, 1)	-	3(3, 0)	*EE*	$1\nu_{II}$	[77040]
	25352.76	(0.05)	4(3, 1)	-	3(3, 0)	*EE*	$1\nu_{I}$	[77040]
	25593.515	(0.080)	28(8,20)	-	28(8,21)	*AE+EA*		[71050]
	25594.427	(0.080)	28(8,20)	-	28(8,21)	*EE*		[71050]
	25595.341	(0.080)	28(8,20)	-	28(8,21)	*AA*		[71050]
	25616.95	(0.05)	4(4, 0)	-	3(2, 2)		$1\nu_{I} \rightarrow 1\nu_{II}$	[77040]
	25945.92	(0.05)	5(2, 4)	-	5(0, 5)	*EE*	$1\nu_{II}$	[77040]
	26144.32	(0.05)	4(2, 2)	-	3(2, 1)			[71050]
	26188.04	(0.05)	4(2, 2)	-	3(2, 1)	*EE*	$1\nu_{II}$	[77040]
	26239.78	(0.05)	4(2, 2)	-	3(2, 1)	*EE*	$1\nu_{I}$	[77040]
	26376.39	(0.05)	12(2,10)	-	11(4, 7)			[76060]
	26546.10	(0.05)	4(1, 3)	-	3(1, 2)	*EE*	$1\nu_{I}$	[77040]
	26648.54	(0.05)	4(1, 3)	-	3(1, 2)			[71050]
	26755.54	(0.05)	4(1, 3)	-	3(1, 2)	*EE*	$1\nu_{II}$	[77040]
	26863.98	(0.05)	6(2, 5)	-	6(0, 6)			[76060]
	27041.33	(0.05)	7(2, 6)	-	7(0, 7)	*EE*	$1\nu_{I}$	[77040]
	28027.065	(0.080)	25(7,18)	-	25(7,19)	*AE+EA*		[71050]
	28027.929	(0.080)	25(7,18)	-	25(7,19)	*EE*		[71050]
	28028.793	(0.080)	25(7,18)	-	25(7,19)	*AA*		[71050]
	28167.86	(0.05)	6(2, 5)	-	6(0, 6)	*EE*	$1\nu_{II}$	[77040]
	28229.78	(0.05)	35(10,25)	-	35(10,26)			[76060]
	28331.52	(0.05)	5(1, 5)	-	4(1, 4)	A_2A_1	$1\nu_{16}$	[77040]
	28331.91	(0.05)	5(1, 5)	-	4(1, 4)	*EE*	$1\nu_{16}$	[77040]
	28332.33	(0.05)	5(1, 5)	-	4(1, 4)	*AE+EA*	$1\nu_{16}$	[77040]
	28342.76	(0.05)	5(1, 5)	-	4(1, 4)			[71050]
	28354.651	(0.050)	5(1, 5)	-	4(1, 4)		$1\nu_{11}$	[77040]
	28359.40	(0.05)	5(1, 5)	-	4(1, 4)	*EE*	$1\nu_{I}$	[77040]
	28386.11	(0.05)	5(1, 5)	-	4(1, 4)	*EE*	$1\nu_{32}$	[77040]
	28429.35	(0.05)	5(1, 5)	-	4(1, 4)	*AE+EA*	$2\nu_{32}$	[77040]
	28429.84	(0.05)	5(1, 5)	-	4(1, 4)	*EE*	$2\nu_{32}$	[77040]

TABLE 46.3. Microwave spectrum of dimethylallene — Continued C_5H_8

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$	-	$J''(K_{-1},K_{+1})$	Sym.	Vib. state	Ref.
	28430.26	(0.05)	5(1, 5)	-	4(1, 4)	*AA*	$2\nu_{32}$	[77040]
	28482.63	(0.05)	12(3, 9)	-	12(3,10)	*EE*	$1\nu_{I}$	[77040]
	28501.71	(0.05)	10(2, 8)	-	10(2, 9)	*EE*	$1\nu_{32}$	[77040]
	28503.87	(0.05)	10(2, 8)	-	10(2, 9)	*EE*	$1\nu_{32}$	[77040]
	28506.08	(0.05)	10(2, 8)	-	10(2, 9)	*EE*	$1\nu_{32}$	[77040]
	28537.15	(0.05)	10(2, 8)	-	10(2, 9)	A_2A_1	$1\nu_{16}$	[77040]
	28544.75	(0.05)	10(2, 8)	-	10(2, 9)	*EE*	$1\nu_{16}$	[77040]
	28552.41	(0.05)	10(2, 8)	-	10(2, 9)	*AE*+*EA*	$1\nu_{16}$	[77040]
	28653.78	(0.05)	5(1, 5)	-	4(1, 4)	*EE*	$1\nu_{II}$	[77040]
	28958.60	(0.05)	5(0, 5)	-	4(0, 4)	*EE*	$1\nu_{I}$	[77040]
	29067.95	(0.05)	5(0, 5)	-	4(0, 4)	A_2A_1	$1\nu_{16}$	[77040]
	29068.33	(0.05)	5(0, 5)	-	4(0, 4)	*EE*	$1\nu_{16}$	[77040]
	29068.75	(0.05)	5(0, 5)	-	4(0, 4)	*AE*+*EA*	$1\nu_{16}$	[77040]
	29125.49	(0.05)	5(0, 5)	-	4(0, 4)	*EE*	$1\nu_{32}$	[77040]
	29458.53	(0.05)	5(0, 5)	-	4(0, 4)	*EE*	$1\nu_{II}$	[77040]
	29081.64	(0.05)	5(0, 5)	-	4(0, 4)			[71050]
	30037.62	(0.05)	14(3,11)	-	13(5, 8)			[76060]
	30037.65	(0.05)	6(3, 4)	-	6(1, 5)	*EE*	$1\nu_{I}$	[77040]
	30561.845	(0.080)	13(3,10)	-	13(3,11)	*AE*+*EA*		[71050]
	30562.307	(0.080)	13(3,10)	-	13(3,11)	*EE*		[71050]
	30562.775	(0.080)	13(3,10)	-	13(3,11)	*AA*		[71050]
	30848.98	(0.05)	5(2, 4)	-	4(2, 3)	*EE*	$1\nu_{I}$	[77040]
	30952.59	(0.05)	5(2, 4)	-	4(2, 3)	A_2A_1	$1\nu_{16}$	[77040]
	30953.61	(0.05)	5(2, 4)	-	4(2, 3)	*EE*	$1\nu_{16}$	[77040]
	30954.71	(0.05)	5(2, 4)	-	4(2, 3)	*AE*+*EA*	$1\nu_{16}$	[77040]
	30962.27	(0.05)	5(2, 4)	-	4(2, 3)			[71050]
	31005.23	(0.05)	5(2, 4)	-	4(2, 3)	*EE*	$1\nu_{32}$	[77040]
	31047.75	(0.05)	5(2, 4)	-	4(2, 3)	*AE*+*EA*	$2\nu_{32}$	[77040]
	31049.15	(0.05)	5(2, 4)	-	4(2, 3)	*EE*	$2\nu_{32}$	[77040]
	31050.53	(0.05)	5(2, 4)	-	4(2, 3)	*AA*	$2\nu_{32}$	[77040]
	31085.52	(0.05)	8(3, 6)	-	8(1, 7)	*EE*	$1\nu_{I}$	[77040]
	31099.38	(0.05)	7(2, 6)	-	7(0, 7)	*EE*	$1\nu_{II}$	[77040]
	31251.61	(0.05)	19(5,14)	-	19(5,15)	A_2A_1	$1\nu_{16}$	[77040]
	31266.21	(0.05)	19(5,14)	-	19(5,15)	*EE*	$1\nu_{16}$	[77040]
	31280.72	(0.05)	19(5,14)	-	19(5,15)	*AE*+*EA*	$1\nu_{16}$	[77040]
	31344.66	(0.05)	16(4,12)	-	16(4,13)	*EE*	$1\nu_{32}$	[77040]
	31348.16	(0.05)	16(4,12)	-	16(4,13)	*EE*	$1\nu_{32}$	[77040]
	31351.68	(0.05)	16(4,12)	-	16(4,13)	*EE*	$1\nu_{32}$	[77040]
	31372.518	(0.080)	16(4,12)	-	16(4,13)	*AE*+*EA*		[71050]
	31373.107	(0.080)	16(4,12)	-	16(4,13)	*EE*		[71050]
	31373.683	(0.080)	16(4,12)	-	16(4,13)	*AA*		[71050]
	31564.29	(0.08)	5(4, 2)	-	4(4, 0)	*AE*		[71050]
	31572.06	(0.08)	5(4, 2)	-	4(4, 1)	*AA*+*EA*		[71050]
	31573.07	(0.08)	5(4, 2)	-	4(4, 1)	*EE*		[71050]
	31573.73	(0.08)	5(4, 2)	-	4(4, 1)	*AE*		[71050]
	31577.30	(0.08)	5(4, 1)	-	4(4, 0)	*AE*		[71050]
	31578.13	(0.08)	5(4, 1)	-	4(4, 0)	*EE*		[71050]
	31579.25	(0.08)	5(4, 1)	-	4(4, 0)	*AA*+*EA*		[71050]
	31581.89	(0.08)	5(4, 1)	-	4(4, 1)	*EE*		[71050]
	31586.66	(0.08)	5(4, 1)	-	4(4, 1)	*AE*		[71050]
	31609.84	(0.05)	5(3, 3)	-	4(3, 2)	*EE*	$1\nu_{I}$	[77040]
	31625.75	(0.05)	5(3, 3)	-	4(3, 2)			[71050]
	31650.13	(0.05)	5(3, 3)	-	4(3, 2)	*EE*	$1\nu_{II}$	[77040]
	31831.41	(0.05)	5(3, 2)	-	4(3, 1)	*EE*	$1\nu_{II}$	[77040]
	31835.50	(0.05)	5(2, 4)	-	4(2, 3)	*EE*	$1\nu_{II}$	[77040]
	31873.57	(0.05)	5(3, 2)	-	4(3, 1)			[71050]
	31875.89	(0.05)	5(3, 2)	-	4(3, 1)	*EE*	$1\nu_{I}$	[77040]
	31915.04	(0.05)	5(3, 2)	-	4(3, 1)	*EE*	$1\nu_{32}$	[77040]
	32267.43	(0.05)	15(3,12)	-	15(3,13)	*EE*	$1\nu_{I}$	[77040]
	32391.44	(0.05)	6(3, 3)	-	5(1, 5)		$1\nu_{I} \rightarrow 1\nu_{II}$	[77040]
	32761.27	(0.05)	5(1, 4)	-	4(1, 3)	*EE*	$1\nu_{I}$	[77040]
	32957.68	(0.05)	5(1, 4)	-	4(1, 3)	A_2A_1	$1\nu_{16}$	[77040]
	32959.12	(0.05)	5(1, 4)	-	4(1, 3)	*EE*	$1\nu_{16}$	[77040]
	32960.57	(0.05)	5(1, 4)	-	4(1, 3)	*AE*+*EA*	$1\nu_{16}$	[77040]
	32968.06	(0.05)	5(1, 4)	-	4(1, 3)			[71050]
	33052.89	(0.05)	5(1, 4)	-	4(1, 3)	*AE*+*EA*	$2\nu_{32}$	[77040]
	33053.41	(0.05)	5(1, 4)	-	4(1, 3)	*EE*	$2\nu_{32}$	[77040]

TABLE 46.3. Microwave spectrum of dimethylallene — Continued C_5H_8

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$	-	$J''(K_{-1},K_{+1})$	Sym.	Vib. state	Ref.
	33053.89	(0.05)	5(1, 4)	-	4(1, 3)	*AA*	$2\nu_{32}$	[77040]
	33141.51	(0.05)	5(2, 3)	-	4(2, 2)			[71050]
	33146.15	(0.05)	5(2, 3)	-	4(2, 2)	*EE*	$1\nu_{II}$	[77040]
	33190.41	(0.05)	5(0, 5)	-	4(0, 4)	*EE*	$1\nu_{II}$	[77040]
	33226.61	(0.05)	5(2, 3)	-	4(2, 2)	*EE*	$1\nu_{I}$	[77040]
	33786.30	(0.05)	6(1, 6)	-	5(1, 5)			[71050]
	33788.47	(0.05)	6(1, 6)	-	5(1, 5)	*EE*	$1\nu_{I}$	[77040]
	33838.49	(0.05)	6(1, 6)	-	5(1, 5)	*EE*	$1\nu_{32}$	[77040]
	33890.46	(0.05)	6(1, 6)	-	5(1, 5)	*AE*+*EA*	$2\nu_{32}$	[77040]
	33890.98	(0.05)	6(1, 6)	-	5(1, 5)	*EE*	$2\nu_{32}$	[77040]
	33891.37	(0.05)	6(1, 6)	-	5(1, 5)	*AA*	$2\nu_{32}$	[77040]
	34021.29	(0.05)	11(2, 9)	-	11(2,10)	*EE*	$1\nu_{II}$	[77040]
	34157.82	(0.05)	6(0, 6)	-	5(0, 5)	*EE*	$1\nu_{I}$	[77040]
	34174.91	(0.05)	22(6,16)	-	21(8,13)			[76060]
	34178.17	(0.05)	7(3, 5)	-	7(1, 6)			[76060]
	34260.62	(0.05)	6(0, 6)	-	5(0, 5)	A_2A_1	$1\nu_{16}$	[77040]
	34260.97	(0.05)	6(0, 6)	-	5(0, 5)	*EE*	$1\nu_{16}$	[77040]
	34261.32	(0.05)	6(0, 6)	-	5(0, 5)	*AE*+*EA*	$1\nu_{16}$	[77040]
	34329.62	(0.05)	6(0, 6)	-	5(0, 5)	*EE*	$1\nu_{32}$	[77040]
	34382.36	(0.05)	6(0, 6)	-	5(0, 5)	*EE*	$2\nu_{32}$	[77040]
	34382.92	(0.05)	6(0, 6)	-	5(0, 5)	*AA*	$2\nu_{32}$	[77040]
	34628.94	(0.05)	8(3, 6)	-	8(1, 7)			[76060]
	34702.39	(0.05)	6(1, 6)	-	5(1, 5)	*EE*	$1\nu_{II}$	[77040]
	34773.51	(0.05)	6(0, 6)	-	5(0, 5)	*EE*	$1\nu_{II}$	[77040]
	35885.36	(0.05)	13(3,10)	-	13(3,11)	*EE*	$1\nu_{I}$	[77040]
	35993.94	(0.05)	15(3,12)	-	14(5, 9)			[76060]
	36050.05	(0.05)	9(3, 7)	-	9(1, 8)			[76060]
	36685.38	(0.05)	6(2, 5)	-	5(2, 4)	*EE*	$1\nu_{I}$	[77040]
	36909.99	(0.05)	6(2, 5)	-	5(2, 4)			[71050]
	36995.53	(0.05)	6(2, 5)	-	5(2, 4)	*EE*	$1\nu_{II}$	[77040]
	37505.55	(0.05)	8(3, 6)	-	8(1, 7)	*EE*	$1\nu_{II}$	[77040]

Table 47.1. Molecular constants for trans- and cis-1,3-pentadiene.

Parameter	trans-$CH_3CHCHCHCH_2$	cis-$CH_3CHCHCHCH_2$
A (MHz)	27367.(872)	15662.(62)
B (MHz)	2160.616(4)	2658.391(17)
C (MHz)	2033.212(5)	2306.129(16)
Δ_J (kHz)	0.16(11)	0.51(26)
Δ_{JK} (kHz)	---	-2.5(50)
Internal Rotation Constants		
I_α (u Å^2)	3.13[a]	3.13[a]
λ_a	0.9048	0.46947[a]
θ	25.2[a]	62.0[a]
V_3 (cm^{-1})	624.0(21)	258.2(5)
s	44.19	20.55
F (GHz)	187.94	167.18
Electric Dipole Moment [70070]		
μ_a (D)	0.561(2)	0.465(10)
μ_b (D)	0.16(3)	0.185(15)

[a]Assumed.

TABLE 47.2. Microwave spectrum of 1,3-pentadiene C_5H_8

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Sym.	Ref.
t-$CH_3CHCHCHCH_2$	8260.24	(0.07)	2(1, 2) - 1(1, 1)	A	[70070]
	8261.270	(0.070)	2(1, 2) - 1(1, 1)	E	[70070]
	8387.16	(0.07)	2(0, 2) - 1(0, 1)	A	[70070]
	8514.003	(0.070)	2(1, 1) - 1(1, 0)	E	[70070]
	8515.04	(0.07)	2(1, 1) - 1(1, 0)	A	[70070]
	12390.07	(0.07)	3(1, 3) - 2(1, 2)	A	[70070]
	12390.327	(0.070)	3(1, 3) - 2(1, 2)	E	[70070]
	12579.55	(0.07)	3(0, 3) - 2(0, 2)	A	[70070]
	12581.47	(0.07)	3(2, 2) - 2(2, 1)	A	[70070]
	12583.40	(0.07)	3(2, 1) - 2(2, 0)	A	[70070]
	12772.27	(0.07)	3(1, 2) - 2(1, 1)	A	[70070]
	12772.004	(0.070)	3(1, 2) - 2(1, 1)	E	[70070]
	16519.60	(0.07)	4(1, 4) - 3(1, 3)	A	[70070]
	17029.025	(0.070)	4(1, 3) - 3(1, 2)	E	[70070]
	17029.16	(0.07)	4(1, 3) - 3(1, 2)	A	[70070]
	20648.41	(0.07)	5(1, 5) - 4(1, 4)	A	[70070]
	21285.375	(0.070)	5(1, 4) - 4(1, 3)	E	[70070]
	21285.45	(0.07)	5(1, 4) - 4(1, 3)	A	[70070]
	24776.80	(0.07)	6(1, 6) - 5(1, 5)	A	[70070]
	25541.129	(0.070)	6(1, 5) - 5(1, 4)	E	[70070]
	25541.20	(0.07)	6(1, 5) - 5(1, 4)	A	[70070]
c-$CH_3CHCHCHCH_2$	9577.53	(0.07)	2(1, 2) - 1(1, 1)	A	[70070]
	9921.04	(0.07)	2(0, 2) - 1(0, 1)	E	[70070]
	9923.50	(0.07)	2(0, 2) - 1(0, 1)	A	[70070]
	10283.63	(0.07)	2(1, 1) - 1(1, 0)	A	[70070]
	14361.95	(0.07)	3(1, 3) - 2(1, 2)	A	[70070]
	14369.56	(0.07)	3(1, 3) - 2(1, 2)	E	[70070]
	14863.93	(0.07)	3(0, 3) - 2(0, 2)	E	[70070]
	14867.49	(0.07)	3(0, 3) - 2(0, 2)	A	[70070]
	14895.96	(0.07)	3(2, 2) - 2(2, 1)	A	[70070]
	14924.15	(0.07)	3(2, 1) - 2(2, 0)	A	[70070]
	15406.65	(0.07)	3(1, 2) - 2(1, 1)	E	[70070]
	15420.91	(0.07)	3(1, 2) - 2(1, 1)	A	[70070]
	19141.05	(0.07)	4(1, 4) - 3(1, 3)	A	[70070]
	19142.548	(0.070)	4(1, 4) - 3(1, 3)	E	[70070]
	19785.893	(0.070)	4(0, 4) - 3(0, 3)	E	[70070]
	19790.40	(0.07)	4(0, 4) - 3(0, 3)	A	[70070]
	19855.57	(0.07)	4(2, 3) - 3(2, 2)	A	[70070]
	19926.07	(0.07)	4(2, 2) - 3(2, 1)	A	[70070]
	20542.42	(0.07)	4(1, 3) - 3(1, 2)	E	[70070]
	20552.60	(0.07)	4(1, 3) - 3(1, 2)	A	[70070]
	23912.612	(0.070)	5(1, 5) - 4(1, 4)	E	[70070]
	23913.59	(0.07)	5(1, 5) - 4(1, 4)	A	[70070]
	25666.95	(0.07)	5(1, 4) - 4(1, 3)	E	[70070]
	25676.79	(0.07)	5(1, 4) - 4(1, 3)	A	[70070]
	34701.41	(0.07)	7(2, 6) - 6(2, 5)	A	[70070]
	35893.24	(0.07)	7(1, 6) - 6(1, 5)	A	[70070]

Table 48.1. Molecular constants for bicyclo[2.1.0]pentane, $CHCH_2CH_2CHCH_2$[a].

Isotopic Species	A (MHz)	B (MHz)	C (MHz)	Reference
Normal	9100.702(4)	6114.090(4)	4781.690(4)	[72064]
1-^{13}C	8978.86(1)	6089.75(2)	4748.41(2)	[72064]
2-^{13}C	9003.32(2)	6035.70(2)	4708.81(1)	[72064]
5-^{13}C	9061.72(2)	5974.72(3)	4706.60(1)	[72064]
1-d_1	8583.42(1)	5975.33(2)	4657.34(6)	[76052]
2-endo-d_1	8673.28(1)	5934.14(4)	4650.18(4)	[76052]
2,3-exo-d_2	8581.75(1)	5661.04(3)	4409.20(2)	[76052]
2,3-endo-d_2	8268.93(1)	5769.08(2)	4529.48(1)	[76052]
5-exo-d_1	9093.40(2)	5730.10(2)	4545.03(3)	[76052]
5-endo-d_1	8725.62(1)	5856.68(2)	4726.13(2)	[76052]
Electric Dipole Moment [72064]				
μ_a (D)	0.00(1)			
μ_c (D)	0.26(1)			

[a]Carbon atom 5 is bonded to atoms 1 and 4 of the 4-membered ring. Atom 1 and 4 and 2 and 3 are equivalent.

TABLE 48.2. microwave spectrum of bicyclo[2.1.0]pentane C_5H_8

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Ref.
$CHCH_2CH_2CHCH_2$	8959.84	(0.05)	2(2, 1) - 2(1, 1)	[72064]
	13312.87	(0.05)	2(2, 0) - 2(1, 2)	[72064]
	15214.80	(0.05)	1(1, 0) - 0(0, 0)	[72064]
$H_2C—CH_2$	17116.71	(0.05)	2(0, 2) - 1(1, 0)	[72064]
| |	22326.38	(0.05)	5(2, 4) - 5(3, 2)	[72064]
HC—CH	26952.02	(0.05)	6(2, 5) - 6(3, 3)	[72064]
\ /	27442.97	(0.05)	2(1, 1) - 1(0, 1)	[72064]
CH_2	32439.60	(0.05)	2(2, 0) - 1(1, 0)	[72064]
	33416.22	(0.05)	2(2, 1) - 1(1, 1)	[72064]
$^{13}CHCH_2CH_2CHCH_2$	14495.66	(0.10)	4(3, 2) - 4(2, 2)	[72064]
	15068.68	(0.10)	1(1, 0) - 0(0, 0)	[72064]
	16603.59	(0.10)	3(1, 3) - 3(2, 1)	[72064]
	27248.05	(0.10)	2(1, 1) - 1(0, 1)	[72064]
	33026.38	(0.10)	2(2, 1) - 1(1, 1)	[72064]
	22038.08	(0.10)	5(2, 4) - 5(3, 2)	[72064]
	26830.90	(0.10)	6(2, 5) - 6(3, 3)	[72064]
	32054.45	(0.10)	2(2, 0) - 1(1, 0)	[72064]
$CH^{13}CH_2CH_2CHCH_2$	15039.08	(0.10)	1(1, 0) - 0(0, 0)	[72064]
	16707.03	(0.10)	3(1, 3) - 3(2, 1)	[72064]
	16839.52	(0.10)	2(0, 2) - 1(1, 0)	[72064]
	22209.01	(0.10)	5(2, 4) - 5(3, 2)	[72064]
	26823.10	(0.10)	6(2, 5) - 6(3, 3)	[72064]
	27110.48	(0.10)	2(1, 1) - 1(0, 1)	[72064]
	33045.56	(0.10)	2(2, 1) - 1(1, 1)	[72064]
$CHCH_2CH_2CH^{13}CH_2$	13271.68	(0.10)	5(3, 3) - 5(2, 3)	[72064]
	15036.55	(0.10)	1(1, 0) - 0(0, 0)	[72064]
	24946.20	(0.10)	3(0, 3) - 2(1, 1)	[72064]
	26985.85	(0.10)	2(1, 1) - 1(0, 1)	[72064]
	32209.14	(0.10)	2(2, 0) - 1(1, 0)	[72064]
	33159.87	(0.10)	2(2, 1) - 1(1, 1)	[72064]
$CDCH_2CH_2CHCH_2$	26707.20	(0.02)	7(5, 3) - 7(4, 3)	[76052]
	27931.54	(0.02)	6(5, 2) - 6(4, 2)	[76052]
	28514.89	(0.02)	5(5, 1) - 5(4, 1)	[76052]
	28620.17	(0.02)	5(5, 0) - 5(4, 2)	[76052]
	30794.85	(0.02)	2(2, 0) - 1(1, 0)	[76052]
	31725.59	(0.02)	2(2, 1) - 1(1, 1)	[76052]
	34983.43	(0.02)	6(6, 1) - 6(5, 1)	[76052]
	36249.93	(0.02)	4(1, 3) - 3(2, 1)	[76052]
	39216.53	(0.02)	3(1, 2) - 2(0, 2)	[76052]
en-$CHCHDCH_2CHCH_2$	28034.86	(0.02)	7(5, 3) - 7(4, 3)	[76052]
	29107.82	(0.02)	6(5, 2) - 6(4, 2)	[76052]
	29621.40	(0.02)	5(5, 1) - 5(4, 1)	[76052]
	29707.24	(0.02)	5(5, 0) - 5(4, 2)	[76052]
	31026.30	(0.02)	2(2, 0) - 1(1, 0)	[76052]
	31953.96	(0.02)	2(2, 1) - 1(1, 1)	[76052]
	35792.19	(0.02)	4(1, 3) - 3(2, 1)	[76052]
	36319.38	(0.02)	6(6, 1) - 6(5, 1)	[76052]
	39078.74	(0.02)	3(1, 2) - 2(0, 2)	[76052]
en-$CHCH_2CH_2CHCHD$	29207.29	(0.02)	7(5, 3) - 7(4, 3)	[76052]
	29941.50	(0.02)	6(5, 2) - 6(4, 2)	[76052]
	30300.78	(0.02)	5(5, 1) - 5(4, 1)	[76052]
	30350.17	(0.02)	5(5, 0) - 5(4, 2)	[76052]
	31176.68	(0.02)	2(2, 0) - 1(1, 0)	[76052]
	32033.54	(0.02)	2(2, 1) - 1(1, 1)	[76052]
	35517.77	(0.02)	4(1, 3) - 3(2, 1)	[76052]
	37113.68	(0.02)	6(6, 1) - 6(5, 1)	[76052]
	38650.54	(0.02)	3(1, 2) - 2(0, 2)	[76052]
ex-$CHCH_2CH_2CHCHD$	32087.15	(0.02)	2(2, 0) - 1(1, 0)	[76052]
	33010.29	(0.02)	2(2, 1) - 1(1, 1)	[76052]
	33090.46	(0.02)	4(1, 3) - 3(2, 1)	[76052]
	34049.57	(0.02)	7(5, 3) - 7(4, 3)	[76052]
	34702.28	(0.02)	6(5, 2) - 6(4, 2)	[76052]
	35028.07	(0.02)	5(5, 1) - 5(4, 1)	[76052]
	35067.16	(0.02)	5(5, 0) - 5(4, 2)	[76052]
	38412.11	(0.02)	3(1, 2) - 2(0, 2)	[76052]

TABLE 50.2. Microwave spectrum of cyclopentene — Continued C_5H_8

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Vib. state	Ref.
	11539.42	(0.10)	9(9, 1) - 9(8, 2)	$4\nu_1$	[62023]
	11745.61	(0.10)	10(10, 1) - 10(9, 2)	$1\nu_1$	[62023]
	11779.34	(0.10)	9(9, 1) - 9(8, 2)	$2\nu_1$	[62023]
	11829.37	(0.10)	10(10, 1) - 10(9, 2)	$3\nu_1$	[62023]
	11895.80	(0.10)	10(10, 1) - 10(9, 2		[62023]
	11898.44	(0.10)	10(10, 1) - 10(9, 2)	$4\nu_1$	[62023]
	12008.90	(0.10)	24(23, 1) - 24(22, 2		[62023]
	12115.24	(0.10)	11(11, 1) - 11(10, 2)	$1\nu_1$	[62023]
	12185.58	(0.10)	10(10, 1) - 10(9, 2)	$2\nu_1$	[62023]
	12213.43	(0.10)	11(11, 1) - 11(10, 2)	$3\nu_1$	[62023]
	12293.54	(0.10)	11(11, 1) - 11(10, 2		[62023]
	12294.98	(0.10)	11(11, 1) - 11(10, 2)	$4\nu_1$	[62023]
	12519.77	(0.10)	12(12, 1) - 12(11, 2)	$1\nu_1$	[62023]
	12633.75	(0.10)	12(12, 1) - 12(11, 2)	$3\nu_1$	[62023]
	12727.90	(0.10)	12(12, 1) - 12(12, 1		[62023]
	12790.30	(0.10)	25(24, 1) - 25(23, 2		[62023]
	12960.03	(0.10)	13(13, 1) - 13(12, 2)	$1\nu_1$	[62023]
	13089.93	(0.10)	13(13, 1) - 13(12, 2)	$3\nu_1$	[62023]
	13124.13	(0.10)	12(12, 1) - 12(11, 2)	$2\nu_1$	[62023]
	13198.7	(0.3)	13(13, 1) - 13(12, 2		[62023]
	13434.97	(0.10)	14(14, 1) - 14(13, 2)	$1\nu_1$	[62023]
	13581.78	(0.10)	14(14, 1) - 14(13, 2)	$3\nu_1$	[62023]
	13656.2	(0.3)	13(13, 1) - 13(12, 2)	$2\nu_1$	[62023]
	13705.1	(0.3)	14(14, 1) - 14(13, 2		[62023]
	13706.6	(0.3)	14(14, 1) - 14(13, 2)	$4\nu_1$	[62023]
	13944.1	(0.3)	15(15, 1) - 15(14, 2)	$1\nu_1$	[62023]
	14108.7	(0.3)	15(15, 1) - 15(14, 2)	$3\nu_1$	[62023]
	14228.7	(0.3)	14(14, 1) - 14(13, 2)	$2\nu_1$	[62023]
	14246.2	(0.3)	15(15, 1) - 15(14, 2		[62023]
	14487.50	(0.10)	16(16, 1) - 16(15, 2)	$1\nu_1$	[62023]
	14670.75	(0.10)	16(16, 1) - 16(15, 2)	$3\nu_1$	[62023]
	14820.90	(0.10)	16(16, 1) - 16(15, 2		[62023]
	14828.7	(0.3)	16(16, 1) - 16(15, 2)	$4\nu_1$	[62023]
	14841.1	(0.3)	15(15, 1) - 15(14, 2)	$2\nu_1$	[62023]
	15063.75	(0.10)	17(17, 1) - 17(16, 2)	$1\nu_1$	[62023]
	16324.8	(0.2)	9(7, 2) - 9(6, 3)	$2\nu_1$	[65035]
	16329.6	(0.2)	9(7, 2) - 9(6, 3)	$4\nu_1$	[65035]
	16409.7	(0.2)	8(6, 2) - 8(5, 3)	$3\nu_1$	[65035]
	16415.9	(0.2)	8(6, 2) - 8(5, 3)	$4\nu_1$	[65035]
	16431.8	(0.2)	8(6, 2) - 8(5, 3)	$2\nu_1$	[65035]
	16468.73	(0.20)	7(5, 2) - 7(4, 3)	$3\nu_1$	[65035]
	16478.10	(0.20)	7(5, 2) - 7(4, 3)	$4\nu_1$	[65035]
	16509.25	(0.20)	6(4, 2) - 6(3, 3)	$3\nu_1$	[65035]
	16520.45	(0.20)	6(4, 2) - 6(3, 3)	$4\nu_1$	[65035]
	16527.03	(0.20)	7(5, 2) - 7(4, 3)	$2\nu_1$	[65035]
	16534.53	(0.20)	5(3, 2) - 5(2, 3)	$3\nu_1$	[65035]
	16557.05	(0.20)	3(1, 2) - 3(0, 3)	$3\nu_1$	[65035]
	16562.28	(0.20)	6(4, 2) - 6(3, 3)	$2\nu_1$	[65035]
	16563.15	(0.20)	3(2, 2) - 3(1, 3)	$3\nu_1$	[65035]
	16564.88	(0.20)	4(3, 2) - 4(2, 3)	$3\nu_1$	[65035]
	16570.40	(0.20)	5(4, 2) - 5(3, 3)	$3\nu_1$	[65035]
	16580.10	(0.20)	6(3, 2) - 6(4, 3)	$3\nu_1$	[65035]
	16595.8	(0.2)	7(6, 2) - 7(5, 3)	$3\nu_1$	[65035]
	16596.10	(0.20)	5(3, 2) - 5(2, 3)	$2\nu_1$	[65035]
	16612.9	(0.2)	7(6, 2) - 7(5, 3)	$4\nu_1$	[65035]
	16615.78	(0.20)	4(2, 2) - 4(1, 3)	$2\nu_1$	[65035]
	16625.68	(0.20)	3(1, 2) - 3(0, 3)	$2\nu_1$	[65035]
	16632.95	(0.20)	3(2, 2) - 3(1, 3)	$2\nu_1$	[65035]
	16636.48	(0.20)	4(3, 2) - 4(2, 3)	$2\nu_1$	[65035]
	16644.20	(0.20)	5(4, 2) - 5(3, 3)	$2\nu_1$	[65035]
	16657.68	(0.20)	6(5, 2) - 5(4, 3)	$2\nu_1$	[65035]
	16679.2	(0.2)	7(6, 2) - 7(5, 3)	$2\nu_1$	[65035]
	18948.8	(0.2)	2(0, 2) - 1(1, 1)	$2\nu_1$	[65035]
	19028.70	(0.20)	2(1, 2) - 1(0, 1)	$2\nu_1$	[65035]
	19036.35	(0.20)	2(0, 2) - 1(1, 1)	$3\nu_1$	[65035]
	19073.50	(0.10)	2(0, 2) - 1(1, 1		[62023]
	19080.86	(0.10)	2(0, 2) - 1(1, 1)	$1\nu_1$	[62023]

TABLE 50.2. Microwave spectrum of cyclopentene — Continued C_5H_8

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Vib. state	Ref.
	19105.05	(0.20)	2(1, 2) - 1(0, 1)	$3\nu_1$	[65035]
	19141.32	(0.10)	2(1, 2) - 1(0, 1		[62023]
	19148.14	(0.10)	2(1, 2) - 1(0, 1)	$1\nu_1$	[62023]
	25759.73	(0.20)	2(2, 1) - 1(1, 0)	$2\nu_1$	[65035]
	25797.2	(0.2)	2(2, 1) - 1(1, 0)	$3\nu_1$	[65035]
	25829.15	(0.10)	2(2, 1) - 1(1, 0		[62023]
	25833.62	(0.10)	2(2, 1) - 1(1, 0)	$1\nu_1$	[62023]
	27005.21	(0.10)	3(0, 3) - 2(2, 1		[62023]
	27006.20	(0.10)	3(1, 3) - 2(0, 2		[62023]
	27021.21	(0.10)	3(0, 3) - 2(1, 2)	$1\nu_1$	[62023]
	27022.10	(0.10)	3(1, 3) - 2(0, 2)	$1\nu_1$	[62023]
	32319.29	(0.10)	2(2, 0) - 1(1, 1		[62023]
	32321.94	(0.10)	2(2, 0) - 1(1, 1)	$1\nu_1$	[62023]
	33516.77	(0.10)	3(1, 2) - 2(2, 1		[62023]
	33535.80	(0.10)	3(1, 2) - 2(2, 1)	$1\nu_1$	[62023]
	33722.08	(0.10)	3(2, 2) - 2(1, 1		[62023]
	33738.68	(0.10)	3(2, 2) - 2(1, 1)	$1\nu_1$	[62023]

Table 51.1. Molecular constants of 1,1-dimethylcyclopropane, $(CH_3)_2CCH_2CH_2$.

Parameter		Value
A"	(MHz)	6135.2636(414)
B"	(MHz)	5203.3487(393)
C"	(MHz)	3810.597(48)
τ_1	(kHz)	-39.601(16061)
τ_2	(kHz)	-13.044(5355)
τ_3[a]	(kHz)	504.1(1182)
τ_{aaaa}	(kHz)	-21.31(568)
τ_{bbbb}	(kHz)	-16.58(541)
τ_{cccc}	(kHz)	-21.67(574)
μ_a	(D)	0.142(1) [79031]

[a]Value fixed by setting R_6 = 0.

TABLE 51.2. Microwave spectrum of 1,1-dimethylcyclopropane C_5H_{10}

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Ref.
$C(CH_3)_2CH_2CH_2$	26616.25	(0.05)	9(3, 7) - 9(1, 8)	[79031]
	27041.24	(0.05)	3(2, 2) - 2(2, 1	[79031]
	27548.18	(0.05)	14(9, 6) - 14(7, 7	[79031]
	28373.19	(0.05)	3(1, 2) - 2(1, 1	[79031]
H_2C-CH_2	28416.50	(0.05)	11(8, 4) - 11(6, 5	[79031]
\ /	29289.76	(0.05)	3(2, 1) - 2(2, 0	[79031]
C	29769.34	(0.05)	16(10, 7) - 16(8, 8	[79031]
/ \ CH_3	30700.22	(0.05)	13(9, 5) - 13(7, 6	[79031]
CH_3	31958.89	(0.05)	18(11, 8) - 18(9, 9	[79031]
	32255.26	(0.05)	4(1, 4) - 3(1, 3	[79031]
	32320.48	(0.05)	4(0, 4) - 3(0, 3	[79031]
	32785.56	(0.05)	15(10, 6) - 15(8, 7	[79031]
	34146.74	(0.05)	20(12, 9) - 20(10,10	[79031]
	35358.74	(0.05)	12(9, 4) - 12(7, 5	[79031]
	35382.89	(0.05)	4(2, 3) - 3(2, 2	[79031]
	36080.51	(0.05)	16(7,10) - 16(5,11	[79031]
	36324.90	(0.05)	4(1, 3) - 3(1, 2	[79031]
	37068.63	(0.05)	4(3, 2) - 3(3, 1	[79031]

Table 52.1. Molecular constants of the ground state of trans-3-methyl-1-butene.

Parameter		Value
A"	(MHz)	7536.35(11)
B"	(MHz)	3550.9907(102)
C"	(MHz)	2741.6525(113)
τ_1	(kHz)	-88.75(41)
τ_2	(kHz)	-18.86(41)
τ_3[a]	(kHz)	0.295(33)
τ_{aaaa}	(kHz)	0[b]
τ_{bbbb}	(kHz)	-3.89(69)
τ_{cccc}	(kHz)	-0.98(72)
μ_a	(D)	0.312(3) [79032]
μ_c	(D)	0.071(42) [79032]

[a]Value fixed by setting R_6 = 0.
[b]Fixed at zero.

Table 52.2. Molecular constants of the vibrational states of trans-3-methyl-1-butene. [79032]

Parameter		v_{39} = 1	v_{39} = 2	v_{39} = 3
A	(MHz)	7536.561(368)[a]	7536.938(256)	7536.950(250)
B	(MHz)	3567.316(30)	3583.788(21)	3600.419(22)
C	(MHz)	2742.475(30)	2743.243(22)	2743.938(22)
Δ_J	(kHz)	0.5(2)	0.6(1)	0.8(2)
Δ_{JK}	(kHz)	21.4(8)	22.2(6)	22.9(7)
Δ_K	(kHz)	-43.2(1030)	-13.5(683)	5.1(638)
δ_J	(kHz)	0.2(2)	0.2(1)	0.1(1)
δ_K	(kHz)	6.4(66)	---	12.3(47)

[a]Uncertainties quoted here are two times the standard deviation.

Table 52.3. Molecular constants for gauche-3-methyl-1-butene.

Parameter		Ground State[a]	v_{39} = 1[d]	v_{39} = 2[d]
A"	(MHz)	7294.185(37)	7280.47(50)	7268.91(56)
B"	(MHz)	3916.1226(48)	3914.90(2)	3913.03(3)
C"	(MHz)	2879.3045(45)	2883.36(2)	2887.03(2)
τ_1	(kHz)	-17.99(50)		
τ_2	(kHz)	-5.05(19)		
τ_3[b]	(kHz)	130.(20)		
τ_{aaaa}	(kHz)	0[c]		
τ_{bbbb}	(kHz)	-5.96(47)		
τ_{cccc}	(kHz)	-3.47(27)		
μ_a	(D)	0.367(4)		
μ_c	(D)	0.154(6)		
E_g	(cm^{-1})	129.5[e]		

[a]Present work.
[b]Value fixed by setting R_6 = 0.
[c]Fixed at zero.
[d]Values from [79032]. Uncertainties are two standard deviations.
[e]With respect to the trans isomer.

TABLE 52.4. Microwave spectrum of 3-methyl-1-butene C_5H_{10}

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Vib. state	Ref.
t-$CH_2CHCH(CH_3)_2$	26535.23	(0.02)	4(1, 3) - 3(1, 2)		[79032]
	29042.59	(0.02)	5(1, 5) - 4(1, 4)		[79032]
	29679.94	(0.02)	5(0, 5) - 4(0, 4)		[79032]
	31215.37	(0.02)	5(2, 4) - 4(2, 3)		[79032]
	31706.00	(0.02)	5(4, 2) - 4(4, 1)		[79032]
	31711.42	(0.02)	5(4, 1) - 4(4, 0)		[79032]
	31752.54	(0.02)	5(3, 3) - 4(3, 2)		[79032]
	31947.35	(0.02)	5(3, 2) - 4(3, 1)		[79032]
	32992.60	(0.02)	5(2, 3) - 4(2, 2)		[79032]
	34666.80	(0.02)	6(1, 6) - 5(1, 5)		[79032]
	35096.88	(0.02)	6(0, 6) - 5(0, 5)		[79032]
	37260.57	(0.02)	6(2, 5) - 5(2, 4)		[79032]
	38028.91	(0.02)	6(5, 2) - 5(5, 1)		[79032]
	38029.23	(0.02)	6(5, 1) - 5(5, 0)		[79032]
	38121.61	(0.02)	6(4, 3) - 5(4, 2)		[79032]
	38133.16	(0.02)	6(3, 4) - 5(3, 3)		[79032]
	38146.03	(0.02)	6(4, 2) - 5(4, 1)		[79032]
	38626.20	(0.02)	6(3, 3) - 5(3, 2)		[79032]
	39029.03	(0.02)	6(1, 5) - 5(1, 4)		[79032]
	39894.36	(0.02)	6(2, 4) - 5(2, 3)		[79032]
	26624.02	(0.02)	4(1, 3) - 3(1, 2)	$1\nu_{39}$	[79032]
	29075.52	(0.02)	5(1, 5) - 4(1, 4)	$1\nu_{39}$	[79032]
	29707.48	(0.02)	5(0, 5) - 4(0, 4)	$1\nu_{39}$	[79032]
	31291.37	(0.02)	5(2, 4) - 4(2, 3)	$1\nu_{39}$	[79032]
	31801.75	(0.02)	5(4, 2) - 4(4, 1)	$1\nu_{39}$	[79032]
	31807.66	(0.02)	5(4, 1) - 4(4, 0)	$1\nu_{39}$	[79032]
	31848.46	(0.02)	5(3, 3) - 4(3, 2)	$1\nu_{39}$	[79032]
	32055.08	(0.02)	5(3, 2) - 4(3, 1)	$1\nu_{39}$	[79032]
	32992.71	(0.02)	5(1, 4) - 4(1, 3)	$1\nu_{39}$	[79032]
	33126.58	(0.02)	5(2, 3) - 4(2, 2)	$1\nu_{39}$	[79032]
	34700.91	(0.02)	6(1, 6) - 5(1, 5)	$1\nu_{39}$	[79032]
	35122.38	(0.02)	6(0, 6) - 5(0, 5)	$1\nu_{39}$	[79032]
	37344.00	(0.02)	6(2, 5) - 5(2, 4)	$1\nu_{39}$	[79032]
	38143.20	(0.02)	6(5, 2) - 5(5, 1)	$1\nu_{39}$	[79032]
	38143.60	(0.02)	6(5, 1) - 5(5, 0)	$1\nu_{39}$	[79032]
	38239.24	(0.02)	6(4, 3) - 5(4, 2)	$1\nu_{39}$	[79032]
	38247.42	(0.02)	6(3, 4) - 5(3, 3)	$1\nu_{39}$	[79032]
	38265.70	(0.02)	6(4, 2) - 5(4, 1)	$1\nu_{39}$	[79032]
	38769.10	(0.02)	6(3, 3) - 5(3, 2)	$1\nu_{39}$	[79032]
	39127.38	(0.02)	6(1, 5) - 5(1, 4)	$1\nu_{39}$	[79032]
	26712.90	(0.02)	4(1, 3) - 3(1, 2)	$2\nu_{39}$	[79032]
	29107.78	(0.02)	5(1, 5) - 4(1, 4)	$2\nu_{39}$	[79032]
	29734.00	(0.02)	5(0, 5) - 4(0, 4)	$2\nu_{39}$	[79032]
	31367.23	(0.02)	5(2, 4) - 4(2, 3)	$2\nu_{39}$	[79032]
	31898.04	(0.02)	5(4, 2) - 4(4, 1)	$2\nu_{39}$	[79032]
	31904.44	(0.02)	5(4, 1) - 4(4, 0)	$2\nu_{39}$	[79032]
	31944.81	(0.02)	5(3, 3) - 4(3, 2)	$2\nu_{39}$	[79032]
	32163.86	(0.02)	5(3, 2) - 4(3, 1)	$2\nu_{39}$	[79032]
	33091.02	(0.02)	5(1, 4) - 4(1, 3)	$2\nu_{39}$	[79032]
	33261.57	(0.02)	5(2, 3) - 4(2, 2)	$2\nu_{39}$	[79032]
	34734.13	(0.02)	6(1, 6) - 5(1, 5)	$2\nu_{39}$	[79032]
	35146.86	(0.02)	6(0, 6) - 5(0, 5)	$2\nu_{39}$	[79032]
	37427.09	(0.02)	6(2, 5) - 5(2, 4)	$2\nu_{39}$	[79032]
	38258.06	(0.02)	6(5, 2) - 5(5, 1)	$2\nu_{39}$	[79032]
	38258.55	(0.02)	6(5, 1) - 5(5, 0)	$2\nu_{39}$	[79032]
	38357.53	(0.02)	6(4, 3) - 5(4, 2)	$2\nu_{39}$	[79032]
	38362.02	(0.02)	6(3, 4) - 5(3, 3)	$2\nu_{39}$	[79032]
	38386.19	(0.02)	6(4, 2) - 5(4, 1)	$2\nu_{39}$	[79032]
	38913.74	(0.02)	6(3, 3) - 5(3, 2)	$2\nu_{39}$	[79032]
	39224.55	(0.02)	6(1, 5) - 5(1, 4)	$2\nu_{39}$	[79032]
	26802.21	(0.02)	4(1, 3) - 3(1, 2)	$3\nu_{39}$	[79032]
	29139.36	(0.02)	5(1, 5) - 4(1, 4)	$3\nu_{39}$	[79032]
	29759.49	(0.02)	5(0, 5) - 4(0, 4)	$3\nu_{39}$	[79032]
	31443.15	(0.02)	5(2, 4) - 4(2, 3)	$3\nu_{39}$	[79032]
	31995.07	(0.02)	5(4, 2) - 4(4, 1)	$3\nu_{39}$	[79032]
	32002.04	(0.02)	5(4, 1) - 4(4, 0)	$3\nu_{39}$	[79032]
	32041.91	(0.02)	5(3, 3) - 4(3, 2)	$3\nu_{39}$	[79032]

TABLE 52.4. Microwave spectrum of 3-methyl-1-butene — Continued C_5H_{10}

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Vib. state	Ref.
	32274.09	(0.02)	5(3, 2) - 4(3, 1)	$3\nu_{39}$	[79032]
	33189.15	(0.02)	5(1, 4) - 4(1, 3)	$3\nu_{39}$	[79032]
	33398.00	(0.02)	5(2, 3) - 4(2, 2)	$3\nu_{39}$	[79032]
	34766.37	(0.02)	6(1, 6) - 5(1, 5)	$3\nu_{39}$	[79032]
	35170.25	(0.02)	6(0, 6) - 5(0, 5)	$3\nu_{39}$	[79032]
	37509.95	(0.02)	6(2, 5) - 5(2, 4)	$3\nu_{39}$	[79032]
	38373.82	(0.02)	6(5, 2) - 5(5, 1)	$3\nu_{39}$	[79032]
	38374.34	(0.02)	6(5, 1) - 5(5, 0)	$3\nu_{39}$	[79032]
	38476.86	(0.02)	6(4, 3) - 5(4, 2)	$3\nu_{39}$	[79032]
	38477.44	(0.02)	6(3, 4) - 5(3, 3)	$3\nu_{39}$	[79032]
	38507.90	(0.02)	6(4, 2) - 5(4, 1)	$3\nu_{39}$	[79032]
	39060.72	(0.02)	6(3, 3) - 5(3, 2)	$3\nu_{39}$	[79032]
	39320.81	(0.02)	6(1, 5) - 5(1, 4)	$3\nu_{39}$	[79032]
g-$CH_2CHCH(CH_3)_2$	27020.98	(0.02)	4(2, 3) - 3(2, 2)		[79032]
	27524.00	(0.02)	4(3, 2) - 3(3, 1)		[79032]
	27674.28	(0.02)	4(3, 1) - 3(3, 0)		[79032]
	28711.64	(0.02)	4(2, 2) - 3(2, 1)		[79032]
	28762.00	(0.02)	4(1, 3) - 3(1, 2)		[79032]
	30714.61	(0.02)	5(1, 5) - 4(1, 4)		[79032]
	31172.26	(0.02)	5(0, 5) - 4(0, 4)		[79032]
	33524.21	(0.02)	5(2, 4) - 4(2, 3)		[79032]
	34428.64	(0.02)	5(4, 2) - 4(4, 1)		[79032]
	34449.67	(0.02)	5(4, 1) - 4(4, 0)		[79032]
	34451.64	(0.02)	5(3, 3) - 4(3, 2)		[79032]
	34947.13	(0.02)	5(3, 2) - 4(3, 1)		[79032]
	35402.81	(0.02)	5(1, 4) - 4(1, 3)		[79032]
	36307.39	(0.02)	5(2, 3) - 4(2, 2)		[79032]
	36584.74	(0.02)	6(1, 6) - 5(1, 5)		[79032]
	36831.20	(0.02)	6(0, 6) - 5(0, 5)		[79032]
	39876.56	(0.02)	6(2, 5) - 5(2, 4)		[79032]
	27033.91	(0.02)	4(2, 3) - 3(2, 2)	$1\nu_{39}$	[79032]
	27533.84	(0.02)	4(3, 2) - 3(3, 1)	$1\nu_{39}$	[79032]
	27682.96	(0.02)	4(3, 1) - 3(3, 0)	$1\nu_{39}$	[79032]
	28714.60	(0.02)	4(2, 2) - 3(2, 1)	$1\nu_{39}$	[79032]
	28766.47	(0.02)	4(1, 3) - 3(1, 2)	$1\nu_{39}$	[79032]
	30746.67	(0.02)	5(1, 5) - 4(1, 4)	$1\nu_{39}$	[79032]
	31202.96	(0.02)	5(0, 5) - 4(0, 4)	$1\nu_{39}$	[79032]
	33541.87	(0.02)	5(2, 4) - 4(2, 3)	$1\nu_{39}$	[79032]
	34440.68	(0.02)	5(4, 2) - 4(4, 1)	$1\nu_{39}$	[79032]
	34461.54	(0.02)	5(4, 1) - 4(4, 0)	$1\nu_{39}$	[79032]
	34463.78	(0.02)	5(3, 3) - 4(3, 2)	$1\nu_{39}$	[79032]
	34955.68	(0.02)	5(3, 2) - 4(3, 1)	$1\nu_{39}$	[79032]
	35411.97	(0.02)	5(1, 4) - 4(1, 3)	$1\nu_{39}$	[79032]
	36309.40	(0.02)	5(2, 3) - 4(2, 2)	$1\nu_{39}$	[79032]
	36624.67	(0.02)	6(1, 6) - 5(1, 5)	$1\nu_{39}$	[79032]
	36870.59	(0.02)	6(0, 6) - 5(0, 5)	$1\nu_{39}$	[79032]
	39899.88	(0.02)	6(2, 5) - 5(2, 4)	$1\nu_{39}$	[79032]
	27042.20	(0.02)	4(2, 3) - 3(2, 2)	$2\nu_{39}$	[79032]
	27538.55	(0.02)	4(3, 2) - 3(3, 1)	$2\nu_{39}$	[79032]
	27686.31	(0.02)	4(3, 1) - 3(3, 0)	$2\nu_{39}$	[79032]
	30774.07	(0.02)	5(1, 5) - 4(1, 4)	$2\nu_{39}$	[79032]
	31229.71	(0.02)	5(0, 5) - 4(0, 4)	$2\nu_{39}$	[79032]
	33554.17	(0.02)	5(2, 4) - 4(2, 3)	$2\nu_{39}$	[79032]
	34446.25	(0.02)	5(4, 2) - 4(4, 1)	$2\nu_{39}$	[79032]
	34466.89	(0.02)	5(4, 1) - 4(4, 0)	$2\nu_{39}$	[79032]
	34469.56	(0.02)	5(3, 3) - 4(3, 2)	$2\nu_{39}$	[79032]
	34956.94	(0.02)	5(3, 2) - 4(3, 1)	$2\nu_{39}$	[79032]
	35416.17	(0.02)	5(1, 4) - 4(1, 3)	$2\nu_{39}$	[79032]
	36304.14	(0.02)	5(2, 3) - 4(2, 2)	$2\nu_{39}$	[79032]
	36659.16	(0.02)	6(1, 6) - 5(1, 5)	$2\nu_{39}$	[79032]
	36905.07	(0.02)	6(0, 6) - 5(0, 6)	$2\nu_{39}$	[79032]
	39917.12	(0.02)	6(2, 5) - 5(2, 4)	$2\nu_{39}$	[79032]

Table 53.1. Molecular parameters of cis-2-pentene.

Parameter	A-species (Eq. 4)[a]	Parameter	General Hamiltonian (Eq. 1)[a]
A (MHz)	10987.805(41)		10985.103(50)
B (MHz)	2601.395(5)		2600.896(10)
C (MHz)	2371.405(5)		2371.299(11)
Δ_J (kHz)	4.72(4)		4.71(3)
Δ_{JK} (kHz)	-81.2(2)		-81.8(2)
Δ_K (kHz)	478.(13)		478.(8)
δ_J (kHz)	0.569(2)		0.560(2)
δ_K (kHz)	-41.1(3)		-42.0(2)
H_J (Hz)	-0.6(1)	ρ_a	0.03349(12)
H_{JK} (Hz)	-5.0(9)	ρ_b	0.01430(4)
H_{KJ} (Hz)	122.(42)	ρ_c	0.00125(8)
H_K (Hz)	-1800.(1200)	V_3 (cm^{-1})	277.(1)
h_J (Hz)	0.036(5)	I_α (u Å^2)	3.189(10)
h_{JK} (Hz)	-0.5(9)	s	22.649(16)
h_K (Hz)	-43.(33)	F (GHz)	163.2(5)
Electric Dipole Moment			
μ_a (D)	0.002(2)		
μ_b (D)	0.274(3)		
μ_c (D)	0.070(12)		

[a]See reference [81037].

Table 53.2. Molecular parameters of excited torsional states of cis-2-pentene. [81037]

Parameter		v = 1	v = 2
A	(MHz)	10868.956(53)	10811.562(38)
B	(MHz)	2637.681(10)	2670.390(8)
C	(MHz)	2396.975(10)	2417.859(8)
Δ_J	(kHz)	6.74(3)	7.74(3)
Δ_{JK}	(kHz)	-107.2(2)	-115.0(1)
Δ_K	(kHz)	567.(7)	581.(5)
δ_J	(kHz)	1.063(2)	1.453(1)
δ_K	(kHz)	-55.1(2)	-56.5(1)
H_{JK}	(Hz)	-6.1(7)	-3.3(4)
h_J	(Hz)	0.085(8)	0.081(6)
h_{JK}	(Hz)	0.2(11)	5.5(7)
ρ_a		0.03528(11)	0.03884(7)
ρ_b		0.01478(4)	0.01543(2)
ρ_c		0.00184(4)	0.00252(2)
I_α	(u Å^2)	3.295 (Eq. 4)	3.479 (Eq. 4)
		3.189 (fixed)	3.189 (fixed)
V_3	(cm^{-1})	272.(1) (Eq. 4)	264.(1) (Eq. 4)
		284.(1) (fixed)	295.(1) (fixed)
$\sigma_{\bar{\nu}}$[a]	(MHz)	0.23	0.13
ΔE	(MHz)	1.2(1)	18.6(1)
α			-4.6° (assumed)
β		22.8(5)°	24.9(1)°
γ		3.4(7)°	3.5(1)°
ΔR_{xx}	(kHz)		260.(7)
ΔR_{yy}	(kHz)		-8.4(8)
ΔR_{zz}	(kHz)		-24.4(3)
ΔR_{xy}	(kHz)		3.7(9)
$\sigma_{\Delta\nu}$[a]	(MHz)	0.03	0.06

[a] $\sigma_{\bar{\nu}}$ and $\sigma_{\Delta\nu}$ give the r.m.s. deviations of the average frequencies and the doublet splittings, respectively. For further explanation see [81037].

TABLE 53.3. Microwave spectrum of 2-pentene C_5H_{10}

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1}K_{-1})$	-	$J''(K_{+1},K_{+1})$	V_t	Sym.	Ref.
c-$CH_3CHCHCH_2CH_3$	22001.40	(0.10)	9(2, 7)	-	9(1, 8)	0	A	[81037]
	22009.00	(0.10)	9(2, 7)	-	9(1, 8)	0	E	[81037]
	22211.49	(0.10)	15(2,13)	-	15(1,14)	1	E	[81037]
	22231.11	(0.10)	15(2,13)	-	15(1,14)	1	A	[81037]
	22250.93	(0.10)	15(2,13)	-	15(1,14)	0	A	[81037]
	22268.40	(0.10)	15(2,13)	-	15(1,14)	0	E	[81037]
	22440.86	(0.10)	8(2, 6)	-	8(1, 7)	0	A	[81037]
	22454.78	(0.10)	8(2, 6)	-	8(1, 7)	0	E	[81037]
	22692.32	(0.10)	13(1,12)	-	13(0,13)	0	E	[81037]
	22748.40	(0.10)	13(1,12)	-	13(0,13)	0	A	[81037]
	23004.85	(0.10)	16(2,14)	-	16(1,15)	0	E	[81037]
	23029.15	(0.10)	16(2,14)	-	16(1,15)	0	A	[81037]
	23104.73	(0.10)	16(2,14)	-	16(1,15)	1	E	[81037]
	23131.22	(0.10)	16(2,14)	-	16(1,15)	1	A	[81037]
	24011.15	(0.10)	17(2,15)	-	17(1,16)	0	E	[81037]
	24043.52	(0.10)	17(2,15)	-	17(1,16)	0	A	[81037]
	24267.61	(0.10)	17(2,15)	-	17(1,16)	1	E	[81037]
	24302.35	(0.10)	17(2,15)	-	17(1,16)	1	A	[81037]
	25238.41	(0.10)	14(1,13)	-	14(0,14)	0	E	[81037]
	25303.68	(0.10)	14(1,13)	-	14(0,14)	0	A	[81037]
	25281.76	(0.10)	18(2,16)	-	18(1,17)	0	E	[81037]
	25323.35	(0.10)	18(2,16)	-	18(1,17)	0	A	[81037]
	25710.50	(0.10)	18(2,16)	-	18(1,17)	1	E	[81037]
	25754.54	(0.10)	18(2,16)	-	18(1,17)	1	A	[81037]
	26040.09	(0.10)	14(1,13)	-	14(0,14)	1	E	[81037]
	26103.77	(0.10)	14(1,13)	-	14(0,14)	1	A	[81037]
	26824.83	(0.10)	19(2,17)	-	19(1,18)	0	E	[81037]
	26876.90	(0.10)	19(2,17)	-	19(1,18)	0	A	[81037]
	26891.83	(0.10)	5(2, 4)	-	5(1, 5)	1	A	[81037]
	27153.83	(0.10)	5(2, 4)	-	5(1, 5)	0	E	[81037]
	27247.75	(0.10)	5(2, 4)	-	5(1, 5)	0	A	[81037]
	27439.14	(0.10)	19(2,17)	-	19(1,18)	1	E	[81037]
	27493.52	(0.10)	19(2,17)	-	19(1,18)	1	A	[81037]
	27955.29	(0.10)	6(2, 5)	-	6(1, 6)	0	A	[81037]
	27976.71	(0.10)	15(1,14)	-	15(0,15)	0	E	[81037]
	28051.19	(0.10)	15(1,14)	-	15(0,15)	0	A	[81037]
	28195.26	(0.10)	7(0, 7)	-	6(1, 6)	0	E	[81037]
	28202.58	(0.10)	7(0, 7)	-	6(1, 6)	0	A	[81037]
	28643.96	(0.10)	20(2,18)	-	20(1,19)	0	E	[81037]
	28707.44	(0.10)	20(2,18)	-	20(1,19)	0	A	[81037]
	28724.51	(0.10)	15(2,14)	-	14(3,11)	0	E	[81037]
	28733.14	(0.10)	7(2, 6)	-	7(1, 7)	0	E	[81037]
	28750.99	(0.10)	15(2,14)	-	14(3,11)	0	A	[81037]
	28784.67	(0.10)	7(2, 6)	-	7(1, 7)	0	A	[81037]
	28833.40	(0.10)	7(0, 7)	-	6(1, 6)	1	E	[81037]
	28840.41	(0.10)	7(0, 7)	-	6(1, 6)	1	A	[81037]
	28898.47	(0.10)	15(1,14)	-	15(0,15)	1	E	[81037]
	28970.22	(0.10)	15(1,14)	-	15(0,15)	1	A	[81037]
	29465.21	(0.10)	8(2, 7)	-	8(1, 8)	1	E	[81037]
	29453.38	(0.10)	20(2,18)	-	20(1,19)	1	E	[81037]
	29505.53	(0.10)	8(2, 7)	-	8(1, 8)	1	A	[81037]
	29518.91	(0.10)	20(2,18)	-	20(1,19)	1	A	[81037]
	29693.71	(0.10)	8(2, 7)	-	8(1, 8)	0	E	[81037]
	29736.83	(0.10)	8(2, 7)	-	8(1, 8)	0	A	[81037]
	30125.39	(0.10)	10(1, 9)	-	9(2, 8)	0	E	[81037]
	30128.26	(0.10)	10(1, 9)	-	9(2, 8)	0	A	[81037]
	30354.33	(0.10)	18(3,16)	-	18(2,16)	1	A	[81037]
	30371.92	(0.10)	18(3,16)	-	18(2,16)	1	E	[81037]
	30736.92	(0.10)	21(2,19)	-	21(1,20)	0	E	[81037]
	30812.48	(0.10)	21(2,19)	-	21(1,20)	0	A	[81037]
	30880.55	(0.10)	16(1,15)	-	16(0,16)	0	E	[81037]
	30963.94	(0.10)	16(1,15)	-	16(0,16)	0	A	[81037]
	31674.33	(0.10)	5(1, 5)	-	4(0, 4)	0	E	[81037]
	31677.39	(0.10)	5(1, 5)	-	4(0, 4)	0	A	[81037]
	31746.02	(0.10)	21(2,19)	-	21(1,20)	1	E	[81037]
	31760.33	(0.10)	5(1, 5)	-	4(0, 4)	1	E	[81037]
	31763.44	(0.10)	5(1, 5)	-	4(0, 4)	1	A	[81037]
	31823.24	(0.10)	21(2,19)	-	21(1,20)	1	A	[81037]

TABLE 53.3. Microwave spectrum of 2-pentene — Continued C_5H_{10}

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1}K_{-1})$	-	$J''(K_{+1},K_{+1})$	V_t	Sym.	Ref.
	31842.47	(0.10)	18(3,16)	-	18(2,16)	0	A	[81037]
	31858.85	(0.10)	18(3,16)	-	18(2,16)	0	E	[81037]
	31913.42	(0.10)	16(1,15)	-	16(0,16)	1	E	[81037]
	31971.89	(0.10)	10(2, 9)	-	10(1,10)	0	E	[81037]
	31993.02	(0.10)	16(1,15)	-	16(0,16)	1	A	[81037]
	32012.00	(0.10)	10(2, 9)	-	10(1,10)	0	A	[81037]
	32023.03	(0.10)	22(3,19)	-	22(2,20)	1	E	[81037]
	32029.49	(0.10)	22(3,19)	-	22(2,20)	1	A	[81037]
	32035.15	(0.10)	17(3,15)	-	17(2,15)	1	A	[81037]
	32043.07	(0.10)	17(3,15)	-	17(2,15)	1	E	[81037]
	32168.86	(0.10)	23(3,20)	-	23(2,21)	1	E	[81037]
	32182.99	(0.10)	23(3,20)	-	23(2,21)	1	A	[81037]
	32208.92	(0.10)	14(2,12)	-	13(3,11)	0	A	[81037]
	32265.91	(0.10)	14(2,12)	-	13(3,11)	0	E	[81037]
	32460.14	(0.10)	20(3,17)	-	20(2,18)	1	A	[81037]
	32465.28	(0.10)	20(3,17)	-	20(2,18)	1	E	[81037]
	32563.66	(0.10)	23(3,20)	-	23(2,21)	0	E	[81037]
	32571.70	(0.10)	23(3,20)	-	23(2,21)	0	A	[81037]
	32590.92	(0.10)	24(3,21)	-	24(2,22)	1	E	[81037]
	32598.34	(0.10)	22(3,19)	-	22(2,20)	0	E	[81037]
	32599.05	(0.10)	22(3,19)	-	22(2,20)	0	A	[81037]
	32614.10	(0.10)	24(3,21)	-	24(2,22)	1	A	[81037]
	32681.50	(0.10)	16(2,15)	-	15(3,12)	0	E	[81037]
	32685.44	(0.10)	16(2,15)	-	15(3,12)	0	A	[81037]
	32780.88	(0.10)	24(3,21)	-	24(2,22)	0	E	[81037]
	32797.49	(0.10)	24(3,21)	-	24(2,22)	0	A	[81037]
	32855.04	(0.10)	21(3,18)	-	21(2,19)	0	A	[81037]
	32860.33	(0.10)	21(3,18)	-	21(2,19)	0	E	[81037]
	32985.09	(0.10)	19(3,16)	-	19(2,17)	1	A	[81037]
	32994.58	(0.10)	19(3,16)	-	19(2,17)	1	E	[81037]
	33094.76	(0.10)	22(2,20)	-	22(1,21)	0	E	[81037]
	33182.81	(0.10)	22(2,20)	-	22(1,21)	0	A	[81037]
	33238.70	(0.10)	11(2,10)	-	11(1,11)	1	E	[81037]
	33270.14	(0.10)	25(3,22)	-	25(2,23)	0	E	[81037]
	33279.78	(0.10)	11(2,10)	-	11(1,11)	1	A	[81037]
	33292.74	(0.10)	11(2,10)	-	11(1,11)	0	E	[81037]
	33296.88	(0.10)	25(3,22)	-	25(2,23)	0	A	[81037]
	33307.29	(0.10)	25(3,22)	-	25(2,23)	1	E	[81037]
	33310.89	(0.10)	20(3,17)	-	20(2,18)	0	A	[81037]
	33321.14	(0.10)	20(3,17)	-	20(2,18)	0	E	[81037]
	33334.75	(0.10)	11(2,10)	-	11(1,11)	0	A	[81037]
	33340.90	(0.10)	25(3,22)	-	25(2,23)	1	A	[81037]
	33449.36	(0.10)	17(3,15)	-	17(2,15)	0	A	[81037]
	33454.76	(0.10)	17(3,15)	-	17(2,15)	0	E	[81037]
	33602.51	(0.10)	16(3,14)	-	16(2,14)	1	E	[81037]
	33606.11	(0.10)	16(3,14)	-	16(2,14)	1	A	[81037]
	33647.45	(0.10)	8(0, 8)	-	7(1, 7)	0	E	[81037]
	33656.67	(0.10)	8(0, 8)	-	7(1, 7)	0	A	[81037]
	33669.63	(0.10)	18(3,15)	-	18(2,16)	1	A	[81037]
	33682.92	(0.10)	18(3,15)	-	18(2,16)	1	E	[81037]
	33919.68	(0.10)	17(1,16)	-	17(0, 7)	0	E	[81037]
	33933.79	(0.10)	19(3,16)	-	19(2,17)	0	A	[81037]
	33948.27	(0.10)	19(3,16)	-	19(2,17)	0	E	[81037]
	34011.37	(0.10)	17(1,16)	-	17(0, 7)	0	A	[81037]
	34086.25	(0.10)	26(3,23)	-	26(2,24)	0	A	[81037]
	34048.02	(0.10)	26(3,23)	-	26(2,24)	0	E	[81037]
	34251.98	(0.10)	14(2,12)	-	13(3,11)	1	A	[81037]
	34296.07	(0.10)	14(2,12)	-	13(3,11)	1	E	[81037]
	34302.51	(0.10)	22(2,20)	-	22(1,21)	1	E	[81037]
	34331.75	(0.10)	26(3,23)	-	26(2,24)	1	E	[81037]
	34349.38	(0.10)	8(0, 8)	-	7(1, 7)	1	E	[81037]
	34358.25	(0.10)	8(0, 8)	-	7(1, 7)	1	A	[81037]
	34377.06	(0.10)	26(3,23)	-	26(2,24)	1	A	[81037]
	34391.50	(0.10)	22(2,20)	-	22(1,21)	1	A	[81037]
	34474.03	(0.10)	17(3,14)	-	17(2,15)	1	A	[81037]
	34491.05	(0.10)	17(3,14)	-	17(2,15)	1	E	[81037]
	34687.58	(0.10)	18(3,15)	-	18(2,16)	0	A	[81037]

TABLE 53.3. Microwave spectrum of 2-pentene — Continued C_5H_{10}

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{-1})$	-	$J''(K_{+1},K_{+1})$	V_t	Sym.	Ref.
	34705.91	(0.10)	18(3,15)	-	18(2,16)	0	*E*	[81037]
	34734.33	(0.10)	12(2,11)	-	12(1,12)	0	*E*	[81037]
	34748.74	(0.10)	12(2,11)	-	12(1,12)	1	*E*	[81037]
	34779.71	(0.10)	12(2,11)	-	12(1,12)	0	*A*	[81037]
	34793.30	(0.10)	12(2,11)	-	12(1,12)	1	*A*	[81037]
	34934.18	(0.10)	16(3,14)	-	16(2,14)	0	*E*	[81037]
	34942.06	(0.10)	16(3,14)	-	16(2,14)	0	*A*	[81037]
	35034.04	(0.10)	15(3,13)	-	15(2,13)	1	*E*	[81037]
	35051.11	(0.10)	17(1,16)	-	17(0,17)	1	*E*	[81037]
	35051.94	(0.10)	15(3,13)	-	15(2,13)	1	*A*	[81037]
	35126.81	(0.10)	27(3,24)	-	27(2,25)	0	*E*	[81037]
	35137.61	(0.10)	17(1,16)	-	17(0,17)	1	*A*	[81037]
	35177.89	(0.10)	27(3,24)	-	27(2,25)	0	*A*	[81037]
	35329.15	(0.10)	2(2, 1)	-	1(1, 0)	0	*A*	[81037]
	35356.39	(0.10)	16(3,13)	-	16(2,14)	1	*A*	[81037]
	35378.03	(0.10)	16(3,13)	-	16(2,14)	1	*E*	[81037]
	35533.58	(0.10)	17(3,14)	-	17(2,15)	0	*A*	[81037]
	35556.15	(0.10)	17(3,14)	-	17(2,15)	0	*E*	[81037]
	35563.99	(0.10)	2(2, 0)	-	1(1, 1)	0	*A*	[81037]
	35673.36	(0.10)	27(3,24)	-	27(2,25)	1	*E*	[81037]
	35701.65	(0.10)	23(2,21)	-	23(1,22)	0	*E*	[81037]
	35731.59	(0.10)	27(3,24)	-	27(2,25)	1	*A*	[81037]
	35802.38	(0.10)	23(2,21)	-	23(1,22)	0	*A*	[81037]
	36015.13	(0.10)	6(1, 6)	-	5(0, 5)	0	*E*	[81037]
	36016.41	(0.10)	6(1, 6)	-	5(0, 5)	0	*A*	[81037]
	36136.76	(0.10)	6(1, 6)	-	5(0, 5)	1	*E*	[81037]
	36138.22	(0.10)	6(1, 6)	-	5(0, 5)	1	*A*	[81037]
	36170.76	(0.10)	11(1,10)	-	10(2, 9)	0	*E*	[81037]
	36181.83	(0.10)	11(1,10)	-	10(2, 9)	0	*A*	[81037]
	36274.69	(0.10)	15(3,12)	-	15(2,13)	1	*A*	[81037]
	36282.84	(0.10)	15(3,13)	-	15(2,13)	0	*E*	[81037]
	36295.16	(0.10)	13(2,12)	-	13(1,13)	0	*E*	[81037]
	36303.00	(0.10)	15(3,12)	-	15(2,13)	1	*E*	[81037]
	36307.45	(0.10)	15(3,13)	-	15(2,13)	0	*A*	[81037]
	36344.60	(0.10)	13(2,12)	-	13(1,13)	0	*A*	[81037]
	36381.93	(0.10)	13(2,12)	-	13(1,13)	1	*E*	[81037]
	36389.79	(0.10)	17(2,16)	-	16(3,13)	0	*A*	[81037]
	36404.34	(0.10)	17(2,16)	-	16(3,13)	0	*E*	[81037]
	36430.80	(0.10)	13(2,12)	-	13(1,13)	1	*A*	[81037]
	36432.42	(0.10)	16(3,13)	-	16(2,14)	0	*A*	[81037]
	36460.54	(0.10)	16(3,13)	-	16(2,14)	0	*E*	[81037]
	36514.67	(0.10)	28(3,25)	-	28(2,26)	0	*E*	[81037]
	36579.76	(0.10)	28(3,25)	-	28(2,26)	0	*A*	[81037]
	37062.00	(0.10)	18(1,17)	-	18(0,18)	0	*E*	[81037]
	37100.97	(0.10)	23(2,21)	-	23(1,22)	1	*E*	[81037]
	37161.24	(0.10)	18(1,17)	-	18(0,18)	0	*A*	[81037]
	37188.74	(0.10)	14(3,11)	-	14(2,12)	1	*A*	[81037]
	37201.47	(0.10)	23(2,21)	-	23(1,22)	1	*A*	[81037]
	37227.37	(0.10)	14(3,11)	-	14(2,12)	1	*E*	[81037]
	37335.94	(0.10)	28(3,25)	-	28(2,26)	1	*E*	[81037]
	37345.40	(0.10)	15(3,12)	-	15(2,13)	0	*A*	[81037]
	37381.78	(0.10)	15(3,12)	-	15(2,13)	0	*E*	[81037]
	37408.18	(0.10)	28(3,25)	-	28(2,26)	1	*A*	[81037]
	37488.12	(0.10)	14(3,12)	-	14(2,12)	0	*E*	[81037]
	37534.46	(0.10)	14(3,12)	-	14(2,12)	0	*A*	[81037]
	37581.38	(0.10)	11(1,10)	-	10(2, 9)	1	*A*	[81037]
	37972.40	(0.10)	14(2,13)	-	14(1,14)	0	*E*	[81037]
	38026.70	(0.10)	14(2,13)	-	14(1,14)	0	*A*	[81037]
	38062.20	(0.10)	13(3,10)	-	13(2,11)	1	*A*	[81037]
	38116.72	(0.10)	13(3,10)	-	13(2,11)	1	*E*	[81037]
	38134.77	(0.10)	14(2,13)	-	14(1,14)	1	*E*	[81037]
	38188.66	(0.10)	14(2,13)	-	14(1,14)	1	*A*	[81037]
	38214.70	(0.10)	29(3,26)	-	29(2,27)	0	*E*	[81037]
	38236.55	(0.10)	14(3,11)	-	14(2,12)	0	*A*	[81037]
	38276.94	(0.10)	18(1,17)	-	18(0,18)	1	*E*	[81037]
	38285.71	(0.10)	14(3,11)	-	14(2,12)	0	*E*	[81037]
	38294.87	(0.10)	29(3,26)	-	29(2,27)	0	*A*	[81037]

TABLE 53.3. Microwave spectrum of 2-pentene — Continued C_5H_{10}

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1}K_{-1})$ - $J''(K_{+1},K_{+1})$	V_t	Sym.	Ref.
	38369.32	(0.10)	18(1,17) - 18(0,18)	1	*A*	[81037]
	38414.00	(0.10)	15(2,13) - 14(3,12)	0	*A*	[81037]
	38442.08	(0.10)	15(2,13) - 14(3,12)	0	*E*	[81037]
	38535.41	(0.10)	24(2,22) - 24(1,23)	0	*E*	[81037]
	38648.49	(0.10)	24(2,22) - 24(1,23)	0	*A*	[81037]
	40286.60	(0.10)	7(1, 7) - 6(0, 6)	0	*A*	[81037]
	40287.08	(0.10)	7(1, 7) - 6(0, 6)	0	*E*	[81037]
	40444.04	(0.10)	7(1, 7) - 6(0, 6)	1	*A*	[81037]
	40444.16	(0.10)	7(1, 7) - 6(0, 6)	1	*E*	[81037]
	40594.36	(0.10)	15(2,13) - 4(3,12)	1	*A*	[81037]
	40613.06	(0.10)	15(2,13) - 3,12)	1	*E*	[81037]

Table 54.1. Molecular constants for the C_6H radical in the $^2\Pi_i$ state. [88001]

Parameter		Value
A_{eff}	(GHz)	453.048(525)
B_o	(MHz)	1391.1860(4)
D_o	(kHz)	0.04056(5)
γ_{eff}	(MHz)	-220.(2)
p	(MHz)	25.36(21)
p_D	(kHz)	-2.92(6)
p_H	(Hz)	91.9(62)
q	(MHz)	1.462(6)
q_D	(kHz)	-0.015(2)
q_H	(Hz)	-0.18(18)
a+(b+c)/2	(MHz)	3.205(71)[a]

[a]From reference [87006].

TABLE 54.2. Microwave spectrum of C_6H radical

Isotopic Species	Frequency (MHz)	Unc. (MHz)	J' - J''	P	F' - F''	Vib. State	Ref.
CCCCCCH $^2\Pi_{3/2}$	20792.872	(0.020)	15/2 - 13/2	f	8 - 7	$v=0$	[87007]
	20792.944	(0.020)	15/2 - 13/2	f	7 - 6	$v=0$	[87007]
	20794.441	(0.020)	15/2 - 13/2	e	8 - 7	$v=0$	[87007]
	20794.511	(0.020)	15/2 - 13/2	e	7 - 6	$v=0$	[87007]
	23565.160	(0.020)	17/2 - 15/2	f	9 - 8	$v=0$	[86022]
	23565.226	(0.020)	17/2 - 15/2	f	8 - 7	$v=0$	[86022]
	23567.169	(0.020)	17/2 - 15/2	e	9 - 8	$v=0$	[86022]
	23567.238	(0.020)	17/2 - 15/2	e	8 - 7	$v=0$	[86022]
	40198.356	(0.030)	29/2 - 27/2	f		$v=0$	[86022]
	40204.150	(0.030)	29/2 - 27/2	e		$v=0$	[86022]
	42970.453	(0.030)	31/2 - 29/2	f		$v=0$	[86022]
	42977.115	(0.020)	31/2 - 29/2	e		$v=0$	[86022]
	73460.	(1.0)	53/2 - 51/2	f		$v=0$	[87007]
	73480.5	(1.0)	53/2 - 51/2	e		$v=0$	[87007]
	81778.1	(0.3)	59/2 - 57/2	f		$v=0$	[87007]
	81801.1	(0.3)	59/2 - 57/2	e		$v=0$	[87007]
	84549.9	(0.4)	61/2 - 59/2	f		$v=0$	[87007]
	84574.5	(0.5)	61/2 - 59/2	e		$v=0$	[87007]
	87348.3	(0.5)	63/2 - 61/2	e		$v=0$	[87007]
	90093.0	(0.4)	65/2 - 63/2	f		$v=0$	[87007]
	90121.4	(0.5)	65/2 - 63/2	e		$v=0$	[87007]
	92865.2	(0.3)	67/2 - 65/2	f		$v=0$	[87007]
	92894.9	(0.3)	67/2 - 65/2	e		$v=0$	[87007]
	95636.6	(0.3)	69/2 - 67/2	f		$v=0$	[87007]
	95668.3	(0.6)	69/2 - 67/2	e		$v=0$	[87007]
	98408.9	(0.4)	71/2 - 69/2	f		$v=0$	[87007]
	98441.7	(0.5)	71/2 - 69/2	e		$v=0$	[87007]
	101180.3	(0.3)	72/2 - 71/2	f		$v=0$	[87009]
	101251.9	(1.5)	72/2 - 71/2	e		$v=0$	[87009]
	103951.9	(0.4)	75/2 - 73/2	f		$v=0$	[87009]
	103989.0	(0.4)	75/2 - 73/2	e		$v=0$	[87009]
	106762.7	(0.3)	75/2 - 75/2	e		$v=0$	[87009]
	115038.4	(0.7)	83/2 - 81/2	f		$v=0$	[87009]
	115084.0	(0.7)	83/2 - 81/2	e		$v=0$	[87009]
CCCCCCH $^2\Pi_{1/2}$	43261.60	(0.30)	31/2 - 29/2	f		$v=0$	[87006]
	43294.60	(0.30)	31/2 - 29/2	e		$v=0$	[87006]
	73967.00	(0.30)	53/2 - 51/2	f		$v=0$	[86024]
	74008.00	(0.30)	53/2 - 51/2	e		$v=0$	[86024]
	82384.5	(0.5)	59/2 - 57/2	e		$v=0$	[87009]
	85131.1	(0.4)	61/2 - 59/2	f		$v=0$	[87009]
	85176.0	(0.4)	61/2 - 59/2	e		$v=0$	[87009]
	87921.7	(0.3)	63/2 - 61/2	f		$v=0$	[87009]
	87967.7	(0.3)	63/2 - 61/2	e		$v=0$	[87009]
	90712.2	(0.3)	65/2 - 63/2	f		$v=0$	[87009]
	90759.3	(0.3)	65/2 - 63/2	e		$v=0$	[87009]
	93502.2	(1.0)	67/2 - 65/2	f		$v=0$	[87009]
	93550.9	(0.5)	67/2 - 65/2	e		$v=0$	[87009]
	96293.3	(0.3)	69/2 - 67/2	f		$v=0$	[87006]
	96342.5	(0.3)	69/2 - 67/2	e		$v=0$	[87006]
	99083.9	(0.3)	71/2 - 69/2	f		$v=0$	[87006]
	99134.1	(0.3)	71/2 - 69/2	e		$v=0$	[87006]
	101873.6	(1.0)	73/2 - 71/2	f		$v=0$	[87009]
	101925.2	(0.7)	73/2 - 71/2	e		$v=0$	[87009]
	107453.2	(0.3)	77/2 - 75/2	f		$v=0$	[87009]
	107507.9	(0.4)	77/2 - 75/2	e		$v=0$	[87009]
	110229.8	(1.0)	79/2 - 77/2	e		$v=0$	[87009]
	110243.4	(1.0)	79/2 - 77/2	f		$v=0$	[87009]

Table 55.1. Molecular constants for o-benzyne.

Parameter		Value (present)	Parameter		Value [86005]
A"	(MHz)	6989.713(16)	A	(MHz)	6989.665(8)
B"	(MHz)	5706.795(14)	B	(MHz)	5706.759(7)
C"	(MHz)	3140.368(6)	C	(MHz)	3140.384(4)
τ_1	(kHz)	-8.76(406)	D_{JK}	(kHz)	1.55(1)
τ_2	(kHz)	-2.00(136)	d_2	(kHz)	-0.241(3)
τ_3[a]	(kHz)	92.6(168)			
τ_{aaaa}	(kHz)	-9.29(102)			
τ_{bbbb}	(kHz)	-4.55(120)			

[a]Value determined from planarity conditions.

TAB;E 55.2. Microwave spectrum of benzyne C_6H_4

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Ref.
CHCCCHCHCH	27590.480	(0.060)	15(9, 6) - 15(8, 7)	[86005]
	27717.040	(0.060)	12(9, 3) - 12(8, 4)	[86005]
	28230.170	(0.060)	4(0, 4) - 3(1, 3)	[86005]
	28440.700	(0.060)	14(10, 4) - 14(9, 5)	[86005]
	29066.150	(0.060)	16(11, 5) - 16(10, 6)	[86005]
	29292.500	(0.060)	19(12, 7) - 19(11, 8)	[86005]
	29868.000	(0.060)	18(12, 6) - 18(11, 7)	[86005]
	30109.860	(0.060)	18(11, 7) - 18(10, 8)	[86005]
	30462.930	(0.060)	10(5, 5) - 10(4, 6)	[86005]
	30576.710	(0.060)	14(8, 6) - 14(7, 7)	[86005]
	31110.020	(0.060)	20(13, 7) - 20(12, 8)	[86005]
	31801.340	(0.060)	11(8, 4) - 11(7, 5)	[86005]
	40828.180	(0.060)	6(0, 6) - 5(1, 5)	[86005]
	40830.000	(0.060)	6(1, 6) - 5(0, 5)	[86005]

Table 56.1. Molecular constants for 3,4-dimethylenecyclobutene, $CH{=}CHC(CH_2)C({=}CH_2)$.

Parameter		Value	Parameter[a]		Value[a]
A"	(MHz)	5569.8998(17)	A	(MHz)	5569.896(1)
B"	(MHz)	4161.7995(14)	B	(MHz)	4161.804(1)
C"	(MHz)	2413.5376(9)	C	(MHz)	2413.545(1)
τ_1	(kHz)	4.28(43)	D_J	(kHz)	1.49(1)
τ_2	(kHz)	0.485(129)	D_{JK}	(kHz)	-5.51(5)
τ_3[b]	(kHz)	39.8(32)	D_K	(kHz)	7.52(8)
τ_{aaaa}	(kHz)	-14.1(4)	d_1	(kHz)	-0.672(4)
τ_{bbbb}	(kHz)	-11.20(14)			
τ_{cccc}	(kHz)	0[c]			
Electric Dipole Moment [83033]					
μ_b	(D)	0.6157(20)			

[a]This set of parameters and values are from reference [83033] and are given so comparisons can be made with the ^{13}C and D species in Tables 54.2 and 54.3.
[b]Value fixed by setting $R_6 = 0$.
[c]Fixed at zero.

Table 56.2. Molecular constants for the ^{13}C substituted species of 3,4-dimethylenecyclobutene. [83033]

Parameter		1-^{13}C	3-^{13}C	5-^{13}C
A	(MHz)	5467.639(17)	5568.505(8)	5505.316(15)
B	(MHz)	4244.140(11)	4241.941(9)	4156.629(17)
C	(MHz)	2388.553(3)	2406.898(2)	2367.548(5)
D_J	(kHz)	1.35(19)	1.43(9)	1.02(24)
D_{JK}	(kHz)	-4.53(77)	-5.49(45)	-3.89(77)
D_K	(kHz)	6.20(164)	7.97(73)	7.92(12)
d_1	(kHz)	-0.619(108)	-0.708(55)	-0.445(132)

Table 56.3. Molecular constants for the deuterated isotopes of 3,4-dimethylenecyclobutene. [83033]

Parameter		1,2-d_2	E-5-d_1	Z-5-d_1
A	(MHz)	5084.403(3)	5538.362(2)	5323.761(2)
B	(MHz)	4118.900(4)	4002.134(2)	4175.687(5)
C	(MHz)	2274.799(2)	2322.471(1)	2339.355(1)
D_J	(kHz)	1.38(12)	1.26(3)	1.55(5)
D_{JK}	(kHz)	-4.87(12)	-4.26(13)	-5.42(26)
D_K	(kHz)	6.36(16)	6.57(22)	6.95(39)
d_1	(kHz)	-0.600(66)	-0.579(11)	-0.691(28)

TABLE 56.4. Microwave spectrum of 3,4-dimethylenecyclobutene C_6H_6

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Ref.
CHCHC(CH₂)C(CH₂)	19123.19	(0.05)	2(2, 1) - 1(1, 0)	[83033]
	19601.66	(0.05)	7(5, 3) - 7(4, 4)	[83033]
	21467.28	(0.05)	7(4, 4) - 7(3, 5)	[83033]
	21656.01	(0.05)	4(0, 4) - 3(1, 3)	[83033]
$H_2C=C-C=CH_2$	21806.15	(0.05)	4(1, 4) - 3(0, 3)	[83033]
HC=CH	22000.57	(0.05)	2(2, 0) - 1(1, 1)	[83033]
	22885.04	(0.05)	4(2, 2) - 3(3, 1)	[83033]
	23950.30	(0.05)	3(2, 2) - 2(1, 1)	[83033]
	25047.20	(0.05)	4(1, 3) - 3(2, 2)	[83033]
	26539.20	(0.05)	5(0, 5) - 4(1, 4)	[83033]
	26569.96	(0.05)	5(1, 5) - 4(0, 4)	[83033]
	27953.26	(0.05)	4(2, 3) - 3(1, 2)	[83033]
	27953.26	(0.05)	4(2, 3) - 3(1, 2)	[83033]
	30692.98	(0.05)	3(3, 1) - 2(2, 0)	[83033]
	30934.89	(0.05)	5(1, 4) - 4(2, 3)	[83033]
	31377.14	(0.05)	6(0, 6) - 5(1, 5)	[83033]
	31382.85	(0.05)	6(1, 6) - 5(0, 5)	[83033]
	31867.24	(0.05)	5(2, 3) - 4(3, 2)	[83033]
	31943.06	(0.05)	5(2, 4) - 4(1, 3)	[83033]
	32151.72	(0.05)	3(3, 0) - 2(2, 1)	[83033]
	33466.81	(0.05)	3(2, 1) - 2(1, 2)	[83033]
	35748.51	(0.05)	4(3, 2) - 3(2, 1)	[83033]
	36110.34	(0.05)	6(1, 5) - 5(2, 4)	[83033]
	36380.24	(0.05)	6(2, 5) - 5(1, 4)	[83033]
	36689.49	(0.05)	6(3, 3) - 5(4, 2)	[83033]
	39365.39	(0.05)	6(2, 4) - 5(3, 3)	[83033]
	39620.79	(0.05)	5(3, 3) - 4(2, 2)	[83033]
^{13}CHCHC(CH₂)C(CH₂)	18791.45	(0.05)	2(2, 1) - 1(1, 0)	[83033]
	21196.74	(0.05)	7(4, 4) - 7(3, 5)	[83033]
	21442.56	(0.05)	4(0, 4) - 3(1, 3)	[83033]
	21568.01	(0.05)	4(1, 4) - 3(0, 3)	[83033]
	23207.19	(0.05)	4(2, 2) - 3(3, 1)	[83033]
	23568.54	(0.05)	3(2, 2) - 2(1, 1)	[83033]
	24956.44	(0.05)	4(1, 3) - 3(2, 2)	[83033]
	26267.03	(0.05)	5(0, 5) - 4(1, 4)	[83033]
	26291.33	(0.05)	5(1, 5) - 4(0, 4)	[83033]
	27535.36	(0.05)	4(2, 3) - 3(1, 2)	[83033]
	30139.98	(0.05)	3(3, 1) - 2(2, 0)	[83033]
	30685.90	(0.05)	5(1, 4) - 4(2, 3)	[83033]
	31052.67	(0.05)	6(0, 6) - 5(1, 5)	[83033]
	31056.94	(0.05)	6(1, 6) - 5(0, 5)	[83033]
	31533.76	(0.05)	5(2, 4) - 4(1, 3)	[83033]
	31673.97	(0.05)	3(3, 0) - 2(2, 1)	[83033]
	31991.32	(0.05)	5(2, 3) - 4(3, 2)	[83033]
	33208.71	(0.05)	3(2, 1) - 2(1, 2)	[83033]
	35123.19	(0.05)	4(3, 2) - 3(2, 1)	[83033]
	35758.58	(0.05)	6(1, 5) - 5(2, 4)	[83033]
	35973.10	(0.05)	6(2, 5) - 5(1, 4)	[83033]
	37165.39	(0.05)	6(3, 3) - 5(4, 2)	[83033]
	38937.17	(0.05)	5(3, 3) - 4(2, 2)	[83033]
CHCH^{13}C(CH₂)C(CH₂)	19112.46	(0.05)	2(2, 1) - 1(1, 0)	[83033]
	21425.95	(0.05)	7(4, 4) - 7(3, 5)	[83033]
	21592.78	(0.05)	4(0, 4) - 3(1, 3)	[83033]
	21750.22	(0.05)	4(1, 4) - 3(0, 3)	[83033]
	21958.80	(0.05)	2(2, 0) - 1(1, 1)	[83033]
	22648.10	(0.05)	4(2, 2) - 3(3, 1)	[83033]
	23926.20	(0.05)	3(2, 2) - 2(1, 1)	[83033]
	24923.91	(0.05)	4(1, 3) - 3(2, 2)	[83033]
	26465.27	(0.05)	5(0, 5) - 4(1, 4)	[83033]
	26498.05	(0.05)	5(1, 5) - 4(0, 4)	[83033]
	27916.93	(0.05)	4(2, 3) - 3(1, 2)	[83033]
	30681.77	(0.05)	3(3, 1) - 2(2, 0)	[83033]
	30825.95	(0.05)	5(1, 4) - 4(2, 3)	[83033]
	31290.64	(0.05)	6(0, 6) - 5(1, 5)	[83033]
	31296.83	(0.05)	6(1, 6) - 5(0, 5)	[83033]
	31635.00	(0.05)	5(2, 3) - 4(3, 2)	[83033]
	31880.88	(0.05)	5(2, 4) - 4(1, 3)	[83033]
	32109.73	(0.05)	3(3, 0) - 2(2, 1)	[83033]

TABLE 56.4. Microwave spectrum of 3,4-dimethylenecyclobutene — Continued C_6H_6

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Ref.
	33348.54	(0.05)	3(2, 1) - 2(1, 2)	[83033]
	35729.63	(0.05)	4(3, 2) - 3(2, 1)	[83033]
	36003.25	(0.05)	6(1, 5) - 5(2, 4)	[83033]
	36290.49	(0.05)	6(2, 5) - 5(1, 4)	[83033]
	36319.75	(0.05)	6(3, 3) - 5(4, 2)	[83033]
	39172.16	(0.05)	6(2, 4) - 5(3, 3)	[83033]
	39597.35	(0.05)	5(3, 3) - 4(2, 2)	[83033]
$CHCHC(^{13}CH_2)C(CH_2)$	18883.41	(0.05)	2(2, 1) - 1(1, 0)	[83033]
	21115.75	(0.05)	7(4, 4) - 7(3, 5)	[83033]
	21638.60	(0.05)	2(2, 0) - 1(1, 1)	[83033]
	21232.17	(0.05)	4(0, 4) - 3(1, 3)	[83033]
	21403.20	(0.05)	4(1, 4) - 3(0, 3)	[83033]
	23618.53	(0.05)	3(2, 2) - 2(1, 1)	[83033]
	24406.11	(0.05)	4(1, 3) - 3(2, 2)	[83033]
	26030.62	(0.05)	5(0, 5) - 4(1, 4)	[83033]
	26067.39	(0.05)	5(1, 5) - 4(0, 4)	[83033]
	27542.01	(0.05)	4(2, 3) - 3(1, 2)	[83033]
	30272.50	(0.05)	5(1, 4) - 4(2, 3)	[83033]
	30326.22	(0.05)	3(3, 1) - 2(2, 0)	[83033]
	30778.70	(0.05)	6(0, 6) - 5(1, 5)	[83033]
	30785.88	(0.05)	6(1, 6) - 5(0, 5)	[83033]
	30827.13	(0.05)	5(2, 3) - 4(3, 2)	[83033]
	31412.68	(0.05)	5(2, 4) - 4(1, 3)	[83033]
	31679.43	(0.05)	3(3, 0) - 2(2, 1)	[83033]
	32754.01	(0.05)	3(2, 1) - 2(1, 2)	[83033]
	35303.77	(.05)	4(3, 2) - 3(2, 1)	[83033]
	35398.23	(0.05)	6(1, 5) - 5(2, 4)	[83033]
	35719.13	(0.05)	6(2, 5) - 5(1, 4)	[83033]
	39120.94	(0.05)	5(3, 3) - 4(2, 2)	[83033]
$CDCDC(CH_2)C(CH_2)$	8428.78	(0.05)	2(2, 1) - 2(1, 2)	[83033]
	8592.33	(0.05)	6(4, 2) - 6(3, 3)	[83033]
	8658.82	(0.05)	5(3, 2) - 5(2, 3)	[83033]
	9513.27	(0.05)	4(2, 2) - 4(1, 3)	[83033]
	9516.25	(0.05)	4(4, 0) - 4(3, 1)	[83033]
	9735.79	(0.05)	7(5, 2) - 7(4, 3)	[83033]
	10038.23	(0.05)	3(3, 1) - 3(2, 2)	[83033]
	10537.25	(0.05)	3(1, 2) - 3(0, 3)	[83033]
	10651.91	(0.05)	2(0, 2) - 1(1, 1)	[83033]
	10982.25	(0.05)	6(5, 1) - 6(4, 2)	[83033]
	11225.64	(0.05)	8(5, 3) - 8(4, 4)	[83033]
	11614.13	(0.05)	9(6, 3) - 9(5, 4)	[83033]
	11795.53	(0.05)	3(2, 2) - 3(1, 3)	[83033]
	11908.81	(0.05)	2(1, 2) - 1(0, 1)	[83033]
	12027.61	(0.05)	7(4, 3) - 7(3, 4)	[83033]
	12244.86	(0.05)	8(6, 2) - 8(5, 3)	[83033]
	15756.26	(0.05)	3(0, 3) - 2(1, 2)	[83033]
	16105.67	(0.05)	3(1, 3) - 2(0, 2)	[83033]
	17864.73	(0.05)	3(1, 2) - 2(2, 1)	[83033]
	20445.17	(0.05)	4(0, 4) - 3(1, 3)	[83033]
	20512.77	(0.05)	4(1, 4) - 3(0, 3)	[83033]
e-$CHCHC(CHD)C(CH_2)$	18931.37	(0.05)	6(2, 4) - 6(1, 5)	[83033]
	18937.51	(0.05)	2(2, 1) - 1(1, 0)	[83033]
	19140.36	(0.05)	5(5, 0) - 5(4, 1)	[83033]
	20482.87	(0.05)	8(6, 2) - 8(5, 3)	[83033]
	20485.51	(0.05)	7(5, 3) - 7(4, 4)	[83033]
	20782.96	(0.05)	4(0, 4) - 3(1, 3)	[83033]
	20989.25	(0.05)	7(4, 4) - 7(3, 5)	[83033]
	21044.86	(0.05)	4(1, 4) - 3(0, 3)	[83033]
	21436.95	(0.05)	2(2, 0) - 1(1, 1)	[83033]
	23353.94	(0.05)	4(1, 3) - 3(2, 2)	[83033]
	23582.46	(0.05)	3(2, 2) - 2(1, 1)	[83033]
	24663.64	(0.05)	8(4, 5) - 8(3, 6)	[83033]
	24905.33	(0.05)	9(5, 5) - 9(4, 6)	[83033]
	25521.99	(0.05)	5(0, 5) - 4(1, 4)	[83033]
	25586.98	(0.05)	5(1, 5) - 4(0, 4)	[83033]
	27431.21	(0.05)	4(2, 3) - 3(1, 2)	[83033]
	28746.71	(0.05)	5(2, 3) - 4(3, 2)	[83033]

TABLE 56.4. Microwave spectrum of *3,4-dimethylenecyclobutene* — Continued C_6H_6

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Ref.
	29406.92	(0.05)	5(1, 4) - 4(2, 3)	[83033]
	30189.67	(0.05)	6(0, 6) - 5(1, 5)	[83033]
	30204.32	(0.05)	6(1, 6) - 5(0, 5)	[83033]
	30466.25	(0.05)	3(3, 1) - 2(2, 0)	[83033]
	31107.59	(0.05)	5(2, 4) - 4(1, 3)	[83033]
	31574.11	(0.05)	3(3, 0) - 2(2, 1)	[83033]
	31860.24	(0.05)	6(3, 3) - 5(4, 2)	[83033]
	31925.37	(0.05)	3(2, 1) - 2(1, 2)	[83033]
	34617.19	(0.05)	6(1, 5) - 5(2, 4)	[83033]
	34839.15	(0.05)	7(0, 7) - 6(1, 6)	[83033]
	34842.24	(0.05)	7(1, 7) - 6(0, 6)	[83033]
	35173.39	(0.05)	6(2, 5) - 5(1, 4)	[83033]
	35409.88	(0.05)	4(3, 2) - 3(2, 1)	[83033]
	36637.59	(0.05)	6(2, 4) - 5(3, 3)	[83033]
	39223.94	(0.05)	5(3, 3) - 4(2, 2)	[83033]
z-CHCHC(CHD)C(CH_2)	18310.60	(0.05)	2(2, 1) - 1(1, 0)	[83033]
	18392.67	(0.05)	7(5, 3) - 7(4, 4)	[83033]
	20107.54	(0.05)	6(2, 4) - 6(1, 5)	[83033]
	20734.24	(0.05)	7(4, 4) - 7(3, 5)	[83033]
	21007.85	(0.05)	4(0, 4) - 3(1, 3)	[83033]
	21115.75	(0.05)	4(1, 4) - 3(0, 3)	[83033]
	21229.21	(0.05)	2(2, 0) - 1(1, 1)	[83033]
	22989.33	(0.05)	3(2, 2) - 2(1, 1)	[83033]
	24555.35	(0.05)	4(1, 3) - 3(2, 2)	[83033]
	25727.47	(0.05)	5(0, 5) - 4(1, 4)	[83033]
	25747.57	(0.05)	5(1, 5) - 4(0, 4)	[83033]
	26879.65	(0.05)	4(2, 3) - 3(1, 2)	[83033]
	29353.44	(0.05)	3(3, 1) - 2(2, 0)	[83033]
	30099.30	(0.05)	5(1, 4) - 4(2, 3)	[83033]
	30413.22	(0.05)	6(0, 6) - 5(1, 5)	[83033]
	30416.62	(0.05)	6(1, 6) - 5(0, 5)	[83033]
	30832.66	(0.05)	5(2, 4) - 4(1, 3)	[83033]
	30923.91	(0.05)	3(3, 0) - 2(2, 1)	[83033]
	31641.75	(0.05)	5(2, 3) - 4(3, 2)	[83033]
	32591.17	(0.05)	3(2, 1) - 2(1, 2)	[83033]
	34220.22	(0.05)	4(3, 2) - 3(2, 1)	[83033
	35035.26	(0.05)	6(1, 5) - 5(2, 4)	[83033
	35092.63	(0.05)	7(0, 7) - 6(1, 6)	[83033
	35093.16	(0.05)	7(1, 7) - 6(0, 6)	[83033
	35212.95	(0.05)	6(2, 5) - 5(1, 4)	[83033
	36993.75	(0.05)	6(3, 3) - 5(4, 2)	[8303
	37944.21	(0.05)	5(3, 3) - 4(2, 2)	[8303
	38572.85	(0.05)	6(2, 4) - 5(3, 3)	[8303
				[8303

TABLE 57.2. Microwave spectrum of tricyclo[3.1.0.0](2,6)hex-3-ene — Continued C_6H_6

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Ref.
	18822.36	(0.05)	2(1, 1) - 1(1, 0)	[73076]
	24028.96	(0.05)	3(1, 3) - 2(1, 2)	[73076]
	24735.81	(0.05)	3(0, 3) - 2(0, 2)	[73076]
	26252.29	(0.05)	3(2, 2) - 2(2, 1)	[73076]
	27768.80	(0.05)	3(2, 1) - 2(2, 0)	[73076]
	31697.35	(0.05)	4(1, 4) - 3(1, 3)	[73076]
	34649.75	(0.05)	4(2, 3) - 3(2, 2)	[73076]
	35667.14	(0.05)	4(3, 2) - 3(3, 1)	[73076]
	36209.85	(0.05)	4(3, 1) - 3(3, 0)	[73076]
	18914.76	(0.05)	5(3, 3) - 5(1, 4)	[73076]
	19330.16	(0.05)	5(2, 4) - 5(0, 5)	[73076]
	20516.47	(0.05)	6(3, 4) - 6(1, 5)	[73076]

Table 58.1. Molecular constants of 1-methylene-2,4-cyclopentadiene (fulvene).

Species	A (MHz)	B (MHz)	C (MHz)	Reference
Normal	8186.1340(89)	3802.7320(24)	2596.4362(18)	[present]
1-^{13}C	8186.134[a]	3786.028(15)	2588.678(15)	[72066]
2-^{13}C	8007.593(135)	3802.505(20)	2578.126(12)	[72066]
3-^{13}C	8117.033(178)	3748.340(23)	2664.138(14)	[72066]
6-^{13}C	8186.134[a]	3679.712(18)	2538.471(15)	[72066]
2-d_1	7595.060(11)	3801.038(7)	2533.132(5)	[72066]
3-d_1	7968.038(13)	3657.337(10)	2506.679(5)	[72066]
2,3-d_2	7410.340(10)	3656.517(5)	2448.327(4)	[72066]
6-d_1	8084.044(33)	3607.605(10)	2494.354(10)	[73077]
Dipole Moment [72066]				
μ_a (D)	0.4236(13)			

[a]Set equal to A for the normal species.

TABLE 58.2. Microwave spectrum of 1-methylene-2,4-cyclopentadiene C_6H_6

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Ref.
C(CH₂)CHCHCHCH	6399.18	(0.04)	1(0, 1) - 0(0, 0)	[72066]
	11592.09	(0.04)	2(1, 2) - 1(1, 1)	[72066]
	12581.87	(0.04)	2(0, 2) - 1(0, 1)	[72066]
	14004.66	(0.04)	2(1, 1) - 1(1, 0)	[72066]
	17262.99	(0.04)	3(1, 3) - 2(1, 2)	[72066]
	17439.78	(0.04)	5(1, 4) - 5(1, 5)	[72066]
	18373.98	(0.04)	3(0, 3) - 2(0, 2)	[72066]
	19197.59	(0.04)	3(2, 2) - 2(2, 1)	[72066]
	20021.04	(0.04)	3(2, 1) - 2(2, 0)	[72066]
	20857.14	(0.04)	3(1, 2) - 2(1, 1)	[72066]
	22660.26	(0.04)	4(2, 3) - 4(0, 4)	[72066]
	22815.37	(0.04)	4(1, 4) - 3(1, 3)	[72066]
	23752.97	(0.04)	4(0, 4) - 3(0, 3)	[72066]
	25292.26	(0.04)	5(2, 4) - 5(0, 5)	[72066]
	25426.89	(0.04)	4(2, 3) - 3(2, 2)	[72066]
	25965.32	(0.04)	4(3, 2) - 3(3, 1)	[72066]
	28884.00	(0.04)	5(0, 5) - 4(0, 4)	[72066]
^{13}C(CH₂)CHCHCHCH	11552.05	(0.04)	2(1, 2) - 1(1, 1)	[72066]
	12536.61	(0.04)	2(0, 2) - 1(0, 1)	[72066]
	13946.76	(0.04)	2(1, 1) - 1(1, 0)	[72066]
	25331.98	(0.04)	4(2, 3) - 3(2, 2)	[72066]
C(CH₂)^{13}CHCHCHCH	11536.90	(0.04)	2(1, 2) - 1(1, 1)	[72066]
	12530.66	(0.04)	2(0, 2) - 1(0, 1)	[72066]
	13985.70	(0.04)	2(1, 1) - 1(1, 0)	[72066]
	17172.54	(0.04)	3(1, 3) - 2(1, 2)	[72066]
	22683.97	(0.04)	4(1, 4) - 3(1, 3)	[72066]
	23584.72	(0.04)	4(0, 4) - 3(0, 3)	[72066]
	25341.52	(0.04)	4(2, 3) - 3(2, 2)	[72066]
	28664.54	(0.04)	5(0, 5) - 4(0, 4)	[72066]
	33700.84	(0.04)	6(0, 6) - 5(0, 5)	[72066]
	39424.30	(0.04)	6(1, 5) - 5(1, 4)	[72066]
C(CH₂)CH^{13}CHCHCH	11440.80	(0.04)	2(1, 2) - 1(1, 1)	[72066]
	12415.19	(0.04)	2(0, 2) - 1(0, 1)	[72066]
	13809.20	(0.04)	2(1, 1) - 1(1, 0)	[72066]
	23457.24	(0.04)	4(0, 4) - 3(0, 3)	[72066]
	22523.53	(0.04)	4(1, 4) - 3(1, 3)	[72066]
	25085.42	(0.04)	4(2, 3) - 3(2, 2)	[72066]
	33539.47	(0.04)	6(0, 5) - 5(0, 5)	[72066]
	39146.46	(0.04)	6(1, 5) - 5(1, 4)	[72066]
C(^{13}CH₂)CHCHCHCH	11295.15	(0.04)	2(1, 2) - 1(1, 1)	[72066]
	12245.78	(0.04)	2(0, 2) - 1(0, 1)	[72066]
	13577.60	(0.04)	2(1, 1) - 1(1, 0)	[72066]
	16832.04	(0.04)	3(1, 3) - 2(1, 2)	[72066]
	24723.45	(0.04)	4(2, 3) - 3(2, 2)	[72066]
C(CH₂)CDCHCHCH	11400.44	(0.04)	2(1, 2) - 1(1, 1)	[72066]
	12400.18	(0.04)	2(0, 2) - 1(0, 1)	[72066]
	13936.26	(0.04)	2(1, 1) - 1(1, 0)	[72066]
	16947.58	(0.04)	3(1, 3) - 2(1, 2)	[72066]
	18000.48	(0.04)	3(0, 3) - 2(0, 2)	[72066]
	20004.59	(0.04)	3(2, 1) - 2(2, 0)	[72066]
	23162.90	(0.04)	4(0, 4) - 3(0, 3)	[72066]
	22356.23	(0.04)	4(1, 4) - 3(1, 3)	[72066]
	25125.72	(0.04)	4(2, 3) - 3(2, 2)	[72066]
	20945.05	(0.04)	4(2, 3) - 4(0, 4)	[72066]
	23898.11	(0.04)	5(2, 4) - 5(0, 5)	[72066]
	28124.01	(0.04)	5(0, 5) - 4(0, 4)	[72066]
C(CH₂)CHCDCHCH	11177.38	(0.04)	2(1, 2) - 1(1, 1)	[72066]
	12126.91	(0.04)	2(0, 2) - 1(0, 1)	[72066]
	13478.73	(0.04)	2(1, 1) - 1(1, 0)	[72066]
	16649.68	(0.04)	3(1, 3) - 2(1, 2)	[72066]
	17725.04	(0.04)	3(0, 3) - 2(0, 2)	[72066]
	19259.02	(0.04)	3(2, 1) - 2(2, 0)	[72066]
	22931.08	(0.04)	4(0, 4) - 3(0, 3)	[72066]
	22010.80	(0.04)	4(1, 4) - 3(1, 3)	[72066]
	24498.47	(0.04)	4(2, 3) - 3(2, 2)	[72066]
	22079.68	(0.04)	4(2, 3) - 4(0, 4)	[72066]
	24560.49	(0.04)	5(2, 4) - 5(0, 5)	[72066]
	27893.34	(0.04)	5(0, 5) - 4(0, 4)	[72066]

TABLE 58.2. Microwave spectrum of 1-methylene-2,4-cyclopentadiene C_6H_6

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Ref.
C(CHD)CHCHCHCH	11090.69	(0.05)	2(1, 2) - 1(1, 1)	[73077]
	13317.20	(0.05)	2(1, 1) - 1(1, 0)	[73077]
	16529.76	(0.05)	3(1, 3) - 2(1, 2)	[73077]
	18305.92	(0.05)	3(2, 2) - 2(2, 1)	[73077]
	19007.41	(0.05)	3(2, 1) - 2(2, 0)	[73077]
	19850.39	(0.05)	3(1, 2) - 2(1, 1)	[73077]
	22814.29	(0.05)	4(0, 4) - 3(0, 3)	[73077]
	24264.54	(0.05)	4(2, 3) - 3(2, 2)	[73077]
	24723.52	(0.05)	4(3, 2) - 3(3, 1)	[73077]
	24836.04	(0.05)	4(3, 1) - 3(3, 0)	[73077]
	25856.35	(0.05)	4(2, 2) - 3(2, 1)	[73077]
	22466.98	(0.05)	4(2, 3) - 4(0, 4)	[73077]
	24797.51	(0.05)	5(2, 4) - 5(0, 5)	[73077]
$C(CH_2)CDCDCHCH$	11001.52	(0.04)	2(1, 2) - 1(1, 1)	[72066]
	11962.04	(0.04)	2(0, 2) - 1(0, 1)	[72066]
	13417.91	(0.04)	2(1, 1) - 1(1, 0)	[72066]
	16360.54	(0.04)	3(1, 3) - 2(1, 2)	[72066]
	17385.62	(0.04)	3(0, 3) - 2(0, 2)	[72066]
	19243.43	(0.04)	3(2, 1) - 2(2, 0)	[72066]
	18314.51	(0.04)	3(2, 2) - 2(2, 1)	[72066]
	19952.68	(0.04)	3(1, 2) - 2(1, 1)	[72066]
	22391.20	(0.04)	4(0, 4) - 3(0, 3)	[72066]
	21590.13	(0.04)	4(1, 4) - 3(1, 3)	[72066]
	24224.69	(0.04)	4(2, 3) - 3(2, 2)	[72066]
	24832.15	(0.04)	4(3, 2) - 3(3, 1)	[72066]
	20441.83	(0.04)	4(2, 3) - 4(0, 4)	[72066]
	17278.58	(0.04)	5(1, 4) - 5(1, 5)	[72066]
	27193.18	(0.04)	5(0, 5) - 4(0, 4)	[72066]

Table 59.1. Molecular constants of bicyclo[2.2.0] hexa-2,5-diene (dewar benzene).

Parameter	Value
A (MHz)	7770.368(12)
B (MHz)	4479.287(9)
C (MHz)	3488.962(9)
Electric Dipole Moment [74064]	
μ_c (D)	0.0437

TABLE 59.2. Microwave spectrum of bicyclo[2.2.0]hexa-2,5-diene C_6H_6

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Ref.
CHCHCHCHCHCH	20385.68	(0.10)	8(4, 5) - 8(3, 5)	[74064]
	21208.35	(0.10)	2(1, 1) - 1(0, 1)	[74064]
	26527.39	(0.10)	5(0, 5) - 4(1, 3)	[74064]
	26992.00	(0.10)	2(2, 0) - 1(1, 0)	[74064]
	27457.11	(0.10)	7(3, 4) - 7(2, 6)	[74064]
	27790.50	(0.10)	2(2, 1) - 1(1, 1)	[74064]
	28534.83	(0.10)	10(5, 6) - 10(4, 6)	[74064]
	30719.98	(0.10)	3(1, 2) - 2(0, 2)	[74064]
	30963.75	(0.10)	9(4, 5) - 9(3, 7)	[74064]
	31861.40	(0.10)	5(1, 4) - 4(2, 2)	[74064]
	34694.02	(0.10)	3(2, 1) - 2(1, 1)	[74064]
	36749.10	(0.10)	3(2, 2) - 2(1, 2)	[74064]
	40931.34	(0.10)	4(1, 3) - 3(0, 3)	[74064]
	42756.33	(0.10)	4(2, 2) - 3(1, 2)	[74064]
	42946.24	(0.10)	3(3, 1) - 2(2, 1)	[74064]

Table 60.1. Molecular constants for benzene-d_1.

Parameter	Value
Rotational Analysis [84031]	
A (MHz)	5689.144(6)
B (MHz)	5323.934(6)
C (MHz)	2749.674(6)
Δ_{JK} (MHz)	-0.0012(1)
Δ_K (MHz)	-0.0036(7)
δ_J (MHz)	0.000019
Electric Dipole Moment [87002]	
μ_a (D)	0.00810(28)

TABLE 60.2. Microwave spectrum of benzene-d C_6H_6

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$	-	$J''(K_{-1},K_{+1})$	Ref.
CDCHCHCHCHCH	8073.682	(0.065)	1(0, 1)	-	0(0, 0)	[84031]
	8571.656	(0.009)	15(12, 3)	-	15(12, 4)	[84031]
	8891.552	(0.015)	9(7, 2)	-	9(7, 3)	[84031]
	8898.263	(0.009)	30(24, 6)	-	30(24, 7)	[84031]
	9072.683	(0.033)	20(16, 4)	-	20(16, 5)	[84031]
	10176.631	(0.015)	8(6, 3)	-	8(6, 2)	[84031]
	10396.880	(0.036)	39(31, 8)	-	39(31, 9)	[84031]
	10402.900	(0.032)	14(11, 3)	-	14(11, 4)	[84031]
	10676.509	(0.097)	4(4, 1)	-	4(2, 2)	[84031]
	11052.486	(0.036)	34(27, 7)	-	34(27, 8)	[84031]
	11251.994	(0.008)	19(15, 4)	-	19(15, 5)	[84031]
	11307.475	(0.039)	7(5, 2)	-	7(5, 3)	[84031]
	11473.722	(0.014)	29(23, 6)	-	29(23, 7)	[84031]
	11572.486	(0.027)	24(19, 5)	-	24(19, 6)	[84031]
	12204.904	(0.037)	13(10, 3)	-	13(10, 4)	[84031]
	12234.858	(0.053)	6(4, 3)	-	6(4, 2)	[84031]
	13573.027	(0.024)	2(1, 2)	-	1(1, 1)	[84031]
	13902.059	(0.024)	2(0, 2)	-	1(0, 1)	[84031]
	14144.508	(0.057)	5(4, 2)	-	5(2, 3)	[84031]
	14147.709	(0.019)	23(18, 5)	-	23(18, 6)	[84031]

Table 61.1. Molecular constants of 1,3-cyclohexadiene.

Parameter		Ground State[a]	v=A [65031]	v=B [65031]
A"	(MHz)	5073.9995(92)	5069.50	5071.72
B"	(MHz)	5062.3483(59)	5055.20	5061.32
C"	(MHz)	2701.6929(40)	2695.80	2703.51
τ_1	(kHz)	-9.890(1008)		
τ_2	(kHz)	-2.794(335)		
τ_3[b]	(kHz)	6.700(380)		
τ_{aaaa}	(kHz)	-5.98(50)		
τ_{bbbb}	(kHz)	-4.247(406)		
τ_{cccc}	(kHz)	-1.14(33)		
Electric Dipole Moment [65031]				
μ_a	(D)	0.437(14)		

[a]Present work.
[b]Value fixed by setting R_6 = 0.

TABLE 61.2. Microwave spectrum of 1,3-cyclohexadiene C_6H_8

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Vib. state	Ref.
CHCHCHCHCH$_2$CH$_2$	22622.95	(0.10)	2(2, 0) - 1(0, 1)	$1\nu_{36}$	[65031]
	23252.90	(0.10)	3(2, 2) - 2(2, 1)	$1\nu_{36}$	[65031]
	23295.45	(0.10)	3(1, 2) - 2(1, 1)	$1\nu_{36}$	[65031]
	23932.05	(0.10)	4(0, 4) - 3(0, 3)	$1\nu_{36}$	[65031]
	28665.70	(0.10)	4(2, 3) - 3(2, 2)	$1\nu_{36}$	[65031]
	28665.90	(0.10)	4(1, 3) - 3(1, 2)	$1\nu_{36}$	[65031]
	22634.30	(0.10)	2(2, 0) - 1(0, 1)	$1\nu_{35}$	[65031]
	23294.40	(0.10)	3(2, 2) - 2(2, 1)	$1\nu_{35}$	[65031]
	23325.40	(0.10)	3(1, 2) - 2(1, 1)	$1\nu_{35}$	[65031]
	23991.00	(0.10)	4(0, 4) - 3(0, 3)	$1\nu_{35}$	[65031]
	28717.20	(0.10)	4(2, 3) - 3(2, 2)	$1\nu_{35}$	[65031]

Table 64.1. Molecular constants of bicyclo[3.1.0]hex-2-ene.

Species	A(MHz)	B (MHz)	C(MHz)	Reference
Normal	6306.121(66)	4516.6670(43)	3208.8226(18)	[present]
1-^{13}C	6249.016(4)	4489.502(4)	3187.593(1)	[78030]
2-^{13}C	6200.995(8)	4498.162(36)	3172.108(4)	[78030]
5-^{13}C	6249.495(26)	4492.845(10)	3188.046(4)	[78030]
6-^{13}C	6276.204(55)	4418.036(24)	3166.229(5)	[78030]
Electric Dipole Moment [78030]				
μ_a (D)	0.166(9)			
μ_b (D)	0.209(15)			
μ_c (D)	0.119(1)			

TABLE 64.2. Microwave spectrum of bicyclo[3.1.0]hex-2-ene C_6H_8

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Ref.
$CHCHCHCH_2CHCH_2$	20543.37	(0.05)	3(0, 3) - 2(1, 2)	[78030]
	20944.57	(0.05)	3(1, 3) - 2(1, 2)	[78030]
	21925.66	(0.05)	3(1, 3) - 2(0, 2)	[78030]
	22626.70	(0.05)	2(2, 0) - 1(1, 0)	[78030]
	23176.48	(0.05)	3(2, 2) - 2(2, 1)	[78030]
	23934.52	(0.05)	2(2, 0) - 1(1, 1)	[78030]
	24828.47	(0.05)	3(2, 1) - 2(2, 0)	[78030]
	27426.52	(0.05)	4(0, 4) - 3(1, 3)	[78030]
	27561.67	(0.05)	4(1, 4) - 3(1, 3)	[78030]
	27827.70	(0.05)	4(0, 4) - 3(0, 3)	[78030]
	27962.82	(0.05)	4(1, 4) - 3(0, 3)	[78030]
$^{13}CHCHCHCH_2CHCH_2$	27249.12	(0.05)	4(0, 4) - 3(1, 3)	[78030]
	27379.03	(0.05)	4(1, 4) - 3(1, 3)	[78030]
	27638.03	(0.05)	4(0, 4) - 3(0, 3)	[78030]
	28158.33	(0.05)	4(1, 3) - 3(2, 2)	[78030]
	33796.86	(0.05)	5(0, 5) - 4(1, 4)	[78030]
	33835.75	(0.05)	5(1, 5) - 4(1, 4)	[78030]
	33926.77	(0.05)	5(0, 5) - 4(0, 4)	[78030]
	33965.66	(0.05)	5(1, 5) - 4(0, 4)	[78030]
	34853.23	(0.05)	3(3, 1) - 2(2, 0)	[78030]
	35486.42	(0.05)	3(3, 0) - 2(2, 1)	[78030]
$CH^{13}CHCHCH_2CHCH_2$	27157.68	(0.05)	4(0, 4) - 3(1, 3)	[78030]
	27272.11	(0.05)	4(1, 4) - 3(1, 3)	[78030]
	27512.46	(0.05)	4(0, 4) - 3(0, 3)	[78030]
	27626.91	(0.05)	4(1, 4) - 3(0, 3)	[78030]
	33659.73	(0.05)	5(0, 5) - 4(1, 4)	[78030]
	33692.81	(0.05)	5(1, 5) - 4(1, 4)	[78030]
	33774.18	(0.05)	5(0, 5) - 4(0, 4)	[78030]
	33802.25	(0.05)	4(2, 3) - 3(1, 2)	[78030]
	33807.27	(0.05)	5(1, 5) - 4(0, 4)	[78030]
	34596.45	(0.05)	3(3, 1) - 2(2, 0)	[78030]
$CHCHCHCH_2{}^{13}CHCH_2$	27256.66	(0.05)	4(0, 4) - 3(1, 3)	[78030]
	27385.46	(0.05)	4(1, 4) - 3(1, 3)	[78030]
	27643.33	(0.05)	4(0, 4) - 3(0, 3)	[78030]
	27772.13	(0.05)	4(1, 4) - 3(0, 3)	[78030]
	28182.02	(0.05)	4(1, 3) - 3(2, 2)	[78030]
	33368.64	(0.05)	4(2, 2) - 3(2, 1)	[78030]
	33804.44	(0.05)	5(0, 5) - 4(1, 4)	[78030]
	33842.73	(0.05)	5(1, 5) - 4(1, 4)	[78030]
	33933.25	(0.05)	5(0, 5) - 4(0, 4)	[78030]
	33971.54	(0.05)	5(1, 5) - 4(0, 4)	[78030]
	34034.73	(0.05)	4(2, 3) - 3(1, 2)	[78030]
$CHCHCHCH_2CH^{13}CH_2$	20172.83	(0.05)	3(0, 3) - 2(1, 2)	[78030]
	27004.81	(0.05)	4(0, 4) - 3(1, 3)	[78030]
	27166.98	(0.05)	4(1, 4) - 3(1, 3)	[78030]
	27460.89	(0.05)	4(0, 4) - 3(0, 3)	[78030]
	27623.09	(0.05)	4(1, 4) - 3(0, 3)	[78030]
	33538.46	(0.05)	5(0, 5) - 4(1, 4)	[78030]
	33590.05	(0.05)	5(1, 5) - 4(1, 4)	[78030]
	33700.68	(0.05)	5(0, 5) - 4(0, 4)	[78030]
	33752.26	(0.05)	5(1, 5) - 4(0, 4)	[78030]

Table 65.1. Molecular constants of 1,2-dimethylene cyclobutane.

Parameter		Ground State
A"	(MHz)	4925.1758(49)
B"	(MHz)	4089.9668(102)
C"	(MHz)	2301.6881(46)
τ_1	(kHz)	3.77(71)
τ_2	(kHz)	0[a]
τ_3[b]	(kHz)	-55.(32)
τ_{aaaa}	(kHz)	0[a]
τ_{bbbb}	(kHz)	-8.10(108)
τ_{cccc}	(kHz)	-0.64(21)
μ_b	(D)	0.457(2)

[a]Fixed at 0.
[b]Value determined by setting R_6 = 0.

Table 65.2. Molecular constants of vibrational states of 1,2-dimethylene cyclobutane. [75052]

Vibrational State	v	A (MHz)	B (MHz)	C (MHz)
$C(CH_2)C(CH_2)CH_2CH_2$				
	1	4930.092	4080.071	2308.365
	2	4934.096	4071.403	2313.958
	3	4937.205	4064.896	2318.945
	4	4939.677	4059.131	2323.442

TABLE 65.3. Microwave spectrum of 1,2-dimethylene cyclobutane C_6H_8

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Vib. state	Ref.
$C(CH_2)C(CH_2)CH_2CH_2$	27243.00	(0.05)	3(3, 1) - 2(2, 0)		[75052]
	29057.33	(0.05)	3(3, 0) - 2(2, 1)		[75052]
	29378.76	(0.05)	5(1, 4) - 4(2, 3)		[75052]
$H_2C=C-C=CH_2$	29712.50	(0.05)	5(2, 4) - 4(1, 3)		[75052]
$\vert \quad \vert$	29786.63	(0.05)	6(0, 6) - 5(1, 5)		[75052]
H_2C-CH_2	29787.59	(0.05)	6(1, 6) - 5(0, 5)		[75052]
	31961.11	(0.05)	4(3, 2) - 3(2, 1)		[75052]
	34102.30	(0.05)	6(1, 5) - 5(2, 4)		[75052]
	34165.86	(0.05)	6(2, 5) - 5(1, 4)		[75052]
	34389.98	(0.05)	7(1, 7) - 6(0, 6)		[75052]
	34389.98	(0.05)	7(0, 7) - 6(1, 6)		[75052]
	35651.13	(0.05)	5(3, 3) - 4(2, 2)		[75052]
	37464.33	(0.05)	4(4, 1) - 3(3, 0)		[75052]
	37923.05	(0.05)	6(2, 4) - 5(3, 3)		[75052]
	38375.97	(0.05)	4(4, 0) - 3(3, 1)		[75052]
	38397.53	(0.05)	6(3, 3) - 5(4, 2)		[75052]
	38725.45	(0.05)	7(1, 6) - 6(2, 5)		[75052]
	38735.90	(0.05)	7(2, 6) - 6(1, 5)		[75052]
	38993.08	(0.05)	8(0, 8) - 7(1, 7)		[75052]
	38993.08	(0.05)	8(1, 8) - 7(0, 7)		[75052]
	39191.16	(0.05)	6(3, 4) - 5(2, 3)		[75052]
	39273.41	(0.05)	4(3, 1) - 3(2, 2)		[75052]
	27277.48	(0.05)	3(3, 1) - 2(2, 0)	$1\nu_{36}$	[75052]
	29048.92	(0.05)	3(3, 0) - 2(2, 1)	$1\nu_{36}$	[75052]
	38384.65	(0.05)	4(4, 0) - 3(3, 1)	$1\nu_{36}$	[75052]
	37506.90	(0.05)	4(4, 1) - 3(3, 0)	$1\nu_{36}$	[75052]
	32012.80	(0.05)	4(3, 2) - 3(2, 1)	$1\nu_{36}$	[75052]
	35721.48	(0.05)	5(3, 3) - 4(2, 2)	$1\nu_{36}$	[75052]
	29403.93	(0.05)	5(1, 4) - 4(2, 3)	$1\nu_{36}$	[75052]
	29758.94	(0.05)	5(2, 4) - 4(1, 3)	$1\nu_{36}$	[75052]
	38288.33	(0.05)	6(3, 3) - 5(4, 2)	$1\nu_{36}$	[75052]
	37913.90	(0.05)	6(2, 4) - 5(3, 3)	$1\nu_{36}$	[75052]
	39258.05	(0.05)	6(3, 4) - 5(2, 3)	$1\nu_{36}$	[75052]
	34148.35	(0.05)	6(1, 5) - 5(2, 4)	$1\nu_{36}$	[75052]
	34217.55	(0.05)	6(2, 5) - 5(1, 4)	$1\nu_{36}$	[75052]
	29856.15	(0.05)	6(0, 6) - 5(1, 5)	$1\nu_{36}$	[75052]
	29857.25	(0.05)	6(1, 6) - 5(0, 5)	$1\nu_{36}$	[75052]
	38798.31	(0.05)	7(2, 6) - 6(1, 5)	$1\nu_{36}$	[75052]
	38786.79	(0.05)	7(1, 6) - 6(2, 5)	$1\nu_{36}$	[75052]
	34472.98	(0.05)	7(1, 7) - 6(0, 6)	$1\nu_{36}$	[75052]
	34472.98	(0.05)	7(0, 7) - 6(1, 6)	$1\nu_{36}$	[75052]
	39089.56	(0.05)	8(0, 8) - 7(1, 7)	$1\nu_{36}$	[75052]
	39089.56	(0.05)	8(1, 8) - 7(0, 7)	$1\nu_{36}$	[75052]
	27305.62	(0.05)	3(3, 1) - 2(2, 0)	$2\nu_{36}$	[75052]
	29040.85	(0.05)	3(3, 0) - 2(2, 1)	$2\nu_{36}$	[75052]
	38391.10	(0.05)	4(4, 0) - 3(3, 1)	$2\nu_{36}$	[75052]
	37541.57	(0.05)	4(4, 1) - 3(3, 0)	$2\nu_{36}$	[75052]
	32055.68	(0.05)	4(3, 2) - 3(2, 1)	$2\nu_{36}$	[75052]
	35780.56	(0.05)	5(3, 3) - 4(2, 2)	$2\nu_{36}$	[75052]
	29423.35	(0.05)	5(1, 4) - 4(2, 3)	$2\nu_{36}$	[75052]
	29797.40	(0.05)	5(2, 4) - 4(1, 3)	$2\nu_{36}$	[75052]
	38077.17	(0.05)	6(3, 3) - 5(4, 2)	$2\nu_{36}$	[75052]
	37901.90	(0.05)	6(2, 4) - 5(3, 3)	$2\nu_{36}$	[75052]
	39314.47	(0.05)	6(3, 4) - 5(2, 3)	$2\nu_{36}$	[75052]
	34185.56	(0.05)	6(1, 5) - 5(2, 4)	$2\nu_{36}$	[75052]
	34259.73	(0.05)	6(2, 5) - 5(1, 4)	$2\nu_{36}$	[75052]
	29913.98	(0.05)	6(0, 6) - 5(1, 5)	$2\nu_{36}$	[75052]
	29915.13	(0.05)	6(1, 6) - 5(0, 5)	$2\nu_{36}$	[75052]
	38849.56	(0.05)	7(2, 6) - 6(1, 5)	$2\nu_{36}$	[75052]
	38836.94	(0.05)	7(1, 6) - 6(2, 5)	$2\nu_{36}$	[75052]
	34541.95	(0.05)	7(1, 7) - 6(0, 6)	$2\nu_{36}$	[75052]
	34541.95	(0.05)	7(0, 7) - 6(1, 6)	$2\nu_{36}$	[75052]
	39169.62	(0.05)	8(0, 8) - 7(1, 7)	$2\nu_{36}$	[75052]
	39169.62	(0.05)	8(1, 8) - 7(0, 7)	$2\nu_{36}$	[75052]
	27328.20	(0.05)	3(3, 1) - 2(2, 0)	$3\nu_{36}$	[75052]
	38396.65	(0.05)	4(4, 0) - 3(3, 1)	$3\nu_{36}$	[75052]
	32090.77	(0.05)	4(3, 2) - 3(2, 1)	$3\nu_{36}$	[75052]
	29832.33	(0.05)	5(2, 4) - 4(1, 3)	$3\nu_{36}$	[75052]

TABLE 65.3. Microwave spectrum of 1,2-dimethylene cyclobutane — Continued C_6H_8

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Vib. state	Ref.
	37896.17	(0.05)	6(2, 4) - 5(3, 3)	$3\nu_{36}$	[75052]
	34298.88	(0.05)	6(2, 5) - 5(1, 4)	$3\nu_{36}$	[75052]
	29965.88	(0.05)	6(0, 6) - 5(1, 5)	$3\nu_{36}$	[75052]
	29967.11	(0.05)	6(1, 6) - 5(0, 5)	$3\nu_{36}$	[75052]
	38883.26	(0.05)	7(1, 6) - 6(2, 5)	$3\nu_{36}$	[75052]
	34604.03	(0.05)	7(1, 7) - 6(0, 6)	$3\nu_{36}$	[75052]
	34604.03	(0.05)	7(0, 7) - 6(1, 6)	$3\nu_{36}$	[75052]
	39241.76	(0.05)	8(0, 8) - 7(1, 7)	$3\nu_{36}$	[75052]
	39241.76	(0.05)	8(1, 8) - 7(0, 7)	$3\nu_{36}$	[75052]
	27346.50	(0.05)	3(3, 1) - 2(2, 0)	$4\nu_{36}$	[75052]
	29028.53	(0.05)	3(3, 0) - 2(2, 1)	$4\nu_{36}$	[75052]
	38400.20	(0.05)	4(4, 0) - 3(3, 1)	$4\nu_{36}$	[75052]
	32120.80	(0.05)	4(3, 2) - 3(2, 1)	$4\nu_{36}$	[75052]
	29460.20	(0.05)	5(1, 4) - 4(2, 3)	$4\nu_{36}$	[75052]
	29863.30	(0.05)	5(2, 4) - 4(1, 3)	$4\nu_{36}$	[75052]
	34333.55	(0.05)	6(2, 5) - 5(1, 4)	$4\nu_{36}$	[75052]
	30012.60	(0.05)	6(0, 6) - 5(1, 5)	$4\nu_{36}$	[75052]
	30013.92	(0.05)	6(1, 6) - 5(0, 5)	$4\nu_{36}$	[75052]
	34659.93	(0.05)	7(1, 7) - 6(0, 6)	$4\nu_{36}$	[75052]
	34659.93	(0.05)	7(0, 7) - 6(1, 6)	$4\nu_{36}$	[75052]
	39306.75	(0.05)	8(0, 8) - 7(1, 7)	$4\nu_{36}$	[75052]
	39306.75	(0.05)	8(1, 8) - 7(0, 7)	$4\nu_{36}$	[75052]

Table 66.1. Molecular constants for t-butyl acetylene.

Species	B_o (MHz)	C_o (MHz)
Ground State [62022]		
$(CH_3)_3CC{\equiv}CH$	2683.18(1)	----
$(CH_3)_3CC{\equiv}^{13}CH$	2609.35(2)	----
$(CH_3)_3C^{13}C{\equiv}CH$	2665.90(2)	----
$(CH_3)_3CC{\equiv}CD$	2531.09(2)	----
$(CH_3)_3CC{\equiv}^{13}CD$	2467.53(2)	----
$(CH_3)_3C^{13}C{\equiv}CD$	2516.83(2)	----
$^{13}CH_3(CH_3)_2CC{\equiv}CH$	2672.45(3)	2643.36(3)
$^{13}CH_3(CH_3)_2CC{\equiv}CD$	2520.65(3)	2494.72(3)

Excited States of $(CH_3)_3CC{\equiv}CH$ [62022]

v State	B_v (MHz)	q_ℓ (MHz)
T_e[a]	2681.67	1.90
T_a	2682.05	----
B_e[b]	2685.77	3.37

[a]Torsional state.
[b]Skeletal bending mode.

TABLE 66.2. Microwave spectrum of tertiary butyl acetylene C_6H_{10}

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Vib. state	Ref.
$(CH_3)_3CCCH$	10732.9	(0.1)	2( ) - 1( )		[62022]
	16099.3	(0.1)	3( ) - 2( )		[62022]
	21446.0	(0.1)	4(−1) - 3(−1)	$1\nu_{Te}$ $\ell=-1$	[62022]
	21453.5	(0.1)	4( ) - 3( )	$1\nu_{Te}$	[62022]
	21456.4	(0.1)	4( ) - 3( )	$1\nu_{Ta}$	[62022]
	21465.5	(0.1)	4( ) - 3( )		[60008]
	21486.4	(0.1)	4( ) - 3( )	$1\nu_{Be}$	[62022]
	21499.7	(0.1)	4(1) - 3(1)	$1\nu_{Be}$ $\ell=+1$	[62022]
	26807.3	(0.1)	5(−1) - 4(−1)	$1\nu_{Te}$ $\ell=-1$	[62022]
	26816.8	(0.1)	5( ) - 4( )	$1\nu_{Te}$	[62022]
	26820.4	(0.1)	5( ) - 4( )	$1\nu_{Ta}$	[62022]
	26831.9	(0.1)	5( ) - 4( )		[62022]
	26857.7	(0.1)	5( ) - 4( )	$1\nu_{Be}$	[62022]
	26874.5	(0.1)	5(1) - 4(1)	$1\nu_{Be}$ $\ell=+1$	[62022]
	32168.4	(0.1)	6(−1) - 5(−1)	$1\nu_{Te}$ $\ell=-1$	[62022]
	32179.8	(0.1)	6( ) - 5( )	$1\nu_{Te}$	[62022]
	32184.3	(0.1)	6( ) - 5( )	$1\nu_{Ta}$	[62022]
	32198.0	(0.1)	6( ) - 5( )		[62022]
	32229.0	(0.1)	6( ) - 5( )	$1\nu_{Be}$	[62022]
	32249.5	(0.1)	6(−1) - 5(−1)	$1\nu_{Be}$ $\ell=-1$	[62022]
$CH_3)_3CC^{13}CH$	20874.9	(0.1)	4( ) - 3( )		[62022]
	26093.5	(0.1)	5( ) - 4( )		[62022]
	31312.1	(0.1)	6( ) - 5( )		[62022]
$(CH_3)_3C^{13}CCH$	21327.2	(0.1)	4( ) - 3( )		[62022]
	26659.1	(0.1)	5( ) - 4( )		[62022]
	31990.5	(0.1)	6( ) - 5( )		[62022]
$(CH_3)_3CCCD$	20248.8	(0.1)	4( ) - 3( )		[60008]
	25310.9	(0.1)	5( ) - 4( )		[60008]
	30373.0	(0.1)	6( ) - 5( )		[62022]
$(CH_3)_3CC^{13}CD$	19740.3	(0.1)	4( ) - 3( )		[62022]
	24675.4	(0.1)	5( ) - 4( )		[62022]
	29610.2	(0.1)	6( ) - 5( )		[62022]
$(CH_3)_3C^{13}CCD$	20134.6	(0.1)	4( ) - 3( )		[62022]
	25168.2	(0.1)	5( ) - 4( )		[62022]
	30201.9	(0.1)	6( ) - 5( )		[62022]
$^{13}CH_3(CH_3)_2CCCH$	21204.4	(0.1)	4(1, 4) - 3(1, 3)		[62022]
	21320.8	(0.1)	4(1, 3) - 3(1, 2)		[62022]
	26504.7	(0.1)	5(1, 5) - 4(1, 4)		[62022]
	26650.1	(0.1)	5(1, 4) - 4(1, 3)		[62022]
	31804.5	(0.1)	6(1, 6) - 5(1, 5)		[62022]
	31979.1	(0.1)	6(1, 5) - 5(1, 4)		[62022]
$^{13}CH_3(CH_3)_2CCCD$	20009.0	(0.1)	4(1, 4) - 3(1, 3)		[62022]
	20112.4	(0.1)	4(1, 3) - 3(1, 2)		[62022]
	25010.9	(0.1)	5(1, 5) - 4(1, 4)		[62022]
	25140.6	(0.1)	5(1, 4) - 4(1, 3)		[62022]
	30012.2	(0.1)	6(1, 6) - 5(1, 5)		[62022]
	30167.8	(0.1)	6(1, 5) - 5(1, 4)		[62022]

Table 67.1. Molecular constants of cyclohexene.

Parameter		Normal[a] Ground State	Parameter	Normal $\nu_{42} = 1$[b]	3,3,6,6-d_4[b]	C_6D_{10}[b]
A"	(MHz)	4739.1678(115)	A	4733.11	4601.95	3723.97
B"	(MHz)	4544.426(12)	B	4544.88	3806.39	3523.13
C"	(MHz)	2562.415(6)	C	2562.39	2342.66	2071.02
τ_1	(kHz)	-10.5(34)				
τ_2	(kHz)	-3.23(1.12)				
τ_3[c]	(kHz)	312.(64)				
τ_{aaaa}	(kHz)	-7.0(18)				
τ_{bbbb}	(kHz)	-3.9(16)				
τ_{cccc}	(kHz)	-1.7(8)				
μ_b	(D)	0.331(2)[b]				

[a]This work.
[b][68046]
[c]Value fixed by setting $R_6 = 0$.

TABLE 67.2. Microwave spectrum of cyclohexene C_6H_{10}

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Vib. state	Ref.
$CHCHCH_2CH_2CH_2CH_2$	7301.56	(0.10)	1(1, 1) - 0(0, 0)		[69061]
	7745.10	(0.10)	5(5, 1) - 5(4, 2)		[69061]
	10074.04	(0.10)	5(3, 2) - 5(2, 3)		[69061]
	10244.93	(0.10)	4(2, 2) - 4(1, 3)		[69061]
	10337.85	(0.10)	3(1, 2) - 3(0, 3)		[69061]
	10405.23	(0.10)	3(2, 2) - 3(1, 3)		[69061]
	10512.48	(0.08)	5(4, 2) - 5(3, 3)		[68046]
	10633.04	(0.08)	6(5, 2) - 6(4, 3)		[68046]
	12217.99	(0.08)	2(0, 2) - 1(1, 1)		[68046]
	12420.28	(0.08)	2(1, 2) - 1(0, 1)	$1\nu_{42}$	[68046]
	12426.39	(0.08)	2(1, 2) - 1(0, 1)		[68046]
	14491.55	(0.08)	8(6, 3) - 8(5, 4)		[68046]
	14496.07	(0.08)	7(5, 3) - 7(4, 4)		[68046]
	14505.14	(0.08)	5(2, 3) - 5(1, 4)		[68046]
	14508.32	(0.08)	6(4, 3) - 6(3, 4)		[68046]
	14521.62	(0.08)	5(3, 3) - 5(2, 4)		[68046]
	14528.38	(0.10)	4(1, 3) - 4(0, 4)		[69061]
	14532.32	(0.08)	4(2, 3) - 4(1, 4)		[68046]
	16761.73	(0.08)	2(2, 1) - 1(1, 0)	$1\nu_{42}$	[68046]
	16779.86	(0.08)	2(2, 1) - 1(1, 0)		[68046]
	17442.66	(0.08)	3(0, 3) - 2(1, 2)	$1\nu_{42}$	[68046]
	17444.97	(0.08)	3(0, 3) - 2(1, 2)		[68046]
	17456.05	(0.08)	3(1, 3) - 2(0, 2)	$1\nu_{42}$	[68046]
	17459.27	(0.08)	3(1, 3) - 2(0, 2)		[68046]
	20551.44	(0.08)	2(2, 0) - 1(1, 1)	$1\nu_{42}$	[68046]
	20562.78	(0.08)	2(2, 0) - 1(1, 1)		[68046]
	21252.57	(0.08)	3(1, 2) - 2(2, 1)		[68046]
	21258.43	(0.08)	3(1, 2) - 2(2, 1)	$1\nu_{42}$	[68046]
	21886.51	(0.08)	3(2, 2) - 2(1, 1)	$1\nu_{42}$	[68046]
	21904.66	(0.08)	3(2, 2) - 2(1, 1)		[68046]
	22576.76	(0.10)	4(1, 4) - 3(0, 3)		[69061]
	26350.00	(0.10)	3(3, 1) - 2(2, 0)		[69061]
	26699.18	(0.10)	4(1, 3) - 3(2, 2)		[69061]
	26771.22	(0.10)	4(2, 3) - 3(1, 2)		[69061]
	27701.08	(0.10)	5(1, 5) - 4(0, 4)		[69061]
	27701.08	(0.10)	5(0, 5) - 4(1, 4)		[69061]
$CHCHCD_2CH_2CH_2CD_2$	10587.55	(0.08)	2(0, 2) - 1(1, 1)		[68046]
	11629.92	(0.08)	2(1, 2) - 1(0, 1)		[68046]
	15730.46	(0.08)	3(0, 3) - 2(1, 2)		[68046]
	16027.97	(0.08)	3(1, 3) - 2(0, 2)		[68046]
	16148.49	(0.08)	2(2, 1) - 1(1, 0)		[68046]
	17337.47	(0.08)	3(1, 2) - 2(2, 1)		[68046]
	20833.80	(0.08)	3(2, 2) - 2(1, 1)		[68046]
$CDCDCD_2CD_2CD_2CD_2$	13243.03	(0.08)	2(2, 1) - 1(1, 0)		[68046]
	13965.86	(0.08)	3(0, 3) - 2(1, 2)		[68046]
	13986.47	(0.08)	3(1, 3) - 2(0, 2)		[68046]
	15965.75	(0.08)	2(2, 0) - 1(1, 1)		[68046]
	17384.97	(0.08)	3(2, 2) - 2(1, 1)		[68046]
	23088.55	(0.08)	3(3, 0) - 2(2, 1)		[68046]
	25809.19	(0.08)	3(2, 1) - 2(1, 2)		[68046]

Table 68.1. Molecular constants of endo- and exo-2-methylbicyclo[2.1.0]pentane.

Parameter	endo - C_6H_{10}[a]	exo - C_6H_{10}[a]
A (MHz)	6257.3245(58)	7418.7630(64)
B (MHz)	3412.223(6)	3101.651(3)
C (MHz)	2843.403(13)	2652.5494(25)
μ_a (D)	0.050(11)	0.064(1)
μ_b (D)	0.121(24)	0.038(3)
μ_c (D)	0.264(1)	0.160(1)

[a]Rotational constants from present work, dipole moment values from [75053].

TABLE 68.2. Microwave spectrum of 2-methylbicyclo[2.1.0]pentane C_6H_{10}

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Ref.
en-CHCH(CH$_3$)CH$_2$CHCH$_2$	27923.83	(0.10)	6(5, 2) - 6(4, 2)	[75053]
	28007.20	(0.10)	5(5, 0) - 5(4, 2)	[75053]
	29008.77	(0.10)	3(2, 2) - 2(1, 2)	[75053]
	31145.06	(0.10)	4(1, 3) - 3(0, 3)	[75053]
	32696.11	(0.10)	4(2, 3) - 3(1, 2)	[75053]
	33770.32	(0.10)	4(2, 2) - 3(1, 2)	[75053]
	34382.78	(0.10)	3(3, 1) - 2(2, 0)	[75053]
	34389.37	(0.10)	3(3, 0) - 2(2, 0)	[75053]
	34459.83	(0.10)	3(3, 1) - 2(2, 1)	[75053]
	34466.46	(0.10)	3(3, 0) - 2(2, 1)	[75053]
	36102.56	(0.10)	4(2, 3) - 3(1, 3)	[75053]
	37176.78	(0.10)	4(2, 2) - 3(1, 3)	[75053]
	39917.06	(0.10)	12(7, 6) - 12(6, 6)	[75053]
	39949.15	(0.10)	12(7, 5) - 12(6, 7)	[75053]
ex-CHCH(CH$_3$)CH$_2$CHCH$_2$	29876.11	(0.10)	4(1, 3) - 3(0, 3)	[75053]
	30219.19	(0.10)	5(1, 5) - 4(0, 4)	[75053]
	30379.03	(0.10)	3(2, 1) - 2(1, 1)	[75053]
	31561.28	(0.10)	3(2, 2) - 2(1, 2)	[75053]
	32951.87	(0.10)	6(1, 6) - 5(1, 5)	[75053]
	33520.42	(0.10)	6(0, 6) - 5(0, 5)	[75053]
	35016.19	(0.10)	6(1, 6) - 5(0, 5)	[75053]
	35777.23	(0.10)	4(2, 2) - 3(1, 2)	[75053]
	36912.78	(0.10)	5(1, 4) - 4(0, 4)	[75053]
	37983.32	(0.10)	4(2, 3) - 3(1, 3)	[75053]
	39959.22	(0.10)	3(3, 0) - 2(2, 0)	[75053]
	39990.92	(0.10)	3(3, 1) - 2(2, 1)	[75053]

Table 69.1. Molecular constants of methylenecyclopentane.

State[a]	A (MHz)	B (MHz)	C (MHz)	Reference
(0,0)	6493.987(10)	3255.3888(22)	2350.2212(20)	[present]
(0,1)	6466.75(10)	3261.01(1)	2356.10(1)	[72068]
(0,2)	6439.37(8)	3266.62(1)	2362.16(1)	[72068]
(0,3)	6412.05(6)	3272.18(1)	2368.31(1)	[72068]
(0,4)	6385.25(7)	3277.54(1)	2374.41(1)	[72068]
(0,5)	6359.22(6)	3282.61(1)	2380.30(1)	[72068]
(1,0)	6482.43(11)	3253.09(1)	2346.37(1)	[72068]
Electric Dipole Moment [72068]				
μ_a (D)	0.60(1)			
μ_c (D)	0.00(6)			

[a]The lowest energy vibrational mode is a ring bending mode and is designated ν_{42}. The next lowest energy mode is a ring twist and is designated ν_{41}. The state designation is (ν_{41},ν_{42}), where the number designates the number of vibrational quanta present in each mode.

TABLE 69.2. Microwave spectrum of methylenecyclopentane C_6H_{10}

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Vib. state	Ref.
$C(CH_2)CH_2CH_2CH_2CH_2$	18060.55	(0.03)	3(1, 2) - 2(1, 1)		[72068]
	20332.31	(0.03)	4(1, 4) - 3(1, 3)		[72068]
	21025.53	(0.03)	4(0, 4) - 3(0, 3)		[72068]
$H_2C-C=CH_2$	21761.67	(0.03)	9(2, 7) - 9(2, 8)		[72068]
H_2C CH_2	22293.33	(0.03)	4(2, 3) - 3(2, 2)		[72068]
CH_2	22702.16	(0.03)	4(3, 2) - 3(3, 1)		[72068]
	22814.13	(0.03)	4(3, 1) - 3(3, 0)		[72068]
	23688.46	(0.03)	4(2, 2) - 3(2, 1)		[72068]
	23841.07	(0.03)	4(1, 3) - 3(1, 2)		[72068]
	25213.60	(0.03)	5(1, 5) - 4(1, 4)		[72068]
	25676.60	(0.03)	5(0, 5) - 4(0, 4)		[72068]
	26079.84	(0.03)	8(3, 6) - 8(1, 7)		[72068]
	20376.86	(0.03)	4(1, 4) - 3(1, 3)	$1\nu_{42}$	[72068]
	21063.27	(0.03)	4(0, 4) - 3(0, 3)	$1\nu_{42}$	[72068]
	22338.20	(0.03)	4(2, 3) - 3(2, 2)	$1\nu_{42}$	[72068]
	23741.53	(0.03)	4(2, 2) - 3(2, 1)	$1\nu_{42}$	[72068]
	23882.66	(0.03)	4(1, 3) - 3(1, 2)	$1\nu_{42}$	[72068]
	25268.43	(0.03)	5(1, 5) - 4(1, 4)	$1\nu_{42}$	[72068]
	25724.28	(0.03)	5(0, 5) - 4(0, 4)	$1\nu_{42}$	[72068]
	20422.62	(0.03)	4(1, 4) - 3(1, 3)	$2\nu_{42}$	[72068]
	21102.08	(0.03)	4(0, 4) - 3(0, 3)	$2\nu_{42}$	[72068]
	22383.87	(0.03)	4(2, 3) - 3(2, 2)	$2\nu_{42}$	[72068]
	23795.01	(0.03)	4(2, 2) - 3(2, 1)	$2\nu_{42}$	[72068]
	23924.76	(0.03)	4(1, 3) - 3(1, 2)	$2\nu_{42}$	[72068]
	25324.70	(0.03)	5(1, 5) - 4(1, 4)	$2\nu_{42}$	[72068]
	25773.47	(0.03)	5(0, 5) - 4(0, 4)	$2\nu_{42}$	[72068]
	20468.81	(0.03)	4(1, 4) - 3(1, 3)	$3\nu_{42}$	[72068]
	21141.36	(0.03)	4(0, 4) - 3(0, 3)	$3\nu_{42}$	[72068]
	22429.65	(0.03)	4(2, 3) - 3(2, 2)	$3\nu_{42}$	[72068]
	23848.29	(0.03)	4(2, 2) - 3(2, 1)	$3\nu_{42}$	[72068]
	23966.69	(0.03)	4(1, 3) - 3(1, 2)	$3\nu_{42}$	[72068]
	25381.61	(0.03)	5(1, 5) - 4(1, 4)	$3\nu_{42}$	[72068]
	25823.37	(0.03)	5(0, 5) - 4(0, 4)	$3\nu_{42}$	[72068]
	20514.40	(0.03)	4(1, 4) - 3(1, 3)	$4\nu_{42}$	[72068]
	21180.11	(0.03)	4(0, 4) - 3(0, 3)	$4\nu_{42}$	[72068]
	22474.53	(0.03)	4(2, 3) - 3(2, 2)	$4\nu_{42}$	[72068]
	23900.16	(0.03)	4(2, 2) - 3(2, 1)	$4\nu_{42}$	[72068]
	24007.54	(0.03)	4(1, 3) - 3(1, 2)	$4\nu_{42}$	[72068]
	25437.86	(0.03)	5(1, 5) - 4(1, 4)	$4\nu_{42}$	[72068]
	25872.76	(0.03)	5(0, 5) - 4(0, 4)	$4\nu_{42}$	[72068]
	20558.27	(0.03)	4(1, 4) - 3(1, 3)	$5\nu_{42}$	[72068]
	22517.43	(0.03)	4(2, 3) - 3(2, 2)	$5\nu_{42}$	[72068]
	24046.34	(0.03)	4(1, 3) - 3(1, 2)	$5\nu_{42}$	[72068]
	25491.99	(0.03)	5(1, 5) - 4(1, 4)	$5\nu_{42}$	[72068]
	25920.33	(0.03)	5(0, 5) - 4(0, 4)	$5\nu_{42}$	[72068]
	20303.15	(0.03)	4(1, 4) - 3(1, 3)	$1\nu_{41}$	[72068]
	23669.45	(0.03)	4(2, 2) - 3(2, 1)	$1\nu_{41}$	[72068]
	23817.02	(0.03)	4(1, 3) - 3(1, 2)	$1\nu_{41}$	[72068]
	25176.40	(0.03)	5(1, 5) - 4(1, 4)	$1\nu_{41}$	[72068]
	25636.90	(0.03)	5(0, 5) - 4(0, 4)	$1\nu_{41}$	[72068]

Table 70.1. Molecular constants of bicyclo[3.1.0]hexane.

Parameter	Value
Rotational Constants [present]	
A (MHz)	5542.955(7)
B (MHz)	4236.8179(35)
C (MHz)	3127.0400(33)
Electric Dipole Moment [74065]	
μ_a (D)	0.093(1)
μ_c (D)	0.168(2)

TABLE 70.2. Microwave spectrum of bicyclo[3.1.0]hexane C_6H_{10}

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Ref.
$CHCH_2CH_2CH_2CHCH_2$	26577.31	(0.05)	4(1, 4) - 3(1, 3)	[74065]
	26748.10	(0.05)	4(0, 4) - 3(0, 3)	[74065]
	27362.41	(0.05)	3(1, 2) - 2(0, 2)	[74065]
	27973.74	(0.05)	3(2, 1) - 2(1, 1)	[74065]
	29075.87	(0.05)	4(2, 3) - 3(2, 2)	[74065]
	29339.37	(0.05)	3(2, 2) - 2(1, 2)	[74065]
	30114.15	(0.05)	4(3, 2) - 3(3, 1)	[74065]
	30312.35	(0.05)	4(1, 3) - 3(1, 2)	[74065]
	31316.32	(0.05)	3(3, 0) - 2(2, 0)	[74065]
	31646.75	(0.05)	3(3, 1) - 2(2, 1)	[74065]
	31750.60	(0.05)	4(2, 2) - 3(2, 1)	[74065]
	32886.70	(0.05)	5(1, 5) - 4(1, 4)	[74065]
	32940.86	(0.05)	5(0, 5) - 4(0, 4)	[74065]
	35797.67	(0.05)	5(2, 4) - 4(2, 3)	[74065]
	36354.53	(0.05)	4(2, 2) - 3(1, 2)	[74065]
	36619.53	(0.05)	5(1, 4) - 4(1, 3)	[74065]
	37079.70	(0.05)	4(1, 3) - 3(0, 3)	[74065]
	37504.15	(0.05)	5(3, 3) - 4(3, 2)	[74065]
	37840.80	(0.05)	5(4, 2) - 4(4, 1)	[74065]
	38078.61	(0.05)	5(4, 1) - 4(4, 0)	[74065]
	38238.34	(0.05)	4(2, 3) - 3(1, 3)	[74065]
	38546.16	(0.05)	4(3, 1) - 3(2, 1)	[74065]

Table 71.1. Molecular constants for 1,3,5-heptatriyne (CH_3C_6H). [78034]

Parameter	Ground State	$\nu_{18} = 1$	$\nu_{17} = 1$
B_o (MHz)	778.2445(5)	779.5329(6)	779.2686(6)
D_J (kHz)	0.0092(5)	0.0092(5)	0.0072(8)
D_{JK} (kHz)	4.442(4)	4.455(5)	4.472(9)
η_J (kHz)	---	8.14(1)	9.48(3)
q_1 (kHz)	---	568.0(20)	225.0(30)
ρ	---	0.9836(2)	0.9717(7)

TABLE 71.2. Microwave spectrum of 1,3,5-heptatriyne C_7H_4

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K)$ - $J''(K)$	Vib. state	Ref.
$CH_3(CC)_3H$	28010.88	(0.03)	18(6) - 17(6)		[78034]
	28012.58	(0.03)	18(5) - 17(5)		[78034]
	28014.02	(0.03)	18(4) - 17(4)		[78034]
	28015.15	(0.03)	18(3) - 17(3)		[78034]
	28015.92	(0.03)	18(2) - 17(2)		[78034]
	28016.45	(0.03)	18(1) - 17(1)		[78034]
	28016.57	(0.03)	18(0) - 17(0)		[78034]
	29566.97	(0.03)	19(6) - 18(6)		[78034]
	29568.82	(0.03)	19(5) - 18(5)		[78034]
	29570.29	(0.03)	19(4) - 18(4)		[78034]
	29571.47	(0.03)	19(3) - 18(3)		[78034]
	29572.39	(0.03)	19(2) - 18(2)		[78034]
	29572.96	(0.03)	19(1) - 18(1)		[78034]
	29573.02	(0.03)	19(0) - 18(0)		[78034]
	31123.10	(0.03)	20(6) - 19(6)		[78034]
	31125.05	(0.03)	20(5) - 19(5)		[78034]
	31126.62	(0.03)	20(4) - 19(4)		[78034]
	31127.88	(0.03)	20(3) - 19(3)		[78034]
	31128.72	(0.03)	20(2) - 19(2)		[78034]
	31129.30	(0.03)	20(1) - 19(1)		[78034]
	31129.47	(0.03)	20(0) - 19(0)		[78034]
	32676.82	(0.03)	21(7) - 20(7)		[78034]
	32679.20	(0.03)	21(6) - 20(6)		[78034]
	32681.28	(0.03)	21(5) - 20(5)		[78034]
	32682.95	(0.03)	21(4) - 20(4)		[78034]
	32684.25	(0.03)	21(3) - 20(3)		[78034]
	32685.20	(0.03)	21(2) - 20(2)		[78034]
	32685.78	(0.03)	21(1) - 20(1)		[78034]
	32685.91	(0.03)	21(0) - 20(0)		[78034]
	34232.79	(0.03)	22(7) - 21(7)		[78034]
	34235.33	(0.03)	22(6) - 21(6)		[78034]
	34237.48	(0.03)	22(5) - 21(5)		[78034]
	34239.25	(0.03)	22(4) - 21(4)		[78034]
	34240.61	(0.03)	22(3) - 21(3)		[78034]
	34241.57	(0.03)	22(2) - 21(2)		[78034]
	34242.20	(0.03)	22(1) - 21(1)		[78034]
	34242.35	(0.03)	22(0) - 21(0)		[78034]
	35782.20	(0.03)	23(9) - 22(9)		[78034]
	35785.72	(0.03)	23(8) - 22(8)		[78034]
	35788.81	(0.03)	23(7) - 22(7)		[78034]
	35791.42	(0.03)	23(6) - 22(6)		[78034]
	35793.71	(0.03)	23(5) - 22(5)		[78034]
	35795.55	(0.03)	23(4) - 22(4)		[78034]
	35796.95	(0.03)	23(3) - 22(3)		[78034]
	35797.98	(0.03)	23(2) - 22(2)		[78034]
	35798.62	(0.03)	23(1) - 22(1)		[78034]
	35798.79	(0.03)	23(0) - 22(0)		[78034]
	37337.95	(0.03)	24(9) - 23(9)		[78034]
	37341.62	(0.03)	24(8) - 23(8)		[78034]
	37344.77	(0.03)	24(7) - 23(7)		[78034]
	37347.55	(0.03)	24(6) - 23(6)		[78034]
	37349.91	(0.03)	24(5) - 23(5)		[78034]
	37351.84	(0.03)	24(4) - 23(4)		[78034]
	37353.30	(0.03)	24(3) - 23(3)		[78034]
	37354.40	(0.03)	24(2) - 23(2)		[78034]
	37355.00	(0.03)	24(1) - 23(1)		[78034]
	37355.22	(0.03)	24(0) - 23(0)		[78034]
	38903.65	(0.03)	25(6) - 24(6)		[78034]
	38906.09	(0.03)	25(5) - 24(5)		[78034]
	38908.09	(0.03)	25(4) - 24(4)		[78034]
	38909.65	(0.03)	25(3) - 24(3)		[78034]
	38910.75	(0.03)	25(2) - 24(2)		[78034]
	38911.42	(0.03)	25(1) - 24(1)		[78034]
	38911.64	(0.03)	25(0) - 24(0)		[78034]
	38955.05	(0.05)	25(5) - 24(5)	$1\nu_{17}$ $\ell=-1$	[78034]
	38955.28	(0.05)	25(7) - 24(7)	$1\nu_{17}$ $\ell=+1$	[78034]
	38957.47	(0.05)	25(1) - 24(1)	$1\nu_{17}$ $\ell=+1$	[78034]
	38957.48	(0.05)	25(4) - 24(4)	$1\nu_{17}$ $\ell=-1$	[78034]

TABLE 71.2. Microwave spectrum of 1,3,5-heptatriyne — Continued C_7H_4

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K)$ - $J''(K)$	Vib. state		Ref.
	38957.88	(0.05)	25(6) - 24(6)	$1\nu_{17}$	$\ell=+1$	[78034]
	38957.90	(0.05)	25(10) - 24(10)	$1\nu_{18}$	$\ell=+1$	[78034]
	38958.50	(0.05)	25(8) - 24(8)	$1\nu_{18}$	$\ell=-1$	[78034]
	38959.57	(0.05)	25(3) - 24(3)	$1\nu_{17}$	$\ell=-1$	[78034]
	38959.69	(0.05)	25(4) - 24(4)	$1\nu_{17}$	$\ell=+1$	[78034]
	38961.15	(0.05)	25(2) - 24(2)	$1\nu_{17}$	$\ell=-1$	[78034]
	38961.23	(0.05)	25(4) - 24(4)	$1\nu_{17}$	$\ell=+1$	[78034]
	38962.31	(0.05)	25(1) - 24(1)	$1\nu_{17}$	$\ell=-1$	[78034]
	38962.31	(0.05)	25(3) - 24(3)	$1\nu_{17}$	$\ell=+1$	[78034]
	38962.34	(0.05)	25(1) - 24(1)	$1\nu_{18}$	$\ell=+1$	[78034]
	38962.91	(0.05)	25(0) - 24(0)	$1\nu_{17}$	$\ell=+1$	[78034]
	38963.03	(0.05)	25(2) - 24(2)	$1\nu_{17}$	$\ell=+1$	[78034]
	38965.23	(0.05)	25(8) - 24(8)	$1\nu_{18}$	$\ell=+1$	[78034]
	38965.50	(0.05)	25(6) - 24(6)	$1\nu_{18}$	$\ell=-1$	[78034]
	38968.20	(0.05)	25(7) - 24(7)	$1\nu_{18}$	$\ell=+1$	[78034]
	38968.33	(0.05)	25(5) - 24(5)	$1\nu_{18}$	$\ell=-1$	[78034]
	38968.98	(0.05)	25(1) - 24(1)	$1\nu_{17}$	$\ell=+1$	[78034]
	38970.71	(0.05)	25(4) - 24(4)	$1\nu_{18}$	$\ell=-1$	[78034]
	38970.71	(0.05)	25(6) - 24(6)	$1\nu_{18}$	$\ell=+1$	[78034]
	38972.72	(0.05)	25(3) - 24(3)	$1\nu_{18}$	$\ell=-1$	[78034]
	38972.72	(0.05)	25(5) - 24(5)	$1\nu_{18}$	$\ell=+1$	[78034]
	38974.17	(0.05)	25(2) - 24(2)	$1\nu_{18}$	$\ell=-1$	[78034]
	38974.40	(0.05)	25(4) - 24(4)	$1\nu_{18}$	$\ell=+1$	[78034]
	38975.13	(0.05)	25(1) - 24(1)	$1\nu_{18}$	$\ell=-1$	[78034]
	38975.43	(0.05)	25(0) - 24(0)	$1\nu_{18}$	$\ell=+1$	[78034]
	38975.64	(0.05)	25(3) - 24(3)	$1\nu_{18}$	$\ell=+1$	[78034]
	38976.73	(0.05)	25(2) - 24(2)	$1\nu_{18}$	$\ell=+1$	[78034]
	38990.26	(0.05)	25(1) - 24(1)	$1\nu_{18}$	$\ell=+1$	[78034]

Table 72.1. Molecular constants of 1,3,5-cycloheptatriene.

Parameter		Value
Rotational Constants [present]		
A"	(MHz)	3697.1399(3186)
B"	(MHz)	3671.0757(3135)
C"	(MHz)	2032.3077(44)
τ_1	(kHz)	-28.727(6485)
τ_2	(kHz)	-6.3714(14052)
τ_3[a]	(kHz)	9.92(230)
τ_{aaaa}	(kHz)	0[b]
τ_{bbbb}	(kHz)	12.59(447)
τ_{cccc}	(kHz)	-0.645(200)
Electric Dipole Moment [65033]		
μ_a	(D)	0.24(4)
μ_c	(D)	0.060(2)

[a]Value fixed by setting R_6 = 0.
[b]Fixed at zero.

TABLE 72.2. Microwave spectrum of 1,3,5-cycloheptatriene C_7H_8

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Ref.
CHCHCHCHCHCH$_2$	21472.60	(0.07)	7(1, 6) - 7(1, 7)	[65033]
	21974.75	(0.07)	5(0, 5) - 4(0, 4)	[65033]
	24761.70	(0.07)	20(13, 7) - 20(13, 8)	[65033]
	24764.00	(0.07)	19(12, 7) - 19(12, 8)	[65033]
	24766.00	(0.07)	18(11, 7) - 18(11, 8)	[65033]
	24767.85	(0.07)	17(10, 7) - 17(10, 8)	[65033]
	24769.35	(0.07)	16(9, 7) - 16(9, 8)	[65033]
	24770.65	(0.07)	15(8, 7) - 15(8, 8)	[65033]
	24771.85	(0.07)	14(7, 7) - 14(7, 8)	[65033]
	24772.90	(0.07)	13(6, 7) - 13(6, 8)	[65033]
	24773.75	(0.07)	12(5, 7) - 12(5, 8)	[65033]
	24774.45	(0.07)	11(4, 7) - 11(4, 8)	[65033]
	24775.10	(0.07)	10(3, 7) - 10(3, 8)	[65033]
	24775.65	(0.07)	9(2, 7) - 9(2, 8)	[65033]
	25278.20	(0.07)	5(1, 4) - 4(1, 3)	[65033]
	26039.20	(0.07)	6(0, 6) - 5(0, 5)	[65033]
	28580.12	(0.07)	5(3, 3) - 4(3, 2)	[65033]
	28584.00	(0.07)	5(2, 3) - 4(2, 2)	[65033]
	34168.23	(0.07)	8(0, 8) - 7(0, 7)	[65033]
	34686.50	(0.07)	11(1,10) - 11(1,11)	[65033]

Table 73.1. Molecular constants for toluene.

Species	A (MHz)	B (MHz)	C (MHz)	Reference
Normal	5729.325(217)	2517.447(9)	1748.872(20)	[67039]
Me-^{13}C	5729.49(15)	2444.590(10)	1713.364(10)	[73085]
1-^{13}C	5730.215(141)	2506.420(6)	1743.528(6)	[81048]
2-^{13}C	5638.549(277)	2516.859(16)	1739.904(15)	[81048]
3-^{13}C	5638.572(100)	2500.599(4)	1732.217(43)	[81048]
4-^{13}C	5729.63(12)	2474.926(5)	1728.233(5)	[81048]
2-d_1	5448.87(10)	2509.758(10)	1718.212(10)	[73085]
3-d_1	5453.73(20)	2480.551(10)	1704.917(10)	[73085]
4-d_1	5729.56(15)	2413.638(10)	1698.125(10)	[73085]
Me-d_3	5728.92(20)	2235.981(10)	1608.126(10)	[73085]

Electric Dipole Moment [67034]

μ_a 0.375(10) D

Internal Rotation Constants [67034]

V_6 4.879(35) cm^{-1}

I_α 3.14 u Å^2 (assumed)

TABLE 73.2. *Microwave spectrum of toluene* C_7H_8

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	V_t	Sym.	Ref.
$CH_3CCHCHCHCHCH$	8410.480	(0.100)	2(0, 2) - 1(0, 1)	0		[67034]
	9301.265	(0.100)	2(1, 1) - 1(1, 0)	0		[67034]
	11574.972	(0.100)	3(1, 3) - 2(1, 2)	0		[67034]
	11955.096	(0.100)	3(1, 0) - 2(1, 0)	3	−−	[67034]
	12013.284	(0.100)	3(1, 0) - 2(1, 0)	3	++	[67034]
	12329.477	(0.100)	3(0, 3) - 2(0, 2)	0		[67034]
	12798.959	(0.100)	3(2, 2) - 2(2, 1)	0		[67034]
	13268.439	(0.100)	3(2, 1) - 2(2, 0)	0		[67034]
	13632.894	(0.100)	3(1, 0) - 2(1, 0)	3	+−	[67034]
	13685.191	(0.100)	3(1, 0) - 2(1, 0)	3	−+	[67034]
	13868.346	(0.100)	3(1, 2) - 2(1, 1)	0		[67034]
	15316.424	(0.100)	4(1, 4) - 3(1, 3)	0		[67034]
	15993.342	(0.100)	4(0, 4) - 3(0, 3)	0		[67034]
	16969.560	(0.100)	4(2, 3) - 3(2, 2)	0		[67034]
	17276.662	(0.100)	4(3, 2) - 3(3, 1)	0		[67034]
	17349.558	(0.100)	4(3, 1) - 3(3, 0)	0		[67034]
	18040.710	(0.100)	4(2, 2) - 3(2, 1)	0		[67034]
	18987.870	(0.100)	5(1, 5) - 4(1, 4)	0		[67034]
	19479.420	(0.100)	5(0, 5) - 4(0, 4)	0		[67034]
	21610.498	(0.100)	5(4, 1) - 4(4, 0)	0		[67034]
	21638.614	(0.100)	5(3, 3) - 4(3, 2)	0		[67034]
	21883.133	(0.100)	5(3, 2) - 4(3, 1)	0		[67034]
	22902.321	(0.100)	6(0, 6) - 5(0, 5)	0		[67034]
	22905.278	(0.100)	5(2, 3) - 4(2, 2)	0		[67034]
$^{13}CH_3CCHCHCHCHCH$	8206.913	(0.100)	2(0, 2) - 1(0, 1)	0		[73085]
	9047.110	(0.100)	2(1, 1) - 1(1, 0)	0		[73085]
	11313.306	(0.100)	3(1, 3) - 2(1, 2)	0		[73085]
	11669.844	(0.100)	3(1, 0) - 2(1, 0)	3		[73085]
	11723.760	(0.100)	3(1, 0) - 2(1, 0)	3		[73085]
	12052.883	(0.100)	3(0, 3) - 2(0, 2)	0		[73085]
	12473.832	(0.100)	3(2, 2) - 2(2, 1)	0		[73085]
	12894.873	(0.100)	3(2, 1) - 2(2, 0)	0		[73085]
	13268.635	(0.100)	3(1, 0) - 2(1, 0)	3		[73085]
	13317.131	(0.100)	3(1, 0) - 2(1, 0)	3		[73085]
	13496.681	(0.100)	3(1, 2) - 2(1, 1)	0		[73085]
	14978.760	(0.100)	4(1, 4) - 3(1, 3)	0		[73085]
	15541.200	(0.100)	4(1, 0) - 3(1, 0)	3		[73085]
	15747.808	(0.100)	4(1, 0) - 3(1, 0)	3		[73085]
	16546.547	(0.100)	4(2, 3) - 3(2, 2)	0		[73085]
	16822.389	(0.100)	4(3, 2) - 3(3, 1)	0		[73085]
	16883.249	(0.100)	4(3, 1) - 3(3, 0)	0		[73085]
	17668.095	(0.100)	4(1, 0) - 3(1, 0)	3		[73085]
	17841.894	(0.100)	4(1, 0) - 3(1, 0)	3		[73085]
	17842.803	(0.100)	4(1, 3) - 3(1, 2)	0		[73085]
	18579.170	(0.100)	5(1, 5) - 4(1, 4)	0		[73085]
	20547.911	(0.100)	5(2, 4) - 4(2, 3)	0		[73085]
	21031.546	(0.100)	5(4, 2) - 4(4, 1)	0		[73085]
	21037.882	(0.100)	5(4, 1) - 4(4, 0)	0		[73085]
	21069.089	(0.100)	5(3, 3) - 4(3, 2)	0		[73085]
	21275.174	(0.100)	5(3, 2) - 4(3, 1)	0		[73085]
	22028.978	(0.100)	5(1, 4) - 4(1, 3)	0		[73085]
	22121.898	(0.100)	6(1, 6) - 5(1, 5)	0		[73085]
	22237.933	(0.100)	5(2, 3) - 4(2, 2)	0		[73085]
	22452.914	(0.100)	6(0, 6) - 5(0, 5)	0		[73085]
$CH_3{}^{13}CCHCHCHCHCH$	17961.0	(0.1)	4(2, 2) - 3(2, 1)	0		[81048]
	18246.53	(0.10)	4(1, 3) - 3(1, 2)	0		[81048]
	18926.20	(0.10)	5(1, 4) - 4(1, 4)	0		[81048]
	19421.45	(0.10)	5(0, 5) - 4(0, 4)	0		[81048]
	20983.51	(0.10)	5(2, 4) - 4(2, 3)	0		[81048]
	21552.38	(0.10)	5(3, 3) - 4(3, 2)	0		[81048]
	21791.06	(0.10)	5(3, 2) - 4(3, 1)	0		[81048]
	22501.92	(0.10)	5(1, 4) - 4(1, 3)	0		[81048]
	22526.68	(0.10)	6(1, 6) - 5(1, 5)	0		[81048]
	22804.09	(0.10)	5(2, 3) - 4(2, 2)	0		[81048]
	22835.12	(0.10)	6(0, 6) - 5(0, 5)	0		[81048]
	24968.49	(0.10)	6(2, 5) - 5(2, 4)	0		[81048]
	25880.78	(0.10)	6(3, 4) - 5(3, 3)	0		[81048]
	25897.28	(0.10)	6(4, 3) - 5(4, 2)	0		[81048]

TABLE 73.2. Microwave spectrum of toluene — Continued C_7H_8

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	V_t	Sym.	Ref.
	25931.89	(0.10)	6(4, 2) - 5(4, 1)	0		[81048]
	26254.19	(0.10)	7(0, 7) - 6(0, 6)	0		[81048]
	28853.25	(0.10)	7(2, 6) - 6(2, 5)	0		[81048]
	30089.67	(0.10)	7(6, 2) - 6(6, 1)	0		[81048]
	30164.25	(0.10)	7(3, 5) - 6(3, 4)	0		[81048]
	30179.51	(0.10)	7(5, 3) - 6(5, 2)	0		[81048]
	30183.27	(0.10)	7(5, 2) - 6(5, 1)	0		[81048]
	30417.63	(0.10)	7(4, 3) - 6(4, 2)	0		[81048]
	32237.10	(0.10)	7(2, 5) - 6(2, 4)	0		[81048]
	32638.30	(0.10)	8(2, 7) - 7(2, 6)	0		[81048]
	34588.86	(0.10)	8(5, 4) - 7(5, 3)	0		[81048]
	34729.20	(0.10)	8(4, 5) - 7(4, 4)	0		[81048]
	35019.83	(0.10)	8(4, 4) - 7(4, 3)	0		[81048]
	36333.78	(0.10)	9(2, 8) - 8(2, 7)	0		[81048]
	36650.34	(0.10)	8(2, 6) - 7(2, 5)	0		[81048]
	39031.15	(0.10)	9(5, 5) - 8(5, 4)	0		[81048]
	39080.35	(0.10)	9(5, 4) - 8(5, 3)	0		[81048]
	39144.06	(0.10)	9(4, 6) - 8(4, 5)	0		[81048]
	39784.57	(0.10)	9(4, 5) - 8(4, 4)	0		[81048]
$CH_3CCH^{13}CHCHCHCH$	28846.58	(0.10)	7(2, 6) - 7(2, 5)	0		[81048]
	30159.70	(0.10)	7(6, 1) - 6(6, 0)	0		[81048]
	30218.70	(0.10)	7(3, 5) - 6(3, 4)	0		[81048]
	30255.26	(0.10)	7(5, 3) - 6(5, 2)	0		[81048]
	30260.03	(0.10)	7(6, 1) - 6(6, 0)	0		[81048]
	30385.97	(0.10)	7(4, 4) - 6(4, 3)	0		[81048]
	32323.80	(0.10)	7(2, 5) - 6(2, 4)	0		[81048]
	32614.27	(0.10)	8(2, 7) - 7(2, 6)	0		[81048]
	34420.80	(0.10)	8(3, 6) - 7(3, 5)	0		[81048]
	34456.52	(0.10)	8(7, 2) - 7(7, 1)	0		[81048]
	34820.93	(0.10)	8(4, 5) - 7(4, 4)	0		[81048]
	35155.62	(0.10)	8(4, 4) - 7(4, 3)	0		[81048]
	36539.32	(0.10)	8(3, 5) - 7(3, 4)	0		[81048]
	38519.32	(0.10)	9(3, 7) - 8(3, 6)	0		[81048]
	38832.75	(0.10)	9(7, 3) - 8(7, 2)	0		[81048]
	38955.00	(0.10)	9(6, 4) - 8(6, 3)	0		[81048]
	38957.23	(0.10)	9(6, 3) - 8(6, 2)	0		[81048]
	39141.45	(0.10)	9(5, 5) - 8(5, 4)	0		[81048]
	39200.82	(0.10)	9(5, 4) - 8(5, 3)	0		[81048]
$CH_3CCHCH^{13}CHCHCH$	15842.80	(0.10)	4(0, 4) - 3(0, 3)	0		[81048]
	18177.00	(0.10)	4(1, 3) - 3(1, 2)	0		[81048]
	22679.60	(0.10)	6(0, 6) - 5(0, 5)	0		[81048]
	22753.15	(0.10)	5(2, 3) - 4(2, 2)	0		[81048]
	25785.44	(0.10)	6(3, 4) - 5(3, 3)	0		[81048]
	26077.63	(0.10)	7(0, 7) - 6(0, 6)	0		[81048]
	26415.20	(0.10)	6(3, 3) - 5(3, 2)	0		[81048]
	29982.90	(0.10)	7(6, 2) - 6(6, 1)	0		[81048]
	30046.80	(0.10)	7(3, 5) - 6(3, 4)	0		[81048]
	30076.05	(0.10)	7(5, 3) - 6(5, 2)	0		[81048]
	30080.51	(0.10)	7(5, 2) - 6(5, 1)	0		[81048]
	30204.76	(0.10)	7(4, 4) - 6(4, 3)	0		[81048]
	30327.41	(0.10)	7(4, 3) - 6(4, 2)	0		[81048]
	31293.70	(0.10)	7(3, 4) - 6(3, 3)	0		[81048]
	32455.75	(0.10)	8(2, 7) - 7(2, 6)	0		[81048]
	32900.21	(0.10)	9(1, 9) - 8(1, 8)	0		[81048]
	34473.94	(0.10)	8(5, 4) - 7(5, 3)	0		[81048]
	34491.55	(0.10)	8(5, 3) - 7(5, 2)	0		[81048]
	36119.90	(0.10)	9(2, 8) - 9(2, 7)	0		[81048]
	36500.10	(0.10)	8(2, 6) - 7(2, 5)	0		[81048]
	38312.50	(0.10)	9(3, 7) - 8(3, 6)	0		[81048]
	38723.30	(0.10)	9(6, 4) - 8(6, 3)	0		[81048]
	38905.60	(0.10)	9(5, 5) - 8(5, 4)	0		[81048]
	38961.20	(0.10)	9(5, 4) - 8(5, 3)	0		[81048]
	39010.40	(0.10)	9(4, 6) - 8(4, 5)	0		[81048]
	39707.29	(0.10)	9(4, 5) - 8(4, 4)	0		[81048]
$CH_3CCHCH^{13}CHCHCH$	30939.10	(0.10)	7(3, 4) - 6(3, 3)	0		[81048]
	31858.33	(0.10)	7(2, 5) - 6(2, 4)	0		[81048]
	32234.10	(0.10)	8(2, 7) - 7(2, 6)	0		[81048]

TABLE 73.2. Microwave spectrum of toluene — Continued C_7H_8

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	V_t	Sym.	Ref.
	32821.08	(0.10)	9(1, 9) - 8(1, 8)	0		[81048]
	32869.53	(0.10)	9(0, 9) - 8(0, 8)	0		[81048]
	33432.34	(0.10)	8(1, 7) - 7(1, 6)	0		[81048]
	33999.10	(0.10)	8(3, 6) - 7(3, 5)	0		[81048]
	34325.30	(0.10)	8(4, 5) - 7(4, 4)	0		[81048]
	34588.50	(0.10)	8(4, 4) - 7(4, 3)	0		[81048]
	35870.50	(0.10)	8(3, 5) - 7(3, 4)	0		[81048]
	35993.78	(0.10)	9(2, 8) - 8(2, 7)	0		[81048]
	36245.65	(0.10)	8(2, 6) - 7(2, 5)	0		[81048]
	38079.67	(0.10)	9(3, 7) - 8(3, 6)	0		[81048]
$CH_3CCHCDCHCHCH$	8316.483	(0.100)	2(0, 2) - 1(0, 1)	0		[73085]
	9247.530	(0.100)	2(1, 1) - 1(1, 0)	0		[73085]
	11415.948	(0.100)	3(1, 3) - 2(1, 2)	0		[73085]
	11782.584	(0.100)	3(1, 0) - 2(1, 0)	3		[73085]
	11854.452	(0.100)	3(1, 0) - 2(1, 0)	3		[73085]
	12152.573	(0.100)	3(0, 3) - 2(0, 2)	0		[73085]
	12683.916	(0.100)	3(2, 2) - 2(2, 1)	0		[73085]
	13215.246	(0.100)	3(2, 1) - 2(2, 0)	0		[73085]
	13569.180	(0.100)	3(1, 0) - 2(1, 0)	3		[73085]
	13633.489	(0.100)	3(1, 0) - 2(1, 0)	3		[73085]
	13774.966	(0.100)	3(1, 2) - 2(1, 1)	0		[73085]
	15090.680	(0.100)	4(1, 4) - 3(1, 3)	0		[73085]
	15684.080	(0.100)	4(1, 0) - 3(1, 0)	3		[73085]
	15718.480	(0.100)	4(0, 4) - 3(0, 3)	0		[73085]
	15953.604	(0.100)	4(1, 0) - 3(1, 0)	3		[73085]
	16802.601	(0.100)	4(2, 2) - 3(2, 2)	0		[73085]
	17150.001	(0.100)	4(3, 2) - 3(3, 1)	0		[73085]
	17241.864	(0.100)	4(3, 1) - 3(3, 0)	0		[73085]
	17994.545	(0.100)	4(2, 2) - 3(2, 1)	0		[73085]
	18059.482	(0.100)	4(1, 0) - 3(1, 0)	3		[73085]
	18164.932	(0.100)	4(1, 3) - 3(1, 2)	0		[73085]
	18282.267	(0.100)	4(1, 0) - 3(1, 0)	3		[73085]
	18690.111	(0.100)	5(1, 5) - 4(1, 4)	0		[73085]
	19118.180	(0.100)	5(0, 5) - 4(0, 4)	0		[73085]
	20830.823	(0.100)	5(2, 4) - 4(2, 3)	0		[73085]
	21448.886	(0.100)	5(4, 2) - 4(4, 1)	0		[73085]
	21460.282	(0.100)	5(4, 1) - 4(4, 0)	0		[73085]
	21478.168	(0.100)	5(3, 3) - 4(3, 2)	0		[73085]
	21784.936	(0.100)	5(3, 2) - 4(3, 1)	0		[73085]
	22227.572	(0.100)	6(1, 6) - 5(1, 5)	0		[73085]
	22340.835	(0.100)	5(1, 4) - 4(1, 3)	0		[73085]
	22476.006	(0.100)	6(0, 6) - 5(0, 5)	0		[73085]
	22841.039	(0.100)	5(2, 3) - 4(2, 2)	0		[73085]
$CH_3CCDCHCHCHCH$	8238.026	(0.100)	2(0, 2) - 1(0, 1)	0		[73085]
	9146.530	(0.100)	2(1, 1) - 1(1, 0)	0		[73085]
	11315.961	(0.100)	3(1, 3) - 2(1, 2)	0		[73085]
	11684.394	(0.100)	3(1, 0) - 2(1, 0)	3		[73085]
	11752.524	(0.100)	3(1, 0) - 2(1, 0)	3		[73085]
	12048.664	(0.100)	3(0, 3) - 2(0, 2)	0		[73085]
	12556.477	(0.100)	3(2, 2) - 2(2, 1)	0		[73085]
	13064.270	(0.100)	3(2, 1) - 2(2, 0)	0		[73085]
	13416.979	(0.100)	3(1, 0) - 2(1, 0)	3		[73085]
	13478.565	(0.100)	3(1, 0) - 2(1, 0)	3		[73085]
	13628.372	(0.100)	3(1, 2) - 2(1, 1)	0		[73085]
	14962.640	(0.100)	4(1, 4) - 3(1, 3)	0		[73085]
	15555.320	(0.100)	4(1, 0) - 3(1, 0)	3		[73085]
	15596.136	(0.100)	4(0, 4) - 3(0, 3)	0		[73085]
	15809.824	(0.100)	4(1, 0) - 3(1, 0)	3		[73085]
	16637.756	(0.100)	4(2, 3) - 3(2, 2)	0		[73085]
	16969.718	(0.100)	4(3, 2) - 3(3, 1)	0		[73085]
	17054.988	(0.100)	4(3, 1) - 3(3, 0)	0		[73085]
	17782.116	(0.100)	4(2, 2) - 3(2, 1)	0		[73085]
	17858.976	(0.100)	4(1, 0) - 3(1, 0)	3		[73085]
	17979.967	(0.100)	4(1, 3) - 3(1, 2)	0		[73085]
	18071.319	(0.100)	4(1, 0) - 3(1, 0)	3		[73085]
	18536.392	(0.100)	5(1, 5) - 4(1, 4)	0		[73085]
	18975.780	(0.100)	5(0, 5) - 4(0, 4)	0		[73085]

TABLE 73.2. Microwave spectrum of toluene — Continued C_7H_8

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	V_t	Sym.	Ref.
	20632.698	(0.100)	5(2, 4) - 4(2, 3)	0		[73085]
	21221.956	(0.100)	5(4, 2) - 4(4, 1)	0		[73085]
	21232.164	(0.100)	5(4, 1) - 4(4, 0)	0		[73085]
	21253.141	(0.100)	5(3, 3) - 4(3, 2)	0		[73085]
	21538.278	(0.100)	5(3, 2) - 4(3, 1)	0		[73085]
	22049.149	(0.100)	6(1, 6) - 5(1, 5)	0		[73085]
	22128.994	(0.100)	5(1, 4) - 4(1, 3)	0		[73085]
	22308.750	(0.100)	6(0, 6) - 5(0, 5)	0		[73085]
	22573.883	(0.100)	5(2, 3) - 4(2, 2)	0		[73085]
$CH_3CCHCDCHCHCH$	8119.712	(0.100)	2(0, 2) - 1(0, 1)	0		[73085]
	8938.968	(0.100)	2(1, 1) - 1(1, 0)	0		[73085]
	11201.268	(0.100)	3(1, 3) - 2(1, 2)	0		[73085]
	11547.600	(0.100)	3(1, 0) - 2(1, 0)	3		[73085]
	11599.776	(0.100)	3(1, 0) - 2(1, 0)	3		[73085]
	11933.816	(0.100)	3(0, 3) - 2(0, 2)	0		[73085]
	12335.275	(0.100)	3(2, 2) - 2(2, 1)	0		[73085]
	12736.780	(0.100)	3(2, 1) - 2(2, 0)	0		[73085]
	13114.082	(0.100)	3(1, 0) - 2(1, 0)	3		[73085]
	13161.066	(0.100)	3(1, 0) - 2(1, 0)	3		[73085]
	13338.264	(0.100)	3(1, 2) - 2(1, 1)	0		[73085]
	14833.965	(0.100)	4(1, 4) - 3(1, 3)	0		[73085]
	15378.984	(0.100)	4(1, 0) - 3(1, 0)	3		[73085]
	15518.624	(0.100)	4(0, 4) - 3(0, 3)	0		[73085]
	15578.448	(0.100)	4(1, 0) - 3(1, 0)	3		[73085]
	16365.914	(0.100)	4(2, 3) - 3(2, 2)	0		[73085]
	16629.074	(0.100)	4(3, 2) - 3(3, 1)	0		[73085]
	16685.433	(0.100)	4(3, 1) - 3(3, 0)	0		[73085]
	17293.695	(0.100)	4(2, 2) - 3(2, 1)	0		[73085]
	17463.084	(0.100)	4(1, 0) - 3(1, 0)	3		[73085]
	17631.132	(0.100)	4(1, 0) - 3(1, 0)	3		[73085]
	17639.691	(0.100)	4(1, 3) - 3(1, 2)	0		[73085]
	18403.724	(0.100)	5(1, 5) - 4(1, 4)	0		[73085]
	18927.108	(0.100)	5(0, 5) - 4(0, 4)	0		[73085]
	20328.555	(0.100)	5(2, 4) - 4(2, 3)	0		[73085]
	20789.012	(0.100)	5(4, 2) - 4(4, 1)	0		[73085]
	20794.608	(0.100)	5(4, 1) - 4(4, 0)	0		[73085]
	20826.864	(0.100)	5(3, 3) - 4(3, 2)	0		[73085]
	21018.005	(0.100)	5(3, 2) - 4(3, 1)	0		[73085]
	21789.952	(0.100)	5(1, 4) - 4(1, 3)	0		[73085]
	21917.310	(0.100)	6(1, 6) - 5(1, 5)	0		[73085]
	21954.534	(0.100)	5(2, 3) - 4(2, 2)	0		[73085]
	22259.645	(0.100)	6(0, 6) - 5(0, 5)	0		[73085]
$CD_3CCHCHCHCHCH$	10544.933	(0.100)	3(1, 3) - 2(1, 2)	0		[73085]
	10903.791	(0.100)	3(1, 0) - 2(1, 0)	3		[73085]
	10934.085	(0.100)	3(1, 0) - 2(1, 0)	3		[73085]
	11230.728	(0.100)	3(0, 3) - 2(0, 2)	0		[73085]
	11532.312	(0.100)	3(2, 2) - 2(2, 1)	0		[73085]
	11833.932	(0.100)	3(2, 1) - 2(2, 0)	0		[73085]
	12161.764	(0.100)	3(1, 0) - 2(1, 0)	3		[73085]
	12189.194	(0.100)	3(1, 0) - 2(1, 0)	3		[73085]
	12422.479	(0.100)	3(1, 2) - 2(1, 1)	0		[73085]
	13982.528	(0.100)	4(1, 4) - 3(1, 3)	0		[73085]
	14528.970	(0.100)	4(1, 0) - 3(1, 0)	3		[73085]
	14655.330	(0.100)	4(1, 0) - 3(1, 0)	3		[73085]
	14665.230	(0.100)	4(0, 4) - 3(0, 3)	0		[73085]
	15316.128	(0.100)	4(2, 3) - 3(2, 2)	0		[73085]
	15550.160	(0.100)	4(3, 1) - 3(3, 0)	0		[73085]
	16026.959	(0.100)	4(2, 2) - 3(2, 1)	0		[73085]
	16203.088	(0.100)	4(1, 0) - 3(1, 0)	3		[73085]
	16311.990	(0.100)	4(1, 0) - 3(1, 0)	3		[73085]
	16458.334	(0.100)	4(1, 3) - 3(1, 2)	0		[73085]
	17369.412	(0.100)	5(1, 5) - 4(1, 4)	0		[73085]
	17936.106	(0.100)	5(0, 5) - 4(0, 4)	0		[73085]
	19049.100	(0.100)	5(2, 4) - 4(2, 3)	0		[73085]
	19392.060	(0.100)	5(4, 2) - 4(4, 1)	0		[73085]
	19394.900	(0.100)	5(4, 1) - 4(4, 0)	0		[73085]
	19429.160	(0.100)	5(3, 3) - 4(3, 2)	0		[73085]

TABLE 73.2. Microwave spectrum of toluene — Continued C_7H_8

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$	–	$J''(K_{-1},K_{+1})$	V_t	Sym.	Ref.
	19551.060	(0.100)	5(3, 2)	–	4(3, 1)	0		[73085]
	20330.172	(0.100)	5(2, 3)	–	4(2, 2)	0		[73085]
	20386.620	(0.100)	5(1, 4)	–	4(1, 3)	0		[73085]
	20708.214	(0.100)	6(1, 6)	–	5(1, 5)	0		[73085]
	21114.354	(0.100)	6(0, 6)	–	5(0, 5)	0		[73085]
	22720.519	(0.100)	6(2, 5)	–	5(2, 4)	0		[73085]
	23323.032	(0.100)	6(4, 3)	–	5(4, 2)	0		[73085]
	23336.640	(0.100)	6(4, 2)	–	5(4, 1)	0		[73085]
	23342.952	(0.100)	6(3, 4)	–	5(3, 3)	0		[73085]
	23655.168	(0.100)	6(3, 3)	–	5(3, 2)	0		[73085]

Table 74.1. Molecular constants of the ground state of spiro[2.4]hepta-4,6-diene.

Parameter		Value [present]
A"	(MHz)	6102.1458(157)
B"	(MHz)	2454.22468(128)
C"	(MHz)	2028.89179(132)
τ_1	(kHz)	-6.3183(1441)
τ_2	(kHz)	-1.6455(451)
τ_3[a]	(kHz)	1.5(14)
τ_{aaaa}	(kHz)	0[b]
τ_{bbbb}	(kHz)	-0.76152(4128)
τ_{cccc}	(kHz)	-0.3815(419)
Electric Dipole Moment [80035]		
μ_a	(D)	0.947(3)

[a]Value fixed by setting R_6 = 0.
[b]Fixed at zero.

Table 74.2. Molecular constants of some isotopically substituted species of spiro[2.4]hepta-4,6-diene. [81040]

Species	A (MHz)	B (MHz)	C (MHz)
1-^{13}C	6052.345(114)	2410.269(5)	2003.061(3)
3-^{13}C	6102.025(205)	2451.877(8)	2027.310(5)
4-^{13}C	6003.000(94)	2452.051(5)	2016.335(3)
5-^{13}C	6063.945(136)	2419.796(8)	2001.166(4)
1-d_1	5934.441(19)	2387.133(1)	1988.101(1)
4-d_1	5766.973(71)	2454.162(2)	1990.343(3)
5-d_1	5977.960(57)	2375.489(2)	1961.592(2)

TABLE 74.3. Microwave spectrum of spiro[2.4]hepta-4,6-diene C_7H_8

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Ref.
$CH_2CH_2CCHCHCHCH$	26741.50	(0.05)	6(2, 5) - 5(2, 4)	[81040]
	26986.17	(0.05)	6(5, 1) - 5(5, 0)	[81040]
	26986.17	(0.05)	6(5, 2) - 5(5, 1)	[81040]
	27003.15	(0.05)	12(1,11) - 12(1,12)	[81040]
	27016.76	(0.05)	6(4, 3) - 5(4, 2)	[81040]
	27019.41	(0.05)	6(4, 2) - 5(4, 1)	[81040]
	27044.50	(0.05)	6(3, 4) - 5(3, 3)	[81040]
	27142.94	(0.05)	6(3, 3) - 5(3, 2)	[81040]
	27767.98	(0.05)	6(2, 4) - 5(2, 3)	[81040]
	27795.01	(0.05)	22(4,18) - 22(4,19)	[81040]
	27842.03	(0.05)	6(1, 5) - 5(1, 4)	[81040]
	29533.97	(0.05)	7(1, 7) - 6(1, 6)	[81040]
	29907.30	(0.05)	7(0, 7) - 6(0, 6)	[81040]
	29955.37	(0.05)	13(1,12) - 13(1,13)	[81040]
	30363.26	(0.05)	19(3,16) - 19(3,17)	[81040]
	31058.95	(0.05)	16(2,14) - 16(2,15)	[81040]
	31111.91	(0.05)	7(2, 6) - 6(2, 5)	[81040]
	31479.56	(0.05)	7(6, 1) - 6(6, 0)	[81040]
	31479.56	(0.05)	7(6, 2) - 6(6, 1)	[81040]
	31506.01	(0.05)	7(5, 3) - 6(5, 2)	[81040]
	31506.17	(0.05)	7(5, 2) - 6(5, 1)	[81040]
	31552.44	(0.05)	7(4, 4) - 6(4, 3)	[81040]
	31561.57	(0.05)	7(4, 3) - 6(4, 2)	[81040]
	31571.14	(0.05)	7(3, 5) - 6(3, 4)	[81040]
	31786.10	(0.05)	7(3, 4) - 6(3, 3)	[81040]
	32185.17	(0.05)	23(4,19) - 23(4,20)	[81040]
	32296.06	(0.05)	7(1, 6) - 6(1, 5)	[81040]
	32577.06	(0.05)	7(2, 5) - 6(2, 4)	[81040]
	32822.81	(0.05)	14(1,13) - 14(1,14)	[81040]
	33656.01	(0.05)	8(1, 8) - 7(1, 7)	[81040]
	33923.60	(0.05)	8(0, 8) - 7(0, 7)	[81040]
	34214.11	(0.05)	20(3,17) - 20(3,18)	[81040]
	34335.29	(0.05)	17(2,15) - 17(2,16)	[81040]
	35445.25	(0.05)	8(2, 7) - 7(2, 6)	[81040]
	35622.78	(0.05)	15(1,14) - 15(1,15)	[81040]
	35973.20	(0.05)	8(7, 1) - 7(7, 0)	[81040]
	35973.20	(0.05)	8(7, 2) - 7(7, 1)	[81040]
	35996.69	(0.05)	8(6, 2) - 7(6, 1)	[81040]
	35996.69	(0.05)	8(6, 3) - 7(6, 2)	[81040]
	36090.39	(0.05)	8(3, 6) - 7(3, 5)	[81040]
	36100.61	(0.05)	8(4, 5) - 7(4, 4)	[81040]
	36125.51	(0.05)	8(4, 4) - 7(4, 3)	[81040]
	36500.20	(0.05)	8(3, 5) - 7(3, 4)	[81040]
	36501.44	(0.05)	24(4,20) - 24(4,21)	[81040]
	36648.11	(0.05)	8(1, 7) - 7(1, 6)	[81040]
	37361.40	(0.05)	8(2, 6) - 7(2, 5)	[81040]
	37469.99	(0.05)	18(2,16) - 18(2,17)	[81040]
	37758.85	(0.05)	9(1, 9) - 8(1, 8)	[81040]
	37898.60	(0.05)	21(3,18) - 21(3,19)	[81040]
	37939.39	(0.05)	9(0, 9) - 8(0, 8)	[81040]
	38373.20	(0.05)	16(1,15) - 16(1,16)	[81040]
	39739.11	(0.05)	9(2, 8) - 8(2, 7)	[81040]
$^{13}CH_2CH_2CCHCHCHCH$	29515.91	(0.05)	7(0, 7) - 6(0, 6)	[81040]
	29135.08	(0.05)	7(1, 7) - 6(1, 6)	[81040]
	30645.39	(0.05)	7(2, 6) - 6(2, 5)	[81040]
	31070.49	(0.05)	7(3, 5) - 6(3, 4)	[81040]
	31050.18	(0.05)	7(4, 4) - 6(4, 3)	[81040]
	31007.32	(0.05)	7(5, 3) - 6(5, 2)	[81040]
	33205.94	(0.05)	8(1, 8) - 7(1, 7)	[81040]
	34920.80	(0.05)	8(2, 7) - 7(2, 6)	[81040]
	35519.69	(0.05)	8(3, 6) - 7(3, 5)	[81040]
	35523.73	(0.05)	8(4, 5) - 7(4, 4)	[81040]
	37258.07	(0.05)	9(1, 9) - 8(1, 8)	[81040]
	31795.26	(0.05)	7(1, 6) - 6(1, 5)	[81040]
	32014.87	(0.05)	7(2, 5) - 6(2, 4)	[81040]
	31260.58	(0.05)	7(3, 4) - 6(3, 3)	[81040]
	31057.94	(0.05)	7(4, 3) - 6(4, 2)	[81040]
	31007.46	(0.05)	7(5, 2) - 6(5, 1)	[81040]

TABLE 74.3. Microwave spectrum of spiro[2.4]hepta-4,6-diene — Continued C_7H_8

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$	-	$J''(K_{-1},K_{+1})$	Ref.
	33483.85	(0.05)	8(0, 8)	-	7(0, 7)	[81040]
	36722.32	(0.05)	8(2, 6)	-	7(2, 5)	[81040]
	35883.60	(0.05)	8(3, 5)	-	7(3, 4)	[81040]
	35544.74	(0.05)	8(4, 4)	-	7(4, 3)	[81040]
	37448.92	(0.05)	9(0, 9)	-	8(0, 8)	[81040]
$CH_2CH_2{}^{13}CCHCHCHCH$	29884.48	(0.05)	7(0, 7)	-	6(0, 6)	[81040]
	29510.49	(0.05)	7(1, 7)	-	6(1, 6)	[81040]
	31085.58	(0.05)	7(2, 6)	-	6(2, 5)	[81040]
	31533.44	(0.05)	7(4, 3)	-	6(4, 2)	[81040]
	31478.28	(0.05)	7(5, 2)	-	6(5, 1)	[81040]
	33897.76	(0.05)	8(0, 8)	-	7(0, 7)	[81040]
	33629.41	(0.05)	8(1, 8)	-	7(1, 7)	[81040]
	35415.61	(0.05)	8(2, 7)	-	7(2, 6)	[81040]
	36068.38	(0.05)	8(4, 5)	-	7(4, 4)	[81040]
	39706.27	(0.05)	9(2, 8)	-	8(2, 7)	[81040]
	32268.56	(0.05)	7(1, 6)	-	6(1, 5)	[81040]
	32546.12	(0.05)	7(2, 5)	-	6(2, 4)	[81040]
	31756.73	(0.05)	7(3, 4)	-	6(3, 3)	[81040]
	31524.35	(0.05)	7(4, 4)	-	6(4, 3)	[81040]
	31478.12	(0.05)	7(5, 3)	-	6(5, 2)	[81040]
	36617.88	(0.05)	8(1, 7)	-	7(1, 6)	[81040]
	37326.34	(0.05)	8(2, 6)	-	7(2, 5)	[81040]
	36092.97	(0.05)	8(4, 4)	-	7(4, 3)	[81040]
	37910.46	(0.05)	9(0, 9)	-	8(0, 8)	[81040]
$CH_2CH_2C{}^{13}CHCHCHCH$	29726.90	(0.05)	7(0, 7)	-	6(0, 6)	[81040]
	29372.27	(0.05)	7(1, 7)	-	6(1, 6)	[81040]
	30989.10	(0.05)	7(2, 6)	-	6(2, 5)	[81040]
	31477.65	(0.05)	7(3, 5)	-	6(3, 4)	[81040]
	31461.79	(0.05)	7(4, 4)	-	6(4, 3)	[81040]
	32529.88	(0.05)	7(2, 5)	-	6(2, 4)	[81040]
	33466.92	(0.05)	8(1, 8)	-	7(1, 7)	[81040]
	35297.15	(0.05)	8(2, 7)	-	7(2, 6)	[81040]
	35981.32	(0.05)	8(3, 6)	-	7(3, 5)	[81040]
	35999.47	(0.05)	8(4, 5)	-	7(4, 4)	[81040]
	37542.35	(0.05)	9(1, 9)	-	8(1, 8)	[81040]
	32181.15	(0.05)	7(1, 6)	-	6(1, 5)	[81040]
	31718.56	(0.05)	7(3, 4)	-	6(3, 3)	[81040]
	31472.64	(0.05)	7(4, 3)	-	6(4, 2)	[81040]
	33715.87	(0.05)	8(0, 8)	-	7(0, 7)	[81040]
	37298.71	(0.05)	8(2, 6)	-	7(2, 5)	[81040]
	36438.15	(0.05)	8(3, 5)	-	7(3, 4)	[81040]
	36028.87	(0.05)	8(4, 4)	-	7(4, 3)	[81040]
	37706.93	(0.05)	9(0, 9)	-	8(0, 8)	[81040]
$CH_2CH_2CCH{}^{13}CHCHCH$	29507.17	(0.05)	7(0, 7)	-	6(0, 6)	[81040]
	29131.75	(0.05)	7(1, 7)	-	6(1, 6)	[81040]
	31337.78	(0.05)	7(3, 4)	-	6(3, 3)	[81040]
	31121.08	(0.05)	7(4, 3)	-	6(4, 2)	[81040]
	33469.13	(0.05)	8(0, 8)	-	7(0, 7)	[81040]
	36834.95	(0.05)	8(2, 6)	-	7(2, 5)	[81040]
	35982.09	(0.05)	8(3, 5)	-	7(3, 4)	[81040]
	35620.24	(0.05)	8(4, 4)	-	7(4, 3)	[81040]
	37429.83	(0.05)	9(0, 9)	-	8(0, 8)	[81040]
	31855.86	(0.05)	7(1, 6)	-	6(1, 5)	[81040]
	30684.73	(0.05)	7(2, 6)	-	6(2, 5)	[81040]
	31131.72	(0.05)	7(3, 5)	-	6(3, 4)	[81040]
	31112.48	(0.05)	7(4, 4)	-	6(4, 3)	[81040]
	33198.44	(0.05)	8(1, 8)	-	7(1, 7)	[81040]
	34960.17	(0.05)	8(2, 7)	-	7(2, 6)	[81040]
	35588.69	(0.05)	8(3, 6)	-	7(3, 5)	[81040]
	35596.72	(0.05)	8(4, 5)	-	7(4, 4)	[81040]
	37246.11	(0.05)	9(1, 9)	-	8(1, 8)	[81040]
$CHDCH_2CCHCHCHCH$	27148.32	(0.05)	6(1, 5)	-	5(1, 4)	[81040]
	29270.19	(0.05)	7(0, 7)	-	6(0, 6)	[81040]
	28901.62	(0.05)	7(1, 7)	-	6(1, 6)	[81040]
	30381.68	(0.05)	7(2, 6)	-	6(2, 5)	[81040]
	30801.03	(0.05)	7(3, 5)	-	6(3, 4)	[81040]
	30781.63	(0.05)	7(4, 4)	-	6(4, 3)	[81040]

TABLE 74.3. Microwave spectrum of spiro[2.4]hepta-4,6-diene — Continued C_7H_8

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$	-	$J''(K_{-1},K_{+1})$	Ref.
	30739.27	(0.05)	7(5, 3)	-	6(5, 2)	[81040]
	30715.26	(0.05)	7(6, 2)	-	6(6, 1)	[81040]
	35770.26	(0.05)	8(1, 7)	-	7(1, 6)	[81040]
	36392.53	(0.05)	8(2, 6)	-	7(2, 5)	[81040]
	35573.20	(0.05)	8(3, 5)	-	7(3, 4)	[81040]
	35237.38	(0.05)	8(4, 4)	-	7(4, 3)	[81040]
	35157.59	(0.05)	8(5, 3)	-	7(5, 2)	[81040]
	35121.36	(0.05)	8(6, 2)	-	7(6, 1)	[81040]
	35100.06	(0.05)	8(7, 1)	-	7(7, 0)	[81040]
	37144.76	(0.05)	9(0, 9)	-	8(0, 8)	[81040]
	36961.36	(0.05)	9(1, 9)	-	8(1, 8)	[81040]
	39607.74	(0.05)	9(3, 7)	-	8(3, 6)	[81040]
	39661.44	(0.05)	9(4, 6)	-	8(4, 5)	[81040]
	39585.35	(0.05)	9(5, 5)	-	8(5, 4)	[81040]
	39534.75	(0.05)	9(6, 4)	-	8(6, 3)	[81040]
	39504.46	(0.05)	9(7, 3)	-	8(7, 2)	[81040]
	39484.95	(0.05)	9(8, 2)	-	8(8, 1)	[81040]
	31170.88	(0.05)	14(1,14)	-	14(1,13)	[81040]
	27049.03	(0.05)	6(2, 4)	-	5(2, 3)	[81040]
	31505.40	(0.05)	7(1, 6)	-	6(1, 5)	[81040]
	31730.15	(0.05)	7(2, 5)	-	6(2, 4)	[81040]
	30990.28	(0.05)	7(3, 4)	-	6(3, 3)	[81040]
	30789.37	(0.05)	7(4, 3)	-	6(4, 2)	[81040]
	30739.40	(0.05)	7(5, 2)	-	6(5, 1)	[81040]
	30715.26	(0.05)	7(6, 1)	-	6(6, 0)	[81040]
	33208.63	(0.05)	8(0, 8)	-	7(0, 7)	[81040]
	32940.61	(0.05)	8(1, 8)	-	7(1, 7)	[81040]
	34620.71	(0.05)	8(2, 7)	-	7(2, 6)	[81040]
	35211.17	(0.05)	8(3, 6)	-	7(3, 5)	[81040]
	35216.21	(0.05)	8(4, 5)	-	7(4, 4)	[81040]
	35157.05	(0.05)	8(5, 4)	-	7(5, 3)	[81040]
	35121.36	(0.05)	8(6, 3)	-	7(6, 2)	[81040]
	35100.06	(0.05)	8(7, 2)	-	7(7, 1)	[81040]
	39930.28	(0.05)	9(1, 8)	-	8(1, 7)	[81040]
	38823.52	(0.05)	9(2, 8)	-	8(2, 7)	[81040]
	39711.28	(0.05)	9(4, 5)	-	8(4, 4)	[81040]
	39586.95	(0.05)	9(5, 4)	-	8(5, 3)	[81040]
	39534.75	(0.05)	9(6, 3)	-	8(6, 2)	[81040]
	39504.46	(0.05)	9(7, 2)	-	8(7, 1)	[81040]
	39484.95	(0.05)	9(8, 1)	-	8(8, 0)	[81040]
	28419.25	(0.05)	13(1,13)	-	13(1,12)	[81040]
	33855.08	(0.05)	15(1,15)	-	15(1,14)	[81040]
	36488.56	(0.05)	16(1,16)	-	16(1,15)	[81040]
	29237.94	(0.05)	16(2,15)	-	16(2,14)	[81040]
	35430.35	(0.05)	18(2,17)	-	18(2,16)	[81040]
	35519.32	(0.05)	21(3,19)	-	21(3,18)	[81040]
	29579.64	(0.05)	23(4,20)	-	23(4,19)	[81040]
	39085.92	(0.05)	17(1,17)	-	17(1,16)	[81040]
	32401.74	(0.05)	17(2,16)	-	17(2,15)	[81040]
	31945.10	(0.05)	20(3,18)	-	20(3,17)	[81040]
	38918.56	(0.05)	22(3,20)	-	22(3,19)	[81040]
	33737.67	(0.05)	24(4,21)	-	24(4,20)	[81040]
$CH_2CH_2CCDCHCHCH$	22121.64	(0.05)	5(2, 4)	-	4(2, 3)	[81040]
	22351.20	(0.05)	5(3, 3)	-	4(3, 2)	[81040]
	27615.99	(0.05)	6(1, 5)	-	5(1, 4)	[81040]
	26845.79	(0.05)	6(3, 4)	-	5(3, 3)	[81040]
	26819.44	(0.05)	6(4, 3)	-	5(4, 2)	[81040]
	29349.57	(0.05)	7(0, 7)	-	6(0, 6)	[81040]
	31968.30	(0.05)	7(1, 6)	-	6(1, 5)	[81040]
	32509.20	(0.05)	7(2, 5)	-	6(2, 4)	[81040]
	31657.94	(0.05)	7(3, 4)	-	6(3, 3)	[81040]
	31347.34	(0.05)	7(4, 3)	-	6(4, 2)	[81040]
	31238.42	(0.05)	7(6, 1)	-	6(6, 0)	[81040]
	33080.24	(0.05)	8(1, 8)	-	7(1, 7)	[81040]
	35017.86	(0.05)	8(2, 7)	-	7(2, 6)	[81040]
	35811.53	(0.05)	8(3, 6)	-	7(3, 5)	[81040]
	35856.23	(0.05)	8(4, 5)	-	7(4, 4)	[81040]

TABLE 74.3. Microwave spectrum of spiro[2.4]hepta-4,6-diene — Continued C_7H_8

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$	-	$J''(K_{-1},K_{+1})$	Ref.
	35727.11	(0.05)	8(6, 3)	-	7(6, 2)	[81040]
	35696.75	(0.05)	8(7, 2)	-	7(7, 1)	[81040]
	37224.77	(0.05)	9(0, 9)	-	8(0, 8)	[81040]
	39223.87	(0.05)	9(2, 8)	-	8(2, 7)	[81040]
	30171.70	(0.05)	18(3,16)	-	18(3,15)	[81040]
	22920.91	(0.05)	5(2, 3)	-	4(2, 2)	[81040]
	22408.54	(0.05)	5(3, 2)	-	4(3, 1)	[81040]
	27718.42	(0.05)	6(2, 4)	-	5(2, 3)	[81040]
	26995.19	(0.05)	6(3, 3)	-	5(3, 2)	[81040]
	26824.40	(0.05)	6(4, 2)	-	5(4, 1)	[81040]
	29043.83	(0.05)	7(1, 7)	-	6(1, 6)	[81040]
	30764.07	(0.05)	7(2, 6)	-	6(2, 5)	[81040]
	31336.10	(0.05)	7(3, 5)	-	6(3, 4)	[81040]
	31330.72	(0.05)	7(4, 4)	-	6(4, 3)	[81040]
	31238.42	(0.05)	7(6, 2)	-	6(6, 1)	[81040]
	33283.26	(0.05)	8(0, 8)	-	7(0, 7)	[81040]
	36188.75	(0.05)	8(1, 7)	-	7(1, 6)	[81040]
	37245.39	(0.05)	8(2, 6)	-	7(2, 5)	[81040]
	36412.11	(0.05)	8(3, 5)	-	7(3, 4)	[81040]
	35901.18	(0.05)	8(4, 4)	-	7(4, 3)	[81040]
	35727.14	(0.05)	8(6, 2)	-	7(6, 1)	[81040]
	35696.75	(0.05)	8(7, 1)	-	7(7, 0)	[81040]
	37097.54	(0.05)	9(1, 9)	-	8(1, 8)	[81040]
	39031.78	(0.05)	16(1,16)	-	16(1,15)	[81040]
	33482.75	(0.05)	22(4,19)	-	22(4,18)	[81040]
$CH_2CH_2CCHCDCHCH$	22554.18	(0.05)	5(1, 4)	-	4(1, 3)	[81040]
	22224.86	(0.05)	5(2, 3)	-	4(2, 2)	[81040]
	21819.50	(0.05)	5(3, 2)	-	4(3, 1)	[81040]
	21760.51	(0.05)	5(4, 1)	-	4(4, 0)	[81040]
	26860.84	(0.05)	6(2, 4)	-	5(2, 3)	[81040]
	28565.10	(0.05)	7(1, 7)	-	6(1, 6)	[81040]
	30100.51	(0.05)	7(2, 6)	-	6(2, 5)	[81040]
	30542.47	(0.05)	7(3, 5)	-	6(3, 4)	[81040]
	30523.47	(0.05)	7(4, 4)	-	6(4, 3)	[81040]
	30453.42	(0.05)	7(6, 2)	-	6(6, 1)	[81040]
	32819.45	(0.05)	8(0, 8)	-	7(0, 7)	[81040]
	35473.30	(0.05)	8(1, 7)	-	7(1, 6)	[81040]
	36147.38	(0.05)	8(2, 6)	-	7(2, 5)	[81040]
	35304.26	(0.05)	8(3, 5)	-	7(3, 4)	[81040]
	34946.40	(0.05)	8(4, 4)	-	7(4, 3)	[81040]
	34823.15	(0.05)	8(6, 2)	-	7(6, 1)	[81040]
	36519.90	(0.05)	9(1, 9)	-	8(1, 8)	[81040]
	39168.59	(0.05)	9(7, 3)	-	8(7, 2)	[81040]
	39147.98	(0.05)	9(8, 2)	-	8(8, 1)	[81040]
	32101.14	(0.05)	14(1,14)	-	14(1,13)	[81040]
	36869.88	(0.05)	21(3,19)	-	21(3,18)	[81040]
	21610.55	(0.05)	5(2, 4)	-	4(2, 3)	[81040]
	21783.96	(0.05)	5(3, 3)	-	4(3, 2)	[81040]
	21759.91	(0.05)	5(4, 2)	-	4(4, 1)	[81040]
	26945.59	(0.05)	6(1, 5)	-	5(1, 4)	[81040]
	28936.14	(0.05)	7(0, 7)	-	6(0, 6)	[81040]
	30532.06	(0.05)	7(4, 3)	-	6(4, 2)	[81040]
	30453.42	(0.05)	7(6, 1)	-	6(6, 0)	[81040]
	30746.27	(0.05)	7(3, 4)	-	6(3, 3)	[81040]
	31258.28	(0.05)	7(1, 6)	-	6(1, 5)	[81040]
	31515.20	(0.05)	7(2, 5)	-	6(2, 4)	[81040]
	32551.90	(0.05)	8(1, 8)	-	7(1, 7)	[81040]
	34293.70	(0.05)	8(2, 7)	-	7(2, 6)	[81040]
	34915.19	(0.05)	8(3, 6)	-	7(3, 5)	[81040]
	34923.14	(0.05)	8(4, 5)	-	7(4, 4)	[81040]
	34823.14	(0.05)	8(6, 3)	-	7(6, 2)	[81040]
	36701.46	(0.05)	9(0, 9)	-	8(0, 8)	[81040]
	39577.90	(0.05)	9(1, 8)	-	8(1, 7)	[81040]
	39168.59	(0.05)	9(7, 2)	-	8(7, 1)	[81040]
	39147.98	(0.05)	9(8, 1)	-	8(8, 0)	[81040]
	33495.16	(0.05)	17(2,16)	-	17(2,15)	[81040]
	35312.83	(0.05)	24(4,21)	-	24(4,20)	[81040]

Table 75.1. Molecular constants of bicyclo[2.2.1]hept-2-ene (norbornene).

Parameter	Value
Rotational Constants [present]	
A (MHz)	3923.773(21)
B (MHz)	3432.3668(30)
C (MHz)	3014.9251(28)
Electric Dipole Moment [77037]	
μ_a (D)	0.327(5)
μ_c (D)	0.00(1)

TABLE 75.2. Microwave spectrum of bicyclo[2.2.1]hept-2-ene C_7H_{10}

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Ref.
$CH(CH_2)CHCHCHCH_2CH_2$	26652.52	(0.10)	4(2, 2) - 3(2, 1)	[77037]
	30757.28	(0.10)	5(1, 5) - 4(1, 4)	[77037]
	30777.69	(0.10)	5(0, 5) - 4(0, 4)	[77037]
	31852.30	(0.10)	5(2, 4) - 4(2, 3)	[77037]
	32161.51	(0.10)	5(1, 4) - 4(1, 3)	[77037]
	32494.14	(0.10)	5(3, 3) - 4(3, 2)	[77037]
	32620.70	(0.10)	5(4, 2) - 4(4, 1)	[77037]
	32710.10	(0.10)	5(4, 1) - 4(4, 0)	[77037]
	33174.48	(0.10)	5(3, 2) - 4(3, 1)	[77037]
	33221.66	(0.10)	5(2, 3) - 4(2, 2)	[77037]
	36793.50	(0.10)	6(1, 6) - 5(1, 5)	[77037]
	36799.26	(0.10)	6(0, 6) - 5(0, 5)	[77037]
	37974.58	(0.10)	6(2, 5) - 5(2, 4)	[77037]
	39151.62	(0.10)	6(5, 2) - 5(5, 1)	[77037]
	39176.28	(0.10)	6(5, 1) - 5(5, 0)	[77037]
	39182.84	(0.10)	6(4, 3) - 5(4, 2)	[77037]
	39513.50	(0.10)	6(4, 2) - 5(4, 1)	[77037]
	39527.91	(0.10)	6(2, 4) - 5(2, 3)	[77037]

Table 76.1. Molecular constants of the ground state of 1,3-cycloheptadiene.

Parameter		Value [present work]
A"	(MHz)	3419.3116(25)
B"	(MHz)	3297.4144(24)
C"	(MHz)	1799.9643(25)
τ_1	(kHz)	-26.2544(3447)
τ_2	(kHz)	-6.38596(9408)
τ_3[a]	(kHz)	1503.(18)
τ_{aaaa}	(kHz)	-3.039(155)
τ_{bbbb}	(kHz)	-2.4872(826)
τ_{cccc}	(kHz)	-0.602(81)
H_J	(Hz)	0[b]
H_{JK}	(Hz)	0.48689(8713)
H_{KJ}	(Hz)	-0.99682(21785)
H_K	(Hz)	0.6188(1481)
h_J	(Hz)	0.03532(479)
h_{JK}	(Hz)	0[b]
h_K	(Hz)	0[b]
Electric Dipole Moments [79034]		
μ_b	(D)	0.734(3)
μ_c	(D)	0.0975(5)

[a]Value fixed by setting $R_6 = 0$.
[b]Fixed at zero.

Table 76.2. Molecular constants of the vibrational states of 1,3-cycloheptadiene. [79034]

Parameter		A	B	C
A	(MHz)	3417.646(3)	3416.607(4)	3415.379(5)
B	(MHz)	3309.165(3)	3314.519(4)	3319.787(5)
C	(MHz)	1809.368(3)	1813.785(4)	1818.154(3)
Δ_J	(kHz)	0.70554(2200)	0.8277(3200)	0.68068(3400)
Δ_{JK}	(kHz)	-1.6432(99)	-1.5257(920)	-1.0558(1600)
Δ_K	(kHz)	1.0895(110)	0.8247(770)	0.4765(1400)
δ_J	(kHz)	-0.01476(840)	-0.052891(4900)	-0.027142(4500)
δ_K	(kHz)	7.5148(840)	4.0077(9200)	-0.43(170)
		D	E	
A	(MHz)	3413.71(10)	3412.77(8)	
B	(MHz)	3324.53(10)	3328.31(8)	
C	(MHz)	1821.94(3)	1825.36(3)	

TABLE 76.3. Microwave spectrum of 1,3-cycloheptadiene C_7H_{10}

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$	-	$J''(K_{-1},K_{+1})$	Vib. state	Ref.
CHCHCHCHCH$_2$CH$_2$CH$_2$	7711.75	(0.10)	4(2, 2)	-	4(1, 3)		[79034]
	7760.95	(0.10)	3(1, 2)	-	3(0, 3)		[79034]
	7796.20	(0.10)	3(2, 2)	-	3(1, 3)		[79034]
	7815.10	(0.10)	4(3, 2)	-	4(2, 3)		[79034]
	7852.48	(0.10)	5(4, 2)	-	5(3, 3)		[79034]
	8690.06	(0.10)	2(0, 2)	-	1(1, 1)		[79034]
	8819.15	(0.10)	2(1, 2)	-	1(0, 1)		[79034]
	10820.50	(0.10)	7(4, 3)	-	7(3, 4)		[79034]
	10882.70	(0.10)	5(2, 3)	-	5(1, 4)		[79034]
	10894.40	(0.10)	4(1, 3)	-	4(0, 4)		[79034]
	10896.30	(0.10)	4(2, 3)	-	4(1, 4)		[79034]
	12057.82	(0.10)	2(2, 1)	-	1(1, 0)		[79034]
	12353.47	(0.10)	3(0, 3)	-	2(1, 2)		[79034]
	12361.02	(0.10)	3(1, 3)	-	2(0, 2)		[79034]
	27223.77	(0.10)	40(31, 9)	-	40(30,10)		[79034]
	27507.17	(0.10)	39(30, 9)	-	39(29,10)		[79034]
	27534.32	(0.10)	40(32, 9)	-	40(31,10)		[79034]
	27715.34	(0.10)	39(31, 9)	-	39(30,10)		[79034]
	27752.35	(0.10)	38(29, 9)	-	38(28,10)		[79034]
	27965.97	(0.10)	37(28, 9)	-	37(27,10)		[79034]
	28054.69	(0.10)	37(29, 9)	-	37(28,10)		[79034]
	28060.68	(0.10)	5(3, 2)	-	4(4, 1)		[79034]
	28153.58	(0.10)	36(27, 9)	-	36(26,10)		[79034]
	28160.30	(0.10)	4(4, 0)	-	3(3, 1)		[79034]
	28209.85	(0.10)	36(28, 9)	-	36(27,10)		[79034]
	28319.32	(0.10)	35(26, 9)	-	35(25,10)		[79034]
	28354.44	(0.10)	35(27, 9)	-	35(26,10)		[79034]
	28466.39	(0.10)	34(25, 9)	-	34(24,10)		[79034]
	28487.88	(0.10)	34(26, 9)	-	34(25,10)		[79034]
	28597.74	(0.10)	33(24, 9)	-	33(23,10)		[79034]
	28610.62	(0.10)	33(25, 9)	-	33(24,10)		[79034]
	28715.11	(0.10)	32(23, 9)	-	32(22,10)		[79034]
	28722.69	(0.10)	32(24, 9)	-	32(23,10)		[79034]
	28820.47	(0.10)	31(22, 9)	-	31(21,10)		[79034]
	28824.82	(0.10)	31(23, 9)	-	31(22,10)		[79034]
	28914.96	(0.10)	30(21, 9)	-	30(20,10)		[79034]
	28917.43	(0.10)	30(22, 9)	-	30(21,10)		[79034]
	28999.77	(0.10)	29(20, 9)	-	29(19,10)		[79034]
	29001.06	(0.10)	29(21, 9)	-	29(20,10)		[79034]
	29075.90	(0.10)	28(19, 9)	-	28(18,10)		[79034]
	29076.56	(0.10)	28(20, 9)	-	28(19,10)		[79034]
	29143.86	(0.10)	27(18, 9)	-	27(17,10)		[79034]
	29144.15	(0.10)	27(19, 9)	-	27(18,10)		[79034]
	29204.67	(0.10)	26(18, 9)	-	26(17,10)		[79034]
	29258.75	(0.10)	25(16, 9)	-	25(15,10)		[79034]
	29306.87	(0.10)	24(15, 9)	-	24(14,10)		[79034]
	29349.38	(0.10)	23(14, 9)	-	23(13,10)		[79034]
	29384.66	(0.10)	6(2, 4)	-	5(3, 3)		[79034]
	29386.88	(0.10)	22(13, 9)	-	22(12,10)		[79034]
	29392.25	(0.10)	6(3, 4)	-	5(2, 3)		[79034]
	29419.82	(0.10)	21(12, 9)	-	21(11,10)		[79034]
	29448.60	(0.10)	20(11, 9)	-	20(10,10)		[79034]
	29473.57	(0.10)	19(11, 9)	-	19(10,10)		[79034]
	29495.20	(0.10)	18(10, 9)	-	18(9,10)		[79034]
	29513.63	(0.10)	17(9, 9)	-	17(8,10)		[79034]
	29518.40	(0.10)	5(4, 2)	-	4(3, 1)		[79034]
	29529.37	(0.10)	16(8, 9)	-	16(7,10)		[79034]
	29542.62	(0.10)	15(6, 9)	-	15(5,10)		[79034]
	29553.79	(0.10)	14(6, 9)	-	14(5,10)		[79034]
	29563.08	(0.10)	13(5, 9)	-	13(4,10)		[79034]
	29570.68	(0.10)	12(3, 9)	-	12(2,10)		[79034]
	29576.70	(0.10)	11(2, 9)	-	11(1,10)		[79034]
	29581.56	(0.10)	10(1, 9)	-	10(0,10)		[79034]
	29870.60	(0.10)	7(2, 6)	-	6(1, 5)		[79034]
	29870.60	(0.10)	7(1, 6)	-	6(2, 5)		[79034]
	30355.98	(0.10)	8(1, 8)	-	7(0, 7)		[79034]
	32200.40	(0.10)	30(21,10)	-	30(20,11)		[79034]
	32317.67	(0.10)	28(19,10)	-	28(18,11)		[79034]

TABLE 76.3. Microwave spectrum of 1,3-cycloheptadiene — Continued C_7H_{10}

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$	-	$J''(K_{-1},K_{+1})$	Vib. state	Ref.
	32412.78	(0.10)	26(17,10)	-	26(16,11)		[79034]
	32489.02	(0.10)	24(15,10)	-	24(14,11)		[79034]
	32549.22	(0.10)	22(13,10)	-	22(12,11)		[79034]
	32595.97	(0.10)	20(11,10)	-	20(10,11)		[79034]
	32631.62	(0.10)	18(9,10)	-	18(8,11)		[79034]
	32654.58	(0.10)	6(4, 3)	-	5(3, 2)		[79034]
	32658.05	(0.10)	16(7,10)	-	16(6,11)		[79034]
	32677.12	(0.10)	14(5,10)	-	14(4,11)		[79034]
	32690.44	(0.10)	12(3,10)	-	12(2,11)		[79034]
	32695.43	(0.10)	11(2,10)	-	11(1,11)		[79034]
	32879.59	(0.10)	5(5, 1)	-	4(4, 0)		[79034]
	32986.07	(0.10)	7(2, 5)	-	6(3, 4)		[79034]
	32986.37	(0.10)	7(3, 5)	-	6(2, 4)		[79034]
	33470.25	(0.10)	8(1, 7)	-	7(2, 6)		[79034]
	33955.80	(0.10)	9(1, 9)	-	8(0, 8)		[79034]
	34249.51	(0.10)	6(4, 2)	-	5(5, 1)		[79034]
	34668.47	(0.10)	4(3, 2)	-	3(0, 3)		[79034]
	34755.19	(0.10)	5(5, 0)	-	4(4, 1)		[79034]
	35425.94	(0.10)	30(20,11)	-	30(19,12)		[79034]
	35515.87	(0.10)	28(18,11)	-	28(17,12)		[79034]
	35589.38	(0.10)	26(16,11)	-	26(15,12)		[79034]
	35648.63	(0.10)	24(14,11)	-	24(13,12)		[79034]
	35695.75	(0.10)	22(12,11)	-	22(11,12)		[79034]
	35732.74	(0.10)	20(10,11)	-	20(9,12)		[79034]
	35761.09	(0.10)	18(8,11)	-	18(7,12)		[79034]
	35782.40	(0.10)	16(6,11)	-	16(5,12)		[79034]
	35797.97	(0.10)	14(4,11)	-	14(3,12)		[79034]
	35809.10	(0.10)	12(2,11)	-	12(1,12)		[79034]
	36096.96	(0.10)	7(3, 4)	-	6(4, 3)		[79034]
	36119.72	(0.10)	7(4, 4)	-	6(3, 3)		[79034]
	36536.77	(0.10)	6(5, 2)	-	5(4, 1)		[79034]
	36585.11	(0.10)	8(2, 6)	-	7(3, 5)		[79034]
	37069.86	(0.10)	9(1, 8)	-	8(2, 7)		[79034]
	37392.06	(0.10)	5(4, 1)	-	4(3, 2)		[79034]
	37555.55	(0.10)	10(1,10)	-	9(0, 9)		[79034]
	38616.64	(0.10)	30(18,12)	-	30(17,13)		[79034]
	38688.02	(0.10)	28(16,12)	-	28(15,13)		[79034]
	38746.71	(0.10)	26(14,12)	-	26(13,13)		[79034]
	38794.39	(0.10)	24(12,12)	-	24(11,13)		[79034]
	38832.63	(0.10)	22(10,12)	-	22(9,13)		[79034]
	38862.83	(0.10)	20(8,12)	-	20(7,13)		[79034]
	38886.32	(0.10)	18(6,12)	-	18(5,13)		[79034]
	38904.11	(0.10)	16(4,12)	-	16(3,13)		[79034]
	38917.41	(0.10)	14(2,12)	-	14(1,13)		[79034]
	38922.75	(0.10)	13(1,12)	-	13(0,13)		[79034]
	39001.22	(0.10)	7(4, 3)	-	6(5, 2)		[79034]
	39520.37	(0.10)	7(5, 3)	-	6(4, 2)		[79034]
	39702.15	(0.10)	8(3, 5)	-	7(4, 4)		[79034]
	39875.52	(0.10)	6(6, 1)	-	5(5, 0)		[79034]
	7630.95	(0.10)	5(3, 2)	-	5(2, 3)	1ν *a*	[79034]
	7705.91	(0.10)	4(2, 2)	-	4(1, 3)	1ν a	[79034]
	7773.68	(0.10)	3(2, 2)	-	3(1, 3)	1ν a	[79034]
	7788.92	(0.10)	4(3, 2)	-	4(2, 3)	1ν *a*	[79034]
	7819.06	(0.10)	5(4, 2)	-	5(3, 3)	1ν *a*	[79034]
	7870.95	(0.10)	6(5, 2)	-	6(4, 3)	1ν *a*	[79034]
	8731.65	(0.10)	2(0, 2)	-	1(1, 1)	1ν *a*	[79034]
	8845.75	(0.10)	2(1, 2)	-	1(0, 1)	1ν *a*	[79034]
	8999.85	(0.10)	12(11, 2)	-	12(10, 3)	1ν *a*	[79034]
	10810.25	(0.10)	7(4, 3)	-	7(3, 4)	1ν *a*	[79034]
	10836.50	(0.10)	9(7, 3)	-	9(6, 4)	1ν *a*	[79034]
	10863.22	(0.10)	5(3, 3)	-	5(2, 4)	1ν *a*	[79034]
	10867.05	(0.10)	4(1, 3)	-	4(0, 4)	1ν *a*	[79034]
	10868.40	(0.10)	4(2, 3)	-	4(1, 4)	1ν *a*	[79034]
	12062.30	(0.10)	2(2, 1)	-	1(1, 0)	1ν *a*	[79034]
	12406.58	(0.10)	3(0, 3)	-	2(1, 2)	1ν *a*	[79034]
	12412.50	(0.10)	3(1, 3)	-	2(0, 2)	1ν *a*	[79034]
	26884.03	(0.10)	7(1, 7)	-	6(0, 6)	1ν *a*	[79034]

TABLE 76.3. Microwave spectrum of 1,3-cycloheptadiene — Continued C_7H_{10}

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$	-	$J''(K_{-1},K_{+1})$	Vib. state	Ref.
	27654.59	(0.10)	40(31, 9)	-	40(30,10)	1ν a	[79034]
	27868.24	(0.10)	40(32, 9)	-	40(31,10)	1ν a	[79034]
	28071.43	(0.10)	38(29, 9)	-	38(28,10)	1ν a	[79034]
	28164.04	(0.10)	38(30, 9)	-	38(29,10)	1ν a	[79034]
	28216.14	(0.10)	4(4, 0)	-	3(3, 1)	1ν a	[79034]
	28240.20	(0.10)	37(28, 9)	-	37(27,10)	1ν a	[79034]
	28299.65	(0.10)	37(29, 9)	-	37(28,10)	1ν a	[79034]
	28388.58	(0.10)	36(27, 9)	-	36(26,10)	1ν a	[79034]
	28426.05	(0.10)	36(28, 9)	-	36(27,10)	1ν a	[79034]
	28519.71	(0.10)	35(26, 9)	-	35(25,10)	1ν a	[79034]
	28543.03	(0.10)	35(27, 9)	-	35(26,10)	1ν a	[79034]
	28636.15	(0.10)	34(25, 9)	-	34(24,10)	1ν a	[79034]
	28650.42	(0.10)	34(26, 9)	-	34(25,10)	1ν a	[79034]
	28740.23	(0.10)	33(24, 9)	-	33(23,10)	1ν a	[79034]
	28748.65	(0.10)	33(25, 9)	-	33(24,10)	1ν a	[79034]
	28833.20	(0.10)	32(23, 9)	-	32(22,10)	1ν a	[79034]
	28838.16	(0.10)	32(24, 9)	-	32(23,10)	1ν a	[79034]
	28916.41	(0.10)	31(22, 9)	-	31(21,10)	1ν a	[79034]
	28919.26	(0.10)	31(23, 9)	-	31(22,10)	1ν a	[79034]
	28990.91	(0.10)	30(21, 9)	-	30(20,10)	1ν a	[79034]
	28992.52	(0.10)	30(22, 9)	-	30(21,10)	1ν a	[79034]
	29057.77	(0.10)	29(20, 9)	-	29(19,10)	1ν a	[79034]
	29058.59	(0.10)	29(21, 9)	-	29(20,10)	1ν a	[79034]
	29170.90	(0.10)	27(18, 9)	-	27(17,10)	1ν a	[79034]
	29218.32	(0.10)	26(18, 9)	-	26(17,10)	1ν a	[79034]
	29260.48	(0.10)	25(16, 9)	-	25(15,10)	1ν a	[79034]
	29297.82	(0.10)	24(15, 9)	-	24(14,10)	1ν a	[79034]
	29330.82	(0.10)	23(14, 9)	-	23(13,10)	1ν a	[79034]
	29359.78	(0.10)	22(13, 9)	-	22(12,10)	1ν a	[79034]
	29385.08	(0.10)	21(12, 9)	-	21(11,10)	1ν a	[79034]
	29407.05	(0.10)	20(11, 9)	-	20(10,10)	1ν a	[79034]
	29426.16	(0.10)	19(11, 9)	-	19(10,10)	1ν a	[79034]
	29442.52	(0.10)	18(10, 9)	-	18(9,10)	1ν a	[79034]
	29456.38	(0.10)	17(9, 9)	-	17(8,10)	1ν a	[79034]
	29468.20	(0.10)	16(8, 9)	-	16(7,10)	1ν a	[79034]
	29477.95	(0.10)	6(2, 4)	-	5(3, 3)	1ν a	[79034]
	29478.00	(0.10)	15(6, 9)	-	15(5,10)	1ν a	[79034]
	29483.42	(0.10)	6(3, 4)	-	5(2, 3)	1ν a	[79034]
	29486.21	(0.10)	14(6, 9)	-	14(5,10)	1ν a	[79034]
	29492.93	(0.10)	13(5, 9)	-	13(4,10)	1ν a	[79034]
	29498.37	(0.10)	12(3, 9)	-	12(2,10)	1ν a	[79034]
	29515.78	(0.10)	5(4, 2)	-	4(3, 1)	1ν a	[79034]
	29990.37	(0.10)	7(2, 6)	-	6(1, 5)	1ν a	[79034]
	30502.68	(0.10)	8(1, 8)	-	7(0, 7)	1ν a	[79034]
	32235.34	(0.10)	30(20,10)	-	30(19,11)	1ν a	[79034]
	32326.85	(0.10)	28(18,10)	-	28(17,11)	1ν a	[79034]
	32400.62	(0.10)	26(16,10)	-	26(15,11)	1ν a	[79034]
	32459.23	(0.10)	24(15,10)	-	24(14,11)	1ν a	[79034]
	32499.87	(0.10)	6(3, 3)	-	5(4, 2)	1ν a	[79034]
	32505.04	(0.10)	22(12,10)	-	22(11,11)	1ν a	[79034]
	32540.24	(0.10)	20(10,10)	-	20(9,11)	1ν a	[79034]
	32566.71	(0.10)	18(8,10)	-	18(7,11)	1ν a	[79034]
	32585.96	(0.10)	16(6,10)	-	16(5,11)	1ν a	[79034]
	32599.64	(0.10)	14(4,10)	-	14(3,11)	1ν a	[79034]
	32608.81	(0.10)	12(2,10)	-	12(1,11)	1ν a	[79034]
	32708.34	(0.10)	6(4, 3)	-	5(3, 2)	1ν a	[79034]
	32846.70	(0.10)	5(5, 1)	-	4(4, 0)	1ν a	[79034]
	33097.70	(0.10)	7(3, 5)	-	6(2, 4)	1ν a	[79034]
	33608.91	(0.10)	8(2, 7)	-	7(1, 6)	1ν a	[79034]
	34121.29	(0.10)	9(1, 9)	-	8(0, 8)	1ν a	[79034]
	34513.14	(0.10)	6(4, 2)	-	5(5, 1)	1ν a	[79034]
	34824.10	(0.10)	5(5, 0)	-	4(4, 1)	1ν a	[79034]
	35432.40	(0.10)	30(20,11)	-	30(19,12)	1ν a	[79034]
	35501.69	(0.10)	28(18,11)	-	28(17,12)	1ν a	[79034]
	35557.74	(0.10)	26(16,11)	-	26(15,12)	1ν a	[79034]
	35602.50	(0.10)	24(14,11)	-	24(13,12)	1ν a	[79034]
	35637.67	(0.10)	22(12,11)	-	22(11,12)	1ν a	[79034]

TABLE 76.3. Microwave spectrum of 1,3-cycloheptadiene — Continued C_7H_{10}

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Vib. state	Ref.
	35664.85	(0.10)	20(10,11) - 20(9,12)	1ν a	[79034]
	35685.33	(0.10)	18(8,11) - 18(7,12)	1ν a	[79034]
	35700.37	(0.10)	16(6,11) - 16(5,12)	1ν a	[79034]
	35711.02	(0.10)	14(4,11) - 14(3,12)	1ν a	[79034]
	35718.39	(0.10)	12(2,11) - 12(1,12)	1ν a	[79034]
	36202.03	(0.10)	7(3, 4) - 6(4, 3)	1ν a	[79034]
	36218.33	(0.10)	7(4, 4) - 6(3, 3)	1ν a	[79034]
	36512.35	(0.10)	6(5, 2) - 5(4, 1)	1ν a	[79034]
	36715.77	(0.10)	8(3, 6) - 7(2, 5)	1ν a	[79034]
	37227.52	(0.10)	9(2, 8) - 8(1, 7)	1ν a	[79034]
	37520.08	(0.10)	5(4, 1) - 4(3, 2)	1ν a	[79034]
	37739.89	(0.10)	10(1,10) - 9(0, 9)	1ν a	[79034]
	38601.35	(0.10)	30(18,12) - 30(17,13)	1ν a	[79034]
	38699.61	(0.10)	26(15,12) - 26(14,13)	1ν a	[79034]
	38734.80	(0.10)	24(12,12) - 24(11,13)	1ν a	[79034]
	38762.63	(0.10)	22(10,12) - 22(9,13)	1ν a	[79034]
	38784.19	(0.10)	20(8,12) - 20(7,13)	1ν a	[79034]
	38800.51	(0.10)	18(6,12) - 18(5,13)	1ν a	[79034]
	38812.55	(0.10)	16(4,12) - 16(3,13)	1ν a	[79034]
	38821.28	(0.10)	14(2,12) - 14(1,13)	1ν a	[79034]
	38824.45	(0.10)	13(1,12) - 13(0,13)	1ν a	[79034]
	39141.45	(0.10)	7(4, 3) - 6(5, 2)	1ν a	[79034]
	39226.65	(0.10)	5(5, 1) - 4(2, 2)	1ν a	[79034]
	39830.05	(0.10)	6(6, 1) - 5(5, 0)	1ν a	[79034]
	7701.90	(0.10)	4(2, 2) - 4(1, 3)	1ν b	[79034]
	7761.96	(0.10)	3(2, 2) - 3(1, 3)	1ν b	[79034]
	7775.46	(0.10)	4(3, 2) - 4(2, 3)	1ν b	[79034]
	7802.20	(0.10)	5(4, 2) - 5(3, 3)	1ν b	[79034]
	8750.88	(0.10)	2(0, 2) - 1(1, 1)	1ν b	[79034]
	8857.92	(0.10)	2(1, 2) - 1(0, 1)	1ν b	[79034]
	10842.35	(0.10)	6(4, 3) - 6(3, 4)	1ν b	[79034]
	10844.70	(0.10)	5(2, 3) - 5(1, 4)	1ν b	[79034]
	10852.50	(0.10)	4(1, 3) - 4(0, 4)	1ν b	[79034]
	12063.66	(0.10)	2(2, 1) - 1(1, 0)	1ν b	[79034]
	26943.59	(0.10)	7(1, 7) - 6(0, 6)	1ν b	[79034]
	28241.40	(0.10)	4(4, 0) - 3(3, 1)	1ν b	[79034]
	28597.62	(0.10)	35(26, 9) - 35(25,10)	1ν b	[79034]
	28611.21	(0.10)	35(27, 9) - 35(26,10)	1ν b	[79034]
	28705.93	(0.10)	34(26, 9) - 34(25,10)	1ν b	[79034]
	28868.49	(0.10)	32(23, 9) - 32(22,10)	1ν b	[79034]
	28941.15	(0.10)	31(22, 9) - 31(21,10)	1ν b	[79034]
	28942.65	(0.10)	31(23, 9) - 31(22,10)	1ν b	[79034]
	29006.40	(0.10)	30(21, 9) - 30(20,10)	1ν b	[79034]
	29007.25	(0.10)	30(22, 9) - 30(21,10)	1ν b	[79034]
	29164.90	(0.10)	27(18, 9) - 27(17,10)	1ν b	[79034]
	29207.00	(0.10)	26(17, 9) - 26(16,10)	1ν b	[79034]
	29244.31	(0.10)	25(16, 9) - 25(15,10)	1ν b	[79034]
	29277.74	(0.10)	24(15, 9) - 24(14,10)	1ν b	[79034]
	29332.94	(0.10)	22(13, 9) - 22(12,10)	1ν b	[79034]
	29355.56	(0.10)	21(12, 9) - 21(11,10)	1ν b	[79034]
	29375.50	(0.10)	20(11, 9) - 20(10,10)	1ν b	[79034]
	29392.35	(0.10)	19(10, 9) - 19(9,10)	1ν b	[79034]
	29407.15	(0.10)	18(9, 9) - 18(8,10)	1ν b	[79034]
	29419.70	(0.10)	17(8, 9) - 17(7,10)	1ν b	[79034]
	29430.41	(0.10)	16(7, 9) - 16(6,10)	1ν b	[79034]
	29439.34	(0.10)	15(6, 9) - 15(5,10)	1ν b	[79034]
	29446.79	(0.10)	14(5, 9) - 14(4,10)	1ν b	[79034]
	29453.00	(0.10)	13(4, 9) - 13(3,10)	1ν b	[79034]
	29457.89	(0.10)	12(3, 9) - 12(2,10)	1ν b	[79034]
	29462.00	(0.10)	11(2, 9) - 11(1,10)	1ν b	[79034]
	29465.10	(0.10)	10(1, 9) - 10(0,10)	1ν b	[79034]
	29511.70	(0.10)	5(4, 2) - 4(3, 1)	1ν b	[79034]
	29520.08	(0.10)	6(2, 4) - 5(3, 3)	1ν b	[79034]
	29524.58	(0.10)	6(3, 4) - 5(2, 3)	1ν b	[79034]
	30045.57	(0.10)	7(2, 6) - 6(1, 5)	1ν b	[79034]
	30571.12	(0.10)	8(1, 8) - 7(0, 7)	1ν b	[79034]
	32309.89	(0.10)	28(18,10) - 28(17,11)	1ν b	[79034]

TABLE 76.3. Microwave spectrum of 1,3-cycloheptadiene — Continued C_7H_{10}

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$	-	$J''(K_{-1},K_{+1})$	Vib. state	Ref.
	32375.36	(0.10)	26(16,10)	-	26(15,11)	1ν b	[79034]
	32427.93	(0.10)	24(14,10)	-	24(13,11)	1ν b	[79034]
	32469.13	(0.10)	22(12,10)	-	22(11,11)	1ν b	[79034]
	32500.70	(0.10)	20(11,10)	-	20(10,11)	1ν b	[79034]
	32524.85	(0.10)	18(9,10)	-	18(8,11)	1ν b	[79034]
	32542.42	(0.10)	16(7,10)	-	16(6,11)	1ν b	[79034]
	32547.52	(0.10)	6(3, 3)	-	5(4, 2)	1ν b	[79034]
	32555.04	(0.10)	14(5,10)	-	14(4,11)	1ν b	[79034]
	32563.64	(0.10)	12(3,10)	-	12(2,11)	1ν b	[79034]
	32732.16	(0.10)	6(4, 3)	-	5(3, 2)	1ν b	[79034]
	32827.70	(0.10)	5(5, 1)	-	4(4, 0)	1ν b	[79034]
	33148.39	(0.10)	7(2, 5)	-	6(3, 4)	1ν b	[79034]
	34198.53	(0.10)	9(1, 9)	-	8(0, 8)	1ν b	[79034]
	34633.90	(0.10)	6(4, 2)	-	5(5, 1)	1ν b	[79034]
	35243.50	(0.10)	34(23,11)	-	34(22,12)	1ν b	[79034]
	35290.93	(0.10)	33(22,11)	-	33(21,12)	1ν b	[79034]
	35334.35	(0.10)	32(21,11)	-	32(20,12)	1ν b	[79034]
	35409.75	(0.10)	30(19,11)	-	30(18,12)	1ν b	[79034]
	35471.73	(0.10)	28(17,11)	-	28(16,12)	1ν b	[79034]
	35521.98	(0.10)	26(15,11)	-	26(14,12)	1ν b	[79034]
	35562.20	(0.10)	24(13,11)	-	24(12,12)	1ν b	[79034]
	35594.15	(0.10)	22(11,11)	-	22(10,12)	1ν b	[79034]
	35618.82	(0.10)	20(9,11)	-	20(8,12)	1ν b	[79034]
	35651.50	(0.10)	16(5,11)	-	16(4,12)	1ν b	[79034]
	35661.55	(0.10)	14(3,11)	-	14(2,12)	1ν b	[79034]
	35665.41	(0.10)	13(2,11)	-	13(1,12)	1ν b	[79034]
	36262.54	(0.10)	7(4, 4)	-	6(3, 3)	1ν b	[79034]
	36775.35	(0.10)	8(2, 6)	-	7(3, 5)	1ν b	[79034]
	37300.33	(0.10)	9(1, 8)	-	8(2, 7)	1ν b	[79034]
	37825.94	(0.10)	10(1,10)	-	9(0, 9)	1ν b	[79034]
	38712.40	(0.10)	22(10,12)	-	22(9,13)	1ν b	[79034]
	38732.22	(0.10)	20(8,12)	-	20(7,13)	1ν b	[79034]
	38758.79	(0.10)	16(5,12)	-	16(4,13)	1ν b	[79034]
	38767.04	(0.10)	14(2,12)	-	14(1,13)	1ν b	[79034]
	38770.23	(0.10)	13(1,12)	-	13(0,13)	1ν b	[79034]
	39180.18	(0.10)	5(5, 1)	-	4(2, 2)	1ν b	[79034]
	39203.80	(0.10)	7(4, 3)	-	6(5, 2)	1ν b	[79034]
	39803.85	(0.10)	6(6, 1)	-	5(5, 0)	1ν b	[79034]
	39879.30	(0.10)	8(3, 5)	-	7(4, 4)	1ν b	[79034]
	39880.00	(0.10)	8(4, 5)	-	7(3, 4)	1ν b	[79034]
	7727.95	(0.10)	3(1, 2)	-	3(0, 3)	1ν c	[79034]
	7749.85	(0.10)	3(2, 2)	-	3(1, 3)	1ν c	[79034]
	7785.38	(0.10)	5(4, 2)	-	5(3, 3)	1ν c	[79034]
	8769.83	(0.10)	2(0, 2)	-	1(1, 1)	1ν c	[79034]
	8869.83	(0.10)	2(1, 2)	-	1(0, 1)	1ν c	[79034]
	12064.40	(0.10)	2(2, 1)	-	1(1, 0)	1ν c	[79034]
	27002.62	(0.10)	7(1, 6)	-	6(0, 6)	1ν c	[79034]
	28400.04	(0.10)	5(3, 2)	-	4(4, 1)	1ν c	[79034]
	28673.59	(0.10)	35(27, 9)	-	35(26,10)	1ν c	[79034]
	28756.50	(0.10)	34(26, 9)	-	34(25,10)	1ν c	[79034]
	28829.60	(0.10)	33(24, 9)	-	33(23,10)	1ν c	[79034]
	28832.22	(0.10)	33(25, 9)	-	33(24,10)	1ν c	[79034]
	28899.55	(0.10)	32(23, 9)	-	32(22,10)	1ν c	[79034]
	28901.08	(0.10)	32(24, 9)	-	32(23,10)	1ν c	[79034]
	28962.71	(0.10)	31(22, 9)	-	31(21,10)	1ν c	[79034]
	28963.58	(0.10)	31(23, 9)	-	31(22,10)	1ν c	[79034]
	29019.80	(0.10)	30(21, 9)	-	30(20,10)	1ν c	[79034]
	29020.13	(0.10)	30(22, 9)	-	30(21,10)	1ν c	[79034]
	29117.12	(0.10)	28(19, 9)	-	28(18,10)	1ν c	[79034]
	29158.41	(0.10)	27(18, 9)	-	27(17,10)	1ν c	[79034]
	29195.36	(0.10)	26(17, 9)	-	26(16,10)	1ν c	[79034]
	29228.21	(0.10)	25(16, 9)	-	25(15,10)	1ν c	[79034]
	29257.48	(0.10)	24(15, 9)	-	24(14,10)	1ν c	[79034]
	29283.32	(0.10)	23(14, 9)	-	23(13,10)	1ν c	[79034]
	29306.00	(0.10)	22(13, 9)	-	22(12,10)	1ν c	[79034]
	29325.95	(0.10)	21(12, 9)	-	21(11,10)	1ν c	[79034]
	29399.86	(0.10)	15(6, 9)	-	15(5,10)	1ν c	[79034]

TABLE 76.3. Microwave spectrum of 1,3-cycloheptadiene — Continued C_7H_{10}

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$	-	$J''(K_{-1},K_{+1})$	Vib. state	Ref.
	29406.50	(0.10)	14(5, 9)	-	13(4,10)	1ν c	[79034]
	29411.91	(0.10)	13(5, 9)	-	13(4,10)	1ν c	[79034]
	29416.48	(0.10)	12(3, 9)	-	12(2,10)	1ν c	[79034]
	29422.84	(0.10)	10(2, 9)	-	10(1,10)	1ν c	[79034]
	29506.50	(0.10)	5(4, 2)	-	4(3, 1)	1ν c	[79034]
	29561.40	(0.10)	6(2, 4)	-	5(3, 3)	1ν c	[79034]
	29565.12	(0.10)	6(3, 4)	-	5(2, 3)	1ν c	[79034]
	30100.11	(0.10)	7(1, 6)	-	6(2, 5)	1ν c	[79034]
	30638.91	(0.10)	8(1, 8)	-	7(0, 7)	1ν c	[79034]
	32397.15	(0.10)	24(14,10)	-	24(13,11)	1ν c	[79034]
	32433.48	(0.10)	22(12,10)	-	22(11,11)	1ν c	[79034]
	32461.55	(0.10)	20(10,10)	-	20(9,11)	1ν c	[79034]
	32482.72	(0.10)	18(8,10)	-	18(7,11)	1ν c	[79034]
	32498.42	(0.10)	16(6,10)	-	16(5,11)	1ν c	[79034]
	32509.59	(0.10)	14(4,10)	-	14(3,11)	1ν c	[79034]
	32517.21	(0.10)	12(2,10)	-	12(1,11)	1ν c	[79034]
	32520.00	(0.10)	11(1,10)	-	11(0,11)	1ν c	[79034]
	32593.45	(0.10)	6(3, 3)	-	5(4, 2)	1ν c	[79034]
	32755.70	(0.10)	6(4, 3)	-	5(3, 2)	1ν c	[79034]
	33198.40	(0.10)	7(2, 5)	-	6(3, 4)	1ν c	[79034]
	33736.39	(0.10)	8(1, 7)	-	7(2, 6)	1ν c	[79034]
	34275.15	(0.10)	9(1, 9)	-	8(0, 8)	1ν c	[79034]
	34753.00	(0.10)	6(4, 2)	-	5(5, 1)	1ν c	[79034]
	34887.03	(0.10)	5(5, 0)	-	4(4, 1)	1ν c	[79034]
	35388.45	(0.10)	30(19,11)	-	30(18,12)	1ν c	[79034]
	35443.00	(0.10)	28(17,11)	-	28(16,12)	1ν c	[79034]
	35487.40	(0.10)	26(15,11)	-	26(14,12)	1ν c	[79034]
	35522.90	(0.10)	24(13,11)	-	24(12,12)	1ν c	[79034]
	35551.20	(0.10)	22(11,11)	-	22(10,12)	1ν c	[79034]
	35573.06	(0.10)	20(9,11)	-	20(8,12)	1ν c	[79034]
	35602.17	(0.10)	16(5,11)	-	16(4,12)	1ν c	[79034]
	35611.08	(0.10)	14(3,11)	-	14(2,12)	1ν c	[79034]
	35617.29	(0.10)	12(1,11)	-	12(0,12)	1ν c	[79034]
	36295.00	(0.10)	7(3, 4)	-	6(4, 3)	1ν c	[79034]
	36306.16	(0.10)	7(4, 4)	-	6(3, 3)	1ν c	[79034]
	36479.50	(0.10)	6(5, 2)	-	5(4, 1)	1ν c	[79034]
	36834.21	(0.10)	8(2, 6)	-	7(3, 5)	1ν c	[79034]
	37372.48	(0.10)	9(2, 8)	-	8(1, 7)	1ν c	[79034]
	37636.18	(0.10)	5(4, 1)	-	4(3, 2)	1ν c	[79034]
	37911.32	(0.10)	10(1,10)	-	9(0, 9)	1ν c	[79034]
	38662.88	(0.10)	22(10,12)	-	22(9,13)	1ν c	[79034]
	38680.48	(0.10)	20(8,12)	-	20(7,13)	1ν c	[79034]
	38694.15	(0.10)	18(6,12)	-	18(5,13)	1ν c	[79034]
	38704.30	(0.10)	16(4,12)	-	16(3,13)	1ν c	[79034]
	38711.69	(0.10)	14(2,12)	-	14(1,13)	1ν c	[79034]
	38714.57	(0.10)	13(1,12)	-	13(0,13)	1ν c	[79034]
	39586.61	(0.10)	7(5, 3)	-	6(4, 2)	1ν c	[79034]
	39774.51	(0.10)	6(6, 1)	-	5(5, 0)	1ν c	[79034]

Table 77.1. Molecular constants of the ground state of Δ^6-bicyclo[3.2.0]heptene.

Parameter		Normal [present]	6-^{13}C [79035]
A"	(MHz)	4419.263(37)	4389.85
B"	(MHz)	3080.1918(74)	3033.45
C"	(MHz)	2375.3505(69)	2346.73
τ_1	(kHz)	-4.99(71)	
τ_2	(kHz)	-1.77(28)	
τ_3[a]	(kHz)	-32.3(237)	
τ_{aaaa}	(kHz)	0[b]	
τ_{bbbb}	(kHz)	-0.89(45)	
τ_{cccc}	(kHz)	-0.49(25)	
Electric Dipole Moment [79035]			
μ_a	(D)	0.201(1)	
μ_c	(D)	0.052(1)	

[a]Value fixed by setting R_6 = 0.
[b]Fixed at zero.

Table 77.2. Molecular constants for the vibrational states of Δ^6-bicyclo[3.2.0]heptene. [79035]

Vibrational state[a] (v_1,v_2,v_3)	A (MHz)	B (MHz)	C (MHz)
(0,0,0)	4419.20	3080.16	2375.33
(1,0,0)	4420.06	3078.47	2374.86
(0,1,0)	4424.16	3073.22	2369.70
(0,2,0)	4429.44	3066.49	2363.85
(0,1,1)	4427.19	3071.57	2366.83

[a]v_1 is the twisting vibration of the five-membered ring, v_2 is the puckering vibration of the five-membered ring, and v_3 is the rocking of the four-membered ring.

TABLE 77.3. Microwave spectrum of bicyclo[3.2.0]hept-6-ene C_7H_{10}

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Vib. state	Ref.
$CH(CHCH)CH_2CH_2CH_2CH$	26806.75	(0.05)	5(2, 4) - 4(2, 3)		[79035]
	27678.27	(0.05)	5(3, 3) - 4(3, 2)		[79035]
	27713.01	(0.05)	5(1, 4) - 4(1, 3)		[79035]
	27748.35	(0.05)	5(4, 2) - 4(4, 1)		[79035]
	27802.13	(0.05)	5(4, 1) - 4(4, 0)		[79035]
	28394.76	(0.05)	5(3, 2) - 4(3, 1)		[79035]
	29013.67	(0.05)	5(2, 3) - 4(2, 2)		[79035]
	29688.38	(0.05)	6(1, 6) - 5(1, 5)		[79035]
	29731.06	(0.05)	6(0, 6) - 5(0, 5)		[79035]
	31827.95	(0.05)	6(2, 5) - 5(2, 4)		[79035]
	32449.61	(0.05)	6(1, 5) - 5(1, 4)		[79035]
	33110.00	(0.05)	6(3, 4) - 5(3, 3)		[79035]
	33286.18	(0.05)	6(5, 2) - 5(5, 1)		[79035]
	33296.18	(0.05)	6(5, 1) - 5(5, 0)		[79035]
	33393.04	(0.05)	6(4, 3) - 5(4, 2)		[79035]
	33615.68	(0.05)	6(4, 2) - 5(4, 1)		[79035]
	34450.85	(0.05)	7(1, 7) - 6(1, 6)		[79035]
	34465.97	(0.05)	7(0, 7) - 6(0, 6)		[79035]
	34567.60	(0.05)	6(3, 3) - 5(3, 2)		[79035]
	34607.12	(0.05)	6(2, 4) - 5(2, 3)		[79035]
	36736.25	(0.05)	7(2, 6) - 6(2, 5)		[79035]
	37070.21	(0.05)	7(1, 6) - 6(1, 5)		[79035]
	38405.75	(0.05)	7(3, 5) - 6(3, 4)		[79035]
	38960.05	(0.05)	7(5, 3) - 6(5, 2)		[79035]
	39012.60	(0.05)	7(5, 2) - 6(5, 1)		[79035]
	39016.81	(0.05)	7(4, 4) - 6(4, 3)		[79035]
	39205.39	(0.05)	8(1, 8) - 7(1, 7)		[79035]
	39210.48	(0.05)	8(0, 8) - 7(0, 7)		[79035]
	39652.52	(0.05)	7(4, 3) - 6(4, 2)		[79035]
	39821.39	(0.05)	7(2, 5) - 6(2, 4)		[79035]
	27705.67	(0.05)	5(1, 4) - 4(1, 3)	1ν *tw*	[79035]
	26798.14	(0.05)	5(2, 4) - 4(2, 3)	1ν *tw*	[79035]
	28999.64	(0.05)	5(2, 3) - 4(2, 2)	1ν *tw*	[79035]
	27666.42	(0.05)	5(3, 3) - 4(3, 2)	1ν *tw*	[79035]
	28378.54	(0.05)	5(3, 2) - 4(3, 1)	1ν *tw*	[79035]
	27735.53	(0.05)	5(4, 2) - 4(4, 1)	1ν *tw*	[79035]
	27788.66	(0.05)	5(4, 1) - 4(4, 0)	1ν *tw*	[79035]
	29724.88	(0.05)	6(0, 6) - 5(0, 5)	1ν *tw*	[79035]
	29682.00	(0.05)	6(1, 6) - 5(1, 5)	1ν *tw*	[79035]
	32442.87	(0.05)	6(1, 5) - 5(1, 4)	1ν *tw*	[79035]
	31818.73	(0.05)	6(2, 5) - 5(2, 4)	1ν *tw*	[79035]
	34593.07	(0.05)	6(2, 4) - 5(2, 3)	1ν *tw*	[79035]
	33096.67	(0.05)	6(3, 4) - 5(3, 3)	1ν *tw*	[79035]
	34547.30	(0.05)	6(3, 3) - 5(3, 2)	1ν *tw*	[79035]
	33377.39	(0.05)	6(4, 3) - 5(4, 2)	1ν *tw*	[79035]
	33597.93	(0.05)	6(4, 2) - 5(4, 1)	1ν *tw*	[79035]
	33270.55	(0.05)	6(5, 2) - 5(5, 1)	1ν *tw*	[79035]
	33280.57	(0.05)	6(5, 1) - 5(5, 0)	1ν *tw*	[79035]
	34458.90	(0.05)	7(0, 7) - 6(0, 6)	1ν *tw*	[79035]
	34443.40	(0.05)	7(1, 7) - 6(1, 6)	1ν *tw*	[79035]
	37063.01	(0.05)	7(1, 6) - 6(1, 5)	1ν *tw*	[79035]
	36726.57	(0.05)	7(2, 6) - 6(2, 5)	1ν *tw*	[79035]
	39809.32	(0.05)	7(2, 5) - 6(2, 4)	1ν *tw*	[79035]
	39391.89	(0.05)	7(3, 5) - 6(3, 4)	1ν *tw*	[79035]
	38999.00	(0.05)	7(4, 4) - 6(4, 3)	1ν *tw*	[79035]
	39629.19	(0.05)	7(4, 3) - 6(4, 2)	1ν *tw*	[79035]
	38941.73	(0.05)	7(5, 3) - 6(5, 2)	1ν *tw*	[79035]
	38993.25	(0.05)	7(5, 2) - 6(5, 1)	1ν *tw*	[79035]
	39202.45	(0.05)	8(0, 8) - 7(0, 7)	1ν *tw*	[79035]
	39197.25	(0.05)	8(1, 8) - 7(1, 7)	1ν *tw*	[79035]
	27661.63	(0.05)	5(1, 4) - 4(1, 3)	1ν *pu*	[79035]
	28946.96	(0.05)	5(2, 3) - 4(2, 2)	1ν *pu*	[79035]
	27613.59	(0.05)	5(3, 3) - 4(3, 2)	1ν *pu*	[79035]
	28319.60	(0.05)	5(3, 2) - 4(3, 1)	1ν *pu*	[79035]
	27680.90	(0.05)	5(4, 2) - 4(4, 1)	1ν *pu*	[79035]
	27733.33	(0.05)	5(4, 1) - 4(4, 0)	1ν *pu*	[79035]
	29666.20	(0.05)	6(0, 6) - 5(0, 5)	1ν *pu*	[79035]

TABLE 77.3. Microwave spectrum of bicyclo[3.2.0]hept-6-ene — Continued C_7H_{10}

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Vib. state	Ref.
	29622.30	(0.05)	6(1, 6) - 5(1, 5)	1ν *pu*	[79035]
	32391.82	(0.05)	6(1, 5) - 5(1, 4)	1ν *pu*	[79035]
	31760.65	(0.05)	6(2, 5) - 5(2, 4)	1ν *pu*	[79035]
	34534.76	(0.05)	6(2, 4) - 5(2, 3)	1ν *pu*	[79035]
	33034.86	(0.05)	6(3, 4) - 5(3, 3)	1ν *pu*	[79035]
	34476.70	(0.05)	6(3, 3) - 5(3, 2)	1ν *pu*	[79035]
	33312.04	(0.05)	6(4, 3) - 5(4, 2)	1ν *pu*	[79035]
	33529.20	(0.05)	6(4, 2) - 5(4, 1)	1ν *pu*	[79035]
	33205.00	(0.05)	6(5, 2) - 5(5, 1)	1ν *pu*	[79035]
	33214.68	(0.05)	6(5, 1) - 5(5, 0)	1ν *pu*	[79035]
	34389.81	(0.05)	7(0, 7) - 6(0, 6)	1ν *pu*	[79035]
	34373.78	(0.05)	7(1, 7) - 6(1, 6)	1ν *pu*	[79035]
	37001.80	(0.05)	7(1, 6) - 6(1, 5)	1ν *pu*	[79035]
	36659.82	(0.05)	7(2, 6) - 6(2, 5)	1ν *pu*	[79035]
	39747.38	(0.05)	7(2, 5) - 6(2, 4)	1ν *pu*	[79035]
	38321.96	(0.05)	7(3, 5) - 6(3, 4)	1ν *pu*	[79035]
	38923.64	(0.05)	7(4, 4) - 6(4, 3)	1ν *pu*	[79035]
	38864.40	(0.05)	7(5, 3) - 6(5, 2)	1ν *pu*	[79035]
	38915.15	(0.05)	7(5, 2) - 6(5, 1)	1ν *pu*	[79035]
	39122.41	(0.05)	8(0, 8) - 7(0, 7)	1ν *pu*	[79035]
	39117.19	(0.05)	8(1, 8) - 7(1, 7)	1ν *pu*	[79035]

Table 78.1. Molecular constants of the axial and equatorial conformers of cyclopentyl acetylene.

Parameter		Equatorial [present]	Axial [present]
A"	(MHz)	6349.78(27)	4265.19(25)
B"	(MHz)	1765.1877(116)	2168.7636(95)
C"	(MHz)	1480.5470(132)	2032.0824(90)
τ_1	(kHz)	-6.230(210)	-11.89(33)
τ_2	(kHz)	-1.31(11)	-3.956(14)
τ_3[a]	(kHz)	-0.9(13.9)	182.(43.)
τ_{aaaa}	(kHz)	0[b]	0[b]
τ_{bbbb}	(kHz)	-0.432(221)	-2.73(29)
τ_{cccc}	(kHz)	-0.23(24)	-4.46(26)
E	(cm^{-1})	0[b]	270 [83034]

[a]Value fixed by setting R_6 = 0.
[b]Fixed at zero.

TABLE 78.2. Microwave spectrum of cyclopentyl acetylene C_7H_{10}

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Ref.
eq-CH(CCH)$CH_2CH_2CH_2CH_2$	28982.59	(0.10)	9(2, 8) - 8(2, 7)	[83034]
	29253.98	(0.10)	9(8, 2) - 8(8, 1)	[83034]
	29262.03	(0.10)	9(7, 3) - 8(7, 2)	[83034]
	29274.43	(0.10)	9(6, 4) - 8(6, 3)	[83034]
	29295.10	(0.10)	9(5, 5) - 8(5, 4)	[83034]
	29331.55	(0.10)	9(4, 6) - 8(4, 5)	[83034]
	29338.20	(0.10)	9(4, 5) - 8(4, 4)	[83034]
	29349.72	(0.10)	9(3, 7) - 8(3, 6)	[83034]
	29509.06	(0.10)	9(3, 6) - 8(3, 5)	[83034]
	30180.66	(0.10)	9(2, 7) - 8(2, 6)	[83034]
	30645.72	(0.10)	10(1,10) - 9(1, 9)	[83034]
	32137.83	(0.10)	10(2, 9) - 9(2, 8)	[83034]
	32503.17	(0.10)	10(9, 2) - 9(9, 1)	[83034]
	32510.78	(0.10)	10(8, 3) - 9(8, 2)	[83034]
	32521.80	(0.10)	10(7, 4) - 9(7, 3)	[83034]
	32538.74	(0.10)	10(6, 5) - 9(6, 4)	[83034]
	32567.03	(0.10)	10(5, 6) - 9(5, 5)	[83034]
	32614.79	(0.10)	10(4, 7) - 9(4, 6)	[83034]
	32619.77	(0.10)	10(3, 8) - 9(3, 7)	[83034]
	32629.01	(0.10)	10(4, 6) - 9(4, 5)	[83034]
	32885.25	(0.10)	10(3, 7) - 9(3, 6)	[83034]
	33226.17	(0.10)	10(1, 9) - 9(1, 8)	[83034]
	33636.76	(0.10)	10(2, 8) - 9(2, 7)	[83034]
	33645.62	(0.10)	11(1,11) - 10(1,10)	[83034]
	35274.22	(0.10)	11(2,10) - 10(2, 9)	[83034]
	35752.22	(0.10)	11(10, 2) - 10(10, 1)	[83034]
	35759.55	(0.10)	11(9, 3) - 10(9, 2)	[83034]
	35769.68	(0.10)	11(8, 4) - 10(8, 3)	[83034]
	35784.24	(0.10)	11(7, 5) - 10(7, 4)	[83034]
	35806.74	(0.10)	11(6, 6) - 10(6, 5)	[83034]
	35844.30	(0.10)	11(5, 7) - 10(5, 6)	[83034]
	35844.98	(0.10)	11(5, 6) - 10(5, 5)	[83034]
	35884.36	(0.10)	11(3, 9) - 10(3, 8)	[83034]
	35904.01	(0.10)	11(4, 8) - 10(4, 7)	[83034]
	35932.03	(0.10)	11(4, 7) - 10(4, 6)	[83034]
	36299.00	(0.10)	11(3, 8) - 10(3, 7)	[83034]
	36360.98	(0.10)	11(1,10) - 10(1, 9)	[83034]
	37073.04	(0.10)	11(2, 9) - 10(2, 8)	[83034]
ax-CH(CCH)$CH_2CH_2CH_2CH_2$	28852.54	(0.10)	7(1, 7) - 6(1, 6)	[83034]
	29081.78	(0.10)	7(0, 7) - 6(0, 6)	[83034]
	29354.49	(0.10)	7(2, 6) - 6(2, 5)	[83034]
	29446.94	(0.10)	7(3, 5) - 6(3, 4)	[83034]
	29470.75	(0.10)	7(3, 4) - 6(3, 3)	[83034]
	29676.78	(0.10)	7(2, 5) - 6(2, 4)	[83034]
	29785.91	(0.10)	7(1, 6) - 6(1, 5)	[83034]
	32950.76	(0.10)	8(1, 8) - 7(1, 7)	[83034]
	33151.96	(0.10)	8(0, 8) - 7(0, 7)	[83034]
	33526.24	(0.10)	8(2, 7) - 7(2, 6)	[83034]
	33629.17	(0.10)	8(6, 3) - 7(6, 2)	[83034]
	33649.66	(0.10)	8(4, 5) - 7(4, 4)	[83034]
	33651.26	(0.10)	8(4, 4) - 7(4, 3)	[83034]
	33660.25	(0.10)	8(3, 6) - 7(3, 5)	[83034]
	33706.80	(0.10)	8(3, 5) - 7(3, 4)	[83034]
	33977.69	(0.10)	8(2, 6) - 7(2, 5)	[83034]
	33997.92	(0.10)	8(1, 7) - 7(1, 6)	[83034]
	37042.37	(0.10)	9(1, 9) - 8(1, 8)	[83034]
	37209.11	(0.10)	9(0, 9) - 8(0, 8)	[83034]
	37689.82	(0.10)	9(2, 8) - 8(2, 7)	[83034]
	37826.91	(0.10)	9(8, 1) - 8(8, 0)	[83034]
	37830.90	(0.10)	9(7, 3) - 8(7, 2)	[83034]
	37837.00	(0.10)	9(6, 4) - 8(6, 3)	[83034]
	37847.40	(0.10)	9(5, 5) - 8(5, 4)	[83034]
	37865.45	(0.10)	9(4, 6) - 8(4, 5)	[83034]
	37869.11	(0.10)	9(4, 5) - 8(4, 4)	[83034]
	37873.08	(0.10)	9(3, 7) - 8(3, 6)	[83034]
	37956.86	(0.10)	9(3, 6) - 8(3, 5)	[83034]
	38189.26	(0.10)	9(1, 8) - 8(1, 7)	[83034]
	38281.95	(0.10)	9(2, 7) - 8(2, 6)	[83034]

Table 79.1. Molecular constants of bicyclo[2.2.1]heptane (norbornane).

Parameter	Value	Reference
A (MHz)	3694.2465(46)	[present]
B (MHz)	3212.5660(30)	[present]
C (MHz)	2775.813(18)	[present]
μ_c (D)	0.091(8)	[80034]

TABLE 79.2. Microwave spectrum of bicyclo[2.2.1] heptane C_7H_{12}

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Ref.
$CH(CH_2)CH_2CH_2CHCH_2CH$	26908.89	(0.10)	4(1, 3) - 3(0, 3)	[80034]
	27310.19	(0.10)	4(2, 3) - 3(1, 3)	[80034]
	27822.02	(0.10)	4(3, 2) - 3(2, 2)	[80034]
	33305.67	(0.10)	5(2, 3) - 4(1, 3)	[80034]
	33478.47	(0.10)	5(3, 2) - 4(2, 2)	[80034]
	33854.15	(0.10)	5(1, 4) - 4(0, 4)	[80034]
	34021.08	(0.10)	5(2, 4) - 4(1, 4)	[80034]
	34237.00	(0.10)	5(3, 3) - 4(2, 3)	[80034]
	35047.05	(0.10)	5(4, 2) - 4(3, 2)	[80034]
	39857.43	(0.10)	6(3, 3) - 5(2, 3)	[80034]

Table 80.1. Molecular constants for methylene cyclohexane. [84026]

Vibrational state[a] (v_1,v_2)	A (MHz)	B (MHz)	C (MHz)
(0,0)	4090.85(1)	2482.13(1)	1749.49(1)
(1,0)	4083.23(13)	2484.20(1)	1751.09(1)
(2,0)	4075.99(9)	2486.16(1)	1752.58(1)
(3,0)	4068.28(12)	2488.01(1)	1753.97(1)
(4,0)	4062.28(12)	2489.76(1)	1755.25(1)
(0,1)	4094.79(10)	2480.81(1)	1749.00(1)

Electric Dipole Moment

(0,0) μ_a = 0.61(1) D

μ_b = 0 (assumed)

μ_c = 0.11(1) D

[a]The ring bending vibration is v_1 and ring twisting vibration is v_2.

TABLE 80.2. Microwave spectrum of methylene cyclohexane C_7H_{12}

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Vib. state	Ref.
$CH_2(CH_2)_4CCH_2$	18731.03	(0.05)	5(1, 5) - 4(1, 4)	1ν *t*	[84026]
	18736.07	(0.05)	5(1, 5) - 4(1, 4)		[84026]
	18750.90	(0.05)	5(1, 5) - 4(1, 4)	1ν *b*	[84026]
	18764.68	(0.05)	5(1, 5) - 4(1, 4)	2ν *b*	[84026]
	18777.46	(0.05)	5(1, 5) - 4(1, 4)	3ν *b*	[84026]
	18789.28	(0.05)	5(1, 5) - 4(1, 4)	4ν *b*	[84026]
	18888.70	(0.05)	5(0, 5) - 4(0, 4)	1ν *t*	[84026]
	18892.46	(0.05)	5(0, 5) - 4(0, 4)		[84026]
	18905.27	(0.05)	5(0, 5) - 4(0, 4)	1ν *b*	[84026]
	18917.10	(0.05)	5(0, 5) - 4(0, 4)	2ν *b*	[84026]
	18928.04	(0.05)	5(0, 5) - 4(0, 4)	3ν *b*	[84026]
	18938.11	(0.05)	5(0, 5) - 4(0, 4)	4ν *b*	[84026]
	20712.07	(0.05)	5(2, 4) - 4(2, 3)	1ν *t*	[84026]
	20719.16	(0.05)	5(2, 4) - 4(2, 3)		[84026]
	20735.01	(0.05)	5(2, 4) - 4(2, 3)	1ν *b*	[84026]
	20749.75	(0.05)	5(2, 4) - 4(2, 3)	2ν *b*	[84026]
	20763.63	(0.05)	5(2, 4) - 4(2, 3)	3ν *b*	[84026]
	20776.38	(0.05)	5(2, 4) - 4(2, 3)	4ν *b*	[84026]
	21773.03	(0.05)	5(1, 4) - 4(1, 3)	1ν *t*	[84026]
	21777.87	(0.05)	5(1, 4) - 4(1, 3)		[84026]
	21789.19	(0.05)	5(1, 4) - 4(1, 3)	1ν *b*	[84026]
	21799.64	(0.05)	5(1, 4) - 4(1, 3)	2ν *b*	[84026]
	21809.18	(0.05)	5(1, 4) - 4(1, 3)	3ν *b*	[84026]
	21817.88	(0.05)	5(1, 4) - 4(1, 3)	4ν *b*	[84026]
	22271.96	(0.05)	6(1, 6) - 5(1, 5)	1ν *t*	[84026]
	22277.63	(0.05)	6(1, 6) - 5(1, 5)		[84026]
	22295.22	(0.05)	6(1, 6) - 5(1, 5)	1ν *b*	[84026]
	22311.55	(0.05)	6(1, 6) - 5(1, 5)	2ν *b*	[84026]
	22326.61	(0.05)	6(1, 6) - 5(1, 5)	3ν *b*	[84026]
	22340.60	(0.05)	6(1, 6) - 5(1, 5)	4ν *b*	[84026]
	22338.94	(0.05)	6(0, 6) - 5(0, 5)	1ν *t*	[84026]
	22343.94	(0.05)	6(0, 6) - 5(0, 5)		[84026]
	22360.37	(0.05)	6(0, 6) - 5(0, 5)	1ν *b*	[84026]
	22375.62	(0.05)	6(0, 6) - 5(0, 5)	2ν *b*	[84026]
	22389.70	(0.05)	6(0, 6) - 5(0, 5)	3ν *b*	[84026]
	22402.69	(0.05)	6(0, 6) - 5(0, 5)	4ν *b*	[84026]
	22517.61	(0.05)	3(3, 0) - 2(2, 0)		[84026]
	22681.18	(0.05)	3(3, 1) - 2(2, 1)		[84026]
	22817.62	(0.05)	4(1, 3) - 3(0, 3)		[84026]
	22933.05	(0.05)	5(2, 3) - 4(2, 2)	1ν *t*	[84026]
	22944.97	(0.05)	5(2, 3) - 4(2, 2)		[84026]
	22965.68	(0.05)	5(2, 3) - 4(2, 2)	1ν *b*	[84026]
	22985.24	(0.05)	5(2, 3) - 4(2, 2)	2ν *b*	[84026]
	23003.64	(0.05)	5(2, 3) - 4(2, 2)	3ν *b*	[84026]
	23013.54	(0.05)	4(2, 2) - 3(1, 2)		[84026]
	23020.90	(0.05)	5(2, 3) - 4(2, 2)	4ν *b*	[84026]
	24530.36	(0.05)	6(2, 5) - 5(2, 4)	1ν *t*	[84026]
	24537.66	(0.05)	6(2, 5) - 5(2, 4)		[84026]
	24555.13	(0.05)	6(2, 5) - 5(2, 4)	1ν *b*	[84026]
	24571.40	(0.05)	6(2, 5) - 5(2, 4)	2ν *b*	[84026]
	24586.41	(0.05)	6(2, 5) - 5(2, 4)	3ν *b*	[84026]
	24600.47	(0.05)	6(2, 5) - 5(2, 4)	4ν *b*	[84026]
	25003.19	(0.05)	4(2, 3) - 3(1, 3)		[84026]
	25335.97	(0.05)	6(1, 5) - 5(1, 4)	1ν *t*	[84026]
	25339.30	(0.05)	6(1, 5) - 5(1, 4)		[84026]
	25349.91	(0.05)	6(1, 5) - 5(1, 4)	1ν *b*	[84026]
	25359.64	(0.05)	6(1, 5) - 5(1, 4)	2ν *b*	[84026]
	25368.38	(0.05)	6(1, 5) - 5(1, 4)	3ν *b*	[84026]
	25376.28	(0.05)	6(1, 5) - 5(1, 4)	4ν *b*	[84026]
	26548.78	(0.05)	4(3, 1) - 3(2, 1)		[84026]

Table 81.1. Molecular constants of phenylacetylene.

Parameter		C_6H_5CCH
A"	(MHz)	5680.692(132)
B"	(MHz)	1529.7460(80)
C"	(MHz)	1204.9589(92)
τ_1	(kHz)	4.370(64)
τ_2	(kHz)	0.8822(35)
τ_3[a]	(kHz)	6.8(26)
τ_{aaaa}	(kHz)	0[b]
τ_{bbbb}	(kHz)	-0.125(98)
τ_{cccc}	(kHz)	-0.180(122)
Electric Dipole Moment [75054]		
μ_a	(D)	0.656(5)

[a]Value fixed by setting R_6 = 0.
[b]Fixed at zero.

Table 81.2. Molecular constants for some isotopically substituted species of phenylacetylene.

Species	A (MHz)	B (MHz)	C (MHz)
C_6H_5CCD[a]	5680.8(6)	1450.244(4)	1155.061(4)
2-^{13}C	(5589.4)[b]	B+C = 2730.442(5)	
3-^{13}C	5589.3(20)	1518.985(15)	1194.185(15)
4-^{13}C	(5680.3)[b]	1507.181(10)	1190.910(10)
7-^{13}C	(5680.3)[b]	1511.566(10)	1193.646(10)
8-^{13}C	(5680.3)[b]	1483.818(10)	1176.276(10)

[a]For this species D_J=0.023(3) kHz and D_{JK}=1.07(1) kHz were determined.
[b]Assumed values.

TABLE 81.3. Microwave spectrum of phenylacetylene C_8H_6

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Ref.
C(CCH)CHCHCHCHCH	21933.80	(0.50)	8(7, 1) - 7(7, 0)	[60008]
	21945.90	(0.50)	8(6, 2) - 7(6, 1)	[60008]
	21966.70	(0.50)	8(5, 3) - 7(5, 2)	[60008]
	22003.40	(0.50)	8(4, 5) - 7(4, 4)	[60008]
	22009.50	(0.50)	8(4, 4) - 7(4, 3)	[60008]
	22023.45	(0.05)	8(3, 6) - 7(3, 5)	[75054]
	22178.73	(0.05)	8(3, 5) - 7(3, 4)	[75054]
	24674.50	(0.50)	9(8, 1) - 8(8, 0)	[60008]
	24685.60	(0.50)	9(7, 2) - 8(7, 1)	[60008]
	24702.75	(0.05)	9(6, 4) - 8(6, 3)	[75054]
	24732.10	(0.50)	9(5, 5) - 8(5, 4)	[60008]
	24796.40	(0.50)	9(4, 5) - 8(4, 4)	[60008]
	30079.87	(0.05)	12(1,12) - 11(1,11)	[75054]
	30191.21	(0.05)	12(0,12) - 11(0,11)	[75054]
	32037.04	(0.05)	12(2,11) - 11(2,10)	[75054]
	32581.63	(0.05)	13(0,13) - 12(0,12)	[75054]
	32893.84	(0.05)	12(11, 1) - 11(11, 0)	[75054]
	32903.73	(0.05)	12(10, 2) - 11(10, 1)	[75054]
	32916.89	(0.05)	12(9, 3) - 11(9, 2)	[75054]
	32935.18	(0.05)	12(8, 4) - 11(8, 3)	[75054]
	32961.85	(0.05)	12(7, 5) - 11(7, 4)	[75054]
	32988.31	(0.05)	12(1,11) - 11(1,10)	[75054]
	33003.35	(0.05)	12(6, 6) - 11(6, 5)	[75054]
	33017.26	(0.05)	12(3,10) - 11(3, 9)	[75054]
	33071.33	(0.05)	12(5, 8) - 11(5, 7)	[75054]
	33076.94	(0.05)	12(5, 7) - 11(5, 6)	[75054]
	33157.59	(0.05)	12(4, 9) - 11(4, 8)	[75054]
	33270.59	(0.05)	12(4, 8) - 11(4, 7)	[75054]
	34000.93	(0.05)	12(3, 9) - 11(3, 8)	[75054]
	34548.74	(0.05)	12(2,10) - 11(2, 9)	[75054]
	34570.51	(0.05)	13(2,12) - 12(2,11)	[75054]
	35391.29	(0.05)	13(1,12) - 12(1,11)	[75054]
	35633.62	(0.05)	13(12, 2) - 12(12, 1)	[75054]
	35643.22	(0.05)	13(11, 3) - 12(11, 2)	[75054]
	35655.70	(0.05)	13(10, 4) - 12(10, 3)	[75054]
	35672.33	(0.05)	13(9, 5) - 12(9, 4)	[75054]
	35695.51	(0.05)	13(8, 6) - 12(8, 5)	[75054]
	35726.43	(0.05)	13(3,11) - 12(3,10)	[75054]
	35729.41	(0.05)	13(7, 7) - 12(7, 6)	[75054]
	35782.40	(0.05)	13(6, 8) - 12(6, 7)	[75054]
	35867.16	(0.05)	13(5, 9) - 12(5, 8)	[75054]
	35878.85	(0.05)	13(5, 8) - 12(5, 7)	[75054]
	35957.27	(0.05)	13(4,10) - 12(4, 9)	[75054]
	36151.92	(0.05)	13(4, 9) - 12(4, 8)	[75054]
	37051.51	(0.05)	13(3,10) - 12(3, 9)	[75054]
	37344.62	(0.05)	13(2,11) - 12(2,10)	[75054]
	38373.20	(0.05)	14(13, 1) - 13(13, 0)	[75054]
	38382.66	(0.05)	14(12, 2) - 13(12, 1)	[75054]
	38394.55	(0.05)	14(11, 3) - 13(11, 2)	[75054]
	38410.05	(0.05)	14(10, 4) - 13(10, 3)	[75054]
	38412.36	(0.05)	14(3,12) - 13(3,11)	[75054]
	38430.79	(0.05)	14(9, 5) - 13(9, 4)	[75054]
	38459.69	(0.05)	14(8, 7) - 13(8, 6)	[75054]
	38502.06	(0.05)	14(7, 8) - 13(7, 7)	[75054]
	38568.49	(0.05)	14(6, 9) - 13(6, 8)	[75054]
	38671.27	(0.05)	14(5,10) - 13(5, 9)	[75054]
	38694.21	(0.05)	14(5, 9) - 13(5, 8)	[75054]
	38755.81	(0.05)	14(4,11) - 13(4,10)	[75054]
	39073.19	(0.05)	14(4,10) - 13(4, 9)	[75054]
C(CCH)^{13}CHCHCHCHCH	38317.90	(0.15)	14(13, 1) - 13(13, 0)	[75054]
	38327.83	(0.15)	14(12, 2) - 13(12, 1)	[75054]
	38340.43	(0.15)	14(11, 3) - 13(11, 2)	[75054]
	38356.54	(0.15)	14(10, 4) - 13(10, 3)	[75054]
	35592.75	(0.15)	13(11, 2) - 12(11, 1)	[75054]
	35605.56	(0.15)	13(10, 3) - 12(10, 2)	[75054]
	35622.83	(0.15)	13(9, 4) - 12(9, 3)	[75054]
C(CCH)CH^{13}CHCHCHCH	38095.48	(0.15)	14(11, 3) - 13(11, 2)	[75054]
	38111.20	(0.15)	14(10, 4) - 13(10, 3)	[75054]

TABLE 81.3. Microwave spectrum of phenylacetylene — Continued C_8H_6

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$	-	$J''(K_{-1},K_{+1})$	Ref.
	38132.41	(0.15)	14(9, 5)	-	13(9, 4)	[75054]
	38161.74	(0.15)	14(8, 6)	-	13(8, 5)	[75054]
	38204.87	(0.15)	14(7, 7)	-	13(7, 6)	[75054]
	38272.52	(0.15)	14(6, 8)	-	13(6, 7)	[75054]
	35394.92	(0.15)	13(9, 4)	-	12(9, 3)	[75054]
	35418.56	(0.15)	13(8, 5)	-	12(8, 4)	[75054]
	35452.92	(0.15)	13(7, 6)	-	12(7, 5)	[75054]
	35507.02	(0.15)	13(6, 7)	-	12(6, 6)	[75054]
	35592.86	(0.15)	13(5, 9)	-	12(5, 8)	[75054]
	35605.57	(0.15)	13(5, 8)	-	12(5, 7)	[75054]
C(CCH)CHCH^{13}CHCHCH	37890.69	(0.15)	14(10, 4)	-	13(10, 3)	[75054]
	37910.03	(0.15)	14(9, 5)	-	13(9, 4)	[75054]
	37937.53	(0.15)	14(8, 6)	-	13(8, 5)	[75054]
	37977.29	(0.15)	14(7, 7)	-	13(7, 6)	[75054]
	38040.17	(0.15)	14(6, 8)	-	13(6, 7)	[75054]
	38157.80	(0.15)	14(5, 9)	-	13(5, 8)	[75054]
	35211.51	(0.15)	13(8, 5)	-	12(8, 4)	[75054]
	35293.50	(0.15)	13(6, 6)	-	12(6, 5)	[75054]
C(^{13}CCH)CHCHCHCHCH	38039.09	(0.15)	14(8, 6)	-	13(8, 5)	[75054]
	38079.55	(0.15)	14(7, 7)	-	13(7, 6)	[75054]
	38142.87	(0.15)	14(6, 8)	-	13(6, 7)	[75054]
	38241.44	(0.15)	14(5,10)	-	13(5, 9)	[75054]
	35305.64	(0.15)	13(8, 5)	-	12(8, 4)	[75054]
	35388.61	(0.15)	13(6, 7)	-	12(6, 6)	[75054]
	32575.81	(0.15)	12(8, 5)	-	11(8, 4)	[75054]
C(C^{13}CH)CHCHCHCHCH	37370.05	(0.15)	14(9, 5)	-	13(9, 4)	[75054]
	37395.75	(0.15)	14(8, 6)	-	13(8, 5)	[75054]
	37492.24	(0.15)	14(6, 8)	-	13(6, 7)	[75054]
	37585.11	(0.15)	14(5,10)	-	13(5, 9)	[75054]
	34709.43	(0.15)	13(8, 5)	-	12(8, 4)	[75054]
	34786.60	(0.15)	13(6, 7)	-	12(6, 6)	[75054]
C(CCD)CHCHCHCHCH	36615.42	(0.05)	14(8, 7)	-	13(8, 6)	[75054]
	33935.32	(0.05)	13(12, 2)	-	12(12, 1)	[75054]
	33943.29	(0.05)	13(11, 3)	-	12(11, 2)	[75054]
	33953.57	(0.05)	13(10, 4)	-	12(10, 3)	[75054]
	33967.21	(0.05)	13(9, 5)	-	12(9, 4)	[75054]
	33986.16	(0.05)	13(8, 6)	-	12(8, 5)	[75054]
	34013.78	(0.05)	13(7, 7)	-	12(7, 6)	[75054]
	34056.88	(0.05)	13(6, 8)	-	12(6, 7)	[75054]
	34126.80	(0.05)	13(5, 9)	-	12(5, 8)	[75054]
	34133.61	(0.05)	13(5, 8)	-	12(5, 7)	[75054]
	34211.12	(0.05)	13(4,10)	-	12(4, 9)	[75054]
	34340.92	(0.05)	13(4, 9)	-	12(4, 8)	[75054]
	33059.63	(0.05)	13(2,12)	-	12(2,11)	[75054]
	35552.81	(0.05)	13(2,11)	-	12(2,10)	[75054]
	31334.21	(0.05)	12(10, 2)	-	11(10, 1)	[75054]
	31344.97	(0.05)	12(9, 3)	-	11(9, 2)	[75054]
	31360.01	(0.05)	12(8, 4)	-	11(8, 3)	[75054]
	31381.73	(0.05)	12(7, 5)	-	11(7, 4)	[75054]
	31415.56	(0.05)	12(6, 6)	-	11(6, 5)	[75054]
	31548.29	(0.05)	12(4, 9)	-	11(4, 8)	[75054]
	31623.22	(0.05)	12(4, 8)	-	11(4, 7)	[75054]
	30622.64	(0.05)	12(2,11)	-	11(2,10)	[75054]
	32854.42	(0.05)	12(2,10)	-	11(2, 9)	[75054]
	23521.24	(0.05)	9(6, 4)	-	8(6, 3)	[75054]

Table 82.1. Molecular constants of methylene cycloheptatriene (heptafulvene).

Species	A (MHz)	B (MHz)	C (MHz)	Reference
Rotational Constants				
Ground State	3666.011(155)	2004.2877(153)	1297.501(181)	[present]
v_{42} = 1	3654.53(59)	2008.489(56)	1302.525(99)	[76055]
v_{42} = 2	3640.46(95)	2012.436(96)	1307.64(10)	[76055]
v_{42} = 3	3620.9(1.3)	2015.72(25)	1313.47(27)	[76055]
v_{42} = 4	3617.9(2.4)	2020.74(26)	1317.34(29)	[76055]
Electric Dipole Moment [76055]				
μ_a	0.4765(50) D			

TABLE 82.2. Microwave spectrum of methylene cycloheptatriene C_8H_8



Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Vib. state	Ref.
	26997.75	(0.05)	8(7, 2) - 7(7, 1)		[76055]
	27121.35	(0.05)	8(6, 3) - 7(6, 2)		[76055]
	27125.91	(0.05)	8(6, 2) - 7(6, 1)		[76055]
	27303.05	(0.05)	8(4, 5) - 7(4, 4)		[76055]
	28261.98	(0.05)	8(4, 4) - 7(4, 3)		[76055]
	30358.90	(0.05)	9(8, 2) - 8(8, 1)		[76055]
	30473.17	(0.05)	9(7, 3) - 8(7, 2)		[76055]
	30473.57	(0.05)	9(7, 2) - 8(7, 1)		[76055]
	30651.91	(0.05)	9(4, 6) - 8(4, 5)		[76055]
	30839.76	(0.05)	9(5, 5) - 8(5, 4)		[76055]
	31139.00	(0.05)	9(5, 4) - 8(5, 3)		[76055]
	32404.76	(0.05)	9(4, 5) - 8(4, 4)		[76055]
	33720.78	(0.05)	10(9, 2) - 9(9, 1)		[76055]
	33827.18	(0.05)	10(8, 3) - 9(8, 2)		[76055]
	33874.78	(0.05)	10(4, 7) - 9(4, 6)		[76055]
	33984.48	(0.05)	10(7, 4) - 9(7, 3)		[76055]
	33987.93	(0.05)	10(7, 3) - 9(7, 2)		[76055]
	34210.08	(0.05)	10(6, 5) - 9(6, 4)		[76055]
	34281.14	(0.05)	10(6, 4) - 9(6, 3)		[76055]
	34367.29	(0.05)	10(5, 6) - 9(5, 5)		[76055]
	35086.67	(0.05)	10(5, 5) - 9(5, 4)		[76055]
	36504.90	(0.05)	10(4, 6) - 9(4, 5)		[76055]
	37083.16	(0.05)	11(10, 2) - 10(10, 1)		[76055]
	37183.66	(0.05)	11(9, 3) - 10(9, 2)		[76055]
	37326.53	(0.05)	11(8, 4) - 10(8, 3)		[76055]
	37326.87	(0.05)	11(8, 3) - 10(8, 2)		[76055]
	37535.81	(0.05)	11(7, 5) - 10(7, 4)		[76055]
	37550.12	(0.05)	11(7, 4) - 10(7, 3)		[76055]
	37802.09	(0.05)	11(6, 6) - 10(6, 5)		[76055]
	37832.93	(0.05)	11(5, 7) - 10(5, 6)		[76055]
	38009.38	(0.05)	11(6, 5) - 10(6, 4)		[76055]
	39257.39	(0.05)	11(5, 6) - 10(5, 5)		[76055]
	27199.25	(0.05)	8(6, 3) - 7(6, 2)	$1\nu_{42}$	[76055]
	27203.86	(0.05)	8(6, 2) - 7(6, 1)	$1\nu_{42}$	[76055]
	30445.51	(0.05)	9(8, 2) - 8(8, 1)	$1\nu_{42}$	[76055]
	34308.77	(0.05)	10(6, 5) - 9(6, 4)	$1\nu_{42}$	[76055]
	35197.46	(0.05)	10(5, 5) - 9(5, 4)	$1\nu_{42}$	[76055]
	36607.11	(0.05)	10(4, 6) - 9(4, 5)	$1\nu_{42}$	[76055]
	37188.92	(0.05)	11(10, 2) - 10(10, 1)	$1\nu_{42}$	[76055]
	37290.09	(0.05)	11(9, 3) - 10(9, 2)	$1\nu_{42}$	[76055]
	37644.39	(0.05)	11(7, 5) - 10(7, 4)	$1\nu_{42}$	[76055]
	37659.20	(0.05)	11(7, 4) - 10(7, 3)	$1\nu_{42}$	[76055]
	37910.62	(0.05)	11(6, 6) - 10(6, 5)	$1\nu_{42}$	[76055]
	37934.70	(0.05)	11(5, 7) - 10(5, 6)	$1\nu_{42}$	[76055]
	38124.36	(0.05)	11(6, 5) - 10(6, 4)	$1\nu_{42}$	[76055]
	39384.39	(0.05)	11(5, 6) - 10(5, 5)	$1\nu_{42}$	[76055]
	37293.7	(0.1)	11(10, 2) - 10(10, 1)	$2\nu_{42}$	[76055]
	37395.3	(0.1)	11(9, 3) - 10(9, 2)	$2\nu_{42}$	[76055]
	37540.0	(0.1)	11(8, 4) - 10(8, 3)	$2\nu_{42}$	[76055]
	37540.5	(0.1)	11(8, 3) - 10(8, 2)	$2\nu_{42}$	[76055]
	37751.5	(0.1)	11(7, 5) - 10(7, 4)	$2\nu_{42}$	[76055]
	38017.8	(0.1)	11(6, 6) - 10(6, 5)	$2\nu_{42}$	[76055]
	38238.3	(0.1)	11(6, 5) - 10(6, 4)	$2\nu_{42}$	[76055]
	37397.9	(0.1)	11(10, 2) - 10(10, 1)	$3\nu_{42}$	[76055]
	37500.0	(0.1)	11(9, 3) - 10(9, 2)	$3\nu_{42}$	[76055]
	37645.4	(0.1)	11(8, 4) - 10(8, 3)	$3\nu_{42}$	[76055]
	37646.1	(0.1)	11(8, 3) - 10(8, 2)	$3\nu_{42}$	[76055]
	37874.5	(0.1)	11(7, 4) - 10(7, 3)	$3\nu_{42}$	[76055]
	38351.8	(0.1)	11(6, 5) - 10(6, 4)	$3\nu_{42}$	[76055]
	37604.3	(0.1)	11(9, 3) - 10(9, 2)	$4\nu_{42}$	[76055]
	37965.0	(0.1)	11(7, 5) - 10(7, 4)	$4\nu_{42}$	[76055]
	37981.6	(0.1)	11(7, 4) - 10(7, 3)	$4\nu_{42}$	[76055]
	38465.1	(0.1)	11(6, 5) - 10(6, 4)	$4\nu_{42}$	[76055]

Table 83.1. Rotational constants for o-xylene. [73086]

o-Xylene Species	A (MHz)	B (MHz)	C (MHz)	V_3 (cm^{-1})
Rotational Constants				
$CH_3C_6H_4CH_3$	3163.930(50)	2150.069(5)	1300.835(5)	519.(3)
sym-$CH_2DC_6H_4CH_3$	3045.778(100)	2123.611(10)	1271.100(10)	528.(9)
asy-$CDH_2C_6H_4CH_3$	3123.019(100)	2089.736(10)	1276.442(10)	521.(8)
sym-$CD_2HC_6H_4CH_3$	3085.147(100)	2032.070(10)	1253.577(10)	527.(8)
asy-$CHD_2C_6H_4CH_3$	3014.161(100)	2062.862(10)	1248.191(10)	474.(13)
$CD_3C_6H_4CH_3$	2984.204(100)	2005.184(10)	1226.690(10)	560.(24)
$^{13}CH_3C_6H_4CH_3$	3123.542(50)	2119.462(5)	1282.807(5)	518.(6)
$3d_1$-$CH_3C_6DH_3CH_3$	3048.552(50)	2145.490(10)	1279.293(5)	518.(11)
$4d_1$-$CH_3C_6H_3DCH_3$	3136.641(100)	2077.688(10)	1269.542(10)	527.(21)
			V_3(ave) =	521.(17)
Electric Dipole Moment (normal species)				
μ_a (D)	0.640(5)			

TABLE 83.2. Microwave spectrum of ortho-xylene C_8H_{10}

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$	-	$J''(K_{-1},K_{+1})$	Sym.	Ref.
$C(CH_3)(CH)_4CCH_3$	9214.140	(0.030)	3(0, 3)	-	2(0, 2)		[73086]
	10898.76	(0.05)	49(24,25)	-	49(24,26)	*AA*	[73086]
	10901.46	(0.05)	49(24,25)	-	49(24,26)	*EE*	[73086]
	10903.84	(0.05)	49(24,25)	-	49(24,26)	*EA*	[73086]
	10904.38	(0.05)	49(24,25)	-	49(24,26)	*AE*	[73086]
	11198.00	(0.05)	47(23,25)	-	47(23,24)	*AA*	[73086]
	11200.59	(0.05)	47(23,25)	-	47(23,24)	*EE*	[73086]
	11202.97	(0.05)	47(23,25)	-	47(23,24)	*EA*	[73086]
	11203.47	(0.05)	47(23,25)	-	47(23,24)	*AE*	[73086]
	11334.277	(0.030)	3(1, 2)	-	2(1, 1)		[73086]
	11477.79	(0.05)	45(22,23)	-	45(22,24)	*AA*	[73086]
	11480.34	(0.05)	45(22,23)	-	45(22,24)	*AA*	[73086]
	11482.64	(0.05)	45(22,23)	-	45(22,24)	*EA*	[73086]
	11483.10	(0.05)	45(22,23)	-	45(22,24)	*AE*	[73086]
	11548.57	(0.05)	19(9,10)	-	19(9,11)	*AA*	[73086]
	11549.26	(0.05)	19(9,10)	-	19(9,11)	*EE*	[73086]
	11549.90	(0.05)	19(9,10)	-	19(9,11)	*EA+AE*	[73086]
	11604.253	(0.030)	4(1, 4)	-	3(1, 3)		[73086]
	11734.69	(0.05)	43(21,22)	-	43(21,23)	*AA*	[73086]
	11737.14	(0.05)	43(21,22)	-	43(21,23)	*EE*	[73086]
	11738.564	(0.030)	4(0, 4)	-	3(0, 3)		[73086]
	11739.39	(0.05)	43(21,22)	-	43(21,23)	*EA*	[73086]
	11739.80	(0.05)	43(21,22)	-	43(21,23)	*AE*	[73086]
	11894.54	(0.05)	21(10,11)	-	21(10,12)	*AA*	[73086]
	11895.35	(0.05)	21(10,11)	-	21(10,12)	*EE*	[73086]
	11896.13	(0.05)	21(10,11)	-	21(10,12)	*EA+AE*	[73086]
	11965.04	(0.05)	41(20,21)	-	41(20,22)	*AA*	[73086]
	11967.38	(0.05)	41(20,21)	-	41(20,22)	*EE*	[73086]
	11969.55	(0.05)	41(20,21)	-	41(20,22)	*EA*	[73086]
	11969.90	(0.05)	41(20,21)	-	41(20,22)	*AE*	[73086]
	12163.66	(0.05)	23(11,12)	-	23(11,13)	*AA*	[73086]
	12164.66	(0.05)	23(11,12)	-	23(11,13)	*EE*	[73086]
	12164.94	(0.05)	39(19,20)	-	39(19,21)	*AA*	[73086]
	12165.61	(0.05)	23(11,12)	-	23(11,13)	*EA+AE*	[73086]
	12167.18	(0.05)	39(19,20)	-	39(19,21)	*EE*	[73086]
	12169.23	(0.05)	39(19,20)	-	39(19,21)	*EA*	[73086]
	12169.53	(0.05)	39(19,20)	-	39(19,21)	*AE*	[73086]
	12330.47	(0.05)	37(18,19)	-	37(18,20)	*AA*	[73086]
	12332.54	(0.05)	37(18,19)	-	37(18,20)	*EE*	[73086]
	12334.46	(0.05)	37(18,19)	-	37(18,20)	*EA*	[73086]
	12334.81	(0.05)	37(18,19)	-	37(18,20)	*AE*	[73086]
	12338.75	(0.05)	6(2, 4)	-	6(4, 3)	*EA+AE*	[73086]
	12339.30	(0.05)	6(2, 4)	-	6(4, 3)	*EE*	[73086]
	12339.89	(0.05)	6(2, 4)	-	6(4, 3)	*AA*	[73086]
	12361.57	(0.05)	25(12,13)	-	25(12,14)	*AA*	[73086]
	12362.70	(0.05)	25(12,13)	-	25(12,14)	*EE*	[73086]
	12363.82	(0.05)	25(12,13)	-	25(12,14)	*EA*	[73086]
	12363.91	(0.05)	25(12,13)	-	25(12,14)	*AE*	[73086]
	12457.48	(0.05)	35(17,18)	-	35(17,19)	*AA*	[73086]
	12459.42	(0.05)	35(17,18)	-	35(17,19)	*EE*	[73086]
	12461.24	(0.05)	35(17,18)	-	35(17,19)	*EA*	[73086]
	12461.49	(0.05)	35(17,18)	-	35(17,19)	*AE*	[73086]
	12493.43	(0.05)	27(13,14)	-	27(13,15)	*AA*	[73086]
	12494.73	(0.05)	27(13,14)	-	27(13,15)	*EE*	[73086]
	12495.97	(0.05)	27(13,14)	-	27(13,15)	*EA*	[73086]
	12496.12	(0.05)	27(13,14)	-	27(13,15)	*AE*	[73086]
	12541.69	(0.05)	33(16,17)	-	33(16,18)	*AA*	[73086]
	12543.50	(0.05)	33(16,17)	-	33(16,18)	*EE*	[73086]
	12545.12	(0.05)	33(16,17)	-	33(16,18)	*EA*	[73086]
	12545.43	(0.05)	33(16,17)	-	33(16,18)	*AE*	[73086]
	12564.26	(0.05)	29(14,15)	-	29(14,16)	*AA*	[73086]
	12565.72	(0.05)	29(14,15)	-	29(14,16)	*EE*	[73086]
	12567.13	(0.05)	29(14,15)	-	29(14,16)	*EA*	[73086]
	12567.27	(0.05)	29(14,16)	-	29(14,15)	*AE*	[73086]
	12578.79	(0.05)	31(15,16)	-	31(15,17)	*AA*	[73086]
	12580.42	(0.05)	31(15,16)	-	31(15,17)	*EE*	[73086]
	12581.98	(0.05)	31(15,16)	-	31(15,17)	*EA*	[73086]
	12582.16	(0.05)	31(15,16)	-	31(15,17)	*AE*	[73086]

TABLE 83.2. Microwave spectrum of ortho-xylene — Continued C_8H_{10}

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$	-	$J''(K_{-1},K_{+1})$	Sym.	Ref.
	13515.960	(0.030)	4(2, 3)	-	3(2, 2)		[73086]
	14249.350	(0.030)	5(1, 5)	-	4(1, 4)		[73086]
	14292.463	(0.030)	5(0, 5)	-	4(0, 4)		[73086]
	14471.229	(0.030)	4(1, 3)	-	3(1, 2)		[73086]
	15125.10	(0.05)	9(3, 6)	-	9(5, 5)	*EA+AE*	[73086]
	15125.75	(0.05)	9(3, 6)	-	9(5, 5)	*EE*	[73086]
	15126.41	(0.05)	9(3, 6)	-	9(5, 5)	*AA*	[73086]
	15339.59	(0.05)	16(7, 9)	-	16(7,10)	*AA*	[73086]
	15339.91	(0.05)	16(7, 9)	-	16(7,10)	*EE*	[73086]
	15340.10	(0.05)	16(7, 9)	-	16(7,10)	*EA+AE*	[73086]
	15363.90	(0.05)	8(3, 5)	-	8(5, 4)	*AE*	[73086]
	15364.28	(0.05)	8(3, 5)	-	8(5, 4)	*EA*	[73086]
	15364.91	(0.05)	8(3, 5)	-	8(5, 4)	*EE*	[73086]
	15365.78	(0.05)	8(3, 5)	-	8(5, 4)	*AA*	[73086]
	15556.680	(0.030)	4(2, 2)	-	3(2, 1)		[73086]
	16479.525	(0.030)	5(2, 4)	-	4(2, 3)		[73086]
	16861.91	(0.05)	20(9,11)	-	20(9,12)	*AA*	[73086]
	16862.45	(0.05)	20(9,11)	-	20(9,12)	*EE*	[73086]
	16863.04	(0.05)	20(9,11)	-	20(9,12)	*EA+AE*	[73086]
	17476.54	(0.05)	22(10,12)	-	22(10,13)	*AA*	[73086]
	17477.27	(0.05)	22(10,12)	-	22(10,13)	*EE*	[73086]
	17477.99	(0.05)	22(10,12)	-	22(10,13)	*EA+AE*	[73086]
	17999.82	(0.05)	24(11,13)	-	24(11,14)	*AA*	[73086]
	18000.71	(0.05)	24(11,13)	-	24(11,14)	*EE*	[73086]
	18001.63	(0.05)	24(11,13)	-	24(11,14)	*EA+AE*	[73086]
	18435.88	(0.05)	26(12,14)	-	26(12,15)	*AA*	[73086]
	18436.99	(0.05)	26(12,14)	-	26(12,15)	*EE*	[73086]
	18438.08	(0.05)	26(12,14)	-	26(12,15)	*EA+AE*	[73086]
	18578.68	(0.05)	48(23,25)	-	48(23,26)	*AA*	[73086]
	18581.88	(0.05)	48(23,25)	-	48(23,26)	*EE*	[73086]
	18585.01	(0.05)	48(23,25)	-	48(23,26)	*EA*	[73086]
	18585.18	(0.05)	48(23,25)	-	48(23,26)	*AE*	[73086]
	18788.80	(0.05)	28(13,15)	-	28(13,16)	*AA*	[73086]
	18790.12	(0.05)	28(13,15)	-	28(13,16)	*EE*	[73086]
	18791.40	(0.05)	28(13,15)	-	28(13,16)	*EA+AE*	[73086]
	18848.52	(0.05)	46(22,24)	-	46(22,25)	*AA*	[73086]
	18851.58	(0.05)	46(22,24)	-	46(22,25)	*EE*	[73086]
	18854.56	(0.05)	46(22,24)	-	46(22,25)	*EA*	[73086]
	18854.72	(0.05)	46(22,24)	-	46(22,25)	*AE*	[73086]
	19062.45	(0.05)	30(14,16)	-	30(14,17)	*AA*	[73086]
	19063.92	(0.05)	30(14,16)	-	30(14,17)	*EE*	[73086]
	19065.43	(0.05)	30(14,16)	-	30(14,17)	*EA+AE*	[73086]
	19073.36	(0.05)	44(21,23)	-	44(21,24)	*AA*	[73086]
	19076.26	(0.05)	44(21,23)	-	44(21,24)	*EE*	[73086]
	19079.17	(0.05)	44(21,23)	-	44(21,24)	*EA+AE*	[73086]
	19249.32	(0.05)	42(20,22)	-	42(20,23)	*AA*	[73086]
	19252.06	(0.05)	42(20,22)	-	42(20,23)	*EE*	[73086]
	19254.73	(0.05)	42(20,22)	-	42(20,23)	*EA+AE*	[73086]
	19260.52	(0.05)	32(15,17)	-	32(15,18)	*AA*	[73086]
	19262.23	(0.05)	32(15,17)	-	32(15,18)	*EE*	[73086]
	19263.96	(0.05)	32(15,17)	-	32(15,18)	*EA+AE*	[73086]
	19372.52	(0.05)	40(19,21)	-	40(19,22)	*AA*	[73086]
	19375.06	(0.05)	40(19,21)	-	40(19,22)	*EE*	[73086]
	19377.56	(0.05)	40(19,21)	-	40(19,22)	*EA+AE*	[73086]
	19386.78	(0.05)	34(16,18)	-	34(16,19)	*AA*	[73086]
	19388.70	(0.05)	34(16,18)	-	34(16,19)	*EE*	[73086]
	19390.68	(0.05)	34(16,18)	-	34(16,19)	*EA+AE*	[73086]
	19439.05	(0.05)	38(18,22)	-	38(18,21)	*AA*	[73086]
	19441.36	(0.05)	38(18,22)	-	38(18,21)	*EE*	[73086]
	19443.68	(0.05)	38(18,21)	-	38(18,20)	*EA+AE*	[73086]
	19445.11	(0.05)	36(17,19)	-	36(17,20)	*AA*	[73086]
	19447.20	(0.05)	36(17,19)	-	36(17,20)	*EE*	[73086]
	19449.31	(0.05)	36(17,19)	-	36(17,20)	*EA+AE*	[73086]
$C(CH_2D)(CH)_4CCH_3$	8995.630	(0.030)	3(0, 3)	-	2(0, 2)		[73086]
	11144.060	(0.030)	3(1, 2)	-	2(1, 1)		[73086]
	11349.395	(0.030)	4(1, 4)	-	3(1, 3)		[73086]
	11372.54	(0.05)	28(14,14)	-	28(14,15)	*A*	[73086]

TABLE 83.2. Microwave spectrum of ortho-xylene — Continued C_8H_{10}

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$	-	$J''(K_{-1},K_{+1})$	Sym.	Ref.
	11373.34	(0.05)	28(14,14)	-	28(14,15)	*E*	[73086]
	11460.800	(0.030)	4(0, 4)	-	3(0, 3)		[73086]
	11755.69	(0.05)	30(15,15)	-	30(15,16)	*A*	[73086]
	11756.64	(0.05)	30(15,15)	-	30(15,16)	*E*	[73086]
	12110.08	(0.05)	32(16,16)	-	32(16,17)	*A*	[73086]
	12111.20	(0.05)	32(16,16)	-	32(16,17)	*E*	[73086]
	12437.07	(0.05)	34(17,17)	-	34(17,18)	*A*	[73086]
	12438.25	(0.05)	34(17,17)	-	34(17,18)	*E*	[73086]
	12737.81	(0.05)	36(18,18)	-	36(18,19)	*A*	[73086]
	12739.12	(0.05)	36(18,18)	-	36(18,19)	*E*	[73086]
	13013.46	(0.05)	38(19,19)	-	38(19,20)	*A*	[73086]
	13014.87	(0.05)	38(19,19)	-	38(19,20)	*E*	[73086]
	13265.16	(0.05)	40(20,20)	-	40(20,21)	*A*	[73086]
	13266.62	(0.05)	40(20,20)	-	40(20,21)	*E*	[73086]
	13270.365	(0.030)	4(2, 3)	-	3(2, 2)		[73086]
	13493.79	(0.05)	42(21,21)	-	42(21,22)	*A*	[73086]
	13495.42	(0.05)	42(21,21)	-	42(21,22)	*E*	[73086]
	13700.40	(0.05)	44(22,22)	-	44(22,23)	*A*	[73086]
	13702.17	(0.05)	44(22,22)	-	44(22,23)	*E*	[73086]
	13885.95	(0.05)	46(23,23)	-	46(23,24)	*A*	[73086]
	13887.75	(0.05)	46(23,23)	-	46(23,24)	*E*	[73086]
	13928.385	(0.030)	5(1, 5)	-	4(1, 4)		[73086]
	13961.560	(0.030)	5(0, 5)	-	4(0, 4)		[73086]
	14051.19	(0.05)	48(24,24)	-	48(24,25)	*A*	[73086]
	14053.06	(0.05)	48(24,24)	-	48(24,25)	*E*	[73086]
	14165.080	(0.030)	4(1, 3)	-	3(1, 2)		[73086]
	15358.350	(0.030)	4(2, 2)	-	3(2, 1)		[73086]
	16148.740	(0.030)	5(2, 4)	-	4(2, 3)		[73086]
$C(CDH_2)(CH)_4CCH_3$	9036.500	(0.030)	3(0, 3)	-	2(0, 2)		[73086]
	9536.35	(0.05)	25(12,13)	-	25(12,14)	$+A$	[73086]
	9536.64	(0.05)	25(12,13)	-	25(12,14)	$-A$	[73086]
	9537.17	(0.05)	25(12,13)	-	25(12,14)	$+E$	[73086]
	9537.46	(0.05)	25(12,13)	-	25(12,14)	$-E$	[73086]
	11053.075	(0.030)	3(1, 2)	-	2(1, 1)		[73086]
	11371.620	(0.030)	4(1, 4)	-	3(1, 3)		[73086]
	11516.185	(0.030)	4(0, 4)	-	3(0, 3)		[73086]
	11757.51	(0.05)	46(22,24)	-	46(22,25)	*A*	[73086]
	11758.23	(0.05)	46(22,24)	-	46(22,25)	*A*	[73086]
	11759.47	(0.05)	46(22,24)	-	46(22,25)	*E*	[73086]
	11760.26	(0.05)	46(22,24)	-	46(22,25)	*E*	[73086]
	12795.34	(0.05)	42(20,22)	-	42(20,23)	*A*	[73086]
	12796.05	(0.05)	42(20,22)	-	42(20,23)	*A*	[73086]
	12797.21	(0.05)	42(20,22)	-	42(20,23)	*E*	[73086]
	12797.90	(0.05)	42(20,22)	-	42(20,23)	*E*	[73086]
	13200.820	(0.030)	4(2, 3)	-	3(2, 2)		[73086]
	13708.06	(0.05)	38(18,20)	-	38(18,21)	*A*	[73086]
	13708.70	(0.05)	38(18,20)	-	38(18,21)	*A*	[73086]
	13709.73	(0.05)	38(18,20)	-	38(18,21)	*E*	[73086]
	13710.37	(0.05)	38(18,20)	-	38(18,21)	*E*	[73086]
	13970.620	(0.030)	5(1, 5)	-	4(1, 4)		[73086]
	14019.235	(0.030)	5(0, 5)	-	4(0, 4)		[73086]
	14153.230	(0.030)	4(1, 3)	-	3(1; 2)		[73086]
	14913.30	(0.05)	30(14,16)	-	30(14,17)	$-A$	[73086]
	14913.76	(0.05)	30(14,16)	-	30(14,17)	$+A$	[73086]
	14914.45	(0.05)	30(14,16)	-	30(14,17)	$-E$	[73086]
	14914.98	(0.05)	30(14,16)	-	30(14,17)	$+E$	[73086]
	15080.73	(0.05)	26(12,14)	-	26(12,15)	$-A$	[73086]
	15081.10	(0.05)	26(12,14)	-	26(12,15)	$+A$	[73086]
	15081.62	(0.05)	26(12,14)	-	26(12,15)	$-E$	[73086]
	15081.92	(0.05)	26(12,14)	-	26(12,15)	$+E$	[73086]
	15128.935	(0.030)	4(2, 2)	-	3(2, 1)		[73086]
	16116.645	(0.030)	5(2, 4)	-	4(2, 3)		[73086]
$C(CD_2H)(CH)_4CCH_3$	8868.410	(0.030)	3(0, 3)	-	2(0, 2)		[73086]
	9504.02	(0.05)	36(17,19)	-	36(17,20)	*A*	[73086]
	9505.02	(0.05)	36(17,19)	-	36(17,20)	*E*	[73086]
	10609.18	(0.05)	32(15,17)	-	32(15,18)	*A*	[73086]
	10610.04	(0.05)	32(15,17)	-	32(15,18)	*E*	[73086]

TABLE 83.2. Microwave spectrum of ortho-xylene — Continued C_8H_{10}

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$	-	$J''(K_{-1},K_{+1})$	Sym.	Ref.
	10784.050	(0.030)	3(1, 2)	-	2(1, 1)		[73086]
	11099.82	(0.05)	30(14,16)	-	30(14,17)	*A*	[73086]
	11100.58	(0.05)	30(14,16)	-	30(14,17)	*E*	[73086]
	11151.940	(0.030)	4(1, 4)	-	3(1, 3)		[73086]
	11307.060	(0.030)	4(0, 4)	-	3(0, 3)		[73086]
	11531.90	(0.05)	28(13,15)	-	28(13,16)	*A*	[73086]
	11532.59	(0.05)	28(13,15)	-	28(13,16)	*E*	[73086]
	11753.66	(0.05)	47(22,25)	-	47(22,26)	*A*	[73086]
	11755.16	(0.05)	47(22,25)	-	47(22,26)	*E*	[73086]
	12561.81	(0.05)	45(21,24)	-	45(21,25)	*A*	[73086]
	12563.24	(0.05)	45(21,24)	-	45(21,25)	*E*	[73086]
	12900.850	(0.030)	4(2, 3)	-	3(2, 2)		[73086]
	13355.68	(0.05)	43(20,23)	-	43(20,24)	*A*	[73086]
	13357.07	(0.05)	43(20,23)	-	43(20,24)	*E*	[73086]
	13707.940	(0.030)	5(1, 5)	-	4(1, 4)		[73086]
	13762.460	(0.030)	5(0, 5)	-	4(0, 4)		[73086]
	13847.890	(0.030)	4(1, 3)	-	3(1, 2)		[73086]
	14123.10	(0.05)	41(19,22)	-	41(19,23)	*A*	[73086]
	14124.46	(0.05)	41(19,22)	-	41(19,23)	*E*	[73086]
	14719.355	(0.030)	4(2, 2)	-	3(2, 1)		[73086]
	14851.23	(0.05)	39(18,21)	-	39(18,22)	*A*	[73086]
	14852.49	(0.05)	39(18,21)	-	39(18,22)	*E*	[73086]
	15527.05	(0.05)	37(17,20)	-	37(17,21)	*A*	[73086]
	15528.23	(0.05)	37(17,20)	-	37(17,21)	*E*	[73086]
	15771.220	(0.030)	5(2, 4)	-	4(2, 3)		[73086]
$C(CHD_2)(CH)_4CCH_3$	8830.995	(0.030)	3(0, 3)	-	2(0, 2)		[73086]
	10869.480	(0.030)	3(1, 2)	-	2(1, 1)		[73086]
	11129.665	(0.030)	4(1, 4)	-	3(1, 3)		[73086]
	11253.215	(0.030)	4(0, 4)	-	3(0, 3)		[73086]
	12601.49	(0.05)	49(24,25)	-	49(24,26)	*A*	[73086]
	12602.72	(0.05)	49(24,25)	-	49(24,26)	*E*	[73086]
	12696.54	(0.05)	25(12,13)	-	25(12,14)	*A*	[73086]
	12696.87	(0.05)	25(12,13)	-	25(12,14)	*E*	[73086]
	12801.07	(0.05)	47(23,24)	-	47(23,25)	*A*	[73086]
	12802.20	(0.05)	47(23,24)	-	47(23,25)	*E*	[73086]
	12937.46	(0.05)	27(13,14)	-	27(13,15)	*A*	[73086]
	12937.90	(0.05)	27(13,14)	-	27(13,15)	*E*	[73086]
	12964.065	(0.030)	4(2, 3)	-	3(2, 2)		[73086]
	12975.57	(0.05)	45(22,23)	-	45(22,24)	*A*	[73086]
	12976.65	(0.05)	45(22,23)	-	45(22,24)	*E*	[73086]
	13238.34	(0.05)	41(20,21)	-	41(20,22)	*A*	[73086]
	13239.37	(0.05)	41(20,21)	-	41(20,22)	*E*	[73086]
	13253.93	(0.05)	31(15,16)	-	31(15,17)	*A*	[73086]
	13254.58	(0.05)	31(15,16)	-	31(15,17)	*E*	[73086]
	13320.84	(0.05)	39(19,20)	-	39(19,21)	*A*	[73086]
	13321.76	(0.05)	39(19,20)	-	39(19,21)	*E*	[73086]
	13336.48	(0.05)	33(16,17)	-	33(16,18)	*A*	[73086]
	13337.19	(0.05)	33(16,17)	-	33(16,18)	*E*	[73086]
	13366.73	(0.05)	37(18,19)	-	37(18,20)	*A*	[73086]
	13367.61	(0.05)	37(18,19)	-	37(18,20)	*E*	[73086]
	13373.01	(0.05)	35(17,18)	-	35(17,19)	*A*	[73086]
	13373.78	(0.05)	35(17,18)	-	35(17,19)	*E*	[73086]
	13666.220	(0.030)	5(1, 5)	-	4(1, 4)		[73086]
	13705.220	(0.030)	5(0, 5)	-	4(0, 4)		[73086]
	13866.850	(0.030)	4(1, 3)	-	3(1, 2)		[73086]
	14930.625	(0.030)	4(2, 2)	-	3(2, 1)		[73086]
	15801.810	(0.030)	5(2, 4)	-	4(2, 3)		[73086]
	19039.35	(0.05)	28(13,15)	-	28(13,16)	*A*	[73086]
	19039.69	(0.05)	28(13,15)	-	28(13,16)	*E*	[73086]
	19446.40	(0.05)	30(14,16)	-	30(14,17)	*A*	[73086]
	19446.86	(0.05)	30(14,16)	-	30(14,17)	*E*	[73086]
	19786.84	(0.05)	32(15,17)	-	32(15,18)	*A*	[73086]
	19787.36	(0.05)	32(15,17)	-	32(15,18)	*E*	[73086]
	20278.34	(0.05)	36(17,19)	-	36(17,20)	*A*	[73086]
	20279.12	(0.05)	36(17,19)	-	36(17,20)	*E*	[73086]
	20426.65	(0.05)	48(23,25)	-	48(23,26)	*A*	[73086]
	20427.99	(0.05)	48(23,25)	-	48(23,26)	*E*	[73086]

TABLE 83.2. Microwave spectrum of ortho-xylene — Continued C_8H_{10}

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Sym.	Ref.
	20434.72	(0.05)	38(18,20) - 38(18,21)	*A*	[73086]
	20435.59	(0.05)	38(18,20) - 38(18,21)	*E*	[73086]
	20524.83	(0.05)	46(22,24) - 46(22,25)	*A*	[73086]
	20526.04	(0.05)	46(22,24) - 46(22,25)	*E*	[73086]
	20534.96	(0.05)	40(19,21) - 40(19,22)	*A*	[73086]
	20535.86	(0.05)	40(19,21) - 40(19,22)	*E*	[73086]
	20577.32	(0.05)	44(21,23) - 44(21,24)	*A*	[73086]
	20578.43	(0.05)	44(21,23) - 44(21,24)	*E*	[73086]
	20581.61	(0.05)	42(20,22) - 42(20,23)	*A*	[73086]
	20582.58	(0.05)	42(20,22) - 42(20,23)	*E*	[73086]
	27978.61	(0.05)	39(18,21) - 39(18,22)	*A*	[73086]
	27979.20	(0.05)	39(18,21) - 39(18,22)	*E*	[73086]
	28331.98	(0.05)	41(19,22) - 41(19,23)	*A*	[73086]
	28332.68	(0.05)	41(19,22) - 41(19,23)	*E*	[73086]
	28845.58	(0.05)	45(21,24) - 45(21,25)	*A*	[73086]
	28846.49	(0.05)	45(21,24) - 45(21,25)	*E*	[73086]
	29009.12	(0.05)	47(22,25) - 47(22,26)	*A*	[73086]
	29010.15	(0.05)	47(22,25) - 47(22,26)	*E*	[73086]
	29112.71	(0.05)	49(23,26) - 49(23,27)	*A*	[73086]
	29113.84	(0.05)	49(23,26) - 49(23,27)	*E*	[73086]
$C(CD_3)(CH)_4CCH_3$	8674.545	(0.030)	3(0, 3) - 2(0, 2)		[73086]
	10607.030	(0.030)	3(1, 2) - 2(1, 1)		[73086]
	10921.870	(0.030)	4(1, 4) - 3(1, 3)		[73086]
	11057.650	(0.030)	4(0, 4) - 3(0, 3)		[73086]
	11674.71	(0.05)	48(23,25) - 48(23,26)	*A*	[73086]
	11675.39	(0.05)	48(23,25) - 48(23,26)	*E*	[73086]
	12171.00	(0.05)	46(22,24) - 46(22,25)	*A*	[73086]
	12171.66	(0.05)	46(22,24) - 46(22,25)	*E*	[73086]
	12645.24	(0.05)	44(21,23) - 44(21,24)	*A*	[73086]
	12645.86	(0.05)	44(21,23) - 44(21,24)	*E*	[73086]
	12673.115	(0.030)	4(2, 3) - 3(2, 2)		[73086]
	13091.28	(0.05)	42(20,22) - 42(20,23)	*A*	[73086]
	13091.85	(0.05)	42(20,22) - 42(20,23)	*E*	[73086]
	13418.680	(0.030)	5(1, 5) - 4(1, 4)		[73086]
	13463.935	(0.030)	4(2, 3) - 3(2, 2)		[73086]
	13502.63	(0.05)	40(19,21) - 40(19,22)	*A*	[73086]
	13503.13	(0.05)	40(19,21) - 40(19,22)	*E*	[73086]
	13578.925	(0.030)	4(1, 3) - 3(1, 2)		[73086]
	13872.70	(0.05)	38(18,20) - 38(18,21)	*A*	[73086]
	13873.15	(0.05)	38(18,20) - 38(18,21)	*E*	[73086]
	14194.74	(0.05)	36(17,19) - 36(17,20)	*A*	[73086]
	14195.10	(0.05)	36(17,19) - 36(17,20)	*E*	[73086]
	14522.960	(0.030)	4(2, 2) - 3(2, 1)		[73086]
	14667.82	(0.05)	32(15,17) - 32(15,18)	*A*	[73086]
	14668.03	(0.05)	32(15,17) - 32(15,18)	*E*	[73086]
	15471.275	(0.030)	5(2, 4) - 4(2, 3)		[73086]
	18848.91	(0.05)	49(23,26) - 49(23,27)	*A*	[73086]
	18849.55	(0.05)	49(23,26) - 49(23,27)	*E*	[73086]
	19371.95	(0.05)	47(22,25) - 47(22,26)	*A*	[73086]
	19372.62	(0.05)	47(22,25) - 47(22,26)	*E*	[73086]
	19842.05	(0.05)	45(21,24) - 45(21,25)	*A*	[73086]
	19842.61	(0.05)	45(21,24) - 45(21,25)	*E*	[73086]
$C(^{13}CH_3)(CH)_4CCH_3$	9087.510	(0.030)	3(0, 3) - 2(0, 2)		[73086]
	11175.090	(0.030)	3(1, 2) - 2(1, 1)		[73086]
	11443.445	(0.030)	4(1, 4) - 3(1, 3)		[73086]
	11577.075	(0.030)	4(0, 4) - 3(0, 3)		[73086]
	11784.97	(0.05)	37(18,19) - 37(18,20)	*A*	[73086]
	11786.53	(0.05)	37(18,19) - 37(18,20)	E_{10}	[73086]
	11787.38	(0.05)	37(18,19) - 37(18,20)	E_{01}	[73086]
	11788.81	(0.05)	37(18,19) - 37(18,20)	E_{1-1}	[73086]
	11789.08	(0.05)	37(18,19) - 37(18,20)	E_{11}	[73086]
	11935.55	(0.05)	35(17,18) - 35(17,19)	*A*	[73086]
	11937.02	(0.05)	35(17,18) - 35(17,19)	E_{10}	[73086]
	11937.80	(0.05)	35(17,18) - 35(17,19)	E_{01}	[73086]
	11939.15	(0.05)	35(17,18) - 35(17,19)	E_{1-1}	[73086]
	11939.34	(0.05)	35(17,18) - 35(17,19)	E_{11}	[73086]
	11975.40	(0.05)	25(12,13) - 25(12,14)	*A*	[73086]

TABLE 83.2. Microwave spectrum of ortho-xylene — Continued C_8H_{10}

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Sym.	Ref.
	11976.24	(0.05)	25(12,13) - 25(12,14)	E_{10}	[73086]
	11976.72	(0.05)	25(12,13) - 25(12,14)	E_{01}	[73086]
	11977.59	(0.05)	25(12,13) - 25(12,14)	E_{1-1}	[73086]
	11977.59	(0.05)	25(12,13) - 25(12,14)	E_{11}	[73086]
	12044.79	(0.05)	33(16,17) - 33(16,18)	A	[73086]
	12046.16	(0.05)	33(16,17) - 33(16,18)	E_{10}	[73086]
	12046.90	(0.05)	33(16,17) - 33(16,18)	E_{01}	[73086]
	12048.14	(0.05)	33(16,17) - 33(16,18)	E_{1-1}	[73086]
	12048.37	(0.05)	33(16,17) - 33(16,18)	E_{11}	[73086]
	12078.37	(0.05)	27(13,14) - 27(13,15)	A	[73086]
	12079.37	(0.05)	27(13,14) - 27(13,15)	E_{10}	[73086]
	12079.92	(0.05)	27(13,14) - 27(13,15)	E_{01}	[73086]
	12080.90	(0.05)	27(13,14) - 27(13,15)	E_{1-1}	[73086]
	12080.90	(0.05)	27(13,14) - 27(13,15)	E_{11}	[73086]
	12108.26	(0.05)	31(15,16) - 31(15,17)	A	[73086]
	12109.47	(0.05)	31(15,16) - 31(15,17)	E_{10}	[73086]
	12110.10	(0.05)	31(15,16) - 31(15,17)	E_{01}	[73086]
	12111.32	(0.05)	31(15,16) - 31(15,17)	E_{1-1}	[73086]
	12111.47	(0.05)	31(15,16) - 31(15,17)	E_{11}	[73086]
	12120.98	(0.05)	29(14,15) - 29(14,16)	A	[73086]
	12122.09	(0.05)	29(14,15) - 29(14,16)	E_{10}	[73086]
	12122.70	(0.05)	29(14,15) - 29(14,16)	E_{01}	[73086]
	12123.82	(0.05)	29(14,15) - 29(14,16)	E_{1-1}	[73086]
	12123.82	(0.05)	29(14,15) - 29(14,16)	E_{11}	[73086]
	13326.695	(0.030)	4(2, 3) - 3(2, 2)		[73086]
	14052.205	(0.030)	5(1, 5) - 4(1, 4)		[73086]
	14095.255	(0.030)	5(0, 5) - 4(0, 4)		[73086]
	14271.110	(0.030)	4(1, 3) - 3(1, 2)		[73086]
	15335.000	(0.030)	4(2, 2) - 3(2, 1)		[73086]
	16250.270	(0.030)	5(2, 4) - 4(2, 3)		[73086]
$C(CH_3)CD(CH)_3CCH_3$	9049.980	(0.030)	3(0, 3) - 2(0, 2)		[73086]
	11239.680	(0.030)	3(1, 2) - 2(1, 1)		[73086]
	11425.810	(0.030)	4(1, 4) - 3(1, 3)		[73086]
	11531.020	(0.030)	4(0, 4) - 3(0, 3)		[73086]
	12627.19	(0.05)	26(13,13) - 26(13,14)	A	[73086]
	12628.22	(0.05)	26(13,13) - 26(13,14)	E_{10}	[73086]
	12628.57	(0.05)	26(13,13) - 26(13,14)	E_{01}	[73086]
	12629.63	(0.05)	26(13,13) - 26(13,14)	E_{1-1}	[73086]
	12629.63	(0.05)	26(13,13) - 26(13,14)	E_{11}	[73086]
	13249.18	(0.05)	28(14,14) - 28(14,15)	A	[73086]
	13250.29	(0.05)	28(14,14) - 28(14,15)	E_{10}	[73086]
	13250.86	(0.05)	28(14,14) - 28(14,15)	E_{01}	[73086]
	13252.02	(0.05)	28(14,14) - 28(14,15)	E_{1-1}	[73086]
	13252.02	(0.05)	28(14,14) - 28(14,15)	E_{11}	[73086]
	13378.005	(0.030)	4(2, 3) - 3(2, 2)		[73086]
	14019.450	(0.030)	5(1, 5) - 4(1, 4)		[73086]
	14049.870	(0.030)	5(0, 5) - 4(0, 4)		[73086]
	14262.320	(0.030)	4(1, 3) - 3(1, 2)		[73086]
	14429.51	(0.05)	32(16,16) - 32(16,17)	A	[73086]
	14431.04	(0.05)	32(16,16) - 32(16,17)	E_{10}	[73086]
	14431.56	(0.05)	32(16,16) - 32(16,17)	E_{01}	[73086]
	14433.03	(0.05)	32(16,16) - 32(16,17)	E_{1-1}	[73086]
	14433.03	(0.05)	32(16,16) - 32(16,17)	E_{11}	[73086]
	14989.51	(0.05)	34(17,17) - 34(17,18)	A	[73086]
	14991.13	(0.05)	34(17,17) - 34(17,18)	E_{10}	[73086]
	14991.78	(0.05)	34(17,17) - 34(17,18)	E_{01}	[73086]
	15513.190	(0.030)	4(2, 2) - 3(2, 1)		[73086]
	15530.59	(0.05)	36(18,18) - 36(18,19)	A	[73086]
	15532.58	(0.05)	36(18,18) - 36(18,19)	E_{10}	[73086]
	15533.15	(0.05)	36(18,18) - 36(18,19)	E_{01}	[73086]
	15534.82	(0.05)	36(18,18) - 36(18,19)	E_{1-1}	[73086]
	15534.82	(0.05)	36(18,18) - 36(18,19)	E_{11}	[73086]
	16268.005	(0.030)	5(2, 4) - 4(2, 3)		[73086]
$C(CH_3)CHCDCHCHCCH_3$	9000.650	(0.030)	3(0, 3) - 2(0, 2)		[73086]
	10997.105	(0.030)	3(1, 2) - 2(1, 1)		[73086]
	11315.665	(0.030)	4(1, 4) - 3(1, 3)		[73086]
	11467.660	(0.030)	4(0, 4) - 3(0, 3)		[73086]

TABLE 83.2. Microwave spectrum of ortho-xylene — Continued C_8H_{10}

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Sym.	Ref.
	13132.360	(0.030)	4(2, 3) - 3(2, 2)		[73086]
	13902.900	(0.030)	5(1, 5) - 4(1, 4)		[73086]
	13995.140	(0.030)	5(0, 5) - 4(0, 4)		[73086]
	14096.880	(0.030)	4(1, 3) - 3(1, 2)		[73086]
	15034.550	(0.030)	4(2, 2) - 3(2, 1)		[73086]
	16040.135	(0.030)	5(2, 4) - 4(2, 3)		[73086]
	19652.46	(0.05)	25(11,14) - 25(11,15)	A	[73086]
	19652.94	(0.05)	25(11,14) - 25(11,15)	E_{10}	[73086]
	19653.51	(0.05)	25(11,14) - 25(11,15)	E_{01}	[73086]
	19654.07	(0.05)	25(11,14) - 25(11,15)	E_{1-1}	[73086]
	19654.07	(0.05)	25(11,14) - 25(11,15)	E_{11}	[73086]
	19751.77	(0.05)	29(13,16) - 29(13,17)	A	[73086]
	19752.58	(0.05)	29(13,16) - 29(13,17)	E_{10}	[73086]
	19753.32	(0.05)	29(13,16) - 29(13,17)	E_{01}	[73086]
	19754.23	(0.05)	29(13,16) - 29(13,17)	E_{1-1}	[73086]
	19754.23	(0.05)	29(13,16) - 29(13,17)	E_{11}	[73086]
	19763.89	(0.05)	27(12,15) - 27(12,16)	A	[73086]
	19764.59	(0.05)	27(12,15) - 27(12,16)	E_{10}	[73086]
	19765.27	(0.05)	27(12,15) - 27(12,16)	E_{01}	[73086]
	19765.91	(0.05)	27(12,15) - 27(12,16)	E_{1-1}	[73086]
	19765.91	(0.05)	27(12,15) - 27(12,16)	E_{11}	[73086]

Table 84.1. Molecular constants of bicyclo[2.2.2]octadiene.

Parameter	Value
A (MHz)	2730.114(2)
B (MHz)	2650.520(2)
C (MHz)	2631.712(2)
D_J (MHz)	0.000212(20)
μ_c (D)	0.432(2)

TABLE 84.2. Microwave spectrum of bicyclo(2.2.2.)octadiene C_8H_{10}

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Ref.
CHCHCHCHCHCH$_2$CH$_2$	26656.46	(0.05)	5(1, 4) - 4(0, 4)	[83059]
	26669.20	(0.05)	5(2, 3) - 4(1, 3)	[83059]
	26770.07	(0.05)	5(2, 4) - 4(1, 4)	[83059]
	26840.26	(0.05)	5(3, 2) - 4(2, 2)	[83059]
	26872.65	(0.05)	5(3, 3) - 4(2, 3)	[83059]
	27034.25	(0.05)	5(4, 1) - 4(3, 1)	[83059]
	27036.07	(0.05)	5(4, 2) - 4(3, 2)	[83059]
	27212.55	(0.05)	5(5, 1) - 4(4, 1)	[83059]
	31085.02	(0.05)	6(3, 4) - 5(4, 2)	[83059]
	31203.62	(0.05)	6(1, 6) - 5(2, 4)	[83059]
	31211.95	(0.05)	6(2, 5) - 5(3, 3)	[83059]
	31337.09	(0.05)	6(0, 6) - 5(1, 4)	[83059]
	31354.03	(0.05)	6(2, 4) - 5(3, 2)	[83059]
	31490.92	(0.05)	6(1, 5) - 5(2, 3)	[83059]
	31972.19	(0.05)	6(2, 4) - 5(1, 4)	[83059]
	32008.61	(0.05)	6(1, 5) - 5(0, 5)	[83059]
	32096.42	(0.05)	6(2, 5) - 5(1, 5)	[83059]
	32108.11	(0.05)	6(3, 3) - 5(2, 3)	[83059]
	32170.72	(0.05)	6(3, 4) - 5(2, 4)	[83059]
	32313.75	(0.05)	6(4, 2) - 5(3, 2)	[83059]
	32320.56	(0.05)	6(4, 3) - 5(3, 3)	[83059]
	32495.52	(0.05)	6(5, 2) - 5(4, 2)	[83059]
	32672.71	(0.05)	6(6, 1) - 5(5, 1)	[83059]
	36367.61	(0.05)	7(3, 5) - 6(4, 3)	[83059]
	36408.46	(0.05)	7(1, 7) - 6(2, 5)	[83059]
	36418.16	(0.05)	7(3, 4) - 6(4, 2)	[83059]
	36462.63	(0.05)	7(2, 6) - 6(3, 4)	[83059]
	36508.14	(0.05)	7(0, 7) - 6(1, 5)	[83059]
	36673.52	(0.05)	7(2, 5) - 6(3, 3)	[83059]
	36733.34	(0.05)	7(1, 6) - 6(2, 4)	[83059]
	37290.68	(0.05)	7(2, 5) - 6(1, 5)	[83059]
	37368.42	(0.05)	7(1, 6) - 6(0, 6)	[83059]
	37377.83	(0.05)	7(3, 4) - 6(2, 4)	[83059]
	37429.73	(0.05)	7(2, 6) - 6(1, 6)	[83059]
	37476.18	(0.05)	7(3, 5) - 6(2, 5)	[83059]
	37588.27	(0.05)	7(4, 3) - 6(3, 3)	[83059]
	37606.95	(0.05)	7(4, 4) - 6(3, 4)	[83059]
	37777.58	(0.05)	7(5, 2) - 6(4, 2)	[83059]
	37778.48	(0.05)	7(5, 3) - 6(4, 3)	[83059]
	37955.71	(0.05)	7(6, 2) - 6(5, 2)	[83059]
	38132.85	(0.05)	7(7, 1) - 6(6, 1)	[83059]

Table 85.1. Molecular constants of bicyclo[2.2.2]octene.

Parameter	Value
A (MHz)	2576.737(4)
B (MHz)	2509.013(4)
C (MHz)	2462.283(8)
D_J (MHz)	0.000178(46)
μ_c (D)	0.253(1)

TABLE 85.2. Microwave spectrum of bicyclo(2.2.2.)octene C_8H_{12}

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Ref.
$CHCH_2CH_2CHCH_2CH_2CHCH$	30293.93	(0.05)	6(3, 3) - 5(2, 3)	[83059]
	30313.10	(0.05)	6(2, 4) - 5(1, 4)	[83059]
	30393.53	(0.05)	6(1, 5) - 5(0, 5)	[83059]
	30408.65	(0.05)	6(2, 5) - 5(1, 5)	[83059]
	30419.60	(0.05)	6(3, 4) - 5(2, 4)	[83059]
	30446.99	(0.05)	6(4, 2) - 5(3, 2)	[83059]
	30504.88	(0.05)	6(4, 3) - 5(3, 3)	[83059]
	30652.44	(0.05)	6(5, 1) - 5(4, 1)	[83059]
	30658.14	(0.05)	6(5, 2) - 5(4, 2)	[83059]
	30832.57	(0.05)	6(6, 0) - 5(5, 0)	[83059]
	30832.57	(0.05)	6(6, 1) - 5(5, 1)	[83059]
	35326.13	(0.05)	7(3, 4) - 6(2, 4)	[83059]
	35405.13	(0.05)	7(4, 3) - 6(3, 3)	[83059]
	35406.06	(0.05)	7(2, 5) - 6(1, 5)	[83059]
	35467.07	(0.05)	7(3, 5) - 6(2, 5)	[83059]
	35616.83	(0.05)	7(5, 2) - 6(4, 2)	[83059]
	35640.53	(0.05)	7(5, 3) - 6(4, 3)	[83059]
	35808.52	(0.05)	7(6, 1) - 6(5, 1)	[83059]
	35809.88	(0.05)	7(6, 2) - 6(5, 2)	[83059]
	35985.97	(0.05)	7(7, 1) - 6(6, 1)	[83059]
	35985.97	(0.05)	7(7, 0) - 6(6, 0)	[83059]

Table 86.1. Molecular constants of axial and equatorial ethynyl cyclohexane in the ground and lowest vibrational states.

Parameter	Equatorial Ground State [present]	Equatorial $v_{54} = 1$[a]	Axial Ground State [present]
A (MHz)	4246.15(10)	4194.6(1)	2994.441(6)
B (MHz)	1386.4511(16)	1387.459(2)	1730.834(8)
C (MHz)	1121.7067(13)	1122.864(2)	1540.004(5)
E (cm^{-1})[a]	0	130.(30)	600.(200)

[a]From reference [80036].

TABLE 86.2. Microwave spectrum of ethynyl cyclohexane C_8H_{12}

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Vib. state	Ref.
eq-CH(CCH)$(CH_2)_4CH_2$	18736.47	(0.05)	8(1, 8) - 7(1, 7)		[80036]
	18982.46	(0.05)	8(0, 8) - 7(0, 7)		[80036]
	19853.92	(0.05)	8(2, 7) - 7(2, 6)		[80036]
	20682.82	(0.05)	8(1, 7) - 7(1, 6)		[80036]
	20928.65	(0.05)	8(2, 6) - 7(2, 5)		[80036]
	21018.17	(0.05)	9(1, 9) - 8(1, 8)		[80036]
	21199.38	(0.05)	9(0, 9) - 8(0, 8)		[80036]
	22265.20	(0.05)	9(2, 8) - 8(2, 7)		[80036]
	23100.03	(0.05)	9(1, 8) - 8(1, 7)		[80036]
	23289.35	(0.05)	10(1,10) - 9(1, 9)		[80036]
	23416.70	(0.05)	10(0,10) - 9(0, 9)		[80036]
	23620.02	(0.05)	9(2, 7) - 8(2, 6)		[80036]
	24654.40	(0.05)	10(2, 9) - 9(2, 8)		[80036]
	25452.95	(0.05)	10(1, 9) - 9(1, 8)		[80036]
	25552.28	(0.05)	11(1,11) - 10(1,10)		[80036]
	25638.61	(0.05)	11(0,11) - 10(0,10)		[80036]
	26278.30	(0.05)	10(2, 8) - 9(2, 7)		[80036]
	18990.20	(0.05)	8(0, 8) - 7(0, 7)	$1\nu_{54}$	[80036]
	20951.73	(0.05)	8(2, 6) - 7(2, 5)	$1\nu_{54}$	[80036]
	20212.83	(0.05)	8(3, 6) - 7(3, 5)	$1\nu_{54}$	[80036]
	20389.58	(0.05)	8(3, 5) - 7(3, 4)	$1\nu_{54}$	[80036]
	23105.67	(0.05)	9(1, 8) - 8(1, 7)	$1\nu_{54}$	[80036]
	22279.78	(0.05)	9(2, 8) - 8(2, 7)	$1\nu_{54}$	[80036]
	23643.27	(0.05)	9(2, 7) - 8(2, 6)	$1\nu_{54}$	[80036]
	23052.40	(0.05)	9(3, 6) - 8(3, 5)	$1\nu_{54}$	[80036]
	23429.22	(0.05)	10(0,10) - 9(0, 9)	$1\nu_{54}$	[80036]
	23306.97	(0.05)	10(1,10) - 9(1, 9)	$1\nu_{54}$	[80036]
	25455.76	(0.05)	10(1, 9) - 9(1, 8)	$1\nu_{54}$	[80036]
	24669.48	(0.05)	10(2, 9) - 9(2, 8)	$1\nu_{54}$	[80036]
	26300.45	(0.05)	10(2, 8) - 9(2, 7)	$1\nu_{54}$	[80036]
	25653.93	(0.05)	11(0,11) - 10(0,10)	$1\nu_{54}$	[80036]
ax-CH(CCH)$(CH_2)_4CH_2$	16006.79	(0.10)	5(0, 5) - 4(0, 4)		[80036]
	16309.80	(0.10)	5(2, 4) - 4(2, 3)		[80036]
	16656.63	(0.10)	5(2, 3) - 4(2, 2)		[80036]
	16729.22	(0.10)	5(1, 4) - 4(1, 3)		[80036]
	18925.33	(0.10)	6(1, 6) - 5(1, 5)		[80036]
	19535.65	(0.10)	6(2, 5) - 5(2, 4)		[80036]
	19999.90	(0.10)	6(1, 5) - 5(1, 4)		[80036]
	22035.94	(0.10)	7(1, 7) - 6(1, 6)		[80036]
	22146.35	(0.10)	7(0, 7) - 6(0, 6)		[80036]
	22743.08	(0.10)	7(2, 6) - 6(2, 5)		[80036]
	22991.16	(0.10)	7(3, 5) - 6(3, 4)		[80036]
	22992.29	(0.10)	7(4, 4) - 6(4, 3)		[80036]
	23221.32	(0.10)	7(1, 6) - 6(1, 5)		[80036]
	25136.42	(0.10)	8(1, 8) - 7(1, 7)		[80036]
	25207.28	(0.10)	8(0, 8) - 7(0, 7)		[80036]
	25624.05	(0.10)	16(10, 7) - 16(9, 7)		[80036]
	25657.05	(0.10)	15(10, 6) - 15(9, 6)		[80036]
	26384.90	(0.10)	8(1, 7) - 7(1, 6)		[80036]

Table 87.1. Molecular constants of indene.

Parameter	Value
A (MHz)	3775.012(49)
B (MHz)	1580.859(2)
C (MHz)	1122.241(2)

TABLE 87.2. Microwave spectrum of indene C_9H_8

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Ref.
$CH_2CHCHC(CH)_4C$ 	21289.48	(0.10)	9(1, 9) - 8(1, 8)	[79036]
	21329.78	(0.10)	9(0, 9) - 8(0, 8)	[79036]
	23542.28	(0.10)	10(1,10) - 9(1, 9)	[79036]
	23562.72	(0.10)	10(0,10) - 9(0, 9)	[79036]
	23848.22	(0.10)	9(1, 8) - 8(1, 7)	[79036]
	24512.85	(0.10)	9(3, 7) - 8(3, 6)	[79036]
	24833.02	(0.10)	9(4, 6) - 8(4, 5)	[79036]
	25120.88	(0.10)	9(4, 5) - 8(4, 4)	[79036]
	25620.63	(0.10)	10(2, 9) - 9(2, 8)	[79036]
	25984.01	(0.10)	9(2, 7) - 8(2, 6)	[79036]
	26002.40	(0.10)	10(1, 9) - 9(1, 8)	[79036]
	26062.50	(0.10)	9(3, 6) - 8(3, 5)	[79036]

Table 88.1. Rotational analysis of azulene in the ground vibrational state.

Parameter		Value [present]
A''	(MHz)	2841.9543(59)
B''	(MHz)	1254.8449(32)
C''	(MHz)	870.7147(29)
τ_1	(kHz)	-1.018(800)
τ_2	(kHz)	-0.272(250)
τ_3[a]	(kHz)	3.33(200)
τ_{aaaa}	(kHz)	0.17(130)
τ_{bbbb}	(kHz)	-0.025(22)
τ_{cccc}	(kHz)	-0.068(214)

[a]Value fixed by setting $R_6 = 0$.

Table 88.2. Molecular constants for azulene in the ground and excited vibrational states. [72069]

Parameter		Ground	Vibrational State $v_{23} = 1$	$v_{23} = 2$	$v_{48} = 1$
A	(MHz)	2841.9531(29)	2841.7902(79)	2841.6294(150)	2836.6936(94)
B	(MHz)	1254.8449(13)	1254.7722(19)	1254.7076(27)	1255.6163(21)
C	(MHz)	870.7148(10)	871.4697(15)	872.2276(21)	871.4793(16)
τ_{aaaa}	(kHz)	-0.417(367)	-1.839(612)	0.084(988)	-3.747(815)
τ_{bbbb}	(kHz)	-0.281(79)	-0.161(126)	-0.411(184)	0.272(140)
τ_{aabb}	(kHz)	-0.553(440)	0.073(734)	-1.280(1078)	2.543(815)
τ_{abab}	(kHz)	0.029(175)	-0.019(342)	0.248(560)	-0.979(406)
E	(cm^{-1})	0	188.0(24)	---	180.3(19)

		Vibrational State $v_{48} = 2$	$v_{23} = 1$, $v_{48} = 1$	$v_{47} = 1$
A	(MHz)	2831.5965(105)	2836.5937(157)	2838.6659(107)
B	(MHz)	1256.4039(19)	1255.5593(31)	1254.9585(25)
C	(MHz)	872.2323(16)	872.2439(23)	871.2620(18)
τ_{aaaa}	(kHz)	-2.296(645)	2.341(978)	-0.836(154)
τ_{bbbb}	(kHz)	0.011(129)	-0.605(200)	0.229(154)
τ_{aabb}	(kHz)	1.539(755)	-2.730(1151)	2.283(884)
τ_{abab}	(kHz)	-1.249(405)	1.031(590)	-1.515(379)
E	(cm^{-1})	---	---	272.7(50)

Electric Dipole Moment [65034]

μ_a (gnd) 0.796(14) D

TABLE 88.3. Microwave spectrum of azulene $C_{10}H_8$

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Vib. state		Ref.
CHCHCHC(CH)$_5$C	7427.72	(0.02)	45(14,31) - 45(14,32)			[72069]
	7439.68	(0.02)	68(21,47) - 68(21,48)			[72069]
	7466.79	(0.03)	29(9,20) - 29(9,21)	$2\nu_{23}$		[72069]
	7544.63	(0.02)	29(9,20) - 29(9,21)	$1\nu_{23}$		[72069]
	7587.14	(0.02)	78(24,54) - 78(24,55)			[72069]
	7623.17	(0.02)	29(9,20) - 29(9,21)			[72069]
	7627.23	(0.02)	4(1, 4) - 3(1, 3)			[72069]
	7630.83	(0.03)	4(1, 4) - 3(1, 3)	$1\nu_{47}$		[72069]
	7632.03	(0.02)	4(1, 4) - 3(1, 3)	$1\nu_{23}$		[72069]
	7633.08	(0.02)	4(1, 4) - 3(1, 3)	$1\nu_{48}$		[72069]
	7636.80	(0.03)	4(1, 4) - 3(1, 3)	$2\nu_{23}$		[72069]
	7637.90	(0.03)	4(1, 4) - 3(1, 3)	$1\nu_{23}$	$1\nu_{48}$	[72069]
	7638.84	(0.03)	4(1, 4) - 3(1, 3)	$2\nu_{48}$		[72069]
	7644.60	(0.03)	29(9,20) - 29(9,21)	$1\nu_{47}$		[72069]
	7648.00	(0.02)	11(3, 8) - 11(3, 9)	$1\nu_{23}$		[72069]
	7657.98	(0.03)	29(9,20) - 29(9,21)	$1\nu_{23}$	$1\nu_{48}$	[72069]
	7674.82	(0.02)	11(3, 8) - 11(3, 9)			[72069]
	7693.83	(0.02)	11(3, 8) - 11(3, 9)	$1\nu_{48}$		[72069]
	7737.82	(0.02)	29(9,20) - 29(9,21)	$1\nu_{48}$		[72069]
	7854.00	(0.03)	29(9,20) - 29(9,21)	$2\nu_{48}$		[72069]
	7895.34	(0.03)	26(8,18) - 26(8,19)	$2\nu_{23}$		[72069]
	7962.30	(0.02)	4(0, 4) - 3(0, 3)			[72069]
	7965.22	(0.03)	4(0, 4) - 3(0, 3)	$1\nu_{47}$		[72069]
	7966.42	(0.02)	26(8,18) - 26(8,19)	$1\nu_{23}$		[72069]
	7966.97	(0.02)	4(0, 4) - 3(0, 3)	$1\nu_{23}$		[72069]
	7967.05	(0.02)	4(0, 4) - 3(0, 3)	$1\nu_{48}$		[72069]
	8028.64	(0.02)	55(17,38) - 55(17,39)			[72069]
	8038.11	(0.02)	26(8,18) - 26(8,19)			[72069]
	8055.28	(0.03)	26(8,18) - 26(8,19)	$1\nu_{47}$		[72069]
	8062.31	(0.02)	42(13,29) - 42(13,30)	$1\nu_{23}$		[72069]
	8138.23	(0.02)	26(8,18) - 26(8,19)	$1\nu_{48}$		[72069]
	8163.23	(0.02)	14(4,10) - 14(4,11)	$1\nu_{23}$		[72069]
	8184.81	(0.02)	42(13,29) - 42(13,30)			[72069]
	8196.55	(0.03)	14(4,10) - 14(4,11)	$1\nu_{23}$	$1\nu_{48}$	[72069]
	8199.06	(0.02)	14(4,10) - 14(4,11)			[72069]
	8211.88	(0.03)	23(7,16) - 23(7,17)	$2\nu_{23}$		[72069]
	8232.45	(0.02)	14(4,10) - 14(4,11)	$1\nu_{48}$		[72069]
	8239.34	(0.03)	26(8,18) - 26(8,19)	$2\nu_{48}$		[72069]
	8253.42	(0.03)	42(13,29) - 42(13,30)	$1\nu_{23}$	$1\nu_{48}$	[72069]
	8266.14	(0.03)	14(4,10) - 14(4,11)	$2\nu_{48}$		[72069]
	8274.99	(0.02)	23(7,16) - 23(7,17)	$1\nu_{23}$		[72069]
	8338.55	(0.02)	23(7,16) - 23(7,17)			[72069]
	8351.14	(0.03)	23(7,16) - 23(7,17)	$1\nu_{47}$		[72069]
	8358.24	(0.03)	23(7,16) - 23(7,17)	$1\nu_{23}$	$1\nu_{48}$	[72069]
	8366.34	(0.03)	17(5,12) - 17(5,13)	$2\nu_{23}$		[72069]
	8381.25	(0.03)	20(6,14) - 20(6,15)	$2\nu_{23}$		[72069]
	8411.30	(0.02)	17(5,12) - 17(5,13)	$1\nu_{23}$		[72069]
	8421.21	(0.02)	65(20,45) - 65(20,46)			[72069]
	8422.44	(0.02)	23(7,16) - 23(7,17)	$1\nu_{48}$		[72069]
	8435.53	(0.02)	20(6,14) - 18(6,15)	$1\nu_{23}$		[72069]
	8453.94	(0.02)	4(2, 3) - 3(2, 2)			[72069]
	8456.53	(0.02)	17(5,12) - 17(5,13)			[72069]
	8456.87	(0.02)	4(2, 3) - 3(2, 2)	$1\nu_{23}$		[72069]
	8458.84	(0.03)	4(2, 3) - 3(2, 2)	$2\nu_{23}$		[72069]
	8459.96	(0.02)	4(2, 3) - 3(2, 2)	$1\nu_{48}$		[72069]
	8460.65	(0.03)	17(5,12) - 17(5,13)	$1\nu_{23}$	$1\nu_{48}$	[72069]
	8465.94	(0.03)	4(2, 3) - 3(2, 2)	$2\nu_{48}$		[72069]
	8490.13	(0.02)	20(6,14) - 20(6,15)			[72069]
	8498.04	(0.03)	20(6,14) - 20(6,15)	$1\nu_{47}$		[72069]
	8501.87	(0.03)	20(6,14) - 20(6,15)	$1\nu_{23}$	$1\nu_{48}$	[72069]
	8506.11	(0.02)	17(5,12) - 17(5,13)	$1\nu_{48}$		[72069]
	8506.96	(0.03)	23(7,16) - 23(7,17)	$2\nu_{48}$		[72069]
	8556.06	(0.03)	17(5,12) - 17(5,13)	$2\nu_{48}$		[72069]
	8556.86	(0.02)	20(6,14) - 20(6,15)	$1\nu_{48}$		[72069]
	8608.96	(0.02)	4(3, 2) - 3(3, 1)			[72069]
	8611.30	(0.02)	4(3, 2) - 3(3, 1)	$1\nu_{23}$		[72069]
	8613.65	(0.03)	4(3, 2) - 3(3, 1)	$2\nu_{23}$		[72069]

TABLE 88.3. Microwave spectrum of azulene — Continued $C_{10}H_8$

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Vib. state	Ref.
	8615.45	(0.02)	4(3, 2) - 3(3, 1)	$1\nu_{48}$	[72069]
	8624.04	(0.03)	20(6,14) - 20(6,15)	$2\nu_{48}$	[72069]
	8640.30	(0.02)	75(23,52) - 75(23,53)		[72069]
	8645.97	(0.02)	4(3, 1) - 3(3, 0)		[72069]
	8648.12	(0.02)	4(3, 1) - 3(3, 0)	$1\nu_{23}$	[72069]
	8648.63	(0.03)	4(3, 1) - 3(3, 0)	$1\nu_{47}$	[72069]
	8650.26	(0.03)	4(3, 1) - 3(3, 0)	$2\nu_{23}$	[72069]
	8652.75	(0.02)	4(3, 1) - 3(3, 0)	$1\nu_{48}$	[72069]
	8808.69	(0.02)	39(12,27) - 39(12,28)	$1\nu_{23}$	[72069]
	8928.08	(0.02)	39(12,28) - 39(12,27)		[72069]
	8948.02	(0.02)	52(16,36) - 52(16,37)		[72069]
	8966.70	(0.03)	39(12,27) - 39(12,28)	$1\nu_{47}$	[72069]
	8993.34	(0.02)	4(2, 2) - 3(2, 1)		[72069]
	8994.34	(0.02)	4(2, 2) - 3(2, 1)	$1\nu_{23}$	[72069]
	8995.37	(0.03)	4(2, 2) - 3(2, 1)	$2\nu_{23}$	[72069]
	8995.79	(0.03)	4(2, 2) - 3(2, 1)	$1\nu_{47}$	[72069]
	9000.76	(0.02)	4(2, 2) - 3(2, 1)	$1\nu_{48}$	[72069]
	9001.82	(0.03)	4(2, 2) - 3(2, 1)	$1\nu_{23}$ $1\nu_{48}$	[72069]
	9008.17	(0.03)	4(2, 2) - 3(2, 1)	$2\nu_{48}$	[72069]
	9041.16	(0.02)	9(2, 7) - 9(2, 8)	$1\nu_{23}$	[72069]
	9063.81	(0.02)	9(2, 8) - 9(2, 7)		[72069]
	9069.71	(0.02)	9(2, 7) - 9(2, 8)	$1\nu_{48}$	[72069]
	9113.46	(0.02)	39(12,27) - 39(12,28)	$1\nu_{48}$	[72069]
	9126.72	(0.02)	4(1, 3) - 3(1, 2)		[72069]
	9128.43	(0.02)	4(1, 3) - 3(1, 2)	$1\nu_{23}$	[72069]
	9130.13	(0.03)	4(1, 3) - 3(1, 2)	$2\nu_{23}$	[72069]
	9132.37	(0.02)	4(1, 3) - 3(1, 2)	$1\nu_{48}$	[72069]
	9134.09	(0.03)	4(1, 3) - 3(1, 2)	$1\nu_{23}$ $1\nu_{48}$	[72069]
	9137.98	(0.03)	4(1, 3) - 3(1, 2)	$2\nu_{48}$	[72069]
	9404.97	(0.03)	36(11,25) - 36(11,26)	$2\nu_{23}$	[72069]
	9454.58	(0.02)	5(1, 5) - 4(1, 4)		[72069]
	9459.13	(0.03)	5(1, 5) - 4(1, 4)	$1\nu_{47}$	[72069]
	9460.85	(0.02)	5(1, 5) - 4(1, 4)	$1\nu_{23}$	[72069]
	9461.78	(0.02)	5(1, 5) - 4(1, 4)	$1\nu_{48}$	[72069]
	9465.64	(0.02)	62(19,43) - 62(19,44)		[72069]
	9467.09	(0.03)	5(1, 5) - 4(1, 4)	$2\nu_{23}$	[72069]
	9467.99	(0.03)	5(1, 5) - 4(1, 4)	$1\nu_{23}$ $1\nu_{48}$	[72069]
	9468.79	(0.03)	5(1, 5) - 4(1, 4)	$2\nu_{48}$	[72069]
	9517.82	(0.02)	36(11,25) - 36(11,26)	$1\nu_{23}$	[72069]
	9631.96	(0.02)	36(11,26) - 36(11,25)		[72069]
	9661.65	(0.02)	7(1, 6) - 7(1, 7)		[72069]
	9666.31	(0.03)	36(11,25) - 36(11,26)	$1\nu_{47}$	[72069]
	9688.03	(0.03)	36(11,25) - 36(11,26)	$1\nu_{23}$ $1\nu_{48}$	[72069]
	9696.44	(0.02)	5(0, 5) - 4(0, 4)		[72069]
	9700.39	(0.03)	5(0, 5) - 4(0, 4)	$1\nu_{47}$	[72069]
	9702.37	(0.02)	5(0, 5) - 4(0, 4)	$1\nu_{48}$	[72069]
	9702.88	(0.02)	5(0, 5) - 4(0, 4)	$1\nu_{23}$	[72069]
	9708.16	(0.03)	5(0, 5) - 4(0, 4)	$2\nu_{48}$	[72069]
	9708.80	(0.03)	5(0, 5) - 4(0, 4)	$1\nu_{23}$ $1\nu_{48}$	[72069]
	9709.30	(0.03)	5(0, 5) - 4(0, 4)	$2\nu_{23}$	[72069]
	9777.83	(0.02)	72(22,50) - 72(22,51)		[72069]
	9781.61	(0.02)	6(2, 5) - 6(0, 6)		[72069]
	9804.38	(0.02)	36(11,25) - 36(11,26)	$1\nu_{48}$	[72069]
	9887.06	(0.02)	49(15,34) - 49(15,35)		[72069]
	9945.43	(0.03)	49(15,34) - 49(15,35)	$1\nu_{47}$	[72069]
	10055.11	(0.03)	33(10,23) - 33(10,24)	$2\nu_{23}$	[72069]
	10108.65	(0.02)	12(3, 9) - 12(3,10)	$1\nu_{23}$	[72069]
	10140.45	(0.02)	12(3,10) - 12(3, 9)		[72069]
	10158.93	(0.02)	12(3, 9) - 12(3,10)	$1\nu_{48}$	[72069]
	10160.99	(0.02)	33(10,23) - 33(10,24)	$1\nu_{23}$	[72069]
	10267.81	(0.02)	33(10,24) - 33(10,23)		[72069]
	10297.24	(0.03)	33(10,23) - 33(10,24)	$1\nu_{47}$	[72069]
	10315.48	(0.03)	33(10,23) - 33(10,24)	$1\nu_{23}$ $1\nu_{48}$	[72069]
	10423.95	(0.02)	33(10,33) - 33(10,24)	$1\nu_{48}$	[72069]
	10491.05	(0.02)	5(2, 4) - 4(2, 3)		[72069]
	10494.46	(0.03)	5(2, 4) - 4(2, 3)	$1\nu_{47}$	[72069]
	10494.99	(0.02)	5(2, 4) - 4(2, 3)	$1\nu_{23}$	[72069]

TABLE 88.3. Microwave spectrum of azulene — Continued $C_{10}H_8$

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$ - $J''(K_{-1},K_{+1})$	Vib. state	Ref.
	10498.32	(0.02)	5(2, 4) - 4(2, 3)	$1\nu_{48}$	[72069]
	10498.98	(0.03)	5(2, 4) - 4(2, 3)	$2\nu_{23}$	[72069]
	10502.27	(0.03)	5(2, 4) - 4(2, 3)	$1\nu_{23}$ $1\nu_{48}$	[72069]
	10505.52	(0.03)	5(2, 4) - 4(2, 3)	$2\nu_{48}$	[72069]
	10558.82	(0.02)	59(18,41) - 59(18,42)		[72069]
	10707.05	(0.02)	30(9,21) - 30(9,22)	$1\nu_{23}$	[72069]
	10764.53	(0.02)	5(4, 2) - 4(4, 1)		[72069]
	10767.43	(0.02)	5(4, 2) - 4(4, 1)	$1\nu_{23}$	[72069]
	10768.65	(0.02)	5(4, 1) - 4(4, 0)		[72069]
	10770.25	(0.03)	5(4, 2) - 4(4, 1)	$2\nu_{23}$	[72069]
	10771.52	(0.02)	5(4, 1) - 4(4, 0)	$1\nu_{23}$	[72069]
	10772.78	(0.02)	5(4, 2) - 4(4, 1)	$1\nu_{48}$	[72069]
	10774.40	(0.03)	5(4, 1) - 4(4, 0)	$2\nu_{23}$	[72069]
	10775.58	(0.03)	5(4, 2) - 4(4, 1)	$1\nu_{23}$ $1\nu_{48}$	[72069]
	10776.94	(0.02)	5(4, 1) - 4(4, 0)	$1\nu_{48}$	[72069]
	10779.75	(0.03)	5(4, 1) - 4(4, 0)	$1\nu_{23}$ $1\nu_{48}$	[72069]
	10780.84	(0.03)	5(4, 2) - 4(4, 1)	$2\nu_{48}$	[72069]
	10782.18	(0.02)	5(3, 3) - 4(3, 2)		[72069]
	10785.07	(0.02)	5(3, 3) - 4(3, 2)	$1\nu_{23}$	[72069]
	10785.09	(0.03)	5(4, 1) - 4(4, 0)	$2\nu_{48}$	[72069]
	10785.44	(0.03)	5(3, 3) - 4(3, 2)	$1\nu_{47}$	[72069]
	10787.99	(0.03)	5(3, 3) - 4(3, 2)	$2\nu_{23}$	[72069]
	10790.29	(0.02)	5(3, 3) - 4(3, 2)	$1\nu_{48}$	[72069]
	10793.16	(0.03)	5(3, 3) - 4(3, 2)	$1\nu_{23}$ $1\nu_{48}$	[72069]
	10794.51	(0.03)	15(4,11) - 15(4,12)	$2\nu_{23}$	[72069]
	10798.30	(0.03)	5(3, 3) - 4(3, 2)	$2\nu_{48}$	[72069]
	10804.88	(0.02)	30(9,22) - 30(9,21)		[72069]
	10823.51	(0.02)	46(14,32) - 46(14,33)		[72069]
	10828.71	(0.03)	30(9,21) - 30(9,22)	$1\nu_{47}$	[72069]
	10836.47	(0.02)	15(4,11) - 15(4,12)	$1\nu_{23}$	[72069]
	10843.06	(0.03)	30(9,21) - 30(9,22)	$1\nu_{23}$ $1\nu_{48}$	[72069]
	10870.77	(0.03)	15(4,11) - 15(4,12)	$1\nu_{23}$ $1\nu_{48}$	[72069]
	10875.31	(0.03)	15(4,11) - 15(4,12)	$1\nu_{47}$	[72069]
	10878.53	(0.02)	15(4,12) - 15(4,11)		[72069]
	10906.95	(0.02)	5(3, 2) - 4(3, 1)		[72069]
	10909.15	(0.02)	5(3, 2) - 4(3, 1)	$1\nu_{23}$	[72069]
	10910.30	(0.03)	5(3, 2) - 4(3, 1)	$1\nu_{47}$	[72069]
	10911.34	(0.03)	5(3, 2) - 4(3, 1)	$2\nu_{23}$	[72069]
	10912.90	(0.02)	15(4,11) - 15(4,12)	$1\nu_{48}$	[72069]
	10915.87	(0.02)	5(3, 2) - 4(3, 1)	$1\nu_{48}$	[72069]
	10918.06	(0.03)	5(3, 2) - 4(3, 1)	$1\nu_{23}$ $1\nu_{48}$	[72069]
	10924.71	(0.03)	5(3, 2) - 4(3, 1)	$2\nu_{48}$	[72069]
	10942.08	(0.02)	30(9,21) - 30(9,22)	$1\nu_{48}$	[72069]
	10989.35	(0.02)	69(21,48) - 69(21,49)		[72069]
	11036.67	(0.03)	27(8,19) - 27(8,20)	$2\nu_{23}$	[72069]
	11080.73	(0.03)	30(9,21) - 30(9,22)	$2\nu_{48}$	[72069]
	11123.58	(0.02)	27(8,19) - 27(8,20)	$1\nu_{23}$	[72069]
	11211.10	(0.02)	27(8,20) - 27(8,19)		[72069]
	11214.17	(0.03)	18(5,13) - 18(5,14)	$2\nu_{23}$	[72069]
	11216.86	(0.02)	79(24,55) - 79(24,56)		[72069]
	11229.03	(0.03)	27(8,19) - 27(8,20)	$1\nu_{47}$	[72069]
	11239.21	(0.03)	27(8,19) - 27(8,20)	$1\nu_{23}$ $1\nu_{48}$	[72069]
	11250.41	(0.02)	5(1, 4) - 4(1, 3)		[72069]
	11251.66	(0.02)	6(1, 6) - 5(1, 5)		[72069]
	11253.22	(0.02)	5(1, 4) - 4(1, 3)	$1\nu_{23}$	[72069]
	11256.06	(0.03)	5(1, 4) - 4(1, 3)	$2\nu_{23}$	[72069]
	11256.83	(0.02)	5(1, 4) - 4(1, 3)	$1\nu_{48}$	[72069]
	11257.21	(0.03)	6(1, 6) - 5(1, 5)	$1\nu_{47}$	[72069]
	11259.43	(0.02)	6(1, 6) - 5(1, 5)	$1\nu_{23}$	[72069]
	11260.15	(0.02)	6(1, 6) - 5(1, 5)	$1\nu_{48}$	[72069]
	11263.17	(0.03)	5(1, 4) - 4(1, 3)	$2\nu_{48}$	[72069]
	11267.18	(0.02)	18(5,13) - 18(5,14)	$1\nu_{23}$	[72069]
	11267.90	(0.03)	6(1, 6) - 5(1, 5)	$1\nu_{23}$ $1\nu_{48}$	[72069]
	11268.42	(0.03)	6(1, 6) - 5(1, 5)	$2\nu_{48}$	[72069]
	11301.78	(0.03)	24(7,17) - 24(7,18)	$2\nu_{23}$	[72069]
	11319.93	(0.03)	18(5,13) - 18(5,14)	$1\nu_{23}$ $1\nu_{48}$	[72069]
	11320.36	(0.02)	18(5,14) - 18(5,13)		[72069]

TABLE 88.3. Microwave spectrum of azulene — Continued $C_{10}H_8$

Isotopic species	Frequency (MHz)	Unc. (MHz)	$J'(K_{-1},K_{+1})$	-	$J''(K_{-1},K_{+1})$	Vib. state	Ref.
	11321.46	(0.03)	18(5,13)	-	18(5,14)	$1\nu_{47}$	[72069]
	11327.58	(0.02)	27(8,19)	-	27(8,20)	$1\nu_{48}$	[72069]
	11355.60	(0.02)	10(2, 8)	-	10(2, 9)	$1\nu_{23}$	[72069]
	11372.00	(0.03)	21(6,15)	-	21(6,16)	$2\nu_{23}$	[72069]
	11373.26	(0.02)	18(5,13)	-	18(5,14)	$1\nu_{48}$	[72069]
	11377.70	(0.02)	24(7,17)	-	24(4,18)	$1\nu_{23}$	[72069]
	11381.31	(0.02)	10(2, 8)	-	10(2, 9)		[72069]
	11383.83	(0.02)	10(2, 8)	-	10(2, 9)	$1\nu_{48}$	[72069]
	11400.52	(0.02)	6(0, 6)	-	5(0, 5)		[72069]
	11405.61	(0.03)	6(0, 6)	-	5(0, 5)	$1\nu_{47}$	[72069]
	11407.93	(0.02)	6(0, 6)	-	5(0, 5)	$1\nu_{48}$	[72069]
	11408.58	(0.02)	6(0, 6)	-	5(0, 5)	$1\nu_{23}$	[72069]
	11416.59	(0.03)	6(0, 6)	-	5(0, 5)	$2\nu_{23}$	[72069]
	11418.16	(0.02)	5(2, 3)	-	4(2, 2)		[72069]
	11419.17	(0.02)	5(2, 3)	-	4(2, 2)	$1\nu_{23}$	[72069]
	11420.19	(0.03)	5(2, 3)	-	4(2, 2)	$2\nu_{23}$	[72069]
	11421.00	(0.03)	5(2, 3)	-	4(2, 2)	$1\nu_{47}$	[72069]
	11426.47	(0.03)	18(5,13)	-	18(5,14)	$2\nu_{48}$	[72069]
	11427.25	(0.02)	5(2, 3)	-	4(2, 2)	$1\nu_{48}$	[72069]
	11428.25	(0.03)	5(2, 3)	-	4(2, 2)	$1\nu_{23}$ $1\nu_{48}$	[72069]
	11436.31	(0.03)	5(2, 3)	-	4(2, 2)	$2\nu_{48}$	[72069]
	11436.45	(0.02)	21(6,15)	-	21(6,16)	$1\nu_{23}$	[72069]
	11444.90	(0.03)	27(8,19)	-	27(8,20)	$2\nu_{48}$	[72069]
	11454.04	(0.02)	24(7,18)	-	24(7,17)		[72069]
	11466.00	(0.03)	24(7,17)	-	24(7,18)	$1\nu_{47}$	[72069]
	11472.01	(0.03)	24(7,17)	-	24(7,18)	$1\nu_{23}$ $1\nu_{48}$	[72069]
	11501.20	(0.02)	21(6,16)	-	21(6,15)		[72069]
	11507.50	(0.03)	21(6,15)	-	21(6,16)	$1\nu_{47}$	[72069]
	11509.54	(0.03)	21(6,15)	-	21(6,16)	$1\nu_{23}$ $1\nu_{48}$	[72069]
	11548.89	(0.02)	24(7,17)	-	24(7,18)	$1\nu_{48}$	[72069]
	11574.56	(0.02)	21(6,15)	-	21(6,16)	$1\nu_{48}$	[72069]
	11575.66	(0.02)	43(13,30)	-	43(13,31)	$1\nu_{23}$	[72069]
	11644.27	(0.03)	24(7,17)	-	24(7,18)	$2\nu_{48}$	[72069]
	11648.29	(0.03)	21(6,15)	-	21(6,16)	$2\nu_{48}$	[72069]
	11681.98	(0.02)	56(17,39)	-	56(17,40)		[72069]
	11731.54	(0.02)	43(13,30)	-	43(13,31)		[72069]
	11781.89	(0.03)	43(13,30)	-	43(13,31)	$1\nu_{47}$	[72069]
	12219.29	(0.02)	8(3, 6)	-	8(1, 7)		[72069]
	12259.73	(0.02)	66(20,46)	-	66(20,47)		[72069]
	12434.19	(0.02)	40(12,28)	-	40(12,29)	$1\nu_{23}$	[72069]
	12480.69	(0.02)	6(2, 5)	-	5(2, 4)		[72069]
	12582.42	(0.02)	40(12,28)	-	40(12,29)		[72069]

Table 89.1. Molecular constants for bullvalene. [76061]

Vibrational State	B_v (MHz)	q_v (MHz)	E (cm^{-1})
Ground	1644.304(8)		0
$v_a = 1$	1644.822(8)	0.557	248(10)
$v_b = 1$	1644.970(8)		266(10)
$v_c = 1$	1644.163		373(10)
$v_d = 1$	1644.754		447(10)
$v_e = 1$	1645.142		574(10)
$v_a = 2$	1645.328		
$v_b = 2$	1645.630		
$v_c = 2$	1644.031		
$v_a = 3$	1645.825		
$v_b = 3$	1646.290		

TABLE 89.2. Microwave spectrum of bullvalene $C_{10}H_{10}$

Isotopic species	Frequency (MHz)	Unc. (MHz)	J' - J''	Vib. state		Ref.
$C_{10}H_{10}$ BULLVALENE	9865.89	(0.01)	3 - 2			[75059]
	19728.48	(0.03)	6 - 5	$2\nu\ c$		[76061]
	19730.04	(0.03)	6 - 5	$1\nu\ c$		[76061]
	19731.73	(0.03)	6 - 5			[76061]
	19737.96	(0.03)	6 - 5	$1\nu\ a$		[76061]
	19739.73	(0.03)	6 - 5	$1\nu\ b$		[76061]
	19744.03	(0.03)	6 - 5	$2\nu\ a$		[76061]
	19745.87	(0.03)	6 - 5	$1\nu\ a$	$1\nu\ b$	[76061]
	19747.64	(0.03)	6 - 5	$2\nu\ b$		[76061]
	23016.53	(0.03)	7 - 6	$2\nu\ c$		[76061]
	23018.37	(0.03)	7 - 6	$1\nu\ c$		[76061]
	23020.33	(0.03)	7 - 6			[76061]
	23027.58	(0.03)	7 - 6	$1\nu\ a$		[76061]
	23029.65	(0.03)	7 - 6	$1\nu\ b$		[76061]
	23034.68	(0.03)	7 - 6	$2\nu\ a$		[76061]
	23036.83	(0.03)	7 - 6	$1\nu\ a$	$1\nu\ b$	[76061]
	23038.92	(0.03)	7 - 6	$2\nu\ b$		[76061]
	23052.99	(0.03)	7 - 6	$2\nu\ a$	$2\nu\ b$	[76061]
	26304.54	(0.03)	8 - 7	$2\nu\ c$		[76061]
	26306.67	(0.03)	8 - 7	$1\nu\ c$		[76061]
	26308.92	(0.03)	8 - 7			[76061]
	26317.20	(0.03)	8 - 7	$1\nu\ a$		[76061]
	26319.58	(0.03)	8 - 7	$1\nu\ b$		[76061]
	26325.30	(0.03)	8 - 7	$2\nu\ a$		[76061]
	26327.77	(0.03)	8 - 7	$1\nu\ a$	$1\nu\ b$	[76061]
	26330.17	(0.03)	8 - 7	$2\nu\ b$		[76061]
	26346.21	(0.03)	8 - 7	$2\nu\ a$	$2\nu\ b$	[76061]
	29592.49	(0.03)	9 - 8	$2\nu\ c$		[76061]
	29594.91	(0.03)	9 - 8	$1\nu\ c$		[76061]
	29597.48	(0.01)	9 - 8			[75059]
	29603.96	(0.03)	9 - 8	$1\nu\ a$	$1\nu\ c$	[76061]
	29605.65	(0.03)	9 - 8	$1\nu\ d$		[76061]
	29606.82	(0.03)	9 - 8	$1\nu\ a$		[76061]
	29609.47	(0.03)	9 - 8	$1\nu\ b$		[76061]
	29612.62	(0.03)	9 - 8	$1\nu\ e$		[76061]
	29615.92	(0.03)	9 - 8	$2\nu\ a$		[76061]
	29618.75	(0.03)	9 - 8	$1\nu\ a$	$1\nu\ b$	[76061]
	29621.32	(0.03)	9 - 8	$2\nu\ b$		[76061]
	29625.10	(0.03)	9 - 8	$3\nu\ a$		[76061]
	29627.65	(0.03)	9 - 8	$2\nu\ a$	$1\nu\ b$	[76061]
	32880.60	(0.03)	9 - 8	$2\nu\ c$		[76061]
	32883.25	(0.03)	9 - 8	$1\nu\ c$		[76061]
	32885.99	(0.01)	10 - 9			[75059]
	32890.82	(0.03)	10 - 9	$1\nu\ a$	$\ell = l_1$	[76061]
	32893.24	(0.03)	10 - 9	$1\nu\ a$	$1\nu\ c$	[76061]
	32895.06	(0.03)	10 - 9	$1\nu\ d$		[76061]
	32896.38	(0.03)	10 - 9	$1\nu\ a$		[76061]
	32899.36	(0.03)	10 - 9	$1\nu\ b$		[76061]
	32901.98	(0.03)	10 - 9	$1\nu\ a$	$\ell = u_1$	[76061]
	32902.87	(0.03)	10 - 9	$1\nu\ e$		[76061]
	32906.51	(0.03)	10 - 9	$2\nu\ a$		[76061]
	32908.35	(0.03)	10 - 9	$1\nu\ b$	$1\nu\ d$	[76061]
	32909.62	(0.03)	10 - 9	$1\nu\ a$	$1\nu\ b$	[76061]
	32912.65	(0.03)	10 - 9	$2\nu\ b$		[76061]
	32916.50	(0.03)	10 - 9	$3\nu\ a$		[76061]
	32919.65	(0.03)	10 - 9	$2\nu\ a$	$1\nu\ b$	[76061]
	32922.80	(0.03)	10 - 9	$1\nu\ a$	$2\nu\ b$	[76061]
	32926.00	(0.03)	10 - 9	$3\nu\ b$		[76061]
	36168.60	(0.03)	11 - 10	$2\nu\ c$		[76061]
	36171.45	(0.03)	11 - 10	$1\nu\ c$		[76061]
	36174.55	(0.01)	11 - 10			[75059]
	36179.76	(0.03)	11 - 10	$1\nu\ a$	$\ell = l_1$	[76061]
	36182.50	(0.03)	11 - 10	$1\nu\ a$	$1\nu\ c$	[76061]
	36184.70	(0.03)	11 - 10	$1\nu\ d$		[76061]
	36185.95	(0.03)	11 - 10	$1\nu\ a$		[76061]
	36189.24	(0.03)	11 - 10	$1\nu\ b$		[76061]
	36192.00	(0.03)	11 - 10	$1\nu\ a$	$\ell = u_1$	[76061]
	36193.06	(0.03)	11 - 10	$1\nu\ e$		[76061]

TABLE 89.2. Microwave spectrum of bullvalene — Continued $C_{10}H_{10}$

Isotopic species	Frequency (MHz)	Unc. (MHz)	J' - J''	Vib. state		Ref.
	36197.10	(0.03)	11 - 10	$2\nu\ a$		[76061]
	36199.28	(0.03)	11 - 10	$1\nu\ b$	$1\nu\ d$	[76061]
	36200.42	(0.03)	11 - 10	$1\nu\ a$	$1\nu\ b$	[76061]
	36203.72	(0.03)	11 - 10	$2\nu\ b$		[76061]
	36208.02	(0.03)	11 - 10	$3\nu\ a$		[76061]
	36211.52	(0.03)	11 - 10	$2\nu\ a$	$1\nu\ b$	[76061]
	36214.88	(0.03)	11 - 10	$1\nu\ a$	$2\nu\ b$	[76061]
	36225.92	(0.03)	11 - 10	$2\nu\ a$	$2\nu\ b$	[76061]
	39456.51	(0.01)	12 - 11	$2\nu\ c$		[76061]
	39459.69	(0.01)	12 - 11	$1\nu\ c$		[76061]
	39463.05	(0.01)	12 - 11			[75059]
	39468.74	(0.03)	12 - 11	$1\nu\ a$	$\ell = l_1$	[76061]
	39471.83	(0.01)	12 - 11	$1\nu\ a$	$1\nu\ c$	[76061]
	39473.93	(0.01)	12 - 11	$1\nu\ d$		[76061]
	39475.48	(0.01)	12 - 11	$1\nu\ a$		[76061]
	39479.06	(0.01)	12 - 11	$1\nu\ b$		[76061]
	39482.10	(0.01)	12 - 11	$1\nu\ a$	$\ell = u_1$	[76061]
	39483.32	(0.01)	12 - 11	$1\nu\ e$		[76061]
	39487.68	(0.01)	12 - 11	$2\nu\ a$		[76061]
	39490.00	(0.01)	12 - 11	$1\nu\ b$	$1\nu\ d$	[76061]
	39491.35	(0.01)	12 - 11	$1\nu\ a$	$1\nu\ b$	[76061]
	39494.94	(0.01)	12 - 11	$2\nu\ b$		[76061]
	39499.60	(0.01)	12 - 11	$3\nu\ a$		[76061]
	39503.38	(0.01)	12 - 11	$2\nu\ a$	$1\nu\ b$	[76061]
	39507.12	(0.01)	12 - 11	$1\nu\ a$	$2\nu\ b$	[76061]
	39510.70	(0.01)	12 - 11	$3\nu\ b$		[76061]
	39519.01	(0.01)	12 - 11	$2\nu\ a$	$2\nu\ b$	[76061]

3. References to Spectral Data

[50022] R. Trambarulo and W. Gordy, J. Chem. Phys. **18**, 1613 (1950).
[55018] L. F. Thomas, E. I. Sherrard, and J. Sheridan, Trans. Faraday Soc. **51**, 619 (1955).
[55019] G. A. Heath, L. F. Thomas, E. I. Sherrard, and J. Sheridan, Faraday Soc. Discussions **19**, 38 (1955).
[56018] V. W. Laurie, J. Chem. Phys. **24**, 635L (1956).
[57014] C. A. Burrus and W. Gordy, J. Chem. Phys. **26**, 391 (1957).
[57015] D. R. Lide, Jr. and D. E. Mann, J. Chem. Phys. **27**, 868 (1957).
[57016] D. R. Lide, Jr. and D. E. Mann, J. Chem. Phys. **27**, 874 (1957).
[57017] L. F. Thomas, J. S. Heeks, and J. Sheridan, Archives des Sci. **10**, 180 (1957).
[58009] D. R. Herschbach and L. C. Krisher, J. Chem. Phys. **28**, 728 (1958).
[58010] D. R. Lide, Jr. and D. E. Mann, J. Chem. Phys. **29**, 914 (1958).
[59017] P. H. Kasai, R. J. Myers, D. F. Eggers, Jr., and K. B. Wiberg, J. Chem. Phys. **30**, 512 (1959).
[60008] V. W. Zeil, M. Winnewisser, H. K. Bodenseh, and H. Buchert, Z. Naturforsch. **15a**, 1011 (1960).
[60009] D. R. Lide, Jr., J. Chem. Phys. **33**, 1514 (1960).
[60010] D. R. Lide, Jr., J. Chem. Phys. **33**, 1519 (1960).
[61013] D. R. Lide, Jr. and D. Christensen, J. Chem. Phys. **35**, 1374 (1961).
[61014] V. W. Laurie, J. Chem. Phys. **34**, 1516 (1961).
[62022] L. J. Nugent, D. E. Mann, and D. R. Lide, Jr., J. Chem. Phys. **36**, 965 (1962).
[62023] G. W. Rathjens, J. Chem. Phys. **36**, 2401 (1962).
[62027] L. H. Scharpen and V. W. Laurie, J. Chem. Phys. **39**, 1732 (1963).
[64028] D. R. Lide, Jr. and M. Jen, J. Chem. Phys. **40**, 252 (1964).
[64029] J. S. Muenter and V. W. Laurie, J. Am. Chem. Soc. **86**, 3901 (1964).
[65029] H. Kim and W. D. Gwinn, J. Chem. Phys. **42**, 3728 (1965).
[65030] L. H. Scharpen and V. W. Laurie, J. Chem. Phys. **43**, 2765 (1965).
[65031] S. S. Butcher, J. Chem. Phys. **42**, 1830 (1965).
[65032] G. Luss and M. D. Harmony, J. Chem. Phys. **43**, 3768 (1965).
[65033] S. S. Butcher, J. Chem. Phys. **42**, 1833 (1965).
[65034] H. J. Tobler, A. Bauder, and Hs. H. Günthard, J. Mol. Spectrosc. **18**, 239 (1965).
[65035] S. S. Butcher and C. C. Costain, J. Mol. Spectrosc. **15**, 40 (1965).
[66041] M. D. Harmony and K. Cox, J. Am. Chem. Soc. **88**, 5049 (1966).
[66042] J. S. Muenter and V. W. Laurie, J. Chem. Phys. **45**, 855 (1966).
[66043] V. W. Weiss and W. H. Flygare, J. Chem. Phys. **45**, 8 (1966).
[66044] E. Hirota and Y. Morino, J. Chem. Phys. **45**, 2326 (1966).
[66045] E. Hirota, J. Chem. Phys. **45**, 1984 (1966).
[67033] E. Hirota, C. Matsumura and Y. Morino, Bull. Chem. Soc. Japan **40**, 1124 (1967).
[67034] H. D. Rudolph, H. Dreizler, A. Jaeschke, and P. Wendling, Z. Naturforsch. **22a**, 940 (1967).
[68043] S. Kondo, E. Hirota, and Y. Morino, J. Mol. Spectrosc. **28**, 471 (1968).
[68044] L. H. Scharpen and V. W. Laurie, J. Chem. Phys. **49**, 3041 (1968).
[68046] L. H. Scharpen, J. E. Wollrab, and D. P. Ames, J. Chem. Phys. **49**, 2368 (1968).
[68047] E. Hirota, T. Hirooka, and Y. Morino, J. Mol. Spectrosc. **26**, 351 (1968).
[68048] R. G. Ford and R. A. Beaudet, J. Chem. Phys. **48**, 4671 (1968).
[68049] T. N. Sarachman, J. Chem. Phys. **49**, 3146 (1968).
[69055] R. C. Benson and W. H. Flygare, J. Chem. Phys. **51**, 3087 (1969).
[69056] B. Bak, J. J. Led, L. Nygaard, J. Rastrup-Andersen, and G. O. Sorensen, J. Mol. Struct. **3**, 369 (1969).
[69057] K. Cox, M. D. Harmony, G. Nelson, and K. B. Wiberg, J. Chem. Phys. **50**, 1976 (1969).
[69058] S. L. Hsu, M. K. Kemp, J. M. Pochan, R. C. Benson, and W. H. Flygare, J. Chem. Phys. **50**, 1482 (1969).
[69060] J. M. Pochan and W. H. Flygare, J. Am. Chem. Soc. **91**, 5928 (1969).
[69061] T. Ogata and K. Kozima, Bull. Chem. Soc. Japan **42**, 1263 (1969).
[69062] J. S. McKnight and W. Gordy, Bull. Am. Phys. Soc. **14**, 621 (1969).
[69063] A. Bauer and J. Burie, C. R. Acad. Sci. (Paris) **268B**, 800 (1969).
[69064] R. L. Shoemaker and W. H. Flygare, J. Am. Chem. Soc. **91**, 5417 (1969).
[69065] R. C. Benson and W. H. Flygare, Chem. Phys. Lett. **4**, 141 (1969).
[69066] M. K. Kemp and W. H. Flygare, J. Am. Chem. Soc. **91**, 3163 (1969).
[69067] S. L. Hsu and W. H. Flygare, J. Mol. Spectrosc. **32**, 375 (1969).
[70029] L. H. Scharpen, J. S. Muenter, and V. W. Laurie, J. Chem. Phys. **53**, 2513 (1970).
[70061] C. Hirose, Bull. Chem. Soc. Japan **43**, 3695 (1970).
[70062] V. W. Laurie and W. M. Stigliani, J. Am. Chem. Soc. **92**, 1485 (1970).
[70063] R. C. Benson and W. H. Flygare, J. Chem. Phys. **53**, 4470 (1970).
[70064] S. L. Hsu, A. H. Andrist, T. D. Gierke, R. C. Benson, W. H. Flygare, and J. E. Baldwin, J. Am. Chem. Soc. **92**, 5250 (1970).
[70065] R. C. Benson and W. H. Flygare, J. Am. Chem. Soc. **92**, 7523 (1970).
[70066] E. Hirota, J. Mol. Spectrosc. **34**, 516 (1970).
[70067] S. Kondo, Y. Sakurai, E. Hirota, and Y. Morino, J. Mol. Spectrosc. **34**, 231 (1970).
[70068] S. C. Wofsy, J. S. Muenter, and W. Klemperer, J. Chem. Phys. **53**, 4005 (1970).
[70069] Y. S. Huang and R. A. Beaudet, J. Chem. Phys. **52**, 935 (1970).
[70070] S. L. Hsu and W. H. Flygare, J. Chem. Phys. **52**, 1053 (1970).
[71045] T. D. Gierke, S. L. Hsu, and W. H. Flygare, J. Mol. Spectrosc. **40**, 328 (1971).
[71046] D. Damiani and A. M. Mirri, Chem. Phys. Lett. **10**, 351 (1971).
[71047] E. Hirota and C. Matsumura, J. Chem. Phys. **55**, 981 (1971).
[71048] I. Ozier, Phys. Rev. Letters **27**, 1329 (1971).
[71049] R. G. Ford and R. A. Beaudet, J. Chem. Phys. **55**, 3110 (1971).
[71050] J. Demaison and H. D. Rudolph, J. Mol. Spectrosc. **40**, 445 (1971).
[72061] T. D. Gierke, R. C. Benson, and W. H. Flygare, J. Am. Chem. Soc. **94**, 339 (1972).
[72062] M. J. Collins, C. O. Britt, and J. E. Boggs, J. Chem. Phys. **56**, 4262 (1972).
[72063] F. J. Wodarczyk and E. B. Wilson, J. Chem. Phys. **56**, 166 (1972).
[72064] R. D. Suenram and M. D. Harmony, J. Chem. Phys. **56**, 3837 (1972).
[72065] R. D. Suenram and M. D. Harmony, J. Am. Chem. Soc. **94**, 5915 (1972).

[72066] P. A. Baron, R. D. Brown, F. R. Burden, P. J. Domaille, and J. E. Kent, J. Mol. Spectrosc. **43**, 401 (1972).
[72067] R. D. Suenram and M. D. Harmony, unpublished data (1972).
[72068] J. R. Durig, Y. S. Li, and L. A. Carreira, J. Chem. Phys. **57**, 1896 (1972).
[72069] P. Christen, A. Bauder, and Hs. H. Günthard, J. Mol. Spectrosc. **43**, 1 (1972).
[72070] R. D. Suenram and M. D. Harmony, J. Chem. Phys. **57**, 2597 (1972).
[73076] R. D. Suenram and M. D. Harmony, J. Am. Chem. Soc. **95**, 4506 (1973).
[73077] R. D. Suenram and M. D. Harmony, J. Chem. Phys. **58**, 5842L (1973).
[73079] A. R. Mochel, A. Bjorseth, C. O. Britt, and J. E. Boggs, J. Mol. Spectrosc. **48**, 107 (1973).
[73080] J. L. Duncan, D. C. McKean, P. D. Mallinson, and R. D. McCuloch, J. Mol. Spectrosc. **46**, 232 (1973).
[73081] E. Hirota and C. Matsumura, J. Chem. Phys. **59**, 3038 (1973).
[73082] R. F. Curl, Jr., J. Mol. Spectrosc. **48**, 165 (1973).
[73083] M. Takami, K. Uchara, and K. Shimoda, Jpn. J. Appl. Phys. **12**, 924 (1973).
[73084] A. Trinkaus, H. Dreizler, and H. D. Rudolph, Z. Naturforsch. **82a**, 750 (1973).
[73085] W. A. Kreiner, H. D. Rudolph, and B. T. Tan, J. Mol. Spectrosc. **48**, 86 (1973).
[73086] H. D. Rudolph, K. Walzer, and I. Krutzik, J. Mol. Spectrosc. **47**, 314 (1973).
[74055] O. E. H. Rydbeck, J. Elldér, W. M. Irvine, A. Sume and Å. Hjalmarson, Astron. Astrophys. **34**, 479 (1974).
[74063] F. G. Codding and R. H. Schwendeman, J. Mol. Spectrosc. **49**, 226 (1974).
[74064] D. W. T. Griffith and J. E. Kent, Chem. Phys. Lett. **25**, 290 (1974).
[74065] R. L. Cook, T. B. Malloy, J. Am. Chem. Soc. **96**, 1703 (1974).
[75050] W. M. Stigliani, V. W. Laurie, and J. C. Li, J. Chem. Phys. **62**, 1890 (1975).
[75051] R. D. Suenram, J. Am. Chem. Soc. **97**, 4869 (1975).
[75052] T. K. Avirah, R. L. Cook, and T. B. Malloy, Jr., J. Mol. Spectrosc. **54**, 231 (1975).
[75053] M. D. Harmony, C. S. Wang, K. B. Wiberg, and K. C. Bishop, III, J. Chem. Phys. **63**, 3312 (1975).
[75054] A. P. Cox, I. C. Ewart, and W. M. Stigliani, J. Chem. Soc. Faraday Trans. **7**, 504 (1975).
[75055] L. Engelbrecht and D. H. Sutter, Z. Naturforsch. **30a**, 1265 (1975).
[75056] C. W. Holt, M. C. L. Gerry, and I. Ozier, Can. J. Phys. **53**, 1791 (1975).
[75057] E. Hirota and M. Imachi, Can. J. Phys. **53**, 2023 (1975).
[75058] J. Demaison and H. D. Rudolph, J. Mol. Struct. **24**, 325 (1975).
[75059] E. A. C. Lucken, R. Pozzi, and K. R. Ramaprasad, J. Mol. Struct. **26**, 259 (1975).
[76052] S. N. Mathur, M. D. Harmony, and R. D. Suenram, J. Chem. Phys. **64**, 4340 (1976).
[76054] C. S. Wang and M. D. Harmony, J. Am. Chem. Soc. **98**, 1108 (1976).
[76055] A. Bauder, C. Keller, and M. Neuenschwander, J. Mol. Spectrosc. **63**, 281 (1976).
[76058] J. L. Duncan, J. Mol. Spectrosc. **60**, 225 (1976).
[76059] I. Ozier, R. M. Lees, and M. C. L. Gerry, J. Chem. Phys. **65**, 1795 (1976).
[76060] J. Demaison, D. Schwach, B. T. Tan, and H. D. Rudolph, J. Mol. Spectrosc. **60**, 324 (1976).
[76061] W. M. Stigliani and V. W. Laurie, J. Mol. Spectrocs. **60**, 188 (1976).
[77036] R. D. Suenram and F. J. Lovas, unpublished data (1977).
[77037] J. F. Chiang, R. Chaing, K. C. Lu, E. M. Sung, and M. D. Harmony, J. Mol. Struct. **41**, 61 (1977).
[77038] W. J. Lafferty, R. D. Suenram, and D. R. Johnson, J. Mol. Spectrosc. **64**, 147 (1977).
[77039] E. Hirota, K. Matsumura, M. Imachi, M. Fujio, Y. Tsuno and C. Matsumura, J. Chem. Phys. **66**, 2660 (1977).
[77040] J. Demaison, D. Schwach, B. T. Tan, and H. D. Rudolph, J. Mol. Spectrosc. **68**, 97 (1977).
[78029] K. B. Wiberg, G. B. Ellison, J. J. Wendolosky, W. E. Pratt, and M. D. Harmony, J. Am. Chem. Soc. **100**, 7837 (1978).
[78030] S. N. Mathur and M. D. Harmony, J. Mol. Spectrosc. **69**, 37 (1978).
[78031] A. Dubrulle, D. Boucher, J. Burie, and J. Demaison, J. Mol. Spectrosc. **72**, 158 (1978).
[78032] M. G. Guélin, S. Green, and P. Thaddeus, Astrophys. J. **224**, L27 (1978).
[78033] I. Ozier and A. Rosenberg, J. Chem. Phys. **69**, 5203 (1978).
[78034] A. J. Alexander, H. W. Kroto, M. Maier, and D. R. M. Walton, J. Mol. Spectrosc. **70**, 84 (1978).
[79031] S. N. Mathur and M. D. Harmony, J. Mol. Struct. **57**, 63 (1979).
[79032] R. A. Creswell, M. Pagitsas, P. Shoja-Chaghervand, and R. H. Schwendeman, J. Phys. Chem. **83**, 1427 (1979).
[79033] A. Bouchy, G. Roussy, M. J. Ledoux, and F. G. Gault, J. de Chim. Physique **76**, 357 (1979).
[79034] T. K. Avirah, T. B. Malloy, Jr., and R. L. Cook, J. Chem. Phys. **71**, 2194 (1979).
[79035] T. K. Avirah, R. L. Cook, and T. B. Malloy, Jr., J. Chem. Phys. **71**, 3478 (1979).
[79036] Y. S. Li, M. R. Jalilian, and J. R. Durig, J. Mol. Spectrosc. **51**, 171 (1979).
[79037] E. Hirota, S. Saito, and Y. Endo, J. Chem. Phys. **71**, 1183 (1979).
[79038] A. Bauer, D. Boucher, J. Burie, J. Demaison, and A. Dubrulle, J. Phys. Chem. Ref. Data **8**, 537 (1979).
[79039] P. Guyon, A. Bouchy, and G. Roussy, J. Mol. Struct. **57**, 53 (1979).
[80032] E. Torneng, C. J. Nielsen, P. Klaeboe, H. Hopf, and H. Priebe, Spectrochim. Acta **36A**, 975 (1980).
[80033] A. Bouchy and M. J. Ledoux, J. Mol. spectrosc. **80**, 453 (1980).
[80034] A. Choplin, Chem. Phys. Lett. **71**, 503 (1980).
[80035] S. W. Staley, A. E. Howard, M. D. Harmony, S. N. Mathur, M. K. Ari, J. I. Choe, and G. Lind, J. Am. Chem. Soc. **102**, 3639 (1980).
[80036] D. Damiani, G. Corbelli, and F. Scappini, J. Mol. Struct. **63**, 221 (1980).
[80037] K. Matsumura, T. Tanaka, Y. Endo, S. Saito, and E. Hirota, J. Phys. Chem. **84**, 1793 (1980).
[80038] P. M. Burrell, E. Bjarnov, and R. H. Schwendeman, J. Mol. Spectrosc. **82**, 193 (1980).
[80039] H. M. Pickett, E. A. Cohen, and T. G. Phillips, Astrophys. J. (Letters) **236**, L43 (1980).
[80040] W. M. Itano and I. Ozier, J. Chem. Phys. **72**, 3700 (1980).
[81036] R. L. Kuczkowski, F. J. Lovas, R. D. Suenram, R. P. Lattimer, K. W. Hillig, II, and A. J. Ashe, III, J. Mol. Struct. **72**, 143 (1981).
[81037] B. P. van Eijck, J. Mol. Spectrosc. **85**, 189 (1981).
[81038] A. Bouchy and G. Roussy, J. de Chim. Physique **78**, 669 (1981).
[81040] M. D. Harmony, S. N. Mathur, J. I. Choe, M. K. Ari, A. E. Howard, and S. W. Staley, J. Am. Chem. Soc. **103**, 2961 (1981).
[81042] E. Hirota, Y. Endo, S. Saito, and K. Yoshida, J. Mol. Spectrosc. **89**, 223 (1981).
[81043] E. Hirota, Y. Endo, S. Saito, and J. L. Duncan, J. Mol. Spectrosc. **89**, 285 (1981).
[81044] I. Ozier, M. C. L. Gerry, and A. G. Robiette, J. Phys. Chem. Ref. Data **10**, 1085 (1981).
[81045] W. A. Kreiner and A. G. Robiette, J. Chem. Phys. **74**, 3713 (1981).
[81046] K. Matsumura, T. Etoh, and T. Tanaka, J. Mol. Spectrosc. **90**, 106 (1981).

[81047] I. Etoh, K. Matsumura, and T. Tanaka, J. Mol. Spectrosc. **89**, 511 (1981).
[81048] V. Amir-Ebrahimi, A. Choplin, J. Demaison, and G. Roussy, J. Mol. Spectrosc. **89**, 42 (1981).
[82032] Per Jensen, P. R. Bunker, and A. R. Hoy, J. Chem. Phys. **77**, 5370 (1982).
[82033] T. J. Sears, P. R. Bunker, and A. R. W. McKellar, J. Chem. Phys. **77**, 5363 (1982).
[82034] T. J. Sears, P. R. Bunker, A. R. W. McKellar, K. M. Evenson, D. A. Jennings, and J. M. Brown, J. Chem. Phys. **77**, 5348 (1982).
[82035] C. D. Cogley, L. M. Tack, and S. G. Kukolich, J. Chem. Phys. **76**, 5669 (1982).
[82036] K. Matsumura and T. Tanaka, J. Mol. Spectrosc. **96**, 219 (1982).
[83012] C. R. Brazier and J. M. Brown, J. Chem. Phys. **78**, 1608 (1983).
[83028] M. Bogey, C. Demuynck, and J. L. Destombes, Chem. Phys. Lett. **100**, 105 (1983).
[83033] R. D. Brown, P. D. Godfrey, B. T. Hart, A. H. Ottrey, M. Onda and M. Woodruff, Aust. J. Chem. **36**, 639 (1983).
[83034] R. N. Nandi and M. D. Harmony, J. Mol. Spectrosc. **98**, 221 (1983).
[83038] B. M. Landsberg and R. D. Suenram, J. Mol. Spectrosc. **98**, 210 (1983).
[83039] J. Demaison, D. Boucher, J. Burie, and A. Dubrulle, Z. Naturforsch. **38a**, 447 (1983).
[83046] F. J. Lovas, R. D. Suenram, and K. M. Evenson, Astrophys. J. **267**, L131 (1983).
[83048] P. R. Bunker and Per Jensen, J. Chem. Phys. **79**, 1224 (1983).
[83049] A. R. W. McKellar and T. J. Sears, Can. J. Phys. **61**, 480 (1983).
[83050] P. R. Bunker, T. J. Sears, A. R. W. McKellar, K. M. Evenson, and F. J. Lovas, J. Chem. Phys. **79**, 1211 (1983).
[83051] M. D. Harmony, R. N. Nandi, J. V. Tietz, J. -I. Choe, S. J. Getty, and S. W. Staley, J. Am. Chem. Soc. **105**, 3947 (1983).
[83052] M. B. Bell, H. E. Matthews, and T. J. Sears, Astron. Astrophys. **127**, 241 (1983).
[83053] C. A. Gottlieb, E. W. Gottlieb, P. Thaddeus, and H. Kawamura, Astrophys. J. **275**, 916 (1983).
[83054] W. A. Kreiner and R. Opferkuch, J. Mol. Struct. **97**, 289 (1983).
[83055] A. R. W. McKellar, C. Yamada, and E. Hirota, J. Chem. Phys. **79**, 1220 (1983).
[83059] R. N. Nandi, M. D. Harmony, A. E. Howard, and S. W. Staley, J. Chem. Phys. **78**, 3560 (1983).
[84026] Y. S. Li, J. Phys. Chem. **88**, 4049 (1984).
[84027] J. Nakagawa, M. Hayashi, Y. Endo, S. Saito, and E. Hirota, J. Chem. Phys. **80**, 5922 (1984).
[84028] K. M. Evenson, T. J. Sears, and A. R. W. McKellar, J. Opt. Soc. Am. B **1**, 15 (1984).
[84029] W. Hüttner, H. Häussler, and W. Majer, Chem. Phys. Lett. **109**, 359 (1984).
[84030] I. Ozier and W. L. Meerts, Can. J. Phys. **62**, 1844 (1984).
[84031] M. Oldani and A. Bauder, Chem. Phys. Lett. **108**, 7 (1984).
[84032] J. M. Ware and J. A. Roberts, J. Chem. Phys. **81**, 1215 (1984).
[84033] C. R. Brazier and J. M. Brown, Can. J. Phys. **62**, 1563 (1984).
[84034] H. Suzuki, N. Kaifu, J. Miyaji, M. Morimoto, M. Ohishi, and S. Saito, private communication, (1984).
[84035] M. Bester, K. Yamada, G. Winnewisser, W. Joentgen, H. J. Altenbach, E. Vogel, Astron. Astrophys. (Letters) **137**, L20 (1984).
[84036] C. M. Walmsley, P. R. Jewell, L. E. Snyder, and G. Winnewisser, Astron. Astrophys. (Letters) **134**, L11 (1984).
[84037] K. Matsumura and T. Tanaka, J. Mol. Spectrosc. **108**, 299 (1984).
[85000] M. Bogey, C. Demuynck, and J. L. Destombes, Astron. Astrophys. **144**, L15 (1985).
[85006] C. A. Gottlieb, J. M. Vrtilek, E. W. Gottlieb, and P. Thaddeus, Astrophys. J. (Letters) **294**, L55 (1985).
[85007] J. M. Vrtilek, C. A. Gottlieb, W. D. Langer, P. Thaddeus, and R. W. Wilson, Astrophys. J. (Letters) **296**, L35 (1985).
[85014] G. Bestmann and H. Dreizler, Z. Naturforsch. **40a**, 263 (1985).
[85015] J. M. Ware, J. A. Roberts, J. Chem. Phys. **82**, 5 (1985).
[85016] L. M. Ziurys and B. E. Turner, Astrophys. J. (Letters) **292**, L25 (1985).
[85017] T. C. Steimle, D. R. Woodward, and J. M. Brown, Astrophys. J. (Letters) **294**, L59 (1985).
[85018] H. E. Matthews and W. Irvine, Astrophys. J. (Letters) **298**, L61 (1985).
[85019] P. Thaddeus, J. M. Vrtilek, and C. A. Gottlieb, Astrophys. J. (Letters) **299**, L63 (1985).
[85020] M. Oldani, M. Andrist, A. Bauder, and A. G. Robiette, J. Mol. Spectrosc. **110**, 93 (1985).
[85021] M. Oldani, A. Bauder, M. Locta, J. P. Champion, G. Pierre, J. C. Hilico, and A. G. Robiette, J. Mol. Spectrosc. **113**, 229 (1985).
[85022] G. Bestmann, H. Dreizler, J. M. Vacherand, D. Boucher, B. P. van Eijck, and J. Demaison, Z. Naturforsch. **40a**, 508 (1985).
[85023] G. Bestmann, W. Lalowski, and H. Dreizler, Z. Naturforsch. **40a**, 271 (1985).
[86004] C. A. Gottlieb, E. W. Gottlieb, and P. Thaddeus, Astron. Astrophys. (Letters) **164**, L5 (1986).
[86005] R. D. Brown, P. D. Godfrey, and M. Rodler, J. Am. Chem. Soc. **108**, 1296 (1986).
[86006] M. Bogey, C. Demuynck, J. L. Destombes, and J. C. Guillemin, Chem. Phys. Lett. **125**, 569 (1986).
[86007] V. Prakash and J. A. Roberts, J. Chem. Phys. **84**, 1193 (1986).
[86008] M. Bogey, C. Demuynck, and J. L. Destombes, Chem. Phys. Lett. **125**, 383 (1986).
[86009] M. Bogey and J. L. Destombes, Astron. Astrophys. (Letters) **159**, L8 (1986).
[86010] C. A. Gottlieb, E. W. Gottlieb, P. Thaddeus, and J. M. Vrtilek, Astrophys. J. **303**, 446 (1986).
[86011] R. Widmer, M. Oldani, and A. Bauder, J. Mol. Spectrosc. **116**, 259 (1986).
[86012] B. Vogelsanger, M. Oldani, and A. Bauder, J. Mol. Spectrosc. **119**, 214 (1986).
[86013] T. D. Norden, S. T. Staley, W. H. Taylor, and M. D. Harmony, J. Am. Chem. Soc. **108**, 7912 (1986).
[86018] T. C. Steimle, D. R. Woodward, and J. M. Brown, J. Chem. Phys. **85**, 1276 (1986).
[86019] W. M. Rhee and J. A. Roberts, J. Chem. Phys. **85**, 6940 (1986).
[86020] W. M. Rhee, J. A. Roberts, and V. Prakash, J. Mol. Spectrosc. **120**, 169 (1986).
[86021] J. M. Ware, V. Prakash, and J. A. Roberts, J. Mol. Spectrosc. **116**, 17 (1986).
[86022] H. Suzuki, M. Ohishi, N. Kaifu, S. -I. Ishikawa, T. Kasuga, S. Saito, and K. Kawaguchi, Publ. Astron. Soc. Japan **38**, 911 (1986).
[86024] J. Cernicharo, C. Kahane, J. Gomez-Gonzalez, and M. Guélin, Astron. Astrophys. **164**, L1 (1986).
[87002] E. Fliege and H. Dreizler, Z. Naturforsch. **42a**, 72 (1987).
[87003] W. A. Kreiner, P. Müller, L. Jörissen, M. Oldani, and A. Bauder, Can. J. Phys. **65**, 32 (1987).

[87004] M. Bogey, C. Demuynck, J. L. Destombes, and H. Dubus, J. Mol. Spectrosc. **122**, 313 (1987).

[87005] S. Yamamoto, S. Saito, M. Ohishi, H. Suzuki, S. -I. Ishikawa, N. Kaifu, and A. Murakami, Astrophys. J. (Letters), **332**, L55 (1987).

[87006] S. Saito, K. Kawaguchi, H. Suzuki, M. Ohishi, N. Kaifu, and S. -I. Ishikawa, Publ. Astron. Soc. Japan **39**, 193 (1987).

[87007] M. Guélin, J. Cernicharo, C. Kahane, J. Gomez-Gonzales, and C. M. Walmsley, Astron. Astrophys. **175**, L5 (1987).

[87008] J. M. Vrtilek, C. A. Gottlieb, T. J. LePage, and P. Thaddeus, Astrophys. J. **316**, 826 (1987).

[87009] J. Cernicharo, M. Guélin, K. M. Menten, and G. M. Walmsley, Astron. Astrophys. **181**, L1 (1987).

[87011] R. D. Brown, P. D. Godfrey, and R. P. A. Bettens, Mon. Not. R. Astron. Soc. **227**, 19p (1987).

[87012] J. Cernicharo, M. Guélin, and C. M. Walmsley, Astron. Astrophys. **172**, L5 (1987).

[87013] M. Oldani, A. Bauder, J. C Hilico, M. Lorte, and J. P. Champion, Europhys. Lett. **4**, 29 (1987).

[87016] M. B. Bell, J. K. G. Watson, P. A. Feldman, H. E. Matthews, S. C. Madden, and W. M. Irvine, Chem. Phys. Lett. **136**, 588 (1987).

[87017] B. Vogelsanger and A. Bauder, J. Chem. Phys. **87**, 4465 (1987).

[87018] M. Guélin, J. Cernicharo, S. Navarro, D. R. Woodward, C. A. Gottlieb, and P. Thaddeus, Astron. Astrophys. **182**, L37 (1987).

[87019] Y. Endo, M. C. Chang, and E. Hirota, J. Mol. Spectrosc. **126**, 63 (1987).

[87020] D. R. Woodward, J. C. Pearson, C. A. Gottlieb, M. Guélin, and P. Thaddeus, Astron. Astrophys. **186**, L14 (1987).

[87021] T. Ogata, A Mochizuki, and E. Yamashita, J. Chem. Phys. **87**, 2531 (1987).

[87022] H. Kanata, S. Yamamoto, and S. Saito, Chem. Phys. Lett. **140**, 221 (1987).

[87023] R. L. DeLeon and J. S. Muenter, J. Mol. Spectrosc. **126**, 13 (1987).

[87024] B. Vogelsanger, W. Caminati, and A. Bauder, Chem. Phys. Lett. **141**, 245 (1987).

[87027] D. R. Woodward, J. C. Pearson, C. A. Gottlieb, M. Guélin, and P. Thaddeus, Astron. Astrophys. **186**, L14 (1987).

[88001] J. C. Pearson, C. A. Gottlieb, D. R. Woodward, and P. Thaddeus, Astron. Astrophys. **189**, L13 (1988).