

Spectral Data for Gallium: Ga I through Ga XXXI

T. Shirai^{a)}

Naka Fusion Research Establishment, Japan Atomic Energy Research Institute, 801-01 Mukoyama, Naka-machi,
Naka-gun, Ibaraki-ken, 311-0193 Japan

J. Reader, A. E. Kramida,^{b)} and J. Sugar

National Institute of Standards and Technology, Gaithersburg, Maryland 20899-8422

(Received 21 July 2005; revised manuscript received 5 April 2006; accepted 13 April 2006; published online 23 May 2007)

The energy levels and spectral lines of gallium atom in all stages of ionization have been compiled. Experimental data on spectral lines and energy levels exist for spectra Ga I through Ga VII, Ga XIII through Ga XXVI, and Ga XXX. For Li-like Ga XXIX through H-like Ga XXXI, theoretical data on energy levels and line wavelengths are compiled. For Ga I, Ga II, and Ga III we include radiative probabilities of electric-dipole transitions where available. For Ga XV through Ga XX, Ga XXIII through Ga XXVI, and Ga XXX, radiative probabilities of magnetic-dipole and electric-quadrupole transitions are included. The ground state configuration and term and a value of ionization energy are included for each ion. © 2007 by the U.S. Secretary of Commerce on behalf of the United States. All rights reserved. [DOI: 10.1063/1.2207144]

Key words: compilation; critically evaluated data; energy levels; observed spectral lines; emission spectra; Ga; gallium ions; ground states; ionization potentials; multiply charged ions; transition probabilities.

CONTENTS

1. Introduction.....	510	2.10. Ga X.....	516
1.1. Acknowledgments.....	511	2.10.1. References for Ga X.....	516
1.2. References for Introduction.....	511	2.11. Ga XI.....	516
2. Brief Comments for Each Gallium Ion.....	511	2.11.1. References for Ga XI.....	516
2.1. Ga I.....	511	2.12. Ga XII.....	517
2.1.1. References for Ga I.....	512	2.12.1. References for Ga XII.....	517
2.2. Ga II.....	512	2.13. Ga XIII.....	517
2.2.1. References for Ga II.....	513	2.13.1. References for Ga XIII.....	517
2.3. Ga III.....	514	2.14. Ga XIV.....	517
2.3.1. References for Ga III.....	514	2.14.1. References for Ga XIV.....	517
2.4. Ga IV.....	514	2.15. Ga XV.....	517
2.4.1. References for Ga IV.....	515	2.15.1. References for Ga XV.....	518
2.5. Ga V.....	515	2.16. Ga XVI.....	518
2.5.1. References for Ga V.....	515	2.16.1. References for Ga XVI.....	518
2.6. Ga VI.....	515	2.17. Ga XVII.....	518
2.6.1. References for Ga VI.....	516	2.17.1. References for Ga XVII.....	519
2.7. Ga VII.....	516	2.18. Ga XVIII.....	519
2.7.1. References for Ga VII.....	516	2.18.1. References for Ga XVIII.....	519
2.8. Ga VIII.....	516	2.19. Ga XIX.....	519
2.8.1. References for Ga VIII.....	516	2.19.1. References for Ga XIX.....	520
2.9. Ga IX.....	516	2.20. Ga XX.....	520
2.9.1. References for Ga IX.....	516	2.20.1. References for Ga XX.....	520
		2.21. Ga XXI.....	520
		2.21.1. References for Ga XXI.....	521
		2.22. Ga XXII.....	521
		2.22.1. References for Ga XXII.....	521
		2.23. Ga XXIII.....	521
		2.23.1. References for Ga XXIII.....	522
		2.24. Ga XXIV.....	522
		2.24.1. References for Ga XXIV.....	522

^{a)}Deceased.

^{b)}Author to whom correspondence should be addressed; electronic mail:

Alexander.Kramida@nist.gov

© 2007 by the U.S. Secretary of Commerce on behalf of the United States.
All rights reserved.

2.25. Ga XXV.....	522	36. Energy levels of Ga XXIV.....	592
2.25.1. References for Ga XXV.....	523	37. Spectral lines of Ga XXIV.....	592
2.26. Ga XXVI.....	523	38. Energy levels of Ga XXV.....	593
2.26.1. References for Ga XXVI.....	523	39. Spectral lines of Ga XXV.....	593
2.27. Ga XXVII.....	523	40. Energy levels of Ga XXVI.....	594
2.27.1. References for Ga XXVII.....	523	41. Spectral lines of Ga XXVI.....	594
2.28. Ga XXVIII.....	523	42. Energy levels of Ga XXIX.....	594
2.28.1. References for Ga XXVIII.....	523	43. Spectral lines of Ga XXIX.....	595
2.29. Ga XXIX.....	523	44. Energy levels of Ga XXX.....	596
2.29.1. References for Ga XXIX.....	524	45. Spectral lines of Ga XXX.....	597
2.30. Ga XXX.....	524	46. Energy levels of ^{69}Ga XXXI.....	599
2.30.1. References for Ga XXX.....	524	47. Spectral lines of ^{69}Ga XXXI.....	600
2.31. Ga XXXI.....	524	48. Energy levels of Ga VII, revised and extended.	601
2.31.1. References for Ga XXXI.....	525	49. Spectral lines of Ga VII.....	605
3. Explanation of Tables of Compiled Levels and Lines.....	525		
4. Tables of Energy Levels and Spectral Lines.....	526		
5. Cumulative References for the Entire Manuscript.....	614		

List of Tables

1. Energy levels of Ga I.....	526
2. Spectral lines of Ga I.....	529
3. Energy levels of Ga II.....	535
4. Spectral lines of Ga II.....	537
5. Energy levels of Ga III.....	541
6. Spectral lines of Ga III.....	542
7. Energy levels of Ga IV.....	545
8. Spectral lines of Ga IV.....	549
9. Energy levels of Ga V.....	561
10. Spectral lines of Ga V.....	563
11. Energy levels of Ga VI.....	567
12. Spectral lines of Ga VI.....	571
13. Energy levels of Ga VII.....	581
14. Energy levels of Ga XIII.....	581
15. Spectral lines of Ga XIII.....	581
16. Energy levels of Ga XIV.....	582
17. Spectral lines of Ga XIV.....	582
18. Energy levels of Ga XV.....	582
19. Spectral lines of Ga XV.....	582
20. Energy levels of Ga XVI.....	582
21. Spectral lines of Ga XVI.....	583
22. Energy levels of Ga XVII.....	583
23. Spectral lines of Ga XVII.....	583
24. Energy levels of Ga XVIII.....	584
25. Spectral lines of Ga XVIII.....	584
26. Energy levels of Ga XIX.....	585
27. Spectral lines of Ga XIX.....	585
28. Energy levels of Ga XX.....	585
29. Spectral lines of Ga XX.....	586
30. Energy levels of Ga XXI.....	587
31. Spectral lines of Ga XXI.....	588
32. Energy levels of Ga XXII.....	589
33. Spectral lines of Ga XXII.....	589
34. Energy levels of Ga XXIII.....	589
35. Spectral lines of Ga XXIII.....	590

1. Introduction

The present compilation presents the first critically evaluated data set on observed spectral lines and energy levels of gallium in all stages of ionization, Ga I through Ga XXXI. The compiled experimental data were obtained by analyzing emission of arcs, vacuum sparks, hollow cathode discharges, laser-produced plasmas, and tokamaks as light sources. For neutral and singly ionized gallium, photoabsorption spectra were studied using synchrotron radiation and laser-produced plasmas. Data on highly excited Rydberg levels of Ga I were obtained using laser spectroscopic techniques. As a result of all these studies, there are at least some experimental data available for 23 stages of ionization of gallium. For Li-, He-, and H-like gallium spectra, which are important for high-temperature plasma diagnostics and for fundamental research, there exist accurate semiempirical or theoretical data.

The present compilation accounts for published work through December 2004. References to the data sources are given at the end of the article on each spectrum in Sec. 2.

The entire set of references, in chronological order, is given at the end of this article. References which appear with each section are denoted with the same superscript number as given in Sec. 5. Thus, for each section, the references will not be sequential. The complete list of references is given in Sec. 5. (Editor's comment)

Generally, only experimentally derived energy levels are used. These include semiempirical results obtained using interpolations and extrapolations along isoelectronic sequences. An exception is made for Li-like Ga XXIX, He-like Ga XXX, and H-like Ga XXXI where good theoretical results exist. The use of calculated values is indicated by enclosing the energy value in square brackets for these ions and for very few levels in other ionization stages.

For all given numerical data, except the relative observed line intensities, we include only those results that we evaluated as the best available ones. We do not do any averaging of the original data, whether it is experimental or theoretical.

The observed line intensities provide a qualitatively consistent comparison of line intensities within each spectrum. The values of intensities are in most cases visual estimates of

observed line strengths. They do not take into account different excitation conditions in the light sources and variations of the detector sensitivities.

For the ionization potentials (IPs) of Ga V through Ga XIII, where there are no experimental or semiempirical data available, we calculated the IPs by an analysis of quantum defects (as in the case of Ga V) or by means of Cowan's codes³³ implementing the Hartree-Fock approximation with relativistic corrections.

All energy levels in the tables are given in units of cm^{-1} , and all wavelengths in Å (0.1 nm). The customary unit cm^{-1} for ionization energies, used here, is related to the SI unit for energy (joule) by $1 \text{ cm}^{-1} = 1.986\ 445\ 61(34) \times 10^{-23} \text{ J}$ (Mohr and Taylor⁸¹). Ionization energies are provided in both cm^{-1} and eV. We use the conversion factor $8065.544\ 45 \pm 0.000\ 69 \text{ cm}^{-1}/\text{eV}$, as recommended by 2002 CODATA. The wavelengths for lines having wave numbers greater than $50\ 000 \text{ cm}^{-1}$ are given in vacuum, and those with wave numbers lower than $50\ 000 \text{ cm}^{-1}$ are given in air. Conversion from air to vacuum was done by using the five-parameter formula of Peck and Reeder.¹⁵

Although it is often difficult to determine, the uncertainties in the given values of energy levels and wavelengths are likely to be 1σ values. In all cases the primary experimental quantities were the observed wavelengths or wave numbers; thus the uncertainties of the energy levels are directly related to the observed wavelength uncertainties.

1.1. Acknowledgments

The authors are grateful to Dr. L. I. Podobedova for additional work she made especially for this compilation on the analysis of the Ga VI spectrum. They are also thankful to Dr. A. N. Ryabtsev for helpful communication regarding misprints in the published data on Ga III, Ga IV, and Ga V, and to Professor K. T. Cheng for additional calculations on the Ga XXX spectrum. They wish to thank Dr. Yu. Ralchenko, Dr. E. B. Saloman, and Dr. W. C. Martin for helpful discussions. Assistance of Dr. Suzuki with transferring the data preliminarily assembled by Dr. T. Shirai to NIST is greatly acknowledged. This work was supported in part by the Office of Fusion Energy Sciences of the U. S. Department of Energy.

1.2. References for Introduction

- ¹⁵E. R. Peck and K. Reeder, *J. Opt. Soc. Am.* **62**, 958 (1972).
- ³³R. D. Cowan, *The Theory of Atomic Structure and Spectra* (University of California Press, Berkeley, CA, 1981).
- ⁸¹P. J. Mohr and B. N. Taylor, *The 2002 CODATA Recommended Values of the Fundamental Physical Constants, Web Version 4.0*, available at physics.nist.gov/constants; *Rev. Mod. Phys.* **77**, 1 (2005).

2. Brief Comments for Each Gallium Ion

2.1. Ga I

Ground state $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^2 \text{P}_{1/2}^{\circ}$
Ionization energy $48\ 387.634 \pm 0.010 \text{ cm}^{-1}$
($5.999\ 301\ 6 \pm 0.000\ 001\ 2 \text{ eV}$)

The $4s^2nl$ levels for Ga I given in *Atomic Energy Levels* (AEL)¹³ were derived from the line list of Meggers and Murphy,⁷ which included their own measurements as well as those of previous observers. Two terms lying above the first ionization limit, $4s4p^2 \text{S}$ and P , were taken from absorption observations of Garton.⁶ Since then, measurements in the range 2874–22 568 Å were reported by Johansson and Litzén.⁹ Their results form the basis for the $4s^2nl$ levels in the present compilation. By using laser spectroscopic techniques Neijzen and Dönszelmann³⁵ measured the wavelength of the $4p \text{P}_{1/2}^{\circ} - 5s \text{S}_{1/2}$ resonance transition as $4032.984 \pm 0.001 \text{ Å}$; we adopt this wavelength for the present compilation. These authors³⁵ also used stepwise excitation with two pulsed dye lasers to measure wavelengths of the $5s \text{S}_{1/2} - np \text{P}_{1/2,3/2}^{\circ}$ transitions in the region between $n=20$ and $n=56$ with an uncertainty of $\pm 0.002 \text{ Å}$. Neijzen and Dönszelmann³⁶ also measured the parity-forbidden transitions $5s \text{S}_{1/2} - nd \text{D}_{3/2,5/2}$ from $n=19$ –34. Besides that, they predicted the autoionizing $4s4p^2 \text{D}_{1/2,3/2}$ levels and ascribed a broad but weak absorption line of Kozlov and Startsev¹¹ with a maximum at 1860 Å to the $4s^24p \text{P}^{\circ} - 4s4p^2 \text{D}$ transitions.

In a similar experiment with two-step excitation, Tursunov and Eshkobilov⁴⁸ extended measurements for the $4s^2np \text{P}_{1/2,3/2}^{\circ}$ levels to $n=41$ –70. They estimated their wavelength uncertainty as $\pm 0.088 \text{ Å}$. The center-of-gravity of the $4s^2np \text{P}_{1/2,3/2}^{\circ}$ levels determined by their measurements was estimated to be accurate to $\pm 0.4 \text{ cm}^{-1}$. We give their values for these levels, except for those in the range of $n=54$ –56, which are taken from Neijzen and Dönszelmann.³⁶ Following the early absorption observations of Garton,⁶ 61 absorption lines in the range 2073–2215 Å for the Rydberg series $4p-ns$ ($n=10$ –28) and $4p-nd$ ($n=8$ –27) were observed by Penkin and Shabanova⁸ with an estimated uncertainty of $\pm 0.03 \text{ Å}$.

The five intercombination lines of the $4s^24p \text{P}^{\circ} - 4s4p^2 \text{P}$ transition array in the region 2607–2691 Å, first identified by Sawyer and Lang,⁵ were re-measured by Karlsson and Litzén⁸⁰ using Fourier transform spectroscopy. Their center-of-gravity wave numbers were determined by fitting complex hyperfine and isotope structures with uncertainties of a few 10^{-3} cm^{-1} , which corresponds to the wavelength uncertainty of a few tenths of mÅ. The widths of the hyperfine structures of these lines are as high as 0.03 Å, and the shifts between the lines of the ^{69}Ga and ^{71}Ga isotopes are about 0.002 Å.⁸⁰

From the measurements of Karlsson and Litzén,⁸⁰ the ground term splitting is determined to be $826.190 \pm 0.002 \text{ cm}^{-1}$. The values of the $4s4p^2 \text{P}_{1/2,3/2,5/2}$ levels are also taken from their paper.⁸⁰

The absorption spectrum due to the excitation of a $3d$ electron was observed by Connerade²⁰ using synchrotron ra-

diation. He classified 19 lines of the $3d^{10}4s^24p - 3d^94s^24p^2$ transitions in the range of 571–660 Å. The uncertainty of the wavelengths was estimated to be ± 0.2 Å. However, the splitting between the levels of the lower $4s^24p\ ^2P_{1/2,3/2}$ term, as determined from the lines listed in Connerade,²⁰ deviates from 826.19 cm⁻¹ by ± 220 cm⁻¹ on average. The corresponding deviation of the wavelength differences is approximately ± 0.9 Å. This indicates that the measurement uncertainty was greatly underestimated in Connerade.²⁰ We determined the levels of the $3d^94s^24p^2$ configuration as arithmetic means of the level values derived from the respective observed wavelengths of transitions to the two $3d^{10}4s^24p\ ^2P_{1/2,3/2}$ levels.

Photoabsorption spectra from the ground state to the excited states $4s4p(^3P_0)np$, $n=5-12$ and 15–17, $4s4p(^3P_1)np$, $n=5-16$, and $4s4p(^3P_2)np$, $n=5-11$ were observed by Baig *et al.*⁶⁷ with an estimated wavelength uncertainty of ± 0.03 Å using synchrotron radiation. They also tentatively identified the Rydberg series $4s^24p\ ^2P_{1/2,3/2} - 4s4p(^1P_1)np$ with $n=5-13$. However, the splitting between the levels of the lower $^2P_{1/2,3/2}$ term determined from the lines assigned to this series is about 140 cm⁻¹ smaller than 826.19 cm⁻¹ for $n=6$. The corresponding deviations are 30 and 40 cm⁻¹ for the $n=7$ and 10 levels, respectively, and they seem to be larger than the experimental uncertainty. Moreover, the upper energies given in Table 4 of Baig *et al.*⁶⁷ are not assigned to specific levels. Only groups of possible level designations are indicated. Therefore, we omitted this series, except for the $n=5$ level which is unambiguously specified as $4s4p(^1P_1)5p\ ^2[1]_{3/2,5/2}$ in Table 5 of Baig *et al.*⁶⁷ We determined the unresolved $4s4p(^1P_1)5p\ ^2[1]_{1/2,3/2}$ levels as an arithmetic mean of the level values derived from the respective observed wavelengths for these two transitions.

Landé *g*-factors for the two levels of the $4s^24p\ ^2P$ ground term were measured in a high-precision atomic beam experiment by Fowler.¹²

In Table 1 we list all experimentally known energy levels of Ga I. Following Baig *et al.*,⁶⁷ we give the pair-coupling designations for the autoionizing $4s4pnp$ ($n \geq 5$) levels. All other levels are designated in the LS coupling scheme.

In Table 2, along with the complete compiled set of observed lines of Ga I, we list transition probabilities for the $4p\ ^2P - ns\ ^2S$ ($n=5-10$) and $4p\ ^2P - nd\ ^2D$ ($n=4-6$ and 8) doublets, as recently compiled by Morton.⁸² The transition probability of the $4p\ ^2P_{3/2} - 7d\ ^2D_{5/2}$ line is cited from Wiese and Martin.³² All given values of transition probabilities are expected to be accurate within $\pm 25\%$. For the $5s\ ^2S_{1/2} - nd\ ^2D_{3/2,5/2}$ electric-quadrupole transitions with $n=19-34$, we list wavelengths calculated from the level values determined by Neijzen and Dönszelmann.³⁶

The ionization energy is from Neijzen and Dönszelmann.³⁵

2.1.1. References for Ga I

- ⁵R. A. Sawyer and R. J. Lang, Phys. Rev **34**, 712 (1929).
- ⁶W. R. S. Garton, Proc. Phys. Soc., London, Sect. A **65**, 268 (1952).
- ⁷W. F. Meggers and R. J. Murphy, J. Res. Natl. Bur. Stand. **48**, 334 (1952).
- ⁸N. P. Penkin and L. N. Shabanova, Opt. Spectrosc. **18**, 425 (1965).
- ⁹I. Johansson and U. Litzén, Ark. Fys. **34**, 573 (1967).
- ¹¹M. G. Kozlov and G. P. Startsev, Opt. Spectrosc. **22**, 366 (1967).
- ¹²T. R. Fowler, Report No. UCRL-18331, Univ. California Lawrence Radiation Laboratory, Berkeley, CA, 1968.
- ¹³C. E. Moore, *Atomic Energy Levels*, Natl. Stand. Ref. Data Ser., Natl. Bur. Stand. (U.S.) 35/Vol. II (1971); reprint of Natl. Bur. Stand. (U.S.) Circ. 467, Vol. II (1952).
- ²⁰J. P. Connerade, Proc. R. Soc. London, Ser. A **354**, 511 (1977).
- ³²W. L. Wiese and G. A. Martin, *Wavelengths and Transition Probabilities for Atoms and Atomic Ions*, NSRDS-NBS **68**, 359 (1980).
- ³⁵J. H. M. Neijzen and A. Dönszelmann, Physica B & C **114**, 241 (1982).
- ³⁶J. H. M. Neijzen and A. Dönszelmann, Physica B & C **114**, 399 (1982).
- ⁴⁸A. T. Tursunov and N. B. Eshkobilov, Opt. Spectrosc. **58**, 607 (1985).
- ⁶⁷M. A. Baig, I. Ahmad, A. Rashid, M. Akram, and N. Ahmed, J. Phys. B **24**, 3933 (1991).
- ⁸⁰H. Karlsson and U. Litzén, J. Phys. B **33**, 2929 (2000).
- ⁸²D. C. Morton, Astrophys. J. Suppl. Ser. **149**, 205 (2003).

2.2. Ga II

Zn isoelectronic sequence
Ground state $1s^22s^22p^63s^23p^63d^{10}4s^{21}S_0$
Ionization energy $165\ 465.8 \pm 1.0$ cm⁻¹

($20.515\ 15 \pm 0.000\ 12$ eV)

Lang¹ classified 16 lines comprising the $4s4p - 4p^2$, $4s4p - 4s4d$, and $4s4p - 4s5s$ triplets and the singlet resonance transition $4s^2\ ^1S_0 - 4s4p\ ^1P_1$ in vacuum-spark spectra. This analysis was extended by Sawyer and Lang⁵ who classified 89 lines in the range of 829–7793 Å in a hollow cathode discharge. The levels given in AEL¹³ are taken from this article.

In 1979 Denne *et al.*²⁴ observed the spectrum with a sliding spark and found four new lines that established the $4p^2\ ^1S_0$, 1D_2 , and $4s6s\ ^1S_0$ levels. They also measured lifetimes for the $4p^2\ ^1D_2$ and $4s4d\ ^1D_2$ levels.

Isberg and Litzén⁴⁴ used a hollow cathode discharge to observe the spectrum in the range 829–9706 Å. They obtained wavelengths with uncertainties varying from ± 0.01 Å at the longest wavelengths to ± 0.002 Å in the vacuum ultraviolet. They classified 172 lines and determined the energy levels of the $4sns$ ($n=5-8$), $4snp$ ($n=4,5$), $4snd$ ($n=4-8$), $4snf$ ($n=4-7$), $4sng$ ($n=5-8$), and $4p^2$ configurations.

Karlsson and Litzén⁸⁰ re-measured 56 of these lines using Fourier transform spectroscopy with a hollow cathode dis-

charge. For a number of lines, they measured individual components of the complex hyperfine and isotope structure (HFS/IS) and accurately determined the centers of gravity of these structures. Since the wavelengths obtained by Karlsson and Litzén⁸⁰ differed from those of Isberg and Litzén⁴⁴ by as much as 0.06 Å, the energy levels determined by Isberg and Litzén⁴⁴ had to be re-optimized. For this level optimization, we needed more precise values of wavelength uncertainties than the general estimates given in Isberg and Litzén⁴⁴ and Karlsson and Litzén.⁸⁰

For the lines measured by Isberg and Litzén,⁴⁴ we estimated the uncertainties by comparing the observed and Ritz wavelengths. This comparison was done separately for the lines given in Isberg and Litzén⁴⁴ with three digits after the decimal point and those given with two digits after the decimal point. For the former category of lines, we estimated that the lines with intensities greater than 6 have uncertainties of ±0.002 Å, whereas less intense lines have greater uncertainties, up to ±0.009 Å for the lines with zero intensity value. For the lines given with two digits after the decimal point, which prevail in the longer-wavelength region, the lines with intensities greater than 6 have uncertainties of ±0.01 Å, whereas the uncertainty for the less intense lines is ±0.03 Å. The lines noted as having partially resolved HFS/IS have uncertainties of ±0.02 Å on average.

Karlsson and Litzén⁸⁰ obtained the wavelength values using three different methods. For the lines with well-resolved HFS/IS (denoted as type b in their line list), the center-of-gravity wavelengths were obtained by fitting the individual components of the structure. Each HFS component had a Doppler profile with the full-width at half-maximum (FWHM) of 0.06 cm⁻¹ at the wave number of 15 500 cm⁻¹ (as determined from Fig. 1 of Karlsson and Litzén⁸⁰). Assuming that the uncertainty of the fit for the center of gravity of the line structure is the same as for the HFS/IS components, we determined the statistical uncertainty by dividing the full width of the line component by twice the square root of the signal-to-noise ratio given in the intensity column of Karlsson and Litzén⁸⁰ and combined the obtained value with the estimated calibration uncertainty of ±0.002 cm⁻¹ (Karlsson and Litzén⁸⁰) as the square root of the sum of squares. For symmetric lines with no resolved HFS/IS (noted as “type a” in Karlsson and Litzén),⁸⁰ we used the same method as for the lines of type b. For the “type c” lines, the HFS/IS structure was partially resolved, but individual HFS/IS components could not be fitted. The center-of-gravity wavelengths of these lines were obtained in Karlsson and Litzén⁸⁰ from a least-squares fit of the entire observed line profile, using a line-fitting computer code. For these lines, we assumed a FWHM of 1 cm⁻¹, which corresponds to the measured widths of the resolved HFS/IS structures of the type-b lines. Using this value of FWHM, we estimated the uncertainties using the same method as for the lines of types a and b.

The $4s4d\ ^3D-4s6f\ ^3F$, $4s4p\ ^3P_0-4s7s\ ^3S_1$, and $4s4p\ ^3P-4s8s\ ^3S$ transitions were not reported by Isberg

and Litzén⁴⁴ and are taken from Sawyer and Lang.⁵ Their wavelengths are consistent with the levels of Isberg and Litzén⁴⁴ within an uncertainty of ±0.05 Å.

Having determined the wavelength uncertainties, we found the optimized level values by means of the least-squares level-optimization code LOPT.⁸⁴ These new level values are given in Table 3. The uncertainty of the levels given with two or three digits after the decimal point is 0.03 to 0.10 cm⁻¹, except for $4s4p\ ^3P_1$, which has an uncertainty of ±0.002 cm⁻¹. A third digit after the decimal point was necessary for many of the levels in order to reproduce the measured wavelengths of Karlsson and Litzén.⁸⁰ The uncertainty of the rest of the level values is between 1 and 10 units of the last decimal place. We have denoted the $4sng$ levels in the table in jj -coupling.

There is considerable configuration interaction in the level system of Ga II. Due to this it is difficult to assign the $4p^2\ ^1D_2$ and $4s4d\ ^1D_2$ levels to a single configuration. The percentage compositions for these levels in Table 3 are from Froese Fischer and Hansen.²⁶ The percentages for the levels of the $2s4f$ configuration are from Isberg and Litzén.⁴⁴

Lines from Isberg and Litzén⁴⁴ and Karlsson and Litzén⁸⁰ in Table 4 noted with *hfs* have a partially resolved HFS/IS structure. Their observed widths can be greater than those of the other lines. For the lines quoted from Karlsson and Litzén,⁸⁰ we retained the logarithmic intensity values from Isberg and Litzén.⁴⁴

Dunne *et al.*⁷² identified the $3d^{10}4s^2-3d^94s^2np$ ($n=5-11$) and nf ($n=4-8$) transitions in the range 344–405 Å with an uncertainty of ±0.015 Å in photoabsorption spectra of laser-produced plasmas. The percentage compositions for these levels lying above the limit are from their article.⁷²

In Table 4 we list transition probabilities for the $4s^2\ ^1S_0-4s4p\ ^{1,3}P_1$ transitions quoted from Morton⁸² and those for several transitions of the $4s4p-4s4d$ array calculated by Curtis.⁷⁹ These values should be accurate within ±25%. The transition probability of $4s^2\ ^1S_0-4s5p\ ^1P_1$ is taken from Wiese *et al.*³² Its quoted uncertainty is ±50%.

The ionization energy is from Isberg and Litzén.⁴⁴

2.2.1. References for Ga II

- ¹R. J. Lang, Phys. Rev. **30**, 762 (1927).
- ⁵R. A. Sawyer and R. J. Lang, Phys. Rev. **34**, 712 (1929).
- ¹³C. E. Moore, *Atomic Energy Levels*, Natl. Stand. Ref. Data Ser., Natl. Bur. Stand. (U.S.) 35/Vol. II (1971); reprint of Natl. Bur. Stand. (U.S.) Circ. 467, Vol. II (1952).
- ²⁴B. Denne, U. Litzén, and L. J. Curtis, Phys. Lett. **71A**, 35 (1979).
- ²⁶C. Froese Fischer and J. E. Hansen, Phys. Rev. A **34**, 1819 (1979).
- ³²W. L. Wiese and G. A. Martin, *Wavelengths and Transition Probabilities for Atoms and Atomic Ions*, NSRDS-NBS **68**, 359 (1980).
- ⁴⁴B. Isberg and U. Litzén, Phys. Scr. **31**, 533 (1985).
- ⁷²P. Dunne, G. O’Sullivan, and V. K. Ivanov, Phys. Rev. A **48**, 4358 (1993).

- ⁷⁹L. J. Curtis, Phys. Scr. **62**, 31 (2000).
⁸⁰H. Karlsson and U. Litzén, J. Phys. B **33**, 2929 (2000).
⁸²D. C. Morton, Astrophys. J. Suppl. Ser. **149**, 205 (2003).
⁸⁴A. E. Kramida and G. Nave, Eur. Phys. J. D **37**, 1 (2006).

2.3. Ga III

Cu isoelectronic sequence

Ground state $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 S_{1/2}$

Ionization energy $247\ 820 \pm 2\text{ cm}^{-1}$ ($30.7258 \pm 0.0002\text{ eV}$)

Lang¹ identified the $4snp$ ($n=4, 5$), $4p4d$, $4d4f$, $4p5s$, and $4f5g$ transitions. Rao² added the $5s5p$, $5p5d$, and $5p6s$ transitions. More accurate observations in the range $452\text{--}5994\text{ \AA}$ were made by Isberg and Litzén⁵⁰ using hollow cathode and sliding spark discharges. They identified 69 transitions among the levels of the ns ($n=4\text{--}7$), np ($n=4, 5$), nd ($n=4\text{--}6$), nf ($n=4, 5$), ng ($n=5\text{--}7$), $3d^9 4s^2$, $3d^9(^2D)4s4p(^3P)$, and $3d^9(^2D)4s4p(^1P)$ configurations. Their wavelength uncertainty is estimated to be $\pm 0.02\text{ \AA}$ at the longest wavelengths and $\pm 0.002\text{ \AA}$ in the vacuum ultraviolet.

Ryabtsev and Wyart⁵⁵ observed 45 lines in the range $434\text{--}1925\text{ \AA}$ with a spark discharge. They gave identifications for $4snp$ ($n=6\text{--}9$), $3d^{10}4s-3d^94s4p$, $3d^{10}4p-3d^94p^2$, $4dnp$ ($n=6, 8$), $3d^{10}4d-3d^94s4p$, $3d^94s^2-3d^94s4p$, $3d^94s^2-3d^{10}np$ ($n=6\text{--}8$), $5s-6p$, and $3d^{10}5s-3d^94s4p$ transitions. They re-determined the $3d^9(^2D)4s4p(^3P)$ levels. We have adopted the $3d^{10}4s^2 S_{1/2}-3d^9(^2D)4s4p(^3P)^2 P_{1/2}$ transition at 511.132 \AA from their identifications.

It is noted that, according to the level scheme adopted here, the $3d^{10}4s^2 S_{1/2}-3d^9(^2D)4s4p(^3P)^2 P_{3/2}$ line at 509.743 \AA in Isberg and Litzén⁵⁰ has been assigned as the $3d^{10}4s^2 S_{1/2}-3d^{10}6p^2 P_{3/2}$ line.

Percentage compositions for the $3d^94s4p$ and $3d^94p^2$ levels are taken from Ryabtsev and Wyart.⁵⁵ For the latter configuration, only the percentage of the first leading component is given therein. We have designated the levels of these configurations according to these percentages. To avoid duplication of some names, we have designated the level at $197\ 026.7\text{ cm}^{-1}$ as $3d^9(^2D)4s4p(^3P)^4 D_{1/2}$, although as shown in Table 5 the percentage for this component is only 27%. The level at $276\ 960\text{ cm}^{-1}$ is designated as $3d^9(^2D)4p^2(^3P)^2 D_{3/2}$, although the corresponding percentage was not given. As shown in Table 5, the leading component for this level is actually 47% $3d^9(^2D)4p^2(^3P)^4 F_{3/2}$.

In Table 6, along with the complete list of observed lines of Ga III, we list transition probabilities for the $4s-4p$ resonance doublet quoted from the compilation of Morton.⁸²

The ionization energy is from Isberg and Litzén.⁵⁰

2.3.1. References for Ga III

- ¹R. J. Lang, Phys. Rev. **30**, 762 (1927).
²K. R. Rao, Proc. Phys. Soc. **39**, 150 (1927).
⁵⁰B. Isberg and U. Litzén, Phys. Scr. **33**, 420 (1986).
⁵⁵A. N. Ryabtsev and J.-F. Wyart, Phys. Scr. **36**, 255 (1987);

A. N. Ryabtsev (private communication for some misprints in Table V).

- ⁸²D. C. Morton, Astrophys. J. Suppl. Ser. **149**, 205 (2003).

2.4. Ga IV

Ni isoelectronic sequence

Ground state $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 1S_0$

Ionization energy $510\ 070 \pm 70\text{ cm}^{-1}$ ($63.241 \pm 0.009\text{ eV}$)

The early observations for the $3d^{10}-3d^94p$ and $3d^94s-3d^94p$ transitions were reported by Mack *et al.*,³ who identified 3 lines in the range $422\text{--}441\text{ \AA}$ for the former and 36 lines in the range $1137\text{--}1466\text{ \AA}$ for the latter in vacuum-spark discharges. This established all levels of the $3d^{10}$, $3d^94s$, and $3d^94p$ configurations as summarized in AEL.¹³

Ryabtsev¹⁹ re-observed all the lines and identified the $4p-4d$ and $4p-5s$ transitions in the range $840\text{--}1043\text{ \AA}$, thus adding levels of the $3d^94d$ and $3d^95s$ configurations.

The analysis was extended by Ryabtsev and Churilov,⁶⁹ who identified 478 transitions among the levels of the $3d^{10}$, $3d^9ns$, np , nd with $n=4\text{--}6$, and $3d^94f$ configurations in the range $233\text{--}1678\text{ \AA}$. Their wavelength uncertainty is $\pm 0.005\text{ \AA}$ below 1200 \AA and $\pm 0.010\text{ \AA}$ above. There are a number of misprints in their classifications; we have corrected them so as to get better agreement between measured wavelengths and values calculated from their levels. In this way we revised the value of the $3d^95d\ ^3D_1$ level from $413\ 070$ to $413\ 010\text{ cm}^{-1}$ and the value of the $3d^94d\ ^1S_0$ level from $355\ 277.0$ to $355\ 227.3\text{ cm}^{-1}$. The line at 363.355 \AA has been classified as a blend of three unresolved transitions $3d^94s\ ^3D_2-3d^96p(^5/2, 3/2)_2$, $3d^94s\ ^3D_2-3d^96p(^5/2, 3/2)_3$, and $3d^94s\ ^1D_2-3d^84s(^2D)4p\ ^3D_2$. Assignment of the line at 361.451 \AA has been corrected to $3d^94s\ ^3D_3-3d^96p(^5/2, 3/2)_3$. The misprinted wavelengths 556.769 , 582.568 , and 961.725 \AA have been corrected to 556.759 , 582.990 , and 963.597 \AA , correspondingly. The misprinted identification of the line at 528.277 \AA has been changed to $3d^94p\ ^3F_3-3d^96s(^3/2, 1/2)_2$. A third classification, $3d^94p\ ^1D_2-3d^95d\ ^3F_2$, was added to the multiply assigned line at 555.329 \AA . This line is affected by a very strong O IV line at 555.261 \AA , which significantly increases its wavelength uncertainty. Identification of the line at 1477.896 \AA has been corrected. It is a blend of the $3d^94d\ ^3G_3-3d^94f(^3/2, 5/2)_4$ and $3d^94d\ ^1G_4-3d^94f(^3/2, 7/2)_5$ transitions. The classification of the line at 1559.457 \AA has been corrected to $3d^94d\ ^3F_2-3d^94f(^3/2, 5/2)_3$. In Table 7 we quote the level values from Ryabtsev and Churilov⁶⁹ for the $3d^{10}$, $3d^94s$, $4p$, $4d$, $4f$, $5s$, $5p$, $5d$, $6s$, $6p$, and $6d$ levels. Their percentage compositions for the $3d^94s$, $4p$, and $4d$ levels are also given in Table 7. We have calculated the percentages for the remaining $3d^9nl$ configurations shown in Table 7. The $3d^96s$, $6p$, and $4f$ levels are noted in *jj*-coupling. The $3d^96p(^5/2, 3/2)_2$ level is defined by only one multiply classified line at 363.355 \AA . Therefore, we have noted it as questionable.

The $3d^94s-3d^84s4p$ transition array was observed by Ra-

monas and Ryabtsev⁶⁵ in the range 300–400 Å with a wavelength uncertainty of ± 0.005 Å. They determined most of the levels of the $3d^84s4p$ configuration. We quote their percentages for these levels in Table 7.

The list of all compiled lines is given in Table 8.

The ionization energy is from Ryabtsev and Churilov.⁶⁹

2.4.1. References for Ga IV

- ³J. E. Mack, O. Laporte, and R. J. Lang, Phys. Rev. **31**, 748 (1928).
- ¹³C. E. Moore, *Atomic Energy Levels*, Natl. Stand. Ref. Data Ser., Natl. Bur. Stand. (U.S.) 35/Vol. II (1971); reprint of Natl. Bur. Stand. (U.S.) Circ. 467, Vol. II (1952).
- ¹⁹A. N. Ryabtsev, Opt. Spectrosc. **39**, 239 (1975).
- ⁶⁵A. Ramonas and A. Ryabtsev, Lith. Phys. J. **30**, 37 (1990).
- ⁶⁹A. N. Ryabtsev and S. S. Churilov, in *Spectroscopy of Multicharged Ions in Hot Plasmas*, edited by U.I. Safranova (Akad. Nauk SSSR, Inst. Spektrosk., Moscow, 1991), p. 76; A. N. Ryabtsev (private communication for misprints in Table 2).

2.5. Ga V

Co isoelectronic sequence

Ground state $1s^22s^22p^63s^23p^63d^9\ ^2D_{5/2}$

Ionization energy $693\ 700 \pm 1000\ \text{cm}^{-1}$ ($86.01 \pm 0.12\ \text{eV}$)

Thirty-three lines in the range 296–329 Å were first identified by Kononov¹⁰ as the $3d^9$ – $3d^84p$ transitions. Dick¹⁷ re-observed the spectrum and extended the above array to 49 lines in the range 290–338 Å. Joshi *et al.*¹⁴ identified 29 lines in the range 960–1206 Å as the $3d^84s\ ^4F$ – $3d^84p\ ^4P$, 4D , 4F , and 4G transitions. These two transition arrays were observed more fully by Aksenov and Ryabtsev¹⁶ in a vacuum spark with a measurement uncertainty of ± 0.004 Å for the $3d^9$ – $3d^84p$ transitions and ± 0.02 Å for the $3d^84s$ – $3d^84p$ transitions. All levels but those based on the $3d^8\ ^1S$ core state were established. We quote their results in Table 9.

Dick's level scheme is consistent with that of Aksenov and Ryabtsev,¹⁶ except for the $3d^8(^3F)4p$ $^4D_{7/2}$, $^4G_{7/2}$, and $^4G_{5/2}$ levels, and the interchange of designations of the $3d^8(^3P)4p$ $^2D_{3/2}$ and $^2P_{3/2}$ levels. Nine lines in Dick's experiment¹⁷ are included in Table 10.

The $3d^9$, $3d^84s$, and $3d^84p$ levels in Table 9 are taken from Aksenov and Ryabtsev.¹⁶ We calculated the percentage compositions for $3d^84s$ and $3d^84p$.

Ryabtsev and Ramonas⁴⁷ identified 36 lines of the $3d^9$ – $3d^84f$ array in the range 167–193 Å with an estimated uncertainty of ± 0.005 Å. This established positions of 28 levels of the $3d^84f$ configuration. We have adjusted those levels that were determined from only one observed line so as to get exact agreement between measured wavelengths and values calculated from the level energies. The value of the uppermost level with $J=1/2$ of the $3d^84f$ configuration was misprinted in Ryabtsev and Ramonas⁴⁷ as $552\ 222\ \text{cm}^{-1}$. The correct value is $552\ 156\ \text{cm}^{-1}$. The upper levels of the

lines at 184.208, 191.100, and 192.536 Å, designated in the LS coupling scheme as $3d^8(^3P)4f\ ^2D_{3/2}$, $3d^8(^3F)4f\ ^4G_{7/2}$, and $3d^8(^3F)4f\ ^4F_{3/2}$, respectively, were not included in the level list of Ryabtsev and Ramonas.⁴⁷ These levels are determined by a single blended or doubly classified line each. We have determined the level values from the observed wavelengths and included these levels as questionable. We calculated the percentage compositions for this configuration in *jj*-coupling.

Due to the strong mixing between the electronic states, the names we assigned to the energy levels do not fully represent their physical nature. The percentage compositions given in Table 9 help to better understand the properties of the levels.

We determined the ionization energy from the fitted center of gravity of the $3d^84f$ configuration. The term value of the center of gravity of this configuration was found by interpolation between the center-of-gravity values of the $3p^64f$ configuration of vanadium V given by Van Deurzen²³ and the $3d^{10}4f$ configuration of As V given by Sawyer and Humphreys.⁴

2.5.1. References for Ga V

- ⁴R. A. Sawyer and C. J. Humphreys, Phys. Rev. **32**, 583 (1928).
- ¹⁰E. Ya. Kononov, Opt. Spectrosc. **23**, 90 (1967).
- ¹⁴Y. N. Joshi, K. S. Bhatia, and W. E. Jones, Sci. Light **21**, 113 (1972).
- ¹⁶V. P. Aksenov and A. N. Ryabtsev, Opt. Spectrosc. **37**, 492 (1974).
- ¹⁷K. A. Dick, J. Opt. Soc. Am. **64**, 702 (1974).
- ²³C. H. H. Van Deurzen, J. Opt. Soc. Am. **67**, 476 (1977).
- ⁴⁷A. N. Ryabtsev and A. A. Ramonas, Sov. Phys. Collect. **25**, 77 (1985); A. N. Ryabtsev (private communication regarding the missing levels and misprint in Table 4).

2.6. Ga VI

Fe isoelectronic sequence

Ground state $1s^22s^22p^63s^23p^63d^8\ ^3F_4$

Ionization energy $909\ 000 \pm 9000\ \text{cm}^{-1}$ ($112.7 \pm 1.1\ \text{eV}$)

The $3d^8$ – $3d^74p$ transitions were observed by Podobedova *et al.*³⁸ in the range 200–274 Å with a three-electrode vacuum spark. The wavelength accuracy of all but the weakest lines observed was ± 0.003 Å. They identified 270 transitions and determined all levels of the $3d^8$ configuration and most levels of the $3d^74p$ configuration.

Transitions between excited states $3d^74s$ – $3d^74p$ were analyzed by Podobedova *et al.*⁴⁶ They identified 194 lines in the range 764–1150 Å with an uncertainty of ± 0.005 Å. The levels of the $3d^74p$ configuration were refined and supplemented, and all levels in the $3d^74s$ configuration were determined.

Recently, Podobedova⁷⁷ re-examined the experimental material and carried out a new optimization of the level values and new calculations of the eigenvector compositions. She provided us with more refined values for the levels as

well as revised designations for some of the $3d^74p$ levels. The interchange of designations between 5D_4 and 5F_4 and between 5D_2 and 5G_2 in the $3d^7(^4F)4p$ configuration was made according to the leading percentage compositions. In addition, the $3d^7(^4P)4p$ 5S_2 and $(^4F)^3D_2$ levels were interchanged. Four lines at 978.897, 1016.990, 1017.103, and 1042.418 Å were reclassified, and five additional transitions were ascribed to the lines at 238.137, 967.811, 981.830, 1011.695, and 1015.806 Å as second classifications. The lines at 978.897 and 981.830 Å were used to determine the levels $3d^7(^4P)4p$ 5D_0 ($419\,644.6\text{ cm}^{-1}$) and $3d^7(^4F)4p$ 5D_0 ($398\,323.3\text{ cm}^{-1}$), respectively. The doubly classified lines at 247.891 and 964.924 Å in the earlier work were identified as the $3d^8\,^3F_4$ – $3d^7(^4F)4p$ 3F_3 and $3d^7(^2D)4s$ 1D_2 – $3d^7(^2D)4p$ 1F_3 transitions, respectively. We quoted her results in Tables 11 and 12. As seen from the percentage compositions given in Table 11, there is strong mixing between the states. In many cases, the level names we have chosen do not fully represent the physical nature of the levels.

We calculated the ionization energy with the Cowan relativistic Hartree-Fock code (HFR).³³

2.6.1. References for Ga VI

- ³³R. D. Cowan, *The Theory of Atomic Structure and Spectra* (University of California Press, Berkeley, CA, 1981).
- ³⁸L. Podobedova, A. Ramonas, and A. Ryabtsev, Sov. Phys. Collect. **23**, 10 (1983).
- ⁴⁶L. I. Podobedova, A. A. Ramonas, and A. N. Ryabtsev, Sov. Phys. Collect. **25**, 66 (1985).
- ⁷⁷L. I. Podobedova (private communication, 1996).

2.7. Ga VII

Mn isoelectronic sequence
Ground state $1s^22s^22p^63s^23p^63d^7$ $^4F_{9/2}$
Ionization energy $1\,136\,000 \pm 11\,000\text{ cm}^{-1}$
($140.9 \pm 1.4\text{ eV}$)

This spectrum was observed in the region below 170 Å with a sliding spark by Dick.¹⁷ Although he did not publish any of his measurements, he reported four levels of the $3d^7$ 4F ground term, and we quote them here in Table 13.

We calculated the ionization energy with the Cowan HFR code.³³

Note: Additional materials and revised level and wavelength tables of Ga VII were compiled when this manuscript was in preparation for publication. See *Note Added in Proof* on p. 93 and Tables 48 and 49.

2.7.1. References for Ga VII

- ¹⁷K. A. Dick, J. Opt. Soc. Am. **64**, 702 (1974).
- ³³R. D. Cowan, *The Theory of Atomic Structure and Spectra* (University of California Press, Berkeley, CA, 1981).

2.8. Ga VIII

Cr isoelectronic sequence
Ground state $1s^22s^22p^63s^23p^63d^6$ 5D_4
Ionization energy $1\,370\,000 \pm 14\,000\text{ cm}^{-1}$
($169.9 \pm 1.7\text{ eV}$)

No wavelengths have been reported for this ion. We calculated the ionization energy with the Cowan HFR code.³³

2.8.1. References for Ga VIII

- ³³R. D. Cowan, *The Theory of Atomic Structure and Spectra* (University of California Press, Berkeley, CA, 1981).

2.9. Ga IX

V isoelectronic sequence
Ground state $1s^22s^22p^63s^23p^63d^5$ $^6S_{5/2}$
Ionization energy $1\,700\,000 \pm 17\,000\text{ cm}^{-1}$
($210.8 \pm 2.1\text{ eV}$)

No wavelengths have been reported for this ion. We calculated the ionization energy with the Cowan HFR code.³³

2.9.1. References for Ga IX

- ³³R. D. Cowan, *The Theory of Atomic Structure and Spectra* (University of California Press, Berkeley, CA, 1981).

2.10. Ga X

Ti isoelectronic sequence
Ground state $1s^22s^22p^63s^23p^63d^4$ 5D_0
Ionization energy $1\,968\,000 \pm 20\,000\text{ cm}^{-1}$
($244.0 \pm 2.5\text{ eV}$)

No wavelengths have been reported for this ion. We calculated the ionization energy with the Cowan HFR code.³³

2.10.1. References for Ga X

- ³³R. D. Cowan, *The Theory of Atomic Structure and Spectra* (University of California Press, Berkeley, CA, 1981).

2.11. Ga XI

Sc isoelectronic sequence
Ground state $1s^22s^22p^63s^23p^63d^3$ $^4F_{3/2}$
Ionization energy $2\,264\,000 \pm 23\,000\text{ cm}^{-1}$
($280.7 \pm 2.9\text{ eV}$)

No wavelengths have been reported for this ion. We calculated the ionization energy with the Cowan HFR code.³³

2.11.1. References for Ga XI

- ³³R. D. Cowan, *The Theory of Atomic Structure and Spectra* (University of California Press, Berkeley, CA, 1981).

2.12. Ga XII

Ca isoelectronic sequence
 Ground state $1s^2 2s^2 2p^6 3s^2 3p^6 3d^2 {}^3F_2$
 Ionization energy $2\ 575\ 000 \pm 26\ 000\ \text{cm}^{-1}$
 $(319.2 \pm 3.2\ \text{eV})$

A line at $64.69 \pm 0.05\ \text{\AA}$ was observed by Fawcett and Hayes¹⁸ in a laser-produced plasma and identified as a $3d^2 {}^3F - 3d4f {}^3G$ transition. No J -values were given, and thus no energy levels are available.

We calculated the ionization energy with the Cowan HFR code.³³

2.12.1. References for Ga XII

- ¹⁸B. C. Fawcett and R. W. Hayes, J. Opt. Soc. Am. **65**, 623 (1975).
³³R. D. Cowan, *The Theory of Atomic Structure and Spectra* (University of California Press, Berkeley, CA, 1981).

2.13. Ga XIII

K isoelectronic sequence
 Ground state $1s^2 2s^2 2p^6 3s^2 3p^6 3d {}^2D_{3/2}$
 Ionization energy $2\ 881\ 000 \pm 29\ 000\ \text{cm}^{-1}$
 $(357.2 \pm 3.6\ \text{eV})$

Fawcett and Hayes¹⁸ observed three $3p^6 3d - 3p^5 3d^2$ transitions at about $120\ \text{\AA}$ and two $3p^6 3d - 3p^6 4f$ transitions at about $60\ \text{\AA}$ in a laser-produced plasma. Their measurement uncertainty was $\pm 0.03\ \text{\AA}$.

Kaufman *et al.*⁶⁰ re-measured the $3p^6 3d - 3p^5 3d^2$ transitions in a tokamak plasma and added two more lines of this array. Their uncertainty was $\pm 0.005\ \text{\AA}$.

The energy levels given in Table 14 are from Kaufman *et al.*⁶⁰ Their value for the $3p^6 3d {}^2D$ ground term interval is based on an isoelectronically interpolated value of $119.344\ \text{\AA}$ for the $3p^6 3d {}^2D_{3/2} - 3p^5 ({}^2P) 3d^2 {}^2P_{3/2}$ transition, which is estimated to be accurate to $\pm 10\ \text{cm}^{-1}$. Their value for the $({}^2P) {}^2P_{1/2}$ level is based on an isoelectronically interpolated value of $120.581\ \text{\AA}$ for the ${}^2D_{3/2} - ({}^2P) {}^2P_{1/2}$ transition.

All observed lines of Ga XIII are listed in Table 15.

We calculated the ionization energy with the Cowan HFR code.³³

2.13.1. References for Ga XIII

- ¹⁸B. C. Fawcett and R. W. Hayes, J. Opt. Soc. Am. **65**, 623 (1975).
³³R. D. Cowan, *The Theory of Atomic Structure and Spectra* (University of California Press, Berkeley, CA, 1981).
⁶⁰V. Kaufman, J. Sugar, and W. L. Rowan, J. Opt. Soc. Am. B **6**, 142 (1989).

2.14. Ga XIV

Ar isoelectronic sequence
 Ground state $1s^2 2s^2 2p^6 3s^2 3p^6 {}^1S_0$

Ionization energy $3\ 800\ 600 \pm 11\ 500\ \text{cm}^{-1}$

$(471.2 \pm 1.4\ \text{eV})$

The $3p^6 {}^1S_0 - 3p^5 3d {}^1P_1$ resonance line and the $3p^5 3d {}^3F_4 - 3p^5 4f {}^5G_5$ intercombination transition were identified by Fawcett and Hayes¹⁸ at 123.80 ± 0.03 and $55.72 \pm 0.03\ \text{\AA}$ in a laser-produced plasma. Sugar *et al.*⁵⁶ observed the $3p^6 {}^1S_0 - 3p^5 3d {}^1P_1$ and 3D_1 transitions for several ions in the Ar isoelectronic sequence from Cu to Mo in a tokamak plasma with an uncertainty of $\pm 0.005\ \text{\AA}$. They measured a wavelength of $123.782\ \text{\AA}$ for the $3p^6 {}^1S_0 - 3p^5 3d {}^1P_1$ resonance line. Their fitted wavelength was $123.776\ \text{\AA}$. They obtained an isoelectronically fitted value of $154.416\ \text{\AA}$ for the $3p^6 {}^1S_0 - 3p^5 3d {}^3D_1$ transition, which was not actually observed for this ion. Their fitted results are adopted.

The energy levels given in Table 16 are quoted from Sugar *et al.*⁵⁶ Their uncertainty is $\pm 50\ \text{cm}^{-1}$. All observed lines of Ga XIV are listed in Table 17.

Biémont *et al.*⁷⁸ systematically investigated the behavior of the differences between experimental values of ionization energies and those calculated *ab initio* by means of multiconfigurational Dirac-Fock approach along isoelectronic sequences. We adopted their interpolated value for Ga XIV.

2.14.1. References for Ga XIV

- ¹⁸B. C. Fawcett and R. W. Hayes, J. Opt. Soc. Am. **65**, 623 (1975).
⁵⁶J. Sugar, V. Kaufman, and W. L. Rowan, J. Opt. Soc. Am. B **4**, 1927 (1987).
⁷⁸E. Biémont, Y. Frémat, and P. Quinet, At. Data Nucl. Data Tables **71**, 117 (1999).

2.15. Ga XV

Cl isoelectronic sequence

Ground state $1s^2 2s^2 2p^6 3s^2 3p^5 {}^2P_{3/2}$

Ionization energy $4\ 103\ 900 \pm 3500\ \text{cm}^{-1}$ ($508.8 \pm 0.4\ \text{eV}$)

Fawcett and Hayes¹⁸ identified the $3p^5 {}^2P_{1/2,3/2} - 3p^4 3d {}^2D_{3/2,5/2}$ lines at 128.31 and $127.48\ \text{\AA}$ with an uncertainty of $\pm 0.03\ \text{\AA}$ in a laser-produced plasma. More accurate measurements with an uncertainty of $\pm 0.005\ \text{\AA}$ were reported by Kaufman *et al.*⁶¹ for these two lines and three additional lines in the range $127 - 134\ \text{\AA}$ from observations with a tokamak plasma. A revised wavelength for the $3p^5 {}^2P_{1/2} - 3p^4 ({}^3P) 3d {}^2P_{1/2}$ transition was given by Kaufman *et al.*⁶⁴

Fawcett and Hayes¹⁸ also observed the $3p^4 ({}^3P) 3d {}^4D_{7/2} - 3p^4 ({}^3P) 4f {}^4F_{9/2}$ and $3p^4 ({}^3P) 4F_{9/2} - 3p^4 ({}^3P) 4G_{11/2}$ lines at 51.57 ± 0.05 and $52.27 \pm 0.05\ \text{\AA}$.

The magnetic dipole transition $3p^5 {}^2P_{3/2} - {}^2P_{1/2}$ at $2456.4 \pm 0.3\ \text{\AA}$ was tentatively identified by Roberts *et al.*⁵⁴ in a tokamak plasma. The value for the interval implied by this identification was adopted for determining the level values given in Table 18.

The list of observed lines of Ga XV is given in Table 19.

The transition probability of $3p^5 \ ^2P_{3/2} - \ ^2P_{1/2}$ is quoted from Kaufman and Sugar.⁵¹ Its uncertainty is estimated to be $\pm 25\%$.

The ionization energy was determined by Biémont *et al.*⁷⁸ by means of an isoelectronic interpolation of the differences between experimental values of ionization energies and those calculated *ab initio* with a multiconfigurational Dirac-Fock computer code.

2.15.1. References for Ga XV

- ¹⁸B. C. Fawcett and R. W. Hayes, J. Opt. Soc. Am. **65**, 623 (1975).
- ⁵¹V. Kaufman and J. Sugar, J. Phys. Chem. Ref. Data **15**, 321 (1986).
- ⁵⁴J. R. Roberts, T. L. Pittman, J. Sugar, V. Kaufman, and W. L. Rowan, Phys. Rev. A **35**, 2591 (1987).
- ⁶¹V. Kaufman, J. Sugar, and W. L. Rowan, J. Opt. Soc. Am. B **6**, 1444 (1989).
- ⁶⁴V. Kaufman, J. Sugar, and W. L. Rowan, J. Opt. Soc. Am. B **7**, 1169 (1990).
- ⁷⁸E. Biémont, Y. Frémat, and P. Quinet, At. Data Nucl. Data Tables **71**, 117 (1999).

2.16. Ga XVI

S isoelectronic sequence

Ground state $1s^2 2s^2 2p^6 3s^2 3p^4 \ ^3P_2$

Ionization energy $4\ 422\ 400 \pm 5\ 900\ \text{cm}^{-1}$ ($548.3 \pm 0.7\ \text{eV}$)

The magnetic dipole line $3p^4 \ ^3P_2 - \ ^1D_2$ was observed at 1529.8 Å by Roberts *et al.*³⁹ in a tokamak plasma. Kaufman *et al.*⁶⁴ gave a fitted value of 1522.8 Å from an interpolation of the difference between observed and calculated values along the isoelectronic sequence Cu¹³⁺ through Mo²⁶⁺. We adopt their results.

Fawcett and Hayes¹⁸ identified the $3p^4 \ ^3P_2 - 3p^3(4S) \ ^3D_3$ line at 132.19 Å and the $3p^4 \ ^1D_2 - 3p^3(2D) \ ^1F_3$ line at 132.69 Å with an uncertainty of $\pm 0.03\ \text{\AA}$ in a laser-produced plasma. In addition to the former line, a blended line of the $3p^4 \ ^1S_0 - 3p^3(2P) \ ^1P_1$ and $3p^4 \ ^3P_2 - 3p^3(2D) \ ^3P_2$ transitions was observed by Kaufman *et al.*⁶⁴ in a tokamak plasma. Their wavelength uncertainty is $\pm 0.005\ \text{\AA}$. Fawcett and Hayes¹⁸ also observed two $3p^3 3d - 3p^3 4f$ transitions at 48.69 and 49.19 Å with an uncertainty of $\pm 0.05\ \text{\AA}$.

The list of energy levels of Ga XVI is given in Table 20. The $^3P_{1,2}$, 1D_2 , and 1S_0 energy levels of the $3p^4$ ground configuration were derived by Kaufman *et al.*⁶⁴ from smoothed energies of M1 transitions within this configuration for the S I isoelectronic sequence. The uncertainty of these levels is $\pm 10\ \text{cm}^{-1}$, except for 1S_0 , which has an uncertainty of $\pm 70\ \text{cm}^{-1}$. The energy of the $3p^4 \ ^3P_0$ level was derived in Kaufman *et al.*⁶⁴ from a least-squares fit of the $3p^4$ configuration in Ga XVI. Its uncertainty is $\pm 100\ \text{cm}^{-1}$. The energies of the levels of the $2p^3 3d$ configuration were derived from the $2p^4 - 2p^3 3d$ transition energies smoothed along the S I isoelectronic sequence. Their uncertainty is $\pm 100\ \text{cm}^{-1}$, ex-

cept for the $3p^3(2D) \ ^3d \ ^1F_3$ and 3P_2 levels that are based on observed lines and have a smaller uncertainty of $\pm 30\ \text{cm}^{-1}$. We note that the energy of the $3p^4 \ ^3P_1$ level ($34\ 825\ \text{cm}^{-1}$) was misprinted in Kaufman *et al.*⁶⁴ as $38\ 425\ \text{cm}^{-1}$, and the predicted air wavelength of the $3p^4 \ ^3P_0 - \ ^3P_1$ M1 transition ($2.014 \pm 0.040\ \mu\text{m}$) was misprinted therein as $2.040 \pm 0.010\ \mu\text{m}$. The percentage compositions given in Table 19 are from Kaufman *et al.*⁶⁴

In the line list presented in Table 21 we include transition probabilities of the M1 transitions between the levels of the ground configuration calculated by Saloman and Kim.⁶² Their values were adjusted using experimental transition wave numbers. The uncertainty of these transition probability values is estimated as $\pm 10\%$.

The ionization energy was determined by Biémont *et al.*⁷⁸ by means of an isoelectronic interpolation of the differences between experimental values of ionization energies and those calculated *ab initio* with a multiconfigurational Dirac-Fock computer code.

2.16.1. References for Ga XVI

- ¹⁸B. C. Fawcett and R. W. Hayes, J. Opt. Soc. Am. **65**, 623 (1975).
- ³⁹J. R. Roberts, J. Sugar, V. Kaufman, T. L. Pittman, and W. L. Rowan, Phys. Rev. A **27**, 1721 (1983).
- ⁶²E. B. Saloman and Y.-K. Kim, At. Data Nucl. Data Tables **41**, 339 (1989).
- ⁶⁴V. Kaufman, J. Sugar, and W. L. Rowan, J. Opt. Soc. Am. B **7**, 1169 (1990).
- ⁷⁸E. Biémont, Y. Frémat, and P. Quinet, At. Data Nucl. Data Tables **71**, 117 (1999).

2.17. Ga XVII

P isoelectronic sequence

Ground state $1s^2 2s^2 2p^6 3s^2 3p^3 \ ^4S_{3/2}$

Ionization energy $4\ 838\ 000 \pm 11\ 000\ \text{cm}^{-1}$

($599.8 \pm 1.4\ \text{eV}$)

The magnetic dipole line $3p^3 \ ^2D_{3/2} - \ ^2P_{3/2}$ was observed at 1319.1 Å by Roberts *et al.*⁵⁴ in a tokamak plasma. Sugar *et al.*⁷⁰ gave a fitted value of $1321.7 \pm 0.4\ \text{\AA}$ from an interpolation of the difference between observed and calculated values along the isoelectronic sequence Fe¹¹⁺ through Mo²⁷⁺. We adopt their result.

Fawcett and Hayes¹⁸ identified the $3p^3 \ ^2D_{5/2} - 3p^2(3P) \ ^3d \ ^2F_{7/2}$ line at 138.54 Å and $3p^3 \ ^4S_{3/2} - 3p^2(3P) \ ^3d \ ^4P_{5/2}$ at 144.23 Å with an uncertainty of $\pm 0.03\ \text{\AA}$ in a laser-produced plasma. Sugar *et al.*⁷⁰ reobserved the spectrum in a tokamak plasma and identified a line at $142.397 \pm 0.005\ \text{\AA}$ as the $3p^3 \ ^2D_{3/2} - 3p^2(1D) \ ^3d \ ^2D_{3/2}$ transition. In addition they obtained a more accurate wavelength of $144.213 \pm 0.005\ \text{\AA}$ for the $3p^3 \ ^4S_{3/2} - 3p^2(3P) \ ^3d \ ^4P_{5/2}$ transition. The line at 138.54 Å in Sugar *et al.*⁷⁰ was masked, but an interpolated value of 138.491 Å was given by them. We adopt their results.

Fawcett and Hayes¹⁸ also identified blended lines at 45.96 Å and 46.3 Å observed with an uncertainty of 0.1 Å as the $3p^23d-3p^24f$ transitions.

The list of known energy levels of Ga XVII is given in Table 22. The levels of the $3p^3$ ground configuration were derived by Sugar *et al.*⁷⁰ from fitted energies of M1 transitions within this configuration for the P I isoelectronic sequence. The uncertainty of these levels is $\pm 20 \text{ cm}^{-1}$. We calculated percentage compositions for the $3s^23p^3$ levels by making a least-squares fit of this configuration using the Cowan code suite.³³ The energies of the levels of the $2p^23d$ configuration were derived by Sugar *et al.*⁷⁰ from the $2p^3-2p^23d$ transition energies smoothed along the P I isoelectronic sequence. Their uncertainty is $\pm 100 \text{ cm}^{-1}$, except for the $3p^2(^1\text{D})3d\ ^2\text{D}_{3/2}$ and $(^3\text{P})^4\text{P}_{5/2}$ levels, which are based on observed lines and have a smaller uncertainty of $\pm 30 \text{ cm}^{-1}$.

In the line list presented in Table 23 we include transition probabilities of the M1 transitions between the levels of the ground configuration quoted from Kaufman and Sugar.⁵¹ Their uncertainty is estimated to be $\pm 25\%$.

The ionization energy was determined by Biémont *et al.*⁷⁸ by means of an isoelectronic interpolation of the differences between experimental values of ionization energies and those calculated *ab initio* with a multiconfigurational Dirac-Fock computer code.

2.17.1. References for Ga XVII

- ¹⁸B. C. Fawcett and R. W. Hayes, J. Opt. Soc. Am. **65**, 623 (1975).
- ³³R. D. Cowan, *The Theory of Atomic Structure and Spectra* (University of California Press, Berkeley, CA, 1981).
- ⁵¹V. Kaufman and J. Sugar, J. Phys. Chem. Ref. Data **15**, 321 (1986).
- ⁵⁴J. R. Roberts, T. L. Pittman, J. Sugar, V. Kaufman, and W. L. Rowan, Phys. Rev. A **35**, 2591 (1987).
- ⁷⁰J. Sugar, V. Kaufman, and W. L. Rowan, J. Opt. Soc. Am. B **8**, 22 (1991).
- ⁷⁸E. Biémont, Y. Frémat, and P. Quinet, At. Data Nucl. Data Tables **71**, 117 (1999).

2.18. Ga XVIII

Si isoelectronic sequence
Ground state $1s^22s^22p^63s^23p^2\ ^3\text{P}_0$
Ionization energy $5\ 162\ 000 \pm 12\ 000 \text{ cm}^{-1}$
($640.0 \pm 1.5 \text{ eV}$)

The magnetic dipole transition, $3p^2\ ^3\text{P}_1-^1\text{D}_2$, was tentatively identified at 1503.7 Å by Roberts *et al.*⁵⁴ in a tokamak plasma. Sugar *et al.*,⁶⁶ however, obtained a fitted value of $1500.0 \pm 0.4 \text{ Å}$ from an interpolation of the difference between observed and calculated values for M1 lines along the isoelectronic sequence Fe¹²⁺ through Mo²⁸⁺. We adopt their result.

Fawcett and Hayes¹⁸ identified the $3p^2\ ^3\text{P}_2-3p3d\ ^3\text{D}_3$ line at $150.86 \pm 0.03 \text{ Å}$ in a laser-produced plasma. Sugar *et al.*

*et al.*⁶⁶ observed the spectrum in the range 148–167 Å with an uncertainty of 0.005 Å in a tokamak plasma. They identified 5 new lines of this array in addition to the line previously observed by Fawcett and Hayes.¹⁸

The energy levels of the $3s^23p^2$ ground configuration were derived by Sugar *et al.*⁶⁶ from fitted energies of M1 transitions within this configuration for the Si I isoelectronic sequence. The uncertainty of these levels is $\pm 20 \text{ cm}^{-1}$. The $3s^23p3d\ ^3\text{P}_2$, $^3\text{D}_{1,3}$, $^1\text{D}_2$, $^1\text{F}_3$, and $^1\text{P}_1$ levels were derived in Sugar *et al.*⁶⁶ from observed wavelengths. Their uncertainty is $\pm 30 \text{ cm}^{-1}$. The other levels of this configuration given in Table 24 in square brackets, as well as the levels of the $3s3p^3$ configuration, were derived in Sugar *et al.*⁶⁶ from wave numbers of transitions from these levels to the levels of the ground configuration fitted along the Si I isoelectronic sequence. Their uncertainty is $\pm 100 \text{ cm}^{-1}$. The percentage compositions given in Table 24 are from Sugar *et al.*⁶⁶

The list of observed lines of Ga XVIII is given in Table 25. We include predicted lines from Sugar *et al.*⁶⁶ with wavelengths slightly adjusted in order to better agree with the values of energy levels. Their uncertainty is $\pm 0.020 \text{ Å}$. We also include transition probabilities of the M1 transitions between the levels of the ground configuration quoted from Kaufman and Sugar.⁵¹ Their uncertainty is estimated to be $\pm 25\%$.

The ionization energy was determined by Biémont *et al.*⁷⁸ by means of an isoelectronic interpolation of the differences between experimental values of ionization energies and those calculated *ab initio* with a multiconfigurational Dirac-Fock computer code.

2.18.1. References for Ga XVIII

- ¹⁸B. C. Fawcett and R. W. Hayes, J. Opt. Soc. Am. **65**, 623 (1975).
- ⁵¹V. Kaufman and J. Sugar, J. Phys. Chem. Ref. Data **15**, 321 (1986).
- ⁵⁴J. R. Roberts, T. L. Pittman, J. Sugar, V. Kaufman, and W. L. Rowan, Phys. Rev. A **35**, 2591 (1987).
- ⁶⁶J. Sugar, V. Kaufman, and W. L. Rowan, J. Opt. Soc. Am. B **7**, 152 (1990).
- ⁷⁸E. Biémont, Y. Frémat, and P. Quinet, At. Data Nucl. Data Tables **71**, 117 (1999).

2.19. Ga XIX

Al isoelectronic sequence
Ground state $1s^22s^22p^63s^23p\ ^2\text{P}_{1/2}$
Ionization energy $5\ 459\ 500 \pm 23\ 000 \text{ cm}^{-1}$
($676.9 \pm 2.9 \text{ eV}$)

Fawcett and Hayes¹⁸ identified the $3p\ ^2\text{P}^\circ-3d\ ^2\text{D}$ doublet at 155.01 and 165.35 Å and one line of the $3s^23p-3s3p^2$ array at 194.83 Å with an uncertainty of 0.03 Å in a laser-produced plasma. Sugar *et al.*⁵⁸ re-observed lines in the range of 154–200 Å with an uncertainty of $\pm 0.01 \text{ Å}$ in a tokamak plasma. They identified 8 lines of these arrays in-

cluding the lines observed by Fawcett and Hayes¹⁸ and gave smoothed wavelengths with respect to multiconfiguration Dirac-Fock calculations.

The energy levels of the $3s^23p$, $3s3p^2$, and $3s^23d$ configurations listed in Table 26 were determined by Sugar *et al.*⁵⁸ from the wave numbers of observed lines smoothed along the Al I isoelectronic sequence. Their uncertainty is ± 40 cm⁻¹, except for the $3s3p^2$ 2D levels from which no lines were observed in Ga XIX. The uncertainty of these interpolated levels is ± 100 cm⁻¹.

In Table 27 we include all observed lines of Ga XIX along with the predicted $3s^23p$ 2P – $3s3p^2$ 2D doublet quoted from Sugar *et al.*⁵⁸ We also include the transition probability of the $3s^23p$ $^2P_{1/2}$ – $3s^23p$ $^2P_{3/2}$ M1 transition quoted from Kaufman and Sugar.⁵¹ Its uncertainty is estimated to be $\pm 25\%$.

The ionization energy was determined by Biémont *et al.*⁷⁸ by means of an isoelectronic interpolation of the differences between experimental values of ionization energies and those calculated *ab initio* with a multiconfigurational Dirac-Fock computer code.

2.19.1. References for Ga XIX

- ¹⁸B. C. Fawcett and R. W. Hayes, J. Opt. Soc. Am. **65**, 623 (1975).
- ⁵¹V. Kaufman and J. Sugar, J. Phys. Chem. Ref. Data **15**, 321 (1986).
- ⁵⁸J. Sugar, V. Kaufman, and W. L. Rowan, J. Opt. Soc. Am. B **5**, 2183 (1988).
- ⁷⁸E. Biémont, Y. Frémat, and P. Quinet, At. Data Nucl. Data Tables **71**, 117 (1999).

2.20. Ga XX

Mg isoelectronic sequence

Ground state $1s^22s^22p^63s^2$ 1S_0

Ionization energy $6\ 176\ 000 \pm 6900$ cm⁻¹ (765.7 ± 0.9 eV)

Fawcett and Hayes¹⁸ observed the resonance line $3s^2$ 1S_0 – $3s3p$ 1P_1 at 208.11 Å and 3 lines of the $3s3p$ – $3s3d$ array in the range 167–184 Å in a laser-produced plasma. The $3s3d$ 3D – $3p3d$ 3F triplet was identified by Litzén and Redfors⁵² in the range 263–301 Å with an uncertainty of ± 0.02 Å in a similar light source. Accurate measurements with an uncertainty of ± 0.005 Å in the range 100–300 Å were made by Sugar *et al.*⁶³ in a tokamak plasma. They classified 28 lines as transitions among the $3s^2$, $3p^2$, $3d^2$, $3s3p$, $3s3d$, and $3p3d$ configurations. It should be noted that the $3s3d$ 3D – $3p3d$ 3F triplet observed in Litzén and Redfors⁵² did not appear in their measurement. Later Sugar removed the $3p^2$ 3P_2 – $3p3d$ 1D_2 line at 209.715 Å and added the $3p^2$ 1D_2 – $3p3d$ 1D_2 line at 190.425 Å in accord with the analysis of Ekberg *et al.*⁵⁹

Fawcett and Hayes¹⁸ also identified 11 lines of the $3s3p$ – $3s4d$, $3s3d$ – $3s4f$, $5f$, $3p3d$ – $3p4f$, $3s^2$ – $3s4p$, $3s3p$ – $3p4p$, and $3p^2$ – $3s4f$ transition arrays in the range 28–42 Å with an uncertainty of ± 0.01 Å.

The $3l3l'$ levels given in Table 28 were derived by Sugar *et al.*⁶³ from observed wavelengths. The uncertainty of the $3s3p$ 1P_1 level is ± 12 cm⁻¹. All other $3l3l'$ levels have an uncertainty of ± 20 cm⁻¹ on average. The $3lnl'$ levels with $n \geq 4$ were derived from the measurements of Fawcett and Hayes¹⁸ and have an uncertainty of ± 800 cm⁻¹ on average, except for the $3s5f$ 3F_4 level, which has an uncertainty of ± 2000 cm⁻¹.

In Table 29, along with a complete list of observed lines of Ga XX, we include transition probabilities of the M1 transitions between the levels of the ground configuration quoted from Kaufman and Sugar.⁵¹ Their uncertainty is estimated to be $\pm 25\%$.

The ionization energy was determined by Biémont *et al.*⁷⁸ by means of an isoelectronic interpolation of the differences between experimental values of ionization energies and those calculated *ab initio* with a multiconfigurational Dirac-Fock computer code.

2.20.1. References for Ga XX

- ¹⁸B. C. Fawcett and R. W. Hayes, J. Opt. Soc. Am. **65**, 623 (1975).
- ⁵¹V. Kaufman and J. Sugar, J. Phys. Chem. Ref. Data **15**, 321 (1986).
- ⁵²U. Litzén and A. Redfors, Phys. Scr. **36**, 895 (1987).
- ⁵⁹J. O. Ekberg, U. Feldman, J. F. Seely, and C. M. Brown, Phys. Scr. **40**, 643 (1989).
- ⁶³J. Sugar, V. Kaufman, P. Indelicato, and W. L. Rowan, J. Opt. Soc. Am. B **6**, 1437 (1989); J. Sugar (private communication regarding the line at 190.425 Å).
- ⁷⁸E. Biémont, Y. Frémat, and P. Quinet, At. Data Nucl. Data Tables **71**, 117 (1999).

2.21. Ga XXI

Na isoelectronic sequence

Ground state $1s^22s^22p^63s^2$ $^2S_{1/2}$

Ionization energy $6\ 511\ 380 \pm 200$ cm⁻¹ (807.308 ± 0.025 eV)

The $3s$ – $3p$ and $3p$ – $3d$ lines in the region 184–241 Å were identified in laser-produced plasmas by Fawcett and Hayes¹⁸ with wavelength uncertainty of ± 0.03 Å. Kononov *et al.*²² identified the $4f$ – $5g$ doublet at 91 Å with a similar light source. Their wavelength uncertainty was ± 0.01 Å. The $3s$ – np ($n=4,5$), $3p$ – $4s$, $3p$ – nd ($n=4,5$), $3d$ – $4p$, and $3d$ – nf ($n=4–6$) doublets were identified by Fawcett and Hayes¹⁸ in the range 22–44 Å. Kononov *et al.*²⁷ extended the series transitions to $n=7$ in the range 20–44 Å using a laser-produced plasma. Their measurement uncertainty varied from ± 0.01 Å for lines given to three decimal places to ± 0.02 Å for lines given to two decimal places.

Using a similar light source, Reader *et al.*⁵³ remeasured the $3s$ – $3p$, $3p$ – $3d$, and $3d$ – $4f$ doublets in several Na-like ions and, by using an isoelectronic comparison with Dirac-Fock calculations, obtained smoothed values with an estimated uncertainty of ± 0.007 Å for these transitions. The en-

ergy levels of the $3p$, $3d$, and $4f$ doublet terms given in Table 30 are derived from these smoothed wavelengths. Their uncertainty is ± 10 , ± 20 , and $\pm 500 \text{ cm}^{-1}$, respectively.

In Table 31, besides the transitions from the levels of excited valence-shell configurations, we include the inner-shell transitions $2p^63s-2p^53s3d$, $2p^63p-2p^53p3d$, and $2p^63d-2p^53d^2$. They were observed by Gordon *et al.*²⁸ in the range $9.6-10.0 \text{ \AA}$ with an uncertainty of $\pm 0.005 \text{ \AA}$ in a laser-produced plasma. Our designations for the upper levels of these transitions are taken from Table 2 of their article. We note that the $3d\ ^2D$ term splitting given by the lines at 9.920 and 9.939 \AA does not fit well with the $3d\ ^2D$ splitting given by the $nl-nl'$ transitions at longer wavelength.

The energies of the $2p^6nl$ ($n=4-7$) levels listed in Table 30 are derived from the wavelengths measured by Kononov *et al.*²⁷ The uncertainty of the levels with $n=4$ and 5 is $\pm 600 \text{ cm}^{-1}$, except for the $5p\ ^2P_{1/2}$ level, which has an uncertainty of $\pm 2000 \text{ cm}^{-1}$. The $6d$, $6f$, and $7f$ levels, from which only the short-wavelength transitions to the ground state were observed, have an uncertainty of $\pm 2000 \text{ cm}^{-1}$.

Kononov *et al.*²⁷ obtained the ionization energy $6\ 511\ 600 \pm 350 \text{ cm}^{-1}$ by applying a polarization formula to the $5g\ ^2G$ term. In good agreement with their result, Biémont *et al.*⁷⁸ derived a more accurate value by means of an iso-electronic interpolation of the differences between experimental values of ionization energies and those calculated *ab initio* with a multiconfigurational Dirac-Fock computer code. We quote the result of Biémont *et al.*⁷⁸

2.21.1. References for Ga XXI

- ¹⁸B. C. Fawcett and R. W. Hayes, J. Opt. Soc. Am. **65**, 623 (1975).
- ²²E. Ya. Kononov, V. I. Kovalev, A. N. Ryabtsev, and S. S. Churilov, Sov. J. Quantum Electron. **7**, 111 (1977).
- ²⁷E. Ya. Kononov, A. N. Ryabtsev, and S. S. Churilov, Phys. Scr. **19**, 328 (1979).
- ²⁸H. Gordon, M. G. Hobby, and N. J. Peacock, J. Phys. B **13**, 1985 (1980).
- ⁵³J. Reader, V. Kaufman, J. Sugar, J. O. Ekberg, U. Feldman, C. M. Brown, J. F. Seely, and W. L. Rowan, J. Opt. Soc. Am. B **4**, 1821 (1987).
- ⁷⁸E. Biémont, Y. Frémat, and P. Quinet, At. Data Nucl. Data Tables **71**, 117 (1999).

2.22. Ga XXII

Ne isoelectronic sequence
Ground state $1s^22s^22p^6\ ^1S_0$
Ionization energy $16\ 211\ 900 \pm 8700 \text{ cm}^{-1}$
($2\ 010.0 \pm 1.1 \text{ eV}$)

The transitions from the $2s^22p^53s$, $4s$, nd ($n=3-6$), $2s2p^63p$, and $4p$ levels to the ground level were identified by Gordon *et al.*²⁸ in a laser-produced plasma. Their measurement uncertainty was $\pm 0.005 \text{ \AA}$. A similar analysis was made independently by Hutcheon *et al.*³¹ with an uncertainty of $\pm 0.002 \text{ \AA}$. Their measurements generally agree within a few

m\AA . We adopted the wavelengths of Gordon *et al.*,²⁸ because their identifications are somewhat more complete.

The energy levels listed in Table 32 are derived from the measurements of Gordon *et al.*²⁸ The uncertainty of the $n=3$ levels is about $\pm 5000 \text{ cm}^{-1}$. The uncertainty of the levels of the $2s^22p^54s$ and $4d$ configurations is $\pm 8000 \text{ cm}^{-1}$, and for the $2s^22p^55d$, $6d$, and $2s2p^64p$ configurations it is $\pm 10\ 000 \text{ cm}^{-1}$.

Two $2p^53s-2p^53p$ lasing transitions were identified by McLean *et al.*⁷¹ at 246.70 ± 0.06 and $251.11 \pm 0.06 \text{ \AA}$ in a laser-produced plasma. Smoothed values for these lines of 246.72 ± 0.10 and $251.17 \pm 0.10 \text{ \AA}$ were later given by Nilsen and Scofield.⁷⁴ In Table 33 we include the wavelengths from McLean *et al.*,⁷¹ as they have a smaller uncertainty.

Hutcheon²⁹ derived the ionization energy $16\ 205\ 000 \pm 16\ 000 \text{ cm}^{-1}$ from the $2p^5nd$ ($n=3-6$) series. In good agreement with his result, Biémont *et al.*⁷⁸ derived a more accurate value by means of an iso-electronic interpolation of the differences between experimental values of ionization energies and those calculated *ab initio* with a multiconfigurational Dirac-Fock computer code. We quote the result of Biémont *et al.*⁷⁸

2.22.1. References for Ga XXII

- ²⁸H. Gordon, M. G. Hobby, and N. J. Peacock, J. Phys. B **13**, 1985 (1980).
- ²⁹R. J. Hutcheon, Phys. Scr. **21**, 98 (1980).
- ³¹R. J. Hutcheon, L. Cooke, M. H. Key, C. L. S. Lewis, and G. E. Bromage, Phys. Scr. **21**, 89 (1980).
- ⁷¹A. McLean, T. N. Lee, J. A. Stamper, C. K. Manka, and H. R. Griem, J. Opt. Soc. Am. B **9**, 350 (1992).
- ⁷⁴J. Nilsen and J. Scofield, Phys. Scr. **49**, 588 (1994).
- ⁷⁸E. Biémont, Y. Frémat, and P. Quinet, At. Data Nucl. Data Tables **71**, 117 (1999).

2.23. Ga XXIII

F isoelectronic sequence
Ground state $1s^22s^22p^5\ ^2P_{3/2}$
Ionization energy $17\ 172\ 000 \pm 30\ 000 \text{ cm}^{-1}$
($2129.1 \pm 3.7 \text{ eV}$)

Kononov *et al.*²² identified the $2s^22p^5\ ^2P_{1/2,3/2}-2s2p^6\ ^2S_{1/2}$ doublet at 83.024 and 69.791 \AA in a laser-produced plasma. Their measurement uncertainty was $\pm 0.01 \text{ \AA}$. Behring *et al.*⁴¹ re-observed these two lines with an uncertainty of $\pm 0.005 \text{ \AA}$ in a similar light source. We adopt their result.

The $2p-3s$ and $2p-3d$ transitions were measured by Hutcheon *et al.*³¹ and Gordon *et al.*²⁸ in a laser-produced plasma with uncertainties of ± 0.002 and $\pm 0.005 \text{ \AA}$, respectively. We adopt the results of Gordon *et al.*²⁸ and additional lines from Hutcheon *et al.*,³¹ five of which are blended. Gordon *et al.*²⁸ also identified the lines belonging to the $2s^22p^5-2s2p^53p$ and $2s^22p^5-2s^22p^44d$ transition arrays in the ranges $8.4-9.0 \text{ \AA}$ and $7.2-7.5 \text{ \AA}$, respectively. The latter

transition array was also observed by Hutcheon *et al.*³⁰ Almost all lines are identified as blends of emission lines.

The energy levels listed in Table 34 are derived from the observed lines. The splitting of the ground $^2P^{\circ}$ term and the value of the $2s2p^6\ ^2S_{1/2}$ level are based on the measurement of Behring *et al.*⁴¹ Their uncertainty is $\pm 100 \text{ cm}^{-1}$. The uncertainties of the $n=3$ and $n=4$ levels are 6000 and 9000 cm^{-1} , respectively.

In Table 35, along with a complete list of observed lines of Ga XXIII, we include the transition probability of the M1 transition between the levels of the ground term quoted from Kaufman and Sugar.⁵¹ Its uncertainty is estimated to be $\pm 25\%$.

The ionization energy was determined by Biémont *et al.*⁷⁸ by means of an isoelectronic interpolation of the differences between experimental values of ionization energies and those calculated *ab initio* with a multiconfigurational Dirac-Fock computer code.

2.23.1. References for Ga XXIII

- ²²E. Ya. Kononov, V. I. Kovalev, A. N. Ryabtsev, and S. S. Churilov, Sov. J. Quantum Electron. **7**, 111 (1977).
- ²⁸H. Gordon, M. G. Hobby, and N. J. Peacock, J. Phys. B **13**, 1985 (1980).
- ³⁰R. J. Hutcheon, G. E. Bromage, R. L. Cooke, M. H. Key, and C. S. L. Lewis, J. Phys. B **13**, 673 (1980).
- ³¹R. J. Hutcheon, L. Cooke, M. H. Key, C. L. S. Lewis, and G. E. Bromage, Phys. Scr. **21**, 89 (1980).
- ⁴¹W. E. Behring, J. F. Seely, S. Goldsmith, L. Cohen, M. Richardson, and U. Feldman, J. Opt. Soc. Am. B **2**, 886 (1985).
- ⁵¹V. Kaufman and J. Sugar, J. Phys. Chem. Ref. Data **15**, 321 (1986).
- ⁷⁸E. Biémont, Y. Frémat, and P. Quinet, At. Data Nucl. Data Tables **71**, 117 (1999).

2.24. Ga XXIV

O isoelectronic sequence
Ground state $1s^22s^22p^4\ ^3P_2$
Ionization energy $18\ 215\ 000 \pm 40\ 000 \text{ cm}^{-1}$
($2258 \pm 5 \text{ eV}$)

The $2s^22p^4-2s2p^5$ and $2s2p^5\ ^1P^{\circ}_1-2p^6\ ^1S_0$ transitions were observed by Behring *et al.*⁴¹ in the range $57-97 \text{ \AA}$ in a laser-produced plasma. Their measurement uncertainty was $\pm 0.005 \text{ \AA}$.

Gordon *et al.*²⁸ identified the $2p^4-2p^33s$ and $2p^4-2p^33d$ transitions in the range $8.8-10.0 \text{ \AA}$. Their wavelength uncertainty was $\pm 0.005 \text{ \AA}$. Almost all lines for the latter transition array are identified as blends of emission lines. Identifications of the lines at 8.864 and 9.081 \AA originating from the same upper level $2s^22p^3(^2D^{\circ})3d\ ^3P_2$ are questionable because of an inconsistency of $\pm 0.05 \text{ \AA}$ between the observed wavelengths and those calculated from the level values.

The energy levels listed in Table 36 are derived from the observed wavelengths. The $n=2$ levels are based on the mea-

surements of Behring *et al.*⁴¹ Their uncertainties are $\pm 70 \text{ cm}^{-1}$. The uncertainties of the $2p^33s$ and $3d$ levels are ± 5000 and $\pm 6000 \text{ cm}^{-1}$, respectively.

In the line list presented in Table 37 we include the transition probabilities of the M1 transitions between the levels of the ground configuration quoted from Kaufman and Sugar.⁵¹ Their uncertainty is estimated to be $\pm 25\%$.

The ionization energy was determined by Biémont *et al.*⁷⁸ by means of an isoelectronic interpolation of the differences between experimental values of ionization energies and those calculated *ab initio* with a multiconfigurational Dirac-Fock computer code.

2.24.1. References for Ga XXIV

- ²⁸H. Gordon, M. G. Hobby, and N. J. Peacock, J. Phys. B **13**, 1985 (1980).
- ⁴¹W. E. Behring, J. F. Seely, S. Goldsmith, L. Cohen, M. Richardson, and U. Feldman, J. Opt. Soc. Am. B **2**, 886 (1985).
- ⁵¹V. Kaufman and J. Sugar, J. Phys. Chem. Ref. Data **15**, 321 (1986).
- ⁷⁸E. Biémont, Y. Frémat, and P. Quinet, At. Data Nucl. Data Tables **71**, 117 (1999).

2.25. Ga XXV

N isoelectronic sequence
Ground state $1s^22s^22p^3\ ^4S_{3/2}$
Ionization energy $19\ 287\ 000 \pm 140\ 000 \text{ cm}^{-1}$
($2391 \pm 18 \text{ eV}$)

Ten lines of the $2s^22p^3-2s2p^4$ array and the $2s2p^4\ ^2D-2p^5\ ^2P^{\circ}$ doublet were identified by Behring *et al.*⁴¹ in the range $68-99 \text{ \AA}$. They were observed in a laser-produced plasma with an uncertainty of $\pm 0.005 \text{ \AA}$. No intercombination lines were observed.

To determine the level values, Behring *et al.*⁴¹ used the interpolated values for the $2s^22p^3\ ^2D_{5/2}$ and $^2P_{3/2}$ levels from Edlén's article.³⁴ In a subsequent publication Edlén⁴⁰ improved his interpolation procedure. We redetermined the energy levels using the wavelengths measured by Behring *et al.*⁴¹ and Edlén's recommended values for the $2s^22p^3\ ^2D_{5/2}$ and $^2P_{3/2}$ levels from Edlén.⁴⁰ In Table 38 the quantities "x" and "y" represent the uncertainties of these interpolated values. The value of x should not exceed $\pm 50 \text{ cm}^{-1}$, which represents the uncertainty of the $2s^22p^3\ ^2D_{5/2}$ level. As shown by isoelectronic plots presented in Edlén,⁴⁰ the behavior of experimental values of the $2s^22p^3\ ^2D_{5/2}-^2P_{3/2}$ and $^2P_{1/2}-^2P_{3/2}$ intervals along the N I sequence is irregular for $Z > 26$. Therefore, the value of y in Table 38 can be as large as $\pm 500 \text{ cm}^{-1}$. Uncertainties of the energies of excited levels, except for $2s^22p^3\ ^2D_{5/2}$, can be determined by combining $\pm 70 \text{ cm}^{-1}$ with the values of x and y.

In Table 39, along with the observed lines of Ga XXV from Behring *et al.*,⁴¹ we include the predicted wavelengths for the $2s^22p^3\ ^4S_{3/2}-2s2p^4\ ^2P_{3/2}$ and $2s^22p^3\ ^2D_{3/2}-2s2p^4\ ^2D_{3/2}$ transitions that were observed by Behring *et al.*

*al.*⁴¹ for other members of the isoelectronic sequence. We also include the transition probabilities of the M1 transitions between the levels of the ground configuration quoted from Kaufman and Sugar.⁵¹ Their uncertainty is estimated to be $\pm 25\%$.

The ionization energy was determined by Biémont *et al.*⁷⁸ by means of an isoelectronic interpolation of the differences between experimental values of ionization energies and those calculated *ab initio* with a multiconfigurational Dirac-Fock computer code.

2.25.1. References for Ga XXV

- ³⁴B. Edlén, Phys. Scr. **26**, 71 (1982).
- ⁴⁰B. Edlén, Phys. Scr. **30**, 135 (1984).
- ⁴¹W. E. Behring, J. F. Seely, S. Goldsmith, L. Cohen, M. Richardson, and U. Feldman, J. Opt. Soc. Am. B **2**, 886 (1985).
- ⁵¹V. Kaufman and J. Sugar, J. Phys. Chem. Ref. Data **15**, 321 (1986).
- ⁷⁸E. Biémont, Y. Frémat, and P. Quinet, At. Data Nucl. Data Tables **71**, 117 (1999).

2.26. Ga XXVI

C isoelectronic sequence
Ground state $1s^2 2s^2 2p^2 {}^3P_0$
Ionization energy $20\ 518\ 000 \pm 16\ 000\ \text{cm}^{-1}$
($2543.9 \pm 2.0\ \text{eV}$)

Four lines of the $2s^2 2p^2 - 2s2p^3$ transitions were identified by Behring *et al.*⁴¹ in the range 74–92 Å. They were observed in a laser-produced plasma with an uncertainty of $\pm 0.005\ \text{\AA}$. No intercombination line was observed.

To determine the $2s^2 2p^2 {}^3P_2$, $2s2p^3 {}^3P_2$, and $2s2p^3 {}^3S_1$ level values, Behring *et al.*⁴¹ used the interpolated value $186\ 880\ \text{cm}^{-1}$ for the $2s^2 2p^2 {}^3P_1$ level given by Edlén.⁴³ In a subsequent publication Edlén⁴³ improved his interpolation procedure and gave the recommended value of $186\ 890\ \text{cm}^{-1}$ for this level. Therefore, in the level list given in Table 40 these levels are raised by $10\ \text{cm}^{-1}$ compared to the values given by Behring *et al.*⁴¹ For the $2s2p^3 {}^3D_1$ level, we adopted the value given by Behring *et al.*⁴¹ Its uncertainty is $\pm 60\ \text{cm}^{-1}$. The uncertainty of the $2s^2 2p^2 {}^3P_1$ level is $\pm 100\ \text{cm}^{-1}$. This defines the limits for the additive quantity “*x*” in Tables 40 and 41. The uncertainties of the $2s2p^3 {}^3P_2$ and $2s2p^3 {}^3S_1$ levels can be estimated by combining $\pm 70\ \text{cm}^{-1}$ with the value of *x*.

In the line list presented in Table 41 we include the transition probabilities of the M1 transitions between the levels of the ground configuration quoted from Kaufman and Sugar.⁵¹ Their uncertainty is estimated to be $\pm 25\%$.

The ionization energy was determined by Biémont *et al.*⁷⁸ by means of an isoelectronic interpolation of the differences between experimental values of ionization energies and those calculated *ab initio* with a multiconfigurational Dirac-Fock computer code.

2.26.1. References for Ga XXVI

- ³⁴B. Edlén, Phys. Scr. **26**, 71 (1982).
- ⁴¹W. E. Behring, J. F. Seely, S. Goldsmith, L. Cohen, M. Richardson, and U. Feldman, J. Opt. Soc. Am. B **2**, 886 (1985).
- ⁴³B. Edlén, Phys. Scr. **31**, 345 (1985).
- ⁵¹V. Kaufman and J. Sugar, J. Phys. Chem. Ref. Data **15**, 321 (1986).
- ⁷⁸E. Biémont, Y. Frémat, and P. Quinet, At. Data Nucl. Data Tables **71**, 117 (1999).

2.27. Ga XXVII

B isoelectronic sequence
Ground state $1s^2 2s^2 2p {}^2P_{1/2}^{\circ}$
Ionization energy $21\ 640\ 000 \pm 11\ 000\ \text{cm}^{-1}$
($2683.0 \pm 1.4\ \text{eV}$)

No wavelengths have been reported for this ion. The ionization energy was determined by Biémont *et al.*⁷⁸ by means of an isoelectronic interpolation of the differences between experimental values of ionization energies and those calculated *ab initio* with a multiconfigurational Dirac-Fock computer code.

2.27.1. References for Ga XXVII

- ⁷⁸E. Biémont, Y. Frémat, and P. Quinet, At. Data Nucl. Data Tables **71**, 117 (1999).

2.28. Ga XXVIII

Be isoelectronic sequence
Ground state $1s^2 2s^2 {}^1S_0$
Ionization energy $23\ 132\ 400 \pm 22\ 400\ \text{cm}^{-1}$
($2868.1 \pm 2.8\ \text{eV}$)

No wavelengths have been reported for this ion. The ionization energy was determined by Biémont *et al.*⁷⁸ by means of an isoelectronic interpolation of the differences between experimental values of ionization energies and those calculated *ab initio* with a multiconfigurational Dirac-Fock computer code.

2.28.1. References for Ga XXVIII

- ⁷⁸E. Biémont, Y. Frémat, and P. Quinet, At. Data Nucl. Data Tables **71**, 117 (1999).

2.29. Ga XXIX

Li isoelectronic sequence
Ground state $1s^2 2s {}^2S_{1/2}$
Ionization energy $24\ 068\ 300 \pm 4100\ \text{cm}^{-1}$
($2984.1 \pm 0.5\ \text{eV}$)

No observed spectral lines have been reported for this ion. The resonance transitions $1s^2 2s {}^2S_{1/2} - 1s^2 2p {}^2P_{1/2,3/2}^{\circ}$ at 207.917 and 132.219 Å are taken from Kim *et al.*,⁶⁸ who predicted these transition energies by taking into ac-

count electron-correlation, relativistic, and quantum-electrodynamic corrections. The differences between thus calculated theoretical energies and experimental values were used in Kim *et al.*⁶⁸ to derive the wave numbers smoothed along the isoelectronic sequence. The uncertainties of these smoothed wave numbers are ± 20 and $\pm 40 \text{ cm}^{-1}$, respectively.⁷⁸

The ionization energy was determined by Biémont *et al.* by means of an isoelectronic interpolation of the differences between experimental values of ionization energies and those calculated *ab initio* with a multiconfigurational Dirac-Fock computer code.

Vainshtein and Safranova⁴⁹ calculated the energy levels of the $1s^2nl$ configurations ($n=2-5$, $l=0-2$) and wavelengths of the $1s^22s-1s2s2p$, $1s^22p-1s2p^2$, and $1s^22p-1s2s^2$ transitions. We have compiled their results. Edlén²⁵ derived accurate semiempirical formulas for calculating the $1s2nl$ levels of Li-like ions. Substituting the ionization energy from Biémont *et al.*⁷⁸ and energies of the $1s^22p\ ^2P_{1/2}$ and $^2P_{3/2}$ levels from Kim *et al.*,⁶⁸ we used these formulas to derive all other singly-excited energy levels. The resulting values agree with the calculations of Vainshtein and Safranova⁴⁹ with an average deviation of -120 cm^{-1} and rms deviation of 3000 cm^{-1} . This latter value can be used as an estimate of the uncertainty of the $1s^2nl$ levels and transitions between them included in Tables 42 and 43.

2.29.1. References for Ga XXIX

- ²⁵B. Edlén, Phys. Scr. **19**, 255 (1979).
- ⁴⁹L. A. Vainshtein and U. I. Safranova, Preprint No. 2, Acad. Nauk USSR, Inst. Spectrosc. Moscow (1985).
- ⁶⁸Y.-K. Kim, D. H. Baik, P. Indelicato, and J. P. Desclaux, Phys. Rev. A **44**, 148 (1991).
- ⁷⁸E. Biémont, Y. Frémat, and P. Quinet, At. Data Nucl. Data Tables **71**, 117 (1999).

2.30. Ga XXX

He isoelectronic sequence

Ground state $1s^2\ ^1S_0$

Ionization energy $102\ 405\ 030 \text{ cm}^{-1}$ ($12\ 696.605 \text{ eV}$)

Aglitsky *et al.*⁵⁷ observed the resonance line $1s^2\ ^1S_0 - 1s2p\ ^1P_1$ at $1.287\ 82 \pm 0.000\ 10 \text{ \AA}$.

Cheng *et al.*⁷³ give calculated total energies for the ground and $n=2$ singlet states of selected He-like ions. We use a later calculation of both singlet and triplet states by Cheng⁷⁶ for the $n=1$ and $n=2$ configurations. With these data and the binding energy of the H-like ions of Johnson and Soff⁴⁵ we obtain the value for ionization energy. At this time it is not possible to assign an uncertainty to this value. For the $1s3l$ states we use the level values from Drake.⁴²

The levels $1s4l$ and $5l$ calculated by Vainshtein and Safranova⁴⁹ have been tabulated in Table 44 after increasing them by 1700 cm^{-1} to correspond with the values for lower n by Drake.⁴² All wavelengths listed in Table 45 have been derived from differences of the adopted energy levels.

Vainshtein and Safranova⁴⁹ also calculated wavelengths for the $1s2s-2s2p$, $1s2p-2s^2$, and $1s2p-2p^2$ transitions. We have compiled them without modification.

We include in Table 45 the transition rate of the $1s^2\ ^1S_0 - 1s2s\ ^3S_1$ M1 transition calculated by Johnson *et al.*⁷⁵ Its uncertainty is less than 2%.

2.30.1. References for Ga XXX

- ⁴²G. W. F. Drake (unpublished, 1985).
- ⁴⁵W. R. Johnson and G. Soff, At. Data Nucl. Data Tables **33**, 405 (1985).
- ⁴⁹L. A. Vainshtein and U. I. Safranova, Preprint No. 2, Acad. Nauk USSR, Inst. Spectrosc. Moscow (1985).
- ⁵⁷E. V. Aglitsky, P. S. Antsiferov, S. L. Mandelstam, A. M. Panin, U. I. Safranova, S. A. Ulitin, and L. A. Vainshtein, Phys. Scr. **38**, 136 (1988).
- ⁷³K. T. Cheng, M. H. Chen, W. R. Johnson, and J. Sapirstein, Phys. Rev. A **50**, 247 (1994).
- ⁷⁵W. R. Johnson, D. R. Plante, and J. Sapirstein, Adv. At., Mol., Opt. Phys. **35**, 255 (1995).
- ⁷⁶K. T. Cheng (private communication, 1996).

2.31. Ga XXXI

H isoelectronic sequence

Ground state $1s\ ^2S_{1/2}$

Ionization energy $106\ 783\ 680 \pm 50 \text{ cm}^{-1}$

($13\ 239.488 \pm 0.006 \text{ eV}$)

No observations of this spectrum have been reported.

Johnson and Soff⁴⁵ calculated the binding energies of the $n=1$ and $n=2$ levels for the isotope ^{69}Ga . We adjusted their tabulated values in order to account for the revised value of the Rydberg constant [$109\ 737.315\ 685\ 25 \text{ cm}^{-1}$ (Mohr and Taylor⁸¹)] and for the slightly different atomic weight of ^{69}Ga [68.925 581 (Lide⁸³)], compared to the values used by Johnson and Soff⁴⁵ ($109\ 737.315\ 21 \text{ cm}^{-1}$ and 68.909, respectively). This adjustment resulted in the change of the ionization energy of the ground state by less than 1 cm^{-1} . It should be noted that natural gallium consists of approximately 60% of ^{69}Ga and 40% of ^{71}Ga (Lide⁸³). According to our estimates, the greater atomic weight of ^{71}Ga results in an increase of the ionization energy by approximately 40 cm^{-1} for this isotope.

The estimated uncertainty of the excitation energies of the $n=2$ levels given in Table 46 is $\pm 50 \text{ cm}^{-1}$. They are in close agreement with the values calculated by Mohr.³⁷

The binding energies of the levels with $n=3-5$ have been calculated by Erickson²¹ for the same isotope ^{69}Ga . We adjusted his tabulated values in the same way as described above. Erickson's adjusted values for the binding energies were subtracted from the ground state binding energy given above to obtain the excitation energies of these levels and predicted wavelengths included in Tables 46 and 47. Although the uncertainty of the energy levels relative to the ground state is $\pm 50 \text{ cm}^{-1}$, the separations between excited levels are known with much smaller uncertainties. The extra

digits were required in the level energies in order to reproduce the level separations with sufficient accuracy. Uncertainties of the transition wavelengths listed in Table 47 are in the range 2–18 units of the last given decimal place. The wavelengths for the ^{71}Ga isotope may differ in the last two digits.

2.31.1. References for Ga XXXI

- ²¹G. W. Erickson, J. Phys. Chem. Ref. Data **6**, 831 (1977).
- ³⁷P. J. Mohr, At. Data Nucl. Data Tables **29**, 453 (1983).
- ⁴⁵W. R. Johnson and G. Soff, At. Data Nucl. Data Tables **33**, 405 (1985).
- ⁸¹P. J. Mohr and B. N. Taylor, *The 2002 CODATA Recommended Values of the Fundamental Physical Constants, Web Version 4.0*, available at physics.nist.gov/constants; Rev. Mod. Phys. **77**, 1 (2005).
- ⁸³CRC Handbook of Chemistry and Physics, 85th ed., edited by D. R. Lide (CRC Press, Boca Raton, FL, 2004).

3. Explanation of Tables of Compiled Levels and Lines

In the energy level tables, the first two columns provide the configuration and term labels that are used in the line tables. The levels are grouped by these configuration and term labels. The energies of the odd-parity levels are given in italics. In most cases, the values of energies, wave numbers, and wavelengths are rounded using the “rule of 20,” i.e., an uncertainty of 20 or more in the least significant digit serves as the criterion for dropping that digit. In a few cases extra digits were necessary in order to reproduce the precisely known separations between the energy levels. For most of the energy levels, we provide the first two leading components of the percentage composition. If the second component is smaller than 5%, it is omitted. It should be emphasized that the configuration and term labels often do not fully describe the physical nature of the energy levels. The sole purpose of these labels is to provide a cross reference with the line tables. The user should always consult with the percentage composition given in the level tables.

Some of the level values are followed by symbols “+x,” “+y,” etc. These symbols indicate that the level is not connected to the rest of the given level system by an observed transition. Therefore, this level and those having the same additive constant may incorporate the same unknown systematic shift with regard to the ground level. The level values enclosed in square brackets are obtained by theoretical or semi-empirical calculations. The uncertainties of the given energy values are specified in the text for each spectrum in Sec. 2.

In the line tables, wavelengths of the lines with wave numbers greater than $50\,000\,\text{cm}^{-1}$ are given in vacuum. All other wavelengths are given in air. Conversion from air to vacuum and vice versa was done using the five-parameter formula for the refractive index of standard air by Peck and Reeder.¹⁵ All wavelengths are given in angstroms ($1\,\text{\AA}=10^{-10}\,\text{m}$). Some

of the wavelengths are supplemented with superscript symbols “S,” “L,” “P,” or “C.” The meaning of these symbols is as follows.

- S: The given wavelength was obtained by smoothing the data along the corresponding isoelectronic sequence.
- L: The given wavelength was obtained by smoothing the data along the corresponding isoelectronic sequence. The transition was identified using an isoelectronic comparison. Neither the upper nor lower level are connected to the known levels by observed transitions. Therefore, the level values are unknown.
- P: The line was not observed experimentally. However, it was predicted to occur at certain experimental conditions. The given wavelength is derived from the corresponding energy levels.
- C: The given wavelength is derived from the corresponding energy levels.

The identification of the lines is provided by the configuration, term, and J values of the lower and upper levels of the transition. These labels correspond to those used in the level tables. The odd-parity levels are indicated by the degree sign given after the level label. The uncertainties of the given wavelengths are given in the text for each spectrum. For highly ionized spectra, most of the levels were derived from only one observed line. The uncertainties of these lines directly correspond to the level uncertainties. The observed relative intensities of the lines are given in arbitrary units in the column entitled “Int.” Besides the numerical estimate of the relative intensity, the values given in this column also include the character of the observed line according to the following notation:

- bl* = blended with another line;
- d* = wide or diffuse line;
- m* = masked by another line (the Ritz wavelength is given); and
- a* = observed in absorption.

A question mark after the upper level designation indicates that the identification of this line is uncertain. An explanation is provided in the text for this spectrum. For multiply classified lines, the observed wavelength and intensity are given only for the first given classification.

For several spectra, where reliable values of the transition probability are available for some of the lines, we give the A-values in units of s^{-1} . To save space, we use a condensed notation for the powers of ten. For example, the value “ $8.05+8$ ” means 8.05×10^8 . Uncertainties of the A-values are specified in the text for the corresponding ion.

The column titled “Type” specifies the types for parity-forbidden transitions. M1 means magnetic-dipole transition, and E2 means electric-quadrupole transition. This column is empty for electric-dipole (E1) transitions.

The last column identifies the sources where the line was observed. The references are given in the end of the text for

each ion. References followed by a degree symbol indicate the source of the given wavelength of the line. References followed by a star symbol indicate the source of the given A-value.

4. Tables of Energy Levels and Spectral Lines

Tables 1–49 are presented in this section.

TABLE 1. Energy levels of Ga I

Configuration	Term	J	Level (cm ⁻¹)	Landé-g
$3d^{10}4s^24p$	$^2P^\circ$	1/2	0	0.665 791 7
		3/2	826.190	1.334 057 3
$4s^25s$	2S	1/2	24 788.530	
$4s^25p$	$^2P^\circ$	1/2	33 044.05	
		3/2	33 155.07	
$4s^24d$	2D	3/2	34 781.66	
		5/2	34 787.85	
$4s^26s$	2S	1/2	37 584.77	
$4s4p^2$	4P	1/2	37 975.768	
		3/2	38 341.722	
		5/2	38 914.786	
$4s^26p$	$^2P^\circ$	1/2	40 376.45	
		3/2	40 417.62	
$4s^25d$	2D	3/2	40 802.86	
		5/2	40 811.41	
$4s^24f$	$^2F^\circ$	5/2,7/2	41 454.18	
$4s^27s$	2S	1/2	42 158.77	
$4s^27p$	$^2P^\circ$	1/2	43 442.83	
		3/2	43 462.74	
$4s^26d$	2D	3/2	43 575.11	
		5/2	43 580.44	
$4s^25f$	$^2F^\circ$	5/2,7/2	43 955.06	
$4s^28s$	2S	1/2	44 332.27	
$4s^27d$	2D	3/2	45 071.75	
		5/2	45 075.73	
$4s^26f$	$^2F^\circ$	5/2,7/2	45 312.94	
$4s^29s$	2S	1/2	45 536.66	
$4s^28d$	2D	3/2	45 969.2	
		5/2	45 972.0	
$4s^27f$	$^2F^\circ$	5/2,7/2	46 130.89	
$4s^210s$	2S	1/2	46 274.4	
$4s^29d$	2D	3/2	46 547.9	
		5/2	46 549.0	

TABLE 1. Energy levels of Ga I—Continued

Configuration	Term	J	Level (cm ⁻¹)	Landé-g
$4s^28f$	$^2F^\circ$	5/2,7/2	46 661.21	
$4s^211s$	2S	1/2	46 758.6	
$4s^210d$	2D	3/2,5/2	46 943.6	
$4s^212s$	2S	1/2	47 093.3	
$4s^211d$	2D	3/2,5/2	47 222.1	
$4s^213s$	2S	1/2	47 334.4	
$4s^212d$	2D	3/2	47 428.7	
$4s^214s$	2S	1/2	47 514.0	
$4s^213d$	2D	3/2	47 585.1	
		5/2	47 585.9	
$4s^215s$	2S	1/2	47 651.4	
$4s^214d$	2D	3/2	47 706.2	
		5/2	47 707.1	
$4s^216s$	2S	1/2	47 758.6	
$4s^215d$	2D	3/2	47 802.0	
		5/2	47 802.5	
$4s^217s$	2S	1/2	47 844.1	
$4s^216d$	2D	3/2	47 878.7	
		5/2	47 879.0	
$4s^218s$	2S	1/2	47 913.0	
$4s^217d$	2D	3/2	47 941.3	
		5/2	47 941.5	
$4s^219s$	2S	1/2	47 970.0	
$4s^218d$	2D	3/2,5/2	47 993.2	
$4s^220s$	2S	1/2	48 017.0	
$4s^219d$	2D	3/2	48 036.400	
		5/2	48 036.706	
$4s^220p$	$^2P^\circ$	1/2	48 038.305	
		3/2	48 038.680	
$4s^221s$	2S	1/2	48 056.4	
$4s^220d$	2D	3/2	48 072.962	
		5/2	48 073.225	
$4s^222s$	2S	1/2	48 090.2	
$4s^221d$	2D	3/2	48 104.096	
$4s^222p$	$^2P^\circ$	1/2	48 105.564	
		3/2	48 105.838	
$4s^223s$	2S	1/2	48 118.5	
$4s^222d$	2D	3/2,5/2	48 130.8	

TABLE 1. Energy levels of Ga I—Continued

Configuration	Term	J	Level (cm ⁻¹)	Landé-g
4s ² 24s	² S	1/2	48 143.4	
4s ² 23d	² D	3/2	48 153.970	
		5/2	48 154.145	
4s ² 24p	² P°	1/2	48 155.116	
		3/2	48 155.314	
4s ² 25s	² S	1/2	48 164.6	
4s ² 24d	² D	3/2, 5/2	48 173.7	
4s ² 26s	² S	1/2	48 183.7	
4s ² 25d	² D	3/2	48 191.759	
		5/2	48 191.895	
4s ² 26p	² P°	1/2	48 192.664	
		3/2	48 192.820	
4s ² 27s	² S	1/2	48 199.9	
4s ² 26d	² D	5/2	48 207.2	
4s ² 28s	² S	1/2	48 214.6	
4s ² 27d	² D	3/2	48 221.079	
		5/2	48 221.186	
4s ² 28p	² P°	1/2	48 221.808	
		3/2	48 221.925	
4s ² 30d	² D	3/2	48 254.091	
		5/2	48 254.176	
4s ² 34d	² D	3/2	48 284.786	
		5/2	48 284.842	
4s ² 35p	² P°	1/2	48 285.164	
		3/2	48 285.221	
4s ² 41p	² P°	1/2, 3/2	48 314.64	
4s ² 42p	² P°	1/2, 3/2	48 318.28	
4s ² 43p	² P°	1/2, 3/2	48 321.60	
4s ² 44p	² P°	1/2, 3/2	48 324.78	
4s ² 45p	² P°	1/2, 3/2	48 327.68	
4s ² 46p	² P°	1/2, 3/2	48 330.36	
4s ² 47p	² P°	1/2, 3/2	48 332.86	
4s ² 48p	² P°	1/2, 3/2	48 335.28	
4s ² 49p	² P°	1/2, 3/2	48 337.58	
4s ² 50p	² P°	1/2, 3/2	48 339.66	
4s ² 51p	² P°	1/2, 3/2	48 341.63	
4s ² 52p	² P°	1/2, 3/2	48 343.44	
4s ² 53p	² P°	1/2, 3/2	48 345.20	
4s ² 54p	² P°	1/2, 3/2	48 346.630	

TABLE 1. Energy levels of Ga I—Continued

Configuration	Term	J	Level (cm ⁻¹)	Landé-g
4s ² 55p	² P°	1/2, 3/2	48 348.173	
4s ² 56p	² P°	1/2, 3/2	48 349.627	
4s ² 57p	² P°	1/2, 3/2	48 351.09	
4s ² 58p	² P°	1/2, 3/2	48 352.45	
4s ² 59p	² P°	1/2, 3/2	48 353.64	
4s ² 60p	² P°	1/2, 3/2	48 354.81	
4s ² 61p	² P°	1/2, 3/2	48 355.97	
4s ² 62p	² P°	1/2, 3/2	48 357.01	
4s ² 63p	² P°	1/2, 3/2	48 357.97	
4s ² 64p	² P°	1/2, 3/2	48 358.98	
4s ² 65p	² P°	1/2, 3/2	48 359.81	
4s ² 66p	² P°	1/2, 3/2	48 360.69	
4s ² 67p	² P°	1/2, 3/2	48 361.66	
4s ² 68p	² P°	1/2, 3/2	48 362.35	
Ga II (¹ S ₀)	² P	1/2	48 363.18	—
4s4p ²	² D	3/2, 5/2	53 800	
4s4p ²	² S	1/2	62 108	
		3/2	65 805	
4s4p ²		3/2	66 426	
4s4p(³ P ₀)5p	² [1]	1/2	78 568.2	
		3/2	78 965.9	
4s4p(³ P ₁)5p	² [1]	1/2	80 433.7	
		3/2	80 755.9	
4s4p(³ P ₁)5p	² [2]	3/2	81 251.3	
4s4p(³ P ₂)5p	² [2]	3/2	81 413.5	
		5/2	83 178	
4s4p(³ P ₁)5p	² [0]	1/2	81 580.7	
4s4p(³ P ₂)5p	² [1]	1/2	81 934	
		3/2	82 183	
4s4p(¹ P ₁)5p	² [1]	1/2, 3/2	83 914.4	
4s4p(³ P ₀)6p	² [1]	1/2	87 095.9	
		3/2		
4s4p(³ P ₁)6p	² [1]	1/2	87 566.4	
		3/2		
4s4p(³ P ₁)6p	² [1]	1/2	87 956.2	
		3/2	88 165.5	
4s4p(³ P ₁)6p	² [2]	3/2	88 280.0	
4s4p(³ P ₁)6p	² [0]	1/2	88 387.6	

TABLE 1. Energy levels of Ga I—Continued

Configuration	Term	J	Level (cm ⁻¹)	Landé-g
4s4p(³ P ₂)6p	2[2]	3/2	88 575.5	
4s4p(³ P ₂)6p	2[1]	1/2	88 926.0	
		3/2	89 086.1	
4s4p(³ P ₀)7p	2[1]	1/2	90 300.0	
		3/2	90 767.2	
4s4p(³ P ₁)7p	2[1]	1/2	91 119.5	
		3/2	91 287.5	
4s4p(³ P ₁)7p	2[2]	3/2	91 345.9	
4s4p(³ P ₁)7p	2[0]	1/2	91 474.6	
4s4p(³ P ₂)7p	2[2]	3/2	91 966.7	
4s4p(³ P ₂)7p	2[1]	1/2	92 082.7	
		3/2	92 294.3	
4s4p(³ P ₀)8p	2[1]	1/2	92 294.3	
		3/2	92 383.9	
4s4p(³ P ₁)8p	2[1]	1/2	92 784.2	
	3/2		92 893.6	
4s4p(³ P ₁)8p	2[2]	3/2	92 979.1	
4s4p(³ P ₁)8p	2[0]	1/2	93 037.1	
4s4p(³ P ₀)9p	2[1]	1/2, 3/2	93 321.0	
4s4p(³ P ₁)9p	2[1]	1/2	93 716.3	
		3/2	93 798.1	
4s4p(³ P ₂)8p	2[2]	3/2	93 846.5	
4s4p(³ P ₁)9p	2[2]	3/2	93 846.5	
4s4p(³ P ₂)8p	2[1]	1/2, 3/2	93 954.1	
4s4p(³ P ₀)10p	2[1]	1/2, 3/2	93 954.1	
4s4p(³ P ₁)10p	2[1]	1/2, 3/2	94 380.6	
4s4p(³ P ₀)11p	2[1]	1/2, 3/2	94 380.6	
4s4p(³ P ₁)10p	2[2]	3/2	94 457.2	
4s4p(³ P ₀)12p	2[1]	1/2, 3/2	94 594.8	
4s4p(³ P ₂)9p	2[2]	3/2	94 888.4	

TABLE 1. Energy levels of Ga I—Continued

Configuration	Term	J	Level (cm ⁻¹)	Landé-g
4s4p(³ P ₁)11p	2[1]	1/2, 3/2	94 888.4	
4s4p(³ P ₀)15p	2[1]	1/2, 3/2	95 085.1	
4s4p(³ P ₁)12p	2[1]	1/2, 3/2	95 085.1	
4s4p(³ P ₀)16p	2[1]	1/2, 3/2	95 175	
4s4p(³ P ₁)13p	2[1]	1/2, 3/2	95 244.4	
4s4p(³ P ₀)17p	2[1]	1/2, 3/2	95 247	
4s4p(³ P ₂)10p	2[2]	3/2	95 366.2	
4s4p(³ P ₁)14p	2[1]	1/2, 3/2	95 422.6	
4s4p(³ P ₁)15p	2[1]	1/2, 3/2	95 529	
4s4p(³ P ₁)16p	2[1]	1/2, 3/2	95 629	
4s4p(³ P ₂)11p	2[2]	3/2	95 712	
Ga II				
4s4p(³P₀)	Limit	—	95 755.14	
Ga II				
4s4p(³P₁)	Limit	—	96 201.68	
Ga II				
4s4p(³P₂)	Limit	—	97 137.37	
Ga II				
4s4p(¹P₁)	Limit	—	119 088.90	
3d⁹(²D)4s²4p²(³P)				
	2D	3/2	152 420	
		5/2	154 300	
3d⁹(²D)4s²4p²(³P)				
	2P	1/2	157 330	
		3/2	157 990	
3d⁹(²D)4s²4p²(¹D)				
	2S	1/2	159 110	
3d⁹(²D)4s²4p²(¹D)				
	2P	3/2	161 580	
		1/2	163 930	
3d⁹(²D)4s²4p²(¹D)				
	2D	5/2	163 140	
		3/2	166 050	
3d⁹(²D)4s²4p²(¹S)				
	2D	5/2	171 790	
		3/2	175 010	

TABLE 2. Spectral lines of Ga I

Wavelength (Å)	Classification			Energy levels (cm ⁻¹)	Int.	Type	A (s ⁻¹)	References
	Lower		Upper					
571.3	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$3d^9(^2D)4s^24p^2(^1S)$	$^2D_{3/2}$	0	175 010	$2a$	20
574.2	$3d^{10}4s^24p$	$^2P_{3/2}^o$	$3d^9(^2D)4s^24p^2(^1S)$	$^2D_{3/2}$	826.19	175 010	$0a$	20
584.9	$3d^{10}4s^24p$	$^2P_{3/2}^o$	$3d^9(^2D)4s^24p^2(^1S)$	$^2D_{5/2}$	826.19	171 790	$3a$	20
601.3	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$3d^9(^2D)4s^24p^2(^1D)$	$^2D_{3/2}$	0	166 050	$7a$	20
606.1	$3d^{10}4s^24p$	$^2P_{3/2}^o$	$3d^9(^2D)4s^24p^2(^1D)$	$^2D_{3/2}$	826.19	166 050	$14a$	20
609.8	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$3d^9(^2D)4s^24p^2(^1D)$	$^2P_{1/2}$	0	163 930	$15a$	20
613.3	$3d^{10}4s^24p$	$^2P_{3/2}^o$	$3d^9(^2D)4s^24p^2(^1D)$	$^2P_{1/2}$	826.19	163 930	$13a$	20
616.1	$3d^{10}4s^24p$	$^2P_{3/2}^o$	$3d^9(^2D)4s^24p^2(^1D)$	$^2D_{5/2}$	826.19	163 140	$7a$	20
618.6	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$3d^9(^2D)4s^24p^2(^1D)$	$^2P_{3/2}$	0	161 580	$4a$	20
622.4	$3d^{10}4s^24p$	$^2P_{3/2}^o$	$3d^9(^2D)4s^24p^2(^1D)$	$^2P_{3/2}$	826.19	161 580	$7a$	20
628.1	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$3d^9(^2D)4s^24p^2(^1D)$	$^2S_{1/2}$	0	159 110	$9a$	20
632.2	$3d^{10}4s^24p$	$^2P_{3/2}^o$	$3d^9(^2D)4s^24p^2(^1D)$	$^2S_{1/2}$	826.19	159 110	$11a$	20
633.3	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$3d^9(^2D)4s^24p^2(^3P)$	$^2P_{3/2}$	0	157 990	$8a$	20
635.4	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$3d^9(^2D)4s^24p^2(^3P)$	$^2P_{1/2}$	0	157 210	$6a$	20
636.3	$3d^{10}4s^24p$	$^2P_{3/2}^o$	$3d^9(^2D)4s^24p^2(^3P)$	$^2P_{3/2}$	826.19	157 990	$5a$	20
639.2	$3d^{10}4s^24p$	$^2P_{3/2}^o$	$3d^9(^2D)4s^24p^2(^3P)$	$^2P_{1/2}$	826.19	157 210	$6a$	20
651.6	$3d^{10}4s^24p$	$^2P_{3/2}^o$	$3d^9(^2D)4s^24p^2(^3P)$	$^2D_{5/2}$	826.19	154 300	$4a$	20
656.6	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$3d^9(^2D)4s^24p^2(^3P)$	$^2D_{3/2}$	0	152 420	$0a$	20
659.2	$3d^{10}4s^24p$	$^2P_{3/2}^o$	$3d^9(^2D)4s^24p^2(^3P)$	$^2D_{3/2}$	826.19	152 420	$2a$	20
1044.8	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_2)11p$	$^2[2]_{3/2}$	0	95 712	a	67
1045.7	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_1)16p$	$^2[1]_{1/2,3/2}$	0	95 629	a	67
1046.8	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_1)15p$	$^2[1]_{1/2,3/2}$	0	95 529	a	67
1047.97	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_1)14p$	$^2[1]_{1/2,3/2}$	0	95 422.6	a	67
1048.59	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_2)10p$	$^2[2]_{3/2}$	0	95 366.2	a	67
1049.9	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_0)17p$	$^2[1]_{1/2,3/2}$	0	95 247	a	67
1049.93	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_1)13p$	$^2[1]_{1/2,3/2}$	0	95 244.4	a	67
1050.7	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_0)16p$	$^2[1]_{1/2,3/2}$	0	95 175	a	67
1051.69	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_1)12p$	$^2[1]_{1/2,3/2}$	0	95 085.1	a	67
	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_0)15p$	$^2[1]_{1/2,3/2}$	0	95 085.1	a	67
1053.87	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_2)9p$	$^2[2]_{3/2}$	0	94 888.4	a	67
	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_1)11p$	$^2[1]_{1/2,3/2}$	0	94 888.4	a	67
1057.14	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_0)12p$	$^2[1]_{1/2,3/2}$	0	94 594.8	a	67
1058.68	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_1)10p$	$^2[2]_{3/2}$	0	94 457.2	a	67
1059.54	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_1)10p$	$^2[1]_{1/2,3/2}$	0	94 380.6	a	67
	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_0)11p$	$^2[1]_{1/2,3/2}$	0	94 380.6	a	67
1064.35	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_2)8p$	$^2[1]_{1/2,3/2}$	0	93 954.1	a	67
	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_0)10p$	$^2[1]_{1/2,3/2}$	0	93 954.1	a	67
1065.57	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_2)8p$	$^2[2]_{3/2}$	0	93 846.5	a	67
	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_1)9p$	$^2[2]_{3/2}$	0	93 846.5	a	67
1066.12	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_1)9p$	$^2[1]_{3/2}$	0	93 798.1	a	67
1067.05	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_1)9p$	$^2[1]_{1/2}$	0	93 716.3	a	67
1071.57	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_0)9p$	$^2[1]_{1/2,3/2}$	0	93 321.0	a	67
1074.84	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_1)8p$	$^2[0]_{1/2}$	0	93 037.1	a	67
1075.51	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_1)8p$	$^2[2]_{3/2}$	0	92 979.1	a	67
1076.50	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_1)8p$	$^2[1]_{3/2}$	0	92 893.6	a	67
1077.77	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_1)8p$	$^2[1]_{1/2}$	0	92 784.2	a	67
1082.44	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_0)8p$	$^2[1]_{3/2}$	0	92 383.9	a	67
1083.49	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_0)8p$	$^2[1]_{1/2}$	0	92 294.3	a	67
	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_2)7p$	$^2[1]_{3/2}$	0	92 294.3	a	67
1085.98	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_2)7p$	$^2[1]_{1/2}$	0	92 082.7	a	67

TABLE 2. Spectral lines of Ga I—Continued

Wavelength (Å)	Classification			Energy levels (cm ⁻¹)	Int.	Type	A (s ⁻¹)	References
	Lower		Upper					
1087.35	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_2)7p$	$^2[2]_{3/2}$	0	91 966.7	<i>a</i>	67
1093.20	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_1)7p$	$^2[0]_{1/2}$	0	91 474.6	<i>a</i>	67
1094.74	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_1)7p$	$^2[2]_{3/2}$	0	91 345.9	<i>a</i>	67
1095.44	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_1)7p$	$^2[1]_{3/2}$	0	91 287.5	<i>a</i>	67
1097.46	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_1)7p$	$^2[1]_{1/2}$	0	91 119.5	<i>a</i>	67
1101.72	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_0)7p$	$^2[1]_{3/2}$	0	90 767.2	<i>a</i>	67
1107.42	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_0)7p$	$^2[1]_{1/2}$	0	90 300.0	<i>a</i>	67
1122.51	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_2)6p$	$^2[1]_{3/2}$	0	89 086.1	<i>a</i>	67
1124.53	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_2)6p$	$^2[1]_{1/2}$	0	88 926.0	<i>a</i>	67
1128.98	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_2)6p$	$^2[2]_{3/2}$	0	88 575.5	<i>a</i>	67
1131.38	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_1)6p$	$^2[0]_{1/2}$	0	88 387.6	<i>a</i>	67
1132.76	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_1)6p$	$^2[2]_{3/2}$	0	88 280.0	<i>a</i>	67
1134.23	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_1)6p$	$^2[1]_{3/2}$	0	88 165.5	<i>a</i>	67
1136.93	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_1)6p$	$^2[1]_{1/2}$	0	87 956.2	<i>a</i>	67
1141.99	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_0)6p$	$^2[1]_{3/2}$	0	87 566.4	<i>a</i>	67
1148.16	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_0)6p$	$^2[1]_{1/2}$	0	87 095.9	<i>a</i>	67
1191.68	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^1P_1)5p$	$^2[1]_{1/2,3/2}$	0	83 914.4	<i>a</i>	67
1203.55	$3d^{10}4s^24p$	$^2P_{3/2}^o$	$4s4p(^1P_1)5p$	$^2[1]_{1/2,3/2}$	826.19	83 914.4	<i>a</i>	67
1214.3	$3d^{10}4s^24p$	$^2P_{3/2}^o$	$4s4p(^3P_2)5p$	$^2[2]_{5/2}$	826.19	83 178	<i>a</i>	67
1216.8	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_2)5p$	$^2[1]_{3/2}$	0	82 183	<i>a</i>	67
1220.5	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_2)5p$	$^2[1]_{1/2}$	0	81 934	<i>a</i>	67
1225.78	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_1)5p$	$^2[0]_{1/2}$	0	81 580.7	<i>a</i>	67
1228.2	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_2)5p$	$^2[2]_{3/2}$	0	81 413.5	<i>a</i>	67
1230.75	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_1)5p$	$^2[2]_{3/2}$	0	81 251.3	<i>a</i>	67
1238.30	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_1)5p$	$^2[1]_{3/2}$	0	80 755.9	<i>a</i>	67
1240.89	$3d^{10}4s^24p$	$^2P_{3/2}^o$	$4s4p(^3P_2)5p$	$^2[2]_{3/2}$	826.19	81 413.5	<i>a</i>	67
1243.26	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_1)5p$	$^2[1]_{1/2}$	0	80 433.7	<i>a</i>	67
1256.18	$3d^{10}4s^24p$	$^2P_{3/2}^o$	$4s4p(^3P_1)5p$	$^2[1]_{1/2}$	826.19	80 433.7	<i>a</i>	67
1266.37	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_0)5p$	$^2[1]_{3/2}$	0	78 965.9	<i>a</i>	67
1272.78	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p(^3P_0)5p$	$^2[1]_{1/2}$	0	78 568.2	<i>a</i>	67
1505.6	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p^2$	$^2P_{3/2}$	0	66 426		6
1519.8	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p^2$	$^2P_{1/2}$	0	65 805		6
1524.6	$3d^{10}4s^24p$	$^2P_{3/2}^o$	$4s4p^2$	$^2P_{3/2}$	826.19	66 426		6
1539.1	$3d^{10}4s^24p$	$^2P_{3/2}^o$	$4s4p^2$	$^2P_{1/2}$	826.19	65 805		6
1610.3	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p^2$	$^2S_{1/2}$	0	62 108		6
1632.0	$3d^{10}4s^24p$	$^2P_{3/2}^o$	$4s4p^2$	$^2S_{1/2}$	826.19	62 108		6
1860.	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s4p^2$	$^2D_{3/2,5/2}$	0	53 800	<i>a</i>	36,11°
2073.40	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s^228s$	$^2S_{1/2}$	0	48 214.6	<i>a</i>	8
2074.03	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s^227s$	$^2S_{1/2}$	0	48 199.9	<i>a</i>	8
2074.38	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s^225d$	$^2D_{3/2}$	0	48 191.759	<i>a</i>	8
2074.73	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s^226s$	$^2S_{1/2}$	0	48 183.7	<i>a</i>	8
2075.16	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s^224d$	$^2D_{3/2}$	0	48 173.7	<i>a</i>	8
2075.55	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s^225s$	$^2S_{1/2}$	0	48 164.6	<i>a</i>	8
2076.01	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s^223d$	$^2D_{3/2}$	0	48 153.970	<i>a</i>	8
2076.46	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s^224s$	$^2S_{1/2}$	0	48 143.4	<i>a</i>	8
2077.01	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s^222d$	$^2D_{3/2}$	0	48 130.8	<i>a</i>	8
2077.54	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s^223s$	$^2S_{1/2}$	0	48 118.5	<i>a</i>	8
2078.16	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s^221d$	$^2D_{3/2}$	0	48 104.096	<i>a</i>	8
2078.76	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s^222s$	$^2S_{1/2}$	0	48 090.2	<i>a</i>	8
2079.50	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s^220d$	$^2D_{3/2}$	0	48 072.962	<i>a</i>	8

TABLE 2. Spectral lines of Ga I—Continued

Wavelength (Å)	Classification		Energy levels (cm ⁻¹)	Int.	Type	A (s ⁻¹)	References	
	Lower	Upper						
2080.23	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s^221s$	$^2S_{1/2}$	0	48 056.4	<i>a</i>	8
2081.09	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s^219d$	$^2D_{3/2}$	0	48 036.400	<i>a</i>	8
2081.93	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s^220s$	$^2S_{1/2}$	0	48 017.0	<i>a</i>	8
2082.96	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s^218d$	$^2D_{3/2}$	0	47 993.2	<i>a</i>	8
2083.97	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s^219s$	$^2S_{1/2}$	0	47 970.0	<i>a</i>	8
2085.22	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s^217d$	$^2D_{3/2}$	0	47 941.3	<i>a</i>	8
2086.45	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s^218s$	$^2S_{1/2}$	0	47 913.0	<i>a</i>	8
2087.95	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s^216d$	$^2D_{3/2}$	0	47 878.7	<i>a</i>	8
2089.46	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s^217s$	$^2S_{1/2}$	0	47 844.1	<i>a</i>	8
2091.30	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s^215d$	$^2D_{3/2}$	0	47 802.0	<i>a</i>	8
2093.20	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s^216s$	$^2S_{1/2}$	0	47 758.6	<i>a</i>	8
2095.50	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s^214d$	$^2D_{3/2}$	0	47 706.2	<i>a</i>	8
2097.91	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s^215s$	$^2S_{1/2}$	0	47 651.4	<i>a</i>	8
2100.82	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s^213d$	$^2D_{3/2}$	0	47 585.1	<i>a</i>	8
2103.98	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s^214s$	$^2S_{1/2}$	0	47 514.0	<i>a</i>	8
2107.76	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s^212d$	$^2D_{3/2}$	0	47 428.7	<i>a</i>	8
2109.27	$3d^{10}4s^24p$	$^2P_{3/2}^o$	$4s^227d$	$^2D_{5/2}$	826.19	48 221.186	<i>a</i>	8
2109.55	$3d^{10}4s^24p$	$^2P_{3/2}^o$	$4s^228s$	$^2S_{1/2}$	826.19	48 214.6	<i>a</i>	8
2109.88	$3d^{10}4s^24p$	$^2P_{3/2}^o$	$4s^226d$	$^2D_{5/2}$	826.19	48 207.2	<i>a</i>	8
2110.21	$3d^{10}4s^24p$	$^2P_{3/2}^o$	$4s^227s$	$^2S_{1/2}$	826.19	48 199.9	<i>a</i>	8
2110.57	$3d^{10}4s^24p$	$^2P_{3/2}^o$	$4s^225d$	$^2D_{5/2}$	826.19	48 191.895	<i>a</i>	8
2110.93	$3d^{10}4s^24p$	$^2P_{3/2}^o$	$4s^226s$	$^2S_{1/2}$	826.19	48 183.7	<i>a</i>	8
2111.37	$3d^{10}4s^24p$	$^2P_{3/2}^o$	$4s^224d$	$^2D_{5/2}$	826.19	48 173.7	<i>a</i>	8
2111.78	$3d^{10}4s^24p$	$^2P_{3/2}^o$	$4s^225s$	$^2S_{1/2}$	826.19	48 164.6	<i>a</i>	8
2111.96	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s^213s$	$^2S_{1/2}$	0	47 334.4	<i>a</i>	8
2112.26	$3d^{10}4s^24p$	$^2P_{3/2}^o$	$4s^223d$	$^2D_{5/2}$	826.19	48 154.145	<i>a</i>	8
2112.73	$3d^{10}4s^24p$	$^2P_{3/2}^o$	$4s^224s$	$^2S_{1/2}$	826.19	48 143.4	<i>a</i>	8
2113.29	$3d^{10}4s^24p$	$^2P_{3/2}^o$	$4s^222d$	$^2D_{5/2}$	826.19	48 130.8	<i>a</i>	8
2113.84	$3d^{10}4s^24p$	$^2P_{3/2}^o$	$4s^223s$	$^2S_{1/2}$	826.19	48 118.5	<i>a</i>	8
2114.47	$3d^{10}4s^24p$	$^2P_{3/2}^o$	$4s^221d$	$^2D_{5/2}$	826.19	48 104.327	<i>a</i>	8
2115.12	$3d^{10}4s^24p$	$^2P_{3/2}^o$	$4s^222s$	$^2S_{1/2}$	826.19	48 090.2	<i>a</i>	8
2115.87	$3d^{10}4s^24p$	$^2P_{3/2}^o$	$4s^220d$	$^2D_{5/2}$	826.19	48 073.225	<i>a</i>	8
2116.62	$3d^{10}4s^24p$	$^2P_{3/2}^o$	$4s^221s$	$^2S_{1/2}$	826.19	48 056.4	<i>a</i>	8
2116.98	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s^211d$	$^2D_{3/2}$	0	47 222.1	<i>a</i>	8
2117.52	$3d^{10}4s^24p$	$^2P_{3/2}^o$	$4s^219d$	$^2D_{5/2}$	826.19	48 036.706	<i>a</i>	8
2118.39	$3d^{10}4s^24p$	$^2P_{3/2}^o$	$4s^220s$	$^2S_{1/2}$	826.19	48 017.0	<i>a</i>	8
2119.46	$3d^{10}4s^24p$	$^2P_{3/2}^o$	$4s^218d$	$^2D_{5/2}$	826.19	47 993.2	<i>a</i>	8
2120.50	$3d^{10}4s^24p$	$^2P_{3/2}^o$	$4s^219s$	$^2S_{1/2}$	826.19	47 970.0	<i>a</i>	8
2121.78	$3d^{10}4s^24p$	$^2P_{3/2}^o$	$4s^217d$	$^2D_{5/2}$	826.19	47 941.5	<i>a</i>	8
2122.77	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s^212s$	$^2S_{1/2}$	0	47 093.3	<i>a</i>	8
2123.07	$3d^{10}4s^24p$	$^2P_{3/2}^o$	$4s^218s$	$^2S_{1/2}$	826.19	47 913.0	<i>a</i>	8
2124.60	$3d^{10}4s^24p$	$^2P_{3/2}^o$	$4s^216d$	$^2D_{5/2}$	826.19	47 879.0	<i>a</i>	8
2126.18	$3d^{10}4s^24p$	$^2P_{3/2}^o$	$4s^217s$	$^2S_{1/2}$	826.19	47 844.1	<i>a</i>	8
2128.06	$3d^{10}4s^24p$	$^2P_{3/2}^o$	$4s^215d$	$^2D_{5/2}$	826.19	47 802.5	<i>a</i>	8
2130.05	$3d^{10}4s^24p$	$^2P_{3/2}^o$	$4s^216s$	$^2S_{1/2}$	826.19	47 758.6	<i>a</i>	8
2132.39	$3d^{10}4s^24p$	$^2P_{3/2}^o$	$4s^214d$	$^2D_{5/2}$	826.19	47 707.1	<i>a</i>	8
2134.93	$3d^{10}4s^24p$	$^2P_{3/2}^o$	$4s^215s$	$^2S_{1/2}$	826.19	47 651.4	<i>a</i>	8
2137.93	$3d^{10}4s^24p$	$^2P_{3/2}^o$	$4s^213d$	$^2D_{5/2}$	826.19	47 585.9	<i>a</i>	8
2137.97	$3d^{10}4s^24p$	$^2P_{1/2}^o$	$4s^211s$	$^2S_{1/2}$	0	46 758.6	<i>a</i>	8
2141.21	$3d^{10}4s^24p$	$^2P_{3/2}^o$	$4s^214s$	$^2S_{1/2}$	826.19	47 514.0	<i>a</i>	8

TABLE 2. Spectral lines of Ga I—Continued

Wavelength (Å)	Classification		Energy levels (cm ⁻¹)	Int.	Type	A (s ⁻¹)	References	
	Lower	Upper						
2147.65	$3d^{10}4s^24p$	$^2P_{1/2}$	$4s^29d$	$^2D_{3/2}$	0	46 547.9	<i>a</i>	8
2149.49	$3d^{10}4s^24p$	$^2P_{3/2}$	$4s^213s$	$^2S_{1/2}$	826.19	47 334.4	<i>a</i>	8
2160.34	$3d^{10}4s^24p$	$^2P_{1/2}$	$4s^210s$	$^2S_{1/2}$	0	46 274.4	<i>a</i>	8
2160.69	$3d^{10}4s^24p$	$^2P_{3/2}$	$4s^212s$	$^2S_{1/2}$	826.19	47 093.3	<i>a</i>	8
2167.70	$3d^{10}4s^24p$	$^2P_{3/2}$	$4s^210d$	$^2D_{5/2}$	826.19	46 943.6	<i>a</i>	8
2174.69	$3d^{10}4s^24p$	$^2P_{1/2}$	$4s^28d$	$^2D_{3/2}$	0	45 969.2	<i>a</i>	8
2176.43	$3d^{10}4s^24p$	$^2P_{3/2}$	$4s^211s$	$^2S_{1/2}$	826.19	46 758.6	<i>a</i>	8
2186.41	$3d^{10}4s^24p$	$^2P_{1/2}$	$4s^29d$	$^2D_{5/2}$	826.19	46 549.0	<i>a</i>	8
2195.34 ^p	$3d^{10}4s^24p$	$^2P_{1/2}$	$4s^29s$	$^2S_{1/2}$	0	45 536.67	1.94+6	82*
2199.62	$3d^{10}4s^24p$	$^2P_{3/2}$	$4s^210s$	$^2S_{1/2}$	826.19	46 274.4	<i>a</i>	$3.11+6$ 8°,82*
2214.36	$3d^{10}4s^24p$	$^2P_{3/2}$	$4s^28d$	$^2D_{5/2}$	826.19	45 972.0	<i>a</i>	$3.17+6$ 8°,82*
2214.49 ^p	$3d^{10}4s^24p$	$^2P_{3/2}$	$4s^28d$	$^2D_{3/2}$	826.19	45 969.2	5.30+5	82*
2218.039	$3d^{10}4s^24p$	$^2P_{1/2}$	$4s^27d$	$^2D_{3/2}$	0	45 071.75	1	7
2235.92 ^p	$3d^{10}4s^24p$	$^2P_{3/2}$	$4s^29s$	$^2S_{1/2}$	826.19	45 536.67	4.00+6	82*
2255.034	$3d^{10}4s^24p$	$^2P_{1/2}$	$4s^28s$	$^2S_{1/2}$	0	44 332.27	1	$3.15+6$ 7°,82*
2259.227	$3d^{10}4s^24p$	$^2P_{3/2}$	$4s^27d$	$^2D_{5/2}$	826.19	45 075.73	1	$3.1+6$ 7°,32*
2294.19	$3d^{10}4s^24p$	$^2P_{1/2}$	$4s^26d$	$^2D_{3/2}$	0	43 575.11	2	$6.97+6$ 7°,82*
2297.869	$3d^{10}4s^24p$	$^2P_{3/2}$	$4s^28s$	$^2S_{1/2}$	826.19	44 332.27	1	$5.56+6$ 7°,82*
2338.24	$3d^{10}4s^24p$	$^2P_{3/2}$	$4s^26d$	$^2D_{5/2}$	826.19	43 580.44	3	$9.75+6$ 7°,82*
2338.596	$3d^{10}4s^24p$	$^2P_{3/2}$	$4s^26d$	$^2D_{3/2}$	826.19	43 575.11	1	$1.58+6$ 7°,82*
2371.29	$3d^{10}4s^24p$	$^2P_{1/2}$	$4s^27s$	$^2S_{1/2}$	0	42 158.77	3	$5.57+6$ 7°,82*
2418.69	$3d^{10}4s^24p$	$^2P_{3/2}$	$4s^27s$	$^2S_{1/2}$	826.19	42 158.77	4	$1.00+7$ 7°,82*
2450.078	$3d^{10}4s^24p$	$^2P_{1/2}$	$4s^25d$	$^2D_{3/2}$	0	40 802.86	2.78+7	7°,82*
2500.187	$3d^{10}4s^24p$	$^2P_{3/2}$	$4s^25d$	$^2D_{5/2}$	826.19	40 811.41	3.34+7	7°,82*
2500.714	$3d^{10}4s^24p$	$^2P_{3/2}$	$4s^25d$	$^2D_{3/2}$	826.19	40 802.86	5.54+6	7°,82*
2607.3460	$3d^{10}4s^24p$	$^2P_{1/2}$	$4s4p^2$	$^4P_{3/2}$	0	38 341.722		5.80°
2624.6748	$3d^{10}4s^24p$	$^2P_{3/2}$	$4s4p^2$	$^4P_{5/2}$	826.19	38 914.786		5.80°
2632.4733	$3d^{10}4s^24p$	$^2P_{1/2}$	$4s4p^2$	$^4P_{1/2}$	0	37 975.768		5.80°
2659.873	$3d^{10}4s^24p$	$^2P_{1/2}$	$4s^26s$	$^2S_{1/2}$	0	37 584.77	1.22+7	7°,82*
2664.7701	$3d^{10}4s^24p$	$^2P_{3/2}$	$4s4p^2$	$^4P_{3/2}$	826.19	38 341.722		5.80°
2691.0218	$3d^{10}4s^24p$	$^2P_{3/2}$	$4s4p^2$	$^4P_{1/2}$	826.19	37 975.768		5.80°
2719.664	$3d^{10}4s^24p$	$^2P_{3/2}$	$4s^26s$	$^2S_{1/2}$	826.19	37 584.77	2.34+7	7°,82*
2874.235	$3d^{10}4s^24p$	$^2P_{1/2}$	$4s^24d$	$^2D_{3/2}$	0	34 781.66	3	$1.17+8$ 7.9°,82*
2943.636	$3d^{10}4s^24p$	$^2P_{3/2}$	$4s^24d$	$^2D_{5/2}$	826.19	34 787.85	3	$1.34+8$ 7.9°,82*
2944.173	$3d^{10}4s^24p$	$^2P_{3/2}$	$4s^24d$	$^2D_{3/2}$	826.19	34 781.66	1	$2.61+7$ 7.9°,82*
4032.984	$3d^{10}4s^24p$	$^2P_{1/2}$	$4s^25s$	$^2S_{1/2}$	0	24 788.530	4	$4.85+7$ 7.9,35°,82*
4172.042	$3d^{10}4s^24p$	$^2P_{3/2}$	$4s^25s$	$^2S_{1/2}$	826.19	24 788.530	5	$9.45+7$ 7.9°, 82*
4240.525 ^c	$4s^25s$	$^2S_{1/2}$	$4s^270p$	$^2P_{1/2,3/2}$	24 788.530	48 363.88		48
4240.651 ^c	$4s^25s$	$^2S_{1/2}$	$4s^269p$	$^2P_{1/2,3/2}$	24 788.530	48 363.18		48
4240.800 ^c	$4s^25s$	$^2S_{1/2}$	$4s^268p$	$^2P_{1/2,3/2}$	24 788.530	48 362.35		48
4240.924 ^c	$4s^25s$	$^2S_{1/2}$	$4s^267p$	$^2P_{1/2,3/2}$	24 788.530	48 361.66		48
4241.098 ^c	$4s^25s$	$^2S_{1/2}$	$4s^266p$	$^2P_{1/2,3/2}$	24 788.530	48 360.69		48
4241.257 ^c	$4s^25s$	$^2S_{1/2}$	$4s^265p$	$^2P_{1/2,3/2}$	24 788.530	48 359.81		48
4241.406 ^c	$4s^25s$	$^2S_{1/2}$	$4s^264p$	$^2P_{1/2,3/2}$	24 788.530	48 358.98		48
4241.588 ^c	$4s^25s$	$^2S_{1/2}$	$4s^263p$	$^2P_{1/2,3/2}$	24 788.530	48 357.97		48
4241.761 ^c	$4s^25s$	$^2S_{1/2}$	$4s^262p$	$^2P_{1/2,3/2}$	24 788.530	48 357.01		48
4241.948 ^c	$4s^25s$	$^2S_{1/2}$	$4s^261p$	$^2P_{1/2,3/2}$	24 788.530	48 355.97		48
4242.157 ^c	$4s^25s$	$^2S_{1/2}$	$4s^260p$	$^2P_{1/2,3/2}$	24 788.530	48 354.81		48
4242.367 ^c	$4s^25s$	$^2S_{1/2}$	$4s^259p$	$^2P_{1/2,3/2}$	24 788.530	48 353.64		48
4242.582 ^c	$4s^25s$	$^2S_{1/2}$	$4s^258p$	$^2P_{1/2,3/2}$	24 788.530	48 352.45		48

TABLE 2. Spectral lines of Ga I—Continued

Wavelength (Å)	Classification		Energy levels (cm ⁻¹)	Int.	Type	A (s ⁻¹)	References
	Lower	Upper					
4242.826 ^C	4s ² 5s	² S _{1/2}	4s ² 57p	² P° _{1/2,3/2}	24 788.530	48 351.09	48
4243.090	4s ² 5s	² S _{1/2}	4s ² 56p	² P° _{1/2,3/2}	24 788.530	48 349.627	35°,48
4243.352	4s ² 5s	² S _{1/2}	4s ² 55p	² P° _{1/2,3/2}	24 788.530	48 348.173	35°,48
4243.630	4s ² 5s	² S _{1/2}	4s ² 54p	² P° _{1/2,3/2}	24 788.530	48 346.630	35°,48
4243.887 ^C	4s ² 5s	² S _{1/2}	4s ² 53p	² P° _{1/2,3/2}	24 788.530	48 345.20	48
4244.204 ^C	4s ² 5s	² S _{1/2}	4s ² 52p	² P° _{1/2,3/2}	24 788.530	48 343.44	48
4244.531 ^C	4s ² 5s	² S _{1/2}	4s ² 51p	² P° _{1/2,3/2}	24 788.530	48 341.63	48
4244.886 ^C	4s ² 5s	² S _{1/2}	4s ² 50p	² P° _{1/2,3/2}	24 788.530	48 339.66	48
4245.261 ^C	4s ² 5s	² S _{1/2}	4s ² 49p	² P° _{1/2,3/2}	24 788.530	48 337.58	48
4245.675 ^C	4s ² 5s	² S _{1/2}	4s ² 48p	² P° _{1/2,3/2}	24 788.530	48 335.28	48
4246.112 ^C	4s ² 5s	² S _{1/2}	4s ² 47p	² P° _{1/2,3/2}	24 788.530	48 332.86	48
4246.563 ^C	4s ² 5s	² S _{1/2}	4s ² 46p	² P° _{1/2,3/2}	24 788.530	48 330.36	48
4247.046 ^C	4s ² 5s	² S _{1/2}	4s ² 45p	² P° _{1/2,3/2}	24 788.530	48 327.68	48
4247.569 ^C	4s ² 5s	² S _{1/2}	4s ² 44p	² P° _{1/2,3/2}	24 788.530	48 324.78	48
4248.143 ^C	4s ² 5s	² S _{1/2}	4s ² 43p	² P° _{1/2,3/2}	24 788.530	48 321.60	48
4248.743 ^C	4s ² 5s	² S _{1/2}	4s ² 42p	² P° _{1/2,3/2}	24 788.530	48 318.28	48
4249.400 ^C	4s ² 5s	² S _{1/2}	4s ² 41p	² P° _{1/2,3/2}	24 788.530	48 314.64	48
4254.721	4s ² 5s	² S _{1/2}	4s ² 35p	² P° _{3/2}	24 788.530	48 285.221	35
4254.731	4s ² 5s	² S _{1/2}	4s ² 35p	² P° _{1/2}	24 788.530	48 285.164	35
4254.789 ^C	4s ² 5s	² S _{1/2}	4s ² 34d	² D _{5/2}	24 788.530	48 284.842	E2
4254.799 ^C	4s ² 5s	² S _{1/2}	4s ² 34d	² D _{3/2}	24 788.530	48 284.786	E2
4260.350 ^C	4s ² 5s	² S _{1/2}	4s ² 30d	² D _{5/2}	24 788.530	48 254.176	E2
4260.365 ^C	4s ² 5s	² S _{1/2}	4s ² 30d	² D _{3/2}	24 788.530	48 254.091	E2
4266.213	4s ² 5s	² S _{1/2}	4s ² 28p	² P° _{3/2}	24 788.530	48 221.925	35
4266.235	4s ² 5s	² S _{1/2}	4s ² 28p	² P° _{1/2}	24 788.530	48 221.808	35
4266.348 ^C	4s ² 5s	² S _{1/2}	4s ² 27d	² D _{5/2}	24 788.530	48 221.186	E2
4266.367 ^C	4s ² 5s	² S _{1/2}	4s ² 27d	² D _{3/2}	24 788.530	48 221.079	E2
4271.519	4s ² 5s	² S _{1/2}	4s ² 26p	² P° _{3/2}	24 788.530	48 192.820	35
4271.547	4s ² 5s	² S _{1/2}	4s ² 26p	² P° _{1/2}	24 788.530	48 192.664	35
4271.688 ^C	4s ² 5s	² S _{1/2}	4s ² 25d	² D _{5/2}	24 788.530	48 191.895	E2
4271.712 ^C	4s ² 5s	² S _{1/2}	4s ² 25d	² D _{3/2}	24 788.530	48 191.759	E2
4278.375	4s ² 5s	² S _{1/2}	4s ² 24p	² P° _{3/2}	24 788.530	48 155.314	35
4278.411	4s ² 5s	² S _{1/2}	4s ² 24p	² P° _{1/2}	24 788.530	48 155.116	35
4278.589 ^C	4s ² 5s	² S _{1/2}	4s ² 23d	² D _{5/2}	24 788.530	48 154.145	E2
4278.621 ^C	4s ² 5s	² S _{1/2}	4s ² 23d	² D _{3/2}	24 788.530	48 153.970	E2
4287.453	4s ² 5s	² S _{1/2}	4s ² 22p	² P° _{3/2}	24 788.530	48 105.838	35
4287.504	4s ² 5s	² S _{1/2}	4s ² 22p	² P° _{1/2}	24 788.530	48 105.564	35
4287.731 ^C	4s ² 5s	² S _{1/2}	4s ² 21d	² D _{5/2}	24 788.530	48 104.327	E2
4287.774 ^C	4s ² 5s	² S _{1/2}	4s ² 21d	² D _{3/2}	24 788.530	48 104.096	E2
4293.459 ^C	4s ² 5s	² S _{1/2}	4s ² 20d	² D _{5/2}	24 788.530	48 073.225	E2
4293.507 ^C	4s ² 5s	² S _{1/2}	4s ² 20d	² D _{3/2}	24 788.530	48 072.962	E2
4299.838	4s ² 5s	² S _{1/2}	4s ² 20p	² P° _{3/2}	24 788.530	48 038.680	35
4299.907	4s ² 5s	² S _{1/2}	4s ² 20p	² P° _{1/2}	24 788.530	48 038.305	35
4300.203 ^C	4s ² 5s	² S _{1/2}	4s ² 19d	² D _{5/2}	24 788.530	48 036.706	E2
4300.260 ^C	4s ² 5s	² S _{1/2}	4s ² 19d	² D _{3/2}	24 788.530	48 036.400	E2
5353.490	4s ² 5s	² S _{1/2}	4s ² 7p	² P° _{3/2}	24 788.530	43 462.74	7
5359.205	4s ² 5s	² S _{1/2}	4s ² 7p	² P° _{1/2}	24 788.530	43 442.83	6
6396.561	4s ² 5s	² S _{1/2}	4s ² 6p	² P° _{3/2}	24 788.530	40 417.62	9
6413.447	4s ² 5s	² S _{1/2}	4s ² 6p	² P° _{1/2}	24 788.530	40 376.45	7
7051.24	4s ² 5p	² P° _{1/2}	4s ² 11d	² D _{3/2}	33 044.05	47 222.1	3

TABLE 2. Spectral lines of Ga I—Continued

Wavelength (Å)	Classification			Energy levels (cm ⁻¹)	Int.	Type	A (s ⁻¹)	References
	Lower		Upper					
7106.82	4s ² 5p	² P _{3/2} ^o	4s ² 11d	² D _{5/2}	33 155.07	47 222.1	5	7
7116.3	4s ² 5p	² P _{1/2} ^o	4s ² 12s	² S _{1/2}	33 044.05	47 093.3	1	7
7172.9	4s ² 5p	² P _{3/2} ^o	4s ² 12s	² S _{1/2}	33 155.07	47 093.3	2	7
7193.6	4s ² 5p	² P _{1/2} ^o	4s ² 10d	² D _{3/2}	33 044.05	46 943.6	5	7
7251.4	4s ² 5p	² P _{3/2} ^o	4s ² 10d	² D _{5/2}	33 155.07	46 943.6	10	7
7289.6	4s ² 5p	² P _{1/2} ^o	4s ² 11s	² S _{1/2}	33 044.05	46 758.6	3	7
7349.3	4s ² 5p	² P _{3/2} ^o	4s ² 11s	² S _{1/2}	33 155.07	46 758.6	5	7
7403.0	4s ² 5p	² P _{1/2} ^o	4s ² 9d	² D _{3/2}	33 044.05	46 547.9	20	7
7464.0	4s ² 5p	² P _{3/2} ^o	4s ² 9d	² D _{5/2}	33 155.07	46 549.0	30	7
7556.6	4s ² 5p	² P _{1/2} ^o	4s ² 10s	² S _{1/2}	33 044.05	46 274.4	6	7
7620.5	4s ² 5p	² P _{3/2} ^o	4s ² 10s	² S _{1/2}	33 155.07	46 274.4	10	7
7734.77	4s ² 5p	² P _{1/2} ^o	4s ² 8d	² D _{3/2}	33 044.05	45 969.2	50	7
7800.01	4s ² 5p	² P _{3/2} ^o	4s ² 8d	² D _{5/2}	33 155.07	45 972.0	100	7
7801.6	4s ² 5p	² P _{3/2} ^o	4s ² 8d	² D _{3/2}	33 155.07	45 969.2	4	7
8002.55	4s ² 5p	² P _{1/2} ^o	4s ² 9s	² S _{1/2}	33 044.05	45 536.67	15	7
8074.25	4s ² 5p	² P _{3/2} ^o	4s ² 9s	² S _{1/2}	33 155.07	45 536.67	20	7
8311.86	4s ² 5p	² P _{1/2} ^o	4s ² 7d	² D _{3/2}	33 044.05	45 071.75	6	7,9°
8386.49	4s ² 5p	² P _{3/2} ^o	4s ² 7d	² D _{5/2}	33 155.07	45 075.73	7	7,9°
8389.30	4s ² 5p	² P _{3/2} ^o	4s ² 7d	² D _{3/2}	33 155.07	45 071.75	4	7,9°
8415.51	4s ² 4d	² D _{3/2}	4s ² 8f	² F _{5/2} ^o	34 781.66	46 661.21	2	9
8419.91	4s ² 4d	² D _{5/2}	4s ² 8f	² F _{7/2} ^o	34 787.85	46 661.21	3	9
8808.75	4s ² 4d	² D _{3/2}	4s ² 7f	² F _{5/2} ^o	34 781.66	46 130.89	3	9
8813.56	4s ² 4d	² D _{5/2}	4s ² 7f	² F _{7/2} ^o	34 787.85	46 130.89	5	9
8856.37	4s ² 5p	² P _{1/2} ^o	4s ² 8s	² S _{1/2}	33 044.05	44 332.27	3	7,9°
8944.33	4s ² 5p	² P _{3/2} ^o	4s ² 8s	² S _{1/2}	33 155.07	44 332.27	4	7,9°
9492.92	4s ² 4d	² D _{3/2}	4s ² 6f	² F _{5/2} ^o	34 781.66	45 312.94	1	9
9493.12	4s ² 5p	² P _{1/2} ^o	4s ² 6d	² D _{3/2}	33 044.05	43 575.11	2	7,9°
9498.50	4s ² 4d	² D _{5/2}	4s ² 6f	² F _{7/2} ^o	34 787.85	45 312.94	2	9
9589.36	4s ² 5p	² P _{3/2} ^o	4s ² 6d	² D _{5/2}	33 155.07	43 580.44	5	7,9°
9594.25	4s ² 5p	² P _{3/2} ^o	4s ² 6d	² D _{3/2}	33 155.07	43 575.11	1	7,9°
10898.10	4s ² 4d	² D _{3/2}	4s ² 5f	² F _{5/2} ^o	34 781.66	43 955.06	4	9
10905.47	4s ² 4d	² D _{5/2}	4s ² 5f	² F _{7/2} ^o	34 787.85	43 955.06	5	9
10968.27	4s ² 5p	² P _{1/2} ^o	4s ² 7s	² S _{1/2}	33 044.05	42 158.77	1	7,9°
11103.51	4s ² 5p	² P _{3/2} ^o	4s ² 7s	² S _{1/2}	33 155.07	42 158.77	3	7,9°
11949.12	4s ² 5s	² S _{1/2}	4s ² 5p	² P _{3/2} ^o	24 788.530	33 155.07	10	7,9°
12109.78	4s ² 5s	² S _{1/2}	4s ² 5p	² P _{1/2} ^o	24 788.530	33 044.05	9	7,9°
12885.05	4s ² 5p	² P _{1/2} ^o	4s ² 5d	² D _{3/2}	33 044.05	40 802.86	4	9
13057.50	4s ² 5p	² P _{3/2} ^o	4s ² 5d	² D _{5/2}	33 155.07	40 811.41	5	9
14982.75	4s ² 4d	² D _{3/2}	4s ² 4f	² F _{5/2} ^o	34 781.66	41 454.18	5	9
14996.64	4s ² 4d	² D _{5/2}	4s ² 4f	² F _{7/2} ^o	34 787.85	41 454.18	6	9
17757.91	4s ² 4d	² D _{5/2}	4s ² 6p	² P _{3/2} ^o	34 787.85	40 417.62	2	9
17868.96	4s ² 4d	² D _{3/2}	4s ² 6p	² P _{1/2} ^o	34 781.66	40 376.45	1	9
22016.81	4s ² 5p	² P _{1/2} ^o	4s ² 6s	² S _{1/2}	33 044.05	37 584.77	6	9
22568.71	4s ² 5p	² P _{3/2} ^o	4s ² 6s	² S _{1/2}	33 155.07	37 584.77	7	9

TABLE 3. Energy levels of Ga II

Configuration	Term	J	Level (cm ⁻¹)	Leading Percentages				
3d ¹⁰ 4s ²	¹ S	0	0.000					
4s4p	³ P°	0	47 367.55		+44	¹ D		
		1	47 814.114					
		2	48 749.85					
4s4p	¹ P°	1	70 701.427					
4s5s	³ S	1	102 944.595					
4s5s	¹ S	0	106 662.379					
4p ²	¹ D	2	107 720.716	55	+44	⁴ s4d		
4s4d	³ D	1	113 815.885			¹ D		
		2	113 842.301					
		3	113 883.193					
4p ²	³ P	0	114 695.47			⁴ p ²		
		1	115 224.47					
		2	116 139.90					
4s5p	³ P°	0	118 429.967			¹ D		
		1	118 518.461					
		2	118 727.870					
4s5p	¹ P°	1	120 550.431					
4s4d	¹ D	2	126 187.61	43	+45	⁴ p ²		
4s6s	³ S	1	133 010.30					
4s6s	¹ S	0	133 741.20					
4p ²	¹ S	0	135 639.40					
4s5d	³ D	1	137 157.524			¹ F°		
		2	137 168.592					
		3	137 185.466					
4s4f	³ F°	2	137 332.285	99		¹ F°		
		3	137 333.474	84	+15			
		4	137 339.674	99				
4s4f	¹ F°	3	137 342.570	84	+15	³ F°		
4s5d	¹ D	2	139 703.442					
4s7s	³ S	1	145 494.205					
4s7s	¹ S	0	146 023.600					
4s5f	³ F°	2	147 484.34			¹ G°		
		3	147 485.466					
		4	147 491.193					
4s5f	¹ F°	3	147 493.327					
4s6d	³ D	1	147 520.34			¹ G°		
		2	147 526.09					
		3	147 534.881					
4s5g	(1/2, 7/2)	3	147 817.61					
		4	147 817.65					
4s5g	(1/2, 9/2)	5	147 818.60					

TABLE 3. Energy levels of Ga II—Continued

Configuration	Term	<i>J</i>	Level (cm ⁻¹)	Leading Percentages		
		4	147 818.74			
4s6d	¹ D	2	148 446.729			
4s8s	³ S	1	151 923.93			
4s8s	¹ S	0	152 200.866			
4s6f	³ F°	2	153 000.078			
		3	153 001.63			
		4	153 005.977			
4s6f	¹ F°	3	153 009.57			
4s7d	³ D	1	153 064.92			
		2	153 068.30			
		3	153 073.50			
4s6g	(1/2, 7/2)	3	153 214.7			
		4	153 214.81			
4s6g	(1/2, 9/2)	5	153 215.62			
		4	153 215.74			
4s7d	¹ D	2	153 515.707			
4s7f	³ F°	2	156 322.3			
		3	156 323.8			
		4	156 327.39			
4s7f	¹ F°	3	156 331.2			
4s8d	³ D	3	156 386.7			
4s7g	(1/2, 7/2)	3	156 468.8			
		4	156 468.9			
4s7g	(1/2, 9/2)	5	156 469.5			
		4	156 469.75			
4s8g	(1/2, 7/2)	3	158 579.5			
		4	158 579.5			
4s8g	(1/2, 9/2)	4	158 580.7			
		5	158 580.9			
Ga III (² S _{1/2})	Limit	—	165 465.8			
3d ⁹ 4s ² 5p	(5/2, 3/2)°	1	247 304	95		
3d ⁹ 4s ² 5p	(3/2, 3/2)°	1	250 501	59	+36	(3/2, 1/2)°
3d ⁹ 4s ² 5p	(3/2, 1/2)°	1	250 960	63	+37	(3/2, 3/2)°
3d ⁹ 4s ² 4f	(5/2, 7/2)°	1	267 550	60	+40	(5/2, 5/2)°
3d ⁹ 4s ² 6p	(5/2, 3/2)°	1	268 870	99		
3d ⁹ 4s ² 4f	(3/2, 5/2)°	1	271 050	100		
3d ⁹ 4s ² 6p	(3/2, 3/2)°	1	272 140	63	+36	(3/2, 1/2)°
3d ⁹ 4s ² 6p	(3/2, 1/2)°	1	272 410	64	+36	(3/2, 3/2)°
3d ⁹ 4s ² 5f	(5/2, 7/2)°	1	277 780	52	+48	(5/2, 5/2)°
3d ⁹ 4s ² 7p	(5/2, 3/2)°	1	278 560	100		

TABLE 3. Energy levels of Ga II—Continued

Configuration	Term	J	Level (cm ⁻¹)	Leading Percentages		
3d ⁹ 4s ² 5f	(3/2, 5/2) ^o	1	281 250	100		
3d ⁹ 4s ² 7p	(3/2, 3/2) ^o	1	281 910	64	+36	(3/2, 1/2) ^o
3d ⁹ 4s ² 7p	(3/2, 1/2) ^o	1	282 110	64	+36	(3/2, 3/2) ^o
3d ⁹ 4s ² 8p	(5/2, 3/2) ^o	1	283 740	100		
3d ⁹ 4s ² 6f	(5/2, 7/2) ^o	1	284 090	52	+48	(5/2, 5/2) ^o
3d ⁹ 4s ² 7f	(5/2, 7/2) ^o	1	286 660	56	+44	(5/2, 5/2) ^o
3d ⁹ 4s ² 6f	(3/2, 5/2) ^o	1	286 810	99		
3d ⁹ 4s ² 9p	(5/2, 3/2) ^o	1	286 880	96		
3d ⁹ 4s ² 8p	(3/2, 1/2) ^o	1	287 220	64	+36	(3/2, 3/2) ^o
3d ⁹ 4s ² 8f	(5/2, 7/2) ^o	1	288 740	56	+44	(5/2, 5/2) ^o
3d ⁹ 4s ² 10p	(5/2, 3/2) ^o	1	288 930	100		
3d ⁹ 4s ² 9f	(5/2, 7/2) ^o	1	290 080	55	+45	(5/2, 5/2) ^o
3d ⁹ 4s ² 7f	(3/2, 5/2) ^o	1	290 230	100		
3d ⁹ 4s ² 11p	(5/2, 3/2) ^o	1	290 330	54	+30	3d ⁹ 4s ² 9p
						(3/2, 3/2) ^o

TABLE 4. Spectral lines of Ga II

Wavelength (Å)	Classification				Energy levels (cm ⁻¹)	Int.	A (s ⁻¹)	References
	Lower		Upper					
344.43	3d ¹⁰ 4s ²	¹ S ₀	3d ⁹ 4s ² 11p	(5/2, 3/2) ^o ₁	0.000	290 330	a	72
344.55	3d ¹⁰ 4s ²	¹ S ₀	3d ⁹ 4s ² 7f	(3/2, 5/2) ^o ₁	0.000	290 230	a	72
344.73	3d ¹⁰ 4s ²	¹ S ₀	3d ⁹ 4s ² 9f	(5/2, 7/2) ^o ₁	0.000	290 080	a	72
346.10	3d ¹⁰ 4s ²	¹ S ₀	3d ⁹ 4s ² 10p	(5/2, 3/2) ^o ₁	0.000	288 930	a	72
346.33	3d ¹⁰ 4s ²	¹ S ₀	3d ⁹ 4s ² 8f	(5/2, 7/2) ^o ₁	0.000	288 740	a	72
348.16	3d ¹⁰ 4s ²	¹ S ₀	3d ⁹ 4s ² 8p	(3/2, 1/2) ^o ₁	0.000	287 220	a	72
348.58	3d ¹⁰ 4s ²	¹ S ₀	3d ⁹ 4s ² 9p	(5/2, 3/2) ^o ₁	0.000	286 880	a	72
348.66	3d ¹⁰ 4s ²	¹ S ₀	3d ⁹ 4s ² 6f	(3/2, 5/2) ^o ₁	0.000	286 810	a	72
348.85	3d ¹⁰ 4s ²	¹ S ₀	3d ⁹ 4s ² 7f	(5/2, 7/2) ^o ₁	0.000	286 660	a	72
352.00	3d ¹⁰ 4s ²	¹ S ₀	3d ⁹ 4s ² 6f	(5/2, 7/2) ^o ₁	0.000	284 090	a	72
352.43	3d ¹⁰ 4s ²	¹ S ₀	3d ⁹ 4s ² 8p	(5/2, 3/2) ^o ₁	0.000	283 740	a	72
354.47	3d ¹⁰ 4s ²	¹ S ₀	3d ⁹ 4s ² 7p	(3/2, 1/2) ^o ₁	0.000	282 110	a	72
354.72	3d ¹⁰ 4s ²	¹ S ₀	3d ⁹ 4s ² 7p	(3/2, 3/2) ^o ₁	0.000	281 910	a	72
355.56	3d ¹⁰ 4s ²	¹ S ₀	3d ⁹ 4s ² 5f	(3/2, 5/2) ^o ₁	0.000	281 250	a	72
358.99	3d ¹⁰ 4s ²	¹ S ₀	3d ⁹ 4s ² 7p	(5/2, 3/2) ^o ₁	0.000	278 560	a	72
360.00	3d ¹⁰ 4s ²	¹ S ₀	3d ⁹ 4s ² 5f	(5/2, 7/2) ^o ₁	0.000	277 780	a	72
367.09	3d ¹⁰ 4s ²	¹ S ₀	3d ⁹ 4s ² 6p	(3/2, 1/2) ^o ₁	0.000	272 410	a	72
367.45	3d ¹⁰ 4s ²	¹ S ₀	3d ⁹ 4s ² 6p	(3/2, 3/2) ^o ₁	0.000	272 140	a	72
368.94	3d ¹⁰ 4s ²	¹ S ₀	3d ⁹ 4s ² 4f	(3/2, 5/2) ^o ₁	0.000	271 050	a	72
371.93	3d ¹⁰ 4s ²	¹ S ₀	3d ⁹ 4s ² 6p	(5/2, 3/2) ^o ₁	0.000	268 870	a	72
373.76	3d ¹⁰ 4s ²	¹ S ₀	3d ⁹ 4s ² 4f	(5/2, 7/2) ^o ₁	0.000	267 550	a	72
398.47	3d ¹⁰ 4s ²	¹ S ₀	3d ⁹ 4s ² 5p	(3/2, 1/2) ^o ₁	0.000	250 960	a	72
399.20	3d ¹⁰ 4s ²	¹ S ₀	3d ⁹ 4s ² 5p	(3/2, 3/2) ^o ₁	0.000	250 501	a	72

TABLE 4. Spectral lines of Ga II—Continued

Wavelength (Å)	Classification						Int.	A (s ⁻¹)	References
	Lower		Upper		Energy levels (cm ⁻¹)				
404.36	$3d^{10}4s^2$	1S_0	$3d^94s^25p$	$(5/2,3/2)^{\circ}_1$	0.000	247 304	<i>a</i>		72
829.529	$3d^{10}4s^2$	1S_0	$4s5p$	$^1P_1^{\circ}$	0.000	120 550.431	3	2.2+7	5,44°, 32*
843.752	$3d^{10}4s^2$	1S_0	$4s5p$	$^3P_1^{\circ}$	0.000	118 518.461	0		44
929.050	$4s4p$	$^3P_2^{\circ}$	$4s8d$	3D_3	48 749.85	156 386.7	0		44
958.545	$4s4p$	$^3P_2^{\circ}$	$4s7d$	3D_3	48 749.85	153 073.50	1		5,44°
960.57	$4s4p$	$^3P_1^{\circ}$	$4s8s$	3S_1	47 814.114	151 923.93	0		5
969.19	$4s4p$	$^3P_2^{\circ}$	$4s8s$	3S_1	48 749.85	151 923.93	2		5
998.467	$4s4p$	$^3P_0^{\circ}$	$4s6d$	3D_1	47 367.55	147 520.34	1		5,44°
1002.895	$4s4p$	$^3P_1^{\circ}$	$4s6d$	3D_2	47 814.114	147 526.09	2		5,44°
1012.299	$4s4p$	$^3P_2^{\circ}$	$4s6d$	3D_3	48 749.85	147 534.881	2		5,44°
1019.10	$4s4p$	$^3P_0^{\circ}$	$4s7s$	3S_1	47 367.55	145 494.205	3		5
1023.735	$4s4p$	$^3P_1^{\circ}$	$4s7s$	3S_1	47 814.114	145 494.205	0		5,44°
1033.663	$4s4p$	$^3P_2^{\circ}$	$4s7s$	3S_1	48 749.85	145 494.205	0		5,44°
1113.708	$4s4p$	$^3P_0^{\circ}$	$4s5d$	3D_1	47 367.55	137 157.524	4		5,44°
1119.133	$4s4p$	$^3P_1^{\circ}$	$4s5d$	3D_2	47 814.114	137 168.592	4		44
1119.270	$4s4p$	$^3P_1^{\circ}$	$4s5d$	3D_1	47 814.114	137 157.524	2		5,44°
1130.760	$4s4p$	$^3P_2^{\circ}$	$4s5d$	3D_3	48 749.85	137 185.466	6		5,44°
1130.979	$4s4p$	$^3P_2^{\circ}$	$4s5d$	3D_2	48 749.85	137 168.592	3		44
1167.639	$4s4p$	$^3P_0^{\circ}$	$4s6s$	3S_1	47 367.55	133 010.30	3		5,44°
1173.761	$4s4p$	$^3P_1^{\circ}$	$4s6s$	3S_1	47 814.114	133 010.30	6		5,44°
1186.795	$4s4p$	$^3P_2^{\circ}$	$4s6s$	3S_1	48 749.85	133 010.30	6		5,44°
1207.521	$4s4p$	$^1P_1^{\circ}$	$4s7d$	1D_2	70 701.427	153 515.707	2		44
1227.022	$4s4p$	$^1P_1^{\circ}$	$4s8s$	1S_0	70 701.427	152 200.866	0		5,44°
1286.256	$4s4p$	$^1P_1^{\circ}$	$4s6d$	1D_2	70 701.427	148 446.729	6		44
1291.362	$4s4p$	$^3P_2^{\circ}$	$4s4d$	1D_2	48 749.85	126 187.61	2		24,44°
1327.635	$4s4p$	$^1P_1^{\circ}$	$4s7s$	1S_0	70 701.427	146 023.600	1		5,44°
1414.401	$3d^{10}4s^2$	1S_0	$4s4p$	$^1P_1^{\circ}$	0.000	70 701.427	21	1.97+9	1,5,44°, 82*
1449.234	$4s4p$	$^1P_1^{\circ}$	$4s5d$	1D_2	70 701.427	139 703.442	11		44
1463.578	$4s4p$	$^3P_1^{\circ}$	$4p^2$	3P_2	47 814.114	116 139.90	15		1,5,44°
1473.690	$4s4p$	$^3P_0^{\circ}$	$4p^2$	3P_1	47 367.55	115 224.47	14		1,5,44°
1483.453	$4s4p$	$^3P_1^{\circ}$	$4p^2$	3P_1	47 814.114	115 224.47	14		1,5,44°
1483.903	$4s4p$	$^3P_2^{\circ}$	$4p2$	3P_2	48 749.85	116 139.90	16		1,5,44°
1495.185	$4s4p$	$^3P_1^{\circ}$	$4p^2$	3P_0	47 814.114	114 695.47	12		1,5,44°
1504.331	$4s4p$	$^3P_2^{\circ}$	$4p^2$	3P_1	48 749.85	115 224.47	14		1,5,44°
1504.926	$4s4p$	$^3P_0^{\circ}$	$4s4d$	3D_1	47 367.55	113 815.885	15	8.54+8	1,5,44°, 79*
1514.504	$4s4p$	$^3P_1^{\circ}$	$4s4d$	3D_2	47 814.114	113 842.301	16	1.13+9	1,5,44°, 79*
1515.106	$4s4p$	$^3P_1^{\circ}$	$4s4d$	3D_1	47 814.114	113 815.885	14	6.27+8	1,5,44°, 79*
1535.309	$4s4p$	$^3P_2^{\circ}$	$4s4d$	3D_3	48 749.85	113 883.193	17	1.45+9	1,5,44°, 79*
1536.276	$4s4p$	$^3P_2^{\circ}$	$4s4d$	3D_2	48 749.85	113 842.301	15	3.61+8	1,5,44°, 79*
1536.898	$4s4p$	$^3P_2^{\circ}$	$4s4d$	3D_1	48 749.85	113 815.885	11	4.0+7	1,5,44°, 79*
1539.930	$4s4p$	$^1P_1^{\circ}$	$4p^2$	1S_0	70 701.427	135 639.40	11		24,44°
1586.298	$4s4p$	$^1P_1^{\circ}$	$4s6s$	1S_0	70 701.427	133 741.20	7		24,44°
1669.268	$4s4p$	$^3P_1^{\circ}$	$4p^2$	1D_2	47 814.114	107 720.716	6		44
1695.756	$4s4p$	$^3P_2^{\circ}$	$4p^2$	1D_2	48 749.85	107 720.716	8		44
1699.295	$4s4p$	$^3P_1^{\circ}$	$4s5s$	1S_0	47 814.114	106 662.379	2		44
1799.306	$4s4p$	$^3P_0^{\circ}$	$4s5s$	3S_1	47 367.55	102 944.595	13		1,44°
1802.251	$4s4p$	$^1P_1^{\circ}$	$4s4d$	1D_2	70 701.427	126 187.61	15	1.46+9	24,44°, 79*
1813.878	$4s4p$	$^3P_1^{\circ}$	$4s5s$	3S_1	47 814.114	102 944.595	16		1,5,44°
1845.199	$4s4p$	$^3P_2^{\circ}$	$4s5s$	3S_1	48 749.85	102 944.595	18		1,44°
2056.509	$4p^2$	1D_2	$4s7f$	1F_3	107 720.716	156 331.2	0		44

TABLE 4. Spectral lines of Ga II—Continued

Wavelength (Å)	Classification		Upper	Energy levels (cm ⁻¹)			Int.	A (s ⁻¹)	References
	Lower								
2090.7679	$3d^{10}4s^2$	1S_0	$4s4p$	$^3P_1^o$	0.000	47 814.114	20hfs	4.09+5	5,44,80°,82*
2200.085	$4s4p$	$^1P_1^o$	$4p^2$	3P_2	70 701.427	116 139.90	5		44
2207.360	$4p^2$	1D_2	$4s6f$	$^1F_3^o$	107 720.716	153 009.57	2hfs		44,80°
2207.745	$4p^2$	1D_2	$4s6f$	$^3F_3^o$	107 720.716	153 001.63	0hfs		44,80°
2317.271	$4s4p$	$^1P_1^o$	$4s4d$	3D_2	70 701.427	113 842.301	0		44
2318.693	$4s4p$	$^1P_1^o$	$4s4d$	3D_1	70 701.427	113 815.885	0		44
2355.323	$4s4d$	3D_3	$4s7f$	$^3F_4^o$	113 883.193	156 327.39	0		44
2513.5362	$4p^2$	1D_2	$4s5f$	$^1F_3^o$	107 720.716	147 493.327	3hfs		44,80°
2514.0335	$4p^2$	1D_2	$4s5f$	$^3F_3^o$	107 720.716	147 485.466	2hfs		44,80°
2551.26	$4s4d$	3D_1	$4s6f$	$^3F_2^o$	113 815.885	153 000.078	2		5
2552.87	$4s4d$	3D_2	$4s6f$	$^3F_3^o$	113 842.301	153 001.63	3		5
2555.28	$4s4d$	3D_3	$4s6f$	$^3F_4^o$	113 883.193	153 005.977	4		5
2700.4934	$4s4p$	$^1P_1^o$	$4p^2$	1D_2	70 701.427	107 720.716	7		5,44,80°
2779.9736	$4s4p$	$^1P_1^o$	$4s5s$	1S_0	70 701.427	106 662.379	6		5,44,80°
2886.410	$4s5p$	$^3P_0^o$	$4s7d$	3D_1	118 429.967	153 064.92	1hfs		5,44,80°
2893.522	$4s5p$	$^3P_1^o$	$4s7d$	3D_2	118 518.461	153 068.30	1hfs		44,80°
2893.805	$4s5p$	$^3P_1^o$	$4s7d$	3D_1	118 518.461	153 064.92	0		5,44°
2910.727	$4s5p$	$^3P_2^o$	$4s7d$	3D_3	118 727.870	153 073.50	3hfs		5,44,80°
2911.168	$4s5p$	$^3P_2^o$	$4s7d$	3D_2	118 727.870	153 068.30	0		44
2969.2715	$4s4d$	3D_1	$4s5f$	$^3F_2^o$	113 815.885	147 484.34	6hfs		5,44,80°
2970.810	$4s4d$	3D_2	$4s5f$	$^1F_3^o$	113 842.301	147 493.327	4hfs		5,44,80°
2971.505	$4s4d$	3D_2	$4s5f$	$^3F_3^o$	113 842.301	147 485.466	5hfs		44,80°
2971.600	$4s4d$	3D_2	$4s5f$	$^3F_2^o$	113 842.301	147 484.34	3hfs		5,44,80°
2974.418	$4s4d$	3D_3	$4s5f$	$^1F_3^o$	113 883.193	147 493.327	2hfs		44,80°
2974.6142	$4s4d$	3D_3	$4s5f$	$^3F_4^o$	113 883.193	147 491.193	6hfs		5,44,80°
2975.118	$4s4d$	3D_3	$4s5f$	$^3F_3^o$	113 883.193	147 485.466	2hfs		44,80°
2984.770	$4s5p$	$^3P_0^o$	$4s8s$	3S_1	118 429.967	151 923.93	0		5,44°
2992.654	$4s5p$	$^3P_1^o$	$4s8s$	3S_1	118 518.461	151 923.93	0		5,44°
3011.519	$4s5p$	$^3P_2^o$	$4s8s$	3S_1	118 727.870	151 923.93	2hfs		5,44,80°
3032.6122	$4s5p$	$^1P_1^o$	$4s7d$	1D_2	120 550.431	153 515.707	3		44,80°
3158.5998	$4s5p$	$^1P_1^o$	$4s8s$	1S_0	120 550.431	152 200.866	2		5,44,80°
3374.9172	$4p^2$	1D_2	$4s4f$	$^1F_3^o$	107 720.716	137 342.570	13hfs		44,80°
3375.954	$4p^2$	1D_2	$4s4f$	$^3F_3^o$	107 720.716	137 333.474	11hfs		44,80°
3436.579	$4s5p$	$^3P_0^o$	$4s6d$	3D_1	118 429.967	147 520.34	5hfs		5,44,80°
3446.382	$4s5p$	$^3P_1^o$	$4s6d$	3D_2	118 518.461	147 526.09	7hfs		5,44,80°
3447.062	$4s5p$	$^3P_1^o$	$4s6d$	3D_1	118 518.461	147 520.34	4hfs		5,44,80°
3470.3834	$4s5p$	$^3P_2^o$	$4s6d$	3D_3	118 727.870	147 534.881	10hfs		5,44,80°
3471.440	$4s5p$	$^3P_2^o$	$4s6d$	3D_2	118 727.870	147 526.09	3hfs		5,44,80°
3472.08	$4s5p$	$^3P_2^o$	$4s6d$	3D_1	118 727.870	147 520.34	0		5,44°
3583.6822	$4s5p$	$^1P_1^o$	$4s6d$	1D_2	120 550.431	148 446.729	7hfs		44,80°
3693.8613	$4s5p$	$^3P_0^o$	$4s7s$	3S_1	118 429.967	145 494.205	2hfs		5,44,80°
3705.9795	$4s5p$	$^3P_1^o$	$4s7s$	3S_1	118 518.461	145 494.205	4hfs		5,44,80°
3734.9744	$4s5p$	$^3P_2^o$	$4s7s$	3S_1	118 727.870	145 494.205	6hfs		5,44,80°
3924.5879	$4s5p$	$^1P_1^o$	$4s7s$	1S_0	120 550.431	146 023.600	3		5,44,80°
4251.1546	$4s4d$	3D_1	$4s4f$	$^3F_2^o$	113 815.885	137 332.285	4hfs		5,44,80°
4254.073	$4s4d$	3D_2	$4s4f$	$^1F_3^o$	113 842.301	137 342.570	2hfs		5,44,80°
4255.720	$4s4d$	3D_2	$4s4f$	$^3F_3^o$	113 842.301	137 333.474	4hfs		5,44,80°
4255.937	$4s4d$	3D_2	$4s4f$	$^3F_2^o$	113 842.301	137 332.285	1hfs		44,80°
4261.478	$4s4d$	3D_3	$4s4f$	$^1F_3^o$	113 883.193	137 342.570	1hfs		44,80°

TABLE 4. Spectral lines of Ga II—Continued

Wavelength (Å)	Classification						References	
	Lower		Upper		Energy levels (cm ⁻¹)			
						Int.	A (s ⁻¹)	
4262.0144	4s4d	³ D ₃	4s4f	³ F ₄	113 883.193	137 339.674	6hfs	5,44,80°
4263.136	4s4d	³ D ₃	4s4f	³ F ₃	113 883.193	137 333.474	1hfs	44,80°
4705.17	4s4f	³ F ₂	4s8g	(1/2,7/2) ₃	137 332.285	158 579.5	0	44
	4s4f	³ F ₃	4s8g	(1/2,9/2) ₄	137 333.474	158 580.7		44
4706.52	4s4f	³ F ₄	4s8g	(1/2,9/2) ₅	137 339.674	158 580.9	0	44
4707.19	4s4f	¹ F ₃	4s8g	(1/2,9/2) ₄	137 342.570	158 580.7	0	44
4719.07	4s5p	³ P ₁	4s5d	¹ D ₂	118 518.461	139 703.442	0	44
5216.46	4s5d	³ D ₁	4s7f	³ F ₂	137 157.524	156 322.3	0	44
5219.07	4s5d	³ D ₂	4s7f	³ F ₃	137 168.592	156 323.8	1	44
5219.6579	4s5p	¹ P ₁	4s5d	¹ D ₂	120 550.431	139 703.442	10	44,80°
5222.682	4s5d	³ D ₃	4s7f	³ F ₄	137 185.466	156 327.39	1	44,80°
5224.16	4s4f	³ F ₂	4s7g	(1/2,7/2) ₃	137 332.285	156 468.8	1	44
	4s4f	³ F ₃	4s7g	(1/2,9/2) ₄	137 333.474	156 469.75		44
5224.44	4s4f	³ F ₃	4s7g	(1/2,7/2) ₄	137 333.474	156 468.9	1	44
5225.99	4s4f	³ F ₄	4s7g	(1/2,9/2) ₅	137 339.674	156 469.5	1	44
5226.74	4s4f	¹ F ₃	4s7g	(1/2,9/2) ₄	137 342.570	156 469.75	1	44
5338.240	4s5p	³ P ₀	4s5d	³ D ₁	118 429.967	137 157.524	7hfs	5,44,80°
5360.4022	4s5p	³ P ₁	4s5d	³ D ₂	118 518.461	137 168.592	8hfs	5,44,80°
5363.585	4s5p	³ P ₁	4s5d	³ D ₁	118 518.461	137 157.524	5hfs	5,44,80°
5416.3179	4s5p	³ P ₂	4s5d	³ D ₃	118 727.870	137 185.466	10hfs	5,44,80°
5421.275	4s5p	³ P ₂	4s5d	³ D ₂	118 727.870	137 168.592	5hfs	5,44,80°
5424.54	4s5p	³ P ₂	4s5d	³ D ₁	118 727.870	137 157.524	1hfs	5,44°
6294.51	4s4f	³ F ₂	4s6g	(1/2,7/2) ₃	137 332.285	153 214.7	4	44
	4s4f	³ F ₃	4s6g	(1/2,9/2) ₄	137 333.474	153 215.74		44
6294.96	4s4f	³ F ₃	4s6g	(1/2,7/2) ₄	137 333.474	153 214.81	3	44
6297.097	4s4f	³ F ₄	4s6g	(1/2,9/2) ₅	137 339.674	153 215.62	7hfs	44,80°
6298.199	4s4f	¹ F ₃	4s6g	(1/2,9/2) ₄	137 342.570	153 215.74	5hfs	44,80°
6310.368	4s5d	³ D ₁	4s6f	³ F ₂	137 157.524	153 000.078	4	44,80°
6314.20	4s5d	³ D ₂	4s6f	³ F ₃	137 168.592	153 001.63	5	44
6319.161	4s5d	³ D ₃	4s6f	³ F ₄	137 185.466	153 005.977	7	44,80°
6334.0688	4s5s	³ S ₁	4s5p	³ P ₂	102 944.595	118 727.870	21hfs	5,44,80°
6353.98	4s4f	³ F ₄	4s7d	³ D ₃	137 339.674	153 073.50	0	44
6357.24	4s4f	¹ F ₃	4s7d	³ D ₂	137 342.570	153 068.30	0	44
6419.239	4s5s	³ S ₁	4s5p	³ P ₁	102 944.595	118 518.461	19hfs	5,44,80°
6455.923	4s5s	³ S ₁	4s5p	³ P ₀	102 944.595	118 429.967	17hfs	5,44,80°
6625.53	4s5p	¹ P ₁	4p ²	¹ S ₀	120 550.431	135 639.40	9	44
6856.71	4s5p	³ P ₀	4s6s	³ S ₁	118 429.967	133 010.30	5hfs	44
6898.56	4s5p	³ P ₁	4s6s	³ S ₁	118 518.461	133 010.30	6hfs	44
6999.668	4s5p	³ P ₂	4s6s	³ S ₁	118 727.870	133 010.30	8hfs	5,44,80°
7198.450	4s5s	¹ S ₀	4s5p	¹ P ₁	106 662.379	120 550.431	16	5,44,80°
7578.98	4s5p	¹ P ₁	4s6s	¹ S ₀	120 550.431	133 741.20	3hfs	44,80°
7792.26	4p ²	¹ D ₂	4s5p	¹ P ₁	107 720.716	120 550.431	16	44
8962.15	4s4d	¹ D ₂	4s4f	¹ F ₃	126 187.61	137 342.570	5	44
8969.49	4s4d	¹ D ₂	4s4f	³ F ₃	126 187.61	137 333.474	2	44
9534.52	4s4f	³ F ₂	4s5g	(1/2,7/2) ₃	137 332.285	147 817.61	5	44
	4s4f	³ F ₃	4s5g	(1/2,9/2) ₄	137 333.474	147 818.74		44
9535.57	4s4f	³ F ₃	4s5g	(1/2,7/2) ₄	137 333.474	147 817.65	7	44
9540.35	4s4f	³ F ₄	4s5g	(1/2,9/2) ₅	137 339.674	147 818.60	8	44
9542.86	4s4f	¹ F ₃	4s5g	(1/2,9/2) ₄	137 342.570	147 818.74	8	44

TABLE 4. Spectral lines of Ga II—Continued

Wavelength (Å)	Classification			Energy levels (cm ⁻¹)	Int.	A (s ⁻¹)	References
	Lower		Upper				
9680.93	4s5d	³ D ₁	4s5f	³ F ₂ 137 157.524	147 484.34	4	44
9682.86	4s5d	³ D ₂	4s5f	¹ F ₃ 137 168.592	147 493.327	1	44
9690.20	4s5d	³ D ₂	4s5f	³ F ₃ 137 168.592	147 485.466	4hfs	44
9700.67	4s5d	³ D ₃	4s5f	³ F ₄ 137 185.466	147 491.193	7	44
9706.05	4s5d	³ D ₃	4s5f	³ F ₃ 137 185.466	147 485.466	0	44

TABLE 5. Energy levels of Ga III

Configuration	Term	J	Level (cm ⁻¹)	Leading percentages		
3d ¹⁰ 4s	² S	1/2	0			
3d ¹⁰ 4p	² P°	1/2	65 169.40			
		3/2	66 887.63			
3d ⁹ 4s ²	² D	5/2	130 395.56			
		3/2	133 902.00			
3d ¹⁰ 5s	² S	1/2	140 746.84			
3d ¹⁰ 4d	² D	3/2	144 086.46			
		5/2	144 200.28			
3d ¹⁰ 5p	² P°	1/2	160 765.56	100		
		3/2	161 304.40	100		
3d ¹⁰ 4f	² F°	5/2	185 432.59			
		7/2	185 439.09			
3d ⁹ (² D)4s4p(³ P°)	³ P°	3/2	186 605	96		
		1/2	188 293	98		
3d ¹⁰ 6s	² S	1/2	187 566.51			
3d ¹⁰ 5d	² D	3/2	189 187.72			
		5/2	189 250.59			
3d ⁹ (² D)4s4p(³ P°)	⁴ F°	3/2	190 230.3	97		
3d ⁹ (² D)4s4p(³ P°)	⁴ D°	3/2	195 053.1	60	+28	² D°
		1/2	197 026.7	27	+45	² P°
3d ⁹ (² D)4s4p(³ P°)	² P°	1/2	195 644	52	+32	⁴ D°
		3/2	196 989.4	50	+46	² P°
3d ¹⁰ 6p	² P°	3/2	196 173.7	54	+40	3d ⁹ (² D)4s4p(³ P°)
		1/2	196 324.6	58	+40	3d ⁹ (² D)4s4p(³ P°)
3d ⁹ (² D)4s4p(³ P°)	² D°	3/2	197 780	70	+28	⁴ D°
3d ¹⁰ 5f	² F°	7/2	207 908.49			
		5/2	207 918.82			
3d ¹⁰ 5g	² G	7/2	208 253.98			
		9/2	208 254.14			
3d ¹⁰ 7s	² S	1/2	209 148.01			

TABLE 5. Energy levels of Ga III—Continued

Configuration	Term	J	Level (cm ⁻¹)			Leading percentages
3d ¹⁰ 6d	² D	3/2	210 020.13			
		5/2	210 053.67			
3d ¹⁰ 7p	² P°	1/2	213 736	100		
		3/2	213 760.0	99		
3d ⁹ (² D)4s4p(¹ P°)	² F°	7/2	217 679.42	100		
		5/2	219 834.69	85	+15	² D°
3d ⁹ (² D)4s4p(¹ P°)	² P°	3/2	217 790.54	88	+11	² D°
		1/2	220 859.55	100		
3d ¹⁰ 6g	² G	7/2	220 346.65			
		9/2	220 346.75			
3d ⁹ (² D)4s4p(¹ P°)	² D°	5/2	220 437.42	85	+15	² F°
		3/2	222 095.15	89	+11	² P°
3d ¹⁰ 8p	² P°	3/2	224 309.0	100		
3d ¹⁰ 7g	² G	7/2	227 637.2			
		9/2	227 637.2			
3d ¹⁰ 9p	² P°	3/2	230 249	100		
Ga IV (¹S₀)	Limit	—	247 820			
3d ⁹ (² D)4p ² (¹ D)	² S	1/2	265 811	49		
3d ⁹ (² D)4p ² (¹ D)	² P	3/2	266 857	53		
		1/2	269 584	44		
3d ⁹ (² D)4p ² (³ P)	⁴ D	5/2	269 988	62		
		3/2	270 552	67		
3d ⁹ (² D)4p ² (³ P)	⁴ P	5/2	276 056	86		
		3/2	278 158	75		
		1/2	279 447	68		
3d ⁹ (² D)4p ² (³ P)	² D	3/2	276 960	47 ⁴ F		
		5/2	278 680	65		
3d ⁹ (² D)4p ² (³ P)	⁴ F	3/2	277 270	50		
3d ⁹ (² D)4p ² (³ P)	² P	1/2	281 099	66		
		3/2	281 650	76		
3d ⁹ (² D)4p ² (¹ S)	² D	5/2	297 271 ?	90		

TABLE 6. Spectral lines of Ga III

Wavelength	Classification			Energy levels (cm ⁻¹)	Int.	A(s ⁻¹)	References	
	Lower	Upper						
434.06	3d ¹⁰ 4p	² P _{3/2}	3d ⁹ (² D)4p ² (¹ S)	² D _{5/2}	66 887.63	297 271 ?	1	55
434.313	3d ¹⁰ 4s	² S _{1/2}	3d ¹⁰ 9p	² P _{3/2}	0	230 249	5	55
445.816	3d ¹⁰ 4s	² S _{1/2}	3d ¹⁰ 8p	² P _{3/2}	0	224 309.0	15	55
452.772	3d ¹⁰ 4s	² S _{1/2}	3d ⁹ (² D)4s4p(¹ P°)	² P _{1/2}	0	220 859.55	1	50
459.159	3d ¹⁰ 4s	² S _{1/2}	3d ⁹ (² D)4s4p(¹ P°)	² P _{3/2}	0	217 790.54	2	50
461.937	3d ¹⁰ 4p	² P _{1/2}	3d ⁹ (² D)4p ² (³ P)	² P _{3/2}	65 169.40	281 650	9	55
463.115	3d ¹⁰ 4p	² P _{1/2}	3d ⁹ (² D)4p ² (³ P)	² P _{1/2}	65 169.40	281 099	27	55

TABLE 6. Spectral lines of Ga III—Continued

Wavelength	Classification			Energy levels (cm ⁻¹)	Int.	A(s ⁻¹)	References	
	Lower		Upper					
465.634	$3d^{10}4p$	$^2P_{3/2}^{\circ}$	$3d^9(^2D)4p^2(^3P)$	$^2P_{3/2}$	66 887.63	281 650	60	55
466.686	$3d^{10}4p$	$^2P_{1/2}^{\circ}$	$3d^9(^2D)4p^2(^3P)$	$^4P_{1/2}$	65 169.40	279 447	7	55
466.830	$3d^{10}4p$	$^2P_{3/2}^{\circ}$	$3d^9(^2D)4p^2(^3P)$	$^2P_{1/2}$	66 887.63	281 099	13	55
467.817	$3d^{10}4s$	$^2S_{1/2}$	$3d^{10}7p$	$^2P_{3/2}^{\circ}$	0	213 760.0	50	55
467.867	$3d^{10}4s$	$^2S_{1/2}$	$3d^{10}7p$	$^2P_{1/2}^{\circ}$	0	213 736	40	55
469.510	$3d^{10}4p$	$^2P_{1/2}^{\circ}$	$3d^9(^2D)4p^2(^3P)$	$^4P_{3/2}$	65 169.40	278 158	4	55
470.451	$3d^{10}4p$	$^2P_{3/2}^{\circ}$	$3d^9(^2D)4p^2(^3P)$	$^4P_{1/2}$	66 887.63	279 447	30bl	55
471.47	$3d^{10}4p$	$^2P_{1/2}^{\circ}$	$3d^9(^2D)4p^2(^3P)$	$^4F_{3/2}$	65 169.40	277 270	6	55
472.16	$3d^{10}4p$	$^2P_{3/2}^{\circ}$	$3d^9(^2D)4p^2(^3P)$	$^2D_{5/2}$	66 887.63	278 680	9	55
	$3d^{10}4p$	$^2P_{1/2}^{\circ}$	$3d^9(^2D)4p^2(^3P)$	$^2D_{3/2}$	65 169.40	276 960		55
473.328	$3d^{10}4p$	$^2P_{3/2}^{\circ}$	$3d^9(^2D)4p^2(^3P)$	$^4P_{3/2}$	66 887.63	278 158	10	55
478.084	$3d^{10}4p$	$^2P_{3/2}^{\circ}$	$3d^9(^2D)4p^2(^3P)$	$^4P_{5/2}$	66 887.63	276 056	6	55
486.894	$3d^{10}4p$	$^2P_{1/2}^{\circ}$	$3d^9(^2D)4p^2(^3P)$	$^4D_{3/2}$	65 169.40	270 552	3	55
489.200	$3d^{10}4p$	$^2P_{1/2}^{\circ}$	$3d^9(^2D)4p^2(^1D)$	$^2P_{1/2}$	65 169.40	269 584	1	55
492.367	$3d^{10}4p$	$^2P_{3/2}^{\circ}$	$3d^9(^2D)4p^2(^3P)$	$^4D_{5/2}$	66 887.63	269 988	3	55
493.355	$3d^{10}4p$	$^2P_{3/2}^{\circ}$	$3d^9(^2D)4p^2(^1D)$	$^2P_{1/2}$	66 887.63	269 584	30	55
495.819	$3d^{10}4p$	$^2P_{1/2}^{\circ}$	$3d^9(^2D)4p^2(^1D)$	$^2P_{3/2}$	65 169.40	266 857	22	55
498.400	$3d^{10}4p$	$^2P_{1/2}^{\circ}$	$3d^9(^2D)4p^2(^1D)$	$^2S_{1/2}$	65 169.40	265 811	12	55
500.079	$3d^{10}4p$	$^2P_{3/2}^{\circ}$	$3d^9(^2D)4p^2(^1D)$	$^2P_{3/2}$	66 887.63	266 857	40	55
502.712	$3d^{10}4p$	$^2P_{3/2}^{\circ}$	$3d^9(^2D)4p^2(^1D)$	$^2S_{1/2}$	66 887.63	265 811	4	55
505.610	$3d^{10}4s$	$^2S_{1/2}$	$3d^9(^2D)4s4p(^3P^{\circ})$	$^2D_{3/2}^{\circ}$	0	197 780	1	50
507.553	$3d^{10}4s$	$^2S_{1/2}$	$3d^9(^2D)4s4p(^3P^{\circ})$	$^4D_{1/2}^{\circ}$	0	197 026.7	2	50
509.364	$3d^{10}4s$	$^2S_{1/2}$	$3d^{10}6p$	$^2P_{1/2}^{\circ}$	0	196 324.6	20	55
511.132	$3d^{10}4s$	$^2S_{1/2}$	$3d^9(^2D)4s4p(^3P^{\circ})$	$^2P_{1/2}^{\circ}$	0	195 644	170	55
512.671	$3d^{10}4s$	$^2S_{1/2}$	$3d^9(^2D)4s4p(^3P^{\circ})$	$^4D_{3/2}^{\circ}$	0	195 053.1	1	50
531.087	$3d^{10}4s$	$^2S_{1/2}$	$3d^9(^2D)4s4p(^3P^{\circ})$	$^4P_{1/2}^{\circ}$	0	188 293	30	55
535.890	$3d^{10}4s$	$^2S_{1/2}$	$3d^9(^2D)4s4p(^3P^{\circ})$	$^4P_{3/2}^{\circ}$	0	186 605	80	55
619.940	$3d^{10}4s$	$^2S_{1/2}$	$3d^{10}5p$	$^2P_{3/2}^{\circ}$	0	161 304.40	3	1,50°
622.024	$3d^{10}4s$	$^2S_{1/2}$	$3d^{10}5p$	$^2P_{1/2}^{\circ}$	0	160 765.56	3	1,50°
690.372	$3d^{10}4p$	$^2P_{1/2}^{\circ}$	$3d^{10}6d$	$^2D_{3/2}$	65 169.40	210 020.13	0	50
694.548	$3d^{10}4p$	$^2P_{1/2}^{\circ}$	$3d^{10}7s$	$^2S_{1/2}$	65 169.40	209 148.01	0	50
698.485	$3d^{10}4p$	$^2P_{3/2}^{\circ}$	$3d^{10}6d$	$^2D_{5/2}$	66 887.63	210 053.67	1	50
806.328	$3d^{10}4p$	$^2P_{1/2}^{\circ}$	$3d^{10}5d$	$^2D_{3/2}$	65 169.40	189 187.72	3	50
817.018	$3d^{10}4p$	$^2P_{1/2}^{\circ}$	$3d^{10}6s$	$^2S_{1/2}$	65 169.40	187 566.51	2	50
817.239	$3d^{10}4p$	$^2P_{3/2}^{\circ}$	$3d^{10}5d$	$^2D_{5/2}$	66 887.63	189 250.59	3	50
817.659	$3d^{10}4p$	$^2P_{3/2}^{\circ}$	$3d^{10}5d$	$^2D_{3/2}$	66 887.63	189 187.72	2	50
828.651	$3d^{10}4p$	$^2P_{3/2}^{\circ}$	$3d^{10}6s$	$^2S_{1/2}$	66 887.63	187 566.51	2	50
1064.811	$3d^94s^2$	$^2D_{5/2}$	$3d^{10}8p$	$^2P_{3/2}^{\circ}$	130 395.56	224 309.0	5	55
1090.514	$3d^94s^2$	$^2D_{5/2}$	$3d^9(^2D)4s4p(^1P^{\circ})$	$^2D_{3/2}^{\circ}$	130 395.56	222 095.15	3	50
1106.106	$3d^94s^2$	$^2D_{3/2}$	$3d^{10}8p$	$^2P_{3/2}^{\circ}$	133 902.00	224 309.0	90	55
1110.590	$3d^94s^2$	$^2D_{5/2}$	$3d^9(^2D)4s4p(^1P^{\circ})$	$^2D_{5/2}^{\circ}$	130 395.56	220 437.42	3	50
1118.079	$3d^94s^2$	$^2D_{5/2}$	$3d^9(^2D)4s4p(^1P^{\circ})$	$^2F_{5/2}^{\circ}$	130 395.56	219 834.69	2	50
1133.878	$3d^94s^2$	$^2D_{3/2}$	$3d^9(^2D)4s4p(^1P^{\circ})$	$^2D_{3/2}^{\circ}$	133 902.00	222 095.15	4	50
1144.219	$3d^94s^2$	$^2D_{5/2}$	$3d^9(^2D)4s4p(^1P^{\circ})$	$^2P_{3/2}^{\circ}$	130 395.56	217 790.54	5	50
1145.687	$3d^94s^2$	$^2D_{5/2}$	$3d^9(^2D)4s4p(^1P^{\circ})$	$^2F_{7/2}^{\circ}$	130 395.56	217 679.42	4	50
1149.987	$3d^94s^2$	$^2D_{3/2}$	$3d^9(^2D)4s4p(^1P^{\circ})$	$^2P_{1/2}^{\circ}$	133 902.00	220 859.55	3	50
1155.600	$3d^94s^2$	$^2D_{3/2}$	$3d^9(^2D)4s4p(^1P^{\circ})$	$^2D_{5/2}^{\circ}$	133 902.00	220 437.42	2	50
1163.701	$3d^94s^2$	$^2D_{3/2}$	$3d^9(^2D)4s4p(^1P^{\circ})$	$^2F_{5/2}^{\circ}$	133 902.00	219 834.69	4	50
1192.068	$3d^94s^2$	$^2D_{3/2}$	$3d^9(^2D)4s4p(^1P^{\circ})$	$^2P_{3/2}^{\circ}$	133 902.00	217 790.54	2	50

TABLE 6. Spectral lines of Ga III—Continued

Wavelength	Classification		Upper	Energy levels (cm ⁻¹)	Int.	A(s ⁻¹)	References	
	Lower							
1199.552	$3d^94s^2$	$^2D_{5/2}$	$3d^{10}7p$	$^2P_{3/2}^o$	130 395.56	213 760.0	35	55
1246.535	$3d^{10}4d$	$^2D_{3/2}$	$3d^{10}8p$	$^2P_{3/2}^o$	144 086.46	224 309.0	15	55
1267.151	$3d^{10}4p$	$^2P_{1/2}^o$	$3d^{10}4d$	$^2D_{3/2}$	65 169.40	144 086.46	14	1,50°
1290.110	$3d^94s^2$	$^2D_{5/2}$	$3d^{10}5f$	$^2F_{7/2}^o$	130 395.56	207 908.49	2	50
1293.446	$3d^{10}4p$	$^2P_{3/2}^o$	$3d^{10}4d$	$^2D_{5/2}$	66 887.63	144 200.28	15	1,50°
1295.357	$3d^{10}4p$	$^2P_{3/2}^o$	$3d^{10}4d$	$^2D_{3/2}$	66 887.63	144 086.46	12	1,50°
1297.944	$3d^{10}5s$	$^2S_{1/2}$	$3d^9(^2D)4s4p(^1P^o)$	$^2P_{3/2}^o$	140 746.84	217 790.54	10	55
1323.147	$3d^{10}4p$	$^2P_{1/2}^o$	$3d^{10}5s$	$^2S_{1/2}$	65 169.40	140 746.84	12	1,50°
1353.928	$3d^{10}4p$	$^2P_{3/2}^o$	$3d^{10}5s$	$^2S_{1/2}$	66 887.63	140 746.84	13	1,50°
1454.914	$3d^{10}4p$	$^2P_{1/2}^o$	$3d^94s^2$	$^2D_{3/2}$	65 169.40	133 902.00	10	50
1492.220	$3d^{10}4p$	$^2P_{3/2}^o$	$3d^94s^2$	$^2D_{3/2}$	66 887.63	133 902.00	8	50
1495.045	$3d^{10}4s$	$^2S_{1/2}$	$3d^{10}4p$	$^2P_{3/2}^o$	0	66 887.63	20	8.05+8
1501.641	$3d^94s^2$	$^2D_{5/2}$	$3d^9(^2D)4s4p(^3P^o)$	$^2P_{3/2}^o$	130 395.56	196 989.4	260	55
1520.262	$3d^94s^2$	$^2D_{5/2}$	$3d^{10}6p$	$^2P_{3/2}^o$	130 395.56	196 173.7	30	55
1534.462	$3d^{10}4s$	$^2S_{1/2}$	$3d^{10}4p$	$^2P_{1/2}^o$	0	65 169.40	18	7.42+8
1565.482	$3d^94s^2$	$^2D_{3/2}$	$3d^9(^2D)4s4p(^3P^o)$	$^2D_{3/2}^o$	133 902.00	197 780	190	55
1566.611	$3d^{10}4d$	$^2D_{3/2}$	$3d^{10}5f$	$^2F_{5/2}^o$	144 086.46	207 918.82	5	50
1569.650	$3d^{10}4d$	$^2D_{5/2}$	$3d^{10}5f$	$^2F_{7/2}^o$	144 200.28	207 908.49	6	50
1574.611	$3d^{10}4p$	$^2P_{3/2}^o$	$3d^94s^2$	$^2D_{5/2}$	66 887.63	130 395.56	12	50
1584.164	$3d^94s^2$	$^2D_{3/2}$	$3d^9(^2D)4s4p(^3P^o)$	$^4D_{1/2}^o$	133 902.00	197 026.7	20	55
1635.293	$3d^94s^2$	$^2D_{3/2}$	$3d^9(^2D)4s4p(^3P^o)$	$^4D_{3/2}^o$	133 902.00	195 053.1	130	55
1775.304	$3d^94s^2$	$^2D_{3/2}$	$3d^9(^2D)4s4p(^3P^o)$	$^4F_{3/2}^o$	133 902.00	190 230.3	20	55
1804.179	$3d^{10}5s$	$^2S_{1/2}$	$3d^{10}6p$	$^2P_{3/2}^o$	140 746.84	196 173.7	100	55
1816.753	$3d^94s^2$	$^2D_{5/2}$	$3d^{10}4f$	$^2F_{7/2}^o$	130 395.56	185 439.09	4	50
1888.912	$3d^{10}4d$	$^2D_{3/2}$	$3d^9(^2D)4s4p(^3P^o)$	$^4D_{1/2}^o$	144 086.46	197 026.7	140	55
1894.330 ^c	$3d^{10}4d$	$^2D_{5/2}$	$3d^9(^2D)4s4p(^3P^o)$	$^2P_{3/2}^o$	144 200.28	196 989.4	m	55
1914.311	$3d^{10}4d$	$^2D_{3/2}$	$3d^{10}6p$	$^2P_{1/2}^o$	144 086.46	196 324.6	160	55
1919.840	$3d^{10}4d$	$^2D_{3/2}$	$3d^{10}6p$	$^2P_{3/2}^o$	144 086.46	196 173.7	30	55
1924.058	$3d^{10}4d$	$^2D_{5/2}$	$3d^{10}6p$	$^2P_{3/2}^o$	144 200.28	196 173.7	240	55
1940.596	$3d^94s^2$	$^2D_{3/2}$	$3d^{10}4f$	$^2F_{5/2}^o$	133 902.00	185 432.59	4	50
2029.613	$3d^{10}5p$	$^2P_{1/2}^o$	$3d^{10}6d$	$^2D_{3/2}$	160 765.56	210 020.13	3	50
2050.656	$3d^{10}5p$	$^2P_{3/2}^o$	$3d^{10}6d$	$^2D_{5/2}$	161 304.40	210 053.67	4	50
2052.070	$3d^{10}5p$	$^2P_{3/2}^o$	$3d^{10}6d$	$^2D_{3/2}$	161 304.40	210 020.13	1	50
2066.202	$3d^{10}5p$	$^2P_{1/2}^o$	$3d^{10}7s$	$^2S_{1/2}$	160 765.56	209 148.01	1	50
2089.481	$3d^{10}5p$	$^2P_{3/2}^o$	$3d^{10}7s$	$^2S_{1/2}$	161 304.40	209 148.01	2	50
2368.66	$3d^{10}4f$	$^2F_{5/2}^o$	$3d^{10}7g$	$^2G_{7/2}$	185 432.59	227 637.2	0d	50
2369.08	$3d^{10}4f$	$^2F_{7/2}^o$	$3d^{10}7g$	$^2G_{9/2}$	185 439.09	227 637.2	0d	50
2417.872	$3d^{10}4d$	$^2D_{3/2}$	$3d^{10}4f$	$^2F_{5/2}^o$	144 086.46	185 432.59	13	1,50°
2424.163	$3d^{10}4d$	$^2D_{5/2}$	$3d^{10}4f$	$^2F_{7/2}^o$	144 200.28	185 439.09	14	1,50°
2424.540	$3d^{10}4d$	$^2D_{5/2}$	$3d^{10}4f$	$^2F_{5/2}^o$	144 200.28	185 432.59	6	50
2863.334	$3d^{10}4f$	$^2F_{5/2}^o$	$3d^{10}6g$	$^2G_{7/2}$	185 432.59	220 346.65	3d	50
2863.860	$3d^{10}4f$	$^2F_{7/2}^o$	$3d^{10}6g$	$^2G_{9/2}$	185 439.09	220 346.75	4d	50
3517.374	$3d^{10}5p$	$^2P_{1/2}^o$	$3d^{10}5d$	$^2D_{3/2}$	160 765.56	189 187.72	13	2,50°
3577.283	$3d^{10}5p$	$^2P_{3/2}^o$	$3d^{10}5d$	$^2D_{5/2}$	161 304.40	189 250.59	12	2,50°
3585.354	$3d^{10}5p$	$^2P_{3/2}^o$	$3d^{10}5d$	$^2D_{3/2}$	161 304.40	189 187.72	7	2,50°
3730.158	$3d^{10}5p$	$^2P_{1/2}^o$	$3d^{10}6s$	$^2S_{1/2}$	160 765.56	187 566.51	7	2,50°
3806.678	$3d^{10}5p$	$^2P_{3/2}^o$	$3d^{10}6s$	$^2S_{1/2}$	161 304.40	187 566.51	9	2,50°
4380.62	$3d^{10}4f$	$^2F_{5/2}^o$	$3d^{10}5g$	$^2G_{7/2}$	185 432.59	208 253.98	7	2,50°
4381.84	$3d^{10}4f$	$^2F_{7/2}^o$	$3d^{10}5g$	$^2G_{9/2}$	185 439.09	208 254.14	8	2,50°

TABLE 6. Spectral lines of Ga III—Continued

Wavelength	Classification		Upper	Energy levels (cm ⁻¹)		Int.	A(s ⁻¹)	References
	Lower							
4863.03	$3d^{10}5s$	$^2S_{1/2}$	$3d^{10}5p$	$^2P_{3/2}^o$	140 746.84	161 304.40	13	2,50°
4993.93	$3d^{10}5s$	$^2S_{1/2}$	$3d^{10}5p$	$^2P_{1/2}^o$	140 746.84	160 765.56	11	2,50°
5337.22	$3d^{10}5d$	$^2D_{3/2}$	$3d^{10}5f$	$^2F_{5/2}^o$	189 187.72	207 918.82	7	50
5355.20	$3d^{10}5d$	$^2D_{5/2}$	$3d^{10}5f$	$^2F_{5/2}^o$	189 250.59	207 918.82	1	50
5358.16	$3d^{10}5d$	$^2D_{5/2}$	$3d^{10}5f$	$^2F_{7/2}^o$	189 250.59	207 908.49	8	50
5806.27	$3d^{10}4d$	$^2D_{3/2}$	$3d^{10}5p$	$^2P_{3/2}^o$	144 086.46	161 304.40	5	50
5844.93	$3d^{10}4d$	$^2D_{5/2}$	$3d^{10}5p$	$^2P_{3/2}^o$	144 200.28	161 304.40	12	50
5993.87	$3d^{10}4d$	$^2D_{3/2}$	$3d^{10}5p$	$^2P_{1/2}^o$	144 086.46	160 765.56	11	50

TABLE 7. Energy levels of Ga IV

Configuration	Term	J	Level (cm ⁻¹)	Leading percentages		
$3d^{10}$	1S	0	0			
$3d^94s$	3D	3	149 512.1	100	+14	1D
		2	150 967.0		86	
		1	153 085.9		100	
$3d^94s$	1D	2	156 024.7	86	+14	3D
$3d^94p$	$^3P^o$	2	224 243.3	97	+14	1D
		1	227 320.4		97	
		0	229 140.3		100	
$3d^94p$	$^3F^o$	3	227 681.2	70	+27	$^1F^o$
		4	228 952.8		100	
		2	230 040.0		97	
$3d^94p$	$^1F^o$	3	233 192.3	64	+21	$^3D^o$
$3d^94p$	$^1D^o$	2	233 824.7	63	+33	$^3D^o$
$3d^94p$	$^3D^o$	3	234 939.5	75	+15	$^3F^o$
		1	236 906.5		70	
		2	237 458.0		75	
$3d^94p$	$^1P^o$	1	236 311.9	72	+28	$^3D^o$
$3d^94d$	3S	1	328 763.7	92		
$3d^94d$	3G	5	332 554.3	100	+44	1G
		4	332 730.5		56	
		3	334 532.0		62	
$3d^94d$	3P	2	332 757.5	77	+22	3D
		0	334 403.3		99	
		1	335 199.3		53	
$3d^94d$	1P	1	332 826.8	53	+27	3P
$3d^94d$	3D	3	333 964.2	90	+27	1D
		2	334 851.3		49	
		1	336 933.8		80	
$3d^94d$	1G	4	334 527.6	33	+45	3F

TABLE 7. Energy levels of Ga IV—Continued

Configuration	Term	<i>J</i>	Level (cm ⁻¹)			Leading percentages
3d ⁹ 4d	¹ F	3	336 581.6	38	+37	³ G
3d ⁹ 4d	³ F	4	336 790.0	55	+23	¹ G
		3	338 504.4	53	+38	¹ F
		2	338 719.6	69	+30	¹ D
3d ⁹ 4d	¹ D	2	337 833.8	42	+29	³ D
3d ⁹ 5s	³ D	3	343 319.9	100		
		2	343 912.7	55	+45	¹ D
		1	346 887.6	100		
3d ⁹ 5s	¹ D	2	347 402.8	55	+45	³ D
3d ⁹ 4d	¹ S	0	355 225.3	?	99	
3d ⁹ 5p	³ P°	2	368 684	94	+6	³ D°
		1	370 458	72	+22	¹ P°
		0	372 649	100		
3d ⁹ 5p	³ F°	3	369 718	57	+38	¹ F°
		4	370 123	100		
		2	373 171	74	+23	¹ D°
3d ⁹ 5p	¹ D°	2	371 295	44	+30	³ D°
3d ⁹ 5p	³ D°	3	371 636	81	+18	¹ F°
		1	374 883	94		
		2	375 134	61	+33	¹ D°
3d ⁹ 5p	¹ P°	1	373 824	76	+24	³ P°
3d ⁹ 5p	¹ F°	3	374 167	44	+42	³ F°
3d ⁹ 4f	(5/2, 5/2)°	0	397 883.9	100		
		1	398 043.0	73	+26	(5/2, 7/2)°
		5	398 489.8	94	+6	(5/2, 7/2)°
		2	398 851.5	77	+23	(5/2, 7/2)°
		4	399 181.0	85	+14	(5/2, 7/2)°
		3	399 205.0	74	+26	(5/2, 7/2)°
3d ⁹ 4f	(5/2, 7/2)°	2	398 319.7	76	+23	(5/2, 5/2)°
		6	398 486.2	74	+26	(5/2, 5/2)°
		3	398 866.0	85	+15	(5/2, 5/2)°
		1	398 927.7	72	+27	(5/2, 5/2)°
		4	399 165.8	94	+5	(5/2, 5/2)°
		5	399 175.9	100		
3d ⁹ 4f	(3/2, 7/2)°	2	401 836.6	90	+8	(3/2, 5/2)°
		5	402 191.0	99		
		3	402 567.4	95	+5	(3/2, 5/2)°
		4	402 838.6	95	+5	(3/2, 5/2)°
3d ⁹ 4f	(3/2, 5/2)°	4	402 196.0	94		
		1	402 353.4	99		
		2	402 546.1	99		
		3	402 844.6	95		
3d ⁸ 4s(⁴ F)4p	⁵ D°	4	403 072	90		
		3	405 366	87		
		2	407 383	87		
3d ⁹ 5d	³ S	1	407 846	80	+14	³ P
3d ⁸ 4s(⁴ F)4p	⁵ G°	4	408 135	77	+12	⁵ F°

TABLE 7. Energy levels of Ga IV—Continued

Configuration	Term	<i>J</i>	Level (cm ⁻¹)			Leading percentages
$3d^95d$	3G	5	409 158	100		
		4	409 280	56	+43	1G
		3	412 803	79	+12	1F
$3d^95d$	1P	1	409 303	50	+26	3D
$3d^95d$	3P	2	409 319	69	+29	3D
		0	411 044	96		
		1	412 243	52	+28	1P
$3d^95d$	3D	3	409 716	86	+10	3F
		1	413 010	74	+16	1P
		2	413 198	44	+26	1D
$3d^95d$	1F	3	410 107	47	+32	3F
$3d^95d$	3F	4	410 220	82	+14	1G
		3	413 832	50	+36	1F
		2	413 902	73	+25	1D
$3d^95d$	1D	2	410 264	48	+27	3D
$3d^84s({}^4F)4p$	${}^5F^\circ$	4	412 166	78	+10	${}^5G^\circ$
		3	413 211	80		
		2	413 850	87		
		1	414 099	92		
$3d^95d$	1G	4	413 074	43	+40	3G
$3d^96s$	$(5/2, 1/2)$	3	413 187	100		
		2	413 661	99		
$3d^84s({}^2F)4p$	${}^3G^\circ$	4	414 379	40	+25	${}^1G^\circ$
		3	416 606	57	+28	$3d^84s({}^4F)4p$
$3d^84s({}^2F)4p$	${}^3D^\circ$	3	415 296	53	+17	$3d^84s({}^4F)4p$
		2	416 647	51	+20	$3d^84s({}^4F)4p$
		1	418 395	57	+24	$3d^84s({}^4F)4p$
$3d^96s$	$(3/2, 1/2)$	1	416 796	100		
		2	416 982	99		
$3d^84s({}^2F)4p$	${}^3F^\circ$	4	418 405	55	+33	$3d^84s({}^4F)4p$
		3	419 057	36	+21	$3d^84s({}^4F)4p$
		2	420 572	51	+28	$3d^84s({}^4F)4p$
$3d^95d$	1S	0	419 737	96		
$3d^84s({}^2F)4p$	${}^1G^\circ$	4	420 623	69	+16	${}^3G^\circ$
$3d^84s({}^2F)4p$	${}^1D^\circ$	2	423 151	84		
$3d^84s({}^2F)4p$	${}^1F^\circ$	3	423 434	71		
$3d^96p$	$(5/2, 1/2)^\circ$	2	424 901	69	+30	$(5/2, 3/2)^\circ$
		3	425 368	94	+6	$(5/2, 3/2)^\circ$
$3d^84s({}^4P)4p$	${}^5P^\circ$	2	425 253	83		
		3	425 604	84		
		1	425 702	93		
$3d^96p$	$(5/2, 3/2)^\circ$	4	425 552	100		
		1	425 853	97		
		3	426 175	94	+6	$(5/2, 1/2)^\circ$
		2	426 180	69	+30	$(5/2, 1/2)^\circ$

TABLE 7. Energy levels of Ga IV—Continued

Configuration	Term	J	Level (cm^{-1})			Leading percentages
$3d^96p$	$(3/2, 3/2)^\circ$	0	428 648	100		
		3	429 305	100		
		1	429 594	52	+48	$(3/2, 1/2)^\circ$
		2	429 685	91	+8	$(3/2, 1/2)^\circ$
$3d^96p$	$(3/2, 1/2)^\circ$	2	428 828	91	+8	$(3/2, 3/2)^\circ$
		1	429 003	50	+47	$(3/2, 3/2)^\circ$
$3d^84s(^2\text{D})4p$	${}^3\text{F}^\circ$	2	429 866	77		
		3	430 492	70		
		4	431 353	64	+23	$3d^84s(^4\text{P})4p$ ${}^5\text{D}^\circ$
$3d^84s(^2\text{D})4p$	${}^3\text{D}^\circ$	1	430 682	51	+15	${}^3\text{P}^\circ$
		2	431 242	58		
		3	431 957	71		
$3d^84s(^2\text{D})4p$	${}^3\text{P}^\circ$	1	432 846	45	+29	${}^3\text{D}^\circ$
		2	433 778	68	+14	${}^3\text{D}^\circ$
$3d^84s(^4\text{P})4p$	${}^5\text{D}^\circ$	2	434 722	84		
		3	434 846	79		
		4	435 419	68	+15	$3d^84s(^2\text{D})4p$ ${}^3\text{F}^\circ$
$3d^84s(^2\text{P})4p$	${}^3\text{P}^\circ$	2	437 787	48	+15	$3d^84s(^4\text{P})4p$ ${}^3\text{P}^\circ$
		1	439 390	32	+22	$3d^84s(^4\text{P})4p$ ${}^3\text{D}^\circ$
		0	440 723	48	+37	$3d^84s(^2\text{D})4p$ ${}^3\text{P}^\circ$
$3d^84s(^2\text{P})4p$	${}^3\text{D}^\circ$	2	440 111	34	+17	$3d^84s(^4\text{P})4p$ ${}^3\text{D}^\circ$
		3	440 188	42	+21	$3d^84s(^4\text{P})4p$ ${}^3\text{D}^\circ$
		1	440 229	38	+17	$3d^84s(^4\text{P})4p$ ${}^3\text{D}^\circ$
$3d^84s(^2\text{G})4p$	${}^3\text{F}^\circ$	4	441 367	55	+15	$3d^84s(^2\text{D})4p$ ${}^3\text{F}^\circ$
		3	442 220	59	+11	$3d^84s(^2\text{D})4p$ ${}^3\text{F}^\circ$
		2	443 322	71		
$3d^84s(^4\text{P})4p$	${}^5\text{S}^\circ$	2	442 837	95		
$3d^84s(^2\text{P})4p$	${}^1\text{P}^\circ$	1	443 344	78		
$3d^84s(^4\text{F})4p$	${}^3\text{D}^\circ$	3	444 074	55	+20	$3d^84s(^2\text{F})4p$ ${}^3\text{D}^\circ$
		2	446 917	58	+22	$3d^84s(^2\text{F})4p$ ${}^3\text{D}^\circ$
		1	448 614	61	+24	
$3d^96d$	$(5/2, 3/2)$	1	444 089	58	+41	$(5/2, 5/2)$
		4	444 767	96		
		2	444 783	68	+32	$(5/2, 5/2)$
		3	445 193	64	+36	$(5/2, 5/2)$
$3d^84s(^2\text{P})4p$	${}^1\text{D}^\circ$	2	444 348	81		
$3d^96d$	$(5/2, 5/2)$	5	444 706	100		
		1	444 765	58	+42	$(5/2, 3/2)$
		3	444 979	64	+36	$(5/2, 3/2)$
		2	445 234	67	+32	$(5/2, 3/2)$
		4	445 236	96		
		0	446 071	80	+20	$(3/2, 3/2)$
$3d^84s(^4\text{F})4p$	${}^3\text{G}^\circ$	4	444 968	50	+29	$3d^84s(^2\text{F})4p$ ${}^3\text{G}^\circ$
		3	447 014	58	+29	$3d^84s(^2\text{F})4p$ ${}^3\text{G}^\circ$
$3d^84s(^4\text{F})4p$	${}^3\text{F}^\circ$	4	446 456	45	+21	$3d^84s(^2\text{F})4p$ ${}^3\text{F}^\circ$
		3	448 773	53	+25	$3d^84s(^2\text{F})4p$ ${}^3\text{F}^\circ$
		2	450 162	58	+26	$3d^84s(^2\text{F})4p$ ${}^3\text{F}^\circ$

TABLE 7. Energy levels of Ga IV—Continued

Configuration	Term	J	Level (cm^{-1})			Leading percentages	
3d ⁹ 7s	(5/2, 1/2)	3	446 732	100			
		2	446 852	99			
3d ⁹ 6d	(3/2, 5/2)	1	448 059	74	+25		(3/2, 3/2)
		4	448 527	100			
		2	448 734	98			
		3	448 913	93	+7		(3/2, 3/2)
3d ⁹ 6d	(3/2, 3/2)	3	448 347	93	+7		(3/2, 5/2)
		1	448 482	75	+25		(3/2, 5/2)
		2	448 964	99			
		0	450 795	?	80	+20	(5/2, 5/2)
3d ⁹ 7s	(3/2, 1/2)	1	450 316	100			
		2	450 405	99			
3d ⁸ 4s(2D)4p	¹ D°	2	462 491	50	+31	3d ⁸ 4s(4P)4p	³ P°
3d ⁸ 4s(2D)4p	¹ F°	3	463 246	77			
3d ⁸ 4s(4P)4p	³ P°	1	464 221	49	+28	3d ⁸ 4s(2D)4p	¹ P°
		0	465 833	73	+23	3d ⁸ 4s(2P)4p	³ P°
		2	466 359	39	+41	3d ⁸ 4s(2D)4p	¹ D°
3d ⁹ 8s	(5/2, 1/2)	3	465 423	100			
		2	465 497	99			
3d ⁸ 4s(2D)4p	¹ P°	1	467 778	61	+24	3d ⁸ 4s(4P)4p	³ P°
3d ⁹ 8s	(3/2, 1/2)	1	469 005	100			
		2	469 058	99			
3d ⁸ 4s(2G)4p	¹ F°	3	475 514	89			
Ga V (² D _{5/2})	Limit	—	510 070				

TABLE 8. Spectral lines of Ga IV

Wavelength (Å)	Classification			Energy levels (cm^{-1})	Int.	References		
	Lower	Upper						
233.102	3d ¹⁰	¹ S ₀	3d ⁹ 6p	(3/2, 1/2) ₁ [°]	0	429 003	6	69
234.824	3d ¹⁰	¹ S ₀	3d ⁹ 6p	(5/2, 3/2) ₁ [°]	0	425 853	4	69
248.536	3d ¹⁰	¹ S ₀	3d ⁹ 4f	(3/2, 5/2) ₁ [°]	0	402 353.4	40	69
250.672	3d ¹⁰	¹ S ₀	3d ⁹ 4f	(5/2, 7/2) ₁ [°]	0	398 927.7	30	69
251.229	3d ¹⁰	¹ S ₀	3d ⁹ 4f	(5/2, 5/2) ₁ [°]	0	398 043.0	10	69
266.749	3d ¹⁰	¹ S ₀	3d ⁹ 5p	³ D ₁ [°]	0	374 883	6	69
267.506	3d ¹⁰	¹ S ₀	3d ⁹ 5p	¹ P ₁ [°]	0	373 824	60	69
269.936	3d ¹⁰	¹ S ₀	3d ⁹ 5p	³ P ₁ [°]	0	370 458	40	69
308.123	3d ⁹ 4s	³ D ₂	3d ⁸ 4s(2G)4p	¹ F ₃ [°]	150 967.0	475 514	2	65
312.999	3d ⁹ 4s	¹ D ₂	3d ⁸ 4s(2G)4p	¹ F ₃ [°]	156 024.7	475 514	14	65
315.612	3d ⁹ 4s	³ D ₃	3d ⁸ 4s(4P)4p	³ P ₂ [°]	149 512.1	466 359	8	65
319.232	3d ⁹ 4s	³ D ₂	3d ⁸ 4s(4P)4p	³ P ₁ [°]	150 967.0	464 221	9	65
319.749	3d ⁹ 4s	³ D ₁	3d ⁸ 4s(4P)4p	³ P ₀ [°]	153 085.9	465 833	2	65
320.769	3d ⁹ 4s	¹ D ₂	3d ⁸ 4s(2D)4p	¹ P ₁ [°]	156 024.7	467 778	8	65
321.403	3d ⁹ 4s	³ D ₁	3d ⁸ 4s(4P)4p	³ P ₁ [°]	153 085.9	464 221	2	65

TABLE 8. Spectral lines of Ga IV—Continued

Wavelength (Å)	Classification			Energy levels (cm ⁻¹)	Int.	References		
	Lower		Upper					
322.235	$3d^94s$	1D_2	$3d^84s(^4P)4p$	3P_2	156 024.7	466 359	10	65
324.465	$3d^94s$	1D_2	$3d^84s(^4P)4p$	3P_1	156 024.7	464 221	3	65
325.500	$3d^94s$	1D_2	$3d^84s(^2D)4p$	1F_3	156 024.7	463 246	2	65
326.302	$3d^94s$	1D_2	$3d^84s(^2D)4p$	1D_2	156 024.7	462 491	7	65
334.160	$3d^94s$	3D_3	$3d^84s(^4F)4p$	3F_3	149 512.1	448 773	6	65
334.233	$3d^94s$	3D_2	$3d^84s(^4F)4p$	3F_2	150 967.0	450 162	6	65
335.792	$3d^94s$	3D_2	$3d^84s(^4F)4p$	3F_3	150 967.0	448 773	13	65
335.969	$3d^94s$	3D_2	$3d^84s(^4F)4p$	3D_1	150 967.0	448 614	7	65
336.135	$3d^94s$	3D_3	$3d^84s(^4F)4p$	3G_3	149 512.1	447 014	1	65
336.245	$3d^94s$	3D_3	$3d^84s(^4F)4p$	3D_2	149 512.1	446 917	5	65
336.616	$3d^94s$	3D_1	$3d^84s(^4F)4p$	3F_2	153 085.9	450 162	12	65
336.766	$3d^94s$	3D_3	$3d^84s(^4F)4p$	3F_4	149 512.1	446 456	19	65
337.786	$3d^94s$	3D_2	$3d^84s(^4F)4p$	3G_3	150 967.0	447 014	3	65
337.897	$3d^94s$	3D_2	$3d^84s(^4F)4p$	3D_2	150 967.0	446 917	14	65
338.379	$3d^94s$	3D_1	$3d^84s(^4F)4p$	3D_1	153 085.9	448 614	15	65
338.462	$3d^94s$	3D_3	$3d^84s(^4F)4p$	3G_4	149 512.1	444 968	19	65
339.490	$3d^94s$	3D_3	$3d^84s(^4F)4p$	3D_3	149 512.1	444 074	19	65
340.334	$3d^94s$	3D_1	$3d^84s(^4F)4p$	3D_2	153 085.9	446 917	11	65
340.852	$3d^94s$	3D_2	$3d^84s(^2P)4p$	1D_2	150 967.0	444 348	3	65
340.922	$3d^94s$	3D_3	$3d^84s(^4P)4p$	5S_2	149 512.1	442 837	4	65
341.175	$3d^94s$	3D_2	$3d^84s(^4F)4p$	3D_3	150 967.0	444 074	16	65
341.593	$3d^94s$	1D_2	$3d^84s(^4F)4p$	3F_3	156 024.7	448 773	1	65
341.637	$3d^94s$	3D_3	$3d^84s(^2G)4p$	3F_3	149 512.1	442 220	2	65
342.049	$3d^94s$	3D_2	$3d^84s(^2G)4p$	3F_2	150 967.0	443 322	1	65
342.638	$3d^94s$	3D_3	$3d^84s(^2G)4p$	3F_4	149 512.1	441 367	19	65
343.347	$3d^94s$	3D_1	$3d^84s(^2P)4p$	1D_2	153 085.9	444 348	9	65
	$3d^94s$	3D_2	$3d^84s(^2G)4p$	3F_3	150 967.0	442 220		65
343.645	$3d^94s$	1D_2	$3d^84s(^4F)4p$	3G_3	156 024.7	447 014	1	65
343.770	$3d^94s$	1D_2	$3d^84s(^4F)4p$	3D_2	156 024.7	446 917	4	65
344.027	$3d^94s$	3D_3	$3d^84s(^2P)4p$	3D_3	149 512.1	440 188	4	65
344.119	$3d^94s$	3D_3	$3d^84s(^2P)4p$	3D_2	149 512.1	440 111	11	65
344.549	$3d^94s$	3D_1	$3d^84s(^2G)4p$	3F_2	153 085.9	443 322	16	65
345.709	$3d^94s$	3D_2	$3d^84s(^2P)4p$	3D_1	150 967.0	440 229	12	65
345.755	$3d^94s$	3D_2	$3d^84s(^2P)4p$	3D_3	150 967.0	440 188	5	65
345.849	$3d^94s$	3D_2	$3d^84s(^2P)4p$	3D_2	150 967.0	440 111	4	65
346.715	$3d^94s$	3D_2	$3d^84s(^2P)4p$	3P_1	150 967.0	439 390	13	65
346.894	$3d^94s$	3D_3	$3d^84s(^2P)4p$	3P_2	149 512.1	437 787	20	65
347.161	$3d^94s$	1D_2	$3d^84s(^4F)4p$	3D_3	156 024.7	444 074	1	65
347.663	$3d^94s$	3D_1	$3d^84s(^2P)4p$	3P_0	153 085.9	440 723	10	65
348.048	$3d^94s$	1D_2	$3d^84s(^2P)4p$	1P_1	156 024.7	443 344	21	65
348.257	$3d^94s$	3D_1	$3d^84s(^2P)4p$	3D_1	153 085.9	440 229	4	65
348.656	$3d^94s$	3D_2	$3d^84s(^2P)4p$	3P_2	150 967.0	437 787	7	65
349.282	$3d^94s$	3D_1	$3d^84s(^2P)4p$	3P_1	153 085.9	439 390	6	65
349.408	$3d^94s$	1D_2	$3d^84s(^2G)4p$	3F_3	156 024.7	442 220	1	65
349.767	$3d^94s$	3D_3	$3d^84s(^4P)4p$	5D_4	149 512.1	435 419	14	65
350.618	$3d^94s$	3D_3	$3d^84s(^4P)4p$	5D_2	149 512.1	434 722	1	65
351.248	$3d^94s$	3D_1	$3d^84s(^2P)4p$	3P_2	153 085.9	437 787	1	65
351.785	$3d^94s$	3D_3	$3d^84s(^2D)4p$	3P_2	149 512.1	433 778	5	65
351.859	$3d^94s$	1D_2	$3d^84s(^2P)4p$	3D_1	156 024.7	440 229	1	65
352.005	$3d^94s$	1D_2	$3d^84s(^2P)4p$	3D_2	156 024.7	440 111	4	65
352.266	$3d^94s$	3D_2	$3d^84s(^4P)4p$	5D_3	150 967.0	434 846	6	65

TABLE 8. Spectral lines of Ga IV—Continued

Wavelength (Å)	Classification			Energy levels (cm ⁻¹)	Int.	References		
	Lower		Upper					
353.597	3d ⁹ 4s	³ D ₂	3d ⁸ 4s(² D)4p	³ P ₂	150 967.0	433 778	1	65
354.054	3d ⁹ 4s	³ D ₃	3d ⁸ 4s(² D)4p	³ D ₃	149 512.1	431 957	23	65
354.756	3d ⁹ 4s	³ D ₂	3d ⁸ 4s(² D)4p	³ P ₁	150 967.0	432 846	4	65
354.812	3d ⁹ 4s	³ D ₃	3d ⁸ 4s(² D)4p	³ F ₄	149 512.1	431 353	23	65
354.955	3d ⁹ 4s	³ D ₃	3d ⁸ 4s(² D)4p	³ D ₂	149 512.1	431 242	13	65
355.074	3d ⁹ 4s	³ D ₁	3d ⁸ 4s(⁴ P)4p	⁵ D ₂	153 085.9	434 722	2	65
356.704	3d ⁹ 4s	³ D ₃	3d ⁸ 4s(² D)4p	³ F ₂	149 512.1	429 866	4	65
356.795	3d ⁹ 4s	³ D ₂	3d ⁸ 4s(² D)4p	³ D ₂	150 967.0	431 242	19	65
357.461	3d ⁹ 4s	³ D ₁	3d ⁸ 4s(² D)4p	³ P ₁	153 085.9	432 846	4	65
357.509	3d ⁹ 4s	³ D ₂	3d ⁸ 4s(² D)4p	³ D ₁	150 967.0	430 682	17	65
357.752	3d ⁹ 4s	³ D ₂	3d ⁸ 4s(² D)4p	³ F ₃	150 967.0	430 492	15	65
358.656	3d ⁹ 4s	¹ D ₂	3d ⁸ 4s(⁴ P)4p	⁵ D ₃	156 024.7	434 846	1	65
358.787	3d ⁹ 4s	³ D ₂	3d ⁹ 6p	(3/2, 3/2) ₂	150 967.0	429 685	3	69
359.266	3d ⁹ 4s	³ D ₂	3d ⁹ 6p	(3/2, 3/2) ₃	150 967.0	429 305	4	69
359.514	3d ⁹ 4s	³ D ₁	3d ⁸ 4s(² D)4p	³ D ₂	153 085.9	431 242	1	65
360.039	3d ⁹ 4s	¹ D ₂	3d ⁸ 4s(² D)4p	³ P ₂	156 024.7	433 778	1	65
360.239	3d ⁹ 4s	³ D ₁	3d ⁸ 4s(² D)4p	³ D ₁	153 085.9	430 682	17	65
361.300	3d ⁹ 4s	³ D ₁	3d ⁸ 4s(² D)4p	³ F ₂	153 085.9	429 866	13	69°, 65
361.451	3d ⁹ 4s	³ D ₃	3d ⁹ 6p	(5/2, 3/2) ₃	149 512.1	426 175	8	69
362.201	3d ⁹ 4s	³ D ₃	3d ⁸ 4s(⁴ P)4p	⁵ P ₃	149 512.1	425 604	5	65
362.266	3d ⁹ 4s	³ D ₃	3d ⁹ 6p	(5/2, 3/2) ₄	149 512.1	425 552	13	69
362.412	3d ⁹ 4s	¹ D ₂	3d ⁸ 4s(² D)4p	³ D ₃	156 024.7	431 957	2	65
362.505	3d ⁹ 4s	³ D ₃	3d ⁹ 6p	(5/2, 1/2) ₃	149 512.1	425 368	2	69
362.658	3d ⁹ 4s	³ D ₁	3d ⁹ 6p	(3/2, 1/2) ₂	153 085.9	428 828	8	69
362.894	3d ⁹ 4s	³ D ₁	3d ⁹ 6p	(3/2, 3/2) ₀	153 085.9	428 648	1	69
363.123	3d ⁹ 4s	³ D ₃	3d ⁹ 6p	(5/2, 1/2) ₂	149 512.1	424 901	13	69
363.355	3d ⁹ 4s	¹ D ₂	3d ⁸ 4s(² D)4p	³ D ₂	156 024.7	431 242	14	69
	3d ⁹ 4s	³ D ₂	3d ⁹ 6p	(5/2, 3/2) ₂	150 967.0	426 180	?	69
	3d ⁹ 4s	³ D ₂	3d ⁹ 6p	(5/2, 3/2) ₃	150 967.0	426 175		69
363.787	3d ⁹ 4s	³ D ₂	3d ⁹ 6p	(5/2, 3/2) ₁	150 967.0	425 853	5	69
363.986	3d ⁹ 4s	³ D ₂	3d ⁸ 4s(⁴ P)4p	⁵ P ₁	150 967.0	425 702	1	65
364.102	3d ⁹ 4s	³ D ₂	3d ⁸ 4s(⁴ P)4p	⁵ P ₃	150 967.0	425 604	1	65
364.346	3d ⁹ 4s	¹ D ₂	3d ⁸ 4s(² D)4p	³ F ₃	156 024.7	430 492	8	65
364.430	3d ⁹ 4s	³ D ₂	3d ⁹ 6p	(5/2, 1/2) ₃	150 967.0	425 368	6	69
365.070	3d ⁹ 4s	³ D ₃	3d ⁸ 4s(² F)4p	¹ F ₃	149 512.1	423 434	14	65
365.418	3d ⁹ 4s	¹ D ₂	3d ⁹ 6p	(3/2, 3/2) ₂	156 024.7	429 685	3	69
365.538	3d ⁹ 4s	¹ D ₂	3d ⁹ 6p	(3/2, 3/2) ₁	156 024.7	429 594	2	69
365.925	3d ⁹ 4s	¹ D ₂	3d ⁹ 6p	(3/2, 3/2) ₃	156 024.7	429 305	7	69
366.330	3d ⁹ 4s	¹ D ₂	3d ⁹ 6p	(3/2, 1/2) ₁	156 024.7	429 003	3	69
366.565	3d ⁹ 4s	¹ D ₂	3d ⁹ 6p	(3/2, 1/2) ₂	156 024.7	428 828	1	69
366.825	3d ⁹ 4s	³ D ₁	3d ⁸ 4s(⁴ P)4p	³ P ₁	153 085.9	425 702	1	65
367.020	3d ⁹ 4s	³ D ₂	3d ⁸ 4s(² F)4p	¹ F ₃	150 967.0	423 434	3	65
367.402	3d ⁹ 4s	³ D ₂	3d ⁸ 4s(² F)4p	¹ D ₂	150 967.0	423 151	19	65
368.856	3d ⁹ 4s	³ D ₃	3d ⁸ 4s(² F)4p	¹ G ₄	149 512.1	420 623	2	65
368.924	3d ⁹ 4s	³ D ₃	3d ⁸ 4s(² F)4p	³ F ₂	149 512.1	420 572	8	65
370.925	3d ⁹ 4s	³ D ₂	3d ⁸ 4s(² F)4p	³ F ₂	150 967.0	420 572	30	65
370.991	3d ⁹ 4s	³ D ₃	3d ⁸ 4s(² F)4p	³ F ₃	149 512.1	419 057	30	65
371.274	3d ⁹ 4s	¹ D ₂	3d ⁹ 6p	(5/2, 1/2) ₃	156 024.7	425 368	2	69
371.435	3d ⁹ 4s	¹ D ₂	3d ⁸ 4s(⁴ P)4p	⁵ P ₂	156 024.7	425 253	16	65
371.897	3d ⁹ 4s	³ D ₃	3d ⁸ 4s(² F)4p	³ F ₄	149 512.1	418 405	28	65
373.012	3d ⁹ 4s	³ D ₂	3d ⁸ 4s(² F)4p	³ F ₃	150 967.0	419 057	23	65

TABLE 8. Spectral lines of Ga IV—Continued

Wavelength (Å)	Classification			Energy levels (cm ⁻¹)	Int.	References		
	Lower		Upper					
373.843	3d ⁹ 4s	³ D ₁	3d ⁸ 4s(^2F)4p	³ F ₂	153 085.9	420 572	32	65
373.975	3d ⁹ 4s	³ D ₂	3d ⁸ 4s(^2F)4p	³ D ₁	150 967.0	418 395	46	65
	3d ⁹ 4s	¹ D ₂	3d ⁸ 4s(^2F)4p	¹ F ₃	156 024.7	423 434		65
376.248	3d ⁹ 4s	³ D ₃	3d ⁸ 4s(^2F)4p	³ D ₃	149 512.1	415 296	29	65
376.395	3d ⁹ 4s	³ D ₂	3d ⁸ 4s(^2F)4p	³ D ₂	150 967.0	416 647	28	65
376.453	3d ⁹ 4s	³ D ₂	3d ⁸ 4s(^2F)4p	³ G ₃	150 967.0	416 606	3	65
376.922	3d ⁹ 4s	³ D ₁	3d ⁸ 4s(^2F)4p	³ D ₁	153 085.9	418 395	23	65
377.551	3d ⁹ 4s	³ D ₃	3d ⁸ 4s(^2F)4p	³ G ₄	149 512.1	414 379	5	65
378.320	3d ⁹ 4s	³ D ₂	3d ⁸ 4s(^2F)4p	³ D ₃	150 967.0	415 296	22	65
379.218	3d ⁹ 4s	³ D ₃	3d ⁸ 4s(^4F)4p	⁵ F ₃	149 512.1	413 211	1	65
379.423	3d ⁹ 4s	³ D ₁	3d ⁸ 4s(^2F)4p	³ D ₂	153 085.9	416 647	22	65
380.186	3d ⁹ 4s	¹ D ₂	3d ⁸ 4s(^2F)4p	³ F ₃	156 024.7	419 057	13	65
380.400	3d ⁹ 4s	³ D ₂	3d ⁸ 4s(^4F)4p	⁵ F ₂	150 967.0	413 850	3	65
380.732	3d ⁹ 4s	³ D ₃	3d ⁸ 4s(^4F)4p	⁵ F ₄	149 512.1	412 166	9	65
381.144	3d ⁹ 4s	¹ D ₂	3d ⁸ 4s(^2F)4p	³ D ₁	156 024.7	418 395	4	65
381.327	3d ⁹ 4s	³ D ₂	3d ⁸ 4s(^4F)4p	⁵ F ₃	150 967.0	413 211	7	65
383.125	3d ⁹ 4s	³ D ₁	3d ⁸ 4s(^4F)4p	⁵ F ₁	153 085.9	414 099	2	65
385.700	3d ⁹ 4s	¹ D ₂	3d ⁸ 4s(^2F)4p	³ D ₃	156 024.7	415 296	2	65
386.666	3d ⁹ 4s	³ D ₃	3d ⁸ 4s(^4F)4p	⁵ G ₄	149 512.1	408 135	1	65
389.994	3d ⁹ 4s	³ D ₂	3d ⁸ 4s(^4F)4p	⁵ D ₂	150 967.0	407 383	1	65
390.851	3d ⁹ 4s	³ D ₃	3d ⁸ 4s(^4F)4p	⁵ D ₃	149 512.1	405 366	4	65
393.078	3d ⁹ 4s	³ D ₂	3d ⁸ 4s(^4F)4p	⁵ D ₃	150 967.0	405 366	1	65
393.245	3d ⁹ 4s	³ D ₁	3d ⁸ 4s(^4F)4p	⁵ D ₂	153 085.9	407 383	1	65
394.387	3d ⁹ 4s	³ D ₃	3d ⁸ 4s(^4F)4p	⁵ D ₄	149 512.1	403 072	1	65
414.625	3d ⁹ 4p	³ P ₂	3d ⁹ 8s	(5/2, 1/2) ₃	224 243.3	465 423	1	69
418.364	3d ⁹ 4p	³ F ₂	3d ⁹ 8s	(3/2, 1/2) ₂	230 040.0	469 058	1	69
418.468	3d ⁹ 4p	³ F ₂	3d ⁹ 8s	(3/2, 1/2) ₁	230 040.0	469 005	2	69
419.855	3d ⁹ 4p	³ P ₁	3d ⁹ 8s	(5/2, 1/2) ₂	227 320.4	465 497	1	69
420.497	3d ⁹ 4p	³ F ₃	3d ⁹ 8s	(5/2, 1/2) ₂	227 681.2	465 497	3	69
420.621	3d ⁹ 4p	³ F ₃	3d ⁹ 8s	(5/2, 1/2) ₃	227 681.2	465 423	1	69
422.108	3d ¹⁰	¹ S ₀	3d ⁹ 4p	³ D ₁	0	236 906.5	600	69
422.888	3d ⁹ 4p	³ F ₄	3d ⁹ 8s	(5/2, 1/2) ₃	228 952.8	465 423	10	69
423.170	3d ¹⁰	¹ S ₀	3d ⁹ 4p	¹ P ₁	0	236 311.9	1000	69
423.965	3d ⁹ 4p	¹ F ₃	3d ⁹ 8s	(3/2, 1/2) ₂	233 192.3	469 058	5	69
425.208	3d ⁹ 4p	¹ D ₂	3d ⁹ 8s	(3/2, 1/2) ₁	233 824.7	469 005	2	69
427.131	3d ⁹ 4p	³ D ₃	3d ⁹ 8s	(3/2, 1/2) ₂	234 939.5	469 058	1	69
430.459	3d ⁹ 4p	¹ F ₃	3d ⁹ 8s	(5/2, 1/2) ₂	233 192.3	465 497	1	69
430.586	3d ⁹ 4p	¹ F ₃	3d ⁹ 8s	(5/2, 1/2) ₃	233 192.3	465 423	2	69
430.837	3d ⁹ 4p	³ D ₁	3d ⁹ 8s	(3/2, 1/2) ₁	236 906.5	469 005	1	69
431.636	3d ⁹ 4p	¹ D ₂	3d ⁹ 8s	(5/2, 1/2) ₂	233 824.7	465 497	2	69
431.782	3d ⁹ 4p	³ D ₂	3d ⁹ 8s	(3/2, 1/2) ₂	237 458.0	469 058	1	69
433.861	3d ⁹ 4p	³ D ₃	3d ⁹ 8s	(5/2, 1/2) ₃	234 939.5	465 423	2	69
439.906	3d ¹⁰	¹ S ₀	3d ⁹ 4p	³ P ₁	0	227 320.4	300	69
443.219	3d ⁹ 4s	³ D ₃	3d ⁹ 5p	³ D ₂	149 512.1	375 134	1	69
445.129	3d ⁹ 4s	³ D ₃	3d ⁹ 5p	¹ F ₃	149 512.1	374 167	1	69
446.099	3d ⁹ 4s	³ D ₂	3d ⁹ 5p	³ D ₂	150 967.0	375 134	15	69
446.595	3d ⁹ 4s	³ D ₂	3d ⁹ 5p	³ D ₁	150 967.0	374 883	3	69
448.033	3d ⁹ 4s	³ D ₂	3d ⁹ 5p	¹ F ₃	150 967.0	374 167	20	69
448.257	3d ⁹ 4p	³ P ₁	3d ⁹ 7s	(3/2, 1/2) ₂	227 320.4	450 405	1	69
448.425	3d ⁹ 4p	³ P ₁	3d ⁹ 7s	(3/2, 1/2) ₁	227 320.4	450 316	1	69
448.730	3d ⁹ 4s	³ D ₂	3d ⁹ 5p	¹ P ₁	150 967.0	373 824	3	69

TABLE 8. Spectral lines of Ga IV—Continued

Wavelength (Å)	Classification				Energy levels (cm ⁻¹)	Int.	References	
	Lower		Upper					
449.458	$3d^94p$	3P_2	$3d^97s$	$(5/2, 1/2)_3$	224 243.3	446 732	12	69
450.040	$3d^94s$	3D_2	$3d^95p$	3F_2	150 967.0	373 171	1	69
450.201	$3d^94s$	3D_3	$3d^95p$	3D_3	149 512.1	371 636	30	69
450.356	$3d^94s$	3D_1	$3d^95p$	3D_2	153 085.9	375 134	20	69
450.862	$3d^94s$	3D_1	$3d^95p$	3D_1	153 085.9	374 883	30	69
452.126	$3d^94p$	3P_0	$3d^97s$	$(3/2, 1/2)_1$	229 140.3	450 316	1	69
453.029	$3d^94s$	3D_1	$3d^95p$	1P_1	153 085.9	373 824	15	69
453.171	$3d^94s$	3D_2	$3d^95p$	3D_3	150 967.0	371 636	30	69
453.289	$3d^94s$	3D_3	$3d^95p$	3F_4	149 512.1	370 123	45	69
453.435	$3d^94p$	3P_2	$3d^96d$	$(5/2, 3/2)_2$	224 243.3	444 783	4	69
453.789	$3d^94p$	3F_2	$3d^97s$	$(3/2, 1/2)_2$	230 040.0	450 405	3	69
453.873	$3d^94s$	3D_2	$3d^95p$	1D_2	150 967.0	371 295	40	69
453.972	$3d^94p$	3F_2	$3d^97s$	$(3/2, 1/2)_1$	230 040.0	450 316	10	69
454.370	$3d^94s$	3D_1	$3d^95p$	3F_2	153 085.9	373 171	30	69
454.867	$3d^94p$	3P_2	$3d^96d$	$(5/2, 3/2)_1$	224 243.3	444 089	1	69
455.457	$3d^94s$	3D_1	$3d^95p$	3P_0	153 085.9	372 649	30	69
455.512	$3d^94p$	3P_1	$3d^97s$	$(5/2, 1/2)_2$	227 320.4	446 852	6	69
455.603	$3d^94s$	3D_2	$3d^95p$	3P_1	150 967.0	370 458	35	69
455.911	$3d^94p$	3P_0	$3d^96d$	$(3/2, 3/2)_1$	229 140.3	448 482	1	69
456.267	$3d^94s$	3D_3	$3d^95p$	3P_2	149 512.1	368 684	40	69
456.394	$3d^94p$	3F_3	$3d^97s$	$(5/2, 1/2)_2$	227 681.2	446 852	69	
456.506	$3d^94s$	1D_2	$3d^95p$	3D_2	156 024.7	375 134	40	69
456.919	$3d^94s$	1D_2	$3d^95p$	3D_1	156 024.7	374 883	9	69
457.145	$3d^94s$	3D_2	$3d^95p$	3F_3	150 967.0	369 718	40	69
458.070	$3d^94p$	3P_1	$3d^96d$	$(5/2, 5/2)_0$	227 320.4	446 071	69	
458.267	$3d^94s$	3D_1	$3d^95p$	1D_2	153 085.9	371 295	25	69
458.420	$3d^94s$	1D_2	$3d^95p$	1F_3	156 024.7	374 167	50	69
458.914	$3d^94p$	3P_1	$3d^96d$	$(5/2, 5/2)_2$	227 320.4	445 234	2	69
459.159	$3d^94s$	1D_2	$3d^95p$	1P_1	156 024.7	373 824	60	69
460.650	$3d^94p$	3F_4	$3d^97s$	$(5/2, 1/2)_3$	228 952.8	446 732	69	
459.308	$3d^94s$	3D_2	$3d^95p$	3P_2	150 967.0	368 684	18	69
459.745	$3d^94p$	3F_3	$3d^96d$	$(5/2, 3/2)_3$	227 681.2	445 193	3	69
459.890	$3d^94p$	3P_1	$3d^96d$	$(5/2, 5/2)_1$	227 320.4	444 765	3	69
460.377	$3d^94p$	1F_3	$3d^97s$	$(3/2, 1/2)_2$	233 192.3	450 405	8	69
460.519	$3d^94s$	1D_2	$3d^95p$	3F_2	156 024.7	373 171	30	69
460.650	$3d^94p$	3F_3	$3d^96d$	$(5/2, 3/2)_4$	227 681.2	444 767	6	69
461.223	$3d^94p$	3F_2	$3d^97s$	$(5/2, 1/2)_2$	230 040.0	446 852	1	69
462.354	$3d^94p$	3F_4	$3d^96d$	$(5/2, 5/2)_4$	228 952.8	445 236	1	69
463.491	$3d^94p$	3F_4	$3d^96d$	$(5/2, 5/2)_5$	228 952.8	444 706	7	69
463.800	$3d^94s$	1D_2	$3d^95p$	3D_3	156 024.7	371 636	25	69
464.114	$3d^94p$	3D_3	$3d^97s$	$(3/2, 1/2)_2$	234 939.5	450 405	10	69
464.394	$3d^94p$	1F_3	$3d^96d$	$(3/2, 5/2)_4$	233 192.3	448 527	3	69
464.539	$3d^94s$	1D_2	$3d^95p$	1D_2	156 024.7	371 295	20	69
466.237	$3d^94p$	1P_1	$3d^96d$	$(3/2, 3/2)_0$	236 311.9	450 795	?	69
467.085	$3d^94p$	1P_1	$3d^97s$	$(3/2, 1/2)_2$	236 311.9	450 405	3	69
467.275	$3d^94p$	1P_1	$3d^97s$	$(3/2, 1/2)_1$	236 311.9	450 316	1	69
468.019	$3d^94p$	1F_3	$3d^97s$	$(5/2, 1/2)_2$	233 192.3	446 852	8	69
468.187	$3d^94p$	3D_3	$3d^96d$	$(3/2, 5/2)_4$	234 939.5	448 527	1	69
468.290	$3d^94p$	1F_3	$3d^97s$	$(5/2, 1/2)_3$	233 192.3	446 732	6	69

TABLE 8. Spectral lines of Ga IV—Continued

Wavelength (Å)	Classification		Energy levels (cm ⁻¹)	Int.	References		
	Lower	Upper					
468.380	3d ⁹ 4p	³ D ₁	3d ⁹ 7s (3/2, 1/2) ₂	236 906.5	450 405	7	69
468.580	3d ⁹ 4p	³ D ₁	3d ⁹ 7s (3/2, 1/2) ₁	236 906.5	450 316	4	69
469.421	3d ⁹ 4p	¹ D ₂	3d ⁹ 7s (5/2, 1/2) ₂	233 824.7	446 852	12	69
469.596	3d ⁹ 4p	³ D ₂	3d ⁹ 7s (3/2, 1/2) ₂	237 458.0	450 405	11	69
469.794	3d ⁹ 4p	³ D ₂	3d ⁹ 7s (3/2, 1/2) ₁	237 458.0	450 316	2	69
470.241	3d ⁹ 4s	¹ D ₂	3d ⁹ 5p ³ P ₂	156 024.7	368 684	5	69
471.590	3d ⁹ 4p	¹ F ₃	3d ⁹ 6d (5/2, 5/2) ₄	233 192.3	445 236	25	69
472.082	3d ⁹ 4p	³ D ₁	3d ⁹ 6d (3/2, 5/2) ₂	236 906.5	448 734	40	69
472.156	3d ⁹ 4p	³ D ₃	3d ⁹ 7s (5/2, 1/2) ₃	234 939.5	446 732	45	69
472.649	3d ⁹ 4p	³ D ₁	3d ⁹ 6d (3/2, 3/2) ₁	236 906.5	448 482	30	69
	3d ⁹ 4p	¹ F ₃	3d ⁹ 6d (5/2, 3/2) ₄	233 192.3	444 767		69
472.801	3d ⁹ 4p	³ D ₂	3d ⁹ 6d (3/2, 3/2) ₂	237 458.0	448 964	10	69
472.913	3d ⁹ 4p	³ D ₂	3d ⁹ 6d (3/2, 5/2) ₃	237 458.0	448 913	13	69
473.003	3d ⁹ 4p	¹ D ₂	3d ⁹ 6d (5/2, 5/2) ₂	233 824.7	445 234	9	69
473.128	3d ⁹ 4p	¹ D ₂	3d ⁹ 6d (5/2, 3/2) ₃	233 824.7	445 193	10	69
473.593	3d ⁹ 4p	³ D ₁	3d ⁹ 6d (3/2, 5/2) ₁	236 906.5	448 059	2	69
474.961	3d ⁹ 4p	¹ P ₁	3d ⁹ 7s (5/2, 1/2) ₂	236 311.9	446 852	3	69
475.521	3d ⁹ 4p	³ D ₃	3d ⁹ 6d (5/2, 5/2) ₄	234 939.5	445 236	4	69
476.101	3d ⁹ 4p	³ D ₃	3d ⁹ 6d (5/2, 5/2) ₃	234 939.5	444 979	1	69
476.307	3d ⁹ 4p	³ D ₁	3d ⁹ 7s (5/2, 1/2) ₂	236 906.5	446 852	1	69
477.832	3d ⁹ 4p	³ D ₂	3d ⁹ 7s (5/2, 1/2) ₃	237 458.0	446 732	1	69
478.642	3d ⁹ 4p	¹ P ₁	3d ⁹ 6d (5/2, 5/2) ₂	236 311.9	445 234	1	69
518.832	3d ⁹ 4p	³ P ₂	3d ⁹ 6s (3/2, 1/2) ₂	224 243.3	416 982	7	69
519.328	3d ⁹ 4p	³ P ₂	3d ⁹ 6s (3/2, 1/2) ₁	224 243.3	416 796	1	69
527.252	3d ⁹ 4p	³ P ₂	3d ⁹ 6s (3/2, 1/2) ₂	227 320.4	416 982	30	69
527.459	3d ⁹ 4p	³ P ₂	3d ⁹ 5d ³ F ₃	224 243.3	413 832	25	69
527.766	3d ⁹ 4p	³ P ₁	3d ⁹ 6s (3/2, 1/2) ₁	227 320.4	416 796	18	69
527.936	3d ⁹ 4p	³ P ₂	3d ⁹ 6s (5/2, 1/2) ₂	224 243.3	413 661	2	69
528.277	3d ⁹ 4p	³ F ₃	3d ⁹ 6s (3/2, 1/2) ₂	227 681.2	416 982	20	69
529.265	3d ⁹ 4p	³ P ₂	3d ⁹ 6s (5/2, 1/2) ₃	224 243.3	413 187	40	69
531.919	3d ⁹ 4p	³ P ₂	3d ⁹ 5d ³ P ₁	224 243.3	412 243	1	69
532.884	3d ⁹ 4p	³ P ₀	3d ⁹ 6s (3/2, 1/2) ₁	229 140.3	416 796	25	69
534.919	3d ⁹ 4p	³ F ₂	3d ⁹ 6s (3/2, 1/2) ₂	230 040.0	416 982	25	69
535.452	3d ⁹ 4p	³ F ₂	3d ⁹ 6s (3/2, 1/2) ₁	230 040.0	416 796	40	69
535.949	3d ⁹ 4p	³ P ₁	3d ⁹ 5d ³ F ₂	227 320.4	413 902	25	69
536.647	3d ⁹ 4p	³ P ₁	3d ⁹ 6s (5/2, 1/2) ₂	227 320.4	413 661	35	69
537.002	3d ⁹ 4p	³ F ₃	3d ⁹ 5d ³ F ₂	227 681.2	413 902	20	69
537.200	3d ⁹ 4p	³ F ₃	3d ⁹ 5d ³ F ₃	227 681.2	413 832	20	69
537.691	3d ⁹ 4p	³ F ₃	3d ⁹ 6s (5/2, 1/2) ₂	227 681.2	413 661	30	69
538.033	3d ⁹ 4p	³ P ₂	3d ⁹ 5d ¹ F ₃	224 243.3	410 107	20	69
538.534	3d ⁹ 4p	³ P ₁	3d ⁹ 5d ³ D ₁	227 320.4	413 010	10	69
539.160	3d ⁹ 4p	³ P ₂	3d ⁹ 5d ³ D ₃	224 243.3	409 716	20	69
539.407	3d ⁹ 4p	³ F ₃	3d ⁹ 5d ¹ G ₄	227 681.2	413 074	20	69
540.321	3d ⁹ 4p	³ P ₂	3d ⁹ 5d ³ P ₂	224 243.3	409 319	45	69
540.360	3d ⁹ 4p	³ P ₂	3d ⁹ 5d ¹ P ₁	224 243.3	409 303	35	69
540.770	3d ⁹ 4p	³ P ₁	3d ⁹ 5d ³ P ₁	227 320.4	412 243	25	69
540.894	3d ⁹ 4p	³ F ₄	3d ⁹ 5d ³ F ₃	228 952.8	413 832	20	69
542.795	3d ⁹ 4p	³ F ₄	3d ⁹ 6s (5/2, 1/2) ₃	228 952.8	413 187	50	69
543.878	3d ⁹ 4p	³ P ₀	3d ⁹ 5d ³ D ₁	229 140.3	413 010	35	69
	3d ⁹ 4p	³ F ₂	3d ⁹ 5d ³ F ₂	230 040.0	413 902		69
544.094	3d ⁹ 4p	¹ F ₃	3d ⁹ 6s (3/2, 1/2) ₂	233 192.3	416 982	40	69

TABLE 8. Spectral lines of Ga IV—Continued

Wavelength (Å)	Classification		Upper	Energy levels (cm ⁻¹)	Int.	References		
	Lower							
544.299	$3d^94p$	3P_1	$3d^95d$	3P_0	227 320.4	411 044	25	69
544.602	$3d^94p$	3F_2	$3d^96s$	$(5/2, 1/2)_2$	230 040.0	413 661	40	69
544.656	$3d^94p$	3P_2	$3d^95d$	3S_1	224 243.3	407 846	40	69
545.181	$3d^94p$	1P_1	$3d^95d$	1S_0	236 311.9	419 737	15	69
545.980	$3d^94p$	3F_2	$3d^95d$	3D_2	230 040.0	413 198	20	69
546.143	$3d^94p$	3P_0	$3d^95d$	3P_1	229 140.3	412 243	20	69
546.528	$3d^94p$	1D_2	$3d^96s$	$(3/2, 1/2)_1$	233 824.7	416 796	30	69
	$3d^94p$	3F_2	$3d^95d$	3D_1	230 040.0	413 010		69
546.618	$3d^94p$	3P_1	$3d^95d$	1D_2	227 320.4	410 264	30	69
546.944	$3d^94p$	3D_1	$3d^95d$	1S_0	236 906.5	419 737	4	69
547.156	$3d^94p$	3F_2	$3d^95d$	3G_3	230 040.0	412 803	40	69
547.700	$3d^94p$	3F_3	$3d^95d$	1D_2	227 681.2	410 264	15	69
548.169	$3d^94p$	3F_3	$3d^95d$	1F_3	227 681.2	410 107	35	69
549.323	$3d^94p$	3D_3	$3d^96s$	$(3/2, 1/2)_2$	234 939.5	416 982	45	69
550.551	$3d^94p$	3F_3	$3d^95d$	3P_2	227 681.2	409 319	10	69
550.668	$3d^94p$	3F_3	$3d^95d$	3G_4	227 681.2	409 280	45	69
551.670	$3d^94p$	3F_4	$3d^95d$	3F_4	228 952.8	410 220	35	69
552.014	$3d^94p$	3F_4	$3d^95d$	1F_3	228 952.8	410 107	10	69
553.219	$3d^94p$	3F_4	$3d^95d$	3D_3	228 952.8	409 716	35	69
553.485	$3d^94p$	1P_1	$3d^96s$	$(3/2, 1/2)_2$	236 311.9	416 982	40	69
553.588	$3d^94p$	1F_3	$3d^95d$	3F_3	233 192.3	413 832	40	69
554.878	$3d^94p$	3F_2	$3d^95d$	1D_2	230 040.0	410 264	30	69
554.920	$3d^94p$	3F_4	$3d^95d$	3G_5	228 952.8	409 158	100	69
555.329	$3d^94p$	1D_2	$3d^95d$	3F_2	233 824.7	413 902	100bl	69
	$3d^94p$	3D_1	$3d^96s$	$(3/2, 1/2)_2$	236 906.5	416 982		69
	$3d^94p$	3F_2	$3d^95d$	1F_3	230 040.0	410 107		69
555.563	$3d^94p$	1D_2	$3d^95d$	3F_3	233 824.7	413 832	40d	69
	$3d^94p$	1F_3	$3d^96s$	$(5/2, 1/2)_3$	233 192.3	413 187		69
555.910	$3d^94p$	3D_1	$3d^96s$	$(3/2, 1/2)_1$	236 906.5	416 796	50	69
	$3d^94p$	1F_3	$3d^95d$	1G_4	233 192.3	413 074		69
556.055	$3d^94p$	1D_2	$3d^96s$	$(5/2, 1/2)_2$	233 824.7	413 661	30	69
556.759	$3d^94p$	1F_3	$3d^95d$	3G_3	233 192.3	412 803	10	69
557.021	$3d^94p$	3D_2	$3d^96s$	$(3/2, 1/2)_2$	237 458.0	416 982	50	69
557.509	$3d^94p$	1D_2	$3d^96s$	$(5/2, 1/2)_3$	233 824.7	413 187	40	69
557.593	$3d^94p$	3D_2	$3d^96s$	$(3/2, 1/2)_1$	237 458.0	416 796	40	69
557.849	$3d^94p$	3F_2	$3d^95d$	1P_1	230 040.0	409 303	5	69
558.730	$3d^94p$	1D_2	$3d^95d$	3G_3	233 824.7	412 803	35	69
558.768	$3d^94p$	3D_3	$3d^95d$	3F_2	234 939.5	413 902	20	69
558.994	$3d^94p$	3D_3	$3d^95d$	3F_3	234 939.5	413 832	4	69
561.376	$3d^94p$	3D_3	$3d^95d$	1G_4	234 939.5	413 074	45	69
562.238	$3d^94p$	3D_3	$3d^95d$	3G_3	234 939.5	412 803	10	69
563.099	$3d^94p$	1P_1	$3d^95d$	3F_2	236 311.9	413 902	30	69
563.854	$3d^94p$	1P_1	$3d^96s$	$(5/2, 1/2)_2$	236 311.9	413 661	30	69
564.745	$3d^94p$	1F_3	$3d^95d$	1D_2	233 192.3	410 264	5	69
564.882	$3d^94p$	1F_3	$3d^95d$	3F_4	233 192.3	410 220	50	69
564.989	$3d^94p$	3D_1	$3d^95d$	3F_2	236 906.5	413 902	35	69
565.336	$3d^94p$	1P_1	$3d^95d$	3D_2	236 311.9	413 198	30	69
565.937	$3d^94p$	1P_1	$3d^95d$	3D_1	236 311.9	413 010	35	69
566.500	$3d^94p$	1F_3	$3d^95d$	3D_3	233 192.3	410 716	30	69
566.763	$3d^94p$	3D_2	$3d^95d$	3F_2	237 458.0	413 902	40	69
	$3d^94p$	1D_2	$3d^95d$	1D_2	233 824.7	410 264		69

TABLE 8. Spectral lines of Ga IV—Continued

Wavelength (Å)	Classification			Energy levels (cm ⁻¹)	Int.	References		
	Lower		Upper					
566.975	3d ⁹ 4p	³ D ₂ [°]	3d ⁹ 5d	³ F ₃	237 458.0	413 832	50	69
567.265	3d ⁹ 4p	³ D ₁ [°]	3d ⁹ 5d	³ D ₂	236 906.5	413 198	70	69
	3d ⁹ 4p	¹ D ₂ [°]	3d ⁹ 5d	¹ F ₃	233 824.7	410 107		69
567.520	3d ⁹ 4p	³ D ₂ [°]	3d ⁹ 6s	(5/2, 1/2) ₂	237 458.0	413 661	30	69
567.764	3d ⁹ 4p	¹ F ₃ [°]	3d ⁹ 5d	³ P ₂	233 192.3	409 319	45	69
567.856	3d ⁹ 4p	³ D ₁ [°]	3d ⁹ 5d	³ D ₁	236 906.5	413 010	40	69
568.405	3d ⁹ 4p	¹ P ₁ [°]	3d ⁹ 5d	³ P ₁	236 311.9	412 243	15	69
569.050	3d ⁹ 4p	³ D ₂ [°]	3d ⁹ 5d	³ D ₂	237 458.0	413 198	40	69
	3d ⁹ 4p	³ D ₂ [°]	3d ⁹ 6s	(5/2, 1/2) ₃	237 458.0	413 187		69
569.634	3d ⁹ 4p	³ D ₂ [°]	3d ⁹ 5d	³ D ₁	237 458.0	413 010	10	69
569.872	3d ⁹ 4p	¹ D ₂ [°]	3d ⁹ 5d	¹ P ₁	233 824.7	409 303	20	69
570.324	3d ⁹ 4p	³ D ₁ [°]	3d ⁹ 5d	³ P ₁	236 906.5	412 243	25	69
570.512	3d ⁹ 4p	³ D ₃ [°]	3d ⁹ 5d	³ F ₄	234 939.5	410 220	40	69
572.154	3d ⁹ 4p	³ D ₃ [°]	3d ⁹ 5d	³ D ₃	234 939.5	409 716	35	69
573.460	3d ⁹ 4p	³ D ₃ [°]	3d ⁹ 5d	³ P ₂	234 939.5	409 319	20	69
574.646	3d ⁹ 4p	¹ D ₂ [°]	3d ⁹ 5d	³ S ₁	233 824.7	407 846	2	69
574.869	3d ⁹ 4p	¹ P ₁ [°]	3d ⁹ 5d	¹ D ₂	236 311.9	410 264	30	69
576.843	3d ⁹ 4p	³ D ₁ [°]	3d ⁹ 5d	¹ D ₂	236 906.5	410 264	10	69
577.986	3d ⁹ 4p	¹ P ₁ [°]	3d ⁹ 5d	³ P ₂	236 311.9	409 319	1	69
578.066	3d ⁹ 4p	¹ P ₁ [°]	3d ⁹ 5d	¹ P ₁	236 311.9	409 303	15	69
578.683	3d ⁹ 4p	³ D ₂ [°]	3d ⁹ 5d	¹ D ₂	237 458.0	410 264	1	69
580.062	3d ⁹ 4p	³ D ₁ [°]	3d ⁹ 5d	¹ P ₁	236 906.5	409 303	20	69
581.862	3d ⁹ 4p	³ D ₂ [°]	3d ⁹ 5d	³ P ₂	237 458.0	409 319	2	69
582.990	3d ⁹ 4p	¹ P ₁ [°]	3d ⁹ 5d	³ S ₁	236 311.9	407 846	1	69
585.010	3d ⁹ 4p	³ D ₁ [°]	3d ⁹ 5d	³ S ₁	236 906.5	407 846	1	69
811.949	3d ⁹ 4p	³ P ₂ [°]	3d ⁹ 5s	¹ D ₂	224 243.3	347 402.8	50	69
815.360	3d ⁹ 4p	³ P ₂ [°]	3d ⁹ 5s	³ D ₁	224 243.3	346 887.6	60	69
835.633	3d ⁹ 4p	³ P ₂ [°]	3d ⁹ 5s	³ D ₂	224 243.3	343 912.7	80	69
836.349	3d ⁹ 4p	³ P ₁ [°]	3d ⁹ 5s	³ D ₁	227 320.4	346 887.6	100	69
839.793	3d ⁹ 4p	³ P ₂ [°]	3d ⁹ 5s	³ D ₃	224 243.3	343 319.9	200	69
840.949	3d ⁹ 4p	¹ P ₁ [°]	3d ⁹ 4d	¹ S ₀	236 311.9	355 225.3	?	180
845.174	3d ⁹ 4p	³ D ₁ [°]	3d ⁹ 4d	¹ S ₀	236 906.5	355 225.3	?	80
849.274	3d ⁹ 4p	³ P ₀ [°]	3d ⁹ 5s	³ D ₁	229 140.3	346 887.6	130	69
852.059	3d ⁹ 4p	³ F ₂ [°]	3d ⁹ 5s	¹ D ₂	230 040.0	347 402.8	80	69
855.813	3d ⁹ 4p	³ F ₂ [°]	3d ⁹ 5s	³ D ₁	230 040.0	346 887.6	160	69
857.686	3d ⁹ 4p	³ P ₁ [°]	3d ⁹ 5s	³ D ₂	227 320.4	343 912.7	130	69
864.762	3d ⁹ 4p	³ F ₃ [°]	3d ⁹ 5s	³ D ₃	227 681.2	343 319.9	120	69
873.541	3d ⁹ 4p	³ P ₂ [°]	3d ⁹ 4d	³ F ₂	224 243.3	338 719.6	10	69
874.378	3d ⁹ 4p	³ F ₄ [°]	3d ⁹ 5s	³ D ₃	228 952.8	343 319.9	160	69
875.186	3d ⁹ 4p	³ P ₂ [°]	3d ⁹ 4d	³ F ₃	224 243.3	338 504.4	50	69
875.576	3d ⁹ 4p	¹ F ₃ [°]	3d ⁹ 5s	¹ D ₂	233 192.3	347 402.8	130	69
878.165	3d ⁹ 4p	³ F ₂ [°]	3d ⁹ 5s	³ D ₂	230 040.0	343 912.7	110	69
880.451	3d ⁹ 4p	¹ D ₂ [°]	3d ⁹ 5s	¹ D ₂	233 824.7	347 402.8	80	69
882.769	3d ⁹ 4p	³ F ₂ [°]	3d ⁹ 5s	³ D ₃	230 040.0	343 319.9	1	69
884.464	3d ⁹ 4p	¹ D ₂ [°]	3d ⁹ 5s	³ D ₁	233 824.7	346 887.6	70	69
889.180	3d ⁹ 4p	³ D ₃ [°]	3d ⁹ 5s	¹ D ₂	234 939.5	347 402.8	110	69
897.673	3d ⁹ 4p	³ P ₁ [°]	3d ⁹ 4d	³ F ₂	227 320.4	338 719.6	50	69
900.166	3d ⁹ 4p	¹ P ₁ [°]	3d ⁹ 5s	¹ D ₂	236 311.9	347 402.8	100	69
901.261	3d ⁹ 4p	³ P ₂ [°]	3d ⁹ 4d	³ P ₁	224 243.3	335 199.3	80	69
903.179	3d ⁹ 4p	¹ F ₃ [°]	3d ⁹ 5s	³ D ₂	233 192.3	343 912.7	70	69
904.361	3d ⁹ 4p	¹ P ₁ [°]	3d ⁹ 5s	³ D ₁	236 311.9	346 887.6	50	69

TABLE 8. Spectral lines of Ga IV—Continued

Wavelength (Å)	Classification		Upper	Energy levels (cm ⁻¹)	Int.	References		
	Lower							
904.870	$3d^94p$	$^3P_1^o$	$3d^94d$	1D_2	227 320.4	337 833.8	110	69
905.012	$3d^94p$	$^3D_1^o$	$3d^95s$	1D_2	236 906.5	347 402.8	15	69
906.715	$3d^94p$	$^3P_2^o$	$3d^94d$	3G_3	224 243.3	334 532.0	8	69
907.834	$3d^94p$	$^3F_3^o$	$3d^94d$	1D_2	227 681.2	337 833.8	30	69
908.039	$3d^94p$	$^1F_3^o$	$3d^95s$	3D_3	233 192.3	343 319.9	130	69
908.367	$3d^94p$	$^1D_2^o$	$3d^95s$	3D_2	233 824.7	343 912.7	150	69
909.250	$3d^94p$	$^3D_1^o$	$3d^95s$	3D_1	236 906.5	346 887.6	100	69
909.549	$3d^94p$	$^3D_2^o$	$3d^95s$	1D_2	237 458.0	347 402.8	130	69
911.406	$3d^94p$	$^3P_2^o$	$3d^94d$	3D_3	224 243.3	333 964.2	150	69
912.302	$3d^94p$	$^3P_1^o$	$3d^94d$	3D_1	227 320.4	336 933.8	90	69
912.809	$3d^94p$	$^3F_4^o$	$3d^94d$	3F_3	228 952.8	338 504.4	25	69
913.280	$3d^94p$	$^1D_2^o$	$3d^95s$	3D_3	233 824.7	343 319.9	3	69
913.834	$3d^94p$	$^3D_2^o$	$3d^95s$	3D_1	237 458.0	346 887.6	70	69
916.516	$3d^94p$	$^3F_3^o$	$3d^94d$	3F_4	227 681.2	336 790.0	60	69
917.658	$3d^94p$	$^3D_3^o$	$3d^95s$	3D_2	234 939.5	343 912.7	70	69
918.281	$3d^94p$	$^3F_3^o$	$3d^94d$	1F_3	227 681.2	336 581.6	100	69
920.138	$3d^94p$	$^3F_2^o$	$3d^94d$	3F_2	230 040.0	338 719.6	110	69
920.953	$3d^94p$	$^3P_2^o$	$3d^94d$	1P_1	224 243.3	332 826.8	120	69
921.546	$3d^94p$	$^3P_2^o$	$3d^94d$	3P_2	224 243.3	332 757.5	150	69
921.973	$3d^94p$	$^3F_2^o$	$3d^94d$	3F_3	230 040.0	338 504.4	7	69
922.676	$3d^94p$	$^3D_3^o$	$3d^95s$	3D_3	234 939.5	343 319.9	110	69
926.970	$3d^94p$	$^3P_1^o$	$3d^94d$	3P_1	227 320.4	335 199.3	100	69
927.328	$3d^94p$	$^3F_4^o$	$3d^94d$	3F_4	228 952.8	336 790.0	70	69
927.702	$3d^94p$	$^3F_2^o$	$3d^94d$	1D_2	230 040.0	337 833.8	110	69
	$3d^94p$	$^3P_0^o$	$3d^94d$	3D_1	229 140.3	336 933.8	69	
929.120	$3d^94p$	$^3F_4^o$	$3d^94d$	1F_3	228 952.8	336 581.6	10	69
929.366	$3d^94p$	$^1P_1^o$	$3d^95s$	3D_2	236 311.9	343 912.7	40	69
929.965	$3d^94p$	$^3P_1^o$	$3d^94d$	3D_2	227 320.4	334 851.3	120	69
933.099	$3d^94p$	$^3F_3^o$	$3d^94d$	3D_2	227 681.2	334 851.3	90	69
933.862	$3d^94p$	$^3P_1^o$	$3d^94d$	3P_0	227 320.4	334 403.3	100	69
934.529	$3d^94p$	$^3D_1^o$	$3d^95s$	3D_2	236 906.5	343 912.7	50	69
935.513	$3d^94p$	$^3F_2^o$	$3d^94d$	3D_1	230 040.0	336 933.8	90	69
935.888	$3d^94p$	$^3F_3^o$	$3d^94d$	3G_3	227 681.2	334 532.0	120	69
	$3d^94p$	$^3F_3^o$	$3d^94d$	1G_4	227 681.2	334 527.6	69	
938.602	$3d^94p$	$^3F_2^o$	$3d^94d$	1F_3	230 040.0	336 581.6	130	69
940.888	$3d^94p$	$^3F_3^o$	$3d^94d$	3D_3	227 681.2	333 964.2	110	69
942.877	$3d^94p$	$^3P_0^o$	$3d^94d$	3P_1	229 140.3	335 199.3	100	69
944.629	$3d^94p$	$^3D_2^o$	$3d^95s$	3D_3	237 458.0	343 319.9	10	69
947.202	$3d^94p$	$^3F_4^o$	$3d^94d$	3G_3	228 952.8	334 532.0	130	69
	$3d^94p$	$^3F_4^o$	$3d^94d$	1G_4	228 952.8	334 527.6	69	
947.621	$3d^94p$	$^1F_3^o$	$3d^94d$	3F_2	233 192.3	338 719.6	90	69
947.821	$3d^94p$	$^3P_1^o$	$3d^94d$	1P_1	227 320.4	332 826.8	120	69
948.438	$3d^94p$	$^3P_1^o$	$3d^94d$	3P_2	227 320.4	332 757.5	80	69
949.558	$3d^94p$	$^1F_3^o$	$3d^94d$	3F_3	233 192.3	338 504.4	120	69
950.946	$3d^94p$	$^3F_2^o$	$3d^94d$	3P_1	230 040.0	335 199.3	1	69
951.696	$3d^94p$	$^3F_3^o$	$3d^94d$	3P_2	227 681.2	332 757.5	90	69
951.935	$3d^94p$	$^3F_3^o$	$3d^94d$	3G_4	227 681.2	332 730.5	200	69
952.283	$3d^94p$	$^3F_4^o$	$3d^94d$	3D_3	228 952.8	333 964.2	120	69
953.335	$3d^94p$	$^1D_2^o$	$3d^94d$	3F_2	233 824.7	338 719.6	90	69
954.089	$3d^94p$	$^3F_2^o$	$3d^94d$	3D_2	230 040.0	334 851.3	110	69
955.293	$3d^94p$	$^1D_2^o$	$3d^94d$	3F_3	233 824.7	338 504.4	50	69

TABLE 8. Spectral lines of Ga IV—Continued

Wavelength (Å)	Classification			Energy levels (cm ⁻¹)	Int.	References		
	Lower		Upper					
955.643	3d ⁹ 4p	¹ F ₃ ^o	3d ⁹ 4d	¹ D ₂	233 192.3	337 833.8	40	69
956.755	3d ⁹ 4p	³ P ₂ ^o	3d ⁹ 4d	³ S ₁	224 243.3	328 763.7	160	69
957.012	3d ⁹ 4p	³ F ₂ ^o	3d ⁹ 4d	³ G ₃	230 040.0	334 532.0	150	69
961.462	3d ⁹ 4p	¹ D ₂ ^o	3d ⁹ 4d	¹ D ₂	233 824.7	337 833.8	5	69
962.236	3d ⁹ 4p	³ F ₂ ^o	3d ⁹ 4d	³ D ₃	230 040.0	333 964.2	30	69
963.597	3d ⁹ 4p	³ F ₄ ^o	3d ⁹ 4d	³ G ₄	228 952.8	332 730.5	100	69
964.446	3d ⁹ 4p	³ P ₀ ^o	3d ⁹ 4d	¹ P ₁	229 140.3	332 826.8	30	69
965.237	3d ⁹ 4p	³ F ₄ ^o	3d ⁹ 4d	³ G ₅	228 952.8	332 554.3	200	69
965.574	3d ⁹ 4p	³ D ₃ ^o	3d ⁹ 4d	³ F ₃	234 939.5	338 504.4	120	69
967.216	3d ⁹ 4p	¹ F ₃ ^o	3d ⁹ 4d	¹ F ₃	233 192.3	336 581.6	80	69
972.891	3d ⁹ 4p	³ F ₂ ^o	3d ⁹ 4d	¹ P ₁	230 040.0	332 826.8	70	69
973.164	3d ⁹ 4p	¹ D ₂ ^o	3d ⁹ 4d	¹ F ₃	233 824.7	336 581.6	130	69
973.563	3d ⁹ 4p	³ F ₂ ^o	3d ⁹ 4d	³ P ₂	230 040.0	332 757.5	10	69
976.486	3d ⁹ 4p	¹ P ₁ ^o	3d ⁹ 4d	³ F ₂	236 311.9	338 719.6	120	69
981.820	3d ⁹ 4p	³ D ₃ ^o	3d ⁹ 4d	³ F ₄	234 939.5	336 790.0	150	69
982.189	3d ⁹ 4p	³ D ₁ ^o	3d ⁹ 4d	³ F ₂	236 906.5	338 719.6	70	69
983.838	3d ⁹ 4p	³ D ₃ ^o	3d ⁹ 4d	¹ F ₃	234 939.5	336 581.6	60	69
985.003	3d ⁹ 4p	¹ P ₁ ^o	3d ⁹ 4d	¹ D ₂	236 311.9	337 833.8	7	69
985.773	3d ⁹ 4p	³ P ₁ ^o	3d ⁹ 4d	³ S ₁	227 320.4	328 763.7	110	69
986.436	3d ⁹ 4p	¹ D ₂ ^o	3d ⁹ 4d	³ P ₁	233 824.7	335 199.3	10	69
986.817	3d ⁹ 4p	¹ F ₃ ^o	3d ⁹ 4d	³ G ₃	233 192.3	334 532.0	140	69
	3d ⁹ 4p	¹ F ₃ ^o	3d ⁹ 4d	¹ G ₄	233 192.3	334 527.6	69	
987.529	3d ⁹ 4p	³ D ₂ ^o	3d ⁹ 4d	³ F ₂	237 458.0	338 719.6	120	69
989.635	3d ⁹ 4p	³ D ₂ ^o	3d ⁹ 4d	³ F ₃	237 458.0	338 504.4	160	69
989.833	3d ⁹ 4p	¹ D ₂ ^o	3d ⁹ 4d	³ D ₂	233 824.7	334 851.3	160	69
990.805	3d ⁹ 4p	³ D ₁ ^o	3d ⁹ 4d	¹ D ₂	236 906.5	337 833.8	140	69
992.338	3d ⁹ 4p	¹ F ₃ ^o	3d ⁹ 4d	³ D ₃	233 192.3	333 964.2	130	69
992.970	3d ⁹ 4p	¹ D ₂ ^o	3d ⁹ 4d	³ G ₃	233 824.7	334 532.0	150	69
993.813	3d ⁹ 4p	¹ P ₁ ^o	3d ⁹ 4d	³ D ₁	236 311.9	336 933.8	120	69
996.249	3d ⁹ 4p	³ D ₂ ^o	3d ⁹ 4d	¹ D ₂	237 458.0	337 833.8	110	69
998.606	3d ⁹ 4p	¹ D ₂ ^o	3d ⁹ 4d	³ D ₃	233 824.7	333 964.2	30	69
999.723	3d ⁹ 4p	³ D ₁ ^o	3d ⁹ 4d	³ D ₁	236 906.5	336 933.8	90	69
1003.759	3d ⁹ 4p	³ P ₀ ^o	3d ⁹ 4d	³ S ₁	229 140.3	328 763.7	90	69
1004.125	3d ⁹ 4p	³ D ₃ ^o	3d ⁹ 4d	³ G ₃	234 939.5	334 532.0	130	69
	3d ⁹ 4p	³ D ₃ ^o	3d ⁹ 4d	¹ G ₄	234 939.5	334 527.6	69	
1004.365	3d ⁹ 4p	¹ F ₃ ^o	3d ⁹ 4d	³ P ₂	233 192.3	332 757.5	120	69
1004.639	3d ⁹ 4p	¹ F ₃ ^o	3d ⁹ 4d	³ G ₄	233 192.3	332 730.5	90	69
1005.264	3d ⁹ 4p	³ D ₂ ^o	3d ⁹ 4d	³ D ₁	237 458.0	336 933.8	80	69
1008.837	3d ⁹ 4p	³ D ₂ ^o	3d ⁹ 4d	¹ F ₃	237 458.0	336 581.6	100	69
1010.789	3d ⁹ 4p	¹ D ₂ ^o	3d ⁹ 4d	³ P ₂	233 824.7	332 757.5	15	69
1011.247	3d ⁹ 4p	¹ P ₁ ^o	3d ⁹ 4d	³ P ₁	236 311.9	335 199.3	110	69
1012.925	3d ⁹ 4p	³ F ₂ ^o	3d ⁹ 4d	³ S ₁	230 040.0	328 763.7	2	69
1014.848	3d ⁹ 4p	¹ P ₁ ^o	3d ⁹ 4d	³ D ₂	236 311.9	334 851.3	150	69
1017.366	3d ⁹ 4p	³ D ₁ ^o	3d ⁹ 4d	³ P ₁	236 906.5	335 199.3	100	69
1020.983	3d ⁹ 4p	³ D ₁ ^o	3d ⁹ 4d	³ D ₂	236 906.5	334 851.3	40	69
1022.289	3d ⁹ 4p	³ D ₃ ^o	3d ⁹ 4d	³ P ₂	234 939.5	332 757.5	120	69
1022.586	3d ⁹ 4p	³ D ₃ ^o	3d ⁹ 4d	³ G ₄	234 939.5	332 730.5	7	69
1023.104	3d ⁹ 4p	³ D ₂ ^o	3d ⁹ 4d	³ P ₁	237 458.0	335 199.3	100	69
1025.646	3d ⁹ 4p	³ D ₁ ^o	3d ⁹ 4d	³ P ₀	236 906.5	334 403.3	60	69
1026.768	3d ⁹ 4p	³ D ₂ ^o	3d ⁹ 4d	³ D ₂	237 458.0	334 851.3	80	69
1036.108	3d ⁹ 4p	¹ P ₁ ^o	3d ⁹ 4d	¹ P ₁	236 311.9	332 826.8	100	69

TABLE 8. Spectral lines of Ga IV—Continued

Wavelength (Å)	Classification		Energy levels (cm ⁻¹)	Int.	References	
	Lower	Upper				
1042.531	$3d^94p$	${}^3D_1^{\circ}$	$3d^94d$	1P_1	236 906.5 332 826.8	70 69
1043.301	$3d^94p$	${}^3D_1^{\circ}$	$3d^94d$	3P_2	236 906.5 332 757.5	1 69
1048.565	$3d^94p$	${}^3D_2^{\circ}$	$3d^94d$	1P_1	237 458.0 332 826.8	3 69
1049.316	$3d^94p$	${}^3D_2^{\circ}$	$3d^94d$	3P_2	237 458.0 332 757.5	7 69
1053.307	$3d^94p$	${}^1D_2^{\circ}$	$3d^94d$	3S_1	233 824.7 328 763.7	15 69
1081.641	$3d^94p$	${}^1P_1^{\circ}$	$3d^94d$	3S_1	236 311.9 328 763.7	7 69
1088.598	$3d^94p$	${}^3D_1^{\circ}$	$3d^94d$	3S_1	236 906.5 328 763.7	8 69
1095.202	$3d^94p$	${}^3D_2^{\circ}$	$3d^94d$	3S_1	237 458.0 328 763.7	13 69
1137.063	$3d^94s$	3D_3	$3d^94p$	${}^3D_2^{\circ}$	149 512.1 237 458.0	60 69
1156.187	$3d^94s$	3D_2	$3d^94p$	${}^3D_2^{\circ}$	150 967.0 237 458.0	110 69
1163.607	$3d^94s$	3D_2	$3d^94p$	${}^3D_1^{\circ}$	150 967.0 236 906.5	100 69
1170.586	$3d^94s$	3D_3	$3d^94p$	${}^3D_3^{\circ}$	149 512.1 234 939.5	220 69
1171.715	$3d^94s$	3D_2	$3d^94p$	${}^1P_1^{\circ}$	150 967.0 236 311.9	10 69
1185.225	$3d^94s$	3D_1	$3d^94p$	${}^3D_2^{\circ}$	153 085.9 237 458.0	160 69
1186.062	$3d^94s$	3D_3	$3d^94p$	${}^1D_2^{\circ}$	149 512.1 233 824.7	25 69
1190.863	$3d^94s$	3D_2	$3d^94p$	${}^3D_3^{\circ}$	150 967.0 234 939.5	220 69
1193.026	$3d^94s$	3D_1	$3d^94p$	${}^3D_1^{\circ}$	153 085.9 236 906.5	180 69
1195.026	$3d^94s$	3D_3	$3d^94p$	${}^1F_3^{\circ}$	149 512.1 233 192.3	250 69
1201.549	$3d^94s$	3D_1	$3d^94p$	${}^1P_1^{\circ}$	153 085.9 236 311.9	110 69
1206.890	$3d^94s$	3D_2	$3d^94p$	${}^1D_2^{\circ}$	150 967.0 233 824.7	260 69
1216.172	$3d^94s$	3D_2	$3d^94p$	${}^1F_3^{\circ}$	150 967.0 233 192.3	40 69
1228.002	$3d^94s$	1D_2	$3d^94p$	${}^3D_2^{\circ}$	156 024.7 237 458.0	600 69
1236.375	$3d^94s$	1D_2	$3d^94p$	${}^3D_1^{\circ}$	156 024.7 236 906.5	150 69
1238.560	$3d^94s$	3D_1	$3d^94p$	${}^1D_2^{\circ}$	153 085.9 233 824.7	200 69
1241.803	$3d^94s$	3D_3	$3d^94p$	${}^3F_2^{\circ}$	149 512.1 230 040.0	40 69
1245.528	$3d^94s$	1D_2	$3d^94p$	${}^1P_1^{\circ}$	156 024.7 236 311.9	600 69
1258.800	$3d^94s$	3D_3	$3d^94p$	${}^3F_4^{\circ}$	149 512.1 228 952.8	1000 69
1264.648	$3d^94s$	3F_2	$3d^94p$	${}^3F_2^{\circ}$	150 967.0 230 040.0	300 69
1267.186	$3d^94s$	1D_2	$3d^94p$	${}^3D_3^{\circ}$	156 024.7 234 939.5	350 69
1279.275	$3d^94s$	3D_3	$3d^94p$	${}^3F_3^{\circ}$	149 512.1 227 681.2	300 69
1285.347	$3d^94s$	1D_2	$3d^94p$	${}^1D_2^{\circ}$	156 024.7 233 824.7	300 69
1295.878	$3d^94s$	1D_2	$3d^94p$	${}^1F_3^{\circ}$	156 024.7 233 192.3	650 69
1299.478	$3d^94s$	3D_1	$3d^94p$	${}^3F_2^{\circ}$	153 085.9 230 040.0	600 69
1303.539	$3d^94s$	3D_2	$3d^94p$	${}^3F_3^{\circ}$	150 967.0 227 681.2	1000 69
1309.699	$3d^94s$	3D_2	$3d^94p$	${}^3P_1^{\circ}$	150 967.0 227 320.4	500 69
1314.849	$3d^94s$	3D_1	$3d^94p$	${}^3P_0^{\circ}$	153 085.9 229 140.3	650 69
1338.128	$3d^94s$	3D_3	$3d^94p$	${}^3P_2^{\circ}$	149 512.1 224 243.3	1000 69
1347.082	$3d^94s$	3D_1	$3d^94p$	${}^3P_1^{\circ}$	153 085.9 227 320.4	250 69
1351.075	$3d^94s$	1D_2	$3d^94p$	${}^3F_2^{\circ}$	156 024.7 230 040.0	150 69
1364.698	$3d^94s$	3D_2	$3d^94p$	${}^3P_2^{\circ}$	150 967.0 224 243.3	200 69
1368.497	$3d^94d$	3S_1	$3d^94f$	$(3/2, 7/2)_2^{\circ}$	328 763.7 401 836.6	6 69
1395.549	$3d^94s$	1D_2	$3d^94p$	${}^3F_3^{\circ}$	156 024.7 227 681.2	450 69
1402.630	$3d^94s$	1D_2	$3d^94p$	${}^3P_1^{\circ}$	156 024.7 227 320.4	200 69
1405.337	$3d^94s$	3D_1	$3d^94p$	${}^3P_2^{\circ}$	153 085.9 224 243.3	80 69
1437.687	$3d^94d$	3S_1	$3d^94f$	$(5/2, 7/2)_2^{\circ}$	328 763.7 398 319.7	50 69
1439.659	$3d^94d$	3G_4	$3d^94f$	$(3/2, 7/2)_5^{\circ}$	332 730.5 402 191.0	5 69
1443.429	$3d^94d$	3S_1	$3d^94f$	$(5/2, 5/2)_1^{\circ}$	328 763.7 398 043.0	55 69
1446.759	$3d^94d$	3S_1	$3d^94f$	$(5/2, 5/2)_0^{\circ}$	328 763.7 397 883.9	30 69
1451.918	$3d^94d$	3D_3	$3d^94f$	$(3/2, 7/2)_4^{\circ}$	333 964.2 402 838.6	1 69
1463.857	$3d^94d$	3G_3	$3d^94f$	$(3/2, 5/2)_3^{\circ}$	334 532.0 402 844.6	25 69
1465.587	$3d^94d$	3D_3	$3d^94f$	$(3/2, 5/2)_4^{\circ}$	333 964.2 402 196.0	1 69

TABLE 8. Spectral lines of Ga IV—Continued

Wavelength (Å)	Classification		Upper	Energy levels (cm ⁻¹)	Int.	References		
	Lower							
1465.871	$3d^94s$	1D_2	$3d^94p$	3P_2	156 024.7	224 243.3	150	69
1471.667	$3d^94d$	3P_0	$3d^94f$	$(3/2, 5/2)_1^o$	334 403.3	402 353.4	20	69
1476.754	$3d^94d$	3D_2	$3d^94f$	$(3/2, 7/2)_3^o$	334 851.3	402 567.4	20	69
1477.896	$3d^94d$	3G_3	$3d^94f$	$(3/2, 5/2)_4^o$	334 532.0	402 196.0	60	69
	$3d^94d$	1G_4	$3d^94f$	$(3/2, 7/2)_5^o$	334 527.6	402 191.0		69
1489.116	$3d^94d$	3P_1	$3d^94f$	$(3/2, 5/2)_1^o$	335 199.3	402 353.4	40	69
1492.856	$3d^94d$	3D_2	$3d^94f$	$(3/2, 7/2)_2^o$	334 851.3	401 836.6	25	69
1500.662	$3d^94d$	3P_1	$3d^94f$	$(3/2, 7/2)_2^o$	335 199.3	401 836.6	110	69
1501.015	$3d^94d$	3G_5	$3d^94f$	$(5/2, 7/2)_5^o$	332 554.3	399 175.9	100	69
1509.141	$3d^94d$	1F_3	$3d^94f$	$(3/2, 5/2)_3^o$	336 581.6	402 844.6	40	69
1509.275	$3d^94d$	1F_3	$3d^94f$	$(3/2, 7/2)_4^o$	336 581.6	402 838.6	10	69
1511.232	$3d^94d$	3P_2	$3d^94f$	$(5/2, 7/2)_1^o$	332 757.5	398 927.7	8	69
1512.020	$3d^94d$	3G_4	$3d^94f$	$(5/2, 7/2)_3^o$	332 730.5	398 866.0	8	69
1512.665	$3d^94d$	3P_2	$3d^94f$	$(5/2, 7/2)_3^o$	332 757.5	398 866.0	110	69
1512.837	$3d^94d$	1P_1	$3d^94f$	$(5/2, 7/2)_1^o$	332 826.8	398 927.7	80	69
1512.989	$3d^94d$	3P_2	$3d^94f$	$(5/2, 5/2)_2^o$	332 757.5	398 851.5	60	69
1514.049	$3d^94d$	3F_4	$3d^94f$	$(3/2, 7/2)_4^o$	336 790.0	402 838.6	40	69
1516.710	$3d^94d$	3G_5	$3d^94f$	$(5/2, 7/2)_6^o$	332 554.3	398 486.2	130	69
1520.673	$3d^94d$	3G_4	$3d^94f$	$(5/2, 5/2)_5^o$	332 730.5	398 489.8	100	69
1524.081	$3d^94d$	1F_3	$3d^94f$	$(3/2, 5/2)_4^o$	336 581.6	402 196.0	110	69
	$3d^94d$	3D_1	$3d^94f$	$(3/2, 5/2)_2^o$	336 933.8	402 546.1		69
1525.268	$3d^94d$	3P_2	$3d^94f$	$(5/2, 7/2)_2^o$	332 757.5	398 319.7	80	69
1526.886	$3d^94d$	1P_1	$3d^94f$	$(5/2, 7/2)_2^o$	332 826.8	398 319.7	15	69
1528.594	$3d^94d$	3D_1	$3d^94f$	$(3/2, 5/2)_1^o$	336 933.8	402 353.4	25	69
1529.036	$3d^94d$	3F_4	$3d^94f$	$(3/2, 7/2)_5^o$	336 790.0	402 191.0	110	69
1531.744	$3d^94d$	3P_2	$3d^94f$	$(5/2, 5/2)_1^o$	332 757.5	398 043.0	50	69
1532.788	$3d^94d$	3D_3	$3d^94f$	$(5/2, 5/2)_3^o$	333 964.2	399 205.0	25	69
1533.701	$3d^94d$	3D_3	$3d^94f$	$(5/2, 7/2)_4^o$	333 964.2	399 165.8	50	69
1537.106	$3d^94d$	1P_1	$3d^94f$	$(5/2, 5/2)_0^o$	332 826.8	397 883.9	5	69
1538.209	$3d^94d$	1D_2	$3d^94f$	$(3/2, 5/2)_3^o$	337 833.8	402 844.6	25	69
1540.788	$3d^94d$	3D_3	$3d^94f$	$(5/2, 7/2)_3^o$	333 964.2	398 866.0	50	69
1544.786	$3d^94d$	1D_2	$3d^94f$	$(3/2, 7/2)_3^o$	337 833.8	402 567.4	100	69
1545.308	$3d^94d$	1D_2	$3d^94f$	$(3/2, 5/2)_2^o$	337 833.8	402 546.1	5	69
1546.249	$3d^94d$	3G_3	$3d^94f$	$(5/2, 5/2)_3^o$	334 532.0	399 205.0	70	69
1546.816	$3d^94d$	3G_3	$3d^94f$	$(5/2, 5/2)_4^o$	334 532.0	399 181.0	200	69
	$3d^94d$	1G_4	$3d^94f$	$(5/2, 7/2)_5^o$	334 527.6	399 175.9		69
1547.068	$3d^94d$	1G_4	$3d^94f$	$(5/2, 7/2)_4^o$	334 527.6	399 165.8	70	69
1549.804	$3d^94d$	3P_0	$3d^94f$	$(5/2, 7/2)_1^o$	334 403.3	398 927.7	40	69
1553.909	$3d^94d$	3D_2	$3d^94f$	$(5/2, 5/2)_3^o$	334 851.3	399 205.0	150	69
1554.384	$3d^94d$	3F_3	$3d^94f$	$(3/2, 7/2)_4^o$	338 504.4	402 838.6	100	69
1559.457	$3d^94d$	3F_2	$3d^94f$	$(3/2, 5/2)_3^o$	338 719.6	402 844.6	70	69
1560.974	$3d^94d$	3F_3	$3d^94f$	$(3/2, 7/2)_3^o$	338 504.4	402 567.4	40	69
1562.146	$3d^94d$	3D_2	$3d^94f$	$(5/2, 7/2)_3^o$	334 851.3	398 866.0	40	69
1562.432	$3d^94d$	1D_2	$3d^94f$	$(3/2, 7/2)_2^o$	337 833.8	401 836.6	30	69
1562.497	$3d^94d$	3D_2	$3d^94f$	$(5/2, 5/2)_2^o$	334 851.3	398 851.5	70	69
1563.396	$3d^94d$	1G_4	$3d^94f$	$(5/2, 5/2)_5^o$	334 527.6	398 489.8	20	69
1566.221	$3d^94d$	3F_2	$3d^94f$	$(3/2, 7/2)_3^o$	338 719.6	402 567.4	40	69
1566.742	$3d^94d$	3F_2	$3d^94f$	$(3/2, 5/2)_2^o$	338 719.6	402 546.1	30	69
1567.705	$3d^94d$	3G_3	$3d^94f$	$(5/2, 7/2)_2^o$	334 532.0	398 319.7	6	69
1571.341	$3d^94d$	3P_0	$3d^94f$	$(5/2, 5/2)_1^o$	334 403.3	398 043.0	8	69
1571.485	$3d^94d$	3F_2	$3d^94f$	$(3/2, 5/2)_1^o$	338 719.6	402 353.4	5	69

TABLE 8. Spectral lines of Ga IV—Continued

Wavelength (Å)	Classification				Energy levels (cm ⁻¹)	Int.	References	
	Lower		Upper					
1575.586	$3d^94d$	3D_2	$3d^94f$	$(5/2, 7/2)_2^o$	334 851.3	398 319.7	13	69
1578.980	$3d^94d$	3F_3	$3d^94f$	$(3/2, 7/2)_2^o$	338 504.4	401 836.6	3	69
1582.474	$3d^94d$	3D_2	$3d^94f$	$(5/2, 5/2)_1^o$	334 851.3	398 043.0	1	69
1584.267	$3d^94d$	3P_1	$3d^94f$	$(5/2, 7/2)_2^o$	335 199.3	398 319.7	3	69
1584.356	$3d^94d$	3F_2	$3d^94f$	$(3/2, 7/2)_2^o$	338 719.6	401 836.6	12	69
1595.283	$3d^94d$	3P_1	$3d^94f$	$(5/2, 5/2)_0^o$	335 199.3	397 883.9	5	69
1596.847	$3d^94d$	1F_3	$3d^94f$	$(5/2, 5/2)_3^o$	336 581.6	399 205.0	25	69
1597.454	$3d^94d$	1F_3	$3d^94f$	$(5/2, 5/2)_4^o$	336 581.6	399 181.0	35	69
1619.757	$3d^94d$	1F_3	$3d^94f$	$(5/2, 7/2)_2^o$	336 581.6	398 319.7	6	69
1629.426	$3d^94d$	1D_2	$3d^94f$	$(5/2, 5/2)_3^o$	337 833.8	399 205.0	20	69
1638.483	$3d^94d$	1D_2	$3d^94f$	$(5/2, 7/2)_3^o$	337 833.8	398 866.0	5	69
1638.876	$3d^94d$	1D_2	$3d^94f$	$(5/2, 5/2)_2^o$	337 833.8	398 851.5	8	69
1647.429	$3d^94d$	3F_3	$3d^94f$	$(5/2, 5/2)_3^o$	338 504.4	399 205.0	1	69
1648.085	$3d^94d$	3F_3	$3d^94f$	$(5/2, 5/2)_4^o$	338 504.4	399 181.0	8	69
1648.491	$3d^94d$	3F_3	$3d^94f$	$(5/2, 7/2)_4^o$	338 504.4	399 165.8	3	69
1653.290	$3d^94d$	3F_2	$3d^94f$	$(5/2, 5/2)_3^o$	338 719.6	399 205.0	17	69
1663.013	$3d^94d$	3F_2	$3d^94f$	$(5/2, 5/2)_2^o$	338 719.6	398 851.5	10	69
1677.849	$3d^94d$	3F_2	$3d^94f$	$(5/2, 7/2)_2^o$	338 719.6	398 319.7	5	69

TABLE 9. Energy levels of Ga V

Configuration	Term	J	Level (cm ⁻¹)			Leading percentages			
$3d^9$	2D	$5/2$	0			2F	69		
		$3/2$	3 583						
$3d^8(^3F)4s$	4F	$9/2$	210 052			4F	69		
		$7/2$	212 121						
		$5/2$	214 000						
		$3/2$	215 237						
$3d^8(^3F)4s$	2F	$7/2$	218 301			2D	69		
		$5/2$	221 488						
$3d^8(^1D)4s$	2D	$5/2$	231 711			4P	69		
		$3/2$	232 968						
$3d^8(^3P)4s$	4P	$3/2$	235 609			2D	69		
		$1/2$	235 752						
		$5/2$	236 072						
$3d^8(^3P)4s$	2P	$3/2$	242 026			2D	69		
		$1/2$	243 053						
$3d^8(^1G)4s$	2G	$9/2$	246 093			2G	69		
		$7/2$	246 133						
$3d^8(^3F)4p$	$^4D^\circ$	$7/2$	296 992			$^4D^\circ$	69		
		$5/2$	300 144						
		$3/2$	302 499						
		$1/2$	303 911						
$3d^8(^3F)4p$	$^4G^\circ$	$9/2$	300 730			$^2G^\circ$	69		
		$11/2$	302 217						

TABLE 9. Energy levels of Ga V—Continued

Configuration	Term	J	Level (cm ⁻¹)		Leading percentages
		7/2	302 779	78	+12
		5/2	304 272	90	+6
3d ⁸ (³ F)4p	⁴ F°	9/2	305 249	81	+13
		7/2	306 628	65	+20
		5/2	307 745	73	+11
		3/2	307 864	74	+15
3d ⁸ (³ F)4p	² G°	9/2	306 947	63	+34
		7/2	309 679	57	+31
3d ⁸ (³ F)4p	² D°	5/2	309 616	68	+14
		3/2	311 991	64	+21
3d ⁸ (³ F)4p	² F°	7/2	310 267	46	+32
		5/2	313 088	77	+12
3d ⁸ (³ P)4p	⁴ P°	3/2	319 570	77	+9
		5/2	320 093	73	+12
		1/2	320 429	92	+5
3d ⁸ (¹ D)4p	² F°	5/2	322 388	75	+13
		7/2	324 407	76	+11
3d ⁸ (¹ D)4p	² D°	3/2	324 314	45	+17
		5/2	325 713	77	+10
3d ⁸ (¹ D)4p	² P°	1/2	324 874	61	+29
		3/2	326 549	51	+32
3d ⁸ (³ P)4p	⁴ D°	5/2	329 103	66	+18
		1/2	329 108	88	+8
		3/2	329 112	80	+6
		7/2	330 174	81	+10
3d ⁸ (³ P)4p	² D°	5/2	332 473	72	+22
		3/2	333 929	81	+8
3d ⁸ (¹ G)4p	² H°	9/2	332 600	98	
		11/2	334 765	100	
3d ⁸ (³ P)4p	² P°	3/2	332 707	71	+15
		1/2	335 605	63	+25
3d ⁸ (¹ G)4p	² F°	7/2	335 089	75	+17
		5/2	336 909	86	+8
3d ⁸ (³ P)4p	² S°	1/2	337 491	90	+6
3d ⁸ (³ P)4p	⁴ S°	3/2	337 690	98	
3d ⁸ (¹ G)4p	² G°	7/2	344 200	98	
		9/2	344 668	98	
3d ⁸ (³ F ₄)4f	(4,7/2)°	3/2	519 872	95	
		7/2	520 289	57	+39
		5/2	520 375	78	+14
3d ⁸ (³ F ₃)4f	(3,5/2)°	3/2	522 704	97	
		5/2	523 286	87	+6
		7/2	523 286 ?	95	
3d ⁸ (³ F ₃)4f	(3,7/2)°	5/2	522 873	84	+6
		3/2	522 966 ?	91	+6

TABLE 9. Energy levels of Ga V—Continued

Configuration	Term	<i>J</i>	Level (cm ⁻¹)			Leading percentages	
$3d^8(^3F_2)4f$	$(2,5/2)^\circ$	1/2	524 631	95			
		3/2	525 335	81	+8		$(2,7/2)^\circ$
		5/2	525 651	74	+16		$(2,7/2)^\circ$
$3d^8(^3F_2)4f$	$(2,7/2)^\circ$	7/2	525 362	51	+43		$(2,5/2)^\circ$
$3d^8(^1D_2)4f$	$(2,7/2)^\circ$	7/2	540 246	71	+21	$3d^8(^3P_2)4f$	$(2,7/2)^\circ$
		5/2	540 517	63	+19	$3d^8(^3P_2)4f$	$(2,7/2)^\circ$
$3d^8(^1D_2)4f$	$(2,5/2)^\circ$	3/2	540 357	46	+21	$3d^8(^3P_2)4f$	$(2,5/2)^\circ$
$3d^8(^3P_2)4f$	$(2,5/2)^\circ$	5/2	544 401	29	+31	$3d^8(^3P_1)4f$	$(1,7/2)^\circ$
		7/2	544 950	38	+28		$(2,7/2)^\circ$
$3d^8(^3P_2)4f$	$(2,7/2)^\circ$	5/2	545 735	44	+17	$3d^8(^1D_2)4f$	$(2,7/2)^\circ$
		3/2	546 448 ?	43	+23	$3d^8(^3P_1)4f$	$(1,5/2)^\circ$
$3d^8(^3P_1)4f$	$(1,5/2)^\circ$	7/2	545 926	78	+15	$3d^8(^3P_2)4f$	$(2,5/2)^\circ$
$3d^8(^3P_1)4f$	$(1,7/2)^\circ$	5/2	546 268	47	+24	$3d^8(^3P_2)4f$	$(2,7/2)^\circ$
$3d^8(^3P_0)4f$	$(0,7/2)^\circ$	7/2	546 687	66	+11	$3d^8(^3P_2)4f$	$(2,7/2)^\circ$
$3d^8(^3P_0)4f$	$(0,5/2)^\circ$	5/2	546 801	44	+31	$3d^8(^3P_1)4f$	$(1,5/2)^\circ$
$3d^8(^1G_4)4f$	$(4,5/2)^\circ$	3/2	551 998	63	+36		$(4,7/2)^\circ$
		5/2	553 853	55	+45		$(4,7/2)^\circ$
$3d^8(^1G_4)4f$	$(4,7/2)^\circ$	1/2	552 156	99			
5/2	552 998	55	+45		$(4,5/2)^\circ$		
3/2	553 080	63	+36		$(4,5/2)^\circ$		
7/2	553 823	65	+35		$(4,5/2)^\circ$		
$3d^8(^1S_0)4f$	$(0,7/2)^\circ$	7/2	597 172	99			
$3d^8(^1S_0)4f$	$(0,5/2)^\circ$	5/2	597 358	99			
Ga VI (1S_0)	Limit	—	693 700				

TABLE 10. Spectral lines of Ga V

Wavelength (Å)	Classification				Energy levels (cm ⁻¹)	Int.	References	
	Lower		Upper					
167.456	$3d^9$	${}^2D_{5/2}$	$3d^8(^1S_0)4f$	$(0,7/2)^\circ$	0	597 172	40	47
168.414	$3d^9$	${}^2D_{3/2}$	$3d^8(^1S_0)4f$	$(0,5/2)^\circ$	3 583	597 358	30	47
180.563	$3d^9$	${}^2D_{5/2}$	$3d^8(^1G_4)4f$	$(4,7/2)^\circ$	0	553 823	90	47
180.805	$3d^9$	${}^2D_{5/2}$	$3d^8(^1G_4)4f$	$(4,7/2)^\circ$	0	553 080	20	47
180.833	$3d^9$	${}^2D_{5/2}$	$3d^8(^1G_4)4f$	$(4,7/2)^\circ$	0	552 998	330bl	47
181.160	$3d^9$	${}^2D_{5/2}$	$3d^8(^1G_4)4f$	$(4,5/2)^\circ$	0	551 998	150	47
181.729	$3d^9$	${}^2D_{3/2}$	$3d^8(^1G_4)4f$	$(4,5/2)^\circ$	3 583	553 853	70	47
181.985	$3d^9$	${}^2D_{3/2}$	$3d^8(^1G_4)4f$	$(4,7/2)^\circ$	3 583	553 080	120	47
182.010	$3d^9$	${}^2D_{3/2}$	$3d^8(^1G_4)4f$	$(4,7/2)^\circ$	3 583	552 998	15	47
182.291	$3d^9$	${}^2D_{3/2}$	$3d^8(^1G_4)4f$	$(4,7/2)^\circ$	3 583	552 156	120	47
182.882	$3d^9$	${}^2D_{5/2}$	$3d^8(^3P_0)4f$	$(0,5/2)^\circ$	0	546 801	20	47
182.920	$3d^9$	${}^2D_{5/2}$	$3d^8(^3P_0)4f$	$(0,7/2)^\circ$	0	546 687	80	47
183.175	$3d^9$	${}^2D_{5/2}$	$3d^8(^3P_1)4f$	$(1,5/2)^\circ$	0	545 926	70bl	47
183.239	$3d^9$	${}^2D_{5/2}$	$3d^8(^3P_2)4f$	$(2,7/2)^\circ$	0	545 735	5	47

TABLE 10. Spectral lines of Ga V—Continued

Wavelength (Å)	Classification				Energy levels (cm ⁻¹)	Int.	References	
	Lower		Upper					
183.503	3d ⁹	² D _{5/2}	3d ⁸ (³ P ₂)4f	(2, 5/2) [°] _{7/2}	0	544 950	240	47
183.688	3d ⁹	² D _{5/2}	3d ⁸ (³ P ₂)4f	(2, 5/2) [°] _{5/2}	0	544 401	10	47
184.208	3d ⁹	² D _{3/2}	3d ⁸ (³ P ₂)4f	(2, 7/2) [°] _{3/2}	3 583	546 448 ?	200bl	47
184.269	3d ⁹	² D _{3/2}	3d ⁸ (³ P ₁)4f	(1, 7/2) [°] _{5/2}	3 583	546 268	60	47
184.450	3d ⁹	² D _{3/2}	3d ⁸ (³ P ₂)4f	(2, 7/2) [°] _{5/2}	3 583	545 735	300	47
185.008	3d ⁹	² D _{5/2}	3d ⁸ (¹ D ₂)4f	(2, 7/2) [°] _{5/2}	0	540 517	110	47
185.101	3d ⁹	² D _{5/2}	3d ⁸ (¹ D ₂)4f	(2, 7/2) [°] _{7/2}	0	540 246	280bl	47
186.242	3d ⁹	² D _{3/2}	3d ⁸ (¹ D ₂)4f	(2, 7/2) [°] _{5/2}	3 583	540 517	10	47
186.298	3d ⁹	² D _{3/2}	3d ⁸ (¹ D ₂)4f	(2, 5/2) [°] _{3/2}	3 583	540 357	30	47
190.240	3d ⁹	² D _{5/2}	3d ⁸ (³ F ₂)4f	(2, 5/2) [°] _{5/2}	0	525 651	380bl	47
190.345	3d ⁹	² D _{5/2}	3d ⁸ (³ F ₂)4f	(2, 7/2) [°] _{7/2}	0	525 362	150bl	47
191.100	3d ⁹	² D _{5/2}	3d ⁸ (³ F ₃)4f	(3, 5/2) [°] _{5/2}	0	523 286	430	47
	3d ⁹	² D _{5/2}	3d ⁸ (³ F ₃)4f	(3, 5/2) [°] _{7/2}	0	523 286 ?		47
191.248	3d ⁹	² D _{5/2}	3d ⁸ (³ F ₃)4f	(3, 7/2) [°] _{5/2}	0	522 873	400	47
191.313	3d ⁹	² D _{5/2}	3d ⁸ (³ F ₃)4f	(3, 5/2) [°] _{3/2}	0	522 704	200	47
191.547	3d ⁹	² D _{3/2}	3d ⁸ (³ F ₂)4f	(2, 5/2) [°] _{5/2}	3 583	525 651	400bl	47
191.662	3d ⁹	² D _{3/2}	3d ⁸ (³ F ₂)4f	(2, 5/2) [°] _{3/2}	3 583	525 335	450	47
191.921	3d ⁹	² D _{3/2}	3d ⁸ (³ F ₂)4f	(2, 5/2) [°] _{1/2}	3 583	524 631	100	47
192.169	3d ⁹	² D _{5/2}	3d ⁸ (³ F ₄)4f	(4, 7/2) [°] _{5/2}	0	520 375	550bl	47
192.201	3d ⁹	² D _{5/2}	3d ⁸ (³ F ₄)4f	(4, 7/2) [°] _{7/2}	0	520 289	400	47
192.355	3d ⁹	² D _{5/2}	3d ⁸ (³ F ₄)4f	(4, 7/2) [°] _{3/2}	0	519 872	260	47
192.536	3d ⁹	² D _{3/2}	3d ⁸ (³ F ₃)4f	(3, 7/2) [°] _{3/2}	3 583	522 966 ?	130bl	47
192.571	3d ⁹	² D _{3/2}	3d ⁸ (³ F ₃)4f	(3, 7/2) [°] _{5/2}	3 583	522 873	150bl	47
290.524	3d ⁹	² D _{5/2}	3d ⁸ (¹ G)4p	² G [°] _{7/2}	0	344 200	60	17,16°
296.129	3d ⁹	² D _{5/2}	3d ⁸ (³ P)4p	⁴ S [°] _{3/2}	0	337 690	1	17
296.815	3d ⁹	² D _{5/2}	3d ⁸ (¹ G)4p	² F [°] _{5/2}	0	336 909	120	10,17,16°
298.428	3d ⁹	² D _{5/2}	3d ⁸ (¹ G)4p	² F [°] _{7/2}	0	335 089	1000	10,17,16°
299.466	3d ⁹	² D _{5/2}	3d ⁸ (³ P)4p	² D [°] _{3/2}	0	333 929	580	10,17,16°
299.486	3d ⁹	² D _{3/2}	3d ⁸ (³ P)4p	² S [°] _{1/2}	3 583	337 491	10	17
300.006	3d ⁹	² D _{3/2}	3d ⁸ (¹ G)4p	² F [°] _{5/2}	3 583	336 909	830	10,17,16°
300.564	3d ⁹	² D _{5/2}	3d ⁸ (³ P)4p	² P [°] _{3/2}	0	332 707	760	10,17,16°
300.774	3d ⁹	² D _{5/2}	3d ⁸ (³ P)4p	² D [°] _{5/2}	0	332 473	180	10,17,16°
301.187	3d ⁹	² D _{3/2}	3d ⁸ (³ P)4p	² P [°] _{1/2}	3 583	335 605	620	10,17,16°
302.718	3d ⁹	² D _{3/2}	3d ⁸ (³ P)4p	² D [°] _{3/2}	3 583	333 929	50	10,16°
302.871	3d ⁹	² D _{5/2}	3d ⁸ (³ P)4p	⁴ D [°] _{7/2}	0	330 174	360	17,16°
303.837	3d ⁹	² D _{3/2}	3d ⁸ (³ P)4p	² P [°] _{3/2}	3 583	332 707	650	10,17,16°
303.856	3d ⁹	² D _{5/2}	3d ⁸ (³ P)4p	⁴ D [°] _{5/2}	0	329 103	1	17
304.052	3d ⁹	² D _{3/2}	3d ⁸ (³ P)4p	² D [°] _{5/2}	3 583	332 473	100	10,17,16°
306.230	3d ⁹	² D _{5/2}	3d ⁸ (¹ D)4p	² P [°] _{3/2}	0	326 549	160	10,17,16°
307.016	3d ⁹	² D _{5/2}	3d ⁸ (¹ D)4p	² D [°] _{5/2}	0	325 713	890	10,17,16°
307.202	3d ⁹	² D _{3/2}	3d ⁸ (³ P)4p	⁴ D [°] _{5/2}	3 583	329 103	230	17,16°
308.253	3d ⁹	² D _{5/2}	3d ⁸ (¹ D)4p	² F [°] _{7/2}	0	324 407	600	10,17,16°
308.343	3d ⁹	² D _{5/2}	3d ⁸ (¹ D)4p	² D [°] _{3/2}	0	324 314	240	10,17,16°
309.627	3d ⁹	² D _{3/2}	3d ⁸ (¹ D)4p	² P [°] _{3/2}	3 583	326 549	240	10,17,16°
310.431	3d ⁹	² D _{3/2}	3d ⁸ (¹ D)4p	² D [°] _{5/2}	3 583	325 713	60	10,17,16°
311.242	3d ⁹	² D _{3/2}	3d ⁸ (¹ D)4p	² P [°] _{1/2}	3 583	324 874	20	17,16°
311.786	3d ⁹	² D _{3/2}	3d ⁸ (¹ D)4p	² D [°] _{3/2}	3 583	324 314	700	10,17,16°
312.412	3d ⁹	² D _{5/2}	3d ⁸ (³ P)4p	⁴ P [°] _{5/2}	0	320 093	360	10,17,16°
312.921	3d ⁹	² D _{5/2}	3d ⁸ (³ P)4p	⁴ P [°] _{3/2}	0	319 570	70	10,17,16°
313.669	3d ⁹	² D _{3/2}	3d ⁸ (¹ D)4p	² F [°] _{5/2}	3 583	322 388	330	10,17,16°

TABLE 10. Spectral lines of Ga V—Continued

Wavelength (Å)	Classification				Energy levels (cm ⁻¹)	Int.	References	
	Lower		Upper					
315.615	3d ⁹	² D _{3/2}	3d ⁸ (³ P)4p	⁴ P _{1/2} [°]	3 583	320 429	2	17
315.943	3d ⁹	² D _{3/2}	3d ⁸ (³ P)4p	⁴ P _{5/2} [°]	3 583	320 093	200	10,17,16°
316.469	3d ⁹	² D _{3/2}	3d ⁸ (³ P)4p	⁴ P _{3/2} [°]	3 583	319 570	280	10,17,16°
319.398	3d ⁹	² D _{5/2}	3d ⁸ (³ F)4p	² F _{5/2} [°]	0	313 088	700	10,17,16°
320.522	3d ⁹	² D _{5/2}	3d ⁸ (³ F)4p	² D _{3/2} [°]	0	311 991	160	10,17,16°
322.302	3d ⁹	² D _{5/2}	3d ⁸ (³ F)4p	² F _{7/2} [°]	0	310 267	590	10,17,16°
322.917	3d ⁹	² D _{5/2}	3d ⁸ (³ F)4p	² G _{7/2} [°]	0	309 679	520	10,17,16°
322.980	3d ⁹	² D _{5/2}	3d ⁸ (³ F)4p	² D _{5/2} [°]	0	309 616	960	10,17,16°
323.098	3d ⁹	² D _{3/2}	3d ⁸ (³ F)4p	² F _{5/2} [°]	3 583	313 088	380	10,17,16°
324.243	3d ⁹	² D _{3/2}	3d ⁸ (³ F)4p	² D _{3/2} [°]	3 583	311 991	750	10,17,16°
324.820	3d ⁹	² D _{5/2}	3d ⁸ (³ F)4p	⁴ F _{3/2} [°]	0	307 864	50	17,16°
324.945	3d ⁹	² D _{5/2}	3d ⁸ (³ F)4p	⁴ F _{5/2} [°]	0	307 745	520	10,17,16°
326.126	3d ⁹	² D _{5/2}	3d ⁸ (³ F)4p	⁴ F _{7/2} [°]	0	306 628	410	10,17,16°
326.759	3d ⁹	² D _{3/2}	3d ⁸ (³ F)4p	² D _{5/2} [°]	3 583	309 616	400	10,17,16°
328.644	3d ⁹	² D _{3/2}	3d ⁸ (³ F)4p	⁴ F _{3/2} [°]	3 583	307 864	280	10,17,16°
330.583	3d ⁹	² D _{5/2}	3d ⁸ (³ F)4p	⁴ D _{3/2} [°]	0	302 499	0	17
332.972	3d ⁹	² D _{3/2}	3d ⁸ (³ F)4p	⁴ D _{1/2} [°]	3 583	303 911	0	17
333.178	3d ⁹	² D _{5/2}	3d ⁸ (³ F)4p	⁴ D _{5/2} [°]	0	300 144	0	17
334.54	3d ⁹	² D _{3/2}	3d ⁸ (³ F)4p	⁴ D _{3/2} [°]	3 583	302 499	0	17
337.197	3d ⁹	² D _{3/2}	3d ⁸ (³ F)4p	⁴ D _{5/2} [°]	3 583	300 144	0	17
832.50	3d ⁸ (³ F)4s	⁴ F _{9/2}	3d ⁸ (³ P)4p	⁴ D _{7/2} [°]	210 052	330 174	5	16
878.17	3d ⁸ (³ F)4s	⁴ F _{3/2}	3d ⁸ (³ P)4p	⁴ D _{1/2} [°]	215 237	329 108	20	16
943.58	3d ⁸ (¹ D)4s	² D _{5/2}	3d ⁸ (³ P)4p	⁴ S _{3/2} [°]	231 711	337 690	10	16
978.34	3d ⁸ (¹ D)4s	² D _{5/2}	3d ⁸ (³ P)4p	² D _{3/2} [°]	231 711	333 929	10	16
979.60	3d ⁸ (³ P)4s	⁴ P _{3/2}	3d ⁸ (³ P)4p	⁴ S _{3/2} [°]	235 609	337 690	15	16
980.98	3d ⁸ (³ P)4s	⁴ P _{1/2}	3d ⁸ (³ P)4p	⁴ S _{3/2} [°]	235 752	337 690	10	16
984.05	3d ⁸ (³ P)4s	⁴ P _{5/2}	3d ⁸ (³ P)4p	⁴ S _{3/2} [°]	236 072	337 690	5	16
1014.47	3d ⁸ (¹ G)4s	² G _{9/2}	3d ⁸ (¹ G)4p	² G _{9/2} [°]	246 093	344 668	90	16
1014.85	3d ⁸ (¹ G)4s	² G _{7/2}	3d ⁸ (¹ G)4p	² G _{9/2} [°]	246 133	344 668	15	16
1015.62	3d ⁸ (¹ D)4s	² D _{5/2}	3d ⁸ (³ P)4p	⁴ D _{7/2} [°]	231 711	330 174	20	16
1019.71	3d ⁸ (¹ G)4s	² G _{7/2}	3d ⁸ (¹ G)4p	² G _{7/2} [°]	246 133	344 200	90	16
1021.98	3d ⁸ (³ F)4s	⁴ F _{3/2}	3d ⁸ (³ F)4p	² F _{5/2} [°]	215 237	313 088	10	16
1032.38	3d ⁸ (³ P)4s	⁴ P _{3/2}	3d ⁸ (³ P)4p	² D _{5/2} [°]	235 609	332 473	10	16
1033.55	3d ⁸ (³ F)4s	⁴ F _{3/2}	3d ⁸ (³ F)4p	² D _{3/2} [°]	215 237	311 991	20	16
1038.76	3d ⁸ (³ F)4s	⁴ F _{5/2}	3d ⁸ (³ F)4p	² F _{7/2} [°]	214 000	310 267	30	16
1040.20	3d ⁸ (¹ D)4s	² D _{3/2}	3d ⁸ (³ P)4p	⁴ D _{5/2} [°]	232 968	329 103	5	16
1045.80	3d ⁸ (³ F)4s	⁴ F _{7/2}	3d ⁸ (³ F)4p	⁴ F _{5/2} [°]	212 121	307 745	15	16
1047.50	3d ⁸ (³ P)4s	² P _{3/2}	3d ⁸ (³ P)4p	² S _{1/2} [°]	242 026	337 491	30	16
1050.48	3d ⁸ (³ F)4s	⁴ F _{9/2}	3d ⁸ (³ F)4p	⁴ F _{9/2} [°]	210 052	305 249	120	16
1054.56	3d ⁸ (³ F)4s	⁴ F _{7/2}	3d ⁸ (³ F)4p	² G _{9/2} [°]	212 121	306 947	80	16
1058.12	3d ⁸ (³ F)4s	⁴ F _{7/2}	3d ⁸ (³ F)4p	⁴ F _{7/2} [°]	212 121	306 628	90	16
1062.66	3d ⁸ (³ P)4s	⁴ P _{5/2}	3d ⁸ (³ P)4p	⁴ D _{7/2} [°]	236 072	330 174	80	16
1063.81	3d ⁸ (¹ D)4s	² D _{5/2}	3d ⁸ (¹ D)4p	² D _{5/2} [°]	231 711	325 713	10	16
1065.37	3d ⁸ (³ F)4s	⁴ F _{5/2}	3d ⁸ (³ F)4p	⁴ F _{3/2} [°]	214 000	307 864	5	16
1066.69	3d ⁸ (³ F)4s	⁴ F _{5/2}	3d ⁸ (³ F)4p	⁴ F _{5/2} [°]	214 000	307 745	80	16
1068.59	3d ⁸ (¹ D)4s	² D _{3/2}	3d ⁸ (¹ D)4p	² P _{3/2} [°]	232 968	326 549	35	16
1069.45	3d ⁸ (³ P)4s	⁴ P _{3/2}	3d ⁸ (³ P)4p	⁴ D _{3/2} [°]	235 609	329 112	30	16
1069.60	3d ⁸ (³ P)4s	⁴ P _{3/2}	3d ⁸ (³ P)4p	⁴ D _{5/2} [°]	235 609	329 103	60	16
1071.11	3d ⁸ (³ P)4s	⁴ P _{1/2}	3d ⁸ (³ P)4p	⁴ D _{3/2} [°]	235 752	329 112	45	16
1071.19	3d ⁸ (³ P)4s	⁴ P _{1/2}	3d ⁸ (³ P)4p	⁴ D _{1/2} [°]	235 752	329 108	55	16

TABLE 10. Spectral lines of Ga V—Continued

Wavelength (Å)	Classification			Energy levels (cm ⁻¹)	Int.	References		
	Lower	Upper						
1073.77	3d ⁸ (³ F)4s	⁴ F _{7/2}	3d ⁸ (³ F)4p	⁴ F _{9/2} [°]	212 121	305 249	80	16
1074.89	3d ⁸ (³ P)4s	⁴ P _{5/2}	3d ⁸ (³ P)4p	⁴ D _{5/2} [°]	236 072	329 103	5	16
1078.83	3d ⁸ (¹ D)4s	² D _{5/2}	3d ⁸ (¹ D)4p	² F _{7/2} [°]	231 711	324 407	90	16
1079.60	3d ⁸ (³ F)4s	⁴ F _{5/2}	3d ⁸ (³ F)4p	⁴ F _{7/2} [°]	214 000	306 628	110	16
	3d ⁸ (³ F)4s	⁴ F _{3/2}	3d ⁸ (³ F)4p	⁴ F _{3/2} [°]	215 237	307 864	16	
1080.55	3d ⁸ (³ P)4s	² P _{1/2}	3d ⁸ (³ P)4p	² P _{1/2} [°]	243 053	335 605	10	16
1080.99	3d ⁸ (³ F)4s	⁴ F _{3/2}	3d ⁸ (³ F)4p	⁴ F _{5/2} [°]	215 237	307 745	60	16
1085.01	3d ⁸ (³ F)4s	⁴ F _{9/2}	3d ⁸ (³ F)4p	⁴ G _{11/2} [°]	210 052	302 217	250	16
1087.37	3d ⁸ (³ F)4s	² F _{7/2}	3d ⁸ (³ F)4p	² F _{7/2} [°]	218 301	310 267	80	16
1088.08	3d ⁸ (¹ D)4s	² D _{3/2}	3d ⁸ (¹ D)4p	² P _{1/2} [°]	232 968	324 874	30	16
	3d ⁸ (³ P)4s	² P _{3/2}	3d ⁸ (³ P)4p	² D _{3/2} [°]	242 026	333 929	16	
1091.71	3d ⁸ (³ F)4s	² F _{5/2}	3d ⁸ (³ F)4p	² F _{5/2} [°]	221 488	313 088	90	16
1094.36	3d ⁸ (³ F)4s	² F _{7/2}	3d ⁸ (³ F)4p	² G _{7/2} [°]	218 301	309 679	100	16
1094.74	3d ⁸ (¹ D)4s	² D _{3/2}	3d ⁸ (¹ D)4p	² D _{3/2} [°]	232 968	324 314	15	16
1095.10	3d ⁸ (³ F)4s	² F _{7/2}	3d ⁸ (³ F)4p	² D _{5/2} [°]	218 301	309 616	80	16
1100.39	3d ⁸ (³ P)4s	² P _{1/2}	3d ⁸ (³ P)4p	² D _{3/2} [°]	243 053	333 929	40	16
1101.62	3d ⁸ (¹ G)4s	² G _{7/2}	3d ⁸ (¹ G)4p	² F _{5/2} [°]	246 133	336 909	70	16
1102.83	3d ⁸ (³ F)4s	⁴ F _{9/2}	3d ⁸ (³ F)4p	⁴ G _{9/2} [°]	210 052	300 730	160	16
1103.03	3d ⁸ (³ F)4s	⁴ F _{7/2}	3d ⁸ (³ F)4p	⁴ G _{7/2} [°]	212 121	302 779	140	16
1104.93	3d ⁸ (³ F)4s	² F _{5/2}	3d ⁸ (³ F)4p	² D _{3/2} [°]	221 488	311 991	60	16
1105.26	3d ⁸ (³ P)4s	⁴ P _{5/2}	3d ⁸ (¹ D)4p	² P _{3/2} [°]	236 072	326 549	20	16
1105.62	3d ⁸ (³ P)4s	² P _{3/2}	3d ⁸ (³ P)4p	² D _{5/2} [°]	242 026	332 473	75	16
1107.76	3d ⁸ (³ F)4s	⁴ F _{5/2}	3d ⁸ (³ F)4p	⁴ G _{5/2} [°]	214 000	304 272	75	16
1109.85	3d ⁸ (³ P)4s	⁴ P _{3/2}	3d ⁸ (¹ D)4p	² D _{5/2} [°]	235 609	325 713	10	16
1115.55	3d ⁸ (³ P)4s	⁴ P _{5/2}	3d ⁸ (¹ D)4p	² D _{5/2} [°]	236 072	325 713	40	16
1118.34	3d ⁸ (¹ D)4s	² D _{3/2}	3d ⁸ (¹ D)4p	² F _{5/2} [°]	232 968	322 388	80	16
1120.29	3d ⁸ (³ P)4s	⁴ P _{3/2}	3d ⁸ (¹ D)4p	² P _{1/2} [°]	235 609	324 874	20	16
1123.18	3d ⁸ (³ F)4s	⁴ F _{3/2}	3d ⁸ (³ F)4p	⁴ G _{5/2} [°]	215 237	304 272	55	16
1123.66	3d ⁸ (¹ G)4s	² G _{9/2}	3d ⁸ (¹ G)4p	² F _{7/2} [°]	246 093	335 089	80	16
1126.40	3d ⁸ (³ F)4s	⁴ F _{5/2}	3d ⁸ (³ F)4p	⁴ G _{7/2} [°]	214 000	302 779	120	16
	3d ⁸ (³ F)4s	² F _{5/2}	3d ⁸ (³ F)4p	² F _{7/2} [°]	221 488	310 267	16	
1127.34	3d ⁸ (³ P)4s	⁴ P _{3/2}	3d ⁸ (¹ D)4p	² D _{3/2} [°]	235 609	324 314	10	16
1127.75	3d ⁸ (³ F)4s	⁴ F _{3/2}	3d ⁸ (³ F)4p	⁴ D _{1/2} [°]	215 237	303 911	80	16
	3d ⁸ (¹ G)4s	² G _{9/2}	3d ⁸ (¹ G)4p	² H _{11/2} [°]	246 093	334 765	16	
1128.10	3d ⁸ (³ F)4s	² F _{7/2}	3d ⁸ (³ F)4p	² G _{9/2} [°]	218 301	306 947	130	16
1128.53	3d ⁸ (³ F)4s	⁴ F _{7/2}	3d ⁸ (³ F)4p	⁴ G _{9/2} [°]	212 121	300 730	120	16
1129.94	3d ⁸ (³ F)4s	⁴ F _{5/2}	3d ⁸ (³ F)4p	⁴ D _{3/2} [°]	214 000	302 499	100	16
1131.43	3d ⁸ (¹ D)4s	² D _{5/2}	3d ⁸ (³ P)4p	⁴ P _{5/2} [°]	231 711	320 093	80	16
1132.08	3d ⁸ (³ P)4s	⁴ P _{5/2}	3d ⁸ (¹ D)4p	² F _{7/2} [°]	236 072	324 407	30	16
1132.16	3d ⁸ (³ F)4s	² F _{7/2}	3d ⁸ (³ F)4p	⁴ F _{7/2} [°]	218 301	306 628	30	16
1133.24	3d ⁸ (³ P)4s	⁴ P _{5/2}	3d ⁸ (¹ D)4p	² D _{3/2} [°]	236 072	324 314	25	16
1134.69	3d ⁸ (³ F)4s	² F _{5/2}	3d ⁸ (³ F)4p	² D _{5/2} [°]	221 488	309 616	10	16
1136.07	3d ⁸ (³ F)4s	⁴ F _{7/2}	3d ⁸ (³ F)4p	⁴ D _{5/2} [°]	212 121	300 144	130	16
1138.20	3d ⁸ (¹ D)4s	² D _{5/2}	3d ⁸ (³ P)4p	⁴ P _{3/2} [°]	231 711	319 570	65	16
1143.35	3d ⁸ (¹ D)4s	² D _{3/2}	3d ⁸ (³ P)4p	⁴ P _{1/2} [°]	232 968	320 429	30	16
1145.98	3d ⁸ (³ F)4s	⁴ F _{3/2}	3d ⁸ (³ F)4p	⁴ D _{3/2} [°]	215 237	302 499	20	16
1148.42	3d ⁸ (³ P)4s	² P _{3/2}	3d ⁸ (³ P)4p	⁴ D _{5/2} [°]	242 026	329 103	30	16
1150.09	3d ⁸ (³ F)4s	² F _{7/2}	3d ⁸ (³ F)4p	⁴ F _{9/2} [°]	218 301	305 249	45	16
1150.23	3d ⁸ (³ F)4s	⁴ F _{9/2}	3d ⁸ (³ F)4p	⁴ D _{7/2} [°]	210 052	296 992	130	16
1154.69	3d ⁸ (¹ D)4s	² D _{3/2}	3d ⁸ (³ P)4p	⁴ P _{3/2} [°]	232 968	319 570	10	16

TABLE 10. Spectral lines of Ga V—Continued

Wavelength (Å)	Classification			Energy levels (cm ⁻¹)	Int.	References		
	Lower		Upper					
1155.96	$3d^8(^1G)4s$	$^2G_{9/2}$	$3d^8(^1G)4p$	$^2H_{9/2}^o$	246 093	332 600	20	16
1156.51	$3d^8(^1G)4s$	$^2G_{7/2}$	$3d^8(^1G)4p$	$^2H_{9/2}^o$	246 133	332 600	120	16
1157.74	$3d^8(^3F)4s$	$^2F_{5/2}$	$3d^8(^3F)4p$	$^4F_{3/2}^o$	221 488	307 864	35	16
1159.33	$3d^8(^3F)4s$	$^2F_{5/2}$	$3d^8(^3F)4p$	$^4F_{5/2}^o$	221 488	307 745	5	16
1160.83	$3d^8(^3F)4s$	$^4F_{5/2}$	$3d^8(^3F)4p$	$^4D_{5/2}^o$	214 000	300 144	15	16
1163.17	$3d^8(^3F)4s$	$^2F_{7/2}$	$3d^8(^3F)4p$	$^4G_{5/2}^o$	218 301	304 272	2	16
1178.23	$3d^8(^3F)4s$	$^4F_{7/2}$	$3d^8(^3F)4p$	$^4D_{7/2}^o$	212 121	296 992	5	16
1178.95	$3d^8(^3P)4s$	$^4P_{3/2}$	$3d^8(^3P)4p$	$^4P_{1/2}^o$	235 609	320 429	40	16
1180.96	$3d^8(^3P)4s$	$^4P_{1/2}$	$3d^8(^3P)4p$	$^4P_{1/2}^o$	235 752	320 429	10	16
1183.13	$3d^8(^3P)4s$	$^2P_{3/2}$	$3d^8(^1D)4p$	$^2P_{3/2}^o$	242 026	326 549	15	16
1183.63	$3d^8(^3P)4s$	$^4P_{3/2}$	$3d^8(^3P)4p$	$^4P_{5/2}^o$	235 609	320 093	25	16
1205.27	$3d^8(^1G)4s$	$^2G_{7/2}$	$3d^8(^3P)4p$	$^4D_{5/2}^o$	246 133	329 103	5	16
1207.95	$3d^8(^3F)4s$	$^2F_{5/2}$	$3d^8(^3F)4p$	$^4G_{5/2}^o$	221 488	304 272	10	16
1213.17	$3d^8(^3F)4s$	$^2F_{7/2}$	$3d^8(^3F)4p$	$^4G_{9/2}^o$	218 301	300 730	80	16
1221.87	$3d^8(^3F)4s$	$^2F_{7/2}$	$3d^8(^3F)4p$	$^4D_{5/2}^o$	218 301	300 144	10	16
1222.15	$3d^8(^3P)4s$	$^2P_{1/2}$	$3d^8(^1D)4p$	$^2P_{1/2}^o$	243 053	324 874	10	16
1230.13	$3d^8(^3F)4s$	$^2F_{5/2}$	$3d^8(^3F)4p$	$^4G_{7/2}^o$	221 488	302 779	25	16
1265.45	$3d^8(^1D)4s$	$^2D_{3/2}$	$3d^8(^3F)4p$	$^2D_{3/2}^o$	232 968	311 991	30	16
1276.85	$3d^8(^1G)4s$	$^2G_{9/2}$	$3d^8(^1D)4p$	$^2F_{7/2}^o$	246 093	324 407	30	16
1283.64	$3d^8(^1D)4s$	$^2D_{5/2}$	$3d^8(^3F)4p$	$^2D_{5/2}^o$	231 711	309 616	10	16
1311.35	$3d^8(^1G)4s$	$^2G_{7/2}$	$3d^8(^1D)4p$	$^2F_{5/2}^o$	246 133	322 388	10	16

TABLE 11. Energy levels of Ga VI

Configuration	Term	J	Level (cm ⁻¹)	Leading percentages		
$3d^8$	3F	4	0.0	100		
		3	3 193.3	100		
		2	5 164.0	98		
$3d^8$	1D	2	20 531.6	73	+25	3P
$3d^8$	3P	2	25 683.2	75	+25	1D
		1	26 123.7	100		
		0	26 607.4	100		
$3d^8$	1G	4	34 249.4	100		
$3d^8$	1S	0	78 106.2	99		
$3d^7(^4F)4s$	5F	5	290 618.2	99		
		4	292 766.3	98		
		3	294 471.9	99		
		2	295 691.7	99		
		1	296 472.6	99		
$3d^7(^4F)4s$	3F	4	301 417.4	98		
		3	304 315.6	99		
		2	306 203.6	99		
$3d^7(^4P)4s$	5P	3	315 882.7	99		
		2	316 294.3	91		
		1	317 488.8	94		

TABLE 11. Energy levels of Ga VI—Continued

Configuration	Term	J	Level (cm ⁻¹)	Leading percentages		
3d ⁷ (² G)4s	³ G	5	320 898.8	95		
		4	321 960.7	89		
		3	323 491.8	99		
3d ⁷ (² P)4s	³ P	2	325 408.1	50	+38	3d ⁷ (⁴ P)4s
		0	326 334.7	57	+43	3d ⁷ (⁴ P)4s
		1	328 609.6	55	+34	3d ⁷ (⁴ P)4s
3d ⁷ (⁴ P)4s	³ P	1	325 534.2	48	+23	3d ⁷ (² P)4s
		2	327 438.9	49	+39	3d ⁷ (² P)4s
		0	330 724.3	53	+47	3d ⁷ (² P)4s
3d ⁷ (² G)4s	¹ G	4	327 159.5	84		
3d ⁷ (² H)4s	³ H	6	330 355.3	100		
		5	331 468.2	92		
		4	333 146.0	89	+10	3d ⁷ (² G)4s
3d ⁷ (² D2)4s	³ D	3	331 283.5	76	+22	3d ⁷ (² D1)4s
		2	333 121.7	60	+16	3d ⁷ (² D1)4s
		1	336 737.8	43	+39	3d ⁷ (² P)4s
3d ⁷ (² P)4s	¹ P	1	331 810.7	40	+27	3d ⁷ (² D2)4s
3d ⁷ (² H)4s	¹ H	5	336 722.0	93		
3d ⁷ (² D2)4s	¹ D	2	338 579.5	65	+16	3d ⁷ (² D1)4s
3d ⁷ (² F)4s	³ F	2	353 118.1	99		
		3	353 484.3	98		
		4	354 120.4	100		
3d ⁷ (² F)4s	¹ F	3	359 164.4	98		
3d ⁷ (² D1)4s	³ D	1	386 276.8	81	+18	3d ⁷ (² D2)4s
		2	386 736.8	79	+20	3d ⁷ (² D2)4s
		3	387 630.8	77	+23	3d ⁷ (² D2)4s
3d ⁷ (⁴ F)4p	⁵ F°	4	389 525.6	46	+43	⁵ D°
		5	389 982.7	84	+11	⁵ G°
		3	391 766.2	64	+26	⁵ D°
		2	393 529.7	77	+15	⁵ D°
		1	394 800.7	90		
3d ⁷ (² D1)4s	¹ D	2	392 566.6	77	+21	3d ⁷ (² D2)4s
3d ⁷ (⁴ F)4p	⁵ D°	4	393 500.8	41	+31	⁵ F°
		3	395 680.0	47	+31	⁵ G°
		2	398 136.8	38	+35	⁵ G°
		1	398 298.7	78	+14	3d ⁷ (⁴ P)4p
		0	398 323.3	?	83	+15
3d ⁷ (⁴ F)4p	⁵ G°	6	395 468.8	99		
		5	395 852.3	64	+19	³ G°
		4	397 051.5	63	+19	⁵ F°
		2	397 186.4	56	+34	⁵ D°
		3	397 796.8	56	+21	⁵ F°
3d ⁷ (⁴ F)4p	³ G°	5	400 532.9	75	+24	⁵ G°
		4	403 630.9	86	+12	⁵ G°
		3	405 788.3	88		
3d ⁷ (⁴ F)4p	³ F°	4	401 119.8	86		
		3	403 397.9	75	+12	³ D°

TABLE 11. Energy levels of Ga VI—Continued

Configuration	Term	J	Level (cm ⁻¹)	Leading percentages		
$3d^7(^4F)4p$	${}^3D^\circ$	2	405 283.3	83		
		3	405 118.4	75	+11	${}^3F^\circ$
		2	406 689.7	73	+11	$3d^7(^4P)4p$
		1	408 054.2	86		${}^5S^\circ$
$3d^7(^4P)4p$	${}^5S^\circ$	2	406 843.7	85		
$3d^7(^4P)4p$	${}^3S^\circ$	1	418 007.1	19	+30	$3d^7(^2P)4p$
$3d^7(^4P)4p$	${}^5D^\circ$	2	419 168.0	60	+11	$3d^7(^4F)4p$
		3	419 588.7	68	+10	${}^3D^\circ$
		0	419 644.6 ?	63	+21	$3d^7(^2P)4p$
		1	420 527.4	55	+16	$3d^7(^2P)4p$
		4	421 348.9	75	+13	$3d^7(^2G)4p$
$3d^7(^2G)4p$	${}^3H^\circ$	5	419 928.7	60	+19	${}^1H^\circ$
		4	421 619.2	69	+11	$3d^7(^4P)4p$
		6	422 914.6	92		${}^5D^\circ$
$3d^7(^2G)4p$	${}^3F^\circ$	4	420 030.7	54	+12	${}^3G^\circ$
		3	423 585.8	60	+25	${}^3G^\circ$
		2	426 905.5	92		
$3d^7(^2P)4p$	${}^3P^\circ$	0	422 597.	57	+18	$3d^7(^4P)4p$
		2	422 886.4	56		${}^5D^\circ$
		1	423 703.8	36	+26	$3d^7(^4P)4p$
$3d^7(^2P)4p$	${}^1D^\circ$	2	424 443.2	21	+28	$3d^7(^4P)4p$
$3d^7(^2G)4p$	${}^1G^\circ$	4	424 594.2	41	+27	${}^3F^\circ$
$3d^7(^4P)4p$	${}^5P^\circ$	3	425 094.4	49	+21	${}^3D^\circ$
		2	425 879.8	45	+18	${}^3D^\circ$
		1	426 209.2	44	+26	${}^3S^\circ$
$3d^7(^2G)4p$	${}^3G^\circ$	5	425 555.0	77	+13	${}^1H^\circ$
		4	427 165.0	69	+11	${}^3H^\circ$
		3	427 521.7	45	+16	${}^1F^\circ$
$3d^7(^2G)4p$	${}^1F^\circ$	3	425 605.8	43	+12	${}^3F^\circ$
$3d^7(^4P)4p$	${}^3D^\circ$	3	426 636.8	47	+22	${}^5P^\circ$
		1	430 034.0	31	+23	${}^3P^\circ$
		2	430 599.5	19	+38	${}^3P^\circ$
$3d^7(^2P)4p$	${}^3D^\circ$	1	426 973.4	33	+25	$3d^7(^4P)4p$
		3	429 939.8	43	+25	$3d^7(^2D2)4p$
		2	432 884.7	37	+20	${}^1D^\circ$
$3d^7(^2G)4p$	${}^1H^\circ$	5	427 106.4	45	+21	$3d^7(^2H)4p$
$3d^7(^2H)4p$	${}^3G^\circ$	5	427 399.6	66	+13	$3d^7(^2G)4p$
		4	430 045.3	83		${}^1H^\circ$
		3	432 400.5	69		
$3d^7(^2P)4p$	${}^1S^\circ$	0	428 109.	64	+25	$3d^7(^4P)4p$
$3d^7(^2H)4p$	${}^3I^\circ$	6	428 511.4	63	+32	${}^1I^\circ$
		5	430 311.9	87		
		7	431 050.7	100		
$3d^7(^4P)4p$	${}^3P^\circ$	2	428 900.4	38	+24	${}^3D^\circ$
		1	432 409.2	37	+17	$3d^7(^2P)4p$
		0	434 590. ?	67	+31	$3d^7(^2P)4p$

TABLE 11. Energy levels of Ga VI—Continued

Configuration	Term	J	Level (cm ⁻¹)	Leading percentages		
$3d^7(^2D2)4p$	${}^3D^\circ$	3	430 763.4	28	+25	${}^3F^\circ$
		2	431 443.0	31	+12	$3d^7(^4P)4p$
		1	431 472.8	33	+26	$3d^7(^4P)4p$
$3d^7(^2D2)4p$	${}^3F^\circ$	4	434 789.2	77	+20	$3d^7(^2D1)4p$
		3	435 668.5	40	+12	$3d^7(^2G)4p$
		2	436 426.1	43	+16	$3d^7(^2P)4p$
$3d^7(^2H)4p$	${}^1I^\circ$	6	434 837.6	64	+31	${}^3I^\circ$
$3d^7(^2P)4p$	${}^3S^\circ$	1	436 778.4	65		
$3d^7(^2P)4p$	${}^1P^\circ$	1	437 611.7	46	+11	$3d^7(^2D2)4p$
$3d^7(^2D2)4p$	${}^1D^\circ$	2	437 682.7	35	+20	${}^3P^\circ$
$3d^7(^2H)4p$	${}^3H^\circ$	6	438 288.5	95		
		5	438 999.3	90		
		4	440 038.2	93		
$3d^7(^2D2)4p$	${}^3P^\circ$	2	440 844.9	36	+17	${}^1D^\circ$
		1	443 348.5	35	+23	${}^1P^\circ$
		0	444 367.4	67	+14	$3d^7(^2P)4p$
$3d^7(^2H)4p$	${}^1G^\circ$	4	441 145.2	63	+33	$3d^7(^2G)4p$
$3d^7(^2D2)4p$	${}^1F^\circ$	3	442 214.5	54	+15	$3d^7(^2G)4p$
$3d^7(^2D2)4p$	${}^1P^\circ$	1	444 362.8	55	+18	${}^3P^\circ$
$3d^7(^2H)4p$	${}^1H^\circ$	5	445 925.7	92		
$3d^7(^2F)4p$	${}^1D^\circ$	2	453 517.0	48	+38	${}^3F^\circ$
$3d^7(^2F)4p$	${}^3G^\circ$	3	454 836.1	67	+18	${}^3F^\circ$
		4	455 557.5	49	+25	${}^3F^\circ$
		5	459 106.5	92		
$3d^7(^2F)4p$	${}^3D^\circ$	3	456 583.9	56	+23	${}^3F^\circ$
		2	458 730.8	70	+18	${}^1D^\circ$
		1	458 909.2	89		
$3d^7(^2F)4p$	${}^3F^\circ$	2	457 762.6	53	+28	${}^1D^\circ$
		3	458 164.9	51	+27	${}^3D^\circ$
		4	459 016.3	24	+39	${}^3G^\circ$
$3d^7(^2F)4p$	${}^1G^\circ$	4	459 534.9	49	+45	${}^3F^\circ$
$3d^7(^2F)4p$	${}^1F^\circ$	3	466 715.5	93		
$3d^7(^2D1)4p$	${}^3P^\circ$	2	483 570.3	76	+20	$3d^7(^2D2)4p$
		1	484 260.9	77	+16	$3d^7(^2D2)4p$
		0	485 120.7	83	+16	$3d^7(^2D2)4p$
$3d^7(^2D1)4p$	${}^3F^\circ$	2	486 095.0	75	+17	$3d^7(^2D2)4p$
		3	487 831.8	71	+19	$3d^7(^2D2)4p$
		4	490 450.6	74	+22	$3d^7(^2D2)4p$
$3d^7(^2D1)4p$	${}^1P^\circ$	1	492 658.4	74	+11	$3d^7(^2D2)4p$
$3d^7(^2D1)4p$	${}^1F^\circ$	3	493 464.9	71	+18	$3d^7(^2D2)4p$
$3d^7(^2D1)4p$	${}^3D^\circ$	1	497 330.1	67	+20	$3d^7(^2D2)4p$
		2	497 893.6	65	+20	$3d^7(^2D2)4p$
		3	499 867.4	69	+24	$3d^7(^2D2)4p$

TABLE 11. Energy levels of Ga VI—Continued

Configuration	Term	J	Level (cm ⁻¹)	Leading percentages		
3d ⁷ (² D1)4p	¹ D°	2	498 920.8	60	+23	3d ⁷ (² D2)4p
Ga VII (⁴ F _{9/2})	Limit	—	909 000			¹ D°

TABLE 12. Spectral lines of Ga VI

Wavelength (Å)	Classification						References	
	Lower		Upper		Energy levels (cm ⁻¹)			
							Int.	
200.056	3d ⁸	³ F ₄	3d ⁷ (² D1)4p	³ D° ₃	0.0	499 867.4	120	38
202.146	3d ⁸	³ F ₃	3d ⁷ (² D1)4p	³ D° ₂	3 193.3	497 893.6	130	38
202.953	3d ⁸	³ F ₂	3d ⁷ (² D1)4p	³ D° ₂	5 164.0	497 893.6	6	38
203.186	3d ⁸	³ F ₂	3d ⁷ (² D1)4p	³ D° ₁	5 164.0	497 330.1	50	38
203.896	3d ⁸	³ F ₄	3d ⁷ (² D1)4p	³ F° ₄	0.0	490 450.6	90	38
205.231	3d ⁸	³ F ₃	3d ⁷ (² D1)4p	³ F° ₄	3 193.3	490 450.6	3	38
206.341	3d ⁸	³ F ₃	3d ⁷ (² D1)4p	³ F° ₃	3 193.3	487 831.8	60	38
207.182	3d ⁸	³ F ₂	3d ⁷ (² D1)4p	³ F° ₃	5 164.0	487 831.8	5	38
207.931	3d ⁸	³ F ₂	3d ⁷ (² D1)4p	³ F° ₂	5 164.0	486 095.0	40	38
208.622	3d ⁸	¹ D ₂	3d ⁷ (² D1)4p	³ D° ₃	20 531.6	499 867.4	10	38
209.038	3d ⁸	¹ D ₂	3d ⁷ (² D1)4p	¹ D° ₂	20 531.6	498 920.8	10	38
210.889	3d ⁸	³ P ₂	3d ⁷ (² D1)4p	³ D° ₃	25 683.2	499 867.4	40	38
211.769	3d ⁸	³ P ₂	3d ⁷ (² D1)4p	³ D° ₂	25 683.2	497 893.6	20	38
211.967	3d ⁸	³ P ₁	3d ⁷ (² D1)4p	³ D° ₂	26 123.7	497 893.6	25	38
212.220	3d ⁸	³ P ₁	3d ⁷ (² D1)4p	³ D° ₁	26 123.7	497 330.1	6	38
212.437	3d ⁸	³ P ₀	3d ⁷ (² D1)4p	³ D° ₁	26 607.4	497 330.1	7	38
213.773	3d ⁸	³ P ₂	3d ⁷ (² D1)4p	¹ F° ₃	25 683.2	493 464.9	3	38
214.144	3d ⁸	³ P ₂	3d ⁷ (² D1)4p	¹ P° ₁	25 683.2	492 658.4	3	38
214.767	3d ⁸	¹ G ₄	3d ⁷ (² D1)4p	³ D° ₃	34 249.4	499 867.4	15	38
215.640	3d ⁸	¹ D ₂	3d ⁷ (² D1)4p	³ P° ₁	20 531.6	484 260.9	20	38
215.965	3d ⁸	¹ D ₂	3d ⁷ (² D1)4p	³ P° ₂	20 531.6	483 570.3	70	38
217.609	3d ⁸	³ F ₄	3d ⁷ (² F)4p	¹ G° ₄	0.0	459 534.9	20	38
217.763	3d ⁸	¹ G ₄	3d ⁷ (² D1)4p	¹ F° ₃	34 249.4	493 464.9	400	38
217.813	3d ⁸	³ F ₄	3d ⁷ (² F)4p	³ G° ₅	0.0	459 106.5	30	38
217.857	3d ⁸	³ F ₄	3d ⁷ (² F)4p	³ F° ₄	0.0	459 016.3	25	38
217.870	3d ⁸	³ P ₁	3d ⁷ (² D1)4p	³ P° ₀	26 123.7	485 120.7	80	38
218.061	3d ⁸	³ P ₂	3d ⁷ (² D1)4p	³ P° ₁	25 683.2	484 260.9	70	38
218.262	3d ⁸	³ F ₄	3d ⁷ (² F)4p	³ F° ₃	0.0	458 164.9	80	38
218.268	3d ⁸	³ P ₁	3d ⁷ (² D1)4p	³ P° ₁	26 123.7	484 260.9	70	38
218.395	3d ⁸	³ P ₂	3d ⁷ (² D1)4p	³ P° ₂	25 683.2	483 570.3	270	38
218.501	3d ⁸	³ P ₀	3d ⁷ (² D1)4p	³ P° ₁	26 607.4	484 260.9	100	38
218.605	3d ⁸	³ P ₁	3d ⁷ (² D1)4p	³ P° ₂	26 123.7	483 570.3	150	38
219.016	3d ⁸	³ F ₄	3d ⁷ (² F)4p	³ D° ₃	0.0	456 583.9	120	38
219.381	3d ⁸	³ F ₃	3d ⁷ (² F)4p	³ F° ₄	3 193.3	459 016.3	30	38
219.517	3d ⁸	³ F ₄	3d ⁷ (² F)4p	³ G° ₄	0.0	455 557.5	120bl	38
	3d ⁸	³ F ₃	3d ⁷ (² F)4p	³ D° ₂	3 193.3	458 730.8		38
219.986	3d ⁸	³ F ₃	3d ⁷ (² F)4p	³ F° ₂	3 193.3	457 762.6	25	38
220.384	3d ⁸	³ F ₂	3d ⁷ (² F)4p	³ D° ₁	5 164.0	458 909.2	80	38
220.462	3d ⁸	¹ G ₄	3d ⁷ (² D1)4p	³ F° ₃	34 249.4	487 831.8	50bl	38
	3d ⁸	³ F ₂	3d ⁷ (² F)4p	³ D° ₂	5 164.0	458 730.8		38
220.557	3d ⁸	³ F ₃	3d ⁷ (² F)4p	³ D° ₃	3 193.3	456 583.9	30	38

TABLE 12. Spectral lines of Ga VI—Continued

Wavelength (Å)	Classification			Energy levels (cm ⁻¹)	Int.	References		
	Lower		Upper					
220.747	$3d^8$	3F_2	$3d^7(^2F)4p$	$^3F_3^o$	5 164.0	458 164.9	15	38
220.944	$3d^8$	3F_2	$3d^7(^2F)4p$	$^3F_2^o$	5 164.0	457 762.6	5	38
221.058	$3d^8$	3F_3	$3d^7(^2F)4p$	$^3G_4^o$	3 193.3	455 557.5	25	38
221.411	$3d^8$	3F_3	$3d^7(^2F)4p$	$^3G_3^o$	3 193.3	454 836.1	25	38
221.520	$3d^8$	3F_2	$3d^7(^2F)4p$	$^3D_3^o$	5 164.0	456 583.9	5	38
222.382	$3d^8$	3F_2	$3d^7(^2F)4p$	$^3G_3^o$	5 164.0	454 836.1	30	38
223.038	$3d^8$	3F_2	$3d^7(^2F)4p$	$^1D_2^o$	5 164.0	453 517.0	30	38
224.123	$3d^8$	1D_2	$3d^7(^2F)4p$	$^1F_3^o$	20 531.6	466 715.5	50	38
224.251	$3d^8$	3F_4	$3d^7(^2H)4p$	$^1H_5^o$	0.0	445 925.7	5	38
226.137	$3d^8$	3F_4	$3d^7(^2D2)4p$	$^1F_3^o$	0.0	442 214.5	8	38
226.742	$3d^8$	3P_2	$3d^7(^2F)4p$	$^1F_3^o$	25 683.2	466 715.5	80	38
227.690	$3d^8$	3F_2	$3d^7(^2D2)4p$	$^1P_1^o$	5 164.0	444 362.8	15	38
227.785	$3d^8$	3F_3	$3d^7(^2D2)4p$	$^1F_3^o$	3 193.3	442 214.5	40bl	38
	$3d^8$	3F_4	$3d^7(^2H)4p$	$^3H_5^o$	0.0	438 999.3		38
228.116	$3d^8$	1D_2	$3d^7(^2F)4p$	$^3D_1^o$	20 531.6	458 909.2	8	38
228.503	$3d^8$	1D_2	$3d^7(^2F)4p$	$^3F_3^o$	20 531.6	458 164.9	80	38
228.714	$3d^8$	1D_2	$3d^7(^2F)4p$	$^3F_2^o$	20 531.6	457 762.6	150	38
228.912	$3d^8$	3F_3	$3d^7(^2H)4p$	$^3H_4^o$	3 193.3	440 038.2	25	38
229.332	$3d^8$	1D_2	$3d^7(^2F)4p$	$^3D_3^o$	20 531.6	456 583.9	220	38
229.999	$3d^8$	3F_4	$3d^7(^2D2)4p$	$^3F_4^o$	0.0	434 789.2	370	38
230.157	$3d^8$	3F_3	$3d^7(^2D2)4p$	$^1D_2^o$	3 193.3	437 682.7	30	38
230.826	$3d^8$	3F_3	$3d^7(^2D2)4p$	$^3F_2^o$	3 193.3	436 426.1	80bl	38
	$3d^8$	3P_2	$3d^7(^2F)4p$	$^3D_1^o$	25 683.2	458 909.2		38
230.923	$3d^8$	3P_2	$3d^7(^2F)4p$	$^3D_2^o$	25 683.2	458 730.8	220	38
230.956	$3d^8$	1D_2	$3d^7(^2F)4p$	$^1D_2^o$	20 531.6	453 517.0	230	38
231.064	$3d^8$	3P_1	$3d^7(^2F)4p$	$^3D_1^o$	26 123.7	458 909.2	200	38
231.159	$3d^8$	3P_1	$3d^7(^2F)4p$	$^3D_2^o$	26 123.7	458 730.8	370	38
231.209	$3d^8$	3F_2	$3d^7(^2D2)4p$	$^1D_2^o$	5 164.0	437 682.7	25	38
231.234	$3d^8$	3P_2	$3d^7(^2F)4p$	$^3F_3^o$	25 683.2	458 164.9	780bl	38
	$3d^8$	3F_3	$3d^7(^2D2)4p$	$^3F_3^o$	3 193.3	435 668.5		38
	$3d^8$	1G_4	$3d^7(^2F)4p$	$^1F_3^o$	34 249.4	466 715.5		38
	$3d^8$	3F_2	$3d^7(^2P)4p$	$^1P_1^o$	5 164.0	437 611.7		38
231.268	$3d^8$	3F_4	$3d^7(^2H)4p$	$^3G_3^o$	0.0	432 400.5	25	38
231.322	$3d^8$	3P_0	$3d^7(^2F)4p$	$^3D_1^o$	26 607.4	458 909.2	220	38
231.678	$3d^8$	3P_1	$3d^7(^2F)4p$	$^3F_2^o$	26 123.7	457 762.6	30	38
231.700	$3d^8$	3F_3	$3d^7(^2D2)4p$	$^3F_4^o$	3 193.3	434 789.2	50	38
231.881	$3d^8$	3F_2	$3d^7(^2D2)4p$	$^3F_2^o$	5 164.0	436 426.1	70	38
232.075	$3d^8$	3P_2	$3d^7(^2F)4p$	$^3D_3^o$	25 683.2	456 583.9	430	38
232.148	$3d^8$	3F_4	$3d^7(^2D2)4p$	$^3D_3^o$	0.0	430 763.4	120	38
232.536	$3d^8$	3F_4	$3d^7(^2H)4p$	$^3G_4^o$	0.0	430 045.3	15	38
232.593	$3d^8$	3F_4	$3d^7(^2P)4p$	$^3D_3^o$	0.0	429 939.8	750	38
232.729	$3d^8$	3F_3	$3d^7(^2P)4p$	$^3D_2^o$	3 193.3	432 884.7	400	38
232.989	$3d^8$	3F_3	$3d^7(^2H)4p$	$^3G_3^o$	3 193.3	432 400.5	16	38
233.018	$3d^8$	3P_2	$3d^7(^2F)4p$	$^3G_3^o$	25 683.2	454 836.1	8	38
233.509	$3d^8$	3F_3	$3d^7(^2D2)4p$	$^3D_2^o$	3 193.3	431 443.0	230	38
233.802	$3d^8$	3F_2	$3d^7(^2P)4p$	$^3D_2^o$	5 164.0	432 884.7	320	38
233.882	$3d^8$	3F_3	$3d^7(^2D2)4p$	$^3D_3^o$	3 193.3	430 763.4	180	38
233.908	$3d^8$	3F_4	$3d^7(^2G)4p$	$^3G_3^o$	0.0	427 521.7	220	38
233.975	$3d^8$	3F_3	$3d^7(^4P)4p$	$^3D_2^o$	3 193.3	430 599.5	840bl	38

TABLE 12. Spectral lines of Ga VI—Continued

Wavelength (Å)	Classification			Energy levels (cm ⁻¹)	Int.	References		
	Lower		Upper					
234.063	$3d^8$	3F_4	$3d^7(^2H)4p$	$^3G_5^o$	0.0	427 399.6	38	
	$3d^8$	3P_1	$3d^7(^2F)4p$	$^1D_2^o$	26 123.7	453 517.0	38	
234.105	$3d^8$	3F_2	$3d^7(^4P)4p$	$^3P_1^o$	5 164.0	432 409.2	840bl	
	$3d^8$	3F_2	$3d^7(^2H)4p$	$^3G_3^o$	5 164.0	432 400.5	38	
234.136	$3d^8$	3F_4	$3d^7(^2G)4p$	$^3G_4^o$	0.0	427 165.0	130	38
234.274	$3d^8$	3F_3	$3d^7(^2H)4p$	$^3G_4^o$	3 193.3	430 045.3	900	38
234.333	$3d^8$	3F_3	$3d^7(^2P)4p$	$^3D_3^o$	3 193.3	429 939.8	170	38
234.394	$3d^8$	3F_4	$3d^7(^4P)4p$	$^3D_3^o$	0.0	426 636.8	30	38
234.573	$3d^8$	3F_2	$3d^7(^2D2)4p$	$^3D_1^o$	5 164.0	431 472.8	100	38
234.588	$3d^8$	3F_2	$3d^7(^2D2)4p$	$^3D_2^o$	5 164.0	431 443.0	30	38
234.905	$3d^8$	3F_3	$3d^7(^4P)4p$	$^3P_2^o$	3 193.3	428 900.4	320	38
234.965	$3d^8$	3F_4	$3d^7(^2G)4p$	$^1F_3^o$	0.0	425 605.8	70bl	38
	$3d^8$	3F_2	$3d^7(^2D2)4p$	$^3D_3^o$	5 164.0	430 763.4	38	
234.987	$3d^8$	3F_4	$3d^7(^2G)4p$	$^3G_5^o$	0.0	425 555.0	280	38
235.139	$3d^8$	1G_4	$3d^7(^2F)4p$	$^1G_4^o$	34 249.4	459 534.9	150	38
235.244	$3d^8$	3F_4	$3d^7(^4P)4p$	$^5P_3^o$	0.0	425 094.4	420	38
235.370	$3d^8$	3F_2	$3d^7(^4P)4p$	$^3D_1^o$	5 164.0	430 034.0	180bl	38
	$3d^8$	1G_4	$3d^7(^2F)4p$	$^3G_5^o$	34 249.4	459 106.5	38	
235.424	$3d^8$	3F_2	$3d^7(^2P)4p$	$^3D_3^o$	5 164.0	429 939.8	80bl	38
	$3d^8$	1G_4	$3d^7(^2F)4p$	$^3F_4^o$	34 249.4	459 016.3	38	
235.520	$3d^8$	3F_4	$3d^7(^2G)4p$	$^1G_4^o$	0.0	424 594.2	570	38
235.669	$3d^8$	3F_3	$3d^7(^2G)4p$	$^3G_3^o$	3 193.3	427 521.7	150	38
235.867	$3d^8$	3F_3	$3d^7(^2G)4p$	$^3G_4^o$	3 193.3	427 165.0	120	38
235.897	$3d^8$	1G_4	$3d^7(^2F)4p$	$^3F_3^o$	34 249.4	458 164.9	5	38
235.945	$3d^8$	1D_2	$3d^7(^2D2)4p$	$^1P_1^o$	20 531.6	444 362.8	220	38
236.009	$3d^8$	3F_3	$3d^7(^2G)4p$	$^3F_2^o$	3 193.3	426 905.5	120	38
236.082	$3d^8$	3F_4	$3d^7(^2G)4p$	$^3F_3^o$	0.0	423 585.8	120	38
236.160	$3d^8$	3F_3	$3d^7(^4P)4p$	$^3D_3^o$	3 193.3	426 636.8	250	38
236.512	$3d^8$	1D_2	$3d^7(^2D2)4p$	$^3P_1^o$	20 531.6	443 348.5	250	38
236.582	$3d^8$	3F_3	$3d^7(^4P)4p$	$^5P_2^o$	3 193.3	425 879.8	10	38
236.738	$3d^8$	3F_3	$3d^7(^2G)4p$	$^1F_3^o$	3 193.3	425 605.8	450	38
236.781	$3d^8$	1G_4	$3d^7(^2F)4p$	$^3D_3^o$	34 249.4	456 583.9	30	38
237.114	$3d^8$	3F_2	$3d^7(^2G)4p$	$^3F_2^o$	5 164.0	426 905.5	680	38
237.149	$3d^8$	1D_2	$3d^7(^2D2)4p$	$^1F_3^o$	20 531.6	442 214.5	430	38
237.184	$3d^8$	3F_4	$3d^7(^2G)4p$	$^3H_4^o$	0.0	421 619.2	220	38
237.267	$3d^8$	3F_2	$3d^7(^4P)4p$	$^3D_3^o$	5 164.0	426 636.8	40	38
237.306	$3d^8$	3F_3	$3d^7(^2G)4p$	$^1G_4^o$	3 193.3	424 594.2	30	38
237.336	$3d^8$	3F_4	$3d^7(^4P)4p$	$^5D_4^o$	0.0	421 348.9	15	38
237.358	$3d^8$	1G_4	$3d^7(^2F)4p$	$^3G_4^o$	34 249.4	455 557.5	50	38
237.390	$3d^8$	3F_3	$3d^7(^2P)4p$	$^1D_2^o$	3 193.3	424 443.2	40	38
237.849	$3d^8$	3F_2	$3d^7(^2G)4p$	$^1F_3^o$	5 164.0	425 605.8	200	38
237.876	$3d^8$	3F_3	$3d^7(^2G)4p$	$^3F_3^o$	3 193.3	423 585.8	680	38
237.919	$3d^8$	1D_2	$3d^7(^2D2)4p$	$^3P_2^o$	20 531.6	440 844.9	80	38
238.077	$3d^8$	3F_4	$3d^7(^2G)4p$	$^3F_4^o$	0.0	420 030.7	820	38
238.137	$3d^8$	3F_2	$3d^7(^4P)4p$	$^5P_3^o$	5 164.0	425 094.4	70bl	77
	$3d^8$	3F_4	$3d^7(^2G)4p$	$^3H_5^o$	0.0	419 928.7		38
238.504	$3d^8$	3F_2	$3d^7(^2P)4p$	$^1D_2^o$	5 164.0	424 443.2	15	38
238.532	$3d^8$	1S_0	$3d^7(^2D1)4p$	$^3D_1^o$	78 106.2	497 330.1	25	38
238.850	$3d^8$	3P_2	$3d^7(^2D2)4p$	$^1P_1^o$	25 683.2	444 362.8	30	38

TABLE 12. Spectral lines of Ga VI—Continued

Wavelength (Å)	Classification			Energy levels (cm ⁻¹)	Int.	References		
	Lower		Upper					
238.996	$3d^8$	3F_2	$3d^7(^2G)4p$	$^3F_3^o$	5 164.0	423 585.8	220	38
239.087	$3d^8$	3P_1	$3d^7(^2D2)4p$	$^3P_0^o$	26 123.7	444 367.4	80	38
239.099	$3d^8$	3P_1	$3d^7(^2D2)4p$	$^1P_1^o$	26 123.7	444 362.8	80	38
239.145	$3d^8$	3F_3	$3d^7(^4P)4p$	$^5D_4^o$	3 193.3	421 348.9	15	38
239.377	$3d^8$	3P_0	$3d^7(^2D2)4p$	$^1P_1^o$	26 607.4	444 362.8	70	38
239.429	$3d^8$	3P_2	$3d^7(^2D2)4p$	$^3P_1^o$	25 683.2	443 348.5	300	38
239.683	$3d^8$	3P_1	$3d^7(^2D2)4p$	$^3P_1^o$	26 123.7	443 348.5	30	38
239.723	$3d^8$	1D_2	$3d^7(^2D2)4p$	$^1D_2^o$	20 531.6	437 682.7	650	38
239.763	$3d^8$	1D_2	$3d^7(^2P)4p$	$^1P_1^o$	20 531.6	437 611.7	170	38
239.899	$3d^8$	3F_3	$3d^7(^2G)4p$	$^3F_4^o$	3 193.3	420 030.7	130	38
239.960	$3d^8$	3P_0	$3d^7(^2D2)4p$	$^3P_1^o$	26 607.4	443 348.5	25	38
240.080	$3d^8$	3P_2	$3d^7(^2D2)4p$	$^1F_3^o$	25 683.2	442 214.5	170	38
240.244	$3d^8$	1D_2	$3d^7(^2P)4p$	$^3S_1^o$	20 531.6	436 778.4	270	38
240.398	$3d^8$	3F_3	$3d^7(^4P)4p$	$^5D_2^o$	3 193.3	419 168.0	10	38
240.446	$3d^8$	1D_2	$3d^7(^2D2)4p$	$^3P_2^o$	20 531.6	436 426.1	25	38
240.752	$3d^8$	3F_2	$3d^7(^4P)4p$	$^5D_1^o$	5 164.0	420 527.4	14	38
240.871	$3d^8$	3P_2	$3d^7(^2D2)4p$	$^3P_2^o$	25 683.2	440 844.9	550	38
240.885	$3d^8$	1D_2	$3d^7(^2D2)4p$	$^3F_3^o$	20 531.6	435 668.5	150	38
241.127	$3d^8$	3P_1	$3d^7(^2D2)4p$	$^3P_2^o$	26 123.7	440 844.9	120	38
241.223	$3d^8$	1S_0	$3d^7(^2D1)4p$	$^1P_1^o$	78 106.2	492 658.4	320	38
242.719	$3d^8$	3P_2	$3d^7(^2D2)4p$	$^1D_2^o$	25 683.2	437 682.7	15	38
242.760	$3d^8$	3P_2	$3d^7(^2P)4p$	$^1P_1^o$	25 683.2	437 611.7	130	38
242.794	$3d^8$	1D_2	$3d^7(^2H)4p$	$^3G_3^o$	20 531.6	432 400.5	130	38
242.908	$3d^8$	1G_4	$3d^7(^2H)4p$	$^1H_5^o$	34 249.4	445 925.7	840	38
242.980	$3d^8$	3P_1	$3d^7(^2D2)4p$	$^1D_2^o$	26 123.7	437 682.7	25	38
243.022	$3d^8$	3P_1	$3d^7(^2P)4p$	$^1P_1^o$	26 123.7	437 611.7	25	38
243.253	$3d^8$	3P_2	$3d^7(^2P)4p$	$^3S_1^o$	25 683.2	436 778.4	170	38
243.305	$3d^8$	3P_0	$3d^7(^2P)4p$	$^1P_1^o$	26 607.4	437 611.7	80	38
243.339	$3d^8$	1D_2	$3d^7(^2D2)4p$	$^3D_1^o$	20 531.6	431 472.8	200	38
243.356	$3d^8$	1D_2	$3d^7(^2D2)4p$	$^3D_2^o$	20 531.6	431 443.0	25	38
243.513	$3d^8$	3P_1	$3d^7(^2P)4p$	$^3S_1^o$	26 123.7	436 778.4	200	38
243.721	$3d^8$	3P_1	$3d^7(^2D2)4p$	$^3F_2^o$	26 123.7	436 426.1	50	38
243.762	$3d^8$	1D_2	$3d^7(^2D2)4p$	$^3D_3^o$	20 531.6	430 763.4	80	38
243.799	$3d^8$	3P_0	$3d^7(^2P)4p$	$^3S_1^o$	26 607.4	436 778.4	15	38
243.862	$3d^8$	1D_2	$3d^7(^4P)4p$	$^3D_2^o$	20 531.6	430 599.5	50	38
243.912	$3d^8$	3P_2	$3d^7(^2D2)4p$	$^3F_3^o$	25 683.2	435 668.5	250	38
244.199	$3d^8$	1D_2	$3d^7(^4P)4p$	$^3D_1^o$	20 531.6	430 034.0	30	38
244.254	$3d^8$	1D_2	$3d^7(^2P)4p$	$^3D_3^o$	20 531.6	429 939.8	70	38
244.818	$3d^8$	3P_1	$3d^7(^4P)4p$	$^3P_0^o$	26 123.7	434 590.?	70	38
244.876	$3d^8$	1D_2	$3d^7(^4P)4p$	$^3P_2^o$	20 531.6	428 900.4	25	38
245.121	$3d^8$	1G_4	$3d^7(^2D2)4p$	$^1F_3^o$	34 249.4	442 214.5	350	38
245.707	$3d^8$	1D_2	$3d^7(^2G)4p$	$^3G_3^o$	20 531.6	427 521.7	280	38
245.764	$3d^8$	1G_4	$3d^7(^2H)4p$	$^1G_4^o$	34 249.4	441 145.2	1000	38
245.848	$3d^8$	3P_1	$3d^7(^2P)4p$	$^3D_2^o$	26 123.7	432 884.7	50	38
245.865	$3d^8$	3P_2	$3d^7(^4P)4p$	$^3P_1^o$	25 683.2	432 409.2	120bl	38
	$3d^8$	3P_2	$3d^7(^2H)4p$	$^3G_3^o$	25 683.2	432 400.5		38
246.037	$3d^8$	1D_2	$3d^7(^2P)4p$	$^3D_1^o$	20 531.6	426 973.4	25	38
246.135	$3d^8$	3P_1	$3d^7(^4P)4p$	$^3P_1^o$	26 123.7	432 409.2	10	38
246.207	$3d^8$	1S_0	$3d^7(^2D1)4p$	$^3P_1^o$	78 106.2	484 260.9	20	38
246.242	$3d^8$	1D_2	$3d^7(^4P)4p$	$^3D_3^o$	20 531.6	426 636.8	100	38

TABLE 12. Spectral lines of Ga VI—Continued

Wavelength (Å)	Classification				Energy levels (cm ⁻¹)	Int.	References	
	Lower		Upper					
246.432	$3d^8$	3P_0	$3d^7(^4P)4p$	$^3P_1^o$	26 607.4	432 409.2	220bl	38
	$3d^8$	3P_2	$3d^7(^2D2)4p$	$^3D_1^o$	25 683.2	431 472.8		38
	$3d^8$	1G_4	$3d^7(^2H)4p$	$^3H_4^o$	34 249.4	440 038.2		38
	$3d^8$	3F_4	$3d^7(^4F)4p$	$^3G_3^o$	0.0	405 788.3		38
246.503	$3d^8$	1D_2	$3d^7(^4P)4p$	$^5P_1^o$	20 531.6	426 209.2	50	38
246.700	$3d^8$	3P_1	$3d^7(^2D2)4p$	$^3D_1^o$	26 123.7	431 472.8	20	38
246.717	$3d^8$	3P_1	$3d^7(^2D2)4p$	$^3D_2^o$	26 123.7	431 443.0	40	38
246.842	$3d^8$	3F_4	$3d^7(^4F)4p$	$^3D_3^o$	0.0	405 118.4	970	38
246.869	$3d^8$	3P_2	$3d^7(^2D2)4p$	$^3D_3^o$	25 683.2	430 763.4	420bl	38
	$3d^8$	1D_2	$3d^7(^2G)4p$	$^1F_3^o$	20 531.6	425 605.8		38
246.966	$3d^8$	3P_2	$3d^7(^4P)4p$	$^3D_2^o$	25 683.2	430 599.5	50	38
246.995	$3d^8$	3P_0	$3d^7(^2D2)4p$	$^3D_1^o$	26 607.4	431 472.8	15	38
247.066	$3d^8$	1G_4	$3d^7(^2H)4p$	$^3H_5^o$	34 249.4	438 999.3	100	38
247.235	$3d^8$	3P_1	$3d^7(^4P)4p$	$^3D_2^o$	26 123.7	430 599.5	15	38
247.312	$3d^8$	3P_2	$3d^7(^4P)4p$	$^3D_1^o$	25 683.2	430 034.0	3	38
247.370	$3d^8$	3P_2	$3d^7(^2P)4p$	$^3D_3^o$	25 683.2	429 939.8	30	38
247.579	$3d^8$	1D_2	$3d^7(^2P)4p$	$^1D_2^o$	20 531.6	424 443.2	25	38
247.740	$3d^8$	3F_3	$3d^7(^4P)4p$	$^5S_2^o$	3 193.3	406 843.7	750bl	38
	$3d^8$	3F_4	$3d^7(^4F)4p$	$^3G_4^o$	0.0	403 630.9		38
247.878	$3d^8$	3P_0	$3d^7(^4P)4p$	$^3D_1^o$	26 607.4	430 034.0	80	38
247.891	$3d^8$	3F_4	$3d^7(^4F)4p$	$^3F_3^o$	0.0	403 397.9	30	38
248.006	$3d^8$	3P_2	$3d^7(^4P)4p$	$^3P_2^o$	25 683.2	428 900.4	40	38
248.032	$3d^8$	1D_2	$3d^7(^2P)4p$	$^3P_1^o$	20 531.6	423 703.8	30	38
248.106	$3d^8$	1D_2	$3d^7(^2G)4p$	$^3F_3^o$	20 531.6	423 585.8	25	38
248.208	$3d^8$	3F_2	$3d^7(^4F)4p$	$^3D_1^o$	5 164.0	408 054.2	530	38
248.277	$3d^8$	3P_1	$3d^7(^4P)4p$	$^3P_2^o$	26 123.7	428 900.4	50	38
248.387	$3d^8$	3F_3	$3d^7(^4F)4p$	$^3G_3^o$	3 193.3	405 788.3	50	38
248.537	$3d^8$	1D_2	$3d^7(^2P)4p$	$^3P_2^o$	20 531.6	422 886.4	80	38
248.765	$3d^8$	3P_1	$3d^7(^2P)4p$	$^1S_0^o$	26 123.7	428 109.	15	38
248.802	$3d^8$	3F_3	$3d^7(^4F)4p$	$^3D_3^o$	3 193.3	405 118.4	30	38
248.857	$3d^8$	3P_2	$3d^7(^2G)4p$	$^3G_3^o$	25 683.2	427 521.7	15	38
249.120	$3d^8$	1G_4	$3d^7(^2D2)4p$	$^3F_3^o$	34 249.4	435 668.5	80	38
249.198	$3d^8$	3P_2	$3d^7(^2P)4p$	$^3D_1^o$	25 683.2	426 973.4	25	38
249.301	$3d^8$	3F_4	$3d^7(^4F)4p$	$^3F_4^o$	0.0	401 119.8	1000	38
249.404	$3d^8$	3P_2	$3d^7(^4P)4p$	$^3D_3^o$	25 683.2	426 636.8	20	38
249.608	$3d^8$	3F_2	$3d^7(^4F)4p$	$^3G_3^o$	5 164.0	405 788.3	180	38
249.667	$3d^8$	3F_4	$3d^7(^4F)4p$	$^3G_5^o$	0.0	400 532.9	450bl	38
	$3d^8$	3P_2	$3d^7(^4P)4p$	$^5P_1^o$	25 683.2	426 209.2		38
249.726	$3d^8$	3F_3	$3d^7(^4F)4p$	$^3G_4^o$	3 193.3	403 630.9	280	38
249.772	$3d^8$	3P_0	$3d^7(^2P)4p$	$^3D_1^o$	26 607.4	426 973.4	70	38
249.870	$3d^8$	3F_3	$3d^7(^4F)4p$	$^3F_3^o$	3 193.3	403 397.9	920	38
249.925	$3d^8$	3F_2	$3d^7(^4F)4p$	$^3F_2^o$	5 164.0	405 283.3	835	38
249.946	$3d^8$	3P_1	$3d^7(^4P)4p$	$^5P_1^o$	26 123.7	426 209.2	200	38
250.000	$3d^8$	1D_2	$3d^7(^4P)4p$	$^5D_1^o$	20 531.6	420 527.4	30	38
250.028	$3d^8$	3F_2	$3d^7(^4F)4p$	$^3D_3^o$	5 164.0	405 118.4	20	38
250.049	$3d^8$	3P_2	$3d^7(^2G)4p$	$^1F_3^o$	25 683.2	425 605.8	230	38
250.152	$3d^8$	3P_1	$3d^7(^4P)4p$	$^5P_2^o$	26 123.7	425 879.8	100	38
250.250	$3d^8$	3P_0	$3d^7(^4P)4p$	$^5P_1^o$	26 607.4	426 209.2	50	38
250.368	$3d^8$	3P_2	$3d^7(^4P)4p$	$^5P_3^o$	25 683.2	425 094.4	50	38
250.589	$3d^8$	1D_2	$3d^7(^4P)4p$	$^5D_3^o$	20 531.6	419 588.7	9	38

TABLE 12. Spectral lines of Ga VI—Continued

Wavelength (Å)	Classification			Energy levels (cm ⁻¹)	Int.	References		
	Lower		Upper					
250.776	$3d^8$	3P_2	$3d^7(^2P)4p$	1D_2	25 683.2	424 443.2	25	38
251.106	$3d^8$	3F_2	$3d^7(^4F)4p$	3F_3	5 164.0	403 397.9	150	38
251.242	$3d^8$	3P_2	$3d^7(^2P)4p$	3P_1	25 683.2	423 703.8	25	38
251.300	$3d^8$	3F_3	$3d^7(^4F)4p$	3F_4	3 193.3	401 119.8	250	38
251.381	$3d^8$	3F_4	$3d^7(^4F)4p$	5G_3	0.0	397 796.8	25	38
251.523	$3d^8$	3P_1	$3d^7(^2P)4p$	3P_1	26 123.7	423 703.8	230	38
251.585	$3d^8$	1D_2	$3d^7(^4P)4p$	3S_1	20 531.6	418 007.1	50	38
251.759	$3d^8$	3P_2	$3d^7(^2P)4p$	3P_2	25 683.2	422 886.4	70	38
251.828	$3d^8$	3P_0	$3d^7(^2P)4p$	3P_1	26 607.4	423 703.8	30	38
251.854	$3d^8$	3F_4	$3d^7(^4F)4p$	5G_4	0.0	397 051.5	250	38
252.040	$3d^8$	3P_1	$3d^7(^2P)4p$	3P_2	26 123.7	422 886.4	25	38
252.224	$3d^8$	3P_1	$3d^7(^2P)4p$	3P_0	26 123.7	422 597.	11	38
252.483	$3d^8$	1G_4	$3d^7(^2H)4p$	3I_5	34 249.4	430 311.9	80	38
252.614	$3d^8$	3F_4	$3d^7(^4F)4p$	5G_5	0.0	395 852.3	160	38
253.196	$3d^8$	3F_3	$3d^7(^4F)4p$	5D_2	3 193.3	398 136.8	25	38
253.262	$3d^8$	3P_2	$3d^7(^4P)4p$	5D_1	25 683.2	420 527.4	70	38
253.417	$3d^8$	3F_3	$3d^7(^4F)4p$	5G_3	3 193.3	397 796.8	120	38
253.544	$3d^8$	3P_1	$3d^7(^4P)4p$	5D_1	26 123.7	420 527.4	25	38
253.862	$3d^8$	3P_0	$3d^7(^4P)4p$	5D_1	26 607.4	420 527.4	50bl	38
	$3d^8$	3P_2	$3d^7(^4P)4p$	5D_3	25 683.2	419 588.7		38
254.125	$3d^8$	3F_4	$3d^7(^4F)4p$	5D_4	0.0	393 500.8	10	38
254.278	$3d^8$	1G_4	$3d^7(^2G)4p$	3G_3	34 249.4	427 521.7	25	38
254.353	$3d^8$	1G_4	$3d^7(^2H)4p$	3G_5	34 249.4	427 399.6	170	38
254.422	$3d^8$	3P_1	$3d^7(^4P)4p$	5D_2	26 123.7	419 168.0	25	38
254.468	$3d^8$	3F_2	$3d^7(^4F)4p$	5D_2	5 164.0	398 136.8	30	38
254.543	$3d^8$	1G_4	$3d^7(^2G)4p$	1H_5	34 249.4	427 106.4	80	38
254.784	$3d^8$	3F_3	$3d^7(^4F)4p$	5D_3	3 193.3	395 680.0	25	38
254.889	$3d^8$	3P_2	$3d^7(^4P)4p$	3S_1	25 683.2	418 007.1	120	38
255.081	$3d^8$	3F_2	$3d^7(^4F)4p$	5G_2	5 164.0	397 186.4	10	38
255.176	$3d^8$	3P_1	$3d^7(^4P)4p$	3S_1	26 123.7	418 007.1	25	38
255.251	$3d^8$	3F_4	$3d^7(^4F)4p$	5F_3	0.0	391 766.2	12	38
255.491	$3d^8$	3P_0	$3d^7(^4P)4p$	3S_1	26 607.4	418 007.1	20	38
255.523	$3d^8$	1G_4	$3d^7(^2G)4p$	1F_3	34 249.4	425 605.8	50	38
255.551	$3d^8$	1G_4	$3d^7(^2G)4p$	3G_5	34 249.4	425 555.0	100	38
256.183	$3d^8$	1G_4	$3d^7(^2G)4p$	1G_4	34 249.4	424 594.2	20bl	38
	$3d^8$	3F_3	$3d^7(^4F)4p$	5F_2	3 193.3	393 529.7		38
256.721	$3d^8$	3F_4	$3d^7(^4F)4p$	5F_4	0.0	389 525.6	70	38
257.349	$3d^8$	3F_3	$3d^7(^4F)4p$	5F_3	3 193.3	391 766.2	20	38
258.660	$3d^8$	3F_2	$3d^7(^4F)4p$	5F_3	5 164.0	391 766.2	25	38
258.859	$3d^8$	1D_2	$3d^7(^4P)4p$	5S_2	20 531.6	406 843.7	30	38
259.282	$3d^8$	1G_4	$3d^7(^2G)4p$	3H_5	34 249.4	419 928.7	25	38
260.018	$3d^8$	1D_2	$3d^7(^4F)4p$	3D_3	20 531.6	405 118.4	350	38
261.185	$3d^8$	1D_2	$3d^7(^4F)4p$	3F_3	20 531.6	403 397.9	50	38
261.831	$3d^8$	3P_1	$3d^7(^4F)4p$	3D_1	26 123.7	408 054.2	200	38
262.160	$3d^8$	3P_0	$3d^7(^4F)4p$	3D_1	26 607.4	408 054.2	250	38
262.357	$3d^8$	3P_2	$3d^7(^4P)4p$	5S_2	25 683.2	406 843.7	120	38
262.660	$3d^8$	3P_1	$3d^7(^4P)4p$	5S_2	26 123.7	406 843.7	530	38
263.082	$3d^8$	3P_2	$3d^7(^4F)4p$	3G_3	25 683.2	405 788.3	30	38
263.550	$3d^8$	3P_2	$3d^7(^4F)4p$	3D_3	25 683.2	405 118.4	630	38
263.740	$3d^8$	3P_1	$3d^7(^4F)4p$	3F_2	26 123.7	405 283.3	40	38

TABLE 12. Spectral lines of Ga VI—Continued

Wavelength (Å)	Classification			Energy levels (cm ⁻¹)	Int.	References		
	Lower		Upper					
264.747	$3d^8$	3P_2	$3d^7({}^4F)4p$	3F_3	25 683.2	403 397.9	170	38
273.036	$3d^8$	1S_0	$3d^7({}^2D2)4p$	1P_1	78 106.2	444 362.8	50	38
273.795	$3d^8$	1S_0	$3d^7({}^2D2)4p$	3P_1	78 106.2	443 348.5	40	38
764.930	$3d^7({}^4F)4s$	5F_5	$3d^7({}^4P)4p$	5D_4	290 618.2	421 348.9	80	46
788.511	$3d^7({}^4F)4s$	5F_4	$3d^7({}^4P)4p$	5D_3	292 766.3	419 588.7	40	46
877.304	$3d^7({}^2G)4s$	1G_4	$3d^7({}^2H)4p$	1G_4	327 159.5	441 145.2	20	46
890.974	$3d^7({}^2D1)4s$	3D_3	$3d^7({}^2D1)4p$	3D_3	387 630.8	499 867.4	40	46
899.628	$3d^7({}^2D1)4s$	3D_2	$3d^7({}^2D1)4p$	3D_2	386 736.8	497 893.6	30	46
900.468	$3d^7({}^2D1)4s$	3D_1	$3d^7({}^2D1)4p$	3D_1	386 276.8	497 330.1	25	46
902.904	$3d^7({}^4P)4s$	5P_3	$3d^7({}^4P)4p$	3D_3	315 882.7	426 636.8	40	46
907.091	$3d^7({}^4P)4s$	3P_2	$3d^7({}^2D2)4p$	1D_2	327 438.9	437 682.7	25	46
907.207	$3d^7({}^2D2)4s$	3D_2	$3d^7({}^2D2)4p$	3P_1	333 121.7	443 348.5	25	46
909.134	$3d^7({}^4P)4s$	5P_3	$3d^7({}^4P)4p$	5P_2	315 882.7	425 879.8	110	46
909.805	$3d^7({}^4P)4s$	5P_2	$3d^7({}^4P)4p$	5P_1	316 294.3	426 209.2	30bl	46
	$3d^7({}^4F)4s$	5F_5	$3d^7({}^4F)4p$	3G_5	290 618.2	400 532.9	46	
912.745	$3d^7({}^2D2)4s$	3D_3	$3d^7({}^2D2)4p$	3P_2	331 283.5	440 844.9	30	46
913.357	$3d^7({}^4P)4s$	5P_1	$3d^7({}^2P)4p$	3D_1	317 488.8	426 973.4	7	46
915.720	$3d^7({}^2H)4s$	1H_5	$3d^7({}^2H)4p$	1H_5	336 722.0	445 925.7	320	46
916.102	$3d^7({}^4F)4s$	5F_3	$3d^7({}^4F)4p$	3G_4	294 471.9	403 630.9	15	46
919.123	$3d^7({}^4P)4s$	5P_2	$3d^7({}^4P)4p$	5P_3	316 294.3	425 094.4	200	46
921.147	$3d^7({}^4P)4s$	5P_3	$3d^7({}^2P)4p$	1D_2	315 882.7	424 443.2	10	46
922.579	$3d^7({}^4P)4s$	5P_1	$3d^7({}^4P)4p$	5P_2	317 488.8	425 879.8	130	46
924.643	$3d^7({}^4P)4s$	5P_2	$3d^7({}^2P)4p$	1D_2	316 294.3	424 443.2	70	46
926.504	$3d^7({}^2H)4s$	3H_6	$3d^7({}^2H)4p$	3H_6	330 355.3	438 288.5	470	46
927.931	$3d^7({}^4F)4s$	5F_4	$3d^7({}^4F)4p$	3G_5	292 766.3	400 532.9	150	46
929.112	$3d^7({}^2D2)4s$	3D_1	$3d^7({}^2D2)4p$	3P_0	336 737.8	444 367.4	30	77
929.790	$3d^7({}^2F)4s$	1F_3	$3d^7({}^2F)4p$	1F_3	359 164.4	466 715.5	200	46
929.962	$3d^7({}^2H)4s$	3H_5	$3d^7({}^2H)4p$	3H_5	331 468.2	438 999.3	670	46
934.983	$3d^7({}^4P)4s$	5P_1	$3d^7({}^2P)4p$	1D_2	317 488.8	424 443.2	50	46
935.522	$3d^7({}^2H)4s$	3H_4	$3d^7({}^2H)4p$	3H_4	333 146.0	440 038.2	430	46
936.147	$3d^7({}^2H)4s$	3H_5	$3d^7({}^2H)4p$	3H_6	331 468.2	438 288.5	50	46
938.003	$3d^7({}^2D2)4s$	3D_1	$3d^7({}^2D2)4p$	3P_1	336 737.8	443 348.5	3	46
940.254	$3d^7({}^2D1)4s$	1D_2	$3d^7({}^2D1)4p$	1D_2	392 566.6	498 920.8	80	46
943.931	$3d^7({}^4P)4s$	3P_1	$3d^7({}^2D2)4p$	3D_1	325 534.2	431 472.8	70	46
944.201	$3d^7({}^4P)4s$	3P_1	$3d^7({}^2D2)4p$	3D_2	325 534.2	431 443.0	50	46
944.705	$3d^7({}^2H)4s$	3H_4	$3d^7({}^2H)4p$	3H_5	333 146.0	438 999.3	70	46
945.258	$3d^7({}^2F)4s$	3F_2	$3d^7({}^2F)4p$	3D_1	353 118.1	458 909.2	80	46
945.328	$3d^7({}^2D2)4s$	1D_2	$3d^7({}^2D2)4p$	1P_1	338 579.5	444 362.8	70	46
945.757	$3d^7({}^4P)4s$	5P_3	$3d^7({}^2G)4p$	3H_4	315 882.7	421 619.2	15	46
947.584	$3d^7({}^2F)4s$	3F_3	$3d^7({}^2F)4p$	3F_4	353 484.3	459 016.3	350	46
948.173	$3d^7({}^4P)4s$	5P_3	$3d^7({}^4P)4p$	5D_4	315 882.7	421 348.9	550	46
948.635	$3d^7({}^2F)4s$	3F_4	$3d^7({}^2F)4p$	1G_4	354 120.4	459 534.9	130	46
948.783	$3d^7({}^4P)4s$	5P_1	$3d^7({}^2P)4p$	3P_2	317 488.8	422 886.4	50	46
950.138	$3d^7({}^2F)4s$	3F_3	$3d^7({}^2F)4p$	3D_2	353 484.3	458 730.8	100	46
950.493	$3d^7({}^2G)4s$	3G_4	$3d^7({}^2G)4p$	3G_4	321 960.7	427 165.0	280	46
951.066	$3d^7({}^2G)4s$	3G_4	$3d^7({}^2G)4p$	1H_5	321 960.7	427 106.4	50	46
952.506	$3d^7({}^2F)4s$	3F_4	$3d^7({}^2F)4p$	3G_5	354 120.4	459 106.5	450	46
953.738	$3d^7({}^4F)4s$	5F_5	$3d^7({}^4F)4p$	5G_6	290 618.2	395 468.8	850	46
955.286	$3d^7({}^2F)4s$	3F_3	$3d^7({}^2F)4p$	3F_3	353 484.3	458 164.9	210	46
955.509	$3d^7({}^2G)4s$	3G_5	$3d^7({}^2G)4p$	3G_5	320 898.8	425 555.0	500	46

TABLE 12. Spectral lines of Ga VI—Continued

Wavelength (Å)	Classification			Energy levels (cm ⁻¹)	Int.	References			
	Lower		Upper						
955.616	$3d^7(^2F)4s$	3F_2	$3d^7(^2F)4p$	3F_2	353 118.1	457 762.6	190	46	
956.640	$3d^7(^2P)4s$	3P_2	$3d^7(^2P)4p$	3D_3	325 408.1	429 939.8	320	46	
957.641	$3d^7(^2H)4s$	1H_5	$3d^7(^2H)4p$	1G_4	336 722.0	441 145.2	290	46	
959.006	$3d^7(^2P)4s$	3P_1	$3d^7(^2P)4p$	3D_2	328 609.6	432 884.7	30	46	
961.269	$3d^7(^2G)4s$	3G_3	$3d^7(^2G)4p$	3G_3	323 491.8	427 521.7	290	46	
964.264	$3d^7(^4P)4s$	5P_3	$3d^7(^4P)4p$	5D_3	315 882.7	419 588.7	440	46	
964.312	$3d^7(^4F)4s$	3F_4	$3d^7(^4F)4p$	3D_3	301 417.4	405 118.4	500	46	
964.371	$3d^7(^2G)4s$	3G_5	$3d^7(^2G)4p$	1G_4	320 898.8	424 594.2	340	46	
964.605	$3d^7(^2G)4s$	3G_3	$3d^7(^2G)4p$	3G_4	323 491.8	427 165.0	320bl	46	
	$3d^7(^4F)4s$	5F_3	$3d^7(^4F)4p$	5D_2	294 471.9	398 136.8	46		
964.924	$3d^7(^2D2)4s$	1D_2	$3d^7(^2D2)4p$	1F_3	338 579.5	442 214.5	380	46	
966.130	$3d^7(^2D2)4s$	3D_3	$3d^7(^2D2)4p$	3F_4	331 283.5	434 789.2	530	46	
966.256	$3d^7(^2P)4s$	3P_2	$3d^7(^4P)4p$	3P_2	325 408.1	428 900.4	170	46	
966.981	$3d^7(^2G)4s$	3G_3	$3d^7(^2G)4p$	3F_2	323 491.8	426 905.5	350	46	
967.397	$3d^7(^2H)4s$	3H_5	$3d^7(^2H)4p$	1I_6	331 468.2	434 837.6	24	46	
967.811	$3d^7(^4F)4s$	5F_3	$3d^7(^4F)4p$	5G_3	294 471.9	397 796.8	130bl	77	
	$3d^7(^4P)4s$	3P_2	$3d^7(^2D2)4p$	3D_3	327 438.9	430 763.4	46		
968.102	$3d^7(^4P)4s$	5P_2	$3d^7(^4P)4p$	5D_3	316 294.3	419 588.7	280	46	
969.519	$3d^7(^2G)4s$	3G_3	$3d^7(^4P)4p$	3D_3	323 491.8	426 636.8	170	46	
970.060	$3d^7(^4F)4s$	5F_4	$3d^7(^4F)4p$	5G_5	292 766.3	395 852.3	830	46	
970.506	$3d^7(^4P)4s$	5P_1	$3d^7(^4P)4p$	5D_1	317 488.8	420 527.4	170	46	
971.688	$3d^7(^4F)4s$	5F_4	$3d^7(^4F)4p$	5D_3	292 766.3	395 680.0	170	46	
971.962	$3d^7(^4F)4s$	5F_5	$3d^7(^4F)4p$	5D_4	290 618.2	393 500.8	250	46	
972.076	$3d^7(^4P)4s$	5P_2	$3d^7(^4P)4p$	5D_2	316 294.3	419 168.0	320	46	
972.574	$3d^7(^2D1)4s$	3D_3	$3d^7(^2D1)4p$	3F_4	387 630.8	490 450.6	200	46	
973.580	$3d^7(^4F)4s$	5F_3	$3d^7(^4F)4p$	5G_2	294 471.9	397 186.4	140	46	
974.340	$3d^7(^2G)4s$	3G_4	$3d^7(^2G)4p$	1G_4	321 960.7	424 594.2	370	46	
974.581	$3d^7(^4F)4s$	5F_2	$3d^7(^4F)4p$	5D_1	295 691.7	398 298.7	210	46	
974.853	$3d^7(^4F)4s$	5F_3	$3d^7(^4F)4p$	5G_4	294 471.9	397 051.5	780	46	
975.164	$3d^7(^2D2)4s$	3D_2	$3d^7(^2D2)4p$	3F_3	333 121.7	435 668.5	400	46	
975.337	$3d^7(^4F)4s$	3F_3	$3d^7(^4P)4p$	5S_2	304 315.6	406 843.7	350	46	
975.616	$3d^7(^4P)4s$	3P_2	$3d^7(^2P)4p$	3D_3	327 438.9	429 939.8	230	46	
975.956	$3d^7(^2F)4s$	3F_4	$3d^7(^2F)4p$	3D_3	354 120.4	456 583.9	260	46	
977.834	$3d^7(^2D2)4s$	1D_2	$3d^7(^2D2)4p$	3P_2	338 579.5	440 844.9	70	46	
978.897	$3d^7(^4P)4s$	5P_1	$3d^7(^4P)4p$	5D_0	317 488.8	419 644.6	?	170	46
979.382	$3d^7(^4F)4s$	5F_2	$3d^7(^4F)4p$	5G_3	295 691.7	397 796.8	740	46	
979.687	$3d^7(^2F)4s$	3F_3	$3d^7(^2F)4p$	3G_4	353 484.3	455 557.5	210	46	
980.241	$3d^7(^2G)4s$	3G_5	$3d^7(^2G)4p$	3H_6	320 898.8	422 914.6	860	46	
980.485	$3d^7(^2P)4s$	3P_1	$3d^7(^4P)4p$	3D_2	328 609.6	430 599.5	360	46	
980.577	$3d^7(^4F)4s$	3F_4	$3d^7(^4F)4p$	3F_3	301 417.4	403 397.9	470	46	
981.830	$3d^7(^4F)4s$	5F_1	$3d^7(^4F)4p$	5D_0	296 472.6	398 323.3	?	850bl	77
	$3d^7(^4F)4s$	3F_2	$3d^7(^4F)4p$	3D_1	306 203.6	408 054.2	46		
982.080	$3d^7(^4F)4s$	5F_1	$3d^7(^4F)4p$	5D_1	296 472.6	398 298.7	470	46	
983.114	$3d^7(^2F)4s$	3F_2	$3d^7(^2F)4p$	3G_3	353 118.1	454 836.1	250	46	
983.152	$3d^7(^4P)4s$	5P_2	$3d^7(^4P)4p$	3S_1	316 294.3	418 007.1	220	46	
983.430	$3d^7(^4P)4s$	3P_0	$3d^7(^4P)4p$	3P_1	330 724.3	432 409.2	150	46	
983.475	$3d^7(^4P)4s$	5P_1	$3d^7(^4P)4p$	5D_2	317 488.8	419 168.0	130	46	
983.643	$3d^7(^4F)4s$	5F_1	$3d^7(^4F)4p$	5D_2	296 472.6	398 136.8	630	46	
984.037	$3d^7(^2G)4s$	3G_4	$3d^7(^2G)4p$	3F_3	321 960.7	423 585.8	600	46	
985.281	$3d^7(^4F)4s$	5F_2	$3d^7(^4F)4p$	5G_2	295 691.7	397 186.4	550	46	

TABLE 12. Spectral lines of Ga VI—Continued

Wavelength (Å)	Classification			Energy levels (cm ⁻¹)	Int.	References		
	Lower		Upper					
985.589	$3d^7(^4P)4s$	3P_2	$3d^7(^4P)4p$	3P_2	327 438.9	428 900.4	130	46
985.821	$3d^7(^4P)4s$	3P_1	$3d^7(^2P)4p$	3D_1	325 534.2	426 973.4	460bl	46
	$3d^7(^2F)4s$	3F_4	$3d^7(^2F)4p$	3G_4	354 120.4	455 557.5		46
985.956	$3d^7(^2P)4s$	3P_1	$3d^7(^4P)4p$	3D_1	328 609.6	430 034.0	140	46
986.657	$3d^7(^2F)4s$	3F_3	$3d^7(^2F)4p$	3G_3	353 484.3	454 836.1	300	46
987.858	$3d^7(^2P)4s$	3P_2	$3d^7(^4P)4p$	3D_3	325 408.1	426 636.8	80	46
988.063	$3d^7(^4F)4s$	5F_3	$3d^7(^4F)4p$	5D_3	294 471.9	395 680.0	720	46
989.166	$3d^7(^2D1)4s$	3D_2	$3d^7(^2D1)4p$	3F_3	386 736.8	487 831.8	250	46
990.426	$3d^7(^4F)4s$	3F_3	$3d^7(^4F)4p$	3F_2	304 315.6	405 283.3	360	46
990.629	$3d^7(^2D2)4s$	3D_1	$3d^7(^2D2)4p$	1D_2	336 737.8	437 682.7	40	46
991.096	$3d^7(^2D1)4s$	1D_2	$3d^7(^2D1)4p$	1F_3	392 566.6	493 464.9	220	46
992.036	$3d^7(^4F)4s$	3F_3	$3d^7(^4F)4p$	3D_3	304 315.6	405 118.4	410	46
992.711	$3d^7(^4F)4s$	5F_4	$3d^7(^4F)4p$	5D_4	292 766.3	393 500.8	870	46
992.905	$3d^7(^4F)4s$	5F_1	$3d^7(^4F)4p$	5G_2	296 472.6	397 186.4	240	46
993.094	$3d^7(^2H)4s$	3H_6	$3d^7(^2H)4p$	3I_7	330 355.3	431 050.7	960	46
993.662	$3d^7(^4F)4s$	3F_2	$3d^7(^4P)4p$	5S_2	306 203.6	406 843.7	360bl	46
	$3d^7(^2P)4s$	3P_0	$3d^7(^2P)4p$	3D_1	326 334.7	426 973.4		46
994.050	$3d^7(^2P)4s$	1P_1	$3d^7(^4P)4p$	3P_1	331 810.7	432 409.2	90	46
995.302	$3d^7(^2P)4s$	3P_2	$3d^7(^4P)4p$	5P_2	325 408.1	425 879.8	70	46
996.022	$3d^7(^2F)4s$	3F_2	$3d^7(^2F)4p$	1D_2	353 118.1	453 517.0	130	46
996.308	$3d^7(^2F)4s$	1F_3	$3d^7(^2F)4p$	1G_4	359 164.4	459 534.9	620	46
996.384	$3d^7(^2G)4s$	1G_4	$3d^7(^2G)4p$	3G_3	327 159.5	427 521.7	280	46
996.559	$3d^7(^4P)4s$	3P_1	$3d^7(^4P)4p$	5P_2	325 534.2	425 879.8	80	46
997.598	$3d^7(^2G)4s$	1G_4	$3d^7(^2H)4p$	3G_5	327 159.5	427 399.6	480	46
997.993	$3d^7(^2D1)4s$	3D_3	$3d^7(^2D1)4p$	3F_3	387 630.8	487 831.8	15	46
998.392	$3d^7(^2D2)4s$	3D_3	$3d^7(^2D2)4p$	3D_2	331 283.5	431 443.0	10	46
999.082	$3d^7(^2G)4s$	3G_3	$3d^7(^2G)4p$	3F_3	323 491.8	423 585.8	240bl	46
	$3d^7(^2D1)4s$	1D_2	$3d^7(^2D1)4p$	1P_1	392 566.6	492 658.4		46
999.683	$3d^7(^2F)4s$	3F_3	$3d^7(^2F)4p$	1D_2	353 484.3	453 517.0	190	46
999.971	$3d^7(^2G)4s$	1G_4	$3d^7(^2G)4p$	3G_4	327 159.5	427 165.0	300	46
1000.532	$3d^7(^2G)4s$	1G_4	$3d^7(^2G)4p$	1H_5	327 159.5	427 106.4	510	46
1001.255	$3d^7(^2P)4s$	3P_0	$3d^7(^4P)4p$	5P_1	326 334.7	426 209.2	10	46
1001.478	$3d^7(^2F)4s$	1F_3	$3d^7(^2F)4p$	3F_4	359 164.4	459 016.3	80	46
1001.821	$3d^7(^2D1)4s$	3D_1	$3d^7(^2D1)4p$	3F_2	386 276.8	486 095.0	180	46
1002.352	$3d^7(^2D2)4s$	3D_2	$3d^7(^2P)4p$	3D_2	333 121.7	432 884.7	100	46
1002.986	$3d^7(^4F)4s$	3F_4	$3d^7(^4F)4p$	3F_4	301 417.4	401 119.8	790	46
1003.126	$3d^7(^2D2)4s$	3D_1	$3d^7(^2D2)4p$	3F_2	336 737.8	436 426.1	520bl	46
	$3d^7(^2P)4s$	3P_2	$3d^7(^4P)4p$	5P_3	325 408.1	425 094.4		46
1003.401	$3d^7(^2P)4s$	1P_1	$3d^7(^2D2)4p$	3D_1	331 810.7	431 472.8	140	46
1003.430	$3d^7(^2G)4s$	3G_4	$3d^7(^2G)4p$	3H_4	321 960.7	421 619.2	150	46
1003.679	$3d^7(^2P)4s$	1P_1	$3d^7(^2D2)4p$	3D_2	331 810.7	431 443.0	170	46
1004.172	$3d^7(^4F)4s$	3F_2	$3d^7(^4F)4p$	3G_3	306 203.6	405 788.3	850	46
1004.364	$3d^7(^2F)4s$	1F_3	$3d^7(^2F)4p$	3D_2	359 164.4	458 730.8	340	46
1005.231	$3d^7(^2D2)4s$	3D_3	$3d^7(^2D2)4p$	3D_3	331 283.5	430 763.4	470	46
1006.155	$3d^7(^2G)4s$	3G_4	$3d^7(^4P)4p$	5D_4	321 960.7	421 348.9	40	46
1006.414	$3d^7(^4F)4s$	5F_5	$3d^7(^4F)4p$	5F_5	290 618.2	389 982.7	950	46
1006.890	$3d^7(^4F)4s$	3F_3	$3d^7(^4F)4p$	3G_4	304 315.6	403 630.9	780	46
1007.511	$3d^7(^2H)4s$	3H_4	$3d^7(^2H)4p$	3G_3	333 146.0	432 400.5	480	46
1008.078	$3d^7(^4P)4s$	3P_2	$3d^7(^4P)4p$	3D_3	327 438.9	426 636.8	320	46
1008.749	$3d^7(^2G)4s$	3G_5	$3d^7(^2G)4p$	3F_4	320 898.8	420 030.7	660	46

TABLE 12. Spectral lines of Ga VI—Continued

Wavelength (Å)	Classification		Energy levels (cm ⁻¹)	Int.	References			
	Lower	Upper						
1008.924	$3d^7(^4F)4s$	3F_4	$3d^7(^4F)4p$	3G_5	301 417.4	400 532.9	1000	46
1009.050	$3d^7(^4F)4s$	5F_2	$3d^7(^4F)4p$	5F_1	295 691.7	394 800.7	630bl	46
	$3d^7(^2D2)4s$	1D_2	$3d^7(^2D2)4p$	1D_2	338 579.5	437 682.7		46
1009.254	$3d^7(^4F)4s$	3F_3	$3d^7(^4F)4p$	3F_3	304 315.6	403 397.9	570bl	46
	$3d^7(^4F)4s$	3F_2	$3d^7(^4F)4p$	3F_2	306 203.6	405 283.3		46
1009.513	$3d^7(^4F)4s$	5F_3	$3d^7(^4F)4p$	5F_2	294 471.9	393 529.7	680	46
1010.103	$3d^7(^4F)4s$	5F_4	$3d^7(^4F)4p$	5F_3	292 766.3	391 766.2	980	46
1011.047	$3d^7(^4P)4s$	3P_1	$3d^7(^2P)4p$	1D_2	325 534.2	424 443.2	920bl	46
	$3d^7(^4F)4s$	5F_5	$3d^7(^4F)4p$	5F_4	290 618.2	389 525.6		46
1011.695	$3d^7(^2D1)4s$	3D_1	$3d^7(^2D1)4p$	3P_0	386 276.8	485 120.7	90bl	77
	$3d^7(^2H)4s$	3H_5	$3d^7(^2H)4p$	3I_5	331 468.2	430 311.9		46
1013.613	$3d^7(^2D2)4s$	3D_3	$3d^7(^2P)4p$	3D_3	331 283.5	429 939.8	180	46
1014.216	$3d^7(^2F)4s$	1F_3	$3d^7(^2F)4p$	3F_2	359 164.4	457 762.6	160	46
1014.443	$3d^7(^2H)4s$	3H_5	$3d^7(^2H)4p$	3G_4	331 468.2	430 045.3	1000	46
1015.806	$3d^7(^2G)4s$	1G_4	$3d^7(^2G)4p$	1F_3	327 159.5	425 605.8	370bl	46
	$3d^7(^4P)4s$	3P_2	$3d^7(^4P)4p$	5P_2	327 438.9	425 879.8		77
1016.990	$3d^7(^4F)4s$	5F_1	$3d^7(^4F)4p$	5F_1	296 472.6	394 800.7	250	46
1017.103	$3d^7(^2D2)4s$	3D_2	$3d^7(^2D2)4p$	3D_2	333 121.7	431 443.0	380	46
1018.787	$3d^7(^2H)4s$	3H_6	$3d^7(^2H)4p$	3I_6	330 355.3	428 511.4	290	46
1019.062	$3d^7(^2G)4s$	3G_3	$3d^7(^2G)4p$	3H_4	323 491.8	421 619.2	700	46
1019.213	$3d^7(^2H)4s$	1H_5	$3d^7(^2H)4p$	1I_6	336 722.0	434 837.6	920	46
1019.689	$3d^7(^2G)4s$	3G_4	$3d^7(^2G)4p$	3F_4	321 960.7	420 030.7	1000	46
1020.737	$3d^7(^2G)4s$	3G_4	$3d^7(^2G)4p$	3H_5	321 960.7	419 928.7	720	46
1022.098	$3d^7(^4F)4s$	5F_2	$3d^7(^4F)4p$	5F_2	295 691.7	393 529.7	420	46
1024.417	$3d^7(^2D2)4s$	3D_3	$3d^7(^4P)4p$	3P_2	331 283.5	428 900.4	50	46
1025.387	$3d^7(^2D1)4s$	3D_2	$3d^7(^2D1)4p$	3P_1	386 736.8	484 260.9	110	46
1025.878	$3d^7(^2P)4s$	3P_2	$3d^7(^2P)4p$	3P_2	325 408.1	422 886.4	240	46
1026.322	$3d^7(^2G)4s$	1G_4	$3d^7(^2G)4p$	1G_4	327 159.5	424 594.2	360	46
1027.817	$3d^7(^4F)4s$	5F_3	$3d^7(^4F)4p$	5F_3	294 471.9	391 766.2	440	46
1028.874	$3d^7(^4F)4s$	3F_2	$3d^7(^4F)4p$	3F_3	306 203.6	403 397.9	30	46
1029.168	$3d^7(^2H)4s$	3H_4	$3d^7(^2H)4p$	3I_5	333 146.0	430 311.9	780	46
1030.460	$3d^7(^2H)4s$	3H_6	$3d^7(^2H)4p$	3G_5	330 355.3	427 399.6	940bl	46
	$3d^7(^2H)4s$	3H_5	$3d^7(^2H)4p$	3I_6	331 468.2	428 511.4		46
1030.880	$3d^7(^4P)4s$	3P_2	$3d^7(^2P)4p$	1D_2	327 438.9	424 443.2	20	46
1033.575	$3d^7(^2H)4s$	3H_6	$3d^7(^2G)4p$	1H_5	330 355.3	427 106.4	680	46
1037.034	$3d^7(^2G)4s$	1G_4	$3d^7(^2G)4p$	3F_3	327 159.5	423 585.8	730	46
1037.418	$3d^7(^2F)4s$	1F_3	$3d^7(^2F)4p$	3G_4	359 164.4	455 557.5	210	46
1038.800	$3d^7(^4P)4s$	3P_2	$3d^7(^2P)4p$	3P_1	327 438.9	423 703.8	170	46
1042.418	$3d^7(^2H)4s$	3H_5	$3d^7(^2H)4p$	3G_5	331 468.2	427 399.6	240	46
1047.701	$3d^7(^4P)4s$	3P_2	$3d^7(^2P)4p$	3P_2	327 438.9	422 886.4	170	46
1051.316	$3d^7(^2P)4s$	3P_2	$3d^7(^4P)4p$	5D_1	325 408.1	420 527.4	50	46
1058.661	$3d^7(^2G)4s$	1G_4	$3d^7(^2G)4p$	3H_4	327 159.5	421 619.2	190	46
1058.936	$3d^7(^4F)4s$	3F_4	$3d^7(^4F)4p$	5G_5	301 417.4	395 852.3	420	46
1059.848	$3d^7(^2F)4s$	1F_3	$3d^7(^2F)4p$	1D_2	359 164.4	453 517.0	230	46
1060.405	$3d^7(^2D2)4s$	1D_2	$3d^7(^2P)4p$	3D_2	338 579.5	432 884.7	40	46
1061.789	$3d^7(^2P)4s$	3P_2	$3d^7(^4P)4p$	5D_3	325 408.1	419 588.7	3	46
1069.739	$3d^7(^4F)4s$	3F_3	$3d^7(^4F)4p$	5G_3	304 315.6	397 796.8	70	46
1071.536	$3d^7(^2H)4s$	1H_5	$3d^7(^2H)4p$	3G_4	336 722.0	430 045.3	80	46
1077.948	$3d^7(^2G)4s$	1G_4	$3d^7(^2G)4p$	3H_5	327 159.5	419 928.7	140	46
1078.332	$3d^7(^4F)4s$	3F_3	$3d^7(^4F)4p$	5G_4	304 315.6	397 051.5	180	46

TABLE 12. Spectral lines of Ga VI—Continued

Wavelength (Å)	Classification			Energy levels (cm ⁻¹)	Int.	References		
	Lower		Upper					
1079.932	$3d^7(^2P)4s$	3P_2	$3d^7(^4P)4p$	3S_1	325 408.1	418 007.1	240	46
1080.389	$3d^7(^2H)4s$	3H_6	$3d^7(^2G)4p$	3H_6	330 355.3	422 914.6	180	46
1085.988	$3d^7(^4F)4s$	3F_4	$3d^7(^4F)4p$	5D_4	301 417.4	393 500.8	25	46
1087.746	$3d^7(^4F)4s$	3F_2	$3d^7(^4F)4p$	5D_2	306 203.6	398 136.8	30	46
1089.452	$3d^7(^2H)4s$	1H_5	$3d^7(^2H)4p$	3I_6	336 722.0	428 511.4	310	46
1101.210	$3d^7(^4P)4s$	5P_3	$3d^7(^4F)4p$	3D_2	315 882.7	406 689.7	140	46
1105.706	$3d^7(^2H)4s$	3H_4	$3d^7(^2G)4p$	3F_3	333 146.0	423 585.8	150	77
1121.090	$3d^7(^4P)4s$	5P_1	$3d^7(^4F)4p$	3D_2	317 488.8	406 689.7	150	46
1129.096	$3d^7(^4F)4s$	3F_4	$3d^7(^4F)4p$	5F_5	301 417.4	389 982.7	110	46
1138.016	$3d^7(^2H)4s$	1H_5	$3d^7(^2G)4p$	1G_4	336 722.0	424 594.2	190	46
1149.072	$3d^7(^2D)4s$	1D_2	$3d^7(^2G)4p$	1F_3	338 579.5	425 605.8	40	46

TABLE 13. Energy levels of Ga VII

Configuration	Term	J	Level (cm ⁻¹)
$3p^63d^7$	4F	9/2	0
		7/2	2 790
		5/2	4 710
		3/2	5 925
Ga VIII (5D_4)	Limit	—	1 136 000

TABLE 14. Energy levels of Ga XIII

Configuration	Term	J	Level(cm ⁻¹)
$3p^63d$	2D	3/2	0
		5/2	6 308
$3p^5(^2P^\circ)3d^2(^3F)$	${}^2F^\circ$	5/2	756 840
$3p^5(^2P^\circ)3d^2(^1G)$	${}^2F^\circ$	7/2	774 620
$3p^5(^2P^\circ)3d^2(^3P)$	${}^2P^\circ$	1/2	{829 320}
		3/2	837 920
$3p^5(^2P^\circ)3d^2(^3F)$	${}^2D^\circ$	5/2	836 940
		3/2	837 070
$3p^64f$	${}^2F^\circ$	5/2	1 667 400
		7/2	1 668 200
Ga XIV (1S_0)	Limit	—	2 881 000

TABLE 15. Spectral lines of Ga XIII

Wavelength (Å)	Classification			Energy levels (cm ⁻¹)	Int.	Ref.		
	Lower		Upper					
59.975	$3p^63d$	${}^2D_{3/2}$	$3p^64f$	${}^2F_{5/2}$	0	1 667 400	2	18
60.171	$3p^63d$	${}^2D_{5/2}$	$3p^64f$	${}^2F_{7/2}$	6 308	1 668 200	3	18
119.464	$3p^63d$	${}^2D_{3/2}$	$3p^5(^2P^\circ)3d^2(^3F)$	${}^2D_{3/2}$	0	837 070	20	18,60°
120.249	$3p^63d$	${}^2D_{5/2}$	$3p^5(^2P^\circ)3d^2(^3P)$	${}^2D_{3/2}$	6 308	837 920	20	60
120.390	$3p^63d$	${}^2D_{5/2}$	$3p^5(^2P^\circ)3d^2(^3F)$	${}^2D_{5/2}$	6 308	836 940	40	18,60°
130.156	$3p^63d$	${}^2D_{5/2}$	$3p^5(^2P^\circ)3d^2(^1G)$	${}^2F_{7/2}$	6 308	774 620	200	18,60°
132.128	$3p^63d$	${}^2D_{3/2}$	$3p^5(^2P^\circ)3d^2(^3F)$	${}^2F_{5/2}$	0	756 840	10	60

TABLE 16. Energy levels of Ga XIV

Configuration	Team	<i>J</i>	Level (cm ⁻¹)
3p ⁶	¹ S	0	0
3p ⁵ 3d	³ D°	1	647 601
3p ⁵ 3d	¹ P°	1	807 911
Ga XV (²P_{3/2})	Limit	—	3 800 600

TABLE 17. Spectral lines of Ga XIV

Wave-length (Å)	Classification			Energy levels (cm ⁻¹)	Ref.
	Lower	Upper			
55.72 ^L	3p ⁵ 3d	³ F ₄	3p ⁵ 4f	³ G ₅	18
123.776 ^S	3p ⁶	¹ S ₀	3p ⁵ 3d	¹ P ₁	0 807 911 18,56°
154.416 ^S	3p ⁶	¹ S ₀	3p ⁵ 3d	³ D ₁	0 647 601 56

TABLE 18. Energy levels of Ga XV

Configuration	Team	<i>J</i>	Level (cm ⁻¹)
3p ⁵	² P°	3/2	0
		1/2	40 699
3p ⁴ (¹ D)3d	² S	1/2	747 460
3p ⁴ (³ P)3d	² P	3/2	776 840
3p ⁴ (³ P)3d	² P	1/2	791 980
3p ⁴ (³ P)3d	² D	5/2	784 690
3p ⁴ (³ P)3d	² D	3/2	820 170
Ga XVI (³P₂)	Limit	—	4 103 900

TABLE 19. Spectral lines of Ga XV

Wavelength (Å)	Classification			Energy levels (cm ⁻¹)	Int	Type	<i>A</i> (s ⁻¹)	Ref.
	Lower	Upper						
51.57 ^L	3p ⁴ (³ P)3d	⁴ D _{7/2}	3p ⁴ (³ P)4f	⁴ F _{9/2}	1			18
52.27 ^L	3p ⁴ (³ P)3d	⁴ F _{9/2}	3p ⁴ (³ P)4f	⁴ G _{11/2}	1			18
127.439	3p ⁵	² P _{3/2}	3p ⁴ (³ P)3d	² D _{5/2}	0	784 690	3	18,61°
128.292	3p ⁵	² P _{1/2}	3p ⁴ (³ P)3d	² D _{3/2}	40 699	820 170	3	18,61°
128.727	3p ⁵	² P _{3/2}	3p ⁴ (³ P)3d	² P _{3/2}	0	776 840	8	61
133.106	3p ⁵	² P _{1/2}	3p ⁴ (³ P)3d	² P _{1/2}	40 699	791 980	5	61,64°
133.786	3p ⁵	² P _{3/2}	3p ⁴ (¹ D)3d	² S _{1/2}	0	747 460	10	61
2456.4	3p ⁵	² P _{3/2}	3p ⁵	² P _{1/2}	0	40 699	M1	1.21+3 54°, 51°*

TABLE 20. Energy levels of Ga XVI

Configuration	Term	<i>J</i>	Level (cm ⁻¹)	Leading percentages
3p ⁴	³ P	2	0	90+10
		0	[29 860]	81+19
		1	34 825	100
3p ⁴	¹ D	2	65 670	90+10
3p ⁴	¹ S	0	132 010	81+19
3p ³ (² D°)3d	³ P°	2	730 990	78+13 3s3p ⁵
3p ³ (⁴ S°)3d	³ D°	3	756 600	46+22 3p ³ (² P°)3d
		2	773 220	30+24 3p ³ (² P°)3d
3p ³ (² D°)3d	¹ D°	2	803 320	52+18 3p ³ (² P°)3d

TABLE 20. Energy levels of Ga XVI—Continued

Configuration	Term	<i>J</i>	Level (cm ⁻¹)	Leading percentages
3p ³ (² D°)3d	¹ F°	3	819 360	60+32 3p ³ (² P°)3d
3p ³ (² P°)3d	¹ P°	1	863 000	85+4 3p ³ (⁴ S°)3d
Ga XVII (⁴S_{3/2})	Limit	—	4 422 400	³ D°

TABLE 21. Spectral lines of Ga XVI

Wavelength (Å)	Classification				(cm ⁻¹)	Int.	Type	A (s ⁻¹)	References
	Lower		Upper						
48.69 ^L	$3p^33d$	5D_4	$3p^34f$	5F_5					18
49.19 ^L	$3p^3(2D^\circ)3d$	3G_5	$3p^34f$	3H_6					18
132.19	$3p^4$	3P_2	$3p^3(^4S^\circ)3d$	3D_3	0	756 600	2		18
132.680	$3p^4$	1D_2	$3p^3(^2D^\circ)3d$	1F_3	65 670	819 360	10		64°, 18
135.425 ^P	$3p^4$	3P_1	$3p^3(^4S^\circ)3d$	3D_2	34 825	773 220			64
135.566 ^P	$3p^4$	1D_2	$3p^3(^2D^\circ)3d$	1D_2	65 670	803 320			64
136.800	$3p^4$	3P_2	$3p^3(^2D^\circ)3d$	3P_2	0	730 990	30bl		64
	$3p^4$	1S_0	$3p^3(^2P^\circ)3d$	1P_1	132 010	863 000			64
143.644 ^P	$3p^4$	3P_1	$3p^3(^2D^\circ)3d$	3P_2	34 825	730 990			64
1029.0 ^P	$3p^4$	3P_1	$3p^4$	1S_0	34 825	132 010	M1	9.22+3	64°, 62°*
1522.8 ^S	$3p^4$	3P_2	$3p^4$	1D_2	0	65 670	M1	9.03+2	39, 64°, 62°*
2870.7 ^P	$3p^4$	3P_2	$3p^4$	3P_1	0	34 825	M1	8.54+2	64°, 62°*
3241.1 ^P	$3p^4$	3P_1	$3p^4$	1D_2	34 825	65 670	M1	3.82+1	64°, 62°*
20140 ^P	$3p^4$	3P_0	$3p^4$	3P_1	[29 860]	34 825	M1	1.79+0	64°, 62°*

TABLE 22. Energy levels of Ga XVII

Configuration	Team	J	Level (cm ⁻¹)	Leading percentages			
$3s^23p^3$	$^4S^\circ$	3/2	0	86	+	9	$^2P^\circ$
$3s^23p^3$	$^2D^\circ$	3/2	52 916	75	+	16	$^2P^\circ$
		5/2	67 727	97			
$3s^23p^3$	$^2P^\circ$	1/2	104 622	97			
		3/2	128 577	72	+	21	$^2D^\circ$
$3s^23p^2(^3P)3d$	4P	5/2	693 419				
		3/2	701 630				
$3s^23p^2(^1D)3d$	2D	3/2	755 178				
		5/2	761 320				

TABLE 22. Energy levels of Ga XVII—Continued

Configuration	Team	J	Level (cm ⁻¹)	Leading percentages
$3s^23p^2(^3P)3d$	2F	7/2	789 800	
$3s^23p^2(^1D)3d$	2P	3/2	793 220	
$3s^23p^2(^3P)3d$	2D	5/2	828 010	
Ga XVIII	Limit		4 838 000	$(^3P_0)$

TABLE 23. Spectral lines of Ga XVII

Wavelength (Å)	Classification				(cm ⁻¹)	Int.	Type	A (s ⁻¹)	References
	Lower		Upper						
45.96	$3s^23p^23d$	$^4F_{9/2}$	$3s^23p^24f$	$^4G_{11/2}$			1		18
46.3	$3s^23p^23d$	$^2G_{9/2}$	$3s^23p^24f$	$^2H_{11/2}$			1		18
138.491 ^S	$3s^23p^3$	$^2D_{5/2}$	$3s^23p^2(^3P)3d$	$^2F_{7/2}$	67 727	789 800	3		70°, 18
141.163 ^P	$3s^23p^3$	$^2D_{3/2}$	$3s^23p^2(^1D)3d$	$^2D_{5/2}$	52 916	761 320			70
142.397	$3s^23p^3$	$^2D_{3/2}$	$3s^23p^2(^1D)3d$	$^2D_{3/2}$	52 916	755 178	10		70
142.526 ^P	$3s^23p^3$	$^4S_{3/2}$	$3s^23p^2(^3P)3d$	$^4P_{3/2}$	0	701 630			70
142.973 ^P	$3s^23p^3$	$^2P_{3/2}$	$3s^23p^2(^3P)3d$	$^2D_{5/2}$	128 577	828 010			70
144.178 ^P	$3s^23p^3$	$^2D_{5/2}$	$3s^23p^2(^1D)3d$	$^2D_{5/2}$	67 727	761 320			70
144.213	$3s^23p^3$	$^4S_{3/2}$	$3s^23p^2(^3P)3d$	$^4P_{5/2}$	0	693 419	20		70°, 18
145.222 ^P	$3s^23p^3$	$^2P_{1/2}$	$3s^23p^2(^1D)3d$	$^2P_{3/2}$	104 622	793 220			70
777.7 ^P	$3s^23p^3$	$^4S_{3/2}$	$3s^23p^3$	$^2P_{3/2}$	0	128 577	M1	1.91+3	70°, 51°*
955.8 ^P	$3s^23p^3$	$^4S_{3/2}$	$3s^23p^3$	$^2P_{1/2}$	0	104 622	M1	1.82+3	70°, 51°*
1321.7 ^S	$3s^23p^3$	$^2D_{3/2}$	$3s^23p^3$	$^2P_{3/2}$	52 916	128 577	M1	2.76+3	54, 70°, 51°*
1476.5 ^P	$3s^23p^3$	$^4S_{3/2}$	$3s^23p^3$	$^2D_{5/2}$	0	67 727	M1	6.39+1	70°, 51°*
1643.4 ^P	$3s^23p^3$	$^2D_{5/2}$	$3s^23p^3$	$^2P_{3/2}$	67 727	128 577	M1	7.79+2	70°, 51°*

TABLE 23. Spectral lines of Ga XVII—Continued

Wavelength (Å)	Classification				Energy levels (cm ⁻¹)		Int.	Type	A (s ⁻¹)	References
	Lower		Upper							
1889.8 ^P	3s ² 3p ³	⁴ S _{3/2}	3s ² 3p ³	² D _{3/2}	0	52 916		M1	7.64+2	70°,51*
1934.1 ^P	3s ² 3p ³	² D _{3/2}	3s ² 3p ³	² P _{1/2}	52 916	104 622		M1	4.11+2	70°,51*
4173. ^P	3s ² 3p ³	² P _{1/2}	3s ² 3p ³	² P _{3/2}	104 622	128 577		M1	9.37+1	70°,51*
6750. ^P	3s ² 3p ³	² D _{3/2}	3s ² 3p ³	² D _{5/2}	52 916	67 727		M1	2.65+1	70°,51*

TABLE 24. Energy levels of Ga XVIII

Configuration	Term	J	Level (cm ⁻¹)	Leading percentages
3s ² 3p ²	³ P	0	0	91+9
		1	28 090	100
		2	45 700	75+25
3s ² 3p ²	¹ D	2	94 730	75+25
3s ² 3p ²	¹ S	0	151 510	91+9
3s3p ³	³ D ^o	3	[427 560]	92+8
3s3p ³	³ P ^o	2	[484 860]	65+12
3s3p ³	³ S ^o	1	[580 510]	70+25
3s3p ³	¹ P ^o	1	[629 770]	58+27
3s ² 3p3d	³ P ^o	2	665 820	50+17
3s ² 3p3d		0	[701 970]	93+7
3s ² 3p3d		1	[707 610]	58+33
3s ² 3p3d	³ D ^o	1	677 397	55+33
3s ² 3p3d		3	708 588	87+8

TABLE 24. Energy levels of Ga XVIII—Continued

Configuration	Term	J	Level (cm ⁻¹)	Leading percentages
		2	[713 260]	48+35
3s ² 3p3d	¹ D ^o	2	696 896	39+27
3s ² 3p3d	¹ F ^o	3	769 986	96+3
3s ² 3p3d	¹ P ^o	1	790 477	83+12
Ga XIX (² P _{1/2})	Limit	—	5 162 000	

TABLE 25. Spectral lines of Ga XVIII

Wavelength (Å)	Classification				Energy levels (cm ⁻¹)		Int.	Type	A (s ⁻¹)	References
	Lower		Upper							
147.163 ^P	3s ² 3p ²	³ P ₁	3s ² 3p3d	³ P ₁	28 090	[707 610]				66
147.624	3s ² 3p ²	³ P ₀	3s ² 3p3d	³ D ₁	0	677 397	20			66
148.092	3s ² 3p ²	¹ D ₂	3s ² 3p3d	¹ F ₃	94 730	769 986	20			66
148.394 ^P	3s ² 3p ²	³ P ₁	3s ² 3p3d	³ P ₀	28 090	[701 970]				66
150.855	3s ² 3p ²	³ P ₂	3s ² 3p3d	³ D ₃	45 700	708 588	300			66°,18
156.510	3s ² 3p ²	¹ S ₀	3s ² 3p3d	¹ P ₁	151 510	790 477	3			66
156.807	3s ² 3p ²	³ P ₁	3s ² 3p3d	³ P ₂	28 090	665 820	5			66
161.259 ^P	3s ² 3p ²	³ P ₂	3s ² 3p3d	³ P ₂	45 700	665 820				66
161.673 ^P	3s ² 3p ²	¹ D ₂	3s ² 3p3d	³ D ₂	94 730	[713 260]				66
166.067	3s ² 3p ²	¹ D ₂	3s ² 3p3d	¹ D ₂	94 730	696 896	10			66
181.022 ^P	3s ² 3p ²	³ P ₁	3s3p ³	³ S ₁	28 090	[580 510]				66
186.902 ^P	3s ² 3p ²	¹ D ₂	3s3p ³	¹ P ₁	94 730	[629 770]				66
186.982 ^P	3s ² 3p ²	³ P ₂	3s3p ³	³ S ₁	45 700	[580 510]				66
227.708 ^P	3s ² 3p ²	³ P ₂	3s3p ³	³ P ₂	45 700	[484 860]				66
261.876 ^P	3s ² 3p ²	³ P ₂	3s3p ³	³ D ₃	45 700	[427 560]				66
810.2 ^S	3s ² 3p ²	³ P ₁	3s ² 3p ²	¹ S ₀	28 090	151 510		M1	8.40+3	54,66°,51*
1500.0 ^S	3s ² 3p ²	³ P ₁	3s ² 3p ²	¹ D ₂	28 090	94 730		M1	9.15+2	54,66°,51*
2038.4 ^P	3s ² 3p ²	³ P ₂	3s ² 3p ²	¹ D ₂	45 700	94 730		M1	8.33+2	66°, 51*

TABLE 25. Spectral lines of Ga XVIII—Continued

Wavelength (Å)	Classification				Energy levels (cm ⁻¹)	Int.	Type	A (s ⁻¹)	References
	Lower		Upper						
3559.4 ^P	3s ² 3p ²	³ P ₀	3s ² 3p ²	³ P ₁	0	28 090	M1	3.62+2	66°, 51*
5676.1 ^P	3s ² 3p ²	³ P ₁	3s ² 3p ²	³ P ₂	28 090	45 700	M1	5.74+1	66°, 51*

TABLE 26. Energy levels of Ga XIX

Configuration	Term	J	Level (cm ⁻¹)
3s ² 3p	² P ^o	1/2	0
		3/2	46 584
3s3p ²	² D	3/2	[425 568]
		5/2	[435 260]
3s3p ²	² S	1/2	501 163
3s3p ²	² P	1/2	548 398
		3/2	559 837

TABLE 26. Energy levels of Ga XIX—Continued

Configuration	Term	J	Level (cm ⁻¹)
3s ² 3d	² D	3/2	645 235
		5/2	651 354
Ga XX (¹S₀)	Limit	—	5 459 500

TABLE 27. Spectral lines of Ga XIX

Wavelength (Å)	Classification				Energy levels (cm ⁻¹)	Int.	Type	A (s ⁻¹)	References
	Lower		Upper						
154.980 ^S	3s ² 3p	² P _{1/2}	3s ² 3d	² D _{3/2}	0	645 235	50		18,58°
165.352 ^S	3s ² 3p	² P _{3/2}	3s ² 3d	² D _{5/2}	46 584	651 354	400		18,58°
167.045 ^S	3s ² 3p	² P _{3/2}	3s ² 3d	² D _{3/2}	46 584	645 235	1		58
178.626 ^S	3s ² 3p	² P _{1/2}	3s3p ²	² P _{3/2}	0	559 837	5		58
182.370	3s ² 3p	² P _{1/2}	3s3p ²	² P _{1/2}	0	548 398	3bl		58
194.832 ^S	3s ² 3p	² P _{3/2}	3s3p ²	² P _{1/2}	46 584	559 837	500		18,58°
199.277 ^S	3s ² 3p	² P _{3/2}	3s3p ²	² P _{1/2}	46 584	548 398	20		58
199.536 ^S	3s ² 3p	² P _{1/2}	3s3p ²	² S _{1/2}	0	501 163	30		58
234.980 ^P	3s ² 3p	² P _{1/2}	3s3p ²	² D _{3/2}	0	[425 568]			58
257.284 ^P	3s ² 3p	² P _{3/2}	3s3p ²	² D _{5/2}	46 584	[435 260]			58
2146.0 ^C	3s ² 3p	² P _{1/2}	3s ² 3p	² P _{3/2}	0	46 584	M1	9.07+2	51*

TABLE 28. Energy levels of Ga XX

Configuration	Term	J	Level (cm ⁻¹)
3s ²	¹ S	0	0
3s3p	³ P ^o	0	310 815
		1	323 519
		2	359 566
3s3p	¹ P ^o	1	480 591
3p ²	³ P	0	739 768
		1	769 392
		2	812 933
3p ²	¹ D	2	764 337
3p ²	¹ S	0	908 230

TABLE 28. Energy levels of Ga XX—Continued

Configuration	Term	J	Level (cm ⁻¹)
3s3d	³ D	1	915 622
		2	918 903
		3	923 833
3s3d	¹ D	2	1 025 102
		3	
3p3d	³ F ^o	2	1 248 680
		3	1 273 370
3p3d	¹ D ^o	2	1 304 060
		4	
3p3d	³ D ^o	1	1 321 681
		2	1 331 885

TABLE 28. Energy levels of Ga XX—Continued

Configuration	Term	J	Level (cm ⁻¹)
		3	1 354 283
3p3d	³ P°	1	1 358 005
		2	1 359 394
3p3d	¹ F°	3	1 440 365
3p3d	¹ P°	1	1 456 566
3d ²	³ F	3	1 856 190
		4	1 862 210
3d ²	¹ G	4	1 906 040
3s4p	¹ P°	1	3 084 800
3s4d	³ D	2	3 273 900
		3	3 279 300
3s4d	¹ D	2	3 281 700

TABLE 28. Energy levels of Ga XX—Continued

Configuration	Term	J	Level (cm ⁻¹)
3s4f	³ F°	4	3 390 500
3s4f	¹ F°	3	3 406 700
3p4p	³ D	3	3 504 500
3p4f	³ G	5	3 797 800
3p4f	¹ G	4	3 832 800
3s5f	³ F°	4	4 392 400
Ga XXI (²S_{1/2})	Limit	—	6 176 000

TABLE 29. Spectral lines of Ga XX

Wavelength (Å)	Classification			Energy levels(cm ⁻¹)	Int.	Type	A(s ⁻¹)	References
	Lower	Upper						
28.83	3s3d	³ D ₃	3s5f	³ F ₄	923 833	4 392 400	1	18
31.797	3s3p	³ P ₂	3p4p	³ D ₃	359 566	3 504 500	2	18
32.417	3s ²	¹ S ₀	3s4p	¹ P ₁	0	3 084 800	1	18
33.894	3s3p	³ P ₁	3s4d	³ D ₂	323 519	3 273 900	2	18
34.250	3s3p	³ P ₂	3s4d	³ D ₃	359 566	3 279 300	3	18
35.700	3s3p	¹ P ₁	3s4d	¹ D ₂	480 591	3 281 700	2	18
37.849	3p ²	¹ D ₂	3s4f	¹ F ₃	764 337	3 406 700	1	18
40.100	3p3d	³ F ₄	3p4f	³ G ₅	1 304 060	3 797 800	4	18
40.54	3s3d	³ D ₃	3s4f	³ F ₄	923 833	3 390 500	4	18
41.798	3p3d	¹ F ₃	3p4f	¹ G ₄	1 440 365	3 832 800	2	18
41.983	3s3d	¹ D ₂	3s4f	¹ F ₃	1 025 102	3 406 700	2	18
147.923	3p ²	¹ D ₂	3p3d	¹ F ₃	764 337	1 440 365	100	63
165.342	3s3p	³ P ₀	3s3d	³ D ₁	310 815	915 622	400bl	63
167.959	3s3p	³ P ₁	3s3d	³ D ₂	323 519	918 903	300	18,63°
169.502	3p ²	¹ D ₂	3p3d	³ D ₃	764 337	1 354 283	80	63
169.890	3p ²	³ P ₁	3p3d	³ P ₁	769 392	1 358 005	10	63
171.586	3p3d	³ F ₃	3d ²	³ F ₃	1 273 370	1 856 190	10	63
171.847	3p ²	³ P ₀	3p3d	³ D ₁	739 768	1 321 681	100	63
177.218	3s3p	³ P ₂	3s3d	³ D ₃	359 566	923 833	100	18,63°
177.780	3p ²	³ P ₁	3p3d	³ D ₂	769 392	1 331 885	40	63
178.783	3s3p	³ P ₂	3s3d	³ D ₂	359 566	918 903	5	63
179.170	3p3d	³ F ₄	3d ²	³ F ₄	1 304 060	1 862 210	20	63
182.370	3p ²	¹ S ₀	3p3d	¹ P ₁	908 230	1 456 566	3	63
182.991	3p ²	³ P ₂	3p3d	³ P ₂	812 933	1 359 394	20	63
183.463	3p ²	³ P ₂	3p3d	³ P ₁	812 933	1 358 005	1	63
183.651	3s3p	¹ P ₁	3s3d	¹ D ₂	480 591	1 025 102	600	18,63°
184.729	3p ²	³ P ₂	3p3d	³ D ₃	812 933	1 354 283	100	63
190.425	3p ²	¹ D ₂	3p3d	¹ D ₂	764 337	1 289 478	44	63
196.876	3p3d	³ D ₃	3d ²	³ F ₄	1 354 283	1 862 210	10	63
204.325	3s3p	³ P ₁	3p ²	³ P ₂	323 519	812 933	3	63
208.072	3s ²	¹ S ₀	3s3p	¹ P ₁	0	480 591	300	18,52,63°

TABLE 29. Spectral lines of Ga XX—Continued

Wavelength (Å)	Classification				Energy levels (cm ⁻¹)	Int.	Type	A(s ⁻¹)	References
	Lower		Upper						
214.746	3p3d	¹ F ₃	3d ²	¹ G ₄	1 440 365		1 906 040	10	63
218.066	3s3p	³ P ₀	3p ²	³ P ₁	310 815		769 392	4	63
220.578	3s3p	³ P ₂	3p ²	³ P ₂	359 566		812 933	1	63
224.279	3s3p	³ P ₁	3p ²	³ P ₁	323 519		769 392	1	63
226.851	3s3p	³ P ₁	3p ²	¹ D ₂	323 519		764 337	1	63
231.769	3s3d	¹ D ₂	3p3d	¹ P ₁	1 025 102		1 456 566	1	63
240.241	3s3p	³ P ₁	3p ²	³ P ₀	323 519		739 768	2	63
240.810	3s3d	¹ D ₂	3p3d	¹ F ₃	1 025 102		1 440 365	200bl	63
263.00	3s3d	³ D ₃	3p3d	³ F ₄	923 833		1 304 060	7	52
282.11	3s3d	³ D ₂	3p3d	³ F ₃	918 903		1 273 370	5	52
300.25	3s3d	³ D ₁	3p3d	³ F ₂	915 622		1 248 680	3	52
589.01 ^C	3s3p	³ P ₀	3s3p	¹ P ₁	310 815		480 591	M1	1.93+3
636.65 ^C	3s3p	³ P ₁	3s3p	¹ P ₁	323 519		480 591	M1	1.12+3
826.28 ^C	3s3p	³ P ₂	3s3p	¹ P ₁	359 566		480 591	M1	8.75+2
2773.3 ^C	3s3p	³ P ₁	3s3p	³ P ₂	323 519		359 566	M1	6.13+2
7869. ^C	3s3p	³ P ₀	3s3p	³ P ₁	310 815		323 519	M1	3.70+1

TABLE 30. Energy levels of Ga XXI

Configuration	Term	J	Level (cm ⁻¹)
2p ⁶ 3s	² S	1/2	0
2p ⁶ 3p	² P ^o	1/2	364 657
		3/2	415 258
2p ⁶ 3d	² D	3/2	906 815
		5/2	915 386
2p ⁶ 4s	² S	1/2	3 037 450
2p ⁶ 4p	² P ^o	1/2	3 184 600
		3/2	3 204 700
2p ⁶ 4d	² D	3/2	3 387 400
		5/2	3 391 200
2p ⁶ 4f	² F ^o	5/2	3 476 200
		7/2	3 477 700
2p ⁶ 5p	² P ^o	1/2	4 425 600
		3/2	4 435 600
2p ⁶ 5d	² D	3/2	4 524 100
		5/2	4 526 100
2p ⁶ 5f	² F ^o	5/2	4 568 700
		7/2	4 569 500
2p ⁶ 5g	² G	7/2	4 574 200
		9/2	4 574 800
2p ⁶ 6d	² D	3/2	5 136 600
		5/2	5 137 800

TABLE 30. Energy levels of Ga XXI—Continued

Configuration	Term	J	Level (cm ⁻¹)
2p ⁶ 6f	² F ^o	5/2	5 162 100
		7/2	5 163 500
2p ⁶ 7f	² F ^o	5/2	5 520 200
		7/2	5 521 800
Ga XXII (¹S₀)	Limit	—	6 511 380
2p ⁵ 3s3d	(1,5/2) ^o	3/2	10 233 000
2p ⁵ 3s3d	(1,3/2) ^o	3/2	10 288 000
2p ⁵ 3p3d	(1,3/2)	3/2	10 590 000
2p ⁵ 3p3d	(2,5/2)	5/2	10 629 000
2p ⁵ 3p3d	(0,5/2)	5/2	10 741 000
2p ⁵ (² P _{3/2})3d ² (¹ G ₄)	(3/2,4) ^o	7/2	10 955 000
2p ⁵ (² P _{3/2})3d ² (³ F ₄)	(3/2,4) ^o	5/2	10 982 000
2p ⁵ (² P _{3/2})3d ² (¹ S ₀)	(3/2,0) ^o	3/2	11 011 000
2p ⁵ (² P _{1/2})3d ² (³ F ₂)	(1/2,2) ^o	5/2	11 098 000
2p ⁵ (² P _{1/2})3d ² (³ F ₃)	(1/2,3) ^o	5/2	11 170 000
2p ⁵ (² P _{1/2})3d ² (¹ G ₄)	(1/2,4) ^o	7/2	11 183 000
2p ⁵ (² P _{1/2})3d ² (¹ G ₄)	(1/2,4) ^o	7/2	11 183 000

TABLE 31. Spectral lines of Ga XXI

Wavelength (Å)	Classification			Energy levels (cm ⁻¹)	Int.	References	
	Lower		Upper				
9.685	2p ⁶ 3p	2P [°] _{3/2}	2p ⁵ 3p3d	(0,5/2) _{5/2}	415 258	10 741 000	8 28
9.720	2p ⁶ 3s	2S _{1/2}	2p ⁵ 3s3d	(1,3/2) _{3/2}	0	10 288 000	5 28
9.739	2p ⁶ 3d	2D _{5/2}	2p ⁵ (2P [°] _{1/2})3d ² (¹ G ₄)	(1/2,4) _{7/2}	915 386	11 183 000	8 28
9.752	2p ⁶ 3d	2D _{5/2}	2p ⁵ (2P [°] _{1/2})3d ² (³ F ₃)	(1/2,3) _{5/2}	915 386	11 170 000	9 28
9.772	2p ⁶ 3s	2S _{1/2}	2p ⁵ 3s3d	(1,5/2) _{3/2}	0	10 233 000	7 28
9.780	2p ⁶ 3p	2P [°] _{1/2}	2p ⁵ 3p3d	(1,3/2) _{3/2}	364 657	10 590 000	8 28
9.791	2p ⁶ 3p	2P [°] _{3/2}	2p ⁵ 3p3d	(2,5/2) _{5/2}	415 258	10 629 000	6 28
9.812	2p ⁶ 3d	2D _{3/2}	2p ⁵ (2P [°] _{1/2})3d ² (³ F ₂)	(1/2,2) _{5/2}	906 815	11 098 000	5 28
9.905	2p ⁶ 3d	2D _{5/2}	2p ⁵ (2P [°] _{3/2})3d ² (¹ S ₀)	(3/2,0) _{3/2}	915 386	11 011 000	7 28
9.920	2p ⁶ 3d	2D _{3/2}	2p ⁵ (2P [°] _{3/2})3d ² (³ F ₄)	(3/2,4) _{5/2}	906 815	10 982 000	6 28
9.939	2p ⁶ 3d	2D _{5/2}	2p ⁵ (2P [°] _{3/2})3d ² (³ F ₄)	(3/2,4) _{5/2}	915 386	10 982 000	7 28
9.961	2p ⁶ 3d	2D _{5/2}	2p ⁵ (2P [°] _{3/2})3d ² (¹ G ₄)	(3/2,4) _{7/2}	915 386	10 955 000	9 28
20.956	2p ⁶ 3p	2P [°] _{1/2}	2p ⁶ 6d	2D _{3/2}	364 657	5 136 600	75 27
21.175	2p ⁶ 3p	2P [°] _{3/2}	2p ⁶ 6d	2D _{5/2}	415 258	5 137 800	200 27
21.676	2p ⁶ 3d	2D _{3/2}	2p ⁶ 7f	2F [°] _{5/2}	906 815	5 520 200	100 27
21.709	2p ⁶ 3d	2D _{5/2}	2p ⁶ 7f	2F [°] _{7/2}	915 386	5 521 800	100 27
22.545	2p ⁶ 3s	2S _{1/2}	2p ⁶ 5p	2P [°] _{3/2}	0	4 435 600	120 27
22.596	2p ⁶ 3s	2S _{1/2}	2p ⁶ 5p	2P [°] _{1/2}	0	4 425 600	100 18,27°
23.500	2p ⁶ 3d	2D _{3/2}	2p ⁶ 6f	2F [°] _{5/2}	906 815	5 162 100	100 27
23.540	2p ⁶ 3d	2D _{5/2}	2p ⁶ 6f	2F [°] _{7/2}	915 386	5 163 500	200 18,27°
24.039	2p ⁶ 3p	2P [°] _{1/2}	2p ⁶ 5d	2D _{3/2}	364 657	4 524 100	2 18
24.330	2p ⁶ 3p	2P [°] _{3/2}	2p ⁶ 5d	2D _{5/2}	415 258	4 526 100	3 18
27.27	2p ⁶ 3d	2D _{5/2}	2p ⁶ 5f	2F [°] _{7/2}	915 386	4 569 500	6 18
27.32	2p ⁶ 3d	2D _{3/2}	2p ⁶ 5f	2F [°] _{5/2}	906 815	4 568 700	6 18
31.203	2p ⁶ 3s	2S _{1/2}	2p ⁶ 4p	2P [°] _{3/2}	0	3 204 700	500 18,27°
31.401	2p ⁶ 3s	2S _{1/2}	2p ⁶ 4p	2P [°] _{1/2}	0	3 184 600	350 18,27°
33.084	2p ⁶ 3p	2P [°] _{1/2}	2p ⁶ 4d	2D _{3/2}	364 657	3 387 400	500 18,27°
33.603	2p ⁶ 3p	2P [°] _{3/2}	2p ⁶ 4d	2D _{5/2}	415 258	3 391 200	700 18,27°
33.644	2p ⁶ 3p	2P [°] _{3/2}	2p ⁶ 4d	2D _{3/2}	415 258	3 387 400	200 27
37.414	2p ⁶ 3p	2P [°] _{1/2}	2p ⁶ 4s	2S _{1/2}	364 657	3 037 450	300 18,27°
38.136	2p ⁶ 3p	2P [°] _{3/2}	2p ⁶ 4s	2S _{1/2}	415 258	3 037 450	400 18,27°
38.920 ^s	2p ⁶ 3d	2D _{3/2}	2p ⁶ 4f	2F [°] _{5/2}	906 815	3 476 200	700 18,27,53°
39.027 ^s	2p ⁶ 3d	2D _{5/2}	2p ⁶ 4f	2F [°] _{7/2}	915 386	3 477 700	1000 18,27,53°
43.683	2p ⁶ 3d	2D _{3/2}	2p ⁶ 4p	2P [°] _{3/2}	915 386	3 204 700	250 18,27°
43.904	2p ⁶ 3d	2D _{5/2}	2p ⁶ 4p	2P [°] _{1/2}	906 815	3 184 600	180 18,27°
71.525	2p ⁶ 4s	2S _{1/2}	2p ⁶ 5p	2P [°] _{3/2}	3 037 450	4 435 600	50 27
74.657	2p ⁶ 4p	2P [°] _{1/2}	2p ⁶ 5d	2D _{3/2}	3 184 600	4 524 100	80 27
75.677	2p ⁶ 4p	2P [°] _{3/2}	2p ⁶ 5d	2D _{5/2}	3 204 700	4 526 100	100 27
84.649	2p ⁶ 4d	2D _{3/2}	2p ⁶ 5f	2F [°] _{5/2}	3 387 400	4 568 700	250 27
84.867	2p ⁶ 4d	2D _{5/2}	2p ⁶ 5f	2F [°] _{7/2}	3 391 200	4 569 500	300 27
91.071	2p ⁶ 4f	2F [°] _{5/2}	2p ⁶ 5g	2G _{7/2}	3 476 200	4 574 200	400 22,27°
91.149	2p ⁶ 4f	2F [°] _{7/2}	2p ⁶ 5g	2G _{9/2}	3 477 700	4 574 800	450 22,27°
184.444 ^s	2p ⁶ 3p	2P [°] _{1/2}	2p ⁶ 3d	2D _{3/2}	364 657	906 815	800 18,27,53°
199.949 ^s	2p ⁶ 3p	2P [°] _{3/2}	2p ⁶ 3d	2D _{5/2}	415 258	915 386	800 18,27,53°
203.440 ^s	2p ⁶ 3p	2P [°] _{3/2}	2p ⁶ 3d	2D _{3/2}	415 258	906 815	300 27,53°
240.814 ^s	2p ⁶ 3s	2S _{1/2}	2p ⁶ 3p	2P [°] _{3/2}	0	415 258	550 18,27,53°
274.230 ^s	2p ⁶ 3s	2S _{1/2}	2p ⁶ 3p	2P [°] _{1/2}	0	364 657	53

TABLE 32. Energy levels of Ga XXII

Configuration	Term	J	Level (cm ⁻¹)
2s ² 2p ⁶	¹ S	0	0
2s ² 2p ⁵ (² P ^o _{3/2})3s	(3/2, 1/2) ^o	1	9 228 000
2s ² 2p ⁵ (² P ^o _{1/2})3s	(1/2, 1/2) ^o	1	9 448 000
2s ² 2p ⁵ (² P ^o _{3/2})3p	(3/2, 3/2)	2	9 633 400
2s ² 2p ⁵ (² P ^o _{1/2})3p	(1/2, 3/2)	2	9 846 200
2s ² 2p ⁵ (² P ^o _{3/2})3d	(3/2, 3/2) ^o	1	10 038 000
2s ² 2p ⁵ (² P ^o _{3/2})3d	(3/2, 5/2) ^o	1	10 160 000
2s ² 2p ⁵ (² P ^o _{1/2})3d	(1/2, 3/2) ^o	1	10 370 000
2s2p ⁶ 3p	(1/2, 1/2) ^o	1	11 013 000
2s2p ⁶ 3p	(1/2, 3/2) ^o	1	11 079 000
2s ² 2p ⁵ (² P ^o _{3/2})4s	(3/2, 1/2) ^o	1	12 453 000
2s ² 2p ⁵ (² P ^o _{1/2})4s	(1/2, 1/2) ^o	1	12 689 000

TABLE 32. Energy levels of Ga XXII—Continued

Configuration	Term	J	Level (cm ⁻¹)
2s ² 2p ⁵ (² P ^o _{3/2})4d	(3/2, 5/2) ^o	1	12 830 000
2s ² 2p ⁵ (² P ^o _{1/2})4d	(1/2, 3/2) ^o	1	13 034 000
2s2p ⁶ 4p	(1/2, 1/2) ^o	1	14 045 000
2s ² 2p ⁵ (² P ^o _{3/2})5d	(3/2, 5/2) ^o	1	14 045 000
2s ² 2p ⁵ (² P ^o _{1/2})5d	(1/2, 3/2) ^o	1	14 265 000
2s2p ⁶ 4p	(1/2, 3/2) ^o	1	14 265 000
2s ² 2p ⁵ (² P ^o _{3/2})6d	(3/2, 5/2) ^o	1	14 712 000
Ga XXIII	Limit	—	16 211 900

TABLE 33. Spectral lines of Ga XXII

Wavelength (Å)	Classification			Energy levels (cm ⁻¹)	References
	Lower	Upper			
6.797	2s ² 2p ⁶	¹ S ₀	2s ² 2p ⁵ (² P ^o _{3/2})6d	(3/2, 5/2) ₁	0 14 712 000 28
7.009	2s ² 2p ⁶	¹ S ₀	2s2p ⁶ 4p	(1/2, 3/2) ₁	0 14 265 000 28°,31
	2s ² 2p ⁶	¹ S ₀	2s ² 2p ⁵ (² P ^o _{1/2})5d	(1/2, 3/2) ₁	0 14 265 000 28°,31
7.119	2s ² 2p ⁶	¹ S ₀	2s2p ⁶ 4p	(1/2, 1/2) ₁	0 14 045 000 28
	2s ² 2p ⁶	¹ S ₀	2s ² 2p ⁵ (² P ^o _{3/2})5d	(3/2, 5/2) ₁	0 14 045 000 28°,31
7.673	2s ² 2p ⁶	¹ S ₀	2s ² 2p ⁵ (² P ^o _{1/2})4d	(1/2, 3/2) ₁	0 13 034 000 28°,31
7.794	2s ² 2p ⁶	¹ S ₀	2s ² 2p ⁵ (² P ^o _{3/2})4d	(3/2, 5/2) ₁	0 12 830 000 28
7.887	2s ² 2p ⁶	¹ S ₀	2s ² 2p ⁵ (² P ^o _{1/2})4s	(1/2, 1/2) ₁	0 12 689 000 28°,31
8.028	2s ² 2p ⁶	¹ S ₀	2s ² 2p ⁵ (² P ^o _{3/2})4s	(3/2, 1/2) ₁	0 12 453 000 28°,31
9.027	2s ² 2p ⁶	¹ S ₀	2s2p ⁶ 3p	(1/2, 3/2) ₁	0 11 079 000 28°,31
9.081	2s ² 2p ⁶	¹ S ₀	2s2p ⁶ 3p	(1/2, 1/2) ₁	0 11 013 000 28°,31
9.643	2s ² 2p ⁶	¹ S ₀	2s ² 2p ⁵ (² P ^o _{1/2})3d	(1/2, 3/2) ₁	0 10 370 000 28°,31
9.842	2s ² 2p ⁶	¹ S ₀	2s ² 2p ⁵ (² P ^o _{3/2})3d	(3/2, 5/2) ₁	0 10 160 000 28°,31
9.961	2s ² 2p ⁶	¹ S ₀	2s ² 2p ⁵ (² P ^o _{3/2})3d	(3/2, 3/2) ₁	0 10 038 000 28°,31
10.583	2s ² 2p ⁶	¹ S ₀	2s ² 2p ⁵ (² P ^o _{1/2})3s	(1/2, 1/2) ₁	0 9 448 000 28°,31
10.833	2s ² 2p ⁶	¹ S ₀	2s ² 2p ⁵ (² P ^o _{3/2})3s	(3/2, 1/2) ₁	0 9 228 000 28°,31
246.70	2s ² 2p ⁵ (² P ^o _{3/2})3s	(3/2, 1/2) ₁	2s ² 2p ⁵ (² P ^o _{3/2})3p	(3/2, 3/2) ₂	9 228 000 9 633 400 71
251.11	2s ² 2p ⁵ (² P ^o _{1/2})3s	(1/2, 1/2) ₁	2s ² 2p ⁵ (² P ^o _{1/2})3p	(1/2, 3/2) ₂	9 448 000 9 846 200 71

TABLE 34. Energy levels of Ga XXIII

Configuration	Term	J	Level (cm ⁻¹)
2s ² 2p ⁵	² P ^o	3/2	0
		1/2	228 400
2s2p ⁶	² S	1/2	1 433 030
2s ² 2p ⁴ (³ P)3s	⁴ P	5/2	9 678 000
		1/2	9 806 000
		3/2	9 892 000
2s ² 2p ⁴ (³ P)3s	² P	3/2	9 711 000
		1/2	9 918 000
2s ² 2p ⁴ (¹ D)3s	² D	5/2	9 987 000
		3/2	9 995 000
2s ² 2p ⁴ (¹ S)3s	² S	1/2	10 268 000

TABLE 34. Energy levels of Ga XXIII—Continued

Configuration	Term	J	Level (cm ⁻¹)
2s ² 2p ⁴ (³ P)3d	⁴ P	1/2	10 518 000
		3/2	10 542 000
		5/2	10 615 000
2s ² 2p ⁴ (³ P)3d	² F	5/2	10 560 000
	⁴ F	5/2	10 561 000
		3/2	10 603 000
2s ² 2p ⁴ (³ P)3d	⁴ D	1/2	10 660 000
		3/2	10 687 000
2s ² 2p ⁴ (³ P)3d	² D	3/2	10 684 000
		5/2	10 736 000
2s ² 2p ⁴ (³ P)3d	² P	3/2	10 723 000
		1/2	

TABLE 34. Energy levels of Ga XXIII—Continued

Configuration	Term	J	Level (cm ⁻¹)
2s ² 2p ⁴ (¹ D)3d	² S	1/2	10 792 000
2s ² 2p ⁴ (¹ D)3d	² F	5/2	10 797 000
2s ² 2p ⁴ (¹ D)3d	² P	3/2	10 816 000
		1/2	10 888 000
2s ² 2p ⁴ (¹ D)3d	² D	5/2	10 831 000
		3/2	10 870 000
2s ² 2p ⁴ (¹ S)3d	² D	3/2	11 116 000
2s2p ⁵ (³ P ^o)3p	⁴ D	5/2	11 304 000
		3/2	11 355 000
2s2p ⁵ (³ P ^o)3p	² D	5/2	11 382 000
		3/2	11 583 000
2s2p ⁵ (³ P ^o)3p	² P	3/2	11 414 000
		1/2	11 455 000
2s2p ⁵ (³ P ^o)3p	⁴ P	3/2	11 458 000
		5/2	11 478 000
2s2p ⁵ (³ P ^o)3p	² S	1/2	11 583 000
2s2p ⁵ (¹ P ^o)3p	² D	3/2	11 760 000
		5/2	11 812 000
2s2p ⁵ (¹ P ^o)3p	² P	1/2	11 812 000
		3/2	11 833 000

TABLE 34. Energy levels of Ga XXIII—Continued

Configuration	Term	J	Level (cm ⁻¹)
2s ² 2p ⁴ (³ P)4d	² D	3/2	13 470 000
		5/2	13 470 000
2s ² 2p ⁴ (³ P)4d	⁴ F	3/2	13 539 000
		5/2	13 539 000
2s ² 2p ⁴ (³ P)4d	⁴ D	5/2	13 567 000
2s ² 2p ⁴ (³ P)4d	² P	3/2	13 661 000
2s ² 2p ⁴ (³ P)4d	⁴ P	5/2	13 663 000
2s ² 2p ⁴ (¹ D)4d	² S	1/2	13 740 000
2s ² 2p ⁴ (¹ D)4d	² P	3/2	13 740 000
2s ² 2p ⁴ (¹ D)4d	² F	5/2	13 746 000
2s ² 2p ⁴ (¹ D)4d	² D	5/2	13 746 000
2s ² 2p ⁴ (¹ S)4d	² D	3/2	14 052 000
Ga XXIV (³ P ₂)	Limit	—	17 172 000

TABLE 35. Spectral lines of Ga XXIII

Wavelength (Å)	Classification			Energy Levels (cm ⁻¹)	Int.	Type	A (s ⁻¹)	References
	Lower		Upper					
7.234	2s ² p ⁵	² P _{1/2}	2s ² 2p ⁴ (¹ S)4d	² D _{3/2}	228 400	14 052 000		28
7.275	2s ² p ⁵	² P _{3/2}	2s ² 2p ⁴ (¹ D)4d	² D _{5/2}	0	13 746 000		28
	2s ² p ⁵	² P _{3/2}	2s ² 2p ⁴ (¹ D)4d	² F _{5/2}	0	13 746 000		28
	2s ² p ⁵	² P _{3/2}	2s ² 2p ⁴ (¹ D)4d	² S _{1/2}	0	13 740 000		28°,30
	2s ² p ⁵	² P _{3/2}	2s ² 2p ⁴ (¹ D)4d	² P _{3/2}	0	13 740 000		28
7.319	2s ² p ⁵	² P _{3/2}	2s ² 2p ⁴ (³ P)4d	⁴ P _{5/2}	0	13 663 000		28
7.320	2s ² p ⁵	² P _{3/2}	2s ² 2p ⁴ (³ P)4d	² P _{3/2}	0	13 661 000		30
7.371	2s ² p ⁵	² P _{3/2}	2s ² 2p ⁴ (³ P)4d	⁴ D _{5/2}	0	13 567 000		30
7.386	2s ² p ⁵	² P _{1/2}	2s ² 2p ⁴ (¹ D)4d	² P _{1/2}	228 400	13 768 000		28°,30
	2s ² p ⁵	² P _{1/2}	2s ² 2p ⁴ (¹ D)4d	² D _{3/2}	228 400	13 768 000		28°,30
	2s ² p ⁵	² P _{3/2}	2s ² 2p ⁴ (³ P)4d	⁴ F _{3/2}	0	13 539 000		28°,30
	2s ² p ⁵	² P _{3/2}	2s ² 2p ⁴ (³ P)4d	⁴ F _{5/2}	0	13 539 000		28
7.404	2s ² p ⁵	² P _{1/2}	2s ² 2p ⁴ (¹ D)4d	² S _{1/2}	228 400	13 740 000		30
	2s ² p ⁵	² P _{1/2}	2s ² 2p ⁴ (¹ D)4d	² P _{3/2}	228 400	13 740 000		30
7.424	2s ² p ⁵	² P _{3/2}	2s ² 2p ⁴ (³ P)4d	² D _{3/2}	0	13 470 000		28
	2s ² p ⁵	² P _{3/2}	2s ² 2p ⁴ (³ P)4d	² D _{5/2}	0	13 470 000		28
8.466	2s ² p ⁵	² P _{3/2}	2s ² p ⁵ (¹ P ^o)3p	² D _{5/2}	0	11 812 000		28
8.617	2s ² p ⁵	² P _{1/2}	2s ² p ⁵ (¹ P ^o)3p	² P _{3/2}	228 400	11 833 000		28
8.633	2s ² p ⁵	² P _{1/2}	2s ² p ⁵ (¹ P ^o)3p	² P _{1/2}	228 400	11 812 000		28
	2s ² p ⁵	² P _{3/2}	2s ² p ⁵ (³ P ^o)3p	² S _{1/2}	0	11 583 000		28
8.672	2s ² p ⁵	² P _{1/2}	2s ² p ⁵ (¹ P ^o)3p	² D _{3/2}	228 400	11 760 000		28
8.712	2s ² p ⁵	² P _{3/2}	2s ² p ⁵ (³ P ^o)3p	⁴ P _{5/2}	0	11 478 000		28

TABLE 35. Spectral lines of Ga XXIII—Continued

Wavelength (Å)	Classification			Energy Levels (cm ⁻¹)	Int.	Type	A (s ⁻¹)	References
	Lower		Upper					
8.730	$2s^22p^5$	$^2P_{3/2}^o$	$2s2p^5(^3P^o)3p$	$^2P_{1/2}$	0	11 455 000		28
8.761	$2s^22p^5$	$^2P_{3/2}^o$	$2s2p^5(^3P^o)3p$	$^2P_{3/2}$	0	11 414 000		28
8.786	$2s^22p^5$	$^2P_{3/2}^o$	$2s2p^5(^3P^o)3p$	$^2D_{5/2}$	0	11 382 000		28
8.807	$2s^22p^5$	$^2P_{1/2}^o$	$2s2p^5(^3P^o)3p$	$^2S_{1/2}$	228 400	11 583 000		28
	$2s^22p^5$	$^2P_{1/2}^o$	$2s2p^5(^3P^o)3p$	$^2D_{3/2}$	228 400	11 583 000		28
	$2s^22p^5$	$^2P_{3/2}^o$	$2s2p^5(^3P^o)3p$	$^4D_{3/2}$	0	11 355 000		28
8.846	$2s^22p^5$	$^2P_{3/2}^o$	$2s2p^5(^3P^o)3p$	$^4D_{5/2}$	0	11 304 000		28
8.905	$2s^22p^5$	$^2P_{1/2}^o$	$2s2p^5(^3P^o)3p$	$^4P_{3/2}$	228 400	11 458 000		28
9.182	$2s^22p^5$	$^2P_{3/2}^o$	$2s^22p^4(^1D)3d$	$^2P_{1/2}$	0	10 888 000	bl	31
9.185	$2s^22p^5$	$^2P_{1/2}^o$	$2s^22p^4(^1S)3d$	$^2D_{3/2}$	228 400	11 116 000		31,28°
9.201	$2s^22p^5$	$^2P_{3/2}^o$	$2s^22p^4(^1D)3d$	$^2D_{3/2}$	0	10 870 000		31,28°
9.233	$2s^22p^5$	$^2P_{3/2}^o$	$2s^22p^4(^1D)3d$	$^2D_{5/2}$	0	10 831 000		31,28°
9.248	$2s^22p^5$	$^2P_{3/2}^o$	$2s^22p^4(^1D)3d$	$^2P_{3/2}$	0	10 816 000		31,28°
9.261	$2s^22p^5$	$^2P_{3/2}^o$	$2s^22p^4(^1D)3d$	$^2F_{5/2}$	0	10 797 000	bl	31
9.263	$2s^22p^5$	$^2P_{3/2}^o$	$2s^22p^4(^1D)3d$	$^2S_{1/2}$	0	10 792 000		31,28°
9.314	$2s^22p^5$	$^2P_{3/2}^o$	$2s^22p^4(^3P)3d$	$^2D_{5/2}$	0	10 736 000		31,28°
9.325	$2s^22p^5$	$^2P_{3/2}^o$	$2s^22p^4(^3P)3d$	$^2P_{3/2}$	0	10 723 000	bl	31
9.357	$2s^22p^5$	$^2P_{3/2}^o$	$2s^22p^4(^3P)3d$	$^4D_{3/2}$	0	10 687 000		28
9.360	$2s^22p^5$	$^2P_{3/2}^o$	$2s^22p^4(^3P)3d$	$^2D_{3/2}$	0	10 684 000		31
9.381	$2s^22p^5$	$^2P_{1/2}^o$	$2s^22p^4(^1D)3d$	$^2P_{1/2}$	228 400	10 888 000		31,28°
	$2s^22p^5$	$^2P_{3/2}^o$	$2s^22p^4(^3P)3d$	$^4D_{1/2}$	0	10 660 000		31,28°
9.395	$2s^22p^5$	$^2P_{1/2}^o$	$2s^22p^4(^1D)3d$	$^2D_{3/2}$	228 400	10 870 000		31,28°
9.421	$2s^22p^5$	$^2P_{3/2}^o$	$2s^22p^4(^3P)3d$	$^4P_{5/2}$	0	10 615 000	bl	31
9.431	$2s^22p^5$	$^2P_{3/2}^o$	$2s^22p^4(^3P)3d$	$^4F_{3/2}$	0	10 603 000	bl	31
9.442	$2s^22p^5$	$^2P_{1/2}^o$	$2s^22p^4(^1D)3d$	$^2P_{3/2}$	228 400	10 816 000		31,28°
9.469	$2s^22p^5$	$^2P_{3/2}^o$	$2s^22p^4(^3P)3d$	$^4F_{5/2}$	0	10 561 000	bl	31
9.470	$2s^22p^5$	$^2P_{1/2}^o$	$2s^22p^4(^1D)3d$	$^2S_{1/2}$	228 400	10 792 000		31,28°
	$2s^22p^5$	$^2P_{3/2}^o$	$2s^22p^4(^3P)3d$	$^2F_{5/2}$	0	10 560 000		31,28°
9.486	$2s^22p^5$	$^2P_{3/2}^o$	$2s^22p^4(^3P)3d$	$^4P_{3/2}$	0	10 542 000		31,28°
9.507	$2s^22p^5$	$^2P_{3/2}^o$	$2s^22p^4(^3P)3d$	$^4P_{1/2}$	0	10 518 000		31,28°
9.529	$2s^22p^5$	$^2P_{1/2}^o$	$2s^22p^4(^3P)3d$	$^2P_{3/2}$	228 400	10 723 000		31,28°
9.961	$2s^22p^5$	$^2P_{1/2}^o$	$2s^22p^4(^1S)3s$	$^2S_{1/2}$	228 400	10 268 000		28
10.013	$2s^22p^5$	$^2P_{3/2}^o$	$2s^22p^4(^1D)3s$	$^2D_{5/2}$	0	9 987 000		31,28°
10.017	$2s^22p^5$	$^2P_{3/2}^o$	$2s^22p^4(^1D)3s$	$^2D_{3/2}$	0	9 995 000	bl	31
10.083	$2s^22p^5$	$^2P_{3/2}^o$	$2s^22p^4(^3P)3s$	$^2P_{1/2}$	0	9 918 000		31,28°
10.109	$2s^22p^5$	$^2P_{3/2}^o$	$2s^22p^4(^3P)3s$	$^4P_{3/2}$	0	9 892 000		31,28°
10.198	$2s^22p^5$	$^2P_{3/2}^o$	$2s^22p^4(^3P)3s$	$^4P_{1/2}$	0	9 806 000		31,28°
10.239	$2s^22p^5$	$^2P_{1/2}^o$	$2s^22p^4(^1D)3s$	$^2D_{3/2}$	228 400	9 995 000		31,28°
10.298	$2s^22p^5$	$^2P_{3/2}^o$	$2s^22p^4(^3P)3s$	$^2P_{3/2}$	0	9 711 000		31,28°
10.319	$2s^22p^5$	$^2P_{1/2}^o$	$2s^22p^4(^3P)3s$	$^2P_{1/2}$	228 400	9 918 000		31,28°
10.333	$2s^22p^5$	$^2P_{3/2}^o$	$2s^22p^4(^3P)3s$	$^4P_{5/2}$	0	9 678 000		31,28°
10.347	$2s^22p^5$	$^2P_{1/2}^o$	$2s^22p^4(^3P)3s$	$^4P_{3/2}$	228 400	9 892 000		31
69.782	$2s^22p^5$	$^2P_{3/2}^o$	$2s2p^6$	$^2S_{1/2}$	0	1 433 030	40	22,41°
83.013	$2s^22p^5$	$^2P_{1/2}^o$	$2s2p^6$	$^2S_{1/2}$	228 400	1 433 030	25	22,41°
437.83 ^c	$2s^22p^5$	$^2P_{3/2}^o$	$2s^22p^5$	$^2P_{1/2}$	0	228 400	M1	2.13+5
								51*

TABLE 36. Energy levels of Ga XXIV

Configuration	Term	J	Level (cm ⁻¹)
2s ² 2p ⁴	³ P	2	0
		0	119 570
		1	209 330
2s ² 2p ⁴	¹ D	2	299 340
2s ² 2p ⁴	¹ S	0	575 360
2s2p ⁵	³ P°	2	1 248 280
		1	1 367 860
		0	1 485 080
2s2p ⁵	¹ P°	1	1 730 730
2p ⁶	¹ S	0	2 855 590
2s ² 2p ³ (⁴ S°)3s	³ S°	1	10 264 000
2s ² 2p ³ (² D°)3s	³ D°	2	10 443 000
		1	10 454 000
		3	10 517 000
2s ² 2p ³ (² D°)3s	¹ D°	2	10 535 000
2s ² 2p ³ (² P°)3s	³ P°	0	10 616 000
		1	10 643 000
		2	10 797 000
2s ² 2p ³ (² P°)3s	¹ P°	1	10 800 000

TABLE 36. Energy levels of Ga XXIV—Continued

Configuration	Term	J	Level (cm ⁻¹)
2s ² 2p ³ (⁴ S°)3d	³ D°	3	11 033 000
2s ² 2p ³ (² D°)3d	³ D°	3	11 259 000
2s ² 2p ³ (² D°)3d	³ P°	2	11 282 000 ?
2s ² 2p ³ (² P°)3d	³ F°	3	11 311 000
2s ² 2p ³ (² D°)3d	¹ F°	3	11 329 000
2s ² 2p ³ (² P°)3d	³ P°	2	11 364 000
2s ² 2p ³ (² P°)3d	¹ P°	1	11 514 000
Ga XXV (⁴ S _{3/2})	Limit	—	18 215 000

TABLE 37. Spectral lines of Ga XXIV

Wavelength (Å)	Classification				Energy levels (cm ⁻¹)	Int.	Type	A (s ⁻¹)	References
	Lower	Upper							
8.807	2s ² 2p ⁴	³ P ₁	2s ² 2p ³ (² P°)3d	³ D° ₂	209 330	11 564 000			28
8.827	2s ² 2p ⁴	³ P ₂	2s ² 2p ³ (² D°)3d	¹ F° ₃	0	11 329 000			28
8.846	2s ² 2p ⁴	³ P ₁	2s ² 2p ³ (² P°)3d	³ P° ₁	209 330	11 514 000			28
8.864	2s ² 2p ⁴	³ P ₂	2s ² 2p ³ (² D°)3d	³ P° ₂	0	11 282 000 ?			28
8.882	2s ² 2p ⁴	¹ D ₂	2s ² 2p ³ (² P°)3d	¹ F° ₃	299 340	11 558 000			28
	2s ² 2p ⁴	¹ D ₂	2s ² 2p ³ (² P°)3d	¹ D° ₂	299 340	11 558 000			28
	2s ² 2p ⁴	³ P ₂	2s ² 2p ³ (² D°)3d	³ D° ₃	0	11 259 000			28
9.038	2s ² 2p ⁴	¹ D ₂	2s ² 2p ³ (² P°)3d	³ P° ₂	299 340	11 364 000			28
9.064	2s ² 2p ⁴	³ P ₂	2s ² 2p ³ (⁴ S°)3d	³ D° ₃	0	11 033 000			28
	2s ² 2p ⁴	¹ D ₂	2s ² 2p ³ (² D°)3d	¹ F° ₃	299 340	11 329 000			28
9.081	2s ² 2p ⁴	¹ S ₀	2s ² 2p ³ (² P°)3d	¹ P° ₁	575 360	11 587 000			28
	2s ² 2p ⁴	¹ D ₂	2s ² 2p ³ (² P°)3d	³ F° ₃	299 340	11 311 000			28
	2s ² 2p ⁴	³ P ₁	2s ² 2p ³ (² D°)3d	³ P° ₂	209 330	11 282 000 ?			28
9.442	2s ² 2p ⁴	³ P ₁	2s ² 2p ³ (² P°)3s	³ P° ₂	209 330	10 797 000			28
9.508	2s ² 2p ⁴	³ P ₂	2s ² 2p ³ (² D°)3s	³ D° ₃	0	10 517 000			28
	2s ² 2p ⁴	¹ D ₂	2s ² 2p ³ (² P°)3s	¹ P° ₁	299 340	10 800 000			28
	2s ² 2p ⁴	¹ D ₂	2s ² 2p ³ (² P°)3s	³ P° ₂	299 340	10 797 000			28
9.529	2s ² 2p ⁴	³ P ₂	2s ² 2p ³ (² P°)3s	³ D° ₂	0	10 443 000			28
	2s ² 2p ⁴	³ P ₂	2s ² 2p ³ (² D°)3s	³ D° ₂	209 330	10 443 000			28
9.609	2s ² 2p ⁴	³ P ₁	2s ² 2p ³ (² P°)3s	³ P° ₀	209 330	10 616 000			28
9.668	2s ² 2p ⁴	¹ D ₂	2s ² 2p ³ (² P°)3s	³ P° ₁	299 340	10 643 000			28
9.685	2s ² 2p ⁴	³ P ₁	2s ² 2p ³ (² D°)3s	¹ D° ₂	209 330	10 535 000			28
9.739	2s ² 2p ⁴	³ P ₂	2s ² 2p ³ (⁴ S°)3s	³ S° ₁	0	10 264 000			28
9.761	2s ² 2p ⁴	³ P ₁	2s ² 2p ³ (² D°)3s	³ D° ₁	209 330	10 454 000			28
9.772	2s ² 2p ⁴	¹ D ₂	2s ² 2p ³ (² D°)3s	¹ D° ₂	299 340	10 535 000			28
	2s ² 2p ⁴	³ P ₁	2s ² 2p ³ (² D°)3s	³ D° ₂	209 330	10 443 000			28
9.780	2s ² 2p ⁴	¹ S ₀	2s ² 2p ³ (² P°)3s	¹ P° ₁	575 360	10 800 000			28

TABLE 37. Spectral lines of Ga XXIV—Continued

Wavelength (Å)	Classification				Energy levels (cm ⁻¹)	Int.	Type	A (s ⁻¹)	References
	Lower		Upper						
9.859	$2s^22p^4$	3P_0	$2s^22p^3({}^4S^\circ)3s$	${}^3S^\circ_1$	119 570	10 264 000			28
	$2s^22p^4$	1D_2	$2s^22p^3({}^2D^\circ)3s$	${}^3D^\circ_2$	299 340	10 443 000			28
9.946	$2s^22p^4$	3P_1	$2s^22p^3({}^4S^\circ)3s$	${}^3S^\circ_1$	209 330	10 264 000			28
57.779	$2s^22p^4$	3P_2	$2s^2p^5$	${}^1P^\circ_1$	0	1 730 730	6		41
69.862	$2s^22p^4$	1D_2	$2s^2p^5$	${}^1P^\circ_1$	299 340	1 730 730	30		41
73.107	$2s^22p^4$	3P_2	$2s^2p^5$	${}^3P^\circ_1$	0	1 367 860	15		41
78.385	$2s^22p^4$	3P_1	$2s^2p^5$	${}^3P^\circ_0$	209 330	1 485 080	12		41
80.110	$2s^22p^4$	3P_2	$2s^2p^5$	${}^3P^\circ_2$	0	1 248 280	30bl		41
	$2s^22p^4$	3P_0	$2s^2p^5$	${}^3P^\circ_1$	119 570	1 367 860			41
86.316	$2s^22p^4$	3P_1	$2s^2p^5$	${}^3P^\circ_1$	209 330	1 367 860	4		41
86.552	$2s^22p^4$	1S_0	$2s^2p^5$	${}^1P^\circ_1$	575 360	1 730 730	4		41
88.900	$2s^2p^5$	${}^1P^\circ_1$	$2p^6$	1S_0	1 730 730	2 855 590	2		41
96.255	$2s^22p^4$	3P_1	$2s^2p^5$	${}^3P^\circ_2$	209 330	1 248 280	4		41
273.20 ^C	$2s^22p^4$	3P_1	$2s^22p^4$	1S_0	209 330	575 360	M1	1.01+6	51*
334.07 ^C	$2s^22p^4$	3P_2	$2s^22p^4$	1D_2	0	299 340	M1	1.49+5	51*
477.71 ^C	$2s^22p^4$	3P_2	$2s^22p^4$	3P_1	0	209 330	M1	1.72+5	51*
1111. ^C	$2s^22p^4$	3P_1	$2s^22p^4$	1D_2	209 330	299 340	M1	1.66+3	51*
1114. ^C	$2s^22p^4$	3P_0	$2s^22p^4$	3P_1	119 570	209 330	M1	8.11+3	51*

TABLE 38. Energy levels of Ga XXV

Configuration	Term	J	Level (cm ⁻¹)
$2s^22p^3$	${}^4S^\circ$	3/2	0
$2s^22p^3$	${}^2D^\circ$	3/2	208 620+x
		5/2	281 650+x
$2s^22p^3$	${}^2P^\circ$	1/2	389 440+x
		3/2	561 600+y
$2s2p^4$	4P	5/2	1 016 950
		3/2	1 164 010
		1/2	1 188 920
$2s2p^4$	2D	3/2	1 412 790+x
		5/2	1 466 470+x

TABLE 38. Energy levels of Ga XXV—Continued

Configuration	Term	J	Level (cm ⁻¹)
$2s2p^4$	2S	1/2	1 612 310+x
$2s2p^4$	2P	3/2	1 679 060+x
		1/2	1 897 320+y
$2p^5$	${}^2P^\circ$	3/2	2 593 240+x
Ga XXVI (3P_0)			19 287 000
			Limit

TABLE 39. Spectral lines of Ga XXV

Wavelength (Å)	Classification				Energy levels (cm ⁻¹)	Int.	Type	A (s ⁻¹)	References
	Lower		Upper						
59.557 ^C	$2s^22p^3$	${}^4S^\circ_{3/2}$	$2s2p^4$	${}^2P_{3/2}$	0	1 679 060+x			41
68.009	$2s^22p^3$	${}^2D^\circ_{3/2}$	$2s2p^4$	${}^2P_{3/2}$	208 620+x	1 679 060+x	1		41
71.232	$2s^22p^3$	${}^2D^\circ_{3/2}$	$2s2p^4$	${}^2S_{1/2}$	208 620+x	1 612 310+x	2bl		41
71.561	$2s^22p^3$	${}^2D^\circ_{5/2}$	$2s2p^4$	${}^2P_{3/2}$	281 650+x	1 679 060+x	6		41
74.866	$2s^22p^3$	${}^2P^\circ_{3/2}$	$2s2p^4$	${}^2P_{1/2}$	561 600+y	1 897 320+y	8		41
77.54	$2s^22p^3$	${}^2P^\circ_{1/2}$	$2s2p^4$	${}^2P_{3/2}$	389 440+x	1 679 060+x	5		41
81.776	$2s^22p^3$	${}^2P^\circ_{1/2}$	$2s2p^4$	${}^2S_{1/2}$	389 440+x	1 612 310+x	4		41
83.045 ^C	$2s^22p^3$	${}^2D^\circ_{3/2}$	$2s2p^4$	${}^2D_{3/2}$	208 620+x	1 412 790+x			41
84.110	$2s^22p^3$	${}^4S^\circ_{3/2}$	$2s2p^4$	${}^4P_{1/2}$	0	1 188 920	5		41
84.401	$2s^22p^3$	${}^2D^\circ_{5/2}$	$2s2p^4$	${}^2D_{5/2}$	281 650+x	1 466 470+x	11		41
84.713	$2s2p^4$	${}^2D_{3/2}$	$2p^5$	${}^2P^\circ_{3/2}$	1 412 790+x	2 593 240+x	4bl		41

TABLE 39. Spectral lines of Ga XXV—Continued

Wavelength (Å)	Classification				Energy levels (cm ⁻¹)	Int.	Type	A (s ⁻¹)	References
	Lower		Upper						
85.910	$2s^22p^3$	${}^4S_{3/2}^o$	$2s2p^4$	${}^4P_{3/2}$	0	1 164 010	2		41
88.749	$2s2p^4$	${}^2D_{5/2}$	$2p^5$	${}^2P_{3/2}^o$	1 466 470+x	2 593 240+x	6		41
98.333	$2s^22p^3$	${}^4S_{3/2}^o$	$2s2p^4$	${}^4P_{5/2}$	0	1 016 950	6bl		41
256.78 ^C	$2s^22p^3$	${}^4S_{3/2}^o$	$2s^22p^3$	${}^2P_{1/2}^o$	0	389 440+x	M1	2.59+5	51*
355.05 ^C	$2s^22p^3$	${}^4S_{3/2}^o$	$2s^22p^3$	${}^2D_{5/2}^o$	0	281 650+x	M1	2.34+4	51*
479.3 ^C	$2s^22p^3$	${}^4S_{3/2}^o$	$2s^22p^3$	${}^2D_{3/2}^o$	0	208 620+x	M1	1.52+5	51*
553.0 ^C	$2s^22p^3$	${}^2D_{3/2}$	$2s^22p^3$	${}^2P_{1/2}^o$	208 620+x	389 440+x	M1	1.25+4	51*
1369. ^C	$2s^22p^3$	${}^2D_{3/2}$	$2s^22p^3$	${}^2D_{5/2}^o$	208 620+x	281 650+x	M1	2.62+3	51*

TABLE 40. Energy levels of Ga XXVI

Configuration	Term	J	Level (cm ⁻¹)
$2s^22p^2$	3P	0	0
		1	186 890+x
		2	251 620+x
$2s2p^3$	${}^3D^o$	1	1 098 140
$2s2p^3$	${}^3P^o$	2	1 401 750+x
$2s2p^3$	${}^3S^o$	1	1 527 370+x
Ga XXVII (${}^2P_{1/2}^o$)	Limit		20 518 000

TABLE 41. Spectral lines of Ga XXVI

Wavelength (Å)	Classification				Energy Levels (cm ⁻¹)	Int.	Type	A (s ⁻¹)	References
	Lower		Upper						
74.60	$2s^22p^2$	3P_1	$2s2p^3$	${}^3S_1^o$	186 890+x	1 527 370+x	6		41
78.385	$2s^22p^2$	3P_2	$2s2p^3$	${}^3S_1^o$	251 620+x	1 527 370+x	12		41
86.946	$2s^22p^2$	3P_2	$2s2p^3$	${}^3P_2^o$	251 620+x	1 401 750+x	2		41
91.063	$2s^22p^2$	3P_0	$2s2p^3$	${}^3D_{-1}^o$	0	1 098 140	6		41
535.1 ^C	$2s^22p^2$	3P_0	$2s^22p^2$	${}^3P_1^o$	0	186 890+x	M1	9.76+4	51*
1545. ^C	$2s^22p^2$	3P_1	$2s^22p^2$	3P_2	186 890+x	251 620+x	M1	2.11+3	51*

TABLE 42. Energy levels of Ga XXIX

Configuration	Term	J	Level (cm ⁻¹)
$1s^22s$	2S	1/2	0
$1s^22p$	${}^2P^o$	1/2	480 960
		3/2	756 320
$1s^23s$	2S	1/2	[13 510 430]

TABLE 42. Energy levels of Ga XXIX—Continued

Configuration	Term	J	Level (cm ⁻¹)
$1s^23p$	${}^2P^o$	1/2	[13 643 750]
		3/2	[13 725 270]
$1s^23d$	2D	3/2	[13 775 320]
		5/2	[13 801 060]

TABLE 42. Energy levels of Ga XXIX—Continued

Configuration	Term	J	Level (cm ⁻¹)
1s ² 4s	² S	1/2	[18 169 440]
1s ² 4p	² P ^o	1/2	[18 225 370]
		3/2	[18 259 720]
1s ² 4d	² D	3/2	[18 280 800]
		5/2	[18 291 660]
1s ² 5s	² S	1/2	[20 309 590]
1s ² 5p	² P ^o	1/2	[20 338 120]
		3/2	[20 355 690]
1s ² 5d	² D	3/2	[20 366 460]
		5/2	[20 372 020]
Ga XXX (¹ S ₀)	Limit	—	24 068 300
1s2s ²	² S	1/2	[76 572 000]
1s(² S)2s2p(³ P ^o)	⁴ P ^o	1/2	[76 699 000]
		3/2	[76 752 000]

TABLE 42. Energy levels of Ga XXIX—Continued

Configuration	Term	J	Level (cm ⁻¹)
1s(² S)2s2p(³ P ^o)	² P ^o	1/2	[77 101 000]
		3/2	[77 274 000]
1s(² S)2p ² (³ P)	⁴ P	1/2	[77 306 000]
		3/2	[77 471 000]
1s(² S)2s2p(¹ P ^o)	² D _{5/2}	5/2	[77 549 000]
		3/2	[77 705 000]
1s(² S)2p ² (¹ D)	² P	1/2	[77 705 000]
		3/2	[78 003 000]
1s(² S)2p ² (¹ S)	² D	3/2	[77 705 000]
		5/2	[77 857 000]
1s(² S)2p ² (¹ S)	² S	1/2	[78 168 000]

TABLE 43. Spectral lines of Ga XXIX

Wavelength (Å)	Classification			Energy levels (cm ⁻¹)	Type	References
	Lower	Upper				
1.2872 ^C	1s ² 2p	² P _{1/2}	1s(² S)2p ² (¹ S)	² S _{1/2}	480 960	[78 168 000]
1.2900 ^C	1s ² 2p	² P _{1/2}	1s(² S)2p ² (³ P)	² P _{3/2}	480 960	[78 003 000]
1.2911 ^C	1s ² 2s	² S _{1/2}	1s(² S)2s2p(¹ P ^o)	² P _{3/2}	0	[77 453 000]
1.2918 ^C	1s ² 2p	² P _{3/2}	1s(² S)2p ² (¹ S)	² S _{1/2}	756 320	[78 168 000]
	1s ² 2s	² S _{1/2}	1s(² S)2s2p(¹ P ^o)	² P _{1/2}	0	[77 411 000]
1.2941 ^C	1s ² 2s	² S _{1/2}	1s(² S)2s2p(³ P ^o)	² P _{3/2}	0	[77 274 000]
1.2946 ^C	1s ² 2p	² P _{3/2}	1s(² S)2p ² (³ P)	² P _{3/2}	756 320	[78 003 000]
1.2949 ^C	1s ² 2p	² P _{1/2}	1s(² S)2p ² (¹ D)	² D _{3/2}	480 960	[77 705 000]
1.2952 ^C	1s ² 2p	² P _{1/2}	1s(² S)2p ² (³ P)	² P _{1/2}	480 960	[77 687 000]
1.2970 ^C	1s ² 2s	² S _{1/2}	1s(² S)2s2p(³ P ^o)	² P _{1/2}	0	[77 101 000]
	1s ² 2p	² P _{3/2}	1s(² S)2p ² (¹ D)	² D _{5/2}	756 320	[77 857 000]
1.2989 ^C	1s ² 2p	² P _{1/2}	1s(² S)2p ² (³ P)	⁴ P _{3/2}	480 960	[77 471 000]
1.2996 ^C	1s ² 2p	² P _{3/2}	1s(² S)2p ² (¹ D)	² D _{3/2}	756 320	[77 705 000]
1.2999 ^C	1s ² 2p	² P _{3/2}	1s(² S)2p ² (³ P)	² P _{1/2}	756 320	[77 687 000]
1.3017 ^C	1s ² 2p	² P _{1/2}	1s(² S)2p ² (³ P)	⁴ P _{1/2}	480 960	[77 306 000]
1.3022 ^C	1s ² 2p	² P _{3/2}	1s(² S)2p ² (³ P)	⁴ P _{5/2}	756 320	[77 549 000]
1.3029 ^C	1s ² 2s	² S _{1/2}	1s(² S)2s2p(³ P ^o)	⁴ P _{3/2}	0	[76 752 000]
1.3035 ^C	1s ² 2p	² P _{3/2}	1s(² S)2p ² (³ P)	⁴ P _{3/2}	756 320	[77 471 000]
1.3038 ^C	1s ² 2s	² S _{1/2}	1s(² S)2s2p(³ P ^o)	⁴ P _{1/2}	0	[76 699 000]
1.3063 ^C	1s ² 2p	² P _{3/2}	1s(² S)2p ² (³ P)	⁴ P _{1/2}	756 320	[77 306 000]
1.3142 ^C	1s ² 2p	² P _{1/2}	1s2s ²	² S _{1/2}	480 960	[76 572 000]
1.3190 ^C	1s ² 2p	² P _{3/2}	1s2s ²	² S _{1/2}	756 320	[76 572 000]
4.9126 ^C	1s ² 2s	² S _{1/2}	1s ² 5p	² P _{3/2}	0	[20 355 690]
4.9169 ^C	1s ² 2s	² S _{1/2}	1s ² 5p	² P _{1/2}	0	[20 338 120]
5.0288 ^C	1s ² 2p	² P _{1/2}	1s ² 5d	² D _{3/2}	480 960	[20 366 460]
5.0432 ^C	1s ² 2p	² P _{1/2}	1s ² 5s	² S _{1/2}	480 960	[20 309 590]
5.0980 ^C	1s ² 2p	² P _{3/2}	1s ² 5d	² D _{5/2}	756 320	[20 372 020]
5.0994 ^C	1s ² 2p	² P _{3/2}	1s ² 5d	² D _{3/2}	756 320	[20 366 460]

TABLE 43. Spectral lines of Ga XXIX—Continued

Wavelength (Å)	Classification				Energy levels (cm ⁻¹)	Type	References	
	Lower		Upper					
5.1142 ^C	1s ² 2p	² P _{3/2}	1s ² 5s	² S _{1/2}	756 320	[20 309 590]	49	
5.4765 ^C	1s ² 2s	² S _{1/2}	1s ² 4p	² P _{3/2}	0	[18 259 720]	49	
5.4869 ^C	1s ² 2s	² S _{1/2}	1s ² 4p	² P _{1/2}	0	[18 225 370]	49	
5.6180 ^C	1s ² 2p	² P _{1/2}	1s ² 4d	² D _{3/2}	480 960	[18 280 800]	49	
5.6534 ^C	1s ² 2p	² P _{1/2}	1s ² 4s	² S _{1/2}	480 960	[18 169 440]	49	
5.7028 ^C	1s ² 2p	² P _{3/2}	1s ² 4d	² D _{5/2}	756 320	[18 291 660]	49	
5.7063 ^C	1s ² 2p	² P _{3/2}	1s ² 4d	² D _{3/2}	756 320	[18 280 800]	49	
5.7428 ^C	1s ² 2p	² P _{3/2}	1s ² 4s	² S _{1/2}	756 320	[18 169 440]	49	
7.2858 ^C	1s ² 2s	² S _{1/2}	1s ² 3p	² P _{3/2}	0	[13 725 270]	49	
7.3294 ^C	1s ² 2s	² S _{1/2}	1s ² 3p	² P _{1/2}	0	[13 643 750]	49	
7.5220 ^C	1s ² 2p	² P _{1/2}	1s ² 3d	² D _{3/2}	480 960	[13 775 320]	49	
7.6659 ^C	1s ² 2p	² P _{3/2}	1s ² 3d	² D _{5/2}	756 320	[13 801 060]	49	
7.6749 ^C	1s ² 2p	² P _{1/2}	1s ² 3s	² S _{1/2}	480 960	[13 510 430]	49	
7.6811 ^C	1s ² 2p	² P _{3/2}	1s ² 3d	² D _{3/2}	756 320	[13 775 320]	49	
7.8406 ^C	1s ² 2p	² P _{3/2}	1s ² 3s	² S _{1/2}	756 320	[13 510 430]	49	
14.8750 ^C	1s ² 3p	² P _{1/2}	1s ² 5d	² D _{3/2}	[13 643 750]	[20 366 460]	49	
15.0019 ^C	1s ² 3p	² P _{1/2}	1s ² 5s	² S _{1/2}	[13 643 750]	[20 309 590]	49	
15.0449 ^C	1s ² 3p	² P _{3/2}	1s ² 5d	² D _{5/2}	[13 725 270]	[20 372 020]	49	
15.0575 ^C	1s ² 3p	² P _{3/2}	1s ² 5d	² D _{3/2}	[13 725 270]	[20 366 460]	49	
15.1876 ^C	1s ² 3p	² P _{3/2}	1s ² 5s	² S _{1/2}	[13 725 270]	[20 309 590]	49	
21.0558 ^C	1s ² 3s	² S _{1/2}	1s ² 4p	² P _{3/2}	[13 510 430]	[18 259 720]	49	
21.2092 ^C	1s ² 3s	² S _{1/2}	1s ² 4p	² P _{1/2}	[13 510 430]	[18 225 370]	49	
21.5654 ^C	1s ² 3p	² P _{1/2}	1s ² 4d	² D _{3/2}	[13 643 750]	[18 280 800]	49	
21.8991 ^C	1s ² 3p	² P _{3/2}	1s ² 4d	² D _{5/2}	[13 725 270]	[18 291 660]	49	
21.9513 ^C	1s ² 3p	² P _{3/2}	1s ² 4d	² D _{3/2}	[13 725 270]	[18 280 800]	49	
22.0961 ^C	1s ² 3p	² P _{1/2}	1s ² 4s	² S _{1/2}	[13 643 750]	[18 169 440]	49	
22.5014 ^C	1s ² 3p	² P _{3/2}	1s ² 4s	² S _{1/2}	[13 725 270]	[18 169 440]	49	
46.7052 ^C	1s ² 4p	² P _{1/2}	1s ² 5d	² D _{3/2}	[18 225 370]	[20 366 460]	49	
47.3418 ^C	1s ² 4p	² P _{3/2}	1s ² 5d	² D _{5/2}	[18 259 720]	[20 372 020]	49	
47.4667 ^C	1s ² 4p	² P _{3/2}	1s ² 5d	² D _{3/2}	[18 259 720]	[20 366 460]	49	
132.219 ^S	1s ² 2s	² S _{1/2}	1s ² 2p	² P _{3/2}	0	756 320	68	
207.917 ^S	1s ² 2s	² S _{1/2}	1s ² 2p	² P _{1/2}	0	480 960	68	
363.16 ^C	1s ² 2p	² P _{1/2}	1s ² 2p	² P _{3/2}	480 960	756 320	M1	68

TABLE 44. Energy levels of Ga XXX

Configuration	Term	J	Level (cm ⁻¹)
1s ²	¹ S	0	0
1s2s	³ S	1	[76 911 150]
1s2p	³ P ^o	0	[77 202 880]
		1	[77 224 190]
		2	[77 490 090]
1s2s	¹ S	0	[77 225 860]
1s2p	¹ P ^o	1	[77 657 700]
1s3s	³ S	1	[91 177 480]
1s3p	³ P ^o	0	[91 257 860]

TABLE 44. Energy levels of Ga XXX—Continued

Configuration	Term	J	Level (cm ⁻¹)
		1	[91 263 800]
		2	[91 343 230]
1s3s	¹ S	0	[91 261 400]
1s3d	³ D	2	[91 384 440]
		1	[91 385 930]
		3	[91 413 210]
1s3p	¹ P ^o	1	[91 388 810]
1s3d	¹ D	2	[91 416 400]
1s4s	³ S	1	[96 120 300]

TABLE 44. Energy levels of Ga XXX—Continued

Configuration	Term	J	Level (cm ⁻¹)
1s4p	³ P°	0	[96 153 900]
		1	[96 156 500]
		2	[96 189 900]
1s4s	¹ S	0	[96 155 100]
1s4d	³ D	2	[96 207 300]
		1	[96 207 900]
		3	[96 219 400]
1s4p	¹ P°	1	[96 209 200]
1s4d	¹ D	2	[96 220 800]
1s5s	³ S	1	[98 395 400]
1s5s	¹ S	0	[98 413 100]
1s5p	³ P°	1	[98 413 800]
		2	[98 430 900]
1s5p	¹ P°	1	[98 440 800]

TABLE 44. Energy levels of Ga XXX—Continued

Configuration	Term	J	Level (cm ⁻¹)
Ga XXXI (² S _{1/2})	Limit	—	102 405 030
2s ²	¹ S	0	[156 500 000]
2s2p	³ P°	0	[156 530 000]
		1	[156 600 000]
		2	[156 860 000]
2p ²	³ P	0	[156 880 000]
		1	[157 080 000]
		2	[157 150 000]
2s2p	¹ P°	1	[157 190 000]
2p ²	¹ D	2	[157 460 000]
2p ²	¹ S	0	[157 760 000]

TABLE 45. Spectral lines of Ga XXX

Wavelength (Å)	Classification			Energy Levels (cm ⁻¹)	Type	A(s ⁻¹)	References
	Lower	Upper	Type				
1.01584 ^C	1s ²	¹ S ₀	1s5p	¹ P ₁ [°]	0	[98 440 800]	
1.01612 ^C	1s ²	¹ S ₀	1s5p	³ P ₁ [°]	0	[98 413 800]	
1.03940 ^C	1s ²	¹ S ₀	1s4p	¹ P ₁ [°]	0	[96 209 200]	
1.03997 ^C	1s ²	¹ S ₀	1s4p	³ P ₁ [°]	0	[96 156 500]	
1.09423 ^C	1s ²	¹ S ₀	1s3p	¹ P ₁ [°]	0	[91 388 810]	42
1.09572 ^C	1s ²	¹ S ₀	1s3p	³ P ₁ [°]	0	[91 263 800]	42
1.2417 ^C	1s2p	³ P ₁ [°]	2p ²	¹ S ₀	[77 224 190]	[157 760 000]	49
1.2457 ^C	1s2s	³ S ₁	2s2p	¹ P ₁ [°]	[76 911 150]	[157 190 000]	49
1.2464 ^C	1s2p	³ P ₁ [°]	2p ²	¹ D ₂	[77 224 190]	[157 460 000]	49
1.2483 ^C	1s2p	¹ P ₁ [°]	2p ²	¹ S ₀	[77 657 700]	[157 760 000]	49
1.2504 ^C	1s2p	³ P ₂ [°]	2p ²	¹ D ₂	[77 490 090]	[157 460 000]	49
1.2506 ^C	1s2s	¹ S ₀	2s2p	¹ P ₁ [°]	[77 225 860]	[157 190 000]	49
1.2508 ^C	1s2s	³ S ₁	2s2p	³ P ₂ [°]	[76 911 150]	[156 860 000]	49
1.2512 ^C	1s2p	³ P ₁ [°]	2p ²	³ P ₂ [°]	[77 224 190]	[157 150 000]	49
1.2520 ^C	1s2p	³ P ₀ [°]	2p ²	³ P ₁ [°]	[77 202 880]	[157 080 000]	49
1.2523 ^C	1s2p	³ P ₁ [°]	2p ²	³ P ₁ [°]	[77 224 190]	[157 080 000]	49
1.2530 ^C	1s2p	¹ P ₁ [°]	2p ²	¹ D ₂	[77 657 700]	[157 460 000]	49
1.2549 ^C	1s2s	³ S ₁	2s2p	³ P ₁ [°]	[76 911 150]	[156 600 000]	49
1.2553 ^C	1s2p	³ P ₂ [°]	2p ²	³ P ₂ [°]	[77 490 090]	[157 150 000]	49
1.2554 ^C	1s2p	³ P ₁ [°]	2p ²	³ P ₀ [°]	[77 224 190]	[156 880 000]	49
1.2559 ^C	1s2s	³ S ₁	2s2p	³ P ₀ [°]	[76 911 150]	[156 530 000]	49
1.2564 ^C	1s2p	³ P ₂ [°]	2p ²	³ P ₁ [°]	[77 490 090]	[157 080 000]	49
1.2579 ^C	1s2p	¹ P ₁ [°]	2p ²	³ P ₂ [°]	[77 657 700]	[157 150 000]	49
1.2590 ^C	1s2p	¹ P ₁ [°]	2p ²	³ P ₁ [°]	[77 657 700]	[157 080 000]	49
1.2599 ^C	1s2s	¹ S ₀	2s2p	³ P ₁ [°]	[77 225 860]	[156 600 000]	49
1.2615 ^C	1s2p	³ P ₁ [°]	2s ²	¹ S ₀	[77 224 190]	[156 500 000]	49
1.2621 ^C	1s2p	¹ P ₁ [°]	2p ²	³ P ₀ [°]	[77 657 700]	[156 880 000]	49
1.2683 ^C	1s2p	¹ P ₁ [°]	2s ²	¹ S ₀	[77 657 700]	[156 500 000]	49
1.28770 ^C	1s ²	¹ S ₀	1s2p	¹ P ₁ [°]	0	[77 657 700]	57

TABLE 45. Spectral lines of Ga XXX—Continued

Wavelength (Å)	Classification				Energy	Levels (cm ⁻¹)	Type	<i>A</i> (s ⁻¹)	References
	Lower		Upper						
1.29049 ^C	1s ²	¹ S ₀	1s2p	³ P ₂ [°]	0	[77 490 090]			
1.29493 ^C	1s ²	¹ S ₀	1s2p	³ P ₁ [°]	0	[77 224 190]			
1.30020 ^C	1s ²	¹ S ₀	1s2s	³ S ₁	0	[76 911 150]	M1	1.26+9	75*
4.64689 ^C	1s2s	³ S ₁	1s5p	³ P ₂ [°]	[76 911 150]	[98 430 900]			
4.65059 ^C	1s2s	³ S ₁	1s5p	³ P ₁ [°]	[76 911 150]	[98 413 800]			
4.71366 ^C	1s2s	¹ S ₀	1s5p	¹ P ₁ [°]	[77 225 860]	[98 440 800]			
4.72340 ^C	1s2p	³ P ₁ [°]	1s5s	³ S ₁	[77 224 190]	[98 395 400]			
4.78347 ^C	1s2p	³ P ₂ [°]	1s5s	³ S ₁	[77 490 090]	[98 395 400]			
4.81802 ^C	1s2p	¹ P ₁ [°]	1s5s	¹ S ₀	[77 657 700]	[98 413 100]			
5.1871 ^C	1s2s	³ S ₁	1s4p	³ P ₂ [°]	[76 911 150]	[96 189 900]			
5.1961 ^C	1s2s	³ S ₁	1s4p	³ P ₁ [°]	[76 911 150]	[96 156 500]			
5.2618 ^C	1s2p	³ P ₀ [°]	1s4d	³ D ₁	[77 202 880]	[96 207 900]			
5.2677 ^C	1s2p	³ P ₁ [°]	1s4d	³ D ₁	[77 224 190]	[96 207 900]			
5.2678 ^C	1s2s	¹ S ₀	1s4p	¹ P ₁ [°]	[77 225 860]	[96 209 200]			
	1s2p	³ P ₁ [°]	1s4d	³ D ₂	[77 224 190]	[96 207 300]			
5.2921 ^C	1s2p	³ P ₁ [°]	1s4s	³ S ₁	[77 224 190]	[96 120 300]			
5.3392 ^C	1s2p	³ P ₂ [°]	1s4d	³ D ₃	[77 490 090]	[96 219 400]			
5.3427 ^C	1s2p	³ P ₂ [°]	1s4d	³ D ₂	[77 490 090]	[96 207 300]			
5.3676 ^C	1s2p	³ P ₂ [°]	1s4s	³ S ₁	[77 490 090]	[96 120 300]			
5.3870 ^C	1s2p	¹ P ₁ [°]	1s4d	¹ D ₂	[77 657 700]	[96 220 800]			
5.4062 ^C	1s2p	¹ P ₁ [°]	1s4s	¹ S ₀	[77 657 700]	[96 155 100]			
6.9290 ^C	1s2s	³ S ₁	1s3p	³ P ₂ [°]	[76 911 150]	[91 343 230]			
6.9674 ^C	1s2s	³ S ₁	1s3p	³ P ₁ [°]	[76 911 150]	[91 263 800]			
7.0507 ^C	1s2p	³ P ₀ [°]	1s3d	³ D ₁	[77 202 880]	[91 385 930]			
7.0607 ^C	1s2s	¹ S ₀	1s3p	¹ P ₁ [°]	[77 225 860]	[91 388 810]			
7.0613 ^C	1s2p	³ P ₁ [°]	1s3d	³ D ₁	[77 224 190]	[91 385 930]			
7.0620 ^C	1s2p	³ P ₁ [°]	1s3d	³ D ₂	[77 224 190]	[91 384 440]			
7.1668 ^C	1s2p	³ P ₁ [°]	1s3s	³ S ₁	[77 224 190]	[91 177 480]			
7.1823 ^C	1s2p	³ P ₂ [°]	1s3d	³ D ₃	[77 490 090]	[91 413 210]			
7.1972 ^C	1s2p	³ P ₂ [°]	1s3d	³ D ₂	[77 490 090]	[91 384 440]			
7.2681 ^C	1s2p	¹ P ₁ [°]	1s3d	¹ D ₂	[77 657 700]	[91 416 400]			
7.3060 ^C	1s2p	³ P ₂ [°]	1s3s	³ S ₁	[77 490 090]	[91 177 480]			
7.3509 ^C	1s2p	¹ P ₁ [°]	1s3s	¹ S ₀	[77 657 700]	[91 261 400]			
13.787 ^C	1s3s	³ S ₁	1s5p	³ P ₂ [°]	[91 177 480]	[98 430 900]			
13.819 ^C	1s3s	³ S ₁	1s5p	³ P ₁ [°]	[91 177 480]	[98 413 800]			
13.929 ^C	1s3s	¹ S ₀	1s5p	¹ P ₁ [°]	[91 261 400]	[98 440 800]			
14.022 ^C	1s3p	³ P ₁ [°]	1s5s	³ S ₁	[91 263 800]	[98 395 400]			
14.180 ^C	1s3p	³ P ₂ [°]	1s5s	³ S ₁	[91 343 230]	[98 395 400]			
14.236 ^C	1s3p	¹ P ₁ [°]	1s5s	¹ S ₀	[91 388 810]	[98 413 100]			
19.950 ^C	1s3s	³ S ₁	1s4p	³ P ₂ [°]	[91 177 480]	[96 189 900]			
20.084 ^C	1s3s	³ S ₁	1s4p	³ P ₁ [°]	[91 177 480]	[96 156 500]			
20.202 ^C	1s3p	³ P ₀ [°]	1s4d	³ D ₁	[91 257 860]	[96 207 900]			
20.211 ^C	1s3s	¹ S ₀	1s4p	¹ P ₁ [°]	[91 261 400]	[96 209 200]			
20.226 ^C	1s3p	³ P ₁ [°]	1s4d	³ D ₁	[91 263 800]	[96 207 900]			
20.229 ^C	1s3p	³ P ₁ [°]	1s4d	³ D ₂	[91 263 800]	[96 207 300]			
20.508 ^C	1s3p	³ P ₂ [°]	1s4d	³ D ₃	[91 343 230]	[96 219 400]			
20.559 ^C	1s3p	³ P ₂ [°]	1s4d	³ D ₂	[91 343 230]	[96 207 300]			
20.591 ^C	1s3p	³ P ₁ [°]	1s4s	³ S ₁	[91 263 800]	[96 120 300]			
20.695 ^C	1s3p	¹ P ₁ [°]	1s4d	¹ D ₂	[91 388 810]	[96 220 800]			
20.810 ^C	1s3d	³ D ₂	1s4p	³ P ₂ [°]	[91 384 440]	[96 189 900]			

TABLE 45. Spectral lines of Ga XXX—Continued

Wavelength (Å)	Classification				Energy Levels (cm ⁻¹)	Type	<i>A</i> (s ⁻¹)	References
	Lower		Upper					
20.865 ^C	1s3d	¹ D ₂	1s4p	¹ P ₁ ^o	[91 416 400]	[96 209 200]		
20.933 ^C	1s3p	³ P ₂	1s4s	³ S ₁	[91 343 230]	[96 120 300]		
20.935 ^C	1s3d	³ D ₃	1s4p	³ P ₂ ^o	[91 413 210]	[96 189 900]		
20.955 ^C	1s3d	³ D ₂	1s4p	³ P ₁ ^o	[91 384 440]	[96 156 500]		
20.962 ^C	1s3d	³ D ₁	1s4p	³ P ₀ ^o	[91 385 930]	[96 156 500]		
20.973 ^C	1s3d	³ D ₁	1s4p	³ P ₀ ^o	[91 385 930]	[96 153 900]		
20.981 ^C	1s3p	¹ P ₁ ^o	1s4s	¹ S ₀	[91 388 810]	[96 155 100]		
43.601 ^C	1s4s	³ S ₁	1s5p	³ P ₁ ^o	[96 120 300]	[98 413 800]	49	
43.750 ^C	1s4s	¹ S ₀	1s5p	¹ P ₁ ^o	[96 155 100]	[98 440 800]	49	
44.665 ^C	1s4p	³ P ₁ ^o	1s5s	³ S ₁	[96 156 500]	[98 395 400]	49	
45.341 ^C	1s4p	³ P ₂	1s5s	³ S ₁	[96 189 900]	[98 395 400]	49	
45.374 ^C	1s4p	¹ P ₁ ^o	1s5s	¹ S ₀	[96 209 200]	[98 413 100]	49	
133.95 ^C	1s2s	³ S ₁	1s2p	¹ P ₁ ^o	[76 911 150]	[77 657 700]		
172.73 ^C	1s2s	³ S ₁	1s2p	³ P ₂ ^o	[76 911 150]	[77 490 090]		
231.57 ^C	1s2s	¹ S ₀	1s2p	¹ P ₁ ^o	[77 225 860]	[77 657 700]		
319.45 ^C	1s2s	³ S ₁	1s2p	³ P ₁ ^o	[76 911 150]	[77 224 190]		
342.78 ^C	1s2s	³ S ₁	1s2p	³ P ₀ ^o	[76 911 150]	[77 202 880]		
603. ^C	1s3s	³ S ₁	1s3p	³ P ₂ ^o	[91 177 480]	[91 343 230]	42	
785. ^C	1s3s	¹ S ₀	1s3p	¹ P ₁ ^o	[91 261 400]	[91 388 810]	42	
1160. ^C	1s3s	³ S ₁	1s3p	³ P ₁ ^o	[91 177 480]	[91 263 800]	42	
1440. ^C	1s4s	³ S ₁	1s4p	³ P ₂ ^o	[96 120 300]	[96 189 900]	49	
1850. ^C	1s4s	¹ S ₀	1s4p	¹ P ₁ ^o	[96 155 100]	[96 209 200]	49	
	1s4p	³ P ₀ ^o	1s4d	³ D ₁	[96 153 900]	[96 207 900]	49	
1950. ^C	1s4p	³ P ₁ ^o	1s4d	³ D ₁	[96 156 500]	[96 207 900]	49	
1970. ^C	1s4p	³ P ₁ ^o	1s4d	³ D ₂	[96 156 500]	[96 207 300]	49	
2760. ^C	1s4s	³ S ₁	1s4p	³ P ₁ ^o	[96 120 300]	[96 156 500]	49	
2820. ^C	1s5s	³ S ₁	1s5p	³ P ₂ ^o	[98 395 400]	[98 430 900]	49	
3390. ^C	1s4p	³ P ₂ ^o	1s4d	³ D ₃	[96 189 900]	[96 219 400]	49	
3610. ^C	1s5s	¹ S ₀	1s5p	¹ P ₁ ^o	[98 413 100]	[98 440 800]	49	
5430. ^C	1s5s	³ S ₁	1s5p	³ P ₁ ^o	[98 395 400]	[98 413 800]	49	
5750. ^C	1s4p	³ P ₂ ^o	1s4d	³ D ₂	[96 189 900]	[96 207 300]	49	

TABLE 46. Energy levels of ⁶⁹Ga XXXI

Configuration	Term	<i>J</i>	Level (cm ⁻¹)
1s	² S	1/2	0
2p	² P ^o	1/2	[79 985 971]
		3/2	[80 335 139]
2s	² S	1/2	[79 994 296]
3p	² P ^o	1/2	[94 912 550]
		3/2	[95 016 101]
3s	² S	1/2	[94 915 190]
3d	² D	3/2	[95 015 912.8]
		5/2	[95 049 600.6]

TABLE 46. Energy levels of ⁶⁹Ga XXXI—Continued

Configuration	Term	<i>J</i>	Level (cm ⁻¹)
4p	² P ^o	1/2	[100 122 541]
		3/2	[100 166 172]
4s	² S	1/2	[100 123 651]
		3/2	
4d	² D	3/2	[100 166 091.0]
		5/2	[100 180 318.2]
4f	² F ^o	5/2	[100 180 293.0]
		7/2	[100 187 364.8]
5p	² P ^o	1/2	[102 527 923]
		3/2	[102 550 238]

TABLE 46. Energy levels of ^{69}Ga XXXI—Continued

Configuration	Term	<i>J</i>	Level (cm^{-1})
5s	^2S	1/2	[102 528 494]
5d	^2D	3/2	[102 550 196.3]
		5/2	[102 557 481.5]
5f	$^2\text{F}^\circ$	5/2	[102 557 468.5]
		7/2	[102 561 091.5]

TABLE 46. Energy levels of ^{69}Ga XXXI—Continued

Configuration	Term	<i>J</i>	Level (cm^{-1})
5g	^2G	7/2	[102 561 084.8]
		9/2	[102 563 253.5]
		Limit	—
			106 783 680

TABLE 47. Spectral lines of ^{69}Ga XXXI

Wavelength (Å)	Classification			Energy levels (cm^{-1})	References
	Lower	Upper			
0.9751318 ^C	1s	$^2\text{S}_{1/2}$	5p	$^2\text{P}_{3/2}^\circ$	[102 550 238]
0.9983410 ^C	1s	$^2\text{S}_{1/2}$	4p	$^2\text{P}_{3/2}^\circ$	[100 166 172]
1.0524532 ^C	1s	$^2\text{S}_{1/2}$	3p	$^2\text{P}_{3/2}^\circ$	[95 016 101]
1.0536014 ^C	1s	$^2\text{S}_{1/2}$	3p	$^2\text{P}_{1/2}^\circ$	[94 912 550]
1.2447853 ^C	1s	$^2\text{S}_{1/2}$	2p	$^2\text{P}_{3/2}^\circ$	[80 335 139] 45
1.2502192 ^C	1s	$^2\text{S}_{1/2}$	2p	$^2\text{P}_{1/2}^\circ$	[79 985 971] 45
4.433422 ^C	2s	$^2\text{S}_{1/2}$	5p	$^2\text{P}_{3/2}^\circ$	[102 550 238]
4.499976 ^C	2p	$^2\text{P}_{3/2}^\circ$	5d	$^2\text{D}_{5/2}$	[80 335 139] [102 557 481.5]
4.957397 ^C	2s	$^2\text{S}_{1/2}$	4p	$^2\text{P}_{3/2}^\circ$	[100 166 172]
5.039007 ^C	2p	$^2\text{P}_{3/2}^\circ$	4d	$^2\text{D}_{5/2}$	[100 180 318.2]
6.65699 ^C	2s	$^2\text{S}_{1/2}$	3p	$^2\text{P}_{3/2}^\circ$	[95 016 101]
6.79604 ^C	2p	$^2\text{P}_{3/2}^\circ$	3d	$^2\text{D}_{5/2}$	[95 049 600.6]
13.09304 ^C	3p	$^2\text{P}_{1/2}^\circ$	5d	$^2\text{D}_{3/2}$	[102 550 196.3]
13.09749 ^C	3s	$^2\text{S}_{1/2}$	5p	$^2\text{P}_{3/2}^\circ$	[102 550 238]
13.2598636 ^C	3d	$^2\text{D}_{3/2}$	5f	$^2\text{F}_{5/2}^\circ$	[95 015 912.8] [102 557 468.5]
13.260172 ^C	3p	$^2\text{P}_{3/2}^\circ$	5d	$^2\text{D}_{5/2}$	[95 016 101] [102 557 481.5]
13.3129363 ^C	3d	$^2\text{D}_{5/2}$	5f	$^2\text{F}_{7/2}^\circ$	[95 049 600.6] [102 561 091.5]
19.03478 ^C	3p	$^2\text{P}_{1/2}^\circ$	4d	$^2\text{D}_{3/2}$	[94 912 550] [100 166 091.0]
19.04406 ^C	3s	$^2\text{S}_{1/2}$	4p	$^2\text{P}_{3/2}^\circ$	[94 915 190] [100 166 172]
19.363408 ^C	3d	$^2\text{D}_{3/2}$	4f	$^2\text{F}_{5/2}^\circ$	[95 015 912.8] [100 180 293.0]
19.36402 ^C	3p	$^2\text{P}_{3/2}^\circ$	4d	$^2\text{D}_{5/2}$	[100 180 318.2]
19.463719 ^C	3d	$^2\text{D}_{5/2}$	4f	$^2\text{F}_{7/2}^\circ$	[100 187 364.8]
41.19201 ^C	4p	$^2\text{P}_{1/2}^\circ$	5d	$^2\text{D}_{3/2}$	[100 122 541] [102 550 196.3]
41.21014 ^C	4s	$^2\text{S}_{1/2}$	5p	$^2\text{P}_{3/2}^\circ$	[100 123 651] [102 550 238]
41.816903 ^C	4d	$^2\text{D}_{3/2}$	5f	$^2\text{F}_{5/2}^\circ$	[100 166 091.0] [102 557 468.5]
41.81809 ^C	4p	$^2\text{P}_{3/2}^\circ$	5d	$^2\text{D}_{5/2}$	[100 166 172] [102 557 481.5]
42.002833 ^C	4f	$^2\text{F}_{5/2}^\circ$	5g	$^2\text{G}_{7/2}$	[100 180 293.0] [102 561 084.8]
42.003159 ^C	4d	$^2\text{D}_{5/2}$	5f	$^2\text{F}_{7/2}^\circ$	[100 180 318.2] [102 561 091.5]
42.089514 ^C	4f	$^2\text{F}_{7/2}^\circ$	5g	$^2\text{G}_{9/2}$	[100 187 364.8] [102 563 253.5]
293.390 ^C	2s	$^2\text{S}_{1/2}$	2p	$^2\text{P}_{3/2}^\circ$	[79 994 296] [80 335 139]
967.5 ^C	3p	$^2\text{P}_{1/2}^\circ$	3d	$^2\text{D}_{3/2}$	[94 912 550] [95 015 912.8]
991.0 ^C	3s	$^2\text{S}_{1/2}$	3p	$^2\text{P}_{3/2}^\circ$	[94 915 190] [95 016 101]
2295.5 ^C	4p	$^2\text{P}_{1/2}^\circ$	4d	$^2\text{P}_{3/2}$	[100 122 541] [100 166 091.0]
2351.1 ^C	4s	$^2\text{S}_{1/2}$	4p	$^2\text{P}_{3/2}^\circ$	[100 123 651] [100 166 172]
2984.2 ^C	3p	$^2\text{P}_{3/2}^\circ$	3d	$^2\text{D}_{5/2}$	[95 016 101] [95 049 600.6]
4488.4 ^C	5p	$^2\text{P}_{1/2}^\circ$	5d	$^2\text{D}_{3/2}$	[102 527 923] [102 550 196.3]
4597.7 ^C	5s	$^2\text{S}_{1/2}$	5p	$^2\text{P}_{3/2}^\circ$	[102 528 494] [102 550 238]
7067. ^C	4p	$^2\text{P}_{3/2}^\circ$	4d	$^2\text{D}_{5/2}$	[100 166 172] [100 180 318.2]
13747.2 ^C	5d	$^2\text{D}_{3/2}$	5f	$^2\text{F}_{5/2}^\circ$	[102 550 196.3] [102 557 468.5]
13802. ^C	5p	$^2\text{P}_{3/2}^\circ$	5d	$^2\text{D}_{5/2}$	[102 550 238] [102 557 481.5]

Note Added in Proof: While our manuscript was being prepared for publication, we noticed that an important article of Podobedova *et al.*⁸⁵ on the Ga VII spectrum was overlooked. These authors identified about 400 lines of the $3d^7 - 3d^64p$ transition array in the region 167 through 222 Å. The lines were observed in emission of a vacuum spark with estimated uncertainties of ± 0.005 Å. From the observed wavelengths Podobedova *et al.*⁸⁵ derived all energy levels of the ground configuration $3d^7$ and most of the $3d^64p$ levels.

The tables of observed lines and energy levels of Podobedova *et al.*⁸⁵ contained several misprints. In most cases, they were easy to detect and correct using the relations between the line and level lists. For example, the energy of the $3d^7 {}^2H_{11/2}$ level was misprinted as $33\ 710$ cm $^{-1}$, while the correct value is $37\ 710$ cm $^{-1}$. For an additional consistency check, and also in order to retrieve the additional quantum numbers and percentage compositions omitted in description of the levels, we reproduced their parametric fit using their values of the Slater parameters. The list of energy levels given in Table 48 uses additional sequential indexes produced by the Cowan HFR code³³ to distinguish between the terms of d^7 and d^6 shells having the same LS designations (e.g., $3d^7 {}^2D_1$ and 2D_2).

While the $3d^7$ configuration is fairly well described by LS coupling, the LS labels assigned to the levels of the $3d^64p$ configuration do not fully describe their physical nature and in many cases even do not represent the leading LS term. The sole purpose of these labels is to relate the level list in Table 48 with the transition list in Table 49.

19 levels of the $3d^64p$ configuration (out of a total of 180)

were not identified because transition rates from them to the $3d^7$ levels are very small. In particular, the lowest term, $3p^6({}^5D)4p\ {}^6D^{\circ}$, is still unknown.

By analyzing the list of identified transitions, we estimated that the uncertainties of the energy levels of the $3d^7$ configuration are between 5 and 8 cm $^{-1}$. For the $3d^64p$ levels, uncertainties vary between 6 and 30 cm $^{-1}$ with an average of 20 cm $^{-1}$. We designated several levels determined from only one weak or blended spectral line as questionable.

The list of observed spectral lines of Ga VII is given in Table 49. It was noted by Podobedova *et al.*⁸⁵ that the lines of Ga VII were measured on the same photographic plates as the lines of Ga V tabulated by Ryabtsev and Ramonas.⁴⁷ Based on several blended lines present in both Ga V and Ga VII tables, we multiplied the observed Ga VII intensities from Podobedova *et al.*⁸⁵ by a factor of 10 to bring them on the same scale with lines of Ga V. The question marks after the energy values in Table 49 correspond to the questionable identification of the levels in Table 48. The question marks in the observed intensity column indicate that assignment of the line is questionable (e.g., because of blending or small calculated transition rate), but the levels of the transition are nevertheless firmly established using other lines.

We did not include in our table the radiative transition rates calculated by Podobedova *et al.*,⁸⁵ since they were obtained using a single-configuration Hartree-Fock method, which is known to produce large uncertainties. It should be noted that the units of transition rates were misprinted in the header of the gW column of their line list as 10^{-7} s $^{-1}$. According to a private communication from the authors of Ref. 85, the correct units are 10^9 s $^{-1}$.

TABLE 48. Energy levels of Ga VII, revised and extended

Configuration	Term	J	Level (cm $^{-1}$)	Leading percentages		
$3d^7$	4F	9/2	0	99		
		7/2	2 753	100		
		5/2	4 641	99		
		3/2	5 885	99		
$3d^7$	4P	5/2	26 072	99		
		3/2	26 142	82	+	18
		1/2	27 850	93	+	7
$3d^7$	2G	9/2	27 941	94	+	5
		7/2	30 562	100		
$3d^7$	2P	3/2	33 799	67	+	17
		1/2	36 072	93	+	7
$3d^7$	2H	11/2	37 710	100		
		9/2	40 229	95	+	5
$3d^7$	2D_2	5/2	38 580	76	+	23
		3/2	42 718	67	+	16
$3d^7$	2F	5/2	61 134	99		
		7/2	62 189	100		
$3d^7$	2D_1	3/2	94 873	81	+	19

TABLE 48. Energy levels of Ga VII, revised and extended—Continued

Configuration	Term	J	Level (cm ⁻¹)		Leading percentages	
		5/2	96 280	76	+	23
$3d^6(^5D)4p$	${}^6F^\circ$	7/2	494 326	77	+	8
		5/2	494 440 ?	86	+	6
		1/2	494 482	92	+	6
		3/2	494 485	90	+	6
		9/2	494 690 ?	85	+	9
$3d^6(^5D)4p$	${}^6P^\circ$	7/2	497 349	65	+	14
		5/2	500 456	69	+	19
		3/2	502 569	70	+	23
$3d^6(^5D)4p$	${}^4D^\circ$	7/2	500 860	71	+	23
		5/2	502 264	67	+	25
		3/2	503 232	64	+	27
		1/2	503 540	87	+	6
$3d^6(^5D)4p$	${}^4F^\circ$	9/2	501 754	87	+	11
		7/2	504 279	90	+	7
		5/2	505 926	93		
		3/2	507 030	95		
$3d^6(^5D)4p$	${}^4P^\circ$	5/2	508 288	94		
		3/2	509 937	95		
		1/2	510 702	96		
$3d^6(^3P_2)4p$	${}^4S^\circ$	3/2	523 322	37	+	22
$3d^6(^3H)4p$	${}^4G^\circ$	11/2	525 209	70	+	14
		9/2	525 794	25	+	21
		7/2	526 708	38	+	32
		5/2	537 616 ?	27	+	16
$3d^6(^3P_2)4p$	${}^2D^\circ$	5/2	525 918	14	+	22
		3/2	535 468	15	+	19
$3d^6(^3H)4p$	${}^4H^\circ$	7/2	525 973	23	+	16
		13/2	531 430	52	+	31
		9/2	531 542	28	+	17
$3d^6(^3H)4p$	${}^4I^\circ$	9/2	526 292	22	+	32
		13/2	526 392 ?	43	+	36
$3d^6(^3F_2)4p$	${}^4G^\circ$	5/2	527 077	43	+	31
		9/2	535 157	22	+	20
		7/2	535 599	26	+	12
		11/2	536 341	39	+	25
$3d^6(^3H)4p$	${}^2G^\circ$	9/2	528 877	17	+	48
		7/2	531 498	14	+	22
$3d^6(^3F_2)4p$	${}^4F^\circ$	5/2	529 270	40	+	13
		7/2	529 414	11	+	24
		3/2	530 051 ?	55	+	17
		9/2	530 711	32	+	19
$3d^6(^3P_2)4p$	${}^4P^\circ$	5/2	530 038	24	+	25
		3/2	534 111 ?	15	+	14
$3d^6(^3P_2)4p$	${}^4D^\circ$	3/2	530 435 ?	27	+	20
		7/2	530 991	44	+	23
		1/2	533 148	51	+	21
		5/2	535 728	39	+	17

TABLE 48. Energy levels of Ga VII, revised and extended—Continued

Configuration	Term	J	Level (cm ⁻¹)		Leading percentages		
$3d^6(^3F2)4p$	${}^4D^\circ$	7/2	532 549	34	+	11	$3d^6(^3H)4p$
		5/2	533 379	46	+	12	${}^4F^\circ$
		1/2	534 888	58	+	14	$3d^6(^3D)4p$
$3d^6(^3H)4p$	${}^2I^\circ$	13/2	533 649	69	+	23	${}^4I^\circ$
		11/2	534 726	52	+	15	$3d^6(^3F2)4p$
$3d^6(^3F2)4p$	${}^2F^\circ$	5/2	535 302	19	+	21	$3d^6(^3G)4p$
		7/2	538 050	21	+	11	$3d^6(^3F1)4p$
$3d^6(^3G)4p$	${}^4F^\circ$	9/2	535 733	39	+	27	${}^4G^\circ$
		7/2	537 262	43	+	27	${}^4G^\circ$
		5/2	539 366	32	+	13	$3d^6(^3F2)4p$
		3/2	540 577	31	+	16	$3d^6(^3P2)4p$
$3d^6(^3G)4p$	${}^2H^\circ$	11/2	536 744	28	+	20	${}^4G^\circ$
		9/2	538 040	28	+	14	$3d^6(^3H)4p$
$3d^6(^3P2)4p$	${}^2P^\circ$	1/2	538 004	20	+	29	${}^2S^\circ$
		3/2	539 725	26	+	24	$3d^6(^3G)4p$
$3d^6(^3G)4p$	${}^4G^\circ$	11/2	539 238	40	+	17	$3d^6(^3H)4p$
		9/2	540 480	25	+	21	$3d^6(^3H)4p$
		7/2	540 685	25	+	16	${}^4H^\circ$
		5/2	541 060	41	+	18	${}^4F^\circ$
$3d^6(^3F2)4p$	${}^2G^\circ$	9/2	539 841	26	+	13	$3d^6(^3H)4p$
		7/2	540 484	41	+	12	$3d^6(^3G)4p$
$3d^6(^3P2)4p$	${}^2S^\circ$	1/2	541 268	40	+	15	$3d^6(^3P1)4p$
$3d^6(^3G)4p$	${}^4H^\circ$	7/2	541 304	34	+	20	$3d^6(^3F2)4p$
		11/2	541 424	62	+	13	$3d^6(^3H)4p$
		9/2	541 471	54	+	12	${}^4G^\circ$
$3d^6(^3F2)4p$	${}^2D^\circ$	5/2	543 934	46	+	11	$3d^6(^3P2)4p$
		3/2	545 417	55	+	18	$3d^6(^3P2)4p$
$3d^6(^3G)4p$	${}^2F^\circ$	5/2	545 632	29	+	20	$3d^6(^3F2)4p$
		7/2	546 341	39	+	21	$3d^6(^3D)4p$
$3d^6(^1I)4p$	${}^2K^\circ$	13/2	546 431	?	93	+	${}^2I^\circ$
$3d^6(^3H)4p$	${}^2H^\circ$	11/2	546 960	52	+	30	$3d^6(^3G)4p$
		9/2	547 868	20	+	16	$3d^6(^3G)4p$
$3d^6(^3D)4p$	${}^4P^\circ$	5/2	547 996	79	+	5	${}^2D^\circ$
		3/2	548 824	57	+	14	${}^2P^\circ$
		1/2	551 797	?	65	+	${}^2P^\circ$
$3d^6(^1G2)4p$	${}^2H^\circ$	9/2	549 753	26	+	23	$3d^6(^3G)4p$
		11/2	555 468	43	+	26	$3d^6(^1G1)4p$
$3d^6(^3G)4p$	${}^2G^\circ$	7/2	549 771	53	+	13	$3d^6(^1G2)4p$
		9/2	550 920	50	+	16	$3d^6(^3H)4p$
$3d^6(^1I)4p$	${}^2H^\circ$	11/2	549 929	53	+	19	$3d^6(^3G)4p$
		9/2	555 406	60	+	13	$3d^6(^3G)4p$
$3d^6(^3D)4p$	${}^4D^\circ$	1/2	550 217	30	+	26	${}^2P^\circ$
		7/2	552 825	15	+	20	$3d^6(^1G2)4p$
		5/2	553 516	57	+	19	${}^4F^\circ$
		3/2	553 821	42	+	37	${}^2P^\circ$

TABLE 48. Energy levels of Ga VII, revised and extended—Continued

Configuration	Term	J	Level (cm ⁻¹)		Leading percentages		
$3d^6(^3D)4p$	${}^4F^\circ$	3/2	551 436	48	+	29	$3d^6(^3G)4p$
		5/2	552 194	38	+	21	$3d^6(^3G)4p$
		7/2	554 233	23	+	37	${}^4D^\circ$
		9/2	554 816	61	+	11	$3d^6(^1G2)4p$
$3d^6(^3D)4p$	${}^2P^\circ$	3/2	552 107	26	+	24	${}^4P^\circ$
		1/2	554 060	29	+	35	${}^4D^\circ$
$3d^6(^1G2)4p$	${}^2G^\circ$	7/2	552 256	22	+	18	$3d^6(^3D)4p$
		9/2	554 178	38	+	18	$3d^6(^3D)4p$
$3d^6(^1G2)4p$	${}^2F^\circ$	7/2	553 976	18	+	25	$3d^6(^3D)4p$
		5/2	555 091	30	+	17	$3d^6(^3G)4p$
$3d^6(^1D2)4p$	${}^2P^\circ$	3/2	556 405	22	+	44	$3d^6(^3D)4p$
		1/2	564 312	49	+	20	$3d^6(^1D1)4p$
$3d^6(^1I)4p$	${}^2I^\circ$	13/2	556 798	94	+	5	${}^2K^\circ$
		11/2	556 952	67	+	15	${}^2H^\circ$
$3d^6(^3D)4p$	${}^2D^\circ$	5/2	557 668	71	+	8	${}^2F^\circ$
		3/2	557 825	26	+	17	$3d^6(^1D2)4p$
$3d^6(^3D)4p$	${}^2F^\circ$	7/2	558 566	58	+	15	$3d^6(^1D2)4p$
		5/2	558 978	26	+	29	$3d^6(^1D2)4p$
$3d^6(^1S2)4p$	${}^2P^\circ$	1/2	559 904	35	+	20	$3d^6(^3D)4p$
		3/2	567 000	35	+	20	$3d^6(^1D2)4p$
$3d^6(^1D2)4p$	${}^2D^\circ$	5/2	561 991	26	+	26	$3d^6(^3D)4p$
		3/2	562 112	48	+	12	$3d^6(^1S2)4p$
$3d^6(^1D2)4p$	${}^2F^\circ$	5/2	564 156	23	+	20	$3d^6(^1G2)4p$
		7/2	565 606	45	+	11	$3d^6(^3G)4p$
$3d^6(^1F)4p$	${}^2G^\circ$	7/2	568 768	82	+	5	$3d^6(^3G)4p$
		9/2	572 452	89			${}^2G^\circ$
$3d^6(^1F)4p$	${}^2D^\circ$	5/2	572 071	38	+	25	$3d^6(^1D2)4p$
		3/2	575 975	65	+	7	$3d^6(^3P1)4p$
$3d^6(^3P1)4p$	${}^4D^\circ$	1/2	573 006	41	+	32	$3d^6(^3F1)4p$
		3/2	573 291	30	+	34	$3d^6(^3F1)4p$
		5/2	591 396	12	+	22	${}^4P^\circ$
		7/2	595 711	22	+	22	$3d^6(^3F1)4p$
$3d^6(^3F1)4p$	${}^4D^\circ$	7/2	574 464	55	+	20	$3d^6(^3P1)4p$
		5/2	574 543	39	+	28	$3d^6(^3P1)4p$
		1/2	590 804	49	+	19	$3d^6(^3P1)4p$
		3/2	591 892	30	+	18	$3d^6(^3P1)4p$
$3d^6(^1F)4p$	${}^2F^\circ$	5/2	578 795	73	+	8	${}^2D^\circ$
		7/2	578 883	77	+	6	$3d^6(^1G2)4p$
$3d^6(^3F1)4p$	${}^4G^\circ$	5/2	582 673	75	+	15	$3d^6(^3F2)4p$
		7/2	583 630	73	+	16	$3d^6(^3F2)4p$
		9/2	584 357	63	+	15	$3d^6(^3F2)4p$
$3d^6(^3P1)4p$	${}^4S^\circ$	3/2	585 126	74	+	21	$3d^6(^3P2)4p$
$3d^6(^3F1)4p$	${}^2D^\circ$	3/2	588 009	46	+	19	$3d^6(^3P1)4p$
		5/2	589 686	39	+	21	$3d^6(^3P1)4p$
$3d^6(^3P1)4p$	${}^4P^\circ$	3/2	589 210	49	+	39	$3d^6(^3P2)4p$

TABLE 48. Energy levels of Ga VII, revised and extended—Continued

Configuration	Term	J	Level (cm ⁻¹)			Leading percentages	
$3d^6(^3F1)4p$	$^2G^\circ$	5/2	592 966	23	+	19	$3d^6(^3P2)4p$ ${}^4P^\circ$
		9/2	589 966	53	+	13	$3d^6(^3F2)4p$ ${}^2G^\circ$
		7/2	591 670	50	+	18	${}^4F^\circ$
$3d^6(^3F1)4p$	$^4F^\circ$	3/2	592 793	45	+	14	$3d^6(^3F2)4p$ ${}^4F^\circ$
		7/2	593 217	27	+	21	${}^2G^\circ$
		5/2	594 384	36	+	20	${}^4D^\circ$
		9/2	594 880	61	+	23	$3d^6(^3F2)4p$ ${}^4F^\circ$
$3d^6(^3P1)4p$	$^2D^\circ$	3/2	595 580	17	+	25	$3d^6(^3P1)4p$ ${}^2D^\circ$
		5/2	597 628	31	+	23	$3d^6(^3P2)4p$ ${}^2D^\circ$
$3d^6(^3F1)4p$	$^2F^\circ$	7/2	597 601	34	+	23	$3d^6(^1G1)4p$ ${}^2F^\circ$
		5/2	599 465	61	+	24	$3d^6(^3F2)4p$ ${}^2F^\circ$
$3d^6(^3P1)4p$	$^2P^\circ$	1/2	597 627	52	+	33	$3d^6(^3P2)4p$ ${}^2P^\circ$
		3/2	599 692	41	+	28	$3d^6(^3P2)4p$ ${}^2P^\circ$
$3d^6(^1G1)4p$	$^2H^\circ$	9/2	598 337	54	+	31	$3d^6(^1G2)4p$ ${}^2H^\circ$
		11/2	602 300	61	+	35	$3d^6(^1G2)4p$ ${}^2H^\circ$
$3d^6(^1G1)4p$	$^2G^\circ$	7/2	601 349	32	+	19	$3d^6(^3F1)4p$ ${}^2F^\circ$
		9/2	605 052	61	+	24	$3d^6(^1G2)4p$ ${}^2G^\circ$
$3d^6(^1G1)4p$	$^2F^\circ$	5/2	603 604	51	+	22	$3d^6(^1G2)4p$ ${}^2F^\circ$
		7/2	606 160	17	+	33	${}^2G^\circ$
$3d^6(^1D1)4p$	$^2D^\circ$	3/2	629 143	77	+	16	$3d^6(^1D2)4p$ ${}^2D^\circ$
		5/2	630 195	76	+	15	$3d^6(^1D2)4p$ ${}^2D^\circ$
$3d^6(^1D1)4p$	$^2P^\circ$	3/2	640 060	62	+	24	$3d^6(^1D2)4p$ ${}^2P^\circ$
		1/2	641 064	63	+	24	$3d^6(^1D2)4p$ ${}^2P^\circ$
$3d^6(^1D1)4p$	$^2F^\circ$	7/2	641 323	72	+	22	$3d^6(^1D2)4p$ ${}^2F^\circ$
Ga VIII (5D_4)	Limit	—	1 136 000				

TABLE 49. Spectral lines of Ga VII

Wavelength (Å)	Classification			Energy Levels (cm ⁻¹)	Int.	Ref.
	Lower	Upper				
167.868	$3d^7$	${}^4F_{9/2}$	$3d^6(^3P1)4p$	${}^4D_{7/2}$ 0	595 711	40
168.108	$3d^7$	${}^4F_{9/2}$	$3d^6(^3F1)4p$	${}^4F_{9/2}$ 0	594 880	140
169.032	$3d^7$	${}^4F_{7/2}$	$3d^6(^3F1)4p$	${}^4F_{5/2}$ 2 753	594 384	70
169.360	$3d^7$	${}^4F_{7/2}$	$3d^6(^3F1)4p$	${}^4F_{7/2}$ 2 753	593 217	70
169.505	$3d^7$	${}^4F_{9/2}$	$3d^6(^3F1)4p$	${}^2G_{9/2}$ 0	589 966	10
169.806	$3d^7$	${}^4F_{7/2}$	$3d^6(^3F1)4p$	${}^2G_{7/2}$ 2 753	591 670	10
169.975	$3d^7$	${}^4F_{5/2}$	$3d^6(^3P1)4p$	${}^4P_{5/2}$ 4 641	592 966	10
170.649	$3d^7$	${}^4F_{3/2}$	$3d^6(^3F1)4p$	${}^4D_{3/2}$ 5 885	591 892	40
170.966	$3d^7$	${}^4F_{3/2}$	$3d^6(^3F1)4p$	${}^4D_{1/2}$ 5 885	590 804	10
172.672	$3d^7$	${}^2F_{7/2}$	$3d^6(^1D1)4p$	${}^2F_{7/2}$ 62 189	641 323	10
174.073	$3d^7$	${}^4F_{9/2}$	$3d^6(^3F1)4p$	${}^4D_{7/2}$ 0	574 464	30
174.889	$3d^7$	${}^4F_{7/2}$	$3d^6(^3F1)4p$	${}^4D_{5/2}$ 2 753	574 543	10

TABLE 49. Spectral lines of Ga VII—Continued

Wavelength (Å)	Classification				Energy Levels (cm ⁻¹)	Int.	Ref.	
	Lower		Upper					
175.550	3d ⁷	⁴ P _{5/2}	3d ⁶ (³ P1)4p	⁴ D [°] _{7/2}	26 072	595 711	70	85
175.959	3d ⁷	⁴ P _{5/2}	3d ⁶ (³ F1)4p	⁴ F [°] _{5/2}	26 072	594 384	2	85
175.981	3d ⁷	⁴ P _{3/2}	3d ⁶ (³ F1)4p	⁴ F [°] _{5/2}	26 142	594 384	20	85
176.054	3d ⁷	² F _{7/2}	3d ⁶ (¹ D1)4p	² D [°] _{5/2}	62 189	630 195	80	85
	3d ⁷	² F _{5/2}	3d ⁶ (¹ D1)4p	² D [°] _{3/2}	61 134	629 143		85
176.260	3d ⁷	² H _{11/2}	3d ⁶ (¹ G1)4p	² G [°] _{9/2}	37 710	605 052	290	85
176.325	3d ⁷	⁴ P _{5/2}	3d ⁶ (³ F1)4p	⁴ F [°] _{7/2}	26 072	593 217	20	85
176.400	3d ⁷	⁴ P _{5/2}	3d ⁶ (³ P1)4p	⁴ P [°] _{5/2}	26 072	592 966	30	85
176.700	3d ⁷	² H _{9/2}	3d ⁶ (¹ G1)4p	² F [°] _{7/2}	40 229	606 160	150	85
176.758	3d ⁷	⁴ P _{3/2}	3d ⁶ (³ F1)4p	⁴ D [°] _{3/2}	26 142	591 892	30	85
176.913	3d ⁷	⁴ P _{3/2}	3d ⁶ (³ P1)4p	⁴ D [°] _{5/2}	26 142	591 396	50	85
177.120	3d ⁷	² H _{11/2}	3d ⁶ (¹ G1)4p	² H [°] _{11/2}	37 710	602 300	70	85
177.289	3d ⁷	⁴ P _{1/2}	3d ⁶ (³ F1)4p	⁴ D [°] _{3/2}	27 850	591 892	20	85
177.576	3d ⁷	⁴ P _{5/2}	3d ⁶ (³ P1)4p	⁴ P [°] _{3/2}	26 072	589 210	30	85
177.634	3d ⁷	⁴ P _{1/2}	3d ⁶ (³ F1)4p	⁴ D [°] _{1/2}	27 850	590 804	30	85
178.139	3d ⁷	⁴ P _{1/2}	3d ⁶ (³ P1)4p	⁴ P [°] _{3/2}	27 850	589 210	20	85
178.215	3d ⁷	² H _{9/2}	3d ⁶ (¹ G1)4p	² G [°] _{7/2}	40 229	601 349	90	85
	3d ⁷	² D ₂ _{5/2}	3d ⁶ (³ P1)4p	² P [°] _{3/2}	38 580	599 692		85
178.371	3d ⁷	² H _{11/2}	3d ⁶ (¹ G1)4p	² H [°] _{9/2}	37 710	598 337	60	85
178.874	3d ⁷	⁴ P _{5/2}	3d ⁶ (³ P1)4p	⁴ S [°] _{3/2}	26 072	585 126	150	85
178.897	3d ⁷	⁴ P _{3/2}	3d ⁶ (³ P1)4p	⁴ S [°] _{3/2}	26 142	585 126	30	85
179.177	3d ⁷	² H _{9/2}	3d ⁶ (¹ G1)4p	² H [°] _{9/2}	40 229	598 337	40	85
179.445	3d ⁷	⁴ P _{1/2}	3d ⁶ (³ P1)4p	⁴ S [°] _{3/2}	27 850	585 126	40	85
179.480	3d ⁷	² H _{11/2}	3d ⁶ (³ F1)4p	⁴ F [°] _{9/2}	37 710	594 880	90	85
180.022	3d ⁷	² H _{9/2}	3d ⁶ (³ P1)4p	⁴ D [°] _{7/2}	40 229	595 711	20	85
180.210	3d ⁷	² D ₂ _{3/2}	3d ⁶ (³ P1)4p	² P [°] _{1/2}	42 718	597 627	2	85
180.428	3d ⁷	⁴ F _{9/2}	3d ⁶ (³ D)4p	⁴ F [°] _{7/2}	0	554 233	40	85
180.833	3d ⁷	² H _{9/2}	3d ⁶ (³ F1)4p	⁴ F [°] _{7/2}	40 229	593 217	330bl	85
181.075	3d ⁷	² H _{11/2}	3d ⁶ (³ F1)4p	² G [°] _{9/2}	37 710	589 966	370	85
	3d ⁷	⁴ F _{9/2}	3d ⁶ (¹ G2)4p	² G [°] _{7/2}	0	552 256		85
181.343	3d ⁷	² H _{9/2}	3d ⁶ (³ F1)4p	² G [°] _{7/2}	40 229	591 670	260	85
181.382	3d ⁷	² P _{3/2}	3d ⁶ (³ P1)4p	⁴ S [°] _{3/2}	33 799	585 126	10	85
181.567	3d ⁷	⁴ F _{7/2}	3d ⁶ (³ D)4p	⁴ D [°] _{5/2}	2 753	553 516	20	85
182.090	3d ⁷	² D ₂ _{3/2}	3d ⁶ (³ F1)4p	⁴ D [°] _{3/2}	42 718	591 892	10	85
182.323	3d ⁷	⁴ P _{5/2}	3d ⁶ (³ F1)4p	⁴ D [°] _{5/2}	26 072	574 543	30	85
182.351	3d ⁷	⁴ P _{5/2}	3d ⁶ (³ F1)4p	⁴ D [°] _{7/2}	26 072	574 464	700	85
	3d ⁷	⁴ P _{3/2}	3d ⁶ (³ F1)4p	⁴ D [°] _{5/2}	26 142	574 543		85
182.767	3d ⁷	⁴ P _{3/2}	3d ⁶ (³ P1)4p	⁴ D [°] _{3/2}	26 142	573 291	30	85
182.933	3d ⁷	² H _{11/2}	3d ⁶ (³ F1)4p	⁴ G [°] _{9/2}	37 710	584 357	210	85
183.086	3d ⁷	² D ₁ _{3/2}	3d ⁶ (¹ D1)4p	² P [°] _{1/2}	94 873	641 064	30	85
183.150	3d ⁷	⁴ P _{5/2}	3d ⁶ (¹ F)4p	² D [°] _{5/2}	26 072	572 071	10	85
183.175	3d ⁷	⁴ P _{3/2}	3d ⁶ (¹ F)4p	² D [°] _{5/2}	26 142	572 071	70bl	85
183.337	3d ⁷	⁴ P _{1/2}	3d ⁶ (³ P1)4p	⁴ D [°] _{3/2}	27 850	573 291	30	85
183.434	3d ⁷	⁴ P _{1/2}	3d ⁶ (³ P1)4p	⁴ D [°] _{1/2}	27 850	573 006	40	85
183.480	3d ⁷	² F _{5/2}	3d ⁶ (¹ G1)4p	² F [°] _{7/2}	61 134	606 160	30	85
183.648	3d ⁷	² G _{9/2}	3d ⁶ (¹ F)4p	² G [°] _{9/2}	27 941	572 452	4	85
183.834	3d ⁷	² F _{7/2}	3d ⁶ (¹ G1)4p	² F [°] _{7/2}	62 189	606 160	2	85
183.897	3d ⁷	² D ₁ _{5/2}	3d ⁶ (¹ D1)4p	² P [°] _{3/2}	96 280	640 060	90	85
184.026	3d ⁷	² H _{9/2}	3d ⁶ (³ F1)4p	⁴ G [°] _{7/2}	40 229	583 630	30	85
184.208	3d ⁷	² F _{7/2}	3d ⁶ (¹ G1)4p	² G [°] _{9/2}	62 189	605 052	200	85

TABLE 49. Spectral lines of Ga VII—Continued

Wavelength (Å)	Classification			Energy Levels (cm ⁻¹)	Int.	Ref.		
	Lower		Upper					
184.341	3d ⁷	² F _{5/2}	3d ⁶ (¹ G1)4p	² F _{5/2} ^o	61 134	603 604	40	85
184.684	3d ⁷	⁴ F _{9/2}	3d ⁶ (³ G)4p	⁴ H _{9/2} ^o	0	541 471	4	85
184.873	3d ⁷	⁴ P _{5/2}	3d ⁶ (¹ S2)4p	² P _{3/2} ^o	26 072	567 000	20	85
184.893	3d ⁷	⁴ P _{3/2}	3d ⁶ (¹ S2)4p	² P _{3/2} ^o	26 142	567 000	50	85
184.932	3d ⁷	² P _{3/2}	3d ⁶ (³ F1)4p	⁴ D _{5/2} ^o	33 799	574 543	90	85
185.086	3d ⁷	² D _{5/2}	3d ⁶ (¹ F)4p	² F _{7/2} ^o	38 580	578 883	100	85
185.113	3d ⁷	² F _{5/2}	3d ⁶ (¹ G1)4p	² G _{7/2} ^o	61 134	601 349	130	85
	3d ⁷	² D _{5/2}	3d ⁶ (¹ F)4p	² F _{5/2} ^o	38 580	578 795		85
185.215	3d ⁷	² P _{1/2}	3d ⁶ (¹ F)4p	² D _{3/2} ^o	36 072	575 975	30	85
185.241	3d ⁷	⁴ F _{9/2}	3d ⁶ (³ F2)4p	² G _{9/2} ^o	0	539 841	30	85
185.345	3d ⁷	⁴ F _{3/2}	3d ⁶ (³ F2)4p	² D _{3/2} ^o	5 885	545 417	40	85
185.428	3d ⁷	⁴ F _{5/2}	3d ⁶ (³ F2)4p	² D _{5/2} ^o	4 641	543 934	20	85
185.686	3d ⁷	⁴ F _{7/2}	3d ⁶ (³ G)4p	⁴ H _{7/2} ^o	2 753	541 304	50	85
	3d ⁷	² F _{5/2}	3d ⁶ (³ P1)4p	² P _{3/2} ^o	61 134	599 692		85
185.759	3d ⁷	² F _{5/2}	3d ⁶ (³ F1)4p	² F _{5/2} ^o	61 134	599 465	130	85
185.859	3d ⁷	⁴ F _{9/2}	3d ⁶ (³ G)4p	² H _{9/2} ^o	0	538 040	140	85
185.897	3d ⁷	⁴ F _{7/2}	3d ⁶ (³ G)4p	⁴ G _{7/2} ^o	2 753	540 685	190	85
185.989	3d ⁷	² G _{9/2}	3d ⁶ (¹ D2)4p	² F _{7/2} ^o	27 941	565 606	4	85
186.127	3d ⁷	⁴ F _{9/2}	3d ⁶ (³ G)4p	⁴ F _{7/2} ^o	0	537 262	20	85
186.189	3d ⁷	⁴ F _{7/2}	3d ⁶ (³ F2)4p	² G _{9/2} ^o	2 753	539 841	110	85
186.354	3d ⁷	⁴ F _{7/2}	3d ⁶ (³ G)4p	⁴ F _{5/2} ^o	2 753	539 366	40	85
186.421	3d ⁷	⁴ F _{5/2}	3d ⁶ (³ G)4p	⁴ G _{5/2} ^o	4 641	541 060	290	85
186.449	3d ⁷	⁴ F _{9/2}	3d ⁶ (³ F2)4p	⁴ G _{11/2} ^o	0	536 341	490	85
186.518	3d ⁷	² F _{7/2}	3d ⁶ (¹ G1)4p	² H _{9/2} ^o	62 189	598 337	40	85
186.542	3d ⁷	² D _{3/2}	3d ⁶ (¹ F)4p	² F _{5/2} ^o	42 718	578 795	70	85
186.551	3d ⁷	⁴ F _{5/2}	3d ⁶ (³ G)4p	⁴ G _{7/2} ^o	4 641	540 685	70	85
186.589	3d ⁷	⁴ F _{5/2}	3d ⁶ (³ G)4p	⁴ F _{3/2} ^o	4 641	540 577	60	85
186.622	3d ⁷	⁴ F _{5/2}	3d ⁶ (³ F2)4p	² G _{7/2} ^o	4 641	540 484	90	85
	3d ⁷	⁴ P _{3/2}	3d ⁶ (¹ D2)4p	² D _{5/2} ^o	26 142	561 991		85
186.660	3d ⁷	⁴ F _{9/2}	3d ⁶ (³ G)4p	⁴ F _{9/2} ^o	0	535 733	430	85
186.710	3d ⁷	⁴ F _{9/2}	3d ⁶ (³ F2)4p	⁴ G _{7/2} ^o	0	535 599	10	85
186.763	3d ⁷	² F _{7/2}	3d ⁶ (³ P1)4p	² D _{5/2} ^o	62 189	597 628	140	85
186.772	3d ⁷	² F _{7/2}	3d ⁶ (³ F1)4p	² F _{7/2} ^o	62 189	597 601	410	85
186.816	3d ⁷	⁴ F _{7/2}	3d ⁶ (³ G)4p	² H _{9/2} ^o	2 753	538 040	50	85
186.861	3d ⁷	⁴ F _{9/2}	3d ⁶ (³ F2)4p	⁴ G _{9/2} ^o	0	535 157	1100	85
187.004	3d ⁷	² H _{11/2}	3d ⁶ (¹ F)4p	² G _{9/2} ^o	37 710	572 452	1100	85
187.013	3d ⁷	⁴ F _{9/2}	3d ⁶ (³ H)4p	² I _{11/2} ^o	0	534 726	1100	85
	3d ⁷	⁴ F _{5/2}	3d ⁶ (³ G)4p	⁴ F _{5/2} ^o	4 641	539 366		85
187.023	3d ⁷	⁴ F _{3/2}	3d ⁶ (³ G)4p	⁴ F _{3/2} ^o	5 885	540 577	500	85
187.088	3d ⁷	⁴ F _{7/2}	3d ⁶ (³ G)4p	⁴ F _{7/2} ^o	2 753	537 262	800	85
187.171	3d ⁷	² D _{3/2}	3d ⁶ (¹ D1)4p	² D _{3/2} ^o	94 873	629 143	140	85
187.297	3d ⁷	² D _{1/2}	3d ⁶ (¹ D1)4p	² D _{5/2} ^o	96 280	630 195	120	85
187.322	3d ⁷	⁴ F _{3/2}	3d ⁶ (³ P2)4p	² P _{3/2} ^o	5 885	539 725	140	85
187.447	3d ⁷	⁴ F _{3/2}	3d ⁶ (³ G)4p	⁴ F _{5/2} ^o	5 885	539 366	550	85
	3d ⁷	² D _{5/2}	3d ⁶ (¹ F)4p	² D _{5/2} ^o	38 580	572 071		85
187.473	3d ⁷	⁴ F _{5/2}	3d ⁶ (³ F2)4p	² F _{7/2} ^o	4 641	538 050	210	85
187.527	3d ⁷	² D _{3/2}	3d ⁶ (¹ F)4p	² D _{3/2} ^o	42 718	575 975	450	85
187.547	3d ⁷	² P _{3/2}	3d ⁶ (¹ S2)4p	² P _{3/2} ^o	33 799	567 000	50	85
187.626	3d ⁷	⁴ F _{7/2}	3d ⁶ (³ G)4p	⁴ F _{9/2} ^o	2 753	535 733	850	85
	3d ⁷	⁴ F _{5/2}	3d ⁶ (³ H)4p	⁴ G _{5/2} ^o	4 641	537 616	?	85

TABLE 49. Spectral lines of Ga VII—Continued

Wavelength (Å)	Classification				Energy Levels (cm ⁻¹)	Int.	Ref.
	Lower		Upper				
187.675	3d ⁷	⁴ F _{7/2}	3d ⁶ (³ P2)4p	⁴ D _{5/2} ^o	2 753	535 728	85
187.752	3d ⁷	⁴ F _{7/2}	3d ⁶ (³ F2)4p	⁴ G _{7/2} ^o	2 753	535 599	290
187.776	3d ⁷	⁴ F _{7/2}	3d ⁶ (³ F2)4p	² F _{5/2} ^o	2 753	535 302	220
	3d ⁷	⁴ F _{9/2}	3d ⁶ (³ F2)4p	⁴ D _{7/2} ^o	0	532 549	85
187.827	3d ⁷	⁴ F _{7/2}	3d ⁶ (³ F2)4p	⁴ G _{9/2} ^o	2 753	535 157	70
188.090	3d ⁷	² F _{5/2}	3d ⁶ (³ F1)4p	⁴ F _{3/2} ^o	61 134	592 793	20
188.116	3d ⁷	⁴ P _{5/2}	3d ⁶ (³ D)4p	² D _{5/2} ^o	26 072	557 668	10
188.147	3d ⁷	⁴ F _{9/2}	3d ⁶ (³ H)4p	² G _{7/2} ^o	0	531 498	410
188.171	3d ⁷	² G _{7/2}	3d ⁶ (¹ D2)4p	² D _{5/2} ^o	30 562	561 991	70
188.297	3d ⁷	⁴ F _{5/2}	3d ⁶ (³ P2)4p	⁴ D _{5/2} ^o	4 641	535 728	30
188.327	3d ⁷	⁴ F _{9/2}	3d ⁶ (³ P2)4p	⁴ D _{7/2} ^o	0	530 991	600
188.342	3d ⁷	⁴ F _{5/2}	3d ⁶ (³ F2)4p	⁴ G _{7/2} ^o	4 641	535 599	400
188.405	3d ⁷	² F _{7/2}	3d ⁶ (³ P1)4p	⁴ P _{5/2} ^o	62 189	592 966	30
	3d ⁷	² F _{5/2}	3d ⁶ (³ F1)4p	⁴ D _{3/2} ^o	61 134	591 892	85
188.426	3d ⁷	⁴ F _{9/2}	3d ⁶ (³ F2)4p	⁴ F _{9/2} ^o	0	530 711	70
188.457	3d ⁷	⁴ F _{7/2}	3d ⁶ (³ F2)4p	⁴ D _{5/2} ^o	2 753	533 379	1300
	3d ⁷	² G _{9/2}	3d ⁶ (³ D)4p	² F _{7/2} ^o	27 941	558 566	85
188.494	3d ⁷	² P _{3/2}	3d ⁶ (¹ D2)4p	² P _{1/2} ^o	33 799	564 312	30
188.552	3d ⁷	² P _{3/2}	3d ⁶ (¹ D2)4p	² F _{5/2} ^o	33 799	564 156	2
188.825	3d ⁷	⁴ F _{3/2}	3d ⁶ (³ P2)4p	² D _{3/2} ^o	5 885	535 468	20
188.868	3d ⁷	⁴ F _{5/2}	3d ⁶ (³ P2)4p	⁴ P _{3/2} ^o	4 641	534 111	?
188.888	3d ⁷	⁴ F _{3/2}	3d ⁶ (³ F2)4p	² F _{5/2} ^o	5 885	535 302	480
	3d ⁷	⁴ F _{9/2}	3d ⁶ (³ F2)4p	⁴ F _{7/2} ^o	0	529 414	85
188.956	3d ⁷	² F _{7/2}	3d ⁶ (³ P1)4p	⁴ D _{5/2} ^o	62 189	591 396	20
189.035	3d ⁷	⁴ F _{3/2}	3d ⁶ (³ F2)4p	⁴ D _{1/2} ^o	5 885	534 888	750
189.123	3d ⁷	⁴ F _{5/2}	3d ⁶ (³ F2)4p	⁴ D _{5/2} ^o	4 641	533 379	190?
189.201	3d ⁷	² H _{9/2}	3d ⁶ (¹ F)4p	² G _{7/2} ^o	40 229	568 768	600
189.245	3d ⁷	² G _{7/2}	3d ⁶ (³ D)4p	² F _{5/2} ^o	30 562	558 978	650
	3d ⁷	² D ₂ _{5/2}	3d ⁶ (¹ S2)4p	² P _{3/2} ^o	38 580	567 000	85
189.308	3d ⁷	² P _{1/2}	3d ⁶ (¹ D2)4p	² P _{1/2} ^o	36 072	564 312	130
189.333	3d ⁷	² P _{3/2}	3d ⁶ (¹ D2)4p	² D _{5/2} ^o	33 799	561 991	230
	3d ⁷	⁴ P _{5/2}	3d ⁶ (³ D)4p	⁴ F _{7/2} ^o	26 072	554 233	85
189.410	3d ⁷	⁴ F _{7/2}	3d ⁶ (³ F2)4p	⁴ F _{9/2} ^o	2 753	530 711	550
189.574	3d ⁷	⁴ F _{3/2}	3d ⁶ (³ F2)4p	⁴ D _{5/2} ^o	5 885	533 379	250
	3d ⁷	² F _{7/2}	3d ⁶ (³ F1)4p	² D _{5/2} ^o	62 189	589 686	85
189.594	3d ⁷	⁴ P _{5/2}	3d ⁶ (³ D)4p	⁴ D _{5/2} ^o	26 072	553 516	170
189.621	3d ⁷	⁴ P _{3/2}	3d ⁶ (³ D)4p	⁴ D _{5/2} ^o	26 142	553 516	20
189.659	3d ⁷	⁴ F _{3/2}	3d ⁶ (³ P2)4p	⁴ D _{1/2} ^o	5 885	533 148	90
189.715	3d ⁷	² G _{7/2}	3d ⁶ (³ D)4p	² D _{5/2} ^o	30 562	557 668	20
189.746	3d ⁷	² D ₂ _{5/2}	3d ⁶ (¹ D2)4p	² F _{7/2} ^o	38 580	565 606	110
189.798	3d ⁷	² G _{9/2}	3d ⁶ (³ D)4p	⁴ F _{9/2} ^o	27 941	554 816	300
	3d ⁷	² F _{5/2}	3d ⁶ (³ F1)4p	² D _{3/2} ^o	61 134	588 009	85
189.804	3d ⁷	⁴ F _{5/2}	3d ⁶ (³ H)4p	² G _{7/2} ^o	4 641	531 498	290
189.876	3d ⁷	⁴ F _{7/2}	3d ⁶ (³ F2)4p	⁴ F _{7/2} ^o	2 753	529 414	30
189.927	3d ⁷	⁴ F _{7/2}	3d ⁶ (³ F2)4p	⁴ F _{5/2} ^o	2 753	529 270	60
190.008	3d ⁷	² G _{9/2}	3d ⁶ (³ D)4p	⁴ F _{7/2} ^o	27 941	554 233	600
	3d ⁷	⁴ F _{9/2}	3d ⁶ (³ H)4p	⁴ I _{9/2} ^o	0	526 292	85
190.028	3d ⁷	² G _{9/2}	3d ⁶ (¹ G2)4p	² G _{9/2} ^o	27 941	554 178	600
190.051	3d ⁷	⁴ P _{5/2}	3d ⁶ (¹ G2)4p	² G _{7/2} ^o	26 072	552 256	70

TABLE 49. Spectral lines of Ga VII—Continued

Wavelength (Å)	Classification				Energy Levels (cm ⁻¹)	Int.	Ref.		
	Lower		Upper						
190.071	3d ⁷	⁴ P _{5/2}	3d ⁶ (³ D)4p	⁴ F ^o _{5/2}	26 072	552 194	60	85	
190.101	3d ⁷	² G _{9/2}	3d ⁶ (¹ G2)4p	² F ^o _{7/2}	27 941	553 976	430	85	
	3d ⁷	⁴ P _{5/2}	3d ⁶ (³ D)4p	² P ^o _{3/2}	26 072	552 107		85	
	3d ⁷	² P _{1/2}	3d ⁶ (¹ D2)4p	² D ^o _{3/2}	36 072	562 112		85	
	3d ⁷	⁴ P _{3/2}	3d ⁶ (³ D)4p	⁴ F ^o _{5/2}	26 142	552 194		85	
190.124	3d ⁷	⁴ F _{9/2}	3d ⁶ (³ H)4p	⁴ H ^o _{7/2}	0	525 973	260	85	
	3d ⁷	⁴ P _{3/2}	3d ⁶ (³ D)4p	² P ^o _{3/2}	26 142	552 107		85	
	3d ⁷	⁴ P _{1/2}	3d ⁶ (³ D)4p	⁴ D ^o _{3/2}	27 850	553 821		85	
190.189	3d ⁷	⁴ F _{5/2}	3d ⁶ (³ P2)4p	⁴ D ^o _{3/2}	4 641	530 435	?	700	85
	3d ⁷	⁴ F _{9/2}	3d ⁶ (³ H)4p	⁴ G ^o _{9/2}	0	525 794		85	
190.240	3d ⁷	⁴ P _{3/2}	3d ⁶ (³ D)4p	⁴ P ^o _{1/2}	26 142	551 797	?	380bl	85
190.267	3d ⁷	² D2 _{5/2}	3d ⁶ (¹ D2)4p	² F ^o _{5/2}	38 580	564 156		100	85
190.345	3d ⁷	⁴ P _{5/2}	3d ⁶ (³ D)4p	⁴ F ^o _{3/2}	26 072	551 436	150bl	85	
190.371	3d ⁷	⁴ P _{3/2}	3d ⁶ (³ D)4p	⁴ F ^o _{3/2}	26 142	551 436	30	85	
190.400	3d ⁷	⁴ F _{9/2}	3d ⁶ (³ H)4p	⁴ G ^o _{11/2}	0	525 209	1350	85	
	3d ⁷	² P _{3/2}	3d ⁶ (³ D)4p	² F ^o _{5/2}	33 799	558 978		85	
190.518	3d ⁷	² G _{9/2}	3d ⁶ (³ D)4p	⁴ D ^o _{7/2}	27 941	552 825		20	85
190.533	3d ⁷	² G _{7/2}	3d ⁶ (¹ I)4p	² H ^o _{9/2}	30 562	555 406	150	85	
190.612	3d ⁷	⁴ F _{5/2}	3d ⁶ (³ F2)4p	⁴ F ^o _{5/2}	4 641	529 270	30	85	
190.647	3d ⁷	² G _{7/2}	3d ⁶ (¹ G2)4p	² F ^o _{5/2}	30 562	555 091	480	85	
190.738	3d ⁷	² D2 _{3/2}	3d ⁶ (¹ S2)4p	² P ^o _{3/2}	42 718	567 000	100	85	
190.779	3d ⁷	⁴ F _{3/2}	3d ⁶ (³ F2)4p	⁴ F ^o _{3/2}	5 885	530 051	?	100	85
190.856	3d ⁷	⁴ F _{7/2}	3d ⁶ (³ H)4p	⁴ G ^o _{7/2}	2 753	526 708	260	85	
190.955	3d ⁷	² D _{7/2}	3d ⁶ (³ D)4p	⁴ F ^o _{7/2}	30 562	554 233	20	85	
191.010	3d ⁷	² D2 _{5/2}	3d ⁶ (¹ D2)4p	² D ^o _{3/2}	38 580	562 112	260	85	
	3d ⁷	⁴ F _{7/2}	3d ⁶ (³ H)4p	⁴ I _{9/2}	2 753	526 292		85	
191.055	3d ⁷	² G _{7/2}	3d ⁶ (¹ G2)4p	² F ^o _{7/2}	30 562	553 976	140	85	
	3d ⁷	² D2 _{5/2}	3d ⁶ (¹ D2)4p	² D ^o _{5/2}	38 580	561 991		85	
	3d ⁷	⁴ F _{3/2}	3d ⁶ (³ F2)4p	⁴ F ^o _{5/2}	5 885	529 270		85	
191.122	3d ⁷	⁴ F _{7/2}	3d ⁶ (³ H)4p	⁴ H ^o _{7/2}	2 753	525 973	60	85	
191.144	3d ⁷	⁴ F _{7/2}	3d ⁶ (³ P2)4p	² D ^o _{5/2}	2 753	525 918	290	85	
191.189	3d ⁷	⁴ F _{7/2}	3d ⁶ (³ H)4p	⁴ G ^o _{9/2}	2 753	525 794	420	85	
191.294	3d ⁷	⁴ P _{5/2}	3d ⁶ (³ D)4p	⁴ P ^o _{3/2}	26 072	548 824	160	85	
191.353	3d ⁷	² P _{3/2}	3d ⁶ (¹ D2)4p	² P ^o _{3/2}	33 799	556 405	220	85	
191.408	3d ⁷	⁴ F _{5/2}	3d ⁶ (³ F2)4p	⁴ G ^o _{5/2}	4 641	527 077	130	85	
191.436	3d ⁷	⁴ P _{1/2}	3d ⁶ (³ D)4p	⁴ D ^o _{1/2}	27 850	550 217	70	85	
191.474	3d ⁷	² G _{7/2}	3d ⁶ (³ D)4p	⁴ D _{7/2}	30 562	552 825	340	85	
191.546	3d ⁷	⁴ F _{5/2}	3d ⁶ (³ H)4p	⁴ G ^o _{7/2}	4 641	526 708	400bl	85	
191.575	3d ⁷	² G _{9/2}	3d ⁶ (¹ I)4p	² H ^o _{11/2}	27 941	549 929	650	85	
191.598	3d ⁷	⁴ P _{5/2}	3d ⁶ (³ D)4p	⁴ P ^o _{5/2}	26 072	547 996	450	85	
191.630	3d ⁷	² G _{9/2}	3d ⁶ (³ G)4p	² G ^o _{7/2}	27 941	549 771	390	85	
	3d ⁷	⁴ P _{3/2}	3d ⁶ (³ D)4p	⁴ P ^o _{5/2}	26 142	547 996		85	
191.662	3d ⁷	² P _{1/2}	3d ⁶ (³ D)4p	² D ^o _{3/2}	36 072	557 825	450bl	85	
191.683	3d ⁷	² G _{7/2}	3d ⁶ (¹ G2)4p	² G ^o _{7/2}	30 562	552 256	450	85	
191.740	3d ⁷	² F _{5/2}	3d ⁶ (³ F1)4p	⁴ G ^o _{5/2}	61 134	582 673	190	85	
191.778	3d ⁷	² D2 _{3/2}	3d ⁶ (¹ D2)4p	² F ^o _{5/2}	42 718	564 156	200	85	
	3d ⁷	² F _{7/2}	3d ⁶ (³ F1)4p	⁴ G ^o _{7/2}	62 189	583 630		85	
191.835	3d ⁷	⁴ F _{5/2}	3d ⁶ (³ P2)4p	² D ^o _{5/2}	4 641	525 918	20	85	
	3d ⁷	² P _{3/2}	3d ⁶ (¹ G2)4p	² F ^o _{5/2}	33 799	555 091		85	
191.868	3d ⁷	⁴ F _{3/2}	3d ⁶ (³ F2)4p	⁴ G ^o _{5/2}	5 885	527 077	250	85	
191.948	3d ⁷	⁴ P _{1/2}	3d ⁶ (³ D)4p	⁴ P ^o _{3/2}	27 850	548 824	220	85	

TABLE 49. Spectral lines of Ga VII—Continued

Wavelength (Å)	Classification				Energy Levels (cm ⁻¹)	Int.	Ref.	
	Lower		Upper					
192.169	3d ⁷	² G _{7/2}	3d ⁶ (³ G)4p	² G ^o _{9/2}	30 562	550 920	550bl	85
192.300	3d ⁷	² P _{3/2}	3d ⁶ (³ D)4p	⁴ D ^o _{3/2}	33 799	553 821	70	85
	3d ⁷	⁴ F _{3/2}	3d ⁶ (³ P2)4p	² D ^o _{5/2}	5 885	525 918		85
192.335	3d ⁷	² G _{9/2}	3d ⁶ (³ H)4p	² H ^o _{9/2}	27 941	547 868	700	85
192.535	3d ⁷	² D2 _{3/2}	3d ⁶ (¹ D2)4p	² D ^o _{3/2}	42 718	562 112	130bl	85
192.571	3d ⁷	² D2 _{3/2}	3d ⁶ (¹ D2)4p	² D ^o _{5/2}	42 718	561 991	150bl	85
192.587	3d ⁷	² H _{11/2}	3d ⁶ (¹ I)4p	² I ^o _{11/2}	37 710	556 952	400	85
	3d ⁷	² D2 _{5/2}	3d ⁶ (³ D)4p	² D ^o _{3/2}	38 580	557 825		85
192.604	3d ⁷	² G _{7/2}	3d ⁶ (¹ G2)4p	² H ^o _{9/2}	30 562	549 753	650	85
	3d ⁷	² G _{7/2}	3d ⁶ (³ G)4p	² G ^o _{7/2}	30 562	549 771		85
192.645	3d ⁷	² D2 _{5/2}	3d ⁶ (³ D)4p	² D ^o _{5/2}	38 580	557 668	1150	85
	3d ⁷	² H _{11/2}	3d ⁶ (¹ I)4p	² I ^o _{13/2}	37 710	556 798		85
192.666	3d ⁷	² G _{9/2}	3d ⁶ (³ H)4p	² H ^o _{11/2}	27 941	546 960	260	85
192.793	3d ⁷	⁴ F _{5/2}	3d ⁶ (³ P2)4p	⁴ S ^o _{3/2}	4 641	523 322	20	85
192.901	3d ⁷	² G _{9/2}	3d ⁶ (³ G)4p	² F ^o _{7/2}	27 941	546 341	600	85
192.934	3d ⁷	² P _{3/2}	3d ⁶ (³ D)4p	² P ^o _{3/2}	33 799	552 107	6	85
193.055	3d ⁷	² P _{1/2}	3d ⁶ (³ D)4p	² P ^o _{1/2}	36 072	554 060	10	85
193.115	3d ⁷	² D2 _{5/2}	3d ⁶ (¹ D2)4p	² P ^o _{3/2}	38 580	556 405	80	85
193.140	3d ⁷	² H _{11/2}	3d ⁶ (¹ G2)4p	² H ^o _{11/2}	37 710	555 468	180	85
193.177	3d ⁷	² F _{5/2}	3d ⁶ (¹ F)4p	² F ^o _{5/2}	61 134	578 795	130	85
193.354	3d ⁷	² D2 _{3/2}	3d ⁶ (¹ S2)4p	² P ^o _{1/2}	42 718	559 904	240	85
193.383	3d ⁷	² H _{11/2}	3d ⁶ (³ D)4p	⁴ F ^o _{9/2}	37 710	554 816	20	85
193.527	3d ⁷	² H _{9/2}	3d ⁶ (¹ I)4p	² I ^o _{11/2}	40 229	556 952	550	85
193.537	3d ⁷	² F _{7/2}	3d ⁶ (¹ F)4p	² F ^o _{7/2}	62 189	578 883	700bl	85
193.627	3d ⁷	² H _{11/2}	3d ⁶ (¹ G2)4p	² G ^o _{9/2}	37 710	554 178	30	85
193.643	3d ⁷	² P _{3/2}	3d ⁶ (³ D)4p	⁴ D ^o _{1/2}	33 799	550 217	40	85
193.883	3d ⁷	² G _{7/2}	3d ⁶ (³ G)4p	² F ^o _{7/2}	30 562	546 341	10	85
193.925	3d ⁷	² D2 _{5/2}	3d ⁶ (³ D)4p	⁴ F ^o _{7/2}	38 580	554 233	6	85
194.027	3d ⁷	² D2 _{5/2}	3d ⁶ (¹ G2)4p	² F ^o _{7/2}	38 580	553 976	130	85
194.084	3d ⁷	² H _{9/2}	3d ⁶ (¹ G2)4p	² H ^o _{11/2}	40 229	555 468	280	85
	3d ⁷	² D2 _{5/2}	3d ⁶ (³ D)4p	⁴ D ^o _{3/2}	38 580	553 821		85
194.108	3d ⁷	² H _{9/2}	3d ⁶ (¹ I)4p	² H ^o _{9/2}	40 229	555 406	1000	85
194.146	3d ⁷	² G _{7/2}	3d ⁶ (³ G)4p	² F ^o _{5/2}	30 562	545 632	140	85
194.198	3d ⁷	² D2 _{3/2}	3d ⁶ (³ D)4p	² D ^o _{5/2}	42 718	557 668	20	85
194.327	3d ⁷	² H _{9/2}	3d ⁶ (³ D)4p	⁴ F ^o _{9/2}	40 229	554 816	10	85
194.490	3d ⁷	² P _{3/2}	3d ⁶ (³ D)4p	⁴ P ^o _{5/2}	33 799	547 996	250bl	85
194.546	3d ⁷	² H _{9/2}	3d ⁶ (³ D)4p	⁴ F ^o _{7/2}	40 229	554 233	40	85
194.571	3d ⁷	² H _{9/2}	3d ⁶ (¹ G2)4p	² G ^o _{9/2}	40 229	554 178	330	85
194.730	3d ⁷	² D2 _{5/2}	3d ⁶ (³ D)4p	² P ^o _{3/2}	38 580	552 107	6	85
194.748	3d ⁷	² G _{9/2}	3d ⁶ (³ G)4p	⁴ H ^o _{11/2}	27 941	541 424	170	85
194.787	3d ⁷	² G _{7/2}	3d ⁶ (³ F2)4p	² D ^o _{5/2}	30 562	543 934	10	85
194.852	3d ⁷	² H _{11/2}	3d ⁶ (³ G)4p	² G ^o _{9/2}	37 710	550 920	500	85
195.027	3d ⁷	² G _{9/2}	3d ⁶ (³ G)4p	⁴ G ^o _{7/2}	27 941	540 685	4	85
195.086	3d ⁷	² H _{9/2}	3d ⁶ (³ D)4p	⁴ D ^o _{7/2}	40 229	552 825	330	85
195.105	3d ⁷	² G _{9/2}	3d ⁶ (³ F2)4p	² G ^o _{7/2}	27 941	540 484	70	85
195.174	3d ⁷	² D2 _{3/2}	3d ⁶ (¹ G2)4p	² F ^o _{5/2}	42 718	555 091	40	85
195.229	3d ⁷	² H _{11/2}	3d ⁶ (¹ I)4p	² H ^o _{11/2}	37 710	549 929	950	85
195.296	3d ⁷	² H _{11/2}	3d ⁶ (¹ G2)4p	² H ^o _{9/2}	37 710	549 753	390	85
195.350	3d ⁷	² G _{9/2}	3d ⁶ (³ F2)4p	² G ^o _{9/2}	27 941	539 841	90	85
195.364	3d ⁷	⁴ P _{3/2}	3d ⁶ (³ P2)4p	² P ^o _{1/2}	26 142	538 004	30	85

TABLE 49. Spectral lines of Ga VII—Continued

Wavelength (Å)	Classification				Energy Levels (cm ⁻¹)	Int.	Ref.	
	Lower		Upper					
195.457	$3d^7$	$^2P_{3/2}$	$3d^6(^3F2)4p$	$^2D_{3/2}^o$	33 799	545 417	40	85
195.581	$3d^7$	$^2G_{9/2}$	$3d^6(^3G)4p$	$^4G_{11/2}^o$	27 941	539 238	120	85
195.624	$3d^7$	$^2D_{25/2}$	$3d^6(^3G)4p$	$^2G_{7/2}^o$	38 580	549 771	2	85
195.729	$3d^7$	$^2G_{7/2}$	$3d^6(^3G)4p$	$^4H_{9/2}^o$	30 562	541 471	50	85
195.794	$3d^7$	$^2G_{7/2}$	$3d^6(^3G)4p$	$^4H_{7/2}^o$	30 562	541 304	20	85
195.813	$3d^7$	$^2H_{9/2}$	$3d^6(^3G)4p$	$^2G_{9/2}^o$	40 229	550 920	80	85
195.886	$3d^7$	$^2G_{7/2}$	$3d^6(^3G)4p$	$^4G_{5/2}^o$	30 562	541 060	10	85
195.981	$3d^7$	$^2D_{25/2}$	$3d^6(^3D)4p$	$^4P_{3/2}^o$	38 580	548 824	20	85
	$3d^7$	$^2F_{7/2}$	$3d^6(^1F)4p$	$^2G_{9/2}^o$	62 189	572 452		85
196.038	$3d^7$	$^2G_{9/2}$	$3d^6(^3G)4p$	$^2H_{9/2}^o$	27 941	538 040	650	85
	$3d^7$	$^2P_{3/2}$	$3d^6(^3F2)4p$	$^2D_{5/2}^o$	33 799	543 934		85
	$3d^7$	$^2G_{9/2}$	$3d^6(^3F2)4p$	$^2F_{7/2}^o$	27 941	538 050		85
196.108	$3d^7$	$^2G_{7/2}$	$3d^6(^3F2)4p$	$^2G_{7/2}^o$	30 562	540 484	480	85
	$3d^7$	$^2G_{7/2}$	$3d^6(^3G)4p$	$^4G_{9/2}^o$	30 562	540 480		85
196.121	$3d^7$	$^2F_{7/2}$	$3d^6(^1F)4p$	$^2D_{5/2}^o$	62 189	572 071	320	85
	$3d^7$	$^2D_{15/2}$	$3d^6(^1G1)4p$	$^2F_{7/2}^o$	96 280	606 160		85
196.255	$3d^7$	$^2H_{9/2}$	$3d^6(^3G)4p$	$^2G_{7/2}^o$	40 229	549 771	170	85
196.280	$3d^7$	$^2D_{23/2}$	$3d^6(^3D)4p$	$^4F_{5/2}^o$	42 718	552 194	4	85
196.331	$3d^7$	$^2P_{1/2}$	$3d^6(^3F2)4p$	$^2D_{3/2}^o$	36 072	545 417	40	85
196.367	$3d^7$	$^2H_{11/2}$	$3d^6(^3H)4p$	$^2H_{11/2}^o$	37 710	546 960	800	85
196.540	$3d^7$	$^2G_{9/2}$	$3d^6(^3G)4p$	$^2H_{11/2}^o$	27 941	536 744	150	85
	$3d^7$	$^2G_{7/2}$	$3d^6(^3G)4p$	$^4F_{5/2}^o$	30 562	539 366		85
196.572	$3d^7$	$^2H_{11/2}$	$3d^6(^1I)4p$	$^2K_{13/2}^o$	37 710	546 431	?	85
	$3d^7$	$^2D_{13/2}$	$3d^6(^1G1)4p$	$^2F_{5/2}^o$	94 873	603 604		85
196.692	$3d^7$	$^2G_{9/2}$	$3d^6(^3F2)4p$	$^4G_{11/2}^o$	27 941	536 341	70	85
196.932	$3d^7$	$^2G_{9/2}$	$3d^6(^3G)4p$	$^4F_{9/2}^o$	27 941	535 733	90	85
196.943	$3d^7$	$^2D_{25/2}$	$3d^6(^3G)4p$	$^2F_{7/2}^o$	38 580	546 341	270	85
196.989	$3d^7$	$^2G_{9/2}$	$3d^6(^3F2)4p$	$^4G_{7/2}^o$	27 941	535 599	250	85
	$3d^7$	$^2F_{5/2}$	$3d^6(^1F)4p$	$^2G_{7/2}^o$	61 134	568 768		85
	$3d^7$	$^2H_{9/2}$	$3d^6(^3H)4p$	$^2H_{9/2}^o$	40 229	547 868		85
197.051	$3d^7$	$^2G_{7/2}$	$3d^6(^3G)4p$	$^2H_{9/2}^o$	30 562	538 040	160	85
	$3d^7$	$^2P_{3/2}$	$3d^6(^3P2)4p$	$^2S_{1/2}^o$	33 799	541 268		85
197.109	$3d^7$	$^2D_{15/2}$	$3d^6(^1G1)4p$	$^2F_{5/2}^o$	96 280	603 604	20	85
197.121	$3d^7$	$^4P_{5/2}$	$3d^6(^3F2)4p$	$^4D_{5/2}^o$	26 072	533 379	50	85
197.154	$3d^7$	$^4P_{3/2}$	$3d^6(^3F2)4p$	$^4D_{5/2}^o$	26 142	533 379	230	85
	$3d^7$	$^2G_{9/2}$	$3d^6(^3F2)4p$	$^4G_{9/2}^o$	27 941	535 157		85
197.224	$3d^7$	$^4P_{1/2}$	$3d^6(^3F2)4p$	$^4D_{1/2}^o$	27 850	534 888	40	85
197.320	$3d^7$	$^2G_{9/2}$	$3d^6(^3H)4p$	$^2I_{11/2}^o$	27 941	534 726	30	85
	$3d^7$	$^2P_{3/2}$	$3d^6(^3G)4p$	$^4F_{3/2}^o$	33 799	540 577		85
197.344	$3d^7$	$^2H_{9/2}$	$3d^6(^3H)4p$	$^2H_{11/2}^o$	40 229	546 960	10	85
197.445	$3d^7$	$^4P_{5/2}$	$3d^6(^3F2)4p$	$^4D_{7/2}^o$	26 072	532 549	170	85
197.659	$3d^7$	$^2P_{3/2}$	$3d^6(^3P2)4p$	$^2P_{3/2}^o$	33 799	539 725	80	85
197.799	$3d^7$	$^2P_{3/2}$	$3d^6(^3G)4p$	$^4F_{5/2}^o$	33 799	539 366	6	85
197.881	$3d^7$	$^2D_{25/2}$	$3d^6(^3F2)4p$	$^2D_{5/2}^o$	38 580	543 934	280	85
197.943	$3d^7$	$^2P_{1/2}$	$3d^6(^3P2)4p$	$^2S_{1/2}^o$	36 072	541 268	30	85
197.993	$3d^7$	$^2D_{15/2}$	$3d^6(^1G1)4p$	$^2G_{7/2}^o$	96 280	601 349	180	85
198.005	$3d^7$	$^2G_{7/2}$	$3d^6(^3F2)4p$	$^4G_{7/2}^o$	30 562	535 599	110	85
198.117	$3d^7$	$^2G_{7/2}$	$3d^6(^3F2)4p$	$^2F_{5/2}^o$	30 562	535 302	30	85
198.182	$3d^7$	$^2D_{13/2}$	$3d^6(^3F1)4p$	$^2F_{5/2}^o$	94 873	599 465	60	85
198.303	$3d^7$	$^4F_{9/2}$	$3d^6(^5D)4p$	$^4F_{7/2}^o$	0	504 279	220	85

TABLE 49. Spectral lines of Ga VII—Continued

Wavelength (Å)	Classification				Energy Levels (cm ⁻¹)	Int.	Ref.	
	Lower		Upper					
198.332	3d ⁷	² P _{3/2}	3d ⁶ (³ P2)4p	² P ^o _{1/2}	33 799	538 004	130	85
198.459	3d ⁷	⁴ P _{3/2}	3d ⁶ (³ P2)4p	⁴ P ^o _{5/2}	26 142	530 038	6	85
198.525	3d ⁷	² H _{11/2}	3d ⁶ (³ G)4p	⁴ H ^o _{11/2}	37 710	541 424	100	85
198.570	3d ⁷	² G _{9/2}	3d ⁶ (³ H)4p	⁴ H ^o _{9/2}	27 941	531 542	110	85
198.642	3d ⁷	² F _{7/2}	3d ⁶ (¹ D2)4p	² F ^o _{7/2}	62 189	565 606	440	85
	3d ⁷	² D _{15/2}	3d ⁶ (³ P1)4p	² P ^o _{3/2}	96 280	599 692		85
198.666	3d ⁷	⁴ P _{5/2}	3d ⁶ (³ F2)4p	⁴ F ^o _{7/2}	26 072	529 414	110	85
198.739	3d ⁷	⁴ F _{7/2}	3d ⁶ (⁵ D)4p	⁴ F ^o _{5/2}	2 753	505 926	170	85
198.761	3d ⁷	⁴ P _{3/2}	3d ⁶ (³ F2)4p	⁴ F ^o _{5/2}	26 142	529 270	50	85
198.799	3d ⁷	² F _{5/2}	3d ⁶ (¹ D2)4p	² F ^o _{5/2}	61 134	564 156	180	85
198.841	3d ⁷	² D _{23/2}	3d ⁶ (³ G)4p	² F ^o _{5/2}	42 718	545 632	380	85
198.897	3d ⁷	² G _{9/2}	3d ⁶ (³ F2)4p	⁴ F ^o _{9/2}	27 941	530 711	160	85
198.904	3d ⁷	² D _{13/2}	3d ⁶ (³ P1)4p	² P ^o _{1/2}	94 873	597 627	60	85
198.923	3d ⁷	² D _{23/2}	3d ⁶ (³ F2)4p	² D ^o _{3/2}	42 718	545 417	70	85
199.049	3d ⁷	⁴ F _{5/2}	3d ⁶ (⁵ D)4p	⁴ F ^o _{3/2}	4 641	507 030	70	85
199.207	3d ⁷	² D _{25/2}	3d ⁶ (³ G)4p	⁴ F ^o _{3/2}	38 580	540 577	150	85
	3d ⁷	² G _{7/2}	3d ⁶ (³ F2)4p	⁴ D ^o _{7/2}	30 562	532 549		85
199.239	3d ⁷	² P _{1/2}	3d ⁶ (³ P2)4p	² P ^o _{1/2}	36 072	538 004	200	85
	3d ⁷	² D _{25/2}	3d ⁶ (³ F2)4p	² G ^o _{7/2}	38 580	540 484		85
	3d ⁷	² P _{3/2}	3d ⁶ (³ P2)4p	⁴ D ^o _{5/2}	33 799	535 728		85
199.301	3d ⁷	⁴ F _{9/2}	3d ⁶ (⁵ D)4p	⁴ F ^o _{9/2}	0	501 754	950	85
199.391	3d ⁷	⁴ F _{7/2}	3d ⁶ (⁵ D)4p	⁴ F ^o _{7/2}	2 753	504 279	1150	85
	3d ⁷	² H _{11/2}	3d ⁶ (³ G)4p	⁴ G ^o _{11/2}	37 710	539 238		85
199.462	3d ⁷	² D _{13/2}	3d ⁶ (³ P1)4p	² D ^o _{5/2}	96 280	597 628	30	85
199.488	3d ⁷	⁴ F _{5/2}	3d ⁶ (⁵ D)4p	⁴ F ^o _{5/2}	4 641	505 926	450	85
199.507	3d ⁷	² H _{9/2}	3d ⁶ (³ G)4p	⁴ H ^o _{9/2}	40 229	541 471	40	85
199.543	3d ⁷	⁴ F _{3/2}	3d ⁶ (⁵ D)4p	⁴ F ^o _{3/2}	5 885	507 030	530	85
	3d ⁷	² D _{25/2}	3d ⁶ (³ P2)4p	² P ^o _{3/2}	38 580	539 725		85
199.626	3d ⁷	² G _{9/2}	3d ⁶ (³ H)4p	² G ^o _{9/2}	27 941	528 877	320	85
	3d ⁷	² G _{7/2}	3d ⁶ (³ H)4p	² G ^o _{7/2}	30 562	531 498		85
199.656	3d ⁷	⁴ F _{9/2}	3d ⁶ (⁵ D)4p	⁴ D ^o _{7/2}	0	500 860	1450	85
	3d ⁷	² F _{5/2}	3d ⁶ (¹ D2)4p	² D ^o _{5/2}	61 134	561 991		85
199.718	3d ⁷	² D _{13/2}	3d ⁶ (³ P1)4p	² D ^o _{3/2}	94 873	595 580	40	85
199.825	3d ⁷	² G _{7/2}	3d ⁶ (³ P2)4p	⁴ D ^o _{7/2}	30 562	530 991	30	85
199.866	3d ⁷	² H _{11/2}	3d ⁶ (³ G)4p	² H ^o _{9/2}	37 710	538 040	30	85
199.900	3d ⁷	² H _{9/2}	3d ⁶ (³ F2)4p	² G ^o _{7/2}	40 229	540 484	410	85
	3d ⁷	² H _{9/2}	3d ⁶ (³ G)4p	⁴ G ^o _{9/2}	40 229	540 480		85
199.938	3d ⁷	² G _{7/2}	3d ⁶ (³ F2)4p	⁴ F ^o _{9/2}	30 562	530 711	30	85
199.987	3d ⁷	⁴ F _{3/2}	3d ⁶ (⁵ D)4p	⁴ F ^o _{5/2}	5 885	505 926	130bl	85
200.038	3d ⁷	⁴ P _{5/2}	3d ⁶ (³ H)4p	⁴ H ^o _{7/2}	26 072	525 973	50	85
200.145	3d ⁷	⁴ F _{5/2}	3d ⁶ (⁵ D)4p	⁴ F ^o _{7/2}	4 641	504 279	80	85
200.196	3d ⁷	⁴ F _{7/2}	3d ⁶ (⁵ D)4p	⁴ D ^o _{5/2}	2 753	502 264	900	85
200.210	3d ⁷	² D _{25/2}	3d ⁶ (³ F2)4p	² F ^o _{7/2}	38 580	538 050	210	85
200.242	3d ⁷	² P _{1/2}	3d ⁶ (³ P2)4p	² D ^o _{3/2}	36 072	535 468	70	85
200.387	3d ⁷	² H _{11/2}	3d ⁶ (³ G)4p	² H ^o _{11/2}	37 710	536 744	210	85
200.399	3d ⁷	⁴ F _{7/2}	3d ⁶ (⁵ D)4p	⁴ F ^o _{9/2}	2 753	501 754	100	85
200.549	3d ⁷	² H _{11/2}	3d ⁶ (³ F2)4p	⁴ G ^o _{11/2}	37 710	536 341	30	85
200.564	3d ⁷	⁴ F _{5/2}	3d ⁶ (⁵ D)4p	⁴ D ^o _{3/2}	4 641	503 232	440	85
200.577	3d ⁷	² D _{23/2}	3d ⁶ (³ P2)4p	² S ^o _{1/2}	42 718	541 268	100	85
200.663	3d ⁷	² G _{9/2}	3d ⁶ (³ H)4p	⁴ I ^o _{9/2}	27 941	526 292	60	85

TABLE 49. Spectral lines of Ga VII—Continued

Wavelength (Å)	Classification				Energy Levels (cm ⁻¹)	Int.	Ref.
	Lower		Upper				
	3d ⁷	² D2 _{3/2}	3d ⁶ (³ G)4p	⁴ G [°] _{5/2}	42 718	541 060	85
200.760	3d ⁷	⁴ F _{7/2}	3d ⁶ (⁵ D)4p	⁴ D [°] _{7/2}	2 753	500 860	200
200.791	3d ⁷	² H _{11/2}	3d ⁶ (³ G)4p	⁴ F [°] _{9/2}	37 710	535 733	20
200.832	3d ⁷	⁴ F _{5/2}	3d ⁶ (⁵ D)4p	⁶ P [°] _{3/2}	4 641	502 569	450
200.879	3d ⁷	² H _{9/2}	3d ⁶ (³ G)4p	² H [°] _{9/2}	40 229	538 040	100
200.923	3d ⁷	⁴ F _{7/2}	3d ⁶ (⁵ D)4p	⁶ P [°] _{5/2}	2 753	500 456	470
200.942	3d ⁷	⁴ F _{3/2}	3d ⁶ (⁵ D)4p	⁴ D [°] _{1/2}	5 885	503 540	500
200.952	3d ⁷	⁴ F _{5/2}	3d ⁶ (⁵ D)4p	⁴ D [°] _{5/2}	4 641	502 264	340
201.066	3d ⁷	⁴ F _{9/2}	3d ⁶ (⁵ D)4p	⁶ P [°] _{7/2}	0	497 349	900
201.106	3d ⁷	⁴ F _{3/2}	3d ⁶ (⁵ D)4p	⁴ D [°] _{3/2}	5 885	503 232	85
201.106	3d ⁷	⁴ P _{5/2}	3d ⁶ (³ P2)4p	⁴ S [°] _{3/2}	26 072	523 322	40
201.203	3d ⁷	² D2 _{5/2}	3d ⁶ (³ F2)4p	⁴ G [°] _{7/2}	38 580	535 599	130
	3d ⁷	² D2 _{3/2}	3d ⁶ (³ P2)4p	² P [°] _{3/2}	42 718	539 725	85
	3d ⁷	² D1 _{3/2}	3d ⁶ (³ F1)4p	⁴ D [°] _{3/2}	94 873	591 892	85
201.245	3d ⁷	² D2 _{5/2}	3d ⁶ (³ P2)4p	² D [°] _{3/2}	38 580	535 468	60
201.334	3d ⁷	⁴ F _{3/2}	3d ⁶ (⁵ D)4p	⁶ P [°] _{3/2}	5 885	502 569	340
	3d ⁷	² D1 _{5/2}	3d ⁶ (³ P1)4p	⁴ P [°] _{5/2}	96 280	592 966	85
	3d ⁷	² F _{5/2}	3d ⁶ (³ D)4p	² D [°] _{3/2}	61 134	557 825	85
201.458	3d ⁷	² F _{7/2}	3d ⁶ (³ D)4p	² F [°] _{7/2}	62 189	558 566	30
201.516	3d ⁷	² P _{3/2}	3d ⁶ (³ P2)4p	⁴ P [°] _{5/2}	33 799	530 038	110
201.566	3d ⁷	² H _{9/2}	3d ⁶ (³ F2)4p	⁴ G [°] _{11/2}	40 229	536 341	160
201.638	3d ⁷	² H _{11/2}	3d ⁶ (³ H)4p	² I [°] _{13/2}	37 710	533 649	310
201.687	3d ⁷	⁴ F _{5/2}	3d ⁶ (⁵ D)4p	⁶ P [°] _{5/2}	4 641	500 456	70
201.825	3d ⁷	² F _{7/2}	3d ⁶ (³ D)4p	² D [°] _{5/2}	62 189	557 668	40
201.848	3d ⁷	² G _{7/2}	3d ⁶ (³ H)4p	⁴ H [°] _{7/2}	30 562	525 973	110
201.910	3d ⁷	² F _{5/2}	3d ⁶ (¹ D2)4p	² P [°] _{3/2}	61 134	556 405	40
202.146	3d ⁷	⁴ F _{9/2}	3d ⁶ (⁵ D)4p	⁶ F [°] _{9/2}	0	494 690	?
202.185	3d ⁷	⁴ F _{7/2}	3d ⁶ (⁵ D)4p	⁶ P [°] _{7/2}	2 753	497 349	70
202.223	3d ⁷	² H _{9/2}	3d ⁶ (³ H)4p	² I [°] _{11/2}	40 229	534 726	100
202.295	3d ⁷	⁴ F _{9/2}	3d ⁶ (⁵ D)4p	⁶ F [°] _{7/2}	0	494 326	500bl
202.450	3d ⁷	² F _{5/2}	3d ⁶ (¹ G2)4p	² F [°] _{5/2}	61 134	555 091	70
202.497	3d ⁷	² H _{11/2}	3d ⁶ (³ H)4p	⁴ H [°] _{9/2}	37 710	531 542	4
202.544	3d ⁷	² H _{11/2}	3d ⁶ (³ H)4p	⁴ H [°] _{13/2}	37 710	531 430	90
202.673	3d ⁷	² D1 _{5/2}	3d ⁶ (³ F1)4p	² D [°] _{5/2}	96 280	589 686	290
202.784	3d ⁷	² D1 _{3/2}	3d ⁶ (³ F1)4p	² D [°] _{3/2}	94 873	588 009	160
202.875	3d ⁷	² D2 _{5/2}	3d ⁶ (³ H)4p	² G [°] _{7/2}	38 580	531 498	2
202.990	3d ⁷	² F _{7/2}	3d ⁶ (³ D)4p	⁴ F [°] _{9/2}	62 189	554 816	20
203.013	3d ⁷	² D2 _{3/2}	3d ⁶ (³ F2)4p	² F [°] _{5/2}	42 718	535 302	10
203.203	3d ⁷	² P _{3/2}	3d ⁶ (³ P2)4p	² D [°] _{5/2}	33 799	525 918	400bl
203.229	3d ⁷	² F _{7/2}	3d ⁶ (³ D)4p	⁴ F [°] _{7/2}	62 189	554 233	30
203.255	3d ⁷	² F _{7/2}	3d ⁶ (¹ G2)4p	² G [°] _{9/2}	62 189	554 178	20
203.380	3d ⁷	² F _{5/2}	3d ⁶ (³ D)4p	⁴ D [°] _{7/2}	61 134	552 825	240
	3d ⁷	⁴ F _{7/2}	3d ⁶ (⁵ D)4p	⁶ F [°] _{5/2}	2 753	494 440	?
203.535	3d ⁷	² H _{9/2}	3d ⁶ (³ H)4p	⁴ H [°] _{9/2}	40 229	531 542	20
203.597	3d ⁷	² H _{11/2}	3d ⁶ (³ H)4p	² G [°] _{9/2}	37 710	528 877	10
203.641	3d ⁷	² F _{5/2}	3d ⁶ (³ D)4p	⁴ F [°] _{5/2}	61 134	552 194	8
203.818	3d ⁷	² F _{7/2}	3d ⁶ (³ D)4p	⁴ D [°] _{7/2}	62 189	552 825	20
204.055	3d ⁷	² F _{7/2}	3d ⁶ (¹ G2)4p	² G [°] _{7/2}	62 189	552 256	10
204.147	3d ⁷	⁴ F _{5/2}	3d ⁶ (⁵ D)4p	⁶ F [°] _{3/2}	4 641	494 485	70
204.611	3d ⁷	² F _{7/2}	3d ⁶ (³ G)4p	² G [°] _{9/2}	62 189	550 920	250

TABLE 49. Spectral lines of Ga VII—Continued

Wavelength (Å)	Classification				Energy Levels (cm ⁻¹)	Int.	Ref.		
	Lower		Upper						
204.632	3d ⁷	² H _{11/2}	3d ⁶ (³ H)4p	⁴ I _{13/2} [°]	37 710	526 392	?	40	85
204.654	3d ⁷	² F _{5/2}	3d ⁶ (³ G)4p	² G _{7/2} [°]	61 134	549 771		190	85
204.668	3d ⁷	⁴ F _{3/2}	3d ⁶ (⁵ D)4p	⁶ F _{1/2} [°]	5 885	494 482		40	85
205.101	3d ⁷	² F _{7/2}	3d ⁶ (¹ G2)4p	² H _{9/2} [°]	62 189	549 753		140	85
206.101	3d ⁷	² F _{5/2}	3d ⁶ (³ G)4p	² F _{7/2} [°]	61 134	546 341		10	85
206.374	3d ⁷	⁴ P _{3/2}	3d ⁶ (⁵ D)4p	⁴ P _{1/2} [°]	26 142	510 702		340	85
206.484	3d ⁷	² F _{5/2}	3d ⁶ (³ F2)4p	² D _{3/2} [°]	61 134	545 417		30	85
206.545	3d ⁷	² F _{7/2}	3d ⁶ (³ G)4p	² F _{7/2} [°]	62 189	546 341		60	85
206.669	3d ⁷	⁴ P _{5/2}	3d ⁶ (⁵ D)4p	⁴ P _{3/2} [°]	26 072	509 937		360	85
206.701	3d ⁷	⁴ P _{3/2}	3d ⁶ (⁵ D)4p	⁴ P _{3/2} [°]	26 142	509 937		60	85
206.844	3d ⁷	² F _{7/2}	3d ⁶ (³ G)4p	² F _{5/2} [°]	62 189	545 632		20	85
207.103	3d ⁷	⁴ P _{1/2}	3d ⁶ (⁵ D)4p	⁴ P _{1/2} [°]	27 850	510 702		40	85
207.126	3d ⁷	² F _{5/2}	3d ⁶ (³ F2)4p	² D _{5/2} [°]	61 134	543 934		20	85
207.376	3d ⁷	⁴ P _{5/2}	3d ⁶ (⁵ D)4p	⁴ P _{5/2} [°]	26 072	508 288		1100	85
207.409	3d ⁷	⁴ P _{3/2}	3d ⁶ (⁵ D)4p	⁴ P _{5/2} [°]	26 142	508 288		370	85
207.431	3d ⁷	⁴ P _{1/2}	3d ⁶ (⁵ D)4p	⁴ P _{3/2} [°]	27 850	509 937		160	85
207.577	3d ⁷	² F _{7/2}	3d ⁶ (³ F2)4p	² D _{5/2} [°]	62 189	543 934		20	85
208.262	3d ⁷	² F _{5/2}	3d ⁶ (³ G)4p	⁴ H _{7/2} [°]	61 134	541 304		280	85
208.529	3d ⁷	² F _{5/2}	3d ⁶ (³ G)4p	⁴ G _{7/2} [°]	61 134	540 685		40	85
209.354	3d ⁷	² F _{7/2}	3d ⁶ (³ F2)4p	² G _{9/2} [°]	62 189	539 841		20	85
209.606	3d ⁷	⁴ P _{3/2}	3d ⁶ (⁵ D)4p	⁴ D _{3/2} [°]	26 142	503 232		10	85
209.675	3d ⁷	² F _{5/2}	3d ⁶ (³ F2)4p	² F _{7/2} [°]	61 134	538 050		40	85
	3d ⁷	² P _{3/2}	3d ⁶ (⁵ D)4p	⁴ P _{1/2} [°]	33 799	510 702			85
209.896	3d ⁷	⁴ P _{3/2}	3d ⁶ (⁵ D)4p	⁶ P _{3/2} [°]	26 142	502 569		10	85
210.000	3d ⁷	⁴ P _{5/2}	3d ⁶ (⁵ D)4p	⁴ D _{5/2} [°]	26 072	502 264		8	85
210.032	3d ⁷	⁴ P _{3/2}	3d ⁶ (⁵ D)4p	⁴ D _{5/2} [°]	26 142	502 264		90	85
210.218	3d ⁷	⁴ P _{1/2}	3d ⁶ (⁵ D)4p	⁴ D _{1/2} [°]	27 850	503 540		30	85
210.356	3d ⁷	⁴ P _{1/2}	3d ⁶ (⁵ D)4p	⁴ D _{3/2} [°]	27 850	503 232		30	85
210.620	3d ⁷	⁴ P _{5/2}	3d ⁶ (⁵ D)4p	⁴ D _{7/2} [°]	26 072	500 860		160	85
210.752	3d ⁷	² P _{3/2}	3d ⁶ (⁵ D)4p	⁴ P _{5/2} [°]	33 799	508 288		10	85
210.798	3d ⁷	⁴ P _{5/2}	3d ⁶ (⁵ D)4p	⁶ P _{5/2} [°]	26 072	500 456		20	85
210.834	3d ⁷	⁴ P _{3/2}	3d ⁶ (⁵ D)4p	⁶ P _{5/2} [°]	26 142	500 456		8	85
212.192	3d ⁷	⁴ P _{5/2}	3d ⁶ (⁵ D)4p	⁶ P _{7/2} [°]	26 072	497 349		60?	85
213.433	3d ⁷	² F _{7/2}	3d ⁶ (³ F2)4p	⁴ F _{9/2} [°]	62 189	530 711		20	85
213.555	3d ⁷	⁴ P _{5/2}	3d ⁶ (⁵ D)4p	⁶ F _{7/2} [°]	26 072	494 326		30	85
217.289	3d ⁷	² D _{13/2}	3d ⁶ (¹ G2)4p	² F _{5/2} [°]	94 873	555 091		8	85
221.852	3d ⁷	² D _{13/2}	3d ⁶ (³ G)4p	² F _{5/2} [°]	94 873	545 632		30	85
222.182	3d ⁷	² D _{15/2}	3d ⁶ (³ G)4p	² F _{7/2} [°]	96 280	546 341		40?	85

5. Cumulative References for the Entire Manuscript

- ¹R. J. Lang, Phys. Rev. **30**, 762 (1927).
²K. R. Rao, Proc. Phys. Soc. London **39**, 150 (1927).
³J. E. Mack, O. Laporte, and R. J. Lang, Phys. Rev. **31**, 748 (1928).
⁴R. A. Sawyer and C. J. Humphreys, Phys. Rev. **32**, 583 (1928).
⁵R. A. Sawyer and R. J. Lang, Phys. Rev. **34**, 712 (1929).
⁶W. R. S. Garton, Proc. Phys. Soc., London, Sect. A **65**, 268 (1952).
⁷W. F. Meggers and R. J. Murphy, J. Res. Natl. Bur. Stand. **48**, 334 (1952).
⁸N. P. Penkin and L. N. Shabanova, Opt. Spectrosc. **18**, 425 (1965).
⁹I. Johansson and U. Litzén, Ark. Fys. **34**, 573 (1967).
¹⁰E. Ya. Kononov, Opt. Spectrosc. **23**, 90 (1967).

¹¹M. G. Kozlov and G. P. Startsev, Opt. Spektrosk. **22**, 366 (1967).

¹²T. R. Fowler, Report No. UCRL-18331, Univ. California Lawrence Radiation Laboratory, Berkeley, CA, 1968.

¹³C. E. Moore, *Atomic Energy Levels*, Natl. Stand. Ref. Data Ser., Natl. Bur. Stand. (U. S.) 35/Vol. II (1971); reprint of Natl. Bur. Stand. (U. S.) Circ. 467, Vol. II (1952).

¹⁴Y. N. Joshi, K. S. Bhatia, and W. E. Jones, Sci. Light (Tokyo) **21**, 113 (1972).

¹⁵E. R. Peck and K. Reeder, J. Opt. Soc. Am. **62**, 958 (1972).

¹⁶V. P. Aksenov and A. N. Ryabtsev, Opt. Spectrosc. **37**, 492 (1974).

¹⁷K. A. Dick, J. Opt. Soc. Am. **64**, 702 (1974).

¹⁸B. C. Fawcett and R. W. Hayes, J. Opt. Soc. Am. **65**, 623 (1975).

¹⁹A. N. Ryabtsev, Opt. Spectrosc. **39**, 239 (1975).

²⁰J. P. Connerade, Proc. R. Soc. London, Ser. A **354**, 511 (1977).

- ²¹G. W. Erickson, J. Phys. Chem. Ref. Data **6**, 831 (1977).
- ²²E. Ya. Kononov, V. I. Kovalev, A. N. Ryabtsev, and S. S. Churilov, Sov. J. Quantum Electron. **7**, 111 (1977).
- ²³C. H. H. Van Deurzen, J. Opt. Soc. Am. **67**, 476 (1977).
- ²⁴B. Denne, U. Litzén, and L. J. Curtis, Phys. Lett. **71A**, 35 (1979).
- ²⁵B. Edlén, Phys. Scr. **19**, 255 (1979).
- ²⁶C. Froese Fischer and J. E. Hansen, Phys. Rev. A **34**, 1819 (1979).
- ²⁷E. Ya. Kononov, A. N. Ryabtsev, and S. S. Churilov, Phys. Scr. **19**, 328 (1979).
- ²⁸H. Gordon, M. G. Hobby, and N. J. Peacock, J. Phys. B **13**, 1985 (1980).
- ²⁹R. J. Hutcheon, Phys. Scr. **21**, 98 (1980).
- ³⁰R. J. Hutcheon, G. E. Bromage, R. L. Cooke, M. H. Key, and C. S. L. Lewis, J. Phys. B **13**, 673 (1980).
- ³¹R. J. Hutcheon, L. Cooke, M. H. Key, C. L. S. Lewis, and G. E. Bromage, Phys. Scr. **21**, 89 (1980).
- ³²W. L. Wiese and G. A. Martin, *Wavelengths and Transition Probabilities for Atoms and Atomic Ions*, NSRDS-NBS **68**, 359 (1980).
- ³³R. D. Cowan, *The Theory of Atomic Structure and Spectra* (University of California Press, Berkeley, CA, 1981).
- ³⁴B. Edlén, Phys. Scr. **26**, 71 (1982).
- ³⁵J. H. M. Neijzen and A. Dönszelmann, Physica B & C **114**, 241 (1982).
- ³⁶J. H. M. Neijzen and A. Dönszelmann, Physica B & C **114**, 399 (1982).
- ³⁷P. J. Mohr, At. Data Nucl. Data Tables **29**, 453 (1983).
- ³⁸L. Podobedova, A. Ramonas, and A. Ryabtsev, Sov. Phys. Collect. **23**, 10 (1983).
- ³⁹J. R. Roberts, J. Sugar, V. Kaufman, T. L. Pittman, and W. L. Rowan, Phys. Rev. A **27**, 1721 (1983).
- ⁴⁰B. Edlén, Phys. Scr. **30**, 135 (1984).
- ⁴¹W. E. Behring, J. F. Seely, S. Goldsmith, L. Cohen, M. Richardson, and U. Feldman, J. Opt. Soc. Am. B **2**, 886 (1985).
- ⁴²G. W. F. Drake (unpublished, 1985).
- ⁴³B. Edlén, Phys. Scr. **31**, 345 (1985).
- ⁴⁴B. Isberg and U. Litzén, Phys. Scr. **31**, 533 (1985).
- ⁴⁵W. R. Johnson and G. Soff, At. Data Nucl. Data Tables **33**, 405 (1985).
- ⁴⁶L. I. Podobedova, A. A. Ramonas, and A. N. Ryabtsev, Sov. Phys. Collect. **25**, 66 (1985).
- ⁴⁷A. N. Ryabtsev and A. A. Ramonas, Sov. Phys. Collect. **25**, 77 (1985); A. N. Ryabtsev (private communication regarding the missing levels and misprint in Table 4).
- ⁴⁸A. T. Tursunov and N. B. Eshkobilov, Opt. Spektrosk. **58**, 607 (1985).
- ⁴⁹L. A. Vainshtein and U. I. Safranova, Preprint No. 2, Acad. Nauk USSR, Inst. Spectrosc. Moscow (1985).
- ⁵⁰B. Isberg and U. Litzén, Phys. Scr. **33**, 420 (1986).
- ⁵¹V. Kaufman and J. Sugar, J. Phys. Chem. Ref. Data **15**, 321 (1986).
- ⁵²U. Litzén and A. Redfors, Phys. Scr. **36**, 895 (1987).
- ⁵³J. Reader, V. Kaufman, J. Sugar, J. O. Ekberg, U. Feldman, C. M. Brown, J. F. Seely, and W. L. Rowan, J. Opt. Soc. Am. B **4**, 1821 (1987).
- ⁵⁴J. R. Roberts, T. L. Pittman, J. Sugar, V. Kaufman, and W. L. Rowan, Phys. Rev. A **35**, 2591 (1987).
- ⁵⁵A. N. Ryabtsev and J.-F. Wyart, Phys. Scr. **36**, 255 (1987); A. N. Ryabtsev (private communication for some misprints in Table V).
- ⁵⁶J. Sugar, V. Kaufman, and W. L. Rowan, J. Opt. Soc. Am. B **4**, 1927 (1987).
- ⁵⁷E. V. Aglitsky, P. S. Antsiferov, S. L. Mandelstam, A. M. Panin, U. I. Safranova, S. A. Ulitin, and L. A. Vainshtein, Phys. Scr. **38**, 136 (1988).
- ⁵⁸J. Sugar, V. Kaufman, and W. L. Rowan, J. Opt. Soc. Am. B **5**, 2183 (1988).
- ⁵⁹J. O. Ekberg, U. Feldman, J. F. Seely, and C. M. Brown, Phys. Scr. **40**, 643 (1989).
- ⁶⁰V. Kaufman, J. Sugar, and W. L. Rowan, J. Opt. Soc. Am. B **6**, 142 (1989).
- ⁶¹V. Kaufman, J. Sugar, and W. L. Rowan, J. Opt. Soc. Am. B **6**, 1444 (1989).
- ⁶²E. B. Saloman and Y.-K. Kim, At. Data Nucl. Data Tables **41**, 339 (1989).
- ⁶³J. Sugar, V. Kaufman, P. Indelicato, and W. L. Rowan, J. Opt. Soc. Am. B **6**, 1437 (1989); J. Sugar (private communication regarding the line at 190.425 Å).
- ⁶⁴V. Kaufman, J. Sugar, and W. L. Rowan, J. Opt. Soc. Am. B **7**, 1169 (1990).
- ⁶⁵A. Ramonas and A. Ryabtsev, Lith. Phys. J. **30**, 37 (1990).
- ⁶⁶J. Sugar, V. Kaufman, and W. L. Rowan, J. Opt. Soc. Am. B **7**, 152 (1990).
- ⁶⁷M. A. Baig, I. Ahmad, A. Rashid, M. Akram, and N. Ahmed, J. Phys. B **24**, 3933 (1991).
- ⁶⁸Y.-K. Kim, D. H. Baik, P. Indelicato, and J. P. Desclaux, Phys. Rev. A **44**, 148 (1991).
- ⁶⁹A. N. Ryabtsev and S. S. Churilov, in *Spectroscopy of Multicharged Ions in Hot Plasmas*, edited by U. I. Safranova (Akad. Nauk SSSR, Inst. Spektrosk., Moscow, 1991), p. 76; A. N. Ryabtsev (private communication for misprints in Table 2).
- ⁷⁰J. Sugar, V. Kaufman, and W. L. Rowan, J. Opt. Soc. Am. B **8**, 22 (1991).
- ⁷¹E. A. McLean, T. N. Lee, J. A. Stamper, C. K. Manka, and H. R. Griem, J. Opt. Soc. Am. B **9**, 350 (1992).
- ⁷²P. Dunne, G. O'Sullivan, and V. K. Ivanov, Phys. Rev. A **48**, 4358 (1993).
- ⁷³K. T. Cheng, M. H. Chen, W. R. Johnson, and J. Sapirstein, Phys. Rev. A **50**, 247 (1994).
- ⁷⁴J. Nilsen and J. Scofield, Phys. Scr. **49**, 588 (1994).
- ⁷⁵W. R. Johnson, D. R. Plante, and J. Sapirstein, Adv. At., Mol., Opt. Phys. **35**, 255 (1995).
- ⁷⁶K. T. Cheng (private communication, 1996).
- ⁷⁷L. I. Podobedova (private communication, 1996).
- ⁷⁸E. Biémont, Y. Frémat, and P. Quinet, At. Data Nucl. Data Tables **71**, 117 (1999).
- ⁷⁹L. J. Curtis, Phys. Scr. **62**, 31 (2000).
- ⁸⁰H. Karlsson and U. Litzén, J. Phys. B **33**, 2929 (2000).
- ⁸¹P. J. Mohr and B. N. Taylor, *The 2002 CODATA Recommended Values of the Fundamental Physical Constants, Web Version 4.0*, available at physics.nist.gov/constants; Rev. Mod. Phys. **77**, 1 (2005).
- ⁸²D. C. Morton, Astrophys. J., Suppl. Ser. **149**, 205 (2003).
- ⁸³CRC Handbook of Chemistry and Physics, 85th ed., edited by D. R. Lide (CRC Press, Boca Raton, FL, 2004).
- ⁸⁴A. E. Kramida and G. Nave, Eur. Phys. J. D **37**, 1 (2006).
- ⁸⁵L. Podobedova, A. Ramonas, A. Ryabtsev, and V. Savukynas, Sov. Phys. Collect. **26**, 50 (1986); A. Ryabtsev and L. Podobedova, private communications regarding misprints in tables.