

# Recommended Rest Frequencies for Observed Interstellar Molecular Microwave Transitions—1991 Revision

Frank J. Lovas

Molecular Physics Division, National Institute of Standards and Technology, Gaithersburg, MD 20899

Received December 4, 1991; revised manuscript received January 14, 1992

Critically evaluated transition frequencies for the molecular transitions detected in interstellar and circumstellar clouds are presented. The tabulated transitions are recommended for reference in future astronomical observations in the microwave and millimeter wavelength regions. The transition frequencies have been selected through a critical examination and analysis of the laboratory spectral data obtained from the literature. The information tabulated includes the species identity, transition frequency, uncertainty, and quantum state labels. In addition, representative line antenna temperatures are listed for a typical astronomical source for each transition as a convenience to users, and the references are cited for the laboratory and astronomical literature which have been employed.

Key words: hyperfine structure; interstellar molecules; microwave spectra; molecular; radio astronomy; rotational spectra; spectra.

## Contents

1. Introduction .....	181
2. Source and Selection of Transition Frequencies .....	181
3. Description of the Tables .....	182
3.1. Comments on the Tables .....	182
4. Acknowledgements .....	183
5. References to Text .....	183
6. References to Table 5 .....	260

## List of Tables

1. Listing by empirical formula of the isotopic forms of the interstellar species appearing in Table 5 .....	185
2. Assignments of unidentified lines in 1985 revision <sup>2</sup> .....	186
3. Assignment changes by Turner [Tur91] for lines listed in Table 5 from Tur89 or changed in the present work .....	187
4. List of telescope abbreviations employed in Table 5 .....	188
5. Recommended rest frequencies for observed interstellar molecular lines .....	189

## 1. Introduction

The present tabulation of recommended transition frequencies for interstellar molecular species is the second revision of the previously published tables.<sup>1,2</sup> Since the last revision in 1985, approximately 1700 new transitions have been detected and 24 new molecular

species have been identified. This report updates the previous summaries, provides a current source of radio-astronomical molecular line observations, and includes improved accuracy for many previously tabulated transition frequencies, which is important for determining physical properties of the molecular clouds investigated.

## 2. Source and Selection of the Transition Frequencies

The present tabulation covers the astronomical literature through the fall of 1991. About 80 molecular species, listed in Table 1, have now been identified in interstellar and circumstellar astronomical sources by means of their microwave spectrum. The sources of the transition frequencies selected are: laboratory measurement literature, previously published tabulations of spectral frequencies<sup>3-24</sup>, or spectral prediction of transition frequencies from reanalysis of the literature data carried out for the present work.

The primary criterion for selection of the transition frequencies is the magnitude quoted or estimated for the accuracy of the measured frequency or the standard deviation of calculated frequencies. For well behaved species, i.e. those whose spectra can be fit well with established Hamiltonians, the calculated frequencies are often more accurate than individual measurements. For this reason many of the entries in Table 2 are calculated values and are identified with an asterisk (\*) following the frequency entry. In entries where it was determined that the measured value was the most accurate value, a reference to the literature value is given.

©1992 by the U.S. Secretary of Commerce on behalf of the United States. This copyright is assigned to the American Institute of Physics and the American Chemical Society.

Reprints available from ACS; see Reprints List at back of issue.

For many of the interstellar species the previously published tabulations of critically evaluated laboratory data<sup>3-26</sup> were the source of both measured and calculated frequencies cited here. In several cases for species treated in the publications indicated above, new spectral data have been reported and have been combined with the earlier data sets and reanalyzed to provide predicted frequencies employed here. For CH<sub>3</sub>CN, data from two recent publications<sup>27,28</sup> were used in a new analysis. For cyclic-C<sub>3</sub>H<sub>2</sub> and C<sub>6</sub>H, the data tabulated in Ref. 26 were used. The earlier reviews on CH<sub>3</sub>OH<sup>5</sup>, CH<sub>3</sub>CHO<sup>11</sup>, and HCOOCH<sub>3</sub><sup>18</sup> are out-dated. A series of papers on new measurements and spectral analyses of ground and torsionally excited CH<sub>3</sub>OH have been reported by DeLucia and co-workers, with the following references in the list of references to Table 5: [Her84], [And87], [DeL89] and [And90] (note that this reference notation employs the first three letters of the first author's last name and the last two digits of the year of publication). For the ground torsional state of CH<sub>3</sub>CHO the recent report by Kleiner *et al.* [Kle91] was the source of measured and calculated frequencies. Similarly, for HCOOCH<sub>3</sub> a series of publications by Plummer *et al.* [Plu84], [Plu86], and [Plu87] were employed.

Since 24 new interstellar species are represented in the present work, a summary of the literature sources for the measurements cited and for spectral predictions is given below. The data for AlCl, AlF, KCl, NaCl and PN were derived from the compilation by Lovas and Tiemann<sup>25</sup> and refit for predictions. Laboratory measurements on SiC were reported by Cernicharo *et al.* [Cer89]. Several ionic species have been identified based on recent laboratory studies, namely, HOOC<sup>+</sup>, HOCS<sup>+</sup> and HCNH<sup>+</sup>. The analysis of HOOC<sup>+</sup> is based on data from two paper by Bogey *et al.*<sup>29,30</sup>, the tentative identification of HOCS<sup>+</sup> is based on calculations reported by Nakanaga and Amano<sup>31</sup>, and the laboratory spectrum of HCNH<sup>+</sup> is reported by Bogey *et al.* [Bog85a]. Laboratory studies of the following free radical and transient species are cited: C<sub>2</sub>S [Yam90]; C<sub>3</sub>O [Bro83, Kle85], and Tang *et al.*<sup>32</sup>; C<sub>3</sub>S [Yam87]; HCCN from Saito *et al.*<sup>33</sup>; CH<sub>2</sub>CN [Sai88, Irv88a]; *l*-HC<sub>3</sub> (here *l* stands for linear-HC<sub>3</sub> and *c*-HC<sub>3</sub> referred to below is the cyclic isomer) [Got85] and Yamamoto *et al.*<sup>34</sup>; *c*-HC<sub>3</sub> [Yam87]; CH<sub>2</sub>CC [Vrt90]; CH<sub>2</sub>CCC [Kil90]; C<sub>5</sub>H [Cer87, Cer86a, Got86]; and SiC<sub>2</sub> [Got89, Sue89, Cer90]. For the tentatively identified species SiC<sub>4</sub> [Ohi89] no laboratory confirmation has been reported. Literature references for newly identified stable species are: CH<sub>3</sub>NC<sup>35-37</sup>; CH<sub>3</sub>COCH<sub>3</sub> [Vac86]; and HCCCHO<sup>38-41</sup>.

### 3. Description of the Tables

As mentioned above, Table 1 provides the identity of molecular species detected in astronomical sources. The species which are new, i.e. identified since the 1985 revision of this compilation, appear in bold typeface. For many of the species one or more isotopically substituted forms or vibrational states have been observed and these

are listed as well in Table 1. The species are listed in alphabetic sequence according to empirical formula (Hill system) in the first column along with the common names of the molecule in the second column. The last column of Table 1 indicates the number of entries for a given species listed in Table 5 where specific frequencies and references to literature sources are provided. In Tables 2, 3, and 4 additional information regarding the data entries in Table 5 is given. Tables 2 and 3 are discussed further in Sec. 3.1.

The major emphasis of the present work is to provide the most accurate transition frequencies available for all of the astronomically observed spectral lines which are listed in Table 5. In Table 5 the recommended frequency is listed in column (1), followed by an asterisk in the case of calculated values, and its uncertainty ( $2\sigma$ ) is shown in parentheses in column (2) with the number of digits referring to the last digit(s) given for the frequency. The chemical formula for each molecular species is given in column (3) and the quantum number labels are shown in column (4). Columns (5), (6), and (7) present astronomical information: antenna temperature ( $T_r^*$  or  $T_a^*$ ), molecular cloud for the observation and abbreviation for the telescope employed (see Table 3 for a list of telescopes referenced), respectively. Most often the molecular cloud listed is Orion A (OriMC-1), Sagittarius B2 (SgrB2), Taurus Molecular Cloud 1 (TMC-1), or the circumstellar envelope of the infrared star IRC + 10216, since these are the richest molecular sources and often provide the most intense emission lines. In column (8) the reference abbreviation for the astronomical observation is given and column (9) shows the reference to measured (or calculated) frequencies when taken from the literature. The reference code is based on the first three letters of the lead author's last name, plus the last two digits of the year of publication. If no laboratory reference appears, the frequencies presented are either calculated in the present work or were taken from the previously published spectral reviews<sup>3-24</sup>. The reference list for Table 5 then follows and Table 4 identifies the telescope abbreviations in Table 5.

#### 3.1. Comments on the Tables

Since the last revision a number of previously unidentified lines have been assigned to newly identified species or transitions of already established species. In these cases the new identification (or assignment) is given and the previous frequency proceeded by "U" is eliminated. These new assignments are listed in Table 2, to the best of our ability to keep track of these changes. All previous entries which have been modified in any manner, e.g. improved frequency, are indicated with the letter M (for modified) at the end of the entry in Table 5 and new entries have the letter N (for new) in the last column.

The identification of the HNO and NaOH species were under question at the time of the last publication. Recently new measurements at higher frequency have confirmed the HNO identification, while the feature

attributed to NaOH is now assigned to CH<sub>3</sub>NC. Three doublets which are harmonically related have been reported by Guélin *et al.* [Gué86] in IRC+10216. These workers suggested several species which might be the molecular source of these transitions, and we have used HSICC as a label since the strongest arguments favor this identification. The suggested identifications of three species, HOC<sup>+</sup> [Woo83], HOCS<sup>+</sup> [Tur89], and HCl [Bla85b], are based on the observation of a single transition. Since there have been no supporting observations of other transitions or isotopic forms, these identifications remain questionable. This is indicated in the tables with a question mark following the molecular formula. It is quite likely that the feature attributed to HOC<sup>+</sup> at 89487.4 MHz arises from <sup>28</sup>Si<sup>33</sup>S at 89489.2 MHz. The user is also encouraged to examine the comments to the prior publications<sup>1,2</sup>, since these are not reproduced here, but these comments are still valid for the information presented in the present work.

A rather extensive survey of the SgrB2 and Orion A (OriMC-1) molecular clouds was published recently in two parts by B. E. Turner [Tur89 and Tur91]. A number of the preliminary species identifications or assignments given in the first paper [Tur89] were determined to be unlikely identifications after Turner completed the data analysis presented in the second paper [Tur91]. In the cases where the observed lines remain unassigned, i.e. unidentified molecular species, they are listed as "reassigned" in Table 5. Since Turner [Tur91] did not list a number of these "reassigned" transitions in his Table 2 which contains unidentified lines not attributed as such in Tur89, we provide a list of these here in Table 3. For a few entries in Table 3, the author felt that the assignments given in Tur91 were unlikely, or unverified by detections of other transitions of the type assigned. In particular the a-type transitions of CH<sub>3</sub>CH<sub>2</sub>OH and CH<sub>3</sub>CH<sub>2</sub>CN seem unlikely due to their small transition moments. These are listed in Tables 3 and 5 as unidentified, even though the assignments in Tur91 remained as given in the first paper [Tur89].

#### 4. Acknowledgments

The author is pleased to acknowledge the following astronomers for providing preprints or unpublished observations: J.M. Hollis, L.E. Snyder, B.E. Turner, and L.M. Ziurys. The author also thanks Mrs. G. Rotter for coding much of the spectral data in Table 5.

#### 5. References to Text

<sup>1</sup>Recommended Rest Frequencies for Observed Interstellar Molecular Transitions. F. J. Lovas, L. E. Snyder, and D. R. Johnson, *Astrophys. J. Suppl. Series* **41**, 451–480 (1979).

<sup>2</sup>Recommended Rest Frequencies for Observed Interstellar Molecular Microwave Transitions – 1985 Revision. F. J. Lovas, *J. Phys. Chem. Ref. Data* **15**, 251–303 (1986). Erratum: *J. Phys. Chem. Ref. Data* **16**, 153–154 (1987).

- <sup>3</sup>Microwave Spectra of Molecules of Astrophysical Interest, I. Formaldehyde, Formamide, and Thioformaldehyde. D. R. Johnson, F. J. Lovas, and W. H. Kirchhoff, *J. Phys. Chem. Ref. Data* **1**, 1011–1046 (1972).
- <sup>4</sup>Microwave Spectra of Molecules of Astrophysical Interest, II. Methylenimine. W. H. Kirchhoff, D. R. Johnson, and F. J. Lovas, *J. Phys. Chem. Ref. Data* **2**, 1–10 (1973).
- <sup>5</sup>Microwave Spectra of Molecules of Astrophysical Interest, III. Methanol. R. M. Lees, F. J. Lovas, W. H. Kirchhoff, and D. R. Johnson, *J. Phys. Chem. Ref. Data* **2**, 205–214 (1973).
- <sup>6</sup>Microwave Spectra of Molecules of Astrophysical Interest, IV. Hydrogen Sulfide. P. Helminger, F. C. DeLucia, and W. H. Kirchhoff, *J. Phys. Chem. Ref. Data* **2**, 215–224 (1973).
- <sup>7</sup>Microwave Spectra of Molecules of Astrophysical Interest, V. Water Vapor. F. C. DeLucia, P. Helminger, and W. H. Kirchhoff, *J. Phys. Chem. Ref. Data* **3**, 211–219 (1974).
- <sup>8</sup>Microwave Spectra of Molecules of Astrophysical Interest, VI. Carbonyl Sulfide and Hydrogen Cyanide. A. G. Maki, *J. Phys. Chem. Ref. Data* **3**, 221–244 (1974).
- <sup>9</sup>Microwave Spectra of Molecules of Astrophysical Interest, VII. Carbon Monoxide, Carbon Monosulfide, and Silicon Monoxide. F. J. Lovas, and P. Krupenie, *J. Phys. Chem. Ref. Data* **3**, 245–257 (1974).
- <sup>10</sup>Microwave Spectra of Molecules of Astrophysical Interest, VIII. Sulfur Monoxide. E. Tiemann, *J. Phys. Chem. Ref. Data* **3**, 259–268 (1974).
- <sup>11</sup>Microwave Spectra of Molecules of Astrophysical Interest, IX. Acetaldehyde. A. Bauder, F. J. Lovas, and D. R. Johnson, *J. Phys. Chem. Ref. Data* **5**, 53–77 (1976).
- <sup>12</sup>Microwave Spectra of Molecules of Astrophysical Interest, X. Isocyanic Acid. G. Winnewisser, W. H. Hocking, and M. C. L. Gerry, *J. Phys. Chem. Ref. Data* **5**, 79–101 (1976).
- <sup>13</sup>Microwave Spectra of Molecules of Astrophysical Interest, XI. Silicon Sulfide. E. Tiemann, *J. Phys. Chem. Ref. Data* **5**, 1147–1156 (1976).
- <sup>14</sup>Microwave Spectra of Molecules of Astrophysical Interest, XII. Hydroxyl Radical. R. A. Beaudet and R. L. Poynter, *J. Phys. Chem. Ref. Data* **7**, 311–362 (1978).
- <sup>15</sup>Microwave Spectra of Molecules of Astrophysical Interest, XIII. Cyanoacetylene. W. J. Lafferty and F. J. Lovas, *J. Phys. Chem. Ref. Data* **7**, 441–493 (1978).
- <sup>16</sup>Microwave Spectra of Molecules of Astrophysical Interest, XIV. Vinyl Cyanide (Acrylonitrile). M. C. L. Gerry, K. Yamada, and G. Winnewisser, *J. Phys. Chem. Ref. Data* **8**, 107–123 (1979).
- <sup>17</sup>Microwave Spectra of Molecules of Astrophysical Interest, XV. Propyne. A. Bauer, D. Boucher, J. Burie, J. Demaison, and A. Dubrulle, *J. Phys. Chem. Ref. Data* **8**, 537–558 (1979).
- <sup>18</sup>Microwave Spectra of Molecules of Astrophysical Interest, XVI. Methyl Formate. A. Bauder, *J. Phys. Chem. Ref. Data* **8**, 583–618 (1979).
- <sup>19</sup>Microwave Spectra of Molecules of Astrophysical Interest, XVII. Dimethyl Ether. F. J. Lovas, H. Lutz and H. Dreizler, *J. Phys. Chem. Ref. Data* **8**, 1051–1107 (1979).
- <sup>20</sup>Microwave Spectra of Molecules of Astrophysical Interest, XVIII. Formic Acid. E. Willemot, D. Dangoisse, N. Mannanteuil, and J. Bellet, *J. Phys. Chem. Ref. Data* **9**, 59–160 (1980).
- <sup>21</sup>Microwave Spectra of Molecules of Astrophysical Interest, XIX. Methyl Cyanide. D. Boucher, J. Burie, A. Bauer, A. Dubrulle, and J. Demaison, *J. Phys. Chem. Ref. Data* **9**, 659–734 (1980).
- <sup>22</sup>Microwave Spectra of Molecules of Astrophysical Interest, XX. Methane. I. Ozier, M. C. L. Gerry, and A. G. Robiette, *J. Phys. Chem. Ref. Data* **10**, 1085–1095 (1981).
- <sup>23</sup>Microwave Spectra of Molecules of Astrophysical Interest, XXI. Ethanol (C<sub>2</sub>H<sub>5</sub>OH) and Propionitrile (C<sub>2</sub>H<sub>5</sub>CN). F. J. Lovas, *J. Phys. Chem. Ref. Data* **11**, 251–312 (1982).
- <sup>24</sup>Microwave Spectra of Molecules of Astrophysical Interest, XXII. Sulfur Dioxide (SO<sub>2</sub>). F. J. Lovas, *J. Phys. Chem. Ref. Data* **14**, 395–488 (1985).
- <sup>25</sup>Microwave Spectral Tables I. Diatomic Molecules. F. J. Lovas, and E. Tiemann, *J. Phys. Chem. Ref. Data* **3**, 609 (1974).
- <sup>26</sup>Microwave Spectral Tables III. Hydrocarbons, CH to C<sub>10</sub>H<sub>10</sub>. F. J. Lovas, and R. D. Suenram, *J. Phys. Chem. Ref. Data* **18**, 1245 (1989).

- <sup>27</sup>The Submillimeter-wave Rotational Spectrum of Methyl Cyanide: Analysis of the Ground and the Low-lying Excited Vibrational States. R. Bocquet, G. Wlodarczak, A. Bauer, and J. Demaison, *J. Mol. Spectrosc.* **127**, 382 (1988).
- <sup>28</sup>The Rotational Spectrum of CH<sub>3</sub>CN above 1000 GHz. F. X. Brown, D. Dangoisse, and J. Demaison, *J. Mol. Spectrosc.* **129**, 483 (1988).
- <sup>29</sup>The Submillimeter Wave Spectrum of the Protonated and Deuterated Carbon Dioxide. M. Bogey, C. Demuynck, and J.-L. Destombes, *J. Chem. Phys.* **84**, 10 (1986).
- <sup>30</sup>Molecular Structure of HOCO<sup>+</sup>. M. Bogey, C. Demuynck, J.-L. Destombes and A. Krupnov, *J. Mol. Spectrosc.* **190**, 465 (1988).
- <sup>31</sup>High Resolution Infrared Identification of HOCS<sup>+</sup> with Difference Frequency Laser Spectroscopy. T. Nakanaga and T. Amano, *Mol. Phys.* **61**, 313 (1987).
- <sup>32</sup>CCCO: Generation by dc Glow Discharge in Carbon Suboxide, and Microwave Spectrum. T. B. Tang, H. Inokuchi, S. Saito, C. Yamada, and E. Hirota, *Chem. Phys. Lett.* **116**, 83 (1985).
- <sup>33</sup>The Microwave Spectrum of a Triplet Carbene: HCCN in the X<sup>3</sup>Σ State. S. Saito, Y. Endo, and E. Hirota, *J. Chem. Phys.* **80**, 1427 (1984).
- <sup>34</sup>Laboratory Microwave Spectrum of the Linear C<sub>3</sub>H and C<sub>3</sub>D Radicals and Related Astronomical Observation. S. Yamamoto, S. Saito, H. Suzuki, S. Deguchi, N. Kaifu, S.-I. Ishikawa, and M. Ohishi, *Astrophys. J.* **384**, 363 (1990).
- <sup>35</sup>Spectre de Rotation de la Carbylamine dans l'état fondamental de vibration. A. Bauer and M. Bogey, *C. R. Acad. Sci. Paris B* **271**, 892 (1970).
- <sup>36</sup>High Resolution Measurements of Hyperfine Structure in the Rotational Spectrum of CH<sub>3</sub>NC. S. G. Kukolich, *J. Chem. Phys.* **57**, 869 (1972).
- <sup>37</sup>M. Gordon, PhD Thesis, University of Lille, 1974.
- <sup>38</sup>Microwave Spectrum of Propiolic Aldehyde. J. A. Howe and J. H. Goldstein, *J. Chem. Phys.* **23**, 1223 (1955).
- <sup>39</sup>Microwave Spectrum and Structure of Propynal (HCCCHO). C. C. Costain and J. R. Morton, *J. Chem. Phys.* **31**, 389 (1959).
- <sup>40</sup>The Molecular g Values, Magnetic Susceptibility Anisotropies, and Molecular Quadrupole Moments in Propynal. R. C. Benson, R. S. Scott, and W. H. Flygare, *J. Phys. Chem.* **73**, 4359 (1969).
- <sup>41</sup>The Ground State of Propynal. G. Winnewisser, *J. Mol. Spectrosc.* **46**, 16 (1973).

TABLE 1. Listing by empirical formula of the isotopic forms of the interstellar species appearing in Table 5

Empirical formula	Name	Isotopic species	Number of observed transits gnd/excited <sup>b</sup>
<b>AlCl</b>	<b>Aluminum monochloride</b>	<b>AlCl</b>	<b>4</b>
		<b>Al<sup>37</sup>Cl</b>	<b>2</b>
<b>AlF</b>	<b>Aluminum monofluoride</b>	<b>AlF</b>	<b>3</b>
		<b>CH</b>	<b>7</b>
		<b>HCN</b>	<b>6/ 8 ex.</b>
		<b>H<sup>13</sup>CN</b>	<b>3</b>
<b>CH</b>	<b>Methylene radical</b>	<b>HC<sup>15</sup>N</b>	<b>3</b>
		<b>DCN</b>	<b>6</b>
		<b>DNC</b>	<b>4</b>
		<b>DNC</b>	<b>3</b>
<b>CHN</b>	<b>Hydrogen cyanide</b>	<b>H<sup>15</sup>NC</b>	<b>1</b>
		<b>HC<sup>13</sup>C</b>	<b>4</b>
		<b>D<sup>15</sup>NC</b>	<b>1</b>
		<b>DNCO</b>	<b>1</b>
<b>CHNO</b>	<b>Isocyanic acid</b>	<b>HNCO</b>	<b>35</b>
		<b>DNC</b>	<b>1</b>
<b>CHNS</b>	<b>Thioisocyanic acid</b>	<b>HNCS</b>	<b>10</b>
		<b>HCO</b>	<b>9</b>
<b>CHO</b>	<b>Formyl radical</b>	<b>HCO<sup>+</sup></b>	<b>3</b>
		<b>H<sup>13</sup>CO<sup>+</sup></b>	<b>4</b>
<b>CHO<sup>+</sup></b>	<b>Formylium</b>	<b>HC<sup>17</sup>O<sup>+</sup></b>	<b>1</b>
		<b>HC<sup>18</sup>O<sup>+</sup></b>	<b>2</b>
<b>CHO<sup>+</sup> ?</b>	<b>HOC<sup>+</sup> ion</b>	<b>DCO<sup>+</sup></b>	<b>3</b>
		<b>D<sup>14</sup>CO<sup>+</sup></b>	<b>1</b>
<b>CHOS<sup>+</sup> ?</b>	<b>HOCS<sup>+</sup> ion</b>	<b>HOC<sup>+</sup></b>	<b>1</b>
		<b>HOCS<sup>+</sup></b>	<b>1</b>
<b>CHO<sub>2</sub><sup>?</sup></b>	<b>HOCO<sup>+</sup> ion</b>	<b>HOCO<sup>+</sup></b>	<b>3</b>
		<b>HCS<sup>+</sup></b>	<b>5</b>
<b>CH<sub>2</sub></b>	<b>Methylene radical</b>	<b>CH<sub>2</sub></b>	<b>3</b>
		<b>HCN<sup>+</sup></b>	<b>3</b>
<b>CH<sub>2</sub>N<sup>+</sup></b>	<b>Protonated hydrogen cyanide</b>	<b>NH<sub>2</sub>CN</b>	<b>12</b>
		<b>H<sub>2</sub>CO</b>	<b>27</b>
<b>CH<sub>2</sub>O</b>	<b>Cyanamide</b>	<b>H<sub>2</sub><sup>13</sup>CO</b>	<b>17</b>
		<b>H<sub>2</sub>C<sup>18</sup>O</b>	<b>5</b>
<b>CH<sub>2</sub>O<sub>2</sub></b>	<b>Formaldehyde (methanal)</b>	<b>HDCO</b>	<b>9</b>
		<b>D<sub>2</sub>CO</b>	<b>3</b>
<b>CH<sub>2</sub>S</b>	<b>Formic acid</b>	<b>HCOOH</b>	<b>26</b>
		<b>H<sup>13</sup>COOH</b>	<b>1</b>
<b>CH<sub>3</sub>N</b>	<b>Thioformaldehyde</b>	<b>HCOOD</b>	<b>2</b>
		<b>DCOOH</b>	<b>1</b>
<b>CH<sub>3</sub>S</b>	<b>Methylenimine</b>	<b>H<sub>2</sub>CS</b>	<b>28</b>
		<b>H<sub>2</sub><sup>13</sup>CS</b>	<b>3</b>
<b>CH<sub>3</sub>N</b>	<b>Formamide</b>	<b>H<sub>2</sub>C<sup>34</sup>S</b>	<b>2</b>
		<b>CH<sub>2</sub>NH</b>	<b>6</b>
<b>CH<sub>3</sub>NO</b>	<b>Methylamine</b>	<b><sup>13</sup>CH<sub>2</sub>NH</b>	<b>1</b>
		<b>NH<sub>2</sub>CHO</b>	<b>48</b>
<b>CH<sub>4</sub>O</b>	<b>Methanol (methyl alcohol)</b>	<b>NH<sub>2</sub><sup>13</sup>CHO</b>	<b>1</b>
		<b>CH<sub>3</sub>OH</b>	<b>270</b>
<b>CH<sub>4</sub>S</b>	<b>Methyl mercaptan (methanethiol)</b>	<b><sup>13</sup>CH<sub>3</sub>OH</b>	<b>49</b>
		<b>CH<sub>3</sub>OD</b>	<b>22</b>
<b>CH<sub>5</sub>N</b>	<b>Methylamine</b>	<b>CH<sub>3</sub>SH</b>	<b>20</b>
		<b>CH<sub>3</sub>NH<sub>2</sub></b>	<b>12</b>
<b>CN</b>	<b>Cyanogen radical</b>	<b>CN</b>	<b>21</b>
		<b><sup>13</sup>CN</b>	<b>3</b>
<b>CO</b>	<b>Carbon monoxide</b>	<b>CO</b>	<b>16</b>
		<b><sup>13</sup>CO</b>	<b>6</b>
<b>COS</b>	<b>Carbonyl sulfide</b>	<b>C<sup>17</sup>O</b>	<b>3</b>
		<b>C<sup>18</sup>O</b>	<b>2</b>
<b>COS</b>	<b>Carbonyl sulfide</b>	<b><sup>13</sup>C<sup>18</sup>O</b>	<b>1</b>
		<b>OCS</b>	<b>19</b>
<b>COS<sup>34</sup>S</b>	<b>Carbonyl sulfide</b>	<b>OC<sup>34</sup>S</b>	<b>7</b>
		<b>O<sup>13</sup>CS</b>	<b>6</b>

TABLE 1. Listing by empirical formula of the isotopic forms of the interstellar species appearing in Table 5 - Continued

Empirical formula	Name	Isotopic species	Number of observed transits gnd/excited <sup>b</sup>	
<b>CS</b>	<b>Carbon monosulfide</b>	<b>CS</b>	<b>7/ 2 ex.</b>	
		<b>C<sup>33</sup>S</b>	<b>4</b>	
		<b>C<sup>34</sup>S</b>	<b>7</b>	
		<b><sup>13</sup>CS</b>	<b>4</b>	
		<b><sup>13</sup>C<sup>34</sup>S</b>	<b>1</b>	
<b>CSi</b>	<b>Silicon monocarbide</b>	<b>SiC</b>	<b>7</b>	
<b>C<sub>2</sub>H</b>	<b>Ethynyl radical</b>	<b>HCC</b>	<b>14</b>	
		<b>DCC</b>	<b>3</b>	
<b>C<sub>2</sub>HN</b>	<b>HCCN radical</b>	<b>HCCN</b>	<b>10</b>	
<b>C<sub>2</sub>HSi<sup>b</sup></b>	<b>HCCSi radical<sup>b</sup></b>	<b>HCCSi<sup>b</sup></b>	<b>6</b>	
<b>C<sub>2</sub>H<sub>2</sub>O</b>	<b>Ketene</b>	<b>H<sub>2</sub>CCO</b>	<b>26</b>	
	<b>CH<sub>2</sub>CN radical</b>	<b>CH<sub>2</sub>CN</b>	<b>24</b>	
	<b>Acetonitrile (methyl cyanide)</b>	<b>CH<sub>3</sub>CN</b>	<b>90/ 49 ex.</b>	
		<b><sup>13</sup>CH<sub>3</sub>CN</b>	<b>14</b>	
		<b>CH<sub>3</sub><sup>13</sup>CN</b>	<b>11</b>	
<b>C<sub>2</sub>H<sub>3</sub>N</b>	<b>Methyl isocyanide</b>	<b>CH<sub>3</sub>NC</b>	<b>3</b>	
	<b>Acetaldehyde</b>	<b>CH<sub>3</sub>CHO</b>	<b>57</b>	
	<b>Methyl formate</b>	<b>HCOOCH<sub>3</sub></b>	<b>391</b>	
	<b>Ethanol (ethyl alcohol)</b>	<b>CH<sub>3</sub>CH<sub>2</sub>OH</b>	<b>42</b>	
	<b>Dimethyl ether</b>	<b>CH<sub>3</sub>OCH<sub>3</sub></b>	<b>147</b>	
<b>C<sub>2</sub>S</b>	<b>Dicarbon sulfide</b>	<b>CCS</b>	<b>18</b>	
		<b>CC<sup>34</sup>S</b>	<b>1</b>	
<b>C<sub>2</sub>Si</b>	<b>Silacyclop propane</b>	<b>SiC<sub>2</sub></b>	<b>13</b>	
		<b><sup>29</sup>SiC<sub>2</sub></b>	<b>17</b>	
		<b><sup>30</sup>SiC<sub>2</sub></b>	<b>15</b>	
		<b>Si<sup>13</sup>CC</b>	<b>13</b>	
<b>c-C<sub>3</sub>H</b>	<b>Cyclopropenylidene</b>	<b>c-C<sub>3</sub>H</b>	<b>6</b>	
<b>l-C<sub>3</sub>H</b>	<b>Propenylidene</b>	<b>l-C<sub>3</sub>H</b>	<b>14</b>	
<b>C<sub>3</sub>HN</b>	<b>Cyanoacetylene</b>	<b>HCCN</b>	<b>21/ 43 ex.</b>	
		<b>H<sup>13</sup>CCN</b>	<b>11</b>	
		<b>HC<sup>13</sup>CN</b>	<b>7</b>	
		<b>HCC<sup>13</sup>CN</b>	<b>8</b>	
		<b>HCC<sup>15</sup>N</b>	<b>1</b>	
		<b>DCCCN</b>	<b>3</b>	
		<b>C<sub>3</sub>H<sub>2</sub></b>	<b>15</b>	
		<b>H<sup>13</sup>CCCH</b>	<b>3</b>	
		<b>HC<sup>13</sup>CCCH</b>	<b>1</b>	
		<b>DCCCH</b>	<b>9</b>	
		<b>H<sub>2</sub>CCC</b>	<b>4</b>	
		<b>HCCCHO</b>	<b>5</b>	
		<b>CH<sub>2</sub>CHCN</b>	<b>116</b>	
		<b>CH<sub>3</sub>CCH</b>	<b>46</b>	
		<b>CH<sub>3</sub>C<sup>13</sup>CH</b>	<b>3</b>	
		<b>CH<sub>3</sub>CH<sub>2</sub>CN</b>	<b>209</b>	
		<b>Acetone</b>	<b>CH<sub>3</sub>COCH<sub>3</sub></b>	<b>15</b>
		<b>Cyanothynyl radical</b>	<b>CCCN</b>	<b>20</b>
		<b>Tricarbon monoxide</b>	<b>CCCO</b>	<b>4</b>
		<b>Tricarbon monosulfide</b>	<b>CCCS</b>	<b>14</b>
		<b>Butadiynyl radical</b>	<b>HCCCC</b>	<b>33/ 40 ex.</b>
			<b>DCCCC</b>	<b>5</b>
			<b>CH<sub>2</sub>CCC</b>	<b>8</b>
			<b>CH<sub>3</sub>CCCN</b>	<b>9</b>
			<b>SiC<sub>4</sub></b>	<b>4</b>
			<b>HCCCCC</b>	<b>21</b>

TABLE 1. Listing by empirical formula of the isotopic forms of the interstellar species appearing in Table 5 — Continued

Empirical formula	Name	Isotopic species	Number of observed transits gnd/excited <sup>b</sup>
C <sub>5</sub> HN	Cyanobutadiyne	HCCCCN	40
		H <sup>13</sup> CCCCN	1
		HC <sup>13</sup> CCCCN	2
		HCC <sup>13</sup> CCCN	2
		HCCC <sup>13</sup> CCN	2
		HCCCC <sup>13</sup> CN	1
		DCCCCCN	2
C <sub>5</sub> H <sub>4</sub>	Penta-1,3-diyne (methyl diacetylene)	CH <sub>3</sub> C <sub>4</sub> H	5
C <sub>6</sub> H	Hexatriynyl radical	HC <sub>6</sub>	55
C <sub>7</sub> HN	Cyanohexatriyne	HC <sub>7</sub> N	20
C <sub>9</sub> HN	Cyanoctatetrayne	HC <sub>9</sub> N	8
C <sub>11</sub> HN	Cyanodecapentyne	HC <sub>11</sub> N	4
ClH ?	Hydrochloric acid	HCl	3
CIK	Potassium chloride	KCl	6
ClNa	Sodium chloride	Na <sup>35</sup> Cl	6
		Na <sup>37</sup> Cl	1
HNO	Nitroxyl hydride	HNO	2
HN <sub>2</sub> <sup>+</sup>	Diazenylum	HNN <sup>+</sup>	8
		HNN <sup>15</sup> N <sup>+</sup>	1
		H <sup>15</sup> NN <sup>+</sup>	3
		DNN <sup>+</sup>	5
HO	Hydroxyl radical	OH	23
		<sup>17</sup> OH	2
		<sup>18</sup> OH	4
H <sub>2</sub> O	Water	H <sub>2</sub> O	7
		H <sub>2</sub> <sup>18</sup> O	2
		HDO	11
H <sub>2</sub> S	Hydrogen sulfide	H <sub>2</sub> S	2
		H <sub>2</sub> <sup>34</sup> S	1
		HDS	1
H <sub>3</sub> N	Ammonia	NH <sub>3</sub>	44
		<sup>15</sup> NH <sub>3</sub>	6
		NH <sub>2</sub> D	13
		NHD <sub>2</sub>	2
H <sub>3</sub> O <sup>+</sup>	Protonated water	H <sub>3</sub> O <sup>+</sup>	1
NO	Nitric oxide	NO	9
NS	Nitric sulfide	NS	4
		N <sup>34</sup> S	1
NP	Nitric phosphide	NP	4
OS	Sulfur monoxide	SO	25
		<sup>34</sup> SO	20
		<sup>33</sup> SO	3
		S <sup>18</sup> O	3
OSi	Silicon monoxide	SiO	8/ 12 ex.
		<sup>29</sup> SiO	4
		<sup>30</sup> SiO	4
O <sub>2</sub> S	Sulfur dioxide	SO <sub>2</sub>	108/ 11 ex.
		<sup>33</sup> SO <sub>2</sub>	9
		<sup>34</sup> SO <sub>2</sub>	49
SSi	Silicon monosulfide	SiS	12/ 3 ex.
		Si <sup>33</sup> S	1
		Si <sup>34</sup> S	1
		<sup>29</sup> SiS	3
		<sup>30</sup> SiS	1
U	unidentified transitions		765

TABLE 2. Assignments of unidentified lines in 1985 revision<sup>a</sup>

U-line Freq. (MHz)	Present Frequency (MHz)	Assignment	Reference
U 45379.	45379.046	C <sub>2</sub> S 4,3–3,2	Sai87
U 79220.	79221.9	duplicate entry	Cum86
U 80484.	80489.5	CH <sub>2</sub> CN 4(0,4)–3(0,3)	Irv88a
U 81506.1	81505.170	C <sub>2</sub> S 7(6)–6(5)	Sai87
U 81507.	"	"	"
U 84970.	84970.22	<sup>13</sup> CH <sub>3</sub> OH 8(0)–7(1)	Kur86
U 85435.	85434.543	CH <sub>2</sub> CHCN 9(3,6)–8(3,5)	
U 89087.	89087.92	HCN 1–0 1=0 ν <sub>2</sub> =2	Luc88
U 90684.2	90686.381	C <sub>2</sub> S 7(7)–6(6)	Sai87
U 92352.7	92353.43	CH <sub>3</sub> CN 5(1)–4(1) 1=1 ν <sub>8</sub> =1	Tur90
U 93870.5	93870.107	C <sub>2</sub> S 8(7)–7(6)	Sai87
U 99867.0	99866.521	C <sub>2</sub> S 7(8)–6(7)	Sai87
U 100601.6	100598.34	CH <sub>2</sub> CN 5(0,5)–4(0,4)	Irv88a
U 101000.	101002.35	CH <sub>2</sub> CO 5(3)–4(3)	Cum86
U 102217.	102217.515	NH <sub>2</sub> ClO 2(1,2)–1(0,1)	Tur89
U 102812.0	102807.32	H <sub>2</sub> C <sup>34</sup> S 3(1,2)–2(1,1)	Tur89
U 103641.8	103640.759	C <sub>2</sub> S 8(8)–7(7)	Sai87
U 106348.0	106347.726	C <sub>2</sub> S 9(8)–8(7)	Sai87
U 131552.3	131551.796	C <sub>2</sub> S 11(10)–10(9)	Sai87
U 144244.5	144244.841	C <sub>2</sub> S 12(11)–11(10)	Sai87
U 163873.	163872.400	<sup>13</sup> CH <sub>3</sub> OH 7(0)–6(1) E	And87
U 202688.	202690.687	NH <sub>2</sub> CHO 6(2,5)–6(1,6)	Tur85
U 202815.	202818.966	CH <sub>3</sub> CN 11(5)–10(5) ν <sub>8</sub> =1	Tur85
U 205757.		incorrect, deleted	
U 215886.	215886.963	<sup>13</sup> CH <sub>3</sub> OH 4(2)–3(1) E	And87
U 222720.	222722.9	CH <sub>3</sub> OH 16(2)–15(1) A <sup>+</sup>	Sut85
U 234936.	234935.69	PN 5–4	Tur87b
U 240097.		deleted, not reported	Tur85
U 281958.	281958.	CH <sub>3</sub> OH 9(–3)–10(–2) E	Sut88

<sup>a</sup>Only resolved (unblended) components are enumerated in this table.<sup>b</sup>Molecular species identification is tentative due to lack of laboratory assignment.

TABLE 3. Assignment changes by Turner [Tur91] for lines listed in TABLE 5 from Tur89 or changed in the present work

Frequency (MHz)	Old Assignment [Tur89]			New designation [Tur91]	New designation Present
<b>Source: SgrB2</b>					
70540.	CH <sub>3</sub> CH <sub>2</sub> CN	17(1,16)-17(1,17) <sup>a</sup>	→	reassigned	U70540.
77458.	CH <sub>3</sub> SH	8(2)-9(1) A <sup>+</sup>	→	reassigned	U77458.
77687.	CH <sub>3</sub> CH <sub>2</sub> OH	5(4,2)-6(3,3)	→	reassigned	U77687.
79465.	CH <sub>3</sub> CHO	4(2,2)-3(2,2)	→	reassigned	U79465.
87580.	CH <sub>3</sub> CH <sub>2</sub> OH	5(3,2)-4(3,1) <sup>a</sup>	→	reassigned	U87580.
87796.	HCOOCH <sub>3</sub>		→	not listed	
90506.	CH <sub>3</sub> OD	2(-1)-1(-1) E v <sub>t</sub> =1	→	reassigned	U90506.
93355.	HCOOCH <sub>3</sub>	8(3,6)-7(1,7)	→	reassigned	U93355.
98630.	CH <sub>3</sub> CH <sub>2</sub> CN	12(2,11)-12(0,12)	→	reassigned	U98630.
103868.	CH <sub>3</sub> CH <sub>2</sub> CN	21(1,20)-21(0,21)	→	reassigned	U103868.
104720.	CH <sub>3</sub> CH <sub>2</sub> OH	6(2,5)-5(2,4) <sup>a</sup>	→	reassigned	U104720.
112235.	CH <sub>3</sub> CHO	10(2,9)-10(1,9) E	→	not listed	
<b>Source: OriA</b>					
75451.	CH <sub>3</sub> CH <sub>2</sub> OH	17(8,10)-18(7,11)	→	reassigned	U75451.
77511.	CH <sub>3</sub> CH <sub>2</sub> OH	11(1,10)-11(1,11) <sup>a</sup>	→	reassigned	U77511.
84215.	CH <sub>3</sub> CH <sub>2</sub> OH	5(1,5)-4(1,4) <sup>a</sup>	→	same	U84215.
84628.	HCOOCH <sub>3</sub>	9(8,1)-10(7,4)	→	reassigned	U84628.
87110.	CH <sub>3</sub> CHO	2(1,1)-1(0,1) E	→	reassigned	U87110.
87525.	CH <sub>3</sub> CH <sub>2</sub> OH	5(4)-4(4) <sup>a</sup>	→	same	U87525.
89411.	HCOOCH <sub>3</sub>	11(1,10)-11(1,11)	→	reassigned	U89411.
91063.	CH <sub>3</sub> OD	2(1)-1(1) A v <sub>t</sub> =2	→	reassigned	U91063.
91913.	NH <sub>2</sub> CHO	32(7,26)-33(6,27)	→	same	U91913.
92715.	CH <sub>3</sub> OCH <sub>3</sub>	8(5,3)-9(4,6)	→	same	U92715.
94077.	<sup>13</sup> CH <sub>3</sub> OH	2(1)-1(1) A <sup>+</sup> v <sub>t</sub> =1	→	reassigned	U94077.
94902.	CH <sub>3</sub> CH <sub>2</sub> OH	7(5,2)-8(4,5)	→	same	U94902.
95073.	CH <sub>3</sub> CHCN	3(2,2)-4(1,3)	→	reassigned	U95073.
95260.	HCOOCH <sub>3</sub>	7(3,5)-7(1,6)	→	reassigned	U95260.
96437.	HCOOCH <sub>3</sub>	11(2,10)-11(0,11) A	→	same	U96437.
96775.	HCOOCH <sub>3</sub>	7(4,3)-7(3,5) E	→	reassigned	U96775.
97069.	HCOOCH <sub>3</sub>	8(8,1)-9(7,2) A	→	reassigned	U97069.
98771.	HCOOH	11(1,10)-10(2,9)	→	same	U98771.
99011.	HCOOCH <sub>3</sub>	8(4,4)-7(4,4)	→	reassigned	U99011.
99586.	NH <sub>2</sub> CHO	26(6,20)-27(5,23)	→	same	U99586.
100421.	HCOOCH <sub>3</sub>	16(4,12)-15(5,11)	→	reassigned	U100421.
100765.	HCOOCH <sub>3</sub>	5(3,3)-5(1,4)	→	reassigned	U100765.
101384.	DNCO	5(1,5)-4(1,4)	→	not listed	U101384.
101877.	CH <sub>3</sub> CH <sub>2</sub> CN	21(1,20)-21(1,21) <sup>a</sup>	→	reassigned	not listed
103689.	HCOOCH <sub>3</sub>	4(3,2)-4(1,3) A	→	reassigned	U103689.
103918.	CH <sub>3</sub> CH <sub>2</sub> CN	4(2,3)-3(1,2)	→	reassigned	U103918.
105023.	CH <sub>3</sub> CH <sub>2</sub> OH	6(5)-5(5) <sup>a</sup>	→	same	U105023.
106995.	HCOOCH <sub>3</sub>	4(2,2)-3(0,3) A	→	reassigned	U106995.
113314.	CH <sub>3</sub> CHO	6(2,5)-5(2,3) E	→	reassigned	U113314.

<sup>a</sup>Transitions are a-type with small line strength or dipole moment.

TABLE 4. List of telescope abbreviations employed in Table 5

ARO 46 m .....	Algonquin Radio Observatory Lake Traverse Ontario, Canada
Arecibo 350 m .....	Arecibo Observatory Puerto Rico
BTL 7 m .....	Bell Telephone Laboratory Holmdel, New Jersey
CAdY 13.7 m .....	Centro Astromico de Yebes Guadalajara, Spain
CSO 10.4m.....	Caltech Submillimeter Observatory Mauna Kea, Hawaii
FCRAO 14 m .....	Five College Radio Astronomy Observatory Massachusetts
Hale 5 m.....	Hale Telescope Mount Palomar, California
IRAM 30 m.....	IRAM Picoteleta, Spain
IRTF 3 m.....	Infrared Telescope Facility Mauna Kea, Hawaii
IRT 13.7 m .....	Itapetinga Radio Telescope Sao Paulo, Brazil
KAO 1 m .....	G. P. Kuiper Airborne Observatory
MMT.....	Multiple Mirror Telescope Mt. Lemmon, Arizona
MMWO 4.9 m.....	McDonald Millimeter Wave Observatory Fort Davis, Texas
MPI 100 m.....	Max-Planck-Institut fur Radioastronomie Effelsberg, Germany
NASA-C 70 m.....	NASA Canberra Deep Space Communications Complex, Australia
NEROC 37 m (120 ft)....	Northeast Radio Observatory Corporation Haystack Observatory Westford, Massachusetts
NRAO 11 m (36 ft) .....	National Radio Astronomy Observatory Kitt Peak, Arizona
NRAO 43 m (140 ft) .....	National Radio Astronomy Observatory Greenbank, West Virginia
NRL 26 m (85 ft).....	Naval Research Laboratory Maryland Point Observatory, Maryland
NRO 45 m .....	Nobeyama Radio Observatory University of Tokyo Nobeyama, Japan
OSO 26.6 m.....	Onsala Space Observatory Onsala, Sweden
OSO 20 m .....	Onsala Space Observatory Onsala, Sweden
OVRO 10.4 m.....	Owens Valley Radio Observatory Owens Valley, California
Parkes 64 m.....	Division of Radiophysics CSIRO Parkes, Australia
Pushino 22 m.....	Pushino, USSR
SEST 15 m.....	Swedish ESO Submillimeter Telescope LaSilla, Chile
SRCAL 25 m.....	SRC Appleton Laboratory Chilbolton Observatory Stockbridge, Hants, England
TAO 6 m .....	Tokyo Astronomical Observatory Tokyo, Japan
UKIRT 3.8 m .....	UK Infrared Telescope Mauna Kea, Hawaii
UM/UCSD 1.5 m.....	University of Minnesota/UCSD 60 in Mt. Lemmon, Arizona

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r(K)$ $/T_s(K)$	Source	Telescope	Astr. ref.	Lab. ref.
701.679 (4)		CH	$^2\Pi_{3/2} J = 3/2 F = 2-2$	-0.6	W51	Arecibo	350m	Ziu85
704.175*(10)		CH	$^2\Pi_{3/2} J = 3/2 F = 2+ -1-$	-0.10	W51	Arecibo	350m	Tur88
722.303*(10)		CH	$^2\Pi_{3/2} J = 3/2 F = 1+ -2-$	-0.12	W51	Arecibo	350m	Tur88
724.791 (4)		CH	$^2\Pi_{3/2} J = 3/2 F = 1-1$	-0.5	W51	Arecibo	350m	Ziu85
834.267 (2)		CH <sub>3</sub> OH	$1(1,0)-1(1,1) A$	0.58	Sgr A	NRAO	43m	Bal70
1065.075 (5)		CH <sub>3</sub> CHO	$1(1,0)-1(1,1) A$	0.3	Sgr A	NRAO	43m	Got73
1371.709*(2)		CH <sub>2</sub> CHCN	$2(1,1)-2(1,2) F = 1-1$	0.012	Sgr B2	Parkes	64m	Gar75
1371.794*(2)		CH <sub>2</sub> CHCN	$2(1,1)-2(1,2) F = 3-3$	0.034	Sgr B2	Parkes	64m	Gar75
1371.947*(2)		CH <sub>2</sub> CHCN	$2(1,1)-2(1,2) F = 2-2$	0.019	Sgr B2	Parkes	64m	Gar75
1538.113*(1)		NH <sub>2</sub> CHO	$1(1,0)-1(1,1) F = 1-1$	0.08	Sgr B2	NRAO	43m	Got73a
1538.678*(1)		NH <sub>2</sub> CHO	$1(1,0)-1(1,1) F = 1-2$	0.09	Sgr B2	NRAO	43m	Got73a
1539.265*(1)		NH <sub>2</sub> CHO	$1(1,0)-1(1,1) F = 2-1$	0.10	Sgr B2	NRAO	43m	Got73a
1539.526*(1)		NH <sub>2</sub> CHO	$1(1,0)-1(1,1) F = 1-0$	0.08	Sgr B2	NRAO	43m	Got73a
1539.831*(1)		NH <sub>2</sub> CHO	$1(1,0)-1(1,1) F = 2-2$	0.36	Sgr B2	NRAO	43m	Got73a
1540.994*(1)		NH <sub>2</sub> CHO	$1(1,0)-1(1,1) F = 0-1$	0.10	Sgr B2	NRAO	43m	Got73a
1570.805 (5)		NH <sub>2</sub> <sup>13</sup> CHO	$1(1,0)-1(1,1) F = 2-2$	0.04	Sgr B2	Parkes	64m	Gar80
1584.274 (2)		<sup>18</sup> OH	$^2\Pi_{3/2} J = 3/2 F = 1-2$	-0.05	Sgr B2	Parkes	64m	Wil81a
1610.249 (3)		HCOOCH <sub>3</sub>	$1(1,0)-1(1,1) A$	0.07	Sgr B2	Parkes	64m	Bro75
1610.906 (3)		HCOOCH <sub>3</sub>	$1(1,0)-1(1,1) E$	0.061	Sgr B2	MPI	100m	Chu75
1612.2310 (2)		OH	$^2\Pi_{3/2} J = 3/2 F = 1-2$	-0.80	OriMC-2	Parkes	64m	Gar64
1624.518 (10)		<sup>17</sup> OH	$^2\Pi_{3/2} J = 3/2 F, F_1 = 7/2, 4-7/2, 4$	-0.045	Sgr A	Parkes	64m	Gar76
1626.161 (10)		<sup>17</sup> OH	$^2\Pi_{3/2} J = 3/2 F, F_1 = 9/2, 4-9/2, 4$	-0.056	Sgr A	Parkes	64m	Gar76
1637.564 (2)		<sup>18</sup> OH	$^2\Pi_{3/2} J = 3/2 F = 1-1$	-0.2	Sgr A	Parkes	64m	Gar70
1638.805 (3)		HCOOH	$1(1,0)-1(1,1)$	0.04	Sgr B2	NRAO	43m	Zuc71
1639.503 (2)		<sup>18</sup> OH	$^2\Pi_{3/2} J = 3/2 F = 2-2$	-0.5	Sgr A	Parkes	64m	Gar70
1665.4018 (1)		OH	$^2\Pi_{3/2} J = 3/2 F = 1-1$	-5.15	OriMC-2	NRAO	43m	Wei68
1667.3590 (1)		OH	$^2\Pi_{3/2} J = 3/2 F = 2-2$	-6.30	OriMC-2	NRAO	43m	Wei63
1692.795 (2)		<sup>18</sup> OH	$^2\Pi_{3/2} J = 3/2 F = 2-1$	-0.04	Sgr B2	Parkes	64m	Whi81
1720.5300 (1)		OH	$^2\Pi_{3/2} J = 3/2 F = 2-1$	-1.10	OriMC-2	Parkes	64m	Gar64
2661.61 *(5)		HC <sub>5</sub> N	$1-0 F = 1-1$	0.020	Sgr B2	Parkes	64m	Bro76
2662.87 *(5)		HC <sub>5</sub> N	$1-0 F = 2-1$	0.036	Sgr B2	Parkes	64m	Bro76
2664.76 *(5)		HC <sub>5</sub> N	$1-0 F = 0-1$	0.023	Sgr B2	Parkes	64m	Bro76
3139.402*(1)		H <sub>2</sub> CS	$2(1,1)-2(1,2)$	-0.33	Sgr B2	Parkes	64m	Sin73
3195.167 (10)		CH <sub>3</sub> CHO	$2(1,1)-2(1,2) A$	0.2	Sgr B2	Parkes	64m	Fou74
3263.794 (3)		CH	$^2\Pi_{1/2} J = 1/2 F = 0-1$	0.24	Cas A	OSO	25.6m	Ryd76
3335.481 (2)		CH	$^2\Pi_{1/2} J = 1/2 F = 1-1$	0.25	Cas A	OSO	25.6m	Ryd76
3349.193 (3)		CH	$^2\Pi_{1/2} J = 1/2 F = 1-0$	0.18	Cas A	OSO	25.6m	Ryd76
4388.7786 (3)		H <sub>2</sub> C <sup>18</sup> O	$1(1,0)-1(1,1) F = 1-0$	b	Sgr B2	Parkes	64m	Gar71a
4388.7960*(4)		H <sub>2</sub> C <sup>18</sup> O	$1(1,0)-1(1,1) F = 0-1$	b	Sgr B2	Parkes	64m	Gar71a
4388.7963 (2)		H <sub>2</sub> C <sup>18</sup> O	$1(1,0)-1(1,1) F = 2-2$	n.r. <sup>c</sup>	Sgr B2	Parkes	64m	Gar71a
4388.8011 (2)		H <sub>2</sub> C <sup>18</sup> O	$1(1,0)-1(1,1) F = 2-1$	b	Sgr B2	Parkes	64m	Gar71a
4388.8035 (3)		H <sub>2</sub> C <sup>18</sup> O	$1(1,0)-1(1,1) F = 1-2$	b	Sgr B2	Parkes	64m	Gar71a
4388.8084 (3)		H <sub>2</sub> C <sup>18</sup> O	$1(1,0)-1(1,1) F = 1-1$	b	Sgr B2	Parkes	64m	Gar71a
4592.9563 (1)		H <sub>2</sub> <sup>13</sup> CO	$1(1,0)-1(1,1) 1/2, 1/2-1/2, 3/2$	b	W33	MPI	100m	Wil76b
4592.9738 (1)		H <sub>2</sub> <sup>13</sup> CO	$1(1,0)-1(1,1) 1/2, 1/2-3/2, 3/2$	b	W33	MPI	100m	Wil76b
4592.9759 (3)		H <sub>2</sub> <sup>13</sup> CO	$1(1,0)-1(1,1) 3/2, 1/2-1/2, 3/2$	-0.1 <sup>b</sup>	W33	MPI	100m	Wil76b
4592.9857 (1)		H <sub>2</sub> <sup>13</sup> CO	$1(1,0)-1(1,1) 3/2, 1/2-5/2, 3/2$	b	W33	MPI	100m	Wil76b
4592.9934 (1)		H <sub>2</sub> <sup>13</sup> CO	$1(1,0)-1(1,1) 3/2, 1/2-3/2, 3/2$	b	W33	MPI	100m	Wil76b
4593.0494 (2)		H <sub>2</sub> <sup>13</sup> CO	$1(1,0)-1(1,1) 1/2, 1/2-1/2, 1/2$	b	W33	MPI	100m	Wil76b
4593.0690 (1)		H <sub>2</sub> <sup>13</sup> CO	$1(1,0)-1(1,1) 3/2, 1/2-1/2, 1/2$	b	W33	MPI	100m	Wil76b
4593.0800 (3)		H <sub>2</sub> <sup>13</sup> CO	$1(1,0)-1(1,1) 1/2, 1/2-3/2, 1/2$	b	W33	MPI	100m	Wil76b
4593.0812 (1)		H <sub>2</sub> <sup>13</sup> CO	$1(1,0)-1(1,1) 1/2, 3/2-1/2, 3/2$	b	W33	MPI	100m	Wil76b
4593.08654(5)		H <sub>2</sub> <sup>13</sup> CO	$1(1,0)-1(1,1) 5/2, 3/2-5/2, 3/2$	-0.55 <sup>b</sup>	W33	MPI	100m	Wil76b
4593.0864 (3)		H <sub>2</sub> <sup>13</sup> CO	$1(1,0)-1(1,1) 3/2, 3/2-1/2, 3/2$	b	W33	MPI	100m	Wil76b
4593.0942 (2)		H <sub>2</sub> <sup>13</sup> CO	$1(1,0)-1(1,1) 5/2, 3/2-3/2, 3/2$	b	W33	MPI	100m	Wil76b
4593.0961 (2)		H <sub>2</sub> <sup>13</sup> CO	$1(1,0)-1(1,1) 3/2, 3/2-5/2, 3/2$	b	W33	MPI	100m	Wil76b
4593.0985 (2)		H <sub>2</sub> <sup>13</sup> CO	$1(1,0)-1(1,1) 1/2, 3/2-3/2, 3/2$	b	W33	MPI	100m	Wil76b
4593.0994 (3)		H <sub>2</sub> <sup>13</sup> CO	$1(1,0)-1(1,1) 3/2, 1/2-3/2, 1/2$	b	W33	MPI	100m	Wil76b
4593.1039 (1)		H <sub>2</sub> <sup>13</sup> CO	$1(1,0)-1(1,1) 3/2, 3/2-3/2, 3/2$	b	W33	MPI	100m	Wil76b
4593.1741 (1)		H <sub>2</sub> <sup>13</sup> CO	$1(1,0)-1(1,1) 1/2, 3/2-1/2, 1/2$	b	W33	MPI	100m	Wil76b
4593.1795 (1)		H <sub>2</sub> <sup>13</sup> CO	$1(1,0)-1(1,1) 3/2, 3/2-1/2, 1/2$	b	W33	MPI	100m	Wil76b
4593.2003 (1)		H <sub>2</sub> <sup>13</sup> CO	$1(1,0)-1(1,1) 5/2, 3/2-3/2, 1/2$	-0.1 <sup>b</sup>	W33	MPI	100m	Wil76b
4593.2046 (3)		H <sub>2</sub> <sup>13</sup> CO	$1(1,0)-1(1,1) 1/2, 3/2-3/2, 1/2$	b	W33	MPI	100m	Wil76b
4593.2099 (2)		H <sub>2</sub> <sup>13</sup> CO	$1(1,0)-1(1,1) 3/2, 3/2-3/2, 1/2$	b	W33	MPI	100m	Wil76b
4617.126*(1)		NH <sub>2</sub> CHO	$2(1,1)-2(1,2) F = 2-2$	0.07	Sgr B2	NRAO	43m	Rib73

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r(K)$ $/T_a(K)$	Source	Telescope	Astr. ref.	Lab. ref.
4618.966*(1)		NH <sub>2</sub> CHO	2(1,1)–2(1,2) $F=3-3$	0.30 <sup>d</sup>	Sgr B2	NRAO	43m	Rub71
4619.989*(1)		NH <sub>2</sub> CHO	2(1,1)–2(1,2) $F=1-1$	<0.05	Sgr B2	NRAO	43m	Rub71
4660.242(3)		OH	<sup>2</sup> P <sub>1/2</sub> $J=1/2$ $F=0-1$	0.3	Sgr B2	NRAO	43m	Tha70
4750.656(3)		OH	<sup>2</sup> P <sub>1/2</sub> $J=1/2$ $F=1-1$	0.3 <sup>e</sup>	Sgr B2	Parkes	64m	Gar71
4765.562(3)		OH	<sup>2</sup> P <sub>1/2</sub> $J=1/2$ $F=1-0$	1.7	W3	NRAO	43m	Zuc68
4829.6412(2)		H <sub>2</sub> CO	1(1,0)–1(1,1) $F=1-0$	-0.2	TMC-1	NRAO	43m	Pal69
4829.6587(2)		H <sub>2</sub> CO	1(1,0)–1(1,1) $F=0-1$	<sup>b</sup>	TMC-1	NRAO	43m	Pal69
4829.6594(2)		H <sub>2</sub> CO	1(1,0)–1(1,1) $F=2-2$	<sup>b</sup>	TMC-1	NRAO	43m	Kuk75
4829.6639(2)		H <sub>2</sub> CO	1(1,0)–1(1,1) $F=2-1$	-0.8 <sup>b</sup>	TMC-1	NRAO	43m	Pal69
4829.6664(2)		H <sub>2</sub> CO	1(1,0)–1(1,1) $F=1-2$	<sup>b</sup>	TMC-1	NRAO	43m	Kuk75
4829.6710(2)		H <sub>2</sub> CO	1(1,0)–1(1,1) $F=1-1$	<sup>b</sup>	TMC-1	NRAO	43m	Pal69
4916.312*(8)		HCOOH	2(1,1)–2(1,2)	0.04	Sgr B2	MPI	100m	Win75
5005.3208(2)		CH <sub>3</sub> OH	3(1)–3(1) A	0.05 <sup>d</sup>	Sgr B2	Parkes	64m	Rob74
5289.015*(19)		CH <sub>2</sub> NH	1(1,0)–1(1,1) $F=0-1$	0.05	Sgr B2	Parkes	64m	God73
5289.678*(22)		CH <sub>2</sub> NH	1(1,0)–1(1,1) $F=1-0$	<sup>b</sup>	Sgr B2	Parkes	64m	God73
5289.813*(6)		CH <sub>2</sub> NH	1(1,0)–1(1,1) $F=2-2$	0.15 <sup>b</sup>	Sgr B2	Parkes	64m	God73
5290.614*(13)		CH <sub>2</sub> NH	1(1,0)–1(1,1) $F=2-1$	<sup>b</sup>	Sgr B2	Parkes	64m	God73
5290.879*(11)		CH <sub>2</sub> NH	1(1,0)–1(1,1) $F=1-2$	0.07 <sup>b</sup>	Sgr B2	Parkes	64m	God73
5291.680*(18)		CH <sub>2</sub> NH	1(1,0)–1(1,1) $F=1-1$	0.05	Sgr B2	Parkes	64m	God73
5324.058*(35)		HC <sub>5</sub> N	2–1 $F=2-2$	0.01	Sgr B2	Parkes	64m	Gar78a
5324.270*(35)		HC <sub>5</sub> N	2–1 $F=1-0$	<sup>b</sup>	Sgr B2	Parkes	64m	Gar78a
5325.330*(27)		IIC <sub>5</sub> N	2–1 $F=2-1$	<sup>b</sup>	Sgr B2	Parkes	64m	Gar78a
5325.421*(27)		HC <sub>5</sub> N	2–1 $F=3-2$	0.044	Sgr B2	Parkes	64m	Gar78a
5327.451*(41)		HC <sub>5</sub> N	2–1 $F=1-1$	0.01	Sgr B2	Parkes	64m	Gar78a
6016.746(8)		OH	<sup>2</sup> P <sub>3/2</sub> $J=5/2$ $F=2-3$	-0.12	G291.3–0.7	Parkes	64m	Whi76
6030.747(5)		OH	<sup>2</sup> P <sub>3/2</sub> $J=5/2$ $F=2-2$	7.	W3(OH)	NRAO	43m	Zuc72a
6035.092(5)		OH	<sup>2</sup> P <sub>3/2</sub> $J=5/2$ $F=3-3$	20.	W3(OH)	NRAO	43m	Zuc72a
6049.084(8)		OH	<sup>2</sup> P <sub>3/2</sub> $J=5/2$ $F=3-2$	0.04	W33	MPI	100m	Gar83
6278.623*(1)		H <sub>2</sub> CS	3(1,2)–3(1,3)	n.r.	Sgr B2	ARO	46m	Mac75
6390.085(40)		CH <sub>3</sub> CHO	3(1,2)–3(1,3) A	0.045	Sgr B2	ARO	46m	Bel83b
7761.747(5)		OH	<sup>2</sup> P <sub>1/2</sub> $J=3/2$ $F=1-1$	-0.10	W3(OH)	MPI	100m	Wil90
7820.125(5)		OH	<sup>2</sup> P <sub>1/2</sub> $J=3/2$ $F=2-2$	-0.026	W3(OH)	MPI	100m	Wil90
7895.983(10)		HC <sub>5</sub> N	7–6 $F=6-5$	<sup>b</sup>	TMC-1	NEROC	37m	Rod80
7896.005(10)		HC <sub>5</sub> N	7–6 $F=7-6$	0.006 <sup>b</sup>	TMC-1	NEROC	37m	Rod80
7896.017(10)		HC <sub>5</sub> N	7–6 $F=8-7$	<sup>b</sup>	TMC-1	NEROC	37m	Rod80
7987.782(10)		HC <sub>5</sub> N	3–2 $F=2-1$	0.040	TMC-1	NEROC	37m	Rod80
7987.994(10)		HC <sub>5</sub> N	3–2 $F=3-2$	0.039	TMC-1	NEROC	37m	Rod80
7988.044(10)		HC <sub>5</sub> N	3–2 $F=4-3$	0.055	TMC-1	NEROC	37m	Rod80
8135.870(5)		OH	<sup>2</sup> P <sub>1/2</sub> $J=5/2$ $F=2-2$	-0.031	W3(OH)	MPI	100m	Wil90
8189.587(5)		OH	<sup>2</sup> P <sub>1/2</sub> $J=5/2$ $F=3-3$	+0.009	W3(OH)	MPI	100m	Wil90
8775.088(10)		CH <sub>3</sub> NH <sub>2</sub>	2(0,2)–1(0,1) $F=1-0$ AA	0.05	Sgr B2	Parkes	64m	Fou74a
8777.442(10)		CH <sub>3</sub> NH <sub>2</sub>	2(0,2)–1(0,1) $F=3-2$ AA	0.18	Sgr B2	Parkes	64m	Fou74a
8778.200(10)		CH <sub>3</sub> NH <sub>2</sub>	2(0,2)–1(0,1) $F=2-2$ AA	0.04 <sup>b</sup>	Sgr B2	Parkes	64m	Fou74a
8778.260(10)		CH <sub>3</sub> NH <sub>2</sub>	2(0,2)–1(0,1) $F=1-1$ AA	<sup>b</sup>	Sgr B2	Parkes	64m	Fou74a
8779.496(8)		CH <sub>3</sub> NH <sub>2</sub>	2(0,2)–1(0,1) $F=2-1$ AA	0.1	Sgr B2	Parkes	64m	Fou74a
8815.814*(6)		H <sup>13</sup> CCCN	1–0 $F=1-1$	0.039	Sgr B2	MPI	100m	Chu77
8817.096*(2)		H <sup>13</sup> CCCN	1–0 $F=2-1$	0.080	Sgr B2	MPI	100m	Chu77
8819.019*(9)		H <sup>13</sup> CCCN	1–0 $F=0-1$	0.025	Sgr B2	MPI	100m	Chu77
9024.004(10)		HC <sub>5</sub> N	8–7	0.16	TMC-1	MPI	100m	Tol81
9058.447*(6)		HC <sup>13</sup> CCN	1–0 $F=1-1$	0.025	Sgr B2	MPI	100m	Chu77
9059.318*(2)		HCC <sup>13</sup> CN	1–0 $F=1-1$	n.r.	Sgr B2	MPI	100m	Chu77
9059.736*(3)		HC <sup>13</sup> CCN	1–0 $F=2-1$	0.055	Sgr B2	MPI	100m	Chu77
9060.6080*(9)		HCC <sup>13</sup> CN	1–0 $F=2-1$	0.05	Sgr B2	MPI	100m	Chu77
9097.0346(3)		HC <sub>5</sub> N	1–0 $F=1-1$	0.82	Sgr B2	MPI	100m	Chu77
9098.3321(3)		HC <sub>5</sub> N	1–0 $F=2-1$	2.11	Sgr B2	MPI	100m	Chu77
9100.2727(5)		HC <sub>5</sub> N	1–0 $F=0-1$	0.16	Sgr B2	MPI	100m	Chu77
9118.818(15)		CH <sub>3</sub> OCH <sub>3</sub>	2(0,2)–1(1,1) AA	<sup>b</sup>	Sgr B2	Parkes	64m	Win76
9119.670(15)		CH <sub>3</sub> OCH <sub>3</sub>	2(0,2)–1(1,1) EE	0.05 <sup>bg</sup>	Sgr B2	Parkes	64m	Win76
9120.517(15)		CH <sub>3</sub> OCH <sub>3</sub>	2(0,2)–1(1,1) AE+EA	<sup>b</sup>	Sgr B2	Parkes	64m	Win76
9235.120(8)		NH <sub>2</sub> CHO	3(1,2)–3(1,3) $F=3-3$	0.055	Sgr B2	NRAO	43m	God84
9237.028(8)		NH <sub>2</sub> CHO	3(1,2)–3(1,3) $F=4-4$	0.080	Sgr B2	NRAO	43m	God84
9237.714(16)		NH <sub>2</sub> CHO	3(1,2)–3(1,3) $F=2-2$	<sup>b</sup>	Sgr B2	NRAO	43m	God84
U 9486.71		unidentified		0.025	TMC-1	NRAO	43m	Mat83a
9493.061*(4)		C <sub>4</sub> H	1–0 $J=3/2-1/2$ $F=1-0$	0.090	TMC-1	NRAO	43m	Bel83a
U 9496.4 (1)		unidentified		0.008	CasA	NRAO	43m	Bel83

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_1(K)$ $/T_a(K)$	Source	Telescope	Astr. ref.	Lab. ref.	
9497.616*(2)		C <sub>4</sub> H	1-0 J=3/2-1/2 F=2-1	0.245	TMC-1	NRAO	43m	Bel83a	Got83
9508.005*(4)		C <sub>4</sub> H	1-0 J=3/2-1/2 F=1-1	0.080	TMC-1	NRAO	43m	Bel83a	Got83
9547.953(5)		C <sub>4</sub> H	1-0 J=1/2-1/2 F=1-0	0.095	TMC-1	NRAO	43m	Bel83a	Gué82a
9551.717*(4)		C <sub>4</sub> H	1-0 J=1/2-1/2 F=0-1	0.080	TMC-1	NEROC	37m	Bel83a	Got83
9562.904*(3)		C <sub>4</sub> H	1-0 J=1/2-1/2 F=1-1	0.115	TMC-1	NRAO	43m	Bel83a	Got83
9885.89*(1)		C <sub>3</sub> N	1-0 J=3/2-1/2 F=5/2-3/2	0.02	TMC-1	ARO	46m	Mac81a	Gué82a
10152.002*(6)		HC <sub>2</sub> N	9-8	0.08	TMC-1	ARO	46m	Kro78	
10278.246(6)		HDO	2(2,0)-2(2,1)	0.032	OriMC-116	NRAO	43m	Pet88	Tha64 N
10458.641*(1)		HC <sub>2</sub> N	18-17	0.021	TMC-1	ARO	46m	Bro78	M
10463.956*(1)		H <sub>2</sub> CS	4(1,3)-4(1,4)	-0.040	Sgr B2	ARO	46m	Doh74	
10648.419(4)		CH <sub>3</sub> CHO	4(1,3)-4(1,4) A	0.021	Sgr B2	ARO	46m	Bel83b	Lov90 M
10650.563*(5)		HC <sub>2</sub> N	4-3 F=3-2	0.13	TMC-1	NRO	45m	Tak90	N
10650.654*(5)		HC <sub>2</sub> N	4-3 F=4-3	0.24 <sup>b</sup>	TMC-1	NRO	45m	Tak90	N
10650.686*(5)		HC <sub>2</sub> N	4-3 F=5-4	<sup>b</sup>	TMC-1	NRO	45m	Tak90	N
12162.979(1)		OCS	1-0	0.115	Sgr B2	NRAO	43m	Mat87a	Kuk74 N
12178.593(4)		CH <sub>3</sub> OH	2(0)-3(-1) E	429.Jy	345.01+1.79	Parks	64m	Nor87	Lov88 N
13043.814(4)		SO	1(2)-1(1)	0.4	Sgr B2	NRAO	43m	Cla78	Lov91 M
13434.596(10)		OH	<sup>2</sup> I <sub>3/2</sub> J=7/2 F=3-3	-0.20	DR21	MPI	100m	Gui84	Des75 N
13441.4173(2)		OH	<sup>2</sup> I <sub>3/2</sub> J=7/2 F=4-4	3.2	W3(OH)	NRAO	43m	Tur70	ter76
13778.804*(1)		H <sub>2</sub> <sup>13</sup> CO	2(1,1)-2(1,2)	-0.47	Sgr B2	MPI	100m	Hen83a	
13880.537(3)		HC <sub>11</sub> N	41-40	0.014	TMC-1	NRAO	43m	Bel85	Bel85
13944.838*(3)		HC <sub>2</sub> N	24-23	0.058	TMC-1	NRAO	43m	Bel85	M
14488.4589(2)		H <sub>2</sub> CO	2(1,1)-2(1,2) F=1-1	<sup>b</sup>	Sgr B2	NRL	26m	Eva70	Kuk75
14488.4712(2)		H <sub>2</sub> CO	2(1,1)-2(1,2) F=1-2	<sup>b</sup>	Sgr B2	NRL	26m	Eva70	Kuk75
14488.4801(2)		H <sub>2</sub> CO	2(1,1)-2(1,2) F=3-3	-1.3 <sup>b</sup>	Sgr B2	NRL	26m	Eva70	Kuk75
14488.4899(2)		H <sub>2</sub> CO	2(1,1)-2(1,2) F=2-2	<sup>b</sup>	Sgr B2	NRL	26m	Eva70	Kuk75
14525.869*(3)		HC <sub>2</sub> N	25-24	0.073	TMC-1	NRAO	43m	Bro78	M
14663.985*(9)		HC <sub>2</sub> N	13-12	0.06	TMC-1	Parke	64m	Gar78	
14782.27(1)		<sup>13</sup> CH <sub>3</sub> OH	2(0)-3(-1) E	0.30	Sgr B2	NASA-c	70m	Kui89	Kur86 N
14893.050(4)		c-C <sub>3</sub> H	1(1,0)-1(1,1) J=3/2-3/2 F=2-2	0.124	TMC-1	NRAO	43m	Man90a	Lov91 N
14895.243(8)		c-C <sub>3</sub> H	1(1,0)-1(1,1) J=3/2-3/2 F=1-1	0.065	TMC-1	NRAO	43m	Man90a	Lov91 N
17647.479(10)		C <sub>4</sub> D	2-1 J=5/2-3/2 F=5/2-3/2	0.03	TMC-1	NRAO	43m	Tur89a	Tur89a N
17647.526(10)		C <sub>4</sub> D	2-1 J=5/2-3/2 F=3/2-1/2	0.03	TMC-1	NRAO	43m	Tur89a	Tur89a N
17647.716(10)		C <sub>4</sub> D	2-1 J=5/2-3/2 F=7/2-5/2	0.05	TMC-1	NRAO	43m	Tur89a	Tur89a N
17683.961(10)		C <sub>4</sub> D	2-1 J=3/2-1/2 F=5/2-3/2	0.04	TMC-1	NRAO	43m	Tur89a	Tur89a N
17684.662(10)		C <sub>4</sub> D	2-1 J=3/2-1/2 F=3/2-1/2	0.02	TMC-1	NRAO	43m	Tur89a	Tur89a N
18154.887*(2)		SiS	1-0	1.0	IRC+10216	MPI	100m	Gra81	
18194.9206*(8)		HC <sub>2</sub> N	2-1 F=2-2	<sup>b</sup>	Sgr B2	Parke	64m	McG77	
18195.3176*(6)		HC <sub>2</sub> N	2-1 F=1-0	<sup>b</sup>	Sgr B2	Parke	64m	McG77	
18196.2183*(5)		HC <sub>2</sub> N	2-1 F=2-1	0.36 <sup>b</sup>	Sgr B2	Parke	64m	McG77	
18196.3119*(7)		HC <sub>2</sub> N	2-1 F=3-2	<sup>b</sup>	Sgr B2	Parke	64m	McG77	
18197.078*(1)		HC <sub>2</sub> N	2-1 F=1-2	<sup>b</sup>	Sgr B2	Parke	64m	McG77	
18198.3756*(9)		HC <sub>2</sub> N	2-1 F=1-1	<sup>b</sup>	Sgr B2	Parke	64m	McG77	
18343.137(4)		C <sub>3</sub> H <sub>2</sub>	1(1,0)-1(0,1)	1.82	TMC-1	NRAO	43m	Mat85a	Lov91 M
18396.7252*(7)		CH <sub>3</sub> CN	1(0)-0(0) F=1-1	0.081	TMC-1	NRAO	43m	Mat83	
18397.9965*(6)		CH <sub>3</sub> CN	1(0)-0(0) F=2-1	0.120	TMC-1	NRAO	43m	Mat83	
18399.8924*(3)		CH <sub>3</sub> CN	1(0)-0(0) F=0-1	0.031	TMC-1	NRAO	43m	Mat83	
18499.390(5)		NH <sub>3</sub>	9(6)-9(6)	0.3	W51	NRAO	43m	Mad86	Poy75 N
18513.316*(5)		CH <sub>3</sub> CHCN	2(1,2)-1(1,1) F=3-2	0.021	TMC-1	NRAO	43m	Mat83a	
18638.617*(1)		HC <sub>2</sub> N	7-6	0.5	TMC-1	NRAO	43m	Jen82	
18650.303*(6)		HCCCHO	2(0,2)-1(0,1)	0.012	TMC-1	NRAO	43m	Irv88	N
18654.298(8)		(CH <sub>3</sub> ) <sub>2</sub> CO	4(2,2)-4(1,3) EE	0.010	Sgr B2	NRAO	43m	Com87	Lov89 N
18667.585(8)		(CH <sub>3</sub> ) <sub>2</sub> CO	4(2,2)-4(1,3) AA	0.008	Sgr B2	NRAO	43m	Com87	Vac86 N
18807.888(10)		NH <sub>3</sub> D	3(1,3)-3(0,3)	0.2	OriMC-1	MPI	100m	Wal87	Coh82 N
18808.507(5)		NH <sub>3</sub>	8(5)-8(5)	0.39	OriMC-1	MPI	100m	Her88	Poy75
18884.695(5)		NH <sub>3</sub>	6(2)-6(2)	0.50	OriMC-1	MPI	100m	Her88	Poy75
18965.588*(4)		CH <sub>2</sub> CHCN	2(0,2)-1(0,1) F=1-0	0.010	TMC-1	NRAO	43m	Mat83a	
18966.535*(5)		CH <sub>2</sub> CHCN	2(0,2)-1(0,1) F=2-1	0.032	TMC-1	NRAO	43m	Mat83a	
18966.616*(4)		CH <sub>2</sub> CHCN	2(0,2)-1(0,1) F=3-2	0.045	TMC-1	NRAO	43m	Mat83a	
U 18968.48		unidentified		0.011	TMC-1	NRAO	43m	Mat83a	
U 18968.66		unidentified		0.009	TMC-1	NRAO	43m	Mat83a	
19014.7204(15)		C <sub>4</sub> H	2-1 J=5/2-3/2 F=2-1	0.44	TMC-1	NRAO	43m	Gué82a	Gué82a
19015.1435(15)		C <sub>4</sub> H	2-1 J=5/2-3/2 F=3-2	0.65	TMC-1	NRAO	43m	Gué82a	Gué82a
19025.107(4)		C <sub>4</sub> H	2-1 J=5/2-3/2 F=2-2	0.048	TMC-1	NRAO	43m	Gué82a	Gué82a
19044.760(4)		C <sub>4</sub> H	2-1 J=3/2-1/2 F=1-1	0.055	TMC-1	NRAO	43m	Gué82a	Gué82a

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r(K)$ $/T_a(K)$	Source	Telescope	Astr. ref.	Lab. ref.
19054.4762(15)		C <sub>4</sub> H	2-1 J=3/2-1/2 F=2-1	0.42	TMC-1	NRAO	43m	Gué82a
19055.9468(15)		C <sub>4</sub> H	2-1 J=3/2-1/2 F=1-0	0.15	TMC-1	NRAO	43m	Gué82a
19099.656 ( 6 )		C <sub>4</sub> H	2-1 J=3/2-3/2 F=1-1	0.039	TMC-1	NRAO	43m	Gué82a
19174.105*( 9 )		HC <sub>3</sub> N	33-32	0.003	IRC+10216	NRAO	43m	Mat85
19175.950*(10)		HC <sub>7</sub> N	17-16	0.465	TMC-1	NRAO	43m	Mat85
19218.465 ( 5 )		NH <sub>3</sub>	7(4)-7(4)	0.6	OriMC-1	MPI	100m	Her88
19243.521*( 2 )		C <sub>3</sub> O	2-1	0.035	TMC-1	NRAO	43m	Mat84
19262.140 ( 4 )		CH <sub>3</sub> CHO	1(0,1)-0(0,0) E	0.014	TMC-1	NRAO	43m	Mat85
19265.096 ( 6 )		CH <sub>3</sub> CHO	1(0,1)-0(0,0) A	0.016	TMC-1	NRAO	43m	Mat85
19413.827*( 1 )		H <sup>13</sup> CCCH	1(1,0)-1(0,1)	0.046	TMC-1	NRAO	43m	Bel87
19418.661 ( 2 )		C <sub>3</sub> HD	1(1,0)-1(0,1) F=1-1	0.014	TMC-1	NRAO	43m	Bel87
19418.686 ( 1 )		C <sub>3</sub> HD	1(1,0)-1(0,1) F=2-1	0.032	TMC-1	NRAO	43m	Bel87
19418.712 ( 1 )		C <sub>3</sub> HD	1(1,0)-1(0,1) F=1-2	0.043	TMC-1	NRAO	43m	Bel87
19418.724 ( 1 )		C <sub>3</sub> HD	1(1,0)-1(0,1) F=0-1	0.034	TMC-1	NRAO	43m	Bel87
19418.740 ( 1 )		C <sub>3</sub> HD	1(1,0)-1(0,1) F=2-2	0.088	TMC-1	NRAO	43m	Bel86
19418.796 ( 2 )		C <sub>3</sub> HD	1(1,0)-1(0,1) F=1-0	0.021	TMC-1	NRAO	43m	Bel87
19426.679*( 4 )		CH <sub>2</sub> CHCN	2(1,1)-1(1,0) F=2-1	0.010	TMC-1	NRAO	43m	Mat83a
19427.851*( 4 )		CH <sub>2</sub> CHCN	2(1,1)-1(1,0) F=3-2	0.021	TMC-1	NRAO	43m	Mat83a
19429.098*( 7 )		CH <sub>2</sub> CHCN	2(1,1)-1(1,0) F=1-0	0.010	TMC-1	NRAO	43m	Mat83a
19757.538 ( 5 )		NH <sub>3</sub>	6(3)-6(3)	1.2	OriMC-1	MPI	100m	Her88
19780.800 ( 3 )		C <sub>3</sub> N	2-1 J=5/2-3/2 F=5/2-3/2	0.058	TMC-1	NRAO	43m	Gué82a
19780.826 ( 4 )		C <sub>3</sub> N	2-1 J=5/2-3/2 F=3/2-1/2	0.050	TMC-1	NRAO	43m	Gué82a
19781.094 ( 3 )		C <sub>3</sub> N	2-1 J=5/2-3/2 F=7/2-5/2	0.094	TMC-1	NRAO	43m	Gué82a
19799.951 ( 5 )		C <sub>3</sub> N	2-1 J=5/2-3/2 F=3/2-1/2	0.022	TMC-1	NRAO	43m	Gué82a
19800.121 ( 3 )		C <sub>3</sub> N	2-1 J=5/2-3/2 F=5/2-3/2	0.055	TMC-1	NRAO	43m	Gué82a
19838.346 ( 5 )		NH <sub>3</sub>	5(1)-5(1)	0.56	OriMC-1	MPI	100m	Her88
19967.416 (33)		CH <sub>3</sub> OH	2(1)-3(0) E	73.2	W3(OH)	MPI	100m	Wil85
20115.77		CH <sub>2</sub> CN	1/2-1/2 F <sub>1</sub> =3/2-3/2 F=5/2-5/2	0.060	TMC-1	NRAO	43m	Irv88a
20117.43		CH <sub>2</sub> CN	3/2-1/2 F <sub>1</sub> =5/2-3.2 F=3/2-1/2	0.050	TMC-1	NRAO	43m	Irv88a
20118.014		CH <sub>2</sub> CN	3/2-1/2 F <sub>1</sub> =5/2-3/2 F=5/2-3/2	0.111	TMC-1	NRAO	43m	Irv88a
20118.16		CH <sub>2</sub> CN	3/2-1/2 F <sub>1</sub> =1/2-1/2 F=3/2-3/2	0.030	TMC-1	NRAO	43m	Irv88a
20119.606		CH <sub>2</sub> CN	3/2-1/2 F <sub>1</sub> =5/3-3/2 F=7/2-5/2	0.160	TMC-1	NRAO	43m	Irv88a
20121.61		CH <sub>2</sub> CN	3/2-1/2 F <sub>1</sub> =3/2-3/2 F=3/2-3/2	0.050	TMC-1	NRAO	43m	Irv88a
20123.96		CH <sub>2</sub> CN	3/2-1/2 F <sub>1</sub> =1/2-1/2 F=3/2-3/2	0.030	TMC-1	NRAO	43m	Irv88a
20124.22		CH <sub>2</sub> CN	1/2-1/2 F <sub>1</sub> =3/2-1/2 F=3/2-1/2	<sup>b</sup>	TMC-1	NRAO	43m	Irv88a
20124.22		CH <sub>2</sub> CN	3/2-1/2 F <sub>1</sub> =3/2-3/2 F=1/2-1/2	0.020	TMC-1	NRAO	43m	Irv88a
20124.45		CH <sub>2</sub> CN	3/2-1/2 F <sub>1</sub> =3/2-1/2 F=3/2-3/2	0.080	TMC-1	NRAO	43m	Irv88a
20124.49		CH <sub>2</sub> CN	1/2-1/2 F <sub>1</sub> =3/2-3/2 F=5/2-3/2	0.020	TMC-1	NRAO	43m	Irv88a
20139.76		CH <sub>2</sub> CN	1/2-1/2 F <sub>1</sub> =1/2-3/2 F=3/2-5/2	0.060	TMC-1	NRAO	43m	Irv88a
20171.07 (10)		CH <sub>3</sub> OH	11(1)-10(2) A+	-0.65	W3(OH)	MPI	100m	Men86a
20209.198*( 9 )		CH <sub>2</sub> CO	1(0,1)-0(0,0)	0.017	TMC-1	NRAO	43m	Mat86
20357.226 (14)		CH <sub>3</sub> C <sub>2</sub> H	5(1)-4(1)	0.073	TMC-1	MPI	100m	Wal84
20357.423 (14)		CH <sub>3</sub> C <sub>4</sub> H	5(0)-4(0)	0.077	TMC-1	MPI	100m	Wal84
20371.45 (10)		NH <sub>3</sub>	5(2)-5(2)	0.9	Sgr B2N	MPI	100m	Wal84
20460.01 (10)		HDO	3(2,1)-4(1,4)	0.16	OriMC-1	MPI	100m	Her87
20657.336*( 4 )		CH <sub>3</sub> CCCN	5(0)-4(0)	0.043	TMC-1	NRAO	43m	Bro84
20719.221 ( 5 )		NH <sub>3</sub>	8(6)-8(6)	0.7	OriMC-1	MPI	100m	Her88
20735.452 ( 5 )		NH <sub>3</sub>	9(7)-9(7)	0.25	OriMC-1	MPI	100m	Her88
20792.568*( 4 )		H <sub>2</sub> CCC	1(0,1)-0(0,0)	0.233	TMC-1	MPI	100m	Cer87a
20792.872 (20)		C <sub>6</sub> H	<sup>2</sup> P <sub>1/2</sub> J=15/2-13/2 F=8-7 f	0.40	TMC-1	MPI	100m	Gué87
20792.944 (20)		C <sub>6</sub> H	<sup>2</sup> P <sub>1/2</sub> J=15/2-13/2 F=7-6 f	0.36	TMC-1	MPI	100m	Gué87
20794.441 (20)		C <sub>6</sub> H	<sup>2</sup> P <sub>1/2</sub> J=15/2-13/2 F=8-7 e	0.37	TMC-1	MPI	100m	Gué87
20794.511 (20)		C <sub>6</sub> H	<sup>2</sup> P <sub>1/2</sub> J=15/2-13/2 F=7-6 e	0.38	TMC-1	MPI	100m	Gué87
20804.830 ( 5 )		NH <sub>3</sub>	7(5)-7(5)	0.8	OriMC-1	MPI	100m	Her88
20852.527 ( 5 )		NH <sub>3</sub>	10(8)-10(8)	0.17	OriMC-1	MPI	100m	Her88
20970.65 ( 5 )		CH <sub>3</sub> OH	10(1)-11(2) A+ ν <sub>t</sub> =1	0.2	W3(OH)	MPI	100m	Men86a
20994.617 ( 5 )		NH <sub>3</sub>	6(4)-6(4)	1.0	OriMC-1	MPI	100m	Her88
21070.739 ( 5 )		NH <sub>3</sub>	11(9)-11(9)	0.13	OriMC-1	MPI	100m	Mau87
21134.311 ( 5 )		NH <sub>3</sub>	4(1)-4(1)	0.9	OriMC-1	MPI	100m	Her88
21285.275 ( 5 )		NH <sub>3</sub>	5(3)-5(3)	2.1	OriMC-1	MPI	100m	Her88
21301.262*( 1 )		HC <sub>5</sub> N	8-7	0.031	Sgr B2	ARO	46m	Bro76
21431.923*(10)		HC <sub>7</sub> N	19-18	0.89	TMC-1	NRAO	43m	Buj81
21480.823 ( 1 )		C <sub>5</sub> H	<sup>2</sup> P <sub>1/2</sub> J=9/2-7/2 F=5-4 a	0.08 <sup>f</sup>	TMC-1	MPI	100m	Cer87
21481.312 ( 2 )		C <sub>5</sub> H	<sup>2</sup> P <sub>1/2</sub> J=9/2-7/2 F=4-3 a	0.06 <sup>f</sup>	TMC-1	MPI	100m	Cer87
21484.710 ( 1 )		C <sub>5</sub> H	<sup>2</sup> P <sub>1/2</sub> J=9/2-7/2 F=5-4 b	0.07 <sup>f</sup>	TMC-1	MPI	100m	Cer87

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r(K)$ $/T_a(K)$	Source	Telescope	Astr. ref.	Lab. ref.
21485.262 ( 1)		C <sub>3</sub> H	2Π <sub>1/2</sub> $J = 9/2 - 7/2$ $F = 4 - 3$ b	0.06 <sup>f</sup>	TMC-1	MPI	100m	Cer87
21498.211*(14)		HC <sub>9</sub> N	37 - 36	0.06	TMC-1	NRAO	43m	Buj81
21550.31 ( 5)		CH <sub>3</sub> OH	12(2) - 11(1) A - $\nu_t = 1$	-0.4	W3(OH)	MPI	100m	Men86a
21587.400*( 4)		C <sub>3</sub> H <sub>2</sub>	2(2,0) - 2(1,1)	-0.54	TMC-1	NRAO	43m	Mat86a
21608.605 ( 8)		(CH <sub>3</sub> ) <sub>2</sub> CO	9(6,3) - 9(5,4) EE	0.002	Sgr B2	NRAO	43m	Com87
21631.159 ( 8)		(CH <sub>3</sub> ) <sub>2</sub> CO	9(6,3) - 9(5,4) AA	0.002	Sgr B2	NRAO	43m	Com87
21703.3580( 2)		NH <sub>3</sub>	4(2) - 4(2)	0.6	OriMC-1	MPI	100m	Nys78
21950. * ( 1)		(CH <sub>3</sub> ) <sub>2</sub> CO	8(5,3) - 8(4,4) EA	0.003	Sgr B2	NRAO	43m	Com87
21951.467 ( 8)		(CH <sub>3</sub> ) <sub>2</sub> CO	8(5,3) - 8(4,4) AA	0.002 <sup>b</sup>	Sgr B2	NRAO	43m	Com87
21953.841 ( 8)		(CH <sub>3</sub> ) <sub>2</sub> CO	8(5,3) - 8(4,4) EE	<sup>b</sup>	Sgr B2	NRAO	43m	Com87
21980.5453( 1)		HNCO	1(0,1) - 0(0,0) F = 0 - 1	0.025	TMC-1	NRAO	43m	Bro81
21981.4706( 1)		HNCO	1(0,1) - 0(0,0) F = 2 - 1	0.107	TMC-1	NRAO	43m	Bro81
21982.0854( 1)		HNCO	1(0,1) - 0(0,0) F = 1 - 1	0.040	TMC-1	NRAO	43m	Bro81
22235.044 ( 5)		H <sub>2</sub> O	6(1,6) - 5(2,3) F = 7 - 6	<sup>b</sup>	W49	NRAO	43m	Mor73
22235.077 ( 5)		H <sub>2</sub> O	6(1,6) - 5(2,3) F = 6 - 5	<sup>b</sup>	W49	NRAO	43m	Mor73
22235.120 ( 5)		H <sub>2</sub> O	6(1,6) - 5(2,3) F = 5 - 4	2000 <sup>i</sup>	W49	NRAO	43m	Mor73
22235.253 ( 5)		H <sub>2</sub> O	6(1,6) - 5(2,3) F = 6 - 6	<sup>b</sup>	W49	NRAO	43m	Mor73
22235.298 ( 5)		H <sub>2</sub> O	6(1,6) - 5(2,3) F = 5 - 5	<sup>b</sup>	W49	NRAO	43m	Mor73
22307.670 (50)		HDO	5(3,2) - 5(3,3)	0.09	OriMC-1	MPI	100m	Hen87
22344.033*( 2)		C <sub>2</sub> S	2,1 - 1,0	1.21	TMC-1	NRO	45m	Kai87
22471.18 ( 1)		HCOOH	1(0,1) - 0(0,0)	0.01	L134N	NRAO	43m	Irv90
22624.8892( 2)		<sup>15</sup> NH <sub>3</sub>	1(1) - 1(1) $F, F_1 = 1.5, 1 - 1.3, 1$	<sup>b</sup>	OriMC-1	MPI	100m	Her85
22624.9331( 2)		<sup>15</sup> NH <sub>3</sub>	1(1) - 1(1) $F, F_1 = 1.5, 1 - 0.8, 1$	<sup>b</sup>	OriMC-1	MPI	100m	Her85
22624.9410( 2)		<sup>15</sup> NH <sub>3</sub>	1(1) - 1(1) $F, F_1 = 0.5, 1 - 0.8, 1$	<sup>b</sup>	OriMC-1	MPI	100m	Her85
22624.9469( 2)		<sup>15</sup> NH <sub>3</sub>	1(1) - 1(1) $F, F_1 = 1.5, 2 - 1.5, 2$	0.22 <sup>b</sup>	OriMC-1	MPI	100m	Her85
22649.843 ( 1)		<sup>15</sup> NH <sub>3</sub>	2(2) - 2(2)	0.36	OriMC-1	MPI	100m	Her85
22653.022 ( 5)		NH <sub>3</sub>	5(4) - 5(4)	0.6	OMC-1	MPI	100m	Nys78
22688.312 ( 5)		NH <sub>3</sub>	4(3) - 4(3)	1.2	OMC-1	MPI	100m	Nys78
22732.429 ( 5)		NH <sub>3</sub>	6(5) - 6(5)	0.6	OMC-1	MPI	100m	Nys78
22789.421 ( 1)		<sup>15</sup> NH <sub>3</sub>	3(3) - 3(3)	0.53	OriMC-1	MPI	100m	Her85
22793.279 ( 8)		(CH <sub>3</sub> ) <sub>2</sub> CO	2(0,2) - 1(1,1) AA	0.004	TMC-1	NRAO	43m	Com87
22794.317 ( 8)		(CH <sub>3</sub> ) <sub>2</sub> CO	2(0,2) - 1(1,1) AE	<sup>b</sup>	TMC-1	NRAO	43m	Com87
22800.375 ( 8)		(CH <sub>3</sub> ) <sub>2</sub> CO	2(0,2) - 1(1,1) EE	0.004	TMC-1	NRAO	43m	Com87
22827.767 (20)		HCOOCH <sub>3</sub>	2(1,2) - 1(1,1) E	0.15	OriMC-1	MPI	100m	Chu80
22828.131 (20)		HCOOCH <sub>3</sub>	2(1,2) - 1(1,1) A	0.15	OriMC-1	MPI	100m	Chu80
22834.1851( 1)		NH <sub>3</sub>	3(2) - 3(2)	0.11	Sgr B2	NRAO	11m	Mor73
22878.949*(10)		DC <sub>5</sub> N	9 - 8	0.019	TMC-1	NRAO	43m	Sch81
22924.940 ( 5)		NH <sub>3</sub>	7(6) - 7(6)	1.0	OMC-1	MPI	100m	Nys78
23046.0158( 2)		<sup>15</sup> NH <sub>3</sub>	4(4) - 4(4)	0.26	OriMC-1	MPI	100m	Her85
23098.8190( 1)		NH <sub>3</sub>	2(1) - 2(1)	0.29	Sgr B2	NRAO	11m	Mor73
23121.024 ( 1)		CH <sub>3</sub> OH	9(2) - 10(1) A +	9.5 <sup>c</sup>	W3(OH)	MPI	100m	Wil84
23122.993*( 5)		C <sub>2</sub> S	4 - 3	0.55	TMC-1	NRO	45m	Kai87
23232.238 ( 5)		NH <sub>3</sub>	8(7) - 8(7)	0.2	OMC-1	MPI	100m	Nys78
23421.9823( 2)		<sup>15</sup> NH <sub>3</sub>	5(5) - 5(5)	0.14	OriMC-1	MPI	100m	Her85
23444.82 (10)		CH <sub>3</sub> OH	10(1) - 9(2) A -	-0.77	W3(OH)	MPI	100m	Men85
23565.160 (20)		C <sub>6</sub> H	2Π <sub>3/2</sub> $J = 17/2 - 15/2$ $F = 9 - 8$ f	0.156	TMC-1	NRO	45m	Suz86
23565.226 (20)		C <sub>6</sub> H	2Π <sub>3/2</sub> $J = 17/2 - 15/2$ $F = 8 - 7$ f	0.144	TMC-1	NRO	45m	Suz86
23567.169 (20)		C <sub>6</sub> H	2Π <sub>3/2</sub> $J = 17/2 - 15/2$ $F = 9 - 8$ e	0.157	TMC-1	NRO	45m	Suz86
23567.238 (20)		C <sub>6</sub> H	2Π <sub>3/2</sub> $J = 17/2 - 15/2$ $F = 8 - 7$ e	0.129	TMC-1	NRO	45m	Suz86
23600.242 ( 1)		SiC <sub>2</sub>	1(0,1) - 0(0,0)	0.11	IRC + 10216	MPI	100m	Sny85
23657.471 ( 5)		NH <sub>3</sub>	9(8) - 9(8)	0.1	OMC-1	MPI	100m	Suc89
23687.889*(10)		HC <sub>7</sub> N	21 - 20	0.21	TMC-1	NEROC	37m	Poy75
23692.9265( 2)		NH <sub>3</sub>	1(1) - 1(1) $F, F_1 = 1/2, 1 - 1/2, 0$	0.16	L134N	OSO	20m	Ryd77
23692.9688( 1)		NH <sub>3</sub>	1(1) - 1(1) $F, F_1 = 3/2, 1 - 1/2, 0$	0.24	L134N	OSO	20m	Ryd77
23693.8722( 1)		NH <sub>3</sub>	1(1) - 1(1) $F, F_1 = 1/2, 1 - 3/2, 2$	0.17	L134N	OSO	20m	Ryd77
23693.9051( 1)		NH <sub>3</sub>	1(1) - 1(1) $F, F_1 = 3/2, 1 - 5/2, 2$	0.30 <sup>b</sup>	L134N	OSO	20m	Ho 77
23693.9145( 1)		NH <sub>3</sub>	1(1) - 1(1) $F, F_1 = 3/2, 1 - 3/2, 2$	<sup>b</sup>	L134N	OSO	20m	Ho 77
23694.4591( 1)		NH <sub>3</sub>	1(1) - 1(1) $F, F_1 = 1/2, 1 - 1/2, 1$	<sup>b</sup>	L134N	OSO	20m	Ho 77
23694.4709( 1)		NH <sub>3</sub>	1(1) - 1(1) $F, F_1 = 3/2, 2 - 5/2, 2$	<sup>b</sup>	L134N	OSO	20m	Ho 77
23694.4700( 1)		NH <sub>3</sub>	1(1) - 1(1) $F, F_1 = 1/2, 1 - 3/2, 1$	0.40 <sup>b</sup>	L134N	OSO	20m	Ho 77
23694.4803( 1)		NH <sub>3</sub>	1(1) - 1(1) $F, F_1 = 3/2, 2 - 3/2, 2$	<sup>b</sup>	L134N	OSO	20m	Ho 77
23694.5014( 1)		NH <sub>3</sub>	1(1) - 1(1) $F, F_1 = 3/2, 1 - 1/2, 1$	<sup>b</sup>	L134N	OSO	20m	Ho 77
23694.5060( 1)		NH <sub>3</sub>	1(1) - 1(1) $F, F_1 = 5/2, 2 - 5/2, 2$	0.50 <sup>b</sup>	L134N	OSO	20m	Ho 77
23694.5123( 1)		NH <sub>3</sub>	1(1) - 1(1) $F, F_1 = 3/2, 1 - 3/2, 1$	<sup>b</sup>	L134N	OSO	20m	Ho 77
23694.5153( 1)		NH <sub>3</sub>	1(1) - 1(1) $F, F_1 = 5/2, 2 - 3/2, 2$	<sup>b</sup>	L134N	OSO	20m	Ho 77

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r(K)$ $/T_a(K)$	Source	Telescope	Astr. ref.	Lab. ref.
23695.0672( 1)		NH <sub>3</sub>	1(1)–1(1) $F, F_1 = 3/2, 2 - 3/2, 1$	0.18 <sup>b</sup>	L134N	OSO	20m	Ho 77
23695.0782( 1)		NH <sub>3</sub>	1(1)–1(1) $F, F_1 = 3/2, 2 - 3/2, 1$	<sup>b</sup>	L134N	OSO	20m	Ho 77
23695.1132( 1)		NH <sub>3</sub>	1(1)–1(1) $F, F_1 = 5/2, 2 - 3/2, 1$	0.25	L134N	OSO	20m	Ho 77
23696.0297( 2)		NH <sub>3</sub>	1(1)–1(1) $F, F_1 = 1/2, 0 - 1/2, 1$	0.29 <sup>b</sup>	L134N	OSO	20m	Ho 77
23696.0406( 2)		NH <sub>3</sub>	1(1)–1(1) $F, F_1 = 1/2, 0 - 3/2, 1$	<sup>b</sup>	L134N	OSO	20m	Ho 77
23697.9 ( 4)		HC <sub>11</sub> N	70–69	0.006	IRC+10216	NEROC	37m	Bel82
23718.31 *( 5)		HC <sup>13</sup> CCCCN	9–8	0.002	IRC+10216	NRAO	43m	Bel91
23720.575 ( 5)		NH <sub>3</sub>	2(2)–2(2) $F_1 = 1 - 2$	<sup>b</sup>	OriMC-1	NEROC	37m	Bar77
23721.336 ( 5)		NH <sub>3</sub>	2(2)–2(2) $F_1 = 3 - 2$	<sup>b</sup>	OriMC-1	NEROC	37m	Bar77
23722.6323( 5)		NH <sub>3</sub>	2(2)–2(2) $F_1 = 2 - 2$	<sup>b</sup>	OriMC-1	NEROC	37m	Bar77
23722.6336( 1)		NH <sub>3</sub>	2(2)–2(2) $F_1 = 3 - 3$	0.43 <sup>j</sup>	OriMC-1	NEROC	37m	Bar77
23722.6344( 5)		NH <sub>3</sub>	2(2)–2(2) $F_1 = 1 - 1$	<sup>b</sup>	OriMC-1	NEROC	37m	Bar77
23723.929 ( 5)		NH <sub>3</sub>	2(2)–2(2) $F_1 = 2 - 3$	<sup>b</sup>	OriMC-1	NEROC	37m	Bar77
23724.691 ( 5)		NH <sub>3</sub>	2(2)–2(2) $F_1 = 2 - 1$	<sup>b</sup>	OriMC-1	NEROC	37m	Bar77
23817.6153(20)		OH	$^2\Pi_{3/2} J = 9/2 F = 4 - 4$	-0.05	W3(OH)	MPI	100m	Win78
23826.6211(30)		OH	$^2\Pi_{3/2} J = 9/2 F = 5 - 5$	-0.13	W3(OH)	MPI	100m	Win78
23867.805 ( 5)		NH <sub>3</sub>	3(3)–3(3) $F_1 = 2 - 3$	<sup>b</sup>	OriMC-1	NEROC	37m	Bar77
23868.450 ( 5)		NH <sub>3</sub>	3(3)–3(3) $F_1 = 4 - 3$	<sup>b</sup>	OriMC-1	NEROC	37m	Bar77
23870.1279( 5)		NH <sub>3</sub>	3(3)–3(3) $F_1 = 3 - 3$	<sup>b</sup>	OriMC-1	NEROC	37m	Bar77
23870.1296( 1)		NH <sub>3</sub>	3(3)–3(3) $F_1 = 4 - 4$	0.53 <sup>j</sup>	OriMC-1	NEROC	37m	Bar77
23870.1302( 5)		NH <sub>3</sub>	3(3)–3(3) $F_1 = 2 - 2$	<sup>b</sup>	OriMC-1	NEROC	37m	Bar77
23871.807 ( 5)		NH <sub>3</sub>	3(3)–3(3) $F_1 = 3 - 4$	<sup>b</sup>	OriMC-1	NEROC	37m	Bar77
23872.453 ( 5)		NH <sub>3</sub>	3(3)–3(3) $F_1 = 3 - 2$	<sup>b</sup>	OriMC-1	NEROC	37m	Bar77
23922.3132( 2)		<sup>15</sup> NH <sub>3</sub>	6(6)–6(6)	0.13	OriMC-1	MPI	100m	Her85
23939.10 *( 5)		HCC <sup>13</sup> CCCN	9–8	0.003	IRC+10216	NRAO	43m	Bel91
23941.99 *( 5)		HCCC <sup>13</sup> CCN	9–8	0.002	IRC+10216	NRAO	43m	Bel91
U 23959.5		unidentified		0.003	IRC+10216	NRAO	43m	Bel91
23963.901*( 2)		HC <sub>5</sub> N	9–8	1.2	TMC-1	SRCAL	25m	Lit77
24037.1 ( 1)		HC <sub>11</sub> N	71–70	0.006	IRC+10216	NEROC	37m	Bel82
24139.4169( 1)		NH <sub>3</sub>	4(4)–4(4)	0.25 <sup>i</sup>	OriMC-1	NEROC	37m	Bar77
24205.287 ( 5)		NH <sub>3</sub>	10(9)–10(9)	0.1	OriMC-1	MPI	100m	Nys78
24296.523 (20)		HCOOCH <sub>3</sub>	2(0,2)–1(0,1) E	0.09	OriMC-1	NRAO	43m	Chu80
24298.476 (20)		HCOOCH <sub>3</sub>	2(0,2)–1(0,1) A	0.12	OriMC-1	NRAO	43m	Chu80
24325.927 ( 1)		OCS	2–1	0.30	Sgr B2	NEROC	37m	Gol81
24375.2 ( 2)		HC <sub>11</sub> N	72–71	0.006	IRC+10216	NEROC	37m	Bel82
24428.652 (16)		CH <sub>3</sub> C <sub>4</sub> H	6(1)–5(1)	0.107	TMC-1	MPI	100m	Wal84
24428.886 (16)		CH <sub>3</sub> C <sub>4</sub> H	6(0)–5(0)	0.131	TMC-1	MPI	100m	Wal84
24532.9887( 1)		NH <sub>3</sub>	5(5)–5(5)	0.09 <sup>i</sup>	OriMC-1	NEROC	37m	Bar77
24788.539*( 5)		CH <sub>3</sub> CCCN	6(1)–5(1)	0.048	TMC-1	NEROC	37m	Bro84
24788.778*( 5)		CH <sub>3</sub> CCCN	6(0)–5(0)	0.076	TMC-1	NEROC	37m	Bro84
24815.869*(10)		HC <sub>7</sub> N	22–21	0.24	TMC-1	SRCAL	25m	Lit78
24899.505 ( 8)		(CH <sub>3</sub> ) <sub>2</sub> CO	2(1,2)–1(0,1) EE	0.003	TMC-1	NRAO	43m	Com87
24916.491 ( 8)		(CH <sub>3</sub> ) <sub>2</sub> CO	2(1,2)–1(0,1) AA	0.003	TMC-1	NRAO	43m	Com87
24928.70 (10)		CH <sub>3</sub> OH	3(2)–3(1) E	1.2	OriMC-1	NEROC	37m	Bar75
24933.468 ( 2)		CH <sub>3</sub> OH	4(2)–4(1) E	1.0 <sup>i</sup>	OriMC-1	NEROC	37m	Bar71
24934.382 ( 5)		CH <sub>3</sub> OH	2(2)–2(1) E	0.35	OriMC-1	NEROC	37m	Gai74
24959.080 ( 2)		CH <sub>3</sub> OH	5(2)–5(1) E	1.1 <sup>i</sup>	OriMC-1	NEROC	37m	Bar71
25018.123 ( 2)		CH <sub>3</sub> OH	6(2)–6(1) E	1.7 <sup>i</sup>	OriMC-1	NEROC	37m	Gai74
25023.792 (10)		NH <sub>2</sub> D	4(1,4)–4(0,4)	0.08	OriMC-1	MPI	100m	Wal87
25056.025 ( 5)		NH <sub>3</sub>	6(6)–6(6)	0.17 <sup>i</sup>	OriMC-1	NEROC	37m	Bar77
25124.873 ( 2)		CH <sub>3</sub> OH	7(2)–7(1) E	1.5 <sup>i</sup>	OriMC-1	NEROC	37m	Bar71
25294.411 ( 3)		CH <sub>3</sub> OH	8(2)–8(1) E	0.7 <sup>i</sup>	OriMC-1	NEROC	37m	Gai74
25421.036*( 9)		DC <sub>5</sub> N	10–9	0.027	TMC-1	NEROC	37m	Mac81
25541.43 (10)		CH <sub>3</sub> OH	9(2)–9(1) E	-0.17	W3(OH)	MPI	100m	Men86
25715.182 ( 5)		NH <sub>3</sub>	7(7)–7(7)	3.	OriMC-1	MPI	100m	Mau86
25878.18 (10)		CH <sub>3</sub> OH	10(2)–10(1) E	0.9	OriMC-1	NRL	26m	Mat80
26518.981 (10)		NH <sub>3</sub>	8(8)–8(8)	0.70	OriMC-1	MPI	100m	Ziu81
26626.534*( 2)		HC <sub>5</sub> N	10–9	1.0	TMC-1	NRAO	43m	Poy75
27294.078*( 1)		HC <sub>5</sub> N	3–2 F=2–1	0.70	HCL2C	OSO	20m	Cer84
27294.295*( 1)		HC <sub>5</sub> N	3–2 F=3–2	0.96	HCL2C	OSO	20m	Cer84
27294.347*( 1)		HC <sub>5</sub> N	3–2 F=4–3	3.400	TMC-1	OSO	20m	Irv83a
27477.943 (10)		NH <sub>3</sub>	9(9)–9(9)	0.76	OriMC-1	MPI	100m	Ziu81
28532.31 ( 1)		C <sub>4</sub> H	3–2 J=7/2–5/2 F=3–2	0.42	TMC-1	OSO	20m	Irv81
28532.46 ( 1)		C <sub>4</sub> H	3–2 J=7/2–5/2 F=4–3	0.49	TMC-1	OSO	20m	Irv81
28571.37 ( 1)		C <sub>4</sub> H	3–2 J=5/2–3/2 F=3–2	0.39	TMC-1	OSO	20m	Gué82a

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r(K)$ $/T_a(K)$	Source	Telescope	Astr. ref.	Lab. ref.
28571.53 (2)		C <sub>4</sub> H	3-2 J=5/2-3/2 F=2-1	0.23	TMC-1	OSO	20m	Irv81
28919.929*(6)		CH <sub>3</sub> CCCN	7(1)-6(1)	0.049	TMC-1	OSO	20m	Bro84
28920.207*(6)		CH <sub>3</sub> CCCN	7(0)-6(0)	0.053	TMC-1	OSO	20m	Bro84
28974.781 (3)		H <sub>2</sub> CO	3(1,2)-3(1,3) F=2-2	<sup>b</sup>	Sgr B2	n.r.	Wel70	Tak59
28974.804 (2)		H <sub>2</sub> CO	3(1,2)-3(1,3) F=4-4	n.r. <sup>b</sup>	Sgr B2	n.r.	Wel70	Tak59
28974.814 (3)		H <sub>2</sub> CO	3(1,2)-3(1,3) F=3-3	<sup>b</sup>	Sgr B2	n.r.	Wel70	Tak59
29676.14 (2)		C <sub>3</sub> N	3-2 J=7/2-5/2 F=7/2-5/2	0.11	TMC-1	OSO	20m	Fri80
29676.28 (2)		C <sub>3</sub> N	3-2 J=7/2-5/2 F=9/2-7/2	0.11	TMC-1	OSO	20m	Fri80
29678.877*(18)		<sup>34</sup> SO	1(0)-0(1)	0.25	L134N	OSO	20m	Ryd80
29694.99 (2)		C <sub>3</sub> N	3-2 J=5/2-3/2 F=3/2-1/2	0.04	TMC-1	OSO	20m	Fri80
29695.14 (2)		C <sub>3</sub> N	3-2 J=5/2-3/2 F=7/2-5/2	0.15	TMC-1	OSO	20m	Fri80
30001.539*(18)		SO	1(0)-0(1)	0.44	Sgr B2	NRAO	11m	Got78
31105.26 (10)		CH <sub>3</sub> OCH <sub>3</sub>	2(1,1)-2(0,2) AE+EA	<sup>b</sup>	OriMC-1	NRL	26m	Sny74
31106.20 (5)		CH <sub>3</sub> OCH <sub>3</sub>	2(1,1)-2(0,2) EE	0.2 <sup>b</sup>	OriMC-1	NRL	26m	Sny74
31107.12 (10)		CH <sub>3</sub> OCH <sub>3</sub>	2(1,1)-2(0,2) AA	<sup>b</sup>	OriMC-1	NRL	26m	Sny74
31583.706*(6)		HC <sub>2</sub> N	28-27	0.30	TMC-1	OSO	20m	Sne81
31951.777*(2)		HC <sub>5</sub> N	12-11	1.77	TMC-1	OSO	20m	Sne81
32627.221*(60)		I-C <sub>3</sub> H	<sup>2</sup> II <sub>1/2</sub> J=3/2-1/2, F=2-1b	0.28	TMC-1	OSO	20m	Tha85
32634.336*(60)		I-C <sub>3</sub> H	<sup>2</sup> II <sub>1/2</sub> J=3/2-1/2, F=1-0b	0.13	TMC-1	OSO	20m	Tha85
32660.614*(60)		I-C <sub>3</sub> H	<sup>2</sup> II <sub>1/2</sub> J=3/2-1/2, F=2-1a	0.35	TMC-1	OSO	20m	Tha85
32663.312 (60)		I-C <sub>3</sub> H	<sup>2</sup> II <sub>1/2</sub> J=3/2-1/2, F=1-0a	0.17	TMC-1	OSO	20m	Tha85
33051.302*(6)		CH <sub>3</sub> CCCN	8(1)-7(1)	0.043	TMC-1	OSO	20m	Bro84
33051.621*(6)		CH <sub>3</sub> CCCN	8(0)-7(0)	0.057	TMC-1	OSO	20m	Bro84
34182.761*(1)		CH <sub>3</sub> CCH	2(1)-1(1)	0.20	TMC-1	OSO	20m	Irv81
34183.414*(1)		CH <sub>3</sub> CCH	2(0)-1(0)	0.25	TMC-1	OSO	20m	Irv81
34614.386*(2)		HC <sub>5</sub> N	13-12	1.50	TMC-1	OSO	20m	Sne81
36169.24 (10)		CH <sub>3</sub> OH	4(-1)-3(0) E	12.5	Sgr B2	NRAO	11m	Lov76
36202.040*(32)		SO	2(3)-2(2)	0.4	OriMC-1	Parkes	64m	Bro80
36306.63 *(5)		H <sup>13</sup> CCCCN	14-13	0.036	TMC-1	NRO	45m	Tak90
36309.629 (3)		SiS	2-1	0.5	IRC+10216	MPI	100m	Gra81
36392.238*(1)		HC <sub>3</sub> N	4-3 F=3-2	1.7	TMC-1	Pushino	22m	Sor86
36392.332*(1)		HC <sub>3</sub> N	4-3 F=4-3	3.1 <sup>b</sup>	TMC-1	Pushino	22m	Sor86
36392.365*(1)		HC <sub>3</sub> N	4-3 F=5-4	<sup>b</sup>	TMC-1	Pushino	22m	Sor86
36793.739*(1)		CH <sub>3</sub> CN	2(1)-1(1) F=2-1	<sup>b</sup>	Sgr B2	Parokes	64m	Bla77
36794.204*(1)		CH <sub>3</sub> CN	2(0)-1(0) F=2-2	<sup>b</sup>	Sgr B2	Parokes	64m	Bla77
36794.340*(1)		CH <sub>3</sub> CN	2(1)-1(1) F=2-2	<sup>b</sup>	Sgr B2	Parokes	64m	Bla77
36794.417*(1)		CH <sub>3</sub> CN	2(0)-1(0) F=1-0	<sup>b</sup>	Sgr B2	Parokes	64m	Bla77
36795.024*(1)		CH <sub>3</sub> CN	2(1)-1(1) F=3-2	0.98 <sup>b</sup>	Sgr B2	Parokes	64m	Bla77
36795.475*(1)		CH <sub>3</sub> CN	2(0)-1(0) F=2-1	<sup>b</sup>	Sgr B2	Parokes	64m	Bla77
36795.568*(1)		CH <sub>3</sub> CN	2(0)-1(0) F=3-2	<sup>b</sup>	Sgr B2	Parokes	64m	Bla77
36796.348*(1)		CH <sub>3</sub> CN	2(1)-1(1) F=1-0	<sup>b</sup>	Sgr B2	Parokes	64m	Bla77
36797.584*(1)		CH <sub>3</sub> CN	2(0)-1(0) F=1-1	<sup>b</sup>	Sgr B2	Parokes	64m	Bla77
36810.1 *(1)		SiC <sub>4</sub>	12-11	0.03	TMC-1	NRO	45m	Ohi89
36894.99 *(5)		HC <sup>13</sup> CCCCN	14-13	0.032	TMC-1	NRO	45m	Tak90
36908.73 *(5)		HCCCC <sup>13</sup> CN	14-13	0.058	TMC-1	NRO	45m	Tak90
37238.39 *(5)		HCC <sup>13</sup> CCCN	14-13	0.042	TMC-1	NRO	45m	Tak90
37242.92 *(5)		HCCC <sup>13</sup> CCN	14-13	0.044	TMC-1	NRO	45m	Tak90
37276.985*(3)		HC <sub>5</sub> N	14-13	2.09	TMC-1	NRO	45m	Suz84a
37290.145*(12)		HCCCHO	4(0,4)-3(0,3)	0.043	TMC-1	NRAO	43m	Irv88
37703.72 (10)		CH <sub>3</sub> OH	7(-2)-8(-1) E	4.0Jy	W3(OH)	NEROC	37m	Has89
38293.50 (10)		CH <sub>3</sub> OH	6(2)-5(3) A-	9.0Jy	W3(OH)	NEROC	37m	Has89
38452.60 (10)		CH <sub>3</sub> OH	6(2)-5(3) A+	15.0Jy	W3(OH)	NEROC	37m	Has89
38866.423*(4)		C <sub>2</sub> S	3,3-2,2	0.43	TMC-1	NRO	45m	Kai87
39877.6 *(1)		SiC <sub>4</sub>	13-12	0.02	TMC-1	NRO	45m	Ohi89
39939.575*(5)		HC <sub>5</sub> N	15-14	1.8	TMC-1	NRO	45m	Tak90
40198.356 (30)		C <sub>6</sub> H	<sup>2</sup> II <sub>3/2</sub> J=29/2-27/2 f	0.084	TMC-1	NRO	45m	Suz86
40204.150 (30)		C <sub>6</sub> H	<sup>2</sup> II <sub>3/2</sub> J=29/2-27/2 e	0.87	TMC-1	NRO	45m	Suz86
40232.796		CH <sub>2</sub> CN	3/2-1/2 F <sub>1</sub> =3/2-1/2 F=5/2-3/2	0.038	TMC-1	NRO	45m	Irv88a
40239.188		CH <sub>2</sub> CN	5/2-3/2 F <sub>1</sub> =7/2-5/2 F=5/2-3/2	0.112	TMC-1	NRO	45m	Irv88a
40239.684		CH <sub>2</sub> CN	5/2-3/2 F <sub>1</sub> =7/2 5/2 F=7/2-5/2	0.141	TMC-1	NRO	45m	Irv88a
40239.993		CH <sub>2</sub> CN	5/2-3/2 F <sub>1</sub> =7/2 5/2 F=9/2-7/2	0.241	TMC-1	NRO	45m	Irv88a
40240.520		CH <sub>2</sub> CN	5/2-3/2 F <sub>1</sub> =5/2-5/2 F=7/2-7/2	0.062	TMC-1	NRO	45m	Irv88a
40241.360		CH <sub>2</sub> CN	5/2-3/2 F <sub>1</sub> =3/2-3/2 F=3/2-5/2	<sup>b</sup>	TMC-1	NRO	45m	Irv88a
40241.360		CH <sub>2</sub> CN	5/2-3/2 F <sub>1</sub> =5/2-3/2 F=3/2-1/2	0.034	TMC-1	NRO	45m	Irv88a
40242.208		CH <sub>2</sub> CN	5/2-3/2 F <sub>1</sub> =5/2-3/2 F=5/2-3/2	0.066	TMC-1	NRO	45m	Irv88a

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_e(K)$ $/T_a(K)$	Source	Telescope	Astr. ref.	Lab. ref.	
40243.207		CH <sub>2</sub> CN	5/2-3/2 F <sub>1</sub> =5/2-5/2 F=3/2-5/2	<sup>b</sup>	TMC-1	NRO	45m	Irv88a	Irv88a 1
40243.207		CH <sub>2</sub> CN	5/2-3/2 F <sub>1</sub> =3/2-3/2 F=5/2-3/2	0.103	TMC-1	NRO	45m	Irv88a	Irv88a 1
40244.330		CH <sub>2</sub> CN	5/2-3/2 F <sub>1</sub> =5/2-3/2 F=7/2-5/2	0.098	TMC-1	NRO	45m	Irv88a	Irv88a 1
40247.556		CH <sub>2</sub> CN	3/2-1/2 F <sub>1</sub> =5/2-3/2 F=5/2-3/2	<sup>b</sup>	TMC-1	NRO	45m	Irv88a	Irv88a 1
40247.556		CH <sub>2</sub> CN	3/2-3/2 F <sub>1</sub> =5/2-3/2 F=7/2-5/2	0.206 <sup>b</sup>	TMC-1	NRO	45m	Irv88a	Irv88a 1
40465.012*(5)		C <sub>3</sub> S	7-6	0.88	TMC-1	NRO	45m	Kai87	
U 40880.0		unidentified		0.07	Sgr B2	NRAO	11m	Kut80	
42215.539*(5)		DC <sub>3</sub> N	5-4 F=4-3	<sup>b</sup>	TMC-1	FCRAO	14m	Lan80	
42215.590*(5)		DC <sub>3</sub> N	5-4 F=5-4	0.14 <sup>b</sup>	TMC-1	FCRAO	14m	Lan80	
42215.613*(5)		DC <sub>3</sub> N	5-4 F=6-5	<sup>b</sup>	TMC-1	FCRAO	14m	Lan80	
42373.359*(10)		<sup>30</sup> SiO	1-0	28. Jy	VY CMa	CAdY	13.7m	Bar89	N
42519.379*(17)		SiO	1-0 v=3	2.0	VX Sgr	IRT	13.7m	Sca78	
42602.153*(3)		HC <sub>5</sub> N	16-15	0.40	TMC-1	NEROC	37m	Irv83	
42674.205*(21)		HCS <sup>+</sup>	1-0	0.085	TMC-1	NEROC	37m	Irv83	
42820.587*(15)		SiO	1-0 v=2	15. <sup>i</sup>	VY CMa	NRAO	11m	Buh74	
42879.916*(10)		<sup>29</sup> SiO	1-0	3.1Jy	VY CMa	CAdY	13.7m	Bar89	N
42945.0 *(1)		SiC <sub>4</sub>	14-13	0.03	TMC-1	NRO	45m	Ohi89	Ohi89 N
42970.453(30)		C <sub>6</sub> H	31/2-29/2 f	0.108	TMC-1	NRO	45m	Suz86	Suz86 N
42977.115(30)		C <sub>6</sub> H	31/2-29/2 e	0.13	TMC-1	NRO	45m	Suz86	Suz86 N
43122.080*(12)		SiO	1-0 v=1	29. <sup>i</sup>	OriMC-1	NRAO	11m	Sny75	
43423.858*(10)		SiO	1-0 v=0	0.50	OriMC-1	NEROC	37m	Sny78	
43962.998*(2)		HNCO	2(0,2)-1(0,1) F=3-2	<1 <sup>b</sup>	Sgr B2	NRAO	11m	Sny72	Win76
43963.042*(2)		HNCO	2(0,2)-1(0,1) F=2-1	<sup>b</sup>	Sgr B2	NRAO	11m	Sny72	Win76
43981.023*(6)		C <sub>2</sub> S	3,4-2,3	0.38	TMC-1	NRO	45m	Kai87	Yam90 N
44069.49 (10)		CH <sub>3</sub> OH	7(0)-6(1) A+	3.9	Sgr B2	NRO	45m	Mor85	Sas84
44497.599 (5)		CC34S	4,3-3,2	0.13	L1498	NRAO	45m	Yam90	Yam90 N
44596.995*(8)		CH <sub>3</sub> CH <sub>2</sub> CN	5(0,5)-4(0,4)	0.31	OriMC-1	NRO	45m	Sai89	N
44730.273*(8)		CH <sub>3</sub> CH <sub>2</sub> CN	5(2,4)-4(2,3)	0.23	OriMC-1	NRO	45m	Sai89	N
44878.106*(8)		CH <sub>3</sub> CH <sub>2</sub> CN	5(2,3)-4(2,2)	0.30	OriMC-1	NRO	45m	Sai89	N
44911.75 (1)		HCOOH	2(0,2)-1(0,1)	0.044	L134N	NRO	45m	Irv90	Bel71 N
44955.81 (10)		CH <sub>3</sub> OH	2(0)-3(1) E v <sub>t</sub> =1	0.85	OriMC-1	NRO	45m	Sai89	Sas84 N
45264.721*(3)		HC <sub>5</sub> N	17-16	0.83	TMC-1	NRAO	11m	Buj81	
45379.033*(2)		C <sub>2</sub> S	4,3-3,2	2.23	TMC-1	NRO	45m	Suz84	Yam90 M
45490.264*(1)		HC <sub>3</sub> N	5-4 F=4-3	<sup>b</sup>	Sgr B2	NRAO	11m	Mor76	
45490.316*(1)		HC <sub>3</sub> N	5-4 F=5-4	2.05 <sup>i</sup>	Sgr B2	NRAO	11m	Mor76	
45490.340*(1)		HC <sub>3</sub> N	5-4 F=6-5	<sup>b</sup>	Sgr B2	NRAO	11m	Mor76	
46245.621*(5)		C <sub>3</sub> S	8-7	0.84	TMC-1	NRO	45m	Kai87	N
46247.578*(8)		<sup>13</sup> CS	1-0	0.148	Sgr B2	NRAO	11m	Tur73	
46755.621*(6)		C <sub>3</sub> H <sub>2</sub>	2(1,1)-2(0,2)	1.00	TMC-1	NRO	45m	Suz85	Vrt87a
47534.170(20)		HCOOCH <sub>3</sub>	4(0,4)-3(0,3) E	0.25	OriMC-1	NRO	45m	Sai89	Bau79 N
47536.992(20)		HCOOCH <sub>3</sub>	4(0,4)-3(0,3) A	0.23	OriMC-1	NRO	45m	Sai89	Bau79 N
47566.80 *(2)		C <sub>4</sub> H	5-4 J=11/2-9/2	0.10	Sgr B2	NRO	45m	Sai89	N
47605.49 *(2)		C <sub>4</sub> H	5-4 J=9/2-7/2	0.09	Sgr B2	NRO	45m	Sai89	N
47660.704*(17)		SO <sub>2</sub>	31(5,27)-30(6,24)	0.08	OriMC-1	NRO	45m	Sai89	N
47674.95 *(2)		CH <sub>3</sub> OCH <sub>3</sub>	1(1,1)-0(0,0) EE	0.09	OriMC-1	NRO	45m	Sai89	N
47746.83 *(5)		CH <sub>3</sub> CHO	1(1,0)-1(0,1) E	0.06	Sgr B2	NRO	45m	Sai89	N
U 47751.9		unidentified	(U45048.1 LSB)	0.13	OriMC-1	NRO	45m	Sai89	N
47820.666(40)		CH <sub>3</sub> CHO	1(1,0)-1(0,1) A	0.06	Sgr B2	NRO	45m	Sai89	Kle91 N
47913.440*(10)		SO <sub>2</sub>	14(2,12)-13(3,11)	1.15	OriMC-1	NRO	45m	Sai89	
47927.275*(3)		HC <sub>5</sub> N	18-17	1.50	TMC-1	NRO	45m	Suz84a	
U 47935.5		unidentified	(U44864.5 LSB)	0.04	OriMC-1	NRO	45m	Sai89	N
U 47976.5		unidentified	(U45033.5 LSB)	0.10	OriMC-1	NRO	45m	Sai89	M
48108.475*(5)		C <sub>3</sub> O	5-4	0.158	TMC-1	NRO	45m	Suz84a	
48120.485*(29)		SO <sub>2</sub>	21(2,20)-20(3,17)	0.39	OriMC-1	NRO	45m	Sai89	
48178.333*(6)		CH <sub>3</sub> OH	1(0)-0(0) E v <sub>t</sub> =2	0.03	OriMC-1	NRO	45m	Sai89	And90 N
48192.12 (10)		CH <sub>3</sub> OH	1(0)-0(0) A v <sub>t</sub> =2	0.06	OriMC-1	NRO	45m	Sai89	Ven55 N
48206.956*(7)		C <sup>34</sup> S	1-0	0.58	OriMC-1	NRO	45m	Sai89	N
48206.956*(7)		C <sup>34</sup> S	1-0	0.380	DR21 (OH)	NRAO	11m	Tur73	
48247.536*(5)		CH <sub>3</sub> OH	1(0)-0(0) E v <sub>t</sub> =1	0.23	OriMC-1	NRO	45m	Sai89	And90 N
48257.49 (10)		CH <sub>3</sub> OH	1(0)-0(0) E v <sub>t</sub> =1	0.09	OriMC-1	NRO	45m	Sai89	Ven55 N
48284.521*(8)		H <sub>2</sub> CO	4(1,3)-4(1,4)	2.92	OriMC-1	NRO	45m	Sai89	N
48284.521*(8)		H <sub>2</sub> CO	4(1,3)-4(1,4)	0.63	OriMC-1	NRAO	11m	Hol77	
U 48292.3		unidentified	(U44507.7 LSB)	0.06	OriMC-1	NRO	45m	Sai89	N
48372.4670(2)		CH <sub>3</sub> OH	1(0)-0(0) A+	0.44	OriMC-1	NRAO	11m	Hol77	Heu73
48376.893*(4)		CH <sub>3</sub> OH	1(0)-0(0) E	0.29	OriMC-1	NRAO	11m	Hol77	And90 M

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines -- Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r(K)$ $/T_a(K)$	Source	Telescope	Astr. ref.	Lab. ref.	
48583.264 (10)		C <sup>33</sup> S	1-0 F=1/2-3/2	b	Sgr B2	NRAO	11m	Tur73	Moc55
48585.906 (10)		C <sup>33</sup> S	1-0 F=5/2-3/2	<0.12 <sup>b</sup>	Sgr B2	NRAO	11m	Tur73	Moc55
48589.068 (10)		C <sup>33</sup> S	1-0 F=3/2-3/2	b	Sgr B2	NRAO	11m	Tur73	Moc55
48651.6043(10)		OCS	4-3	0.45	Sgr B2	NRAO	11m	Hol77	Dub80
48990.964*(9)		CS	1-0	3.53	OriMC-1	NRAO	11m	Tur73	
49079.8 *(1)		SiC <sub>4</sub>	16-15	0.02	TMC-1	NRO	45m	Ohi89	Ohi89 N
51841.406*(5)		C <sub>3</sub> H <sub>2</sub>	1(1,1)-0(0,0)	1.5	TMC-1	FCRAO	14m	Mad86a	N
58886.0 *(1)		SiC <sub>4</sub>	28-27	0.04	TMC-1	NRO	45m	Ohi89	Ohi89 N
67768.761*(35)		<sup>33</sup> SO <sub>2</sub>	6(1,5)-6(0,6)	0.06	OriMC-1	NRAO	12m	Pet91	N
68305.620 (10)		CH <sub>3</sub> OH	1,1-2,0 E	0.35	OriMC-1	NRAO	12m	Hol89	Sas84 N
U 68320.		unidentified		0.03	OriMC-1	NRAO	12m	Hol89	Lov82b N
				0.05	OriMC-1	NRAO	12m	Hol89	Dub78 N
				0.06	OriMC-1	NRAO	12m	Hol89	Dub78 N
				b	OriMC-1	NRAO	12m	Hol89	Dub78 N
				0.18 <sup>b</sup>	OriMC-1	NRAO	12m	Hol89	N
				0.017	OriMC-1	NRAO	12m	Hol89	Lov82b N
				0.012	OriMC-1	NRAO	12m	Hol89	Lov82b N
U 69460.		SO <sub>2</sub>	6(1,5)-6(0,6)	0.8	OriMC-1	NRAO	11m	Joh76	
				0.18	OriMC-1	NRAO	11m	Tur89	N
				0.70	OriMC-1	OSO	20m	Sch83	
				0.20	OriMC-1	OSO	20m	Joh84	
				0.6	OriMC-1	NRAO	11m	Joh76	
U 69591.		unidentified		n.r.	OriMC-1	NRAO	11m	Tur89	N
				0.30	OriMC-1	OSO	20m	Joh84	
				0.60	OriMC-1	OSO	20m	Sch83	
				0.08	Sgr B2	NRAO	11m	Tur89	N
U 70525.		unidentified		0.10	Sgr B2	NRAO	11m	Tur89	N
				0.24	Sgr B2	NRAO	11m	Tur89	N
				0.13	Sgr B2	NRAO	11m	Tur89	N
U 70540.		unidentified		0.05	Sgr B2	NRAO	11m	Tur89	N
				0.02	OriMC-1	BTL	7m	Gué82b	N
U 70592.		unidentified		0.028	OriMC-1	NRAO	12m	Hol89	
				0.079	TMC-1	BTL	7m	Gué82b	N
				0.10	IRC+10216	NRAO	12m	Hol89	N
				b	Sgr B2	NRAO	11m	Tur89	N
				0.06 <sup>b</sup>	Sgr B2	NRAO	11m	Tur89	N
				b	Sgr B2	NRAO	11m	Tur89	N
				0.05	OriMC-1	NRAO	11m	Tur89	N
				0.05	Sgr B2	NRAO	11m	Tur89	N
				0.06	OriMC-1	BTL	7m	Kah84	
				0.02	OriMC-1	NRAO	11m	Tur89	N
U 71055.		unidentified		0.08	OriMC-1	NRAO	11m	Tur89	N
				0.08	OriMC-1	NRAO	11m	Tur89	N
U 71067.		unidentified		0.08	OriMC-1	NRAO	11m	Tur89	N
				0.08	OriMC-1	NRAO	11m	Tur89	N
U 71208.		unidentified		0.05	OriMC-1	NRAO	11m	Tur89	N
				b	OriMC-1	NRAO	11m	Tur89	N
U 71228.		unidentified		0.02	OriMC-1	NRAO	11m	Tur89	N
				0.08	OriMC-1	NRAO	11m	Tur89	N
U 71324.72 *(5)		HCOOCH <sub>3</sub>	17(4,13)-17(3,14) A	b	OriMC-1	NRAO	11m	Tur89	Plu84 N
				0.04 <sup>b</sup>	OriMC-1	NRAO	11m	Tur89	N
U 71324.81 *(1)		HCOOH	3(1,2)-3(0,3)	0.10	OriMC-1	NRAO	11m	Tur89	N
				0.02	OriMC-1	NRAO	11m	Tur89	N
U 71362.		unidentified		0.3	Sgr B2	NRAO	11m	Tur89	N
				0.3	Sgr B2	NRAO	11m	Tur89	N
U 71406.		unidentified		0.02	OriMC-1	NRAO	11m	Tur89	N
				0.02	OriMC-1	NRAO	11m	Tur89	N
U 71414.		unidentified		0.11	OriMC-1	NRAO	11m	Tur89	N
				b	Sgr B2	NRAO	11m	Tur89	N
71464.138*(33)		<sup>13</sup> CH <sub>3</sub> CN	4(1)-3(1)	0.03 b	Sgr B2	NRAO	11m	Tur89	N
				0.11	OriMC-1	NRAO	11m	Tur89	N
71465.497*(34)		<sup>13</sup> CH <sub>3</sub> CN	4(0)-3(0)	b	Sgr B2	NRAO	11m	Tur89	N
				0.15	OriMC-1	NRAO	11m	Tur89	N
71500.531*(11)		CH <sub>3</sub> CH <sub>2</sub> CN	8(2,7)-7(2,6)	0.05	OriMC-1	NRAO	11m	Tur89	N
				0.05	OriMC-1	NRAO	11m	Tur89	N
71514.65 *(18)		<sup>33</sup> SO <sub>2</sub>	27(4,24)-26(5,21)	0.05	OriMC-1	NRAO	11m	Tur89	N
				0.05	OriMC-1	NRAO	11m	Tur89	N
U 71617.		unidentified		0.03	OriMC-1	NRAO	11m	Tur89	N
				0.09 <sup>b</sup>	OriMC-1	NRAO	11m	Tur89	N
71627.848*(37)		SO <sub>2</sub>	6(0,6)-5(1,5) ν <sub>2</sub> =1	b	OriMC-1	NRAO	11m	Tur89	N
				0.10	OriMC-1	NRAO	11m	Tur89	N
71643.170*(11)		CH <sub>3</sub> CH <sub>2</sub> CN	8(5)-7(5)	0.06	OriMC-1	NRAO	11m	Tur89	N
				0.10	OriMC-1	NRAO	11m	Tur89	N
71643.197*(11)		CH <sub>3</sub> CH <sub>2</sub> CN	8(6)-7(6)	b	OriMC-1	NRAO	11m	Tur89	N
				0.10	OriMC-1	NRAO	11m	Tur89	N
71674.927*(11)		CH <sub>3</sub> CH <sub>2</sub> CN	8(3,6)-7(3,5)	0.06	OriMC-1	NRAO	11m	Tur89	N
				0.06	OriMC-1	NRAO	11m	Tur89	N
71692.942*(11)		CH <sub>3</sub> CH <sub>2</sub> CN	8(3,5)-7(3,4)	0.05	OriMC-1	NRAO	11m	Tur89	N
				0.05	OriMC-1	NRAO	11m	Tur89	N
71703.65 *(13)		HCOOCH <sub>3</sub>	6(3,4)-6(2,5) E	0.03	OriMC-1	NRAO	11m	Tur89	N
				0.03	OriMC-1	NRAO	11m	Tur89	N
U 71732.		unidentified		0.12	Sgr B2	NRAO	11m	Tur89	N
				0.15	Sgr B2	NRAO	11m	Tur89	N
71743.90 *(5)		HCOOCH <sub>3</sub>	6(3,4)-6(2,5) A	0.05	Sgr B2	BTL	7m	Cum86	
				0.87	L134	NRAO	11m	Hol76	

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r(K)$ $/T_a(K)$	Source	Telescope	Astr. ref.	Lab. ref.
U 72075.		unidentified		0.03	OriMC-1	NRAO	11m	Tur89
72108.609*(11)		CH <sub>3</sub> CH <sub>2</sub> CN	8(2,6)–7(2,5)	0.07	Sgr B2	BTL	7m	Cum86
72298.70 *(25)		CH <sub>3</sub> OCH <sub>3</sub>	10(1,9)–10(0,10) AE + EA	<sup>b</sup>	OriMC-1	NRAO	11m	Tur89
72300.12 *(13)		CH <sub>3</sub> OCH <sub>3</sub>	10(1,9)–10(0,10) EE	0.05 <sup>b</sup>	OriMC-1	NRAO	11m	Tur89
72301.53 *(7)		CH <sub>3</sub> OCH <sub>3</sub>	10(1,9)–10(0,10) AA	<sup>b</sup>	OriMC-1	NRAO	11m	Tur89
U 72403.		unidentified		0.03	OriMC-1	NRAO	11m	Tur89
72409.092*(12)		H <sub>2</sub> CO	5(1,4)–5(1,5)	0.1	OriMC-1	NRAO	11m	Wil73
72413.4843(10)		DCN	1–0 F'=1–1 F=1–0,1,2	<sup>b</sup>	OriMC-1	NRAO	11m	Wil73
72413.5143(10)		DCN	1–0 F'=1–1 F=2–1,2	0.2 <sup>b</sup>	OriMC-1	NRAO	11m	DeL69
72413.5584(10)		DCN	1–0 F'=1–1 F=0–0,1	<sup>b</sup>	OriMC-1	NRAO	11m	DeL69
72414.9054(10)		DCN	1–0 F'=2–1 F=1–0,1,2	<sup>b</sup>	OriMC-1	NRAO	11m	Wil73
72414.9270(10)		DCN	1–0 F'=2–1 F=2–1,2	0.25 <sup>b</sup>	OriMC-1	NRAO	11m	DeL69
72414.9732(10)		DCN	1–0 F'=2–1 F=3–2	<sup>b</sup>	OriMC-1	NRAO	11m	Wil73
72417.0297(10)		DCN	1–0 F'=0–1 F=1–0,1,2	0.2	OriMC-1	NRAO	11m	Del69
U 72420.		unidentified		0.08	OriMC-1	NRAO	11m	Tur89
U 72426.		unidentified		0.05	OriMC-1	NRAO	11m	Tur89
72475.074*(11)		HC <sup>13</sup> CCN	8–7	0.08	IRC+10216	OSO	20m	Joh84
72482.056*(5)		HCC <sup>13</sup> CN	8–7	0.08	IRC+10216	OSO	20m	Joh84
U 72500.		unidentified		0.02	OriMC-1	NRAO	11m	Tur89
72568.90 (10)		CH <sub>3</sub> NH <sub>2</sub>	6(1,6)–6(0,6)	0.08	Sgr B2	NRAO	11m	Tur89
U 72578.		unidentified		0.13	OriMC-1	NRAO	11m	Tur89
72618.102*(10)		SiS	4–3	0.77	IRC+10216	OSO	20m	Joh84
72668.123*(24)		SO <sub>2</sub>	26(4,22)–25(5,21)	0.30	OriMC-1	OSO	20m	Sch83
72680.83 *(2)		HCOOCH <sub>3</sub>	6(2,5)–5(2,4) E	0.18	OriMC-1	OSO	20m	Joh84
72685.56 *(10)		HCOOCH <sub>3</sub>	6(2,5)–5(2,4) A	0.18	OriMC-1	OSO	20m	Plu84
U 72707.		unidentified		0.10	OriMC-1	NRAO	11m	Tur89
U 72721.		unidentified		0.15	OriMC-1	OSO	20m	Joh84
72758.242*(2)		SO <sub>2</sub>	6(0,6)–5(1,5)	0.8	OriMC-1	NRAO	11m	Joh76
72783.824*(2)		HC <sub>3</sub> N	8–7	2.29	Sgr B2	NRAO	11m	Mor76
U 72823.		unidentified		0.15	Sgr B2	NRAO	11m	Tur89
72837.950*(5)		H <sub>2</sub> CO	1(0,1)–0(0,0)	0.5	OriMC-1	TAO	6m	Aka74
U 72942.		unidentified		0.20	OriMC-1	NRAO	11m	Tur89
72962.731*(23)		HC <sub>3</sub> N	8–7 $\nu_7=1$ $\ell=1e$	0.15	OriMC-1	OSO	20m	Joh84
72976.7794(10)		OCS	6–5	0.25	Sgr B2	TAO	6m	Dub80
73001.940*(12)		CH <sub>3</sub> CH <sub>2</sub> OH	14(3,11)–13(4,10)	0.08	OriMC-1	NRAO	11m	Tur89
U 73013.		unidentified		0.05	OriMC-1	NRAO	11m	Tur89
73044.01 (10)		CH <sub>3</sub> NH <sub>2</sub>	5(1,5)–5(0,5) F=4–4	<sup>b</sup>	Sgr B2	TAO	6m	Kai74
73044.20 (10)		CH <sub>3</sub> NH <sub>2</sub>	5(1,5)–5(0,5) F=6–6	0.5 <sup>b</sup>	Sgr B2	TAO	6m	Kai74
73045.15 (10)		CH <sub>3</sub> NH <sub>2</sub>	5(1,5)–5(0,5) F=5–5	<sup>b</sup>	Sgr B2	TAO	6m	Kai74
73081.190*(8)		CH <sub>3</sub> CH <sub>2</sub> OH	4(2,2)–4(1,3)	0.11	Sgr B2	BTL	7m	Cum86
U 73101.		unidentified	(real?)	0.08	Sgr B2	NRAO	11m	N
U 73152.		unidentified		0.03	Sgr B2	NRAO	11m	N
73161.972*(39)		SO <sub>2</sub>	3(2,2)–4(1,3) $\nu_2=1$	0.04	OriMC-1	NRAO	11m	N
U 73178.		unidentified		0.03	OriMC-1	NRAO	11m	N
73245.034*(38)		HC <sub>3</sub> N	8–7 $\nu_7=2$ $\ell=0$	0.03 <sup>b</sup>	Sgr B2	NRAO	11m	N
73245.435*(42)		HC <sub>3</sub> N	8–7 $\nu_7=2$ $\ell=2e$	<sup>b</sup>	Sgr B2	NRAO	11m	N
73246.708*(40)		HC <sub>3</sub> N	8–7 $\nu_7=2$ $\ell=2f$	<sup>b</sup>	Sgr B2	NRAO	11m	N
73315.91 *(19)		HC <sub>3</sub> N	65–64	0.05	OriMC-1	NRAO	11m	N
U 73338.		unidentified	(real?)	0.03	Sgr B2	NRAO	11m	N
73346.31 *(11)		CH <sub>3</sub> CH <sub>2</sub> CN	8(1,7)–7(1,6)	0.03	OriMC-1	NRAO	11m	N
73460.7 (10)		C <sub>6</sub> H	<sup>2</sup> 11 <sub>3/2</sub> J=53/2–51/2 f	0.04	IRC+10216	IRAM	30m	Gué87
U 73462.		unidentified		0.08	Sgr B2	NRAO	11m	N
73466.93 *(10)		CH <sub>3</sub> OCH <sub>3</sub>	10(2,8)–10(1,9) EA + AE	<sup>b</sup>	OriMC-1	OSO	20m	Joh84
73468.71 *(5)		CH <sub>3</sub> OCH <sub>3</sub>	10(2,8)–10(1,9) EE	0.20 <sup>b</sup>	OriMC-1	OSO	20m	Joh84
73470.49 *(5)		CH <sub>3</sub> OCH <sub>3</sub>	10(2,8)–10(1,9) AA	<sup>b</sup>	OriMC-1	OSO	20m	Joh84
73481.2 (10)		C <sub>6</sub> H	<sup>2</sup> 11 <sub>3/2</sub> J=53/2–51/2 e	0.03	IRC+10216	IRAM	30m	Gué87
73552.419*(5)		CH <sub>3</sub> <sup>13</sup> CN	4(1)–3(1)	<sup>b</sup>	Sgr B2	NRAO	11m	N
73553.828*(5)		CH <sub>3</sub> <sup>13</sup> CN	4(0)–3(0)	0.06 <sup>b</sup>	Sgr B2	NRAO	11m	N
73577.454*(1)		CH <sub>3</sub> CN	4(3)–3(3)	0.83	OriMC-1	OSO	20m	Joh84
73584.546*(1)		CH <sub>3</sub> CN	4(2)–3(2)	1.00	OriMC-1	OSO	20m	M
73588.802*(1)		CH <sub>3</sub> CN	4(1)–3(1)	2.20 <sup>b</sup>	OriMC-1	OSO	20m	Joh84
73590.221*(1)		CH <sub>3</sub> CN	4(0)–3(0)	<sup>b</sup>	OriMC-1	OSO	20m	M
73605.385*(26)		CH <sub>2</sub> CHCN	14(1,13)–14(0,14)	0.14	OriMC-1	NRAO	12m	Hol89
73612.1 *(2)		<sup>33</sup> SO <sub>2</sub>	6(0,6)–5(1,5)	0.06	OriMC-1	NRAO	12m	Hol89
73658.27 *(2)		HCOOCH <sub>3</sub>	6(5,1)–5(5,0) E	0.04	OriMC-1	NRAO	12m	Plu86

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r$ (K) $/T_a$ (K)	Source	Telescope	Astr. ref.	Lab. ref.	
73663.99 *( 2)		HCOOCH <sub>3</sub>	6(5,2)–5(5,1) E	<sup>b</sup>	OriMC-1	OSO	20m	Joh84	Plu86 M
73665.59 *(10)		HCOOCH <sub>3</sub>	6(5,2)–5(5,1) A	0.15 <sup>b</sup>	OriMC-1	OSO	20m	Joh84	Plu84 M
73665.73 *(10)		HCOOCH <sub>3</sub>	6(5,1)–5(5,0) A	<sup>b</sup>	OriMC-1	OSO	20m	Joh84	Plu84 M
U 73699.	unidentified			0.03	OriMC-1	NRAO	12m	Hol89	
73720.51 *(15)		CH <sub>3</sub> OCH <sub>3</sub>	9(2,7)–9(1,8) AE + EA	<sup>b</sup>	OriMC-1	OSO	20m	Joh84	
73722.40 *( 5)		CH <sub>3</sub> OCH <sub>3</sub>	9(2,7)–9(1,8) EE	0.25 <sup>b</sup>	OriMC-1	OSO	20m	Joh84	
73724.28 *( 4)		CH <sub>3</sub> OCH <sub>3</sub>	9(2,7)–9(1,8) AA	<sup>b</sup>	OriMC-1	OSO	20m	Joh84	
U 73766.	unidentified			0.03	Sgr B2	NRAO	11m	Tur89	
73783.00 *( 2)		HCOOCH <sub>3</sub>	6(4,2)–5(4,1) E	<sup>b</sup>	OriMC-1	OSO	20m	Joh84	Plu86 M
73784.51 *(10)		HCOOCH <sub>3</sub>	6(4,3)–5(4,2) A	0.15 <sup>b</sup>	OriMC-1	OSO	20m	Joh84	Plu84 M
73787.60 *( 2)		HCOOCH <sub>3</sub>	6(4,3)–5(4,2) E	<sup>b</sup>	OriMC-1	OSO	20m	Joh84	Plu86 M
73796.78 *(10)		HCOOCH <sub>3</sub>	6(4,2)–5(4,1) A	0.10	OriMC-1	OSO	20m	Joh84	Plu84 M
73810.008*( 7)		CH <sub>3</sub> CN	4(0)–3(0) $\nu_8=1 \ell=1$	0.03 <sup>b</sup>	OriMC-1	NRAO	11m	Tur91	
73811.589*( 8)		CH <sub>3</sub> CN	4(2)–3(2) $\nu_8=1 \ell=1$	<sup>b</sup>	OriMC-1	NRAO	11m	Tur91	
73842. ( 1)		CH <sub>3</sub> OH	9(1)–10(2) A – $\nu_1=1$	0.30	OriMC-1	OSO	20m	Joh84	
73883.939*(33)		SO <sub>2</sub>	4(2,2)–5(1,5) $\nu_2=1$	<sup>b</sup>	OriMC-1	NRAO	11m	Tur89	
73885.032*(34)		HCOOCH <sub>3</sub>	6(3,4)–5(3,3) A	0.12 <sup>b</sup>	OriMC-1	NRAO	11m	Tur89	
73905.90 *( 3)		HCOOCH <sub>3</sub>	6(3,4)–5(3,3) E	0.12	OriMC-1	NRAO	11m	Tur89	Plu86 N
73967.7 ( 3)		C <sub>6</sub> H	$^2\Pi_{1/2} J=53/2$ –51/2 f	1.3 <sup>f</sup>	IRC + 10216	IRAM	30m	Cer86	Cer87a N
73981.562*(18)		CH <sub>2</sub> CHCN	8(1,8)–7(1,7)	0.04	Sgr B2	NRAO	11m	Tur89	
73993.8 ( 3)		C <sub>5</sub> H	$^2\Pi_{1/2} J=31/2$ –29/2 a	2.0 <sup>f</sup>	IRC + 10216	IRAM	30m	Cer86	Cer86 N
73998.9 ( 4)		C <sub>5</sub> H	$^2\Pi_{1/2} J=31/2$ –29/2 b	1.9 <sup>f</sup>	IRC + 10216	IRAM	30m	Cer86	Cer86 N
74008.5 ( 3)		C <sub>6</sub> H	$^2\Pi_{1/2} J=53/2$ –51/2 e	1.3 <sup>f</sup>	IRC + 10216	IRAM	30m	Cer86	Cer87a N
U 74034.	unidentified			0.02	OriMC-1	NRAO	11m	Tur89	
U 74040.	unidentified			0.05	OriMC-1	NRAO	11m	Tur89	
74111.31 *( 6)		HCNH <sup>+</sup>	1–0	0.10	Sgr B2	NRAO	12m	Ziu86a	Bog85a N
74141.7 ( 3)		C <sub>4</sub> H	$^2\Pi_{1/2} J=15/2$ –13/2 $\nu_7=1$ e	1.38 <sup>f</sup>	IRC + 10216	IRAM	30m	Yam87b	Yam87b N
74149.26 *(14)		CH <sub>3</sub> OCH <sub>3</sub>	11(2,9)–11(1,10) EA + AE	<sup>b</sup>	OriMC-1	OSO	20m	Joh84	
74150.95 *( 9)		CH <sub>3</sub> OCH <sub>3</sub>	11(2,9)–11(1,10) EE	0.30 <sup>b</sup>	OriMC-1	OSO	20m	Joh84	
74152.64 *( 5)		CH <sub>3</sub> OCH <sub>3</sub>	11(2,9)–11(1,10) AA	<sup>b</sup>	OriMC-1	OSO	20m	Joh84	
74155.73 (10)		NH <sub>2</sub> D	2(1,2)–2(0,2) U	0.04	OriMC-1	NRAO	11m	Tur89	Del75 N
74263.48 *( 3)		HCOOCH <sub>3</sub>	6(3,3)–5(3,2) E	0.15	OriMC-1	OSO	20m	Joh84	Plu86 M
74296.74 *(10)		HCOOCH <sub>3</sub>	6(3,3)–5(3,2) A	0.20	OriMC-1	OSO	20m	Joh84	Plu84 M
U 74395.	unidentified			0.02	OriMC-1	NRAO	11m	Tur89	
74404.579*(39)		<sup>34</sup> SO <sub>2</sub>	6(0,6)–5(1,5)	0.30	OriMC-1	OSO	20m	Sch83	
74497.18 *( 5)		C <sub>5</sub> H	$^2\Pi_{3/2} J=31/2$ –29/2 a	5.2 <sup>fb</sup>	IRC + 10216	IRAM	30m	Cer86a	Got86 N
74498.62 *( 5)		C <sub>5</sub> H	$^2\Pi_{3/2} J=31/2$ –29/2 b	<sup>b</sup>	IRC + 10216	IRAM	30m	Cer86a	Got86 N
74551.989*( 4)		HC <sub>3</sub> N	28–27	0.30	IRC + 10216	OSO	20m	Joh84	
U 74655.	unidentified			0.05	OriMC-1	NRAO	11m	Tur89	
U 74661.	unidentified			0.06	Sgr B2	NRAO	11m	Tur89	
74747.51 *(16)		CH <sub>3</sub> OCH <sub>3</sub>	8(2,6)–8(1,7) AE + EA	<sup>b</sup>	OriMC-1	OSO	20m	Joh84	
74749.50 *(10)		CH <sub>3</sub> OCH <sub>3</sub>	8(2,6)–8(1,7) EE	0.20 <sup>b</sup>	OriMC-1	OSO	20m	Joh84	
74751.49 *( 4)		CH <sub>3</sub> OCH <sub>3</sub>	8(2,6)–8(1,7) AA	<sup>b</sup>	OriMC-1	OSO	20m	Joh84	
74866.514*(16)		SO <sub>2</sub>	24(6,18)–25(5,21)	0.20	OriMC-1	OSO	20m	Sch83	
74891.65 *( 5)		CH <sub>3</sub> CHO	4(1,4)–3(1,3) A	0.13	Sgr B2	BTL	7m	Cum86	Kle91 M
74924.61 *( 5)		CH <sub>3</sub> CHO	4(1,4)–3(1,3) E	0.07	Sgr B2	BTL	7m	Cum86	Kle91 M
74970.62 *(28)		CH <sub>3</sub> OCH <sub>3</sub>	12(4,7)–13(5,8) AE	0.05 <sup>b</sup>	OriMC-1	NRAO	11m	Tur89	
74975.87 *(17)		CH <sub>3</sub> OCH <sub>3</sub>	12(4,7)–13(5,8) AA	<sup>b</sup>	OriMC-1	NRAO	11m	Tur89	
74976.040*( 8)		CH <sub>3</sub> CH <sub>2</sub> OH	3(1,3)–2(0,2)	0.23	Sgr B2	BTL	7m	Cum86	
U 75052.	unidentified			0.05	OriMC-1	NRAO	11m	Tur89	
75147.927 (20)		C <sub>3</sub> S	13–12	2.3 <sup>f</sup>	IRC + 10216	IRAM	30m	Cer87b	Yam87 N
75159.94 *( 5)		CH <sub>3</sub> CHO	6(0,6)–5(1,5) A	0.08	OriMC-1	NRAO	11m	Tur89	Kle91 N
U 75200.	unidentified			0.24	OriMC-1	NRAO	11m	Tur89	
U 75235.	unidentified			0.20	OriMC-1	NRAO	11m	Tur89	
U 75406.	unidentified			0.04	Sgr B2	NRAO	11m	Wil81	
U 75428.	unidentified			0.08	OriMC-1	NRAO	11m	Tur89	
U 75451.	unidentified			0.12	OriMC-1	NRAO	11m	Tur91	
75515.35 (10)		CH <sub>3</sub> OH	13(–5)–14(–4) E	0.37	OriMC-1	OSO	20m	Joh84	Sas84
75528.7 *( 8)		HC <sub>3</sub> N	130–129	0.06	Sgr B2	NRAO	11m	Tur89	
75571.51 *(21)		HC <sub>3</sub> N	67–66	0.05	OriMC-1	NRAO	11m	Tur89	
75585.695*(12)		CH <sub>2</sub> CHCN	8(0,8)–7(0,7)	0.10	Sgr B2	BTL	7m	Cum86	
U 75595.	unidentified			0.05	Sgr B2	NRAO	11m	Tur89	
U 75656.	unidentified			0.12	OriMC-1	OSO	20m	Joh84	
U 75717. ?	unidentified			0.20	OriMC-1	NRAO	11m	Tur89	
75816.45 ( 5)		CH <sub>3</sub> SH	3(–1)–2(–1) E	<0.05	Sgr B2	BTL	7m	Lin79	Lee80

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_e(K)$ $/T_s(K)$	Source	Telescope	Astr. ref.	Lab. ref.	
75838.867*(10)		CH <sub>2</sub> CHCN	8(2,7)–7(2,6)	0.06	Sgr B2	BTL	7m	Cum86	1
75862.92 (7)		CH <sub>3</sub> SH	3(0)–2(0) A+	0.19	Sgr B2	BTL	7m	Lin79	Koj80
75864.43 (5)		CH <sub>3</sub> SH	3(0)–2(0) E	0.12	Sgr B2	BTL	7m	Lin79	Lee80
75869.454*(44)		HCOOCH <sub>3</sub>	3(2,2)–2(1,1) A	<sup>b</sup>	Sgr B2	NRAO	11m	Tur89	1
75880.49 (5)		CH <sub>3</sub> SH	3(2)–2(2) A+	0.07	Sgr B2	NRAO	11m	Tur89	Lee80
75906.42 *(14)		CH <sub>3</sub> OCH <sub>3</sub>	12(2,10)–12(1,11) AE+EA	<sup>b</sup>	OriMC-1	OSO	20m	Joh84	
75908.03 *(10)		CH <sub>3</sub> OCH <sub>3</sub>	12(2,10)–12(1,11) EE	0.30 <sup>b</sup>	OriMC-1	OSO	20m	Joh84	
75909.65 *(7)		CH <sub>3</sub> OCH <sub>3</sub>	12(2,10)–12(1,11) AA	<sup>b</sup>	OriMC-1	OSO	20m	Joh84	
75921.979*(10)		CH <sub>2</sub> CHCN	8(4,5)–7(4,4)	<sup>b</sup>	Sgr B2	BTL	7m	Cum86	M
75922.001*(10)		CH <sub>2</sub> CHCN	8(4,4)–7(4,3)	<sup>b</sup>	Sgr B2	BTL	7m	Cum86	M
75926.796*(12)		CH <sub>2</sub> CHCN	8(5)–7(5)	<sup>b</sup>	Sgr B2	BTL	7m	Cum86	M
75927.706*(10)		CH <sub>2</sub> CHCN	8(3,6)–7(3,5)	0.06 <sup>b</sup>	Sgr B2	BTL	7m	Cum86	M
75931.858*(10)		CH <sub>2</sub> CHCN	8(3,5)–7(3,4)	<sup>b</sup>	Sgr B2	BTL	7m	Cum86	M
75937.823*(14)		CH <sub>2</sub> CHCN	8(6)–7(6)	0.13	Sgr B2	BTL	7m	Cum86	M
U 75979.		unidentified		0.03	Sgr B2	NRAO	11m	Tur89	N
75987.149*(4)		DC <sub>3</sub> N	9–8	0.11	TMC-1	FCRAO	14m	Sch81	
U 76090.		unidentified		0.10	OriMC-1	OSO	20m	Joh84	Got83
	76117.43 *(1)	C <sub>4</sub> H	8–7 J=17/2–15/2	0.17	IRC+10216	OSO	20m	Joh84	
	76128.890*(10)	CH <sub>2</sub> CHCN	8(2,6)–7(2,5)	0.10	OriMC-1	OSO	20m	Joh84	M
U 76152.		unidentified		0.10	OriMC-1	OSO	20m	Joh84	
U 76156.02 *(1)		C <sub>4</sub> H	8–7 J=15/2–13/2	0.17	IRC+10216	OSO	20m	Joh84	Got83
U 76162.		unidentified		0.20	OriMC-1	NRAO	11m	Tur89	N
U 76168.		unidentified		0.12	OriMC-1	OSO	20m	Joh84	
	76199.199 (60)	I-C <sub>3</sub> H	<sup>2</sup> II <sub>1/2</sub> J=7/2–5/2b	0.12	IRC+10216	OSO	20m	Tha85	Tha85
	76204.501 (60)	I-C <sub>3</sub> H	<sup>2</sup> II <sub>1/2</sub> J=7/2–5/2a	0.12	IRC+10216	OSO	20m	Tha85	Tha85
	76247.27 (19)	CH <sub>3</sub> OH	11(1)–10(2) A-	0.6	OriMC-1	NRAO	11m	Jen79	Sas84
	76305.727 (50)	DNC	1–0	0.34	NGC 2264	NRAO	11m	God77	Cre76
	76362.17 *(16)	CH <sub>3</sub> OCH <sub>3</sub>	7(2,5)–7(1,6) AE+EA	<sup>b</sup>	OriMC-1	OSO	20m	Joh84	
	76364.26 *(10)	CH <sub>3</sub> OCH <sub>3</sub>	7(2,5)–7(1,6) EE	0.30 <sup>b</sup>	OriMC-1	OSO	20m	Joh84	
	76366.35 *(4)	CH <sub>3</sub> OCH <sub>3</sub>	7(2,5)–7(1,6) AA	<sup>b</sup>	OriMC-1	OSO	20m	Joh84	
U 76379.		unidentified		0.10	OriMC-1	NRAO	11m	Tur89	N
	76383.84 *(4)	HCOOD	6(1,5)–6(0,6)	0.03	Sgr B2	NRAO	11m	Tur89	N
	76405.14 (10)	CH <sub>3</sub> OH	13(2)–12(1) $\nu_i=1$	0.10	OriMC-1	NRAO	11m	Tur89	Sas84
	76412.170*(5)	SO <sub>2</sub>	10(1,9)–9(2,8)	2.5	OriMC-1	OSO	20m	Sch83	N
U 76415.		unidentified		0.12	SGR B2	NRAO	11m	Tur91	N
U 76491.		unidentified		0.20	OriMC-1	NRAO	11m	Tur89	N
U 76499.		unidentified		0.10	OriMC-1	NRAO	11m	Tur91	N
	76509.67 (10)	CH <sub>3</sub> OH	5(0)–4(1) E	0.6	OriMC-1	NRAO	11m	Jen79	Sas84
	76539.02 (10)	CH <sub>3</sub> SH	7(0)–6(1) A+	0.07	Sgr B2	NRAO	11m	Tur89	Lee80
U 76648.6 (15)		unidentified		0.09	Sgr B2	BTL	7m	Cum86	
	76662.440*(7)	CH <sub>3</sub> CH <sub>2</sub> OH	2(2,0)–2(1,1)	0.07	Sgr B2	NRAO	11m	Tur89	
	76699.30 *(22)	HC <sub>2</sub> N	68–67	0.05 <sup>b</sup>	OriMC-1	NRAO	11m	Tur91	
	76701.82 *(2)	HCOOCH <sub>3</sub>	6(2,4)–5(2,3) E	0.25 <sup>b</sup>	OriMC-1	OSO	20m	Ell80	Plu86
	76711.14 *(10)	HCOOCH <sub>3</sub>	6(2,4)–5(2,3) A	0.22	OriMC-1	OSO	20m	Ell80	Plu84
	76796.09 *(2)	HCOOCH <sub>3</sub>	6(1,5)–5(1,4) E	0.22	OriMC-1	OSO	20m	Joh84	Plu86
	76803.99 *(10)	HCOOCH <sub>3</sub>	6(1,5)–5(1,4) A	0.23	OriMC-1	OSO	20m	Joh84	Plu84
	76838.70 (10)	CH <sub>3</sub> NH <sub>2</sub>	3(1,3)–3(0,3) Aa	0.05	OriMC-1	NRAO	11m	Tur89	Tak73
	76866.43 *(5)	CH <sub>3</sub> CHO	4(0,4)–3(0,3) E	0.13 <sup>b</sup>	Sgr B2	BTL	7m	Cum86	Kle91
	76868.83 (5)	CH <sub>3</sub> OD	6(1)–5(2) E	<sup>b</sup>	Sgr B2	NRAO	11m	Tur89	Kau80
	76878.91 *(5)	CH <sub>3</sub> CHO	4(0,4)–3(0,3) A	0.10	Sgr B2	BTL	7m	Cum86	Kle91
U 76966.		unidentified		0.02	Sgr B2	NRAO	11m	Tur89	N
	76972.590*(7)	C <sub>3</sub> O	8–7	0.059	TMC-1	NRAO	12m	Bro85	M
	77038.59 *(5)	CH <sub>3</sub> CHO	4(2,3)–3(2,2) A	0.04	Sgr B2	NRAO	11m	Tur89	Kle91
U 77071.		unidentified		0.10	OriMC-1	NRAO	11m	Tur89	N
	77107.86 (9)	N <sub>2</sub> D <sup>+</sup>	1–0 $F_1=1-1$	0.25	L134N	NRAO	11m	Sny77	And77
	77109.61 (8)	N <sub>2</sub> D <sup>+</sup>	1–0 $F_1=2-1$	0.30	L134N	NRAO	11m	Sny77	And77
	77112.2 (1)	N <sub>2</sub> D <sup>+</sup>	1–0 $F_1=0-1$	0.15	L134N	NRAO	11m	Sny77	And77
	77125.69 *(5)	CH <sub>3</sub> CHO	4(2,2)–3(2,1) E	0.05 <sup>b</sup>	OriMC-1	NRAO	11m	Tur89	Kle91
	77126.35 *(5)	CH <sub>3</sub> CHO	4(2,3)–3(2,2) E	<sup>b</sup>	OriMC-1	NRAO	11m	Tur89	Kle91
	77214.361*(4)	HC <sub>5</sub> N	29–28	0.25	IRC+10216	OSO	20m	Joh84	
	77214.361*(4)	HC <sub>5</sub> N	29–28	<sup>b</sup>	Sgr B2	NRAO	11m	Tur89	
	77218.28 *(5)	CH <sub>3</sub> CHO	4(2,2)–3(2,1) A	0.17 <sup>b</sup>	Sgr B2	NRAO	11m	Tur89	Kle91
	77231.41 *(6)	<sup>34</sup> SO <sub>2</sub>	20(3,17)–19(4,16)	0.04 <sup>b</sup>	OriMC-1	NRAO	11m	Tur89	N
	77235.170 (13)	CH <sub>3</sub> CH <sub>2</sub> OH	8(5,3)–9(4,6)	0.03 <sup>b</sup>	OriMC-1	NRAO	11m	Tur89	N
	77271.38 *(84)	HC <sub>5</sub> N	133–132	0.12	Sgr B2	NRAO	11m	Tur89	N

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r(K)$ $/T_a(K)$	Source	Telescope	Astr. ref.	Lab. ref.
U 77290.		unidentified		0.12	Sgr B2	NRAO	11m	Tur89
U 77445.		unidentified		0.05	Sgr B2	NRAO	11m	Tur89
U 77458.		unidentified		0.04	Sgr B2	NRAO	11m	Tur89
U 77498.		unidentified		0.05	OriMC-1	NRAO	11m	Tur89
U 77511.		unidentified		0.05	OriMC-1	NRAO	11m	Tur89
77633.828*(12)		$\text{CH}_2\text{CHCN}$	8(1,7) – 7(1,6)	0.12	Sgr B2	BTL	7m	Cum86
U 77687.		unidentified		0.10	Sgr B2	NRAO	11m	Tur89
77731.727*(6)		$\text{C}_2\text{S}$	6(6) – 5(5)	0.07	Sgr B2	NRAO	11m	Tur91
U 77736.		unidentified		0.20	Sgr B2	NRAO	11m	Tur89
U 77744.		unidentified		0.14	Sgr B2	NRAO	11m	Tur89
77827.09 *(24)		$\text{HC}_7\text{N}$	69 – 68	0.05	Sgr B2	NRAO	11m	Tur91
U 77976.		unidentified		0.10	Sgr B2	NRAO	11m	Tur89
U 77978.5 (13)		unidentified		0.13	Sgr B2	BTL	7m	Cum86
U 77983.		unidentified		0.20	OriMC-1	OSO	20m	Joh84
U 77988.		unidentified		0.06	OriMC-1	NRAO	11m	Tur89
U 78063.		unidentified		0.06	OriMC-1	NRAO	11m	Tur89
78068.36 *(53)		$^{13}\text{CH}_3\text{OH}$	8(2) – 9(1) A +	0.04	OriMC-1	NRAO	11m	Tur89
78183.631*(12)		$\text{CH}_3\text{CH}_2\text{CN}$	9(1,9) – 8(1,8)	0.25	OriMC-1	OSO	20m	Joh84
U 78262.		unidentified		0.05	OriMC-1	NRAO	11m	Tur89
78361.41 *(15)		$\text{CH}_3\text{OCH}_3$	6(2,4) – 6(1,5) AE + EA	b	OriMC-1	OSO	20m	Joh84
78363.59 *(9)		$\text{CH}_3\text{OCH}_3$	6(2,4) – 6(1,5) EE	0.25 <sup>b</sup>	OriMC-1	OSO	20m	Joh84
78365.77 *(4)		$\text{CH}_3\text{OCH}_3$	6(2,4) – 6(1,5) AA	b	OriMC-1	OSO	20m	Joh84
78397.033*(50)		$^{34}\text{SO}_2$	8(3,5) – 9(2,8)	0.05	OriMC-1	NRAO	11m	Tur91
U 78437.		unidentified		0.05	Sgr B2	NRAO	11m	Tur91
78479.38 *(3)		$\text{HCOOCH}_3$	7(1,7) – 6(1,6) E	0.75 <sup>b</sup>	OriMC-1	OSO	20m	Joh84
78481.39 *(3)		$\text{HCOOCH}_3$	7(1,7) – 6(1,6) A	0.65 <sup>b</sup>	OriMC-1	OSO	20m	Joh84
78517.42 *(16)		$\text{HCOOCH}_3$	10(1,9) – 10(0,10) E	0.09	OriMC-1	NRAO	11m	Tur89
78633.507*(33)		$\text{NH}_2\text{CHO}$	16(2,14) – 15(3,13)	0.04	OriMC-1	NRAO	11m	Tur89
U 78640.		unidentified		0.05	OriMC-1	NRAO	11m	Tur89
78711.366*(49)		$\text{SO}_2$	19(5,15) – 20(4,16) $v_2 = 1$	0.05	OriMC-1	NRAO	11m	Tur89
U 78752.		unidentified		0.05	OriMC-1	NRAO	11m	Tur89
78856.40 *(10)		$\text{CH}_3\text{OCH}_3$	13(2,11) – 13(1,12) AE + EA	b	OriMC-1	OSO	20m	Joh84
78857.91 *(8)		$\text{CH}_3\text{OCH}_3$	13(2,11) – 13(1,12) EE	0.38 <sup>b</sup>	OriMC-1	OSO	20m	Joh84
78859.43 *(6)		$\text{CH}_3\text{OCH}_3$	13(2,11) – 13(1,12) AA	b	OriMC-1	OSO	20m	Joh84
U 78867.		unidentified		0.04	OriMC-1	NRAO	11m	Tur91
78912.323*(5)		$\text{C}_3\text{HD}$	2(1,2) – 1(0,1)	0.34	TMC-1	NRAO	12m	Ger87
78954.87 *(25)		$\text{HC}_7\text{N}$	70 – 69	0.03	Sgr B2	NRAO	11m	Tur91
79007.11 (10)		$\text{CH}_3\text{NH}_2$	1(1,1) – 1(0,1) Aa $F = 0 - 1$	b	Sgr B2	NRAO	11m	Tur89
79008.70 (10)		$\text{CH}_3\text{NH}_2$	1(1,1) – 1(0,1) Aa $F = 2 - 2$	0.08 <sup>b</sup>	Sgr B2	NRAO	11m	Tur89
79010.36 (10)		$\text{CH}_3\text{NH}_2$	1(1,1) – 1(0,1) Aa $F = 1 - 0$	b	Sgr B2	NRAO	11m	Tur89
79014.04 *(89)		$\text{HC}_9\text{N}$	136 – 135	b	Sgr B2	NRAO	11m	Tur89
U 79055.		unidentified		0.03	Sgr B2	NRAO	11m	Tur91
79099.28 *(5)		$\text{CH}_3\text{CHO}$	4(1,3) – 3(1,2) E	0.15	Sgr B2	BTL	7m	Cum86
79150.13 *(5)		$\text{CH}_3\text{CHO}$	4(1,3) – 3(1,2) A	0.3	Sgr B2	NRAO	11m	Kle91 M
79151.01 *(2)		$\text{C}_3\text{N}$	8 – 7 $J = 17/2 - 15/2$	0.27	IRC + 10216	OSO	20m	Joh84
79169.77 *(2)		$\text{C}_3\text{N}$	8 – 7 $J = 15/2 - 13/2$	0.27	IRC + 10216	OSO	20m	Got83
U 79221.9 (50)		unidentified		0.05	Sgr B2	BTL	7m	Cum86
U 79289.		unidentified		0.05	Sgr B2	NRAO	11m	Tur89
U 79334.		unidentified		0.05	Sgr B2	NRAO	11m	Tur89
79350.476*(8)		$\text{H}^3\text{CCCN}$	9 – 8	0.56	Sgr B2	BTL	7m	Wan78
79432.75 *(5)		$\text{HCOOCH}_3$	9(3,7) – 9(2,8) A	0.06	Sgr B2	NRAO	11m	Tur89
U 79438.		unidentified		0.06	Sgr B2	NRAO	11m	Tur89
79449.73 (9)		$\text{NH}_2\text{CN}$	4(1,4) – 3(1,3)	0.27	Sgr B2	BTL	7m	Wan78
U 79465.		unidentified		0.08	Sgr B2	NRAO	11m	Tur89
79580.70 *(25)		$^{13}\text{CH}_3\text{OH}$	5(–1) – 4(0) E	0.15	OriMC-1	OSO	20m	Joh84
79677.507*(7)		$\text{CH}_3\text{CH}_2\text{CN}$	9(0,9) – 8(0,8)	0.25	OriMC-1	OSO	20m	And87 M
U 79699.		unidentified		0.06	OriMC-1	NRAO	11m	Tur89
79753.49 *(7)		$\text{CH}_3\text{OCH}_3$	15(3,13) – 14(4,10) AA	b	OriMC-1	OSO	20m	Joh84
79756.55 *(20)		$\text{CH}_3\text{OCH}_3$	15(3,13) – 14(4,10) EE	0.06 <sup>b</sup>	OriMC-1	OSO	20m	Joh84
79759.52 *(34)		$\text{CH}_3\text{OCH}_3$	15(3,13) – 14(4,10) EA	b	OriMC-1	OSO	20m	Joh84
79759.68 *(34)		$\text{CH}_3\text{OCH}_3$	15(3,13) – 14(4,10) AE	b	OriMC-1	OSO	20m	Joh84
79781.68 *(3)		$\text{HCOOCH}_3$	7(0,7) – 6(0,6) E	0.30 <sup>b</sup>	OriMC-1	OSO	20m	Joh84
79783.89 *(3)		$\text{HCOOCH}_3$	7(0,7) – 6(0,6) A	b	OriMC-1	OSO	20m	Plu86 M
U 79813.		unidentified		0.05	Sgr B2	NRAO	11m	Tur89
U 79870.		unidentified		0.05	Sgr B2	NRAO	11m	Tur89

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r(K)$ $/T_a(K)$	Source	Telescope	Astr. ref.	Lab. ref.
79876.712*( 5)		HC <sub>5</sub> N	30—29	0.25	IRC + 10216	OSO	20m	Joh84
79963.619 (10)		NH <sub>2</sub> CN	4(2,2)—3(2,1)	0.07 <sup>b</sup>	Sgr B2	NRAO	11m	Tur89
79963.619 (10)		NH <sub>2</sub> CN	4(2,3)—3(2,2)	<sup>b</sup>	Sgr B2	NRAO	11m	Tur89
79979.596 (90)		NH <sub>2</sub> CN	4(0,4)—3(0,3)	0.07	Sgr B2	NRAO	11m	Tur77
80076.606*(48)		CH <sub>2</sub> CO	4(1,4)—3(1,3)	0.1 <sup>b</sup>	Sgr B2	NRAO	11m	Tur77
80082.64 *(26)		HC <sub>7</sub> N	71—70	<sup>b</sup>	Sgr B2	NRAO	11m	Tur91
U 80160.		unidentified		0.03	OriMC-1	NRAO	11m	Tur89
80266.200*( 7)		CH <sub>3</sub> CH <sub>2</sub> OH	2(2,1)—2(1,2)	0.07	Sgr B2	NRAO	11m	Tur89
U 80319.		unidentified		0.02	OriMC-1	NRAO	11m	Tur89
80383.96 *( 1)		H <sub>2</sub> CCCC	9(0,9)—8(0,8)	0.10	IRC + 10216	IRAM	30m	Cer91a
80395.14 *(13)		HCOOCH <sub>3</sub>	9(2,8)—9(0,9) E	0.03	OriMC-1	NRAO	11m	Tur89
80404.898*(12)		CH <sub>3</sub> CH <sub>2</sub> CN	9(2,8)—8(2,7)	0.25	OriMC-1	OSO	20m	Joh84
80421.883*( 5)		CH <sub>3</sub> NC	4—3	2.7	Sgr B2	IRAM	30m	Cer88
U 80479.		unidentified		0.04	OriMC-1	NRAO	11m	Tur89
80480.25		CH <sub>2</sub> CN	4(0,4)—3(0,3) $F_1 = 11/2 - 9/2$	0.12	Sgr B2	FCARO	14m	Irv88a
80484.5		CH <sub>2</sub> CN	4(0,4)—3(0,3) $F_1 = 9/2 - 7/2$	0.12	Sgr B2	FCARO	14m	Irv88a
80504.60 (10)		NH <sub>2</sub> CN	4(1,3)—3(1,2)	0.36 <sup>a</sup>	Sgr B2	NRAO	11m	Tur75a
80536.24 (10)		CH <sub>3</sub> OCH <sub>3</sub>	5(2,3)—5(1,4) AE + EA	<sup>b</sup>	Sgr B2	NRAO	11m	Tur75a
80538.54 (10)		CH <sub>3</sub> OCH <sub>3</sub>	5(2,3)—5(1,4) EE	0.2 <sup>b,g</sup>	Sgr B2	NRAO	11m	Tur75a
80540.88 (10)		CH <sub>3</sub> OCH <sub>3</sub>	5(2,3)—5(1,4) AA	<sup>b</sup>	Sgr B2	NRAO	11m	Tur75a
U 80547.		unidentified		0.03	Sgr B2	NRAO	11m	Tur89
U 80553. ?		unidentified		0.02	OriMC-1	NRAO	11m	Tur89
80578.283*(53)		HDO	1(1,0)—1(1,1)	<0.4 <sup>a</sup>	OriMC-1	NRAO	11m	Tur75b
80602.135*(11)		CH <sub>3</sub> CH <sub>2</sub> CN	9(6,3)—8(6,2)	0.3 <sup>b</sup>	OriMC-1	OSO	20m	Olo84
80602.135*(11)		CH <sub>3</sub> CH <sub>2</sub> CN	9(6,4)—8(6,2)	<sup>b</sup>	OriMC-1	OSO	20m	Olo84
80604.58 *( 1)		CH <sub>3</sub> CH <sub>2</sub> CN	9(5,5)—8(5,4)	0.4 <sup>b</sup>	OriMC-1	OSO	20m	Olo84
80604.58 *( 1)		CH <sub>3</sub> CH <sub>2</sub> CN	9(5,4)—8(5,3)	<sup>b</sup>	OriMC-1	OSO	20m	Olo84
80606.211*(12)		CH <sub>3</sub> CH <sub>2</sub> CN	9(7,3)—8(7,2)	0.2 <sup>b</sup>	OriMC-1	OSO	20m	Olo84
80606.211*(12)		CH <sub>3</sub> CH <sub>2</sub> CN	9(7,2)—8(7,1)	<sup>b</sup>	OriMC-1	OSO	20m	Olo84
80619.233*(12)		CH <sub>3</sub> CH <sub>2</sub> CN	9(4,6)—8(4,5)	0.12 <sup>b</sup>	OriMC-1	NRAO	11m	Hol80
80619.689*(12)		CH <sub>3</sub> CH <sub>2</sub> CN	9(4,5)—8(4,4)	<sup>b</sup>	OriMC-1	NRAO	11m	Hol80
80649.873*(12)		CH <sub>3</sub> CH <sub>2</sub> CN	9(3,7)—8(3,6)	0.04	OriMC-1	NRAO	11m	Hol80
80682.813*(12)		CH <sub>3</sub> CH <sub>2</sub> CN	9(3,6)—8(3,5)	0.05	OriMC-1	NRAO	11m	Hol80
80723.194*( 6)		C <sub>3</sub> H <sub>2</sub>	4(2,2)—4(1,3)	0.05	Sgr B2	NRAO	11m	Tur89
U 80733. (1)		unidentified		0.06	Sgr B2	NRAO	11m	Hol80
80802.044*(43)		CH <sub>2</sub> CO	4(3,2)—3(3,1)	0.10 <sup>b</sup>	Sgr B2	NRAO	11m	Tur89
80802.044*(43)		CH <sub>2</sub> CO	4(3,1)—3(3,0)	<sup>b</sup>	Sgr B2	NRAO	11m	Tur89
U 80808.		unidentified		0.12	OriMC-1	NRAO	11m	Tur89
80820.376*(41)		CH <sub>2</sub> CO	4(2,3)—3(2,2)	<sup>b</sup>	Sgr B2	NRAO	11m	Tur89
80824.278*(41)		CH <sub>2</sub> CO	4(2,2)—3(2,1)	0.06 <sup>b</sup>	Sgr B2	NRAO	11m	Tur89
80832.075*(51)		CH <sub>2</sub> CO	4(0,4)—3(0,3)	0.1	Sgr B2	NRAO	11m	Tur77
U 80876.		unidentified		0.12	OriMC-1	NRAO	11m	Tur89
80988.		SiC	<sup>3</sup> II <sub>1</sub> 2—1 e	0.03	IRC + 10216	IRAM	30m	Cer89
80993.16 (10)		CH <sub>3</sub> OH	7(2)—8(1) A-	1.50	OriMC-1	OSO	20m	Joh84
U 81033.		unidentified		0.14	OriMC-1	NRAO	11m	Tur89
81062.		SiC	<sup>3</sup> II <sub>1</sub> 2—1 f	0.03	IRC + 10216	IRAM	30m	Cer89
81210.41 *(27)		HC <sub>7</sub> N	72—71	0.04	Sgr B2	NRAO	11m	Tur91
U 81230.		unidentified		0.05	Sgr B2	NRAO	11m	Tur89
81261.441*(12)		CH <sub>3</sub> CH <sub>2</sub> CN	9(2,7)—8(2,6)	0.40	OriMC-1	OSO	20m	Joh84
81392.102*(42)		HCOOCH <sub>3</sub>	3(2,1)—2(1,2) A	0.06	Sgr B2	NRAO	11m	Tur89
U 81398.		unidentified		0.02	OriMC-1	NRAO	11m	Tur89
U 81469.		unidentified		0.03	Sgr B2	NRAO	11m	Tur91
81477.49 (10)		HNO	1(0,1)—0(0,0)	0.033	Sgr B2	NRAO	11m	Uli77
81505.211*( 6)		C <sub>2</sub> S	7,6—6,5	0.19	Sgr B2	BTL	7m	Cum86
U 81518.		unidentified		0.05	OriMC-1	NRAO	11m	Tur89
81534.125*(11)		HC <sup>13</sup> CCN	9—8	0.050	Sgr B2	BTL	7m	Wan78
81541.981*( 5)		HCC <sup>13</sup> CN	9—8	0.052	Sgr B2	BTL	7m	Wan78
U 81570.		unidentified		0.02	OriMC-1	NRAO	11m	Tur89
81586.188*(48)		CH <sub>2</sub> CO	4(1,3)—3(1,2)	0.15	Sgr B2	NRAO	11m	Tur77
81653.08 (10)		CH <sub>3</sub> OH	18(4)—19(3) E	0.35	OriMC-1	OSO	20m	Joh84
U 81674.		unidentified		0.05	OriMC-1	NRAO	11m	Tur89
81683.350*( 8)		CH <sub>3</sub> CH <sub>2</sub> OH	8(1,7)—7(2,6)	0.10	Sgr B2	NRAO	11m	Tur89
81693.447*( 4)		NH <sub>2</sub> CHO	4(1,4)—3(1,3)	0.18	Sgr B2	BTL	7m	Cum86
U 81742.		unidentified		0.04	OriMC-1	NRAO	11m	Tur89
81778.1 ( 4)		C <sub>6</sub> H	<sup>2</sup> II <sub>3/2</sub> $J = 59/2 - 57/2$ f	0.05	IRC + 10216	IRAM	30m	Gué87a
								Cer87a N

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r$ (K) $/T_a$ (K)	Source	Telescope	Astr. ref.	Lab. ref.	
81801.1 (4)		C <sub>6</sub> H	<sup>2</sup> I <sub>1/2</sub> $J = 59/2 - 57/2$ e	0.04	IRC + 10216	IRAM	30m	Gué87	Cer87a N
81881.468*(1)		HC <sub>3</sub> N	9-8	2.51	Sgr B2	BTL	7m	Wan78	
82082.730*(26)		HC <sub>3</sub> N	9-8 $\nu_7 = 1$ $\ell = 1$ e	0.30	OriMC-1	OSO	20m	Joh84	
82093.559*(6)		C <sub>3</sub> H <sub>2</sub>	2(0,2) - 1(1,1)	0.12	Sgr B2	BTL	7m	Cum86	Vrt86a M
82101.67 *(5)		HNCS	7(0,7) - 6(0,6)	0.05	Sgr B2	NRAO	11m	Fre79	
82115.660*(7)		CH <sub>3</sub> CH <sub>2</sub> OH	3(2,2) - 3(1,3)	0.05	Sgr B2	NRAO	11m	Tur89	
82124.322*(51)		<sup>34</sup> SO <sub>2</sub>	10(1,9) - 9(2,8)	0.10	OriMC-1	OSO	20m	Joh84	
82200.372*(26)		HC <sub>3</sub> N	9-8 $\nu_7 = 1$ $\ell = 1$ f	0.23	OriMC-1	OSO	20m	Joh84	
82242.89 *(5)		HCOOCH <sub>3</sub>	7(1,7) - 6(0,6) E	0.03 <sup>b</sup>	Sgr B2(OH)	IRAM	30m	Gom86	Plu86 N
82244.48 *(5)		HCOOCH <sub>3</sub>	7(1,7) - 6(0,6) A	<sup>b</sup>	Sgr B2(OH)	IRAM	30m	Gom86	Plu84 N
82303.7		HC <sup>13</sup> CCH	2(1,2) - 1(0,1)	0.035	Sgr B2(OH)	IRAM	30m	Gom87	Bog86 N
82338.17 *(29)		HC <sub>7</sub> N	73 - 72	0.04	Sgr B2(OH)	IRAM	30m	Gom86	N
82384.5 (5)		C <sub>6</sub> H	<sup>2</sup> I <sub>1/2</sub> $J = 59/2 - 57/2$ e	1.10 <sup>f</sup>	IRC + 10216	IRAM	30m	Cer87a	Cer87a N
82399.91 *(4)		HC <sub>3</sub> N	9-8 $\nu_7 = 2$ $\ell = 0$	0.04	OriMC-1	NRAO	11m	Tur89	N
82457.25 *(30)		CH <sub>3</sub> OCH <sub>3</sub>	11(1,10) - 11(0,11) AE + EA	<sup>b</sup>	OriMC-1	NRAO	11m	Tur89	N
82458.616*(12)		CH <sub>3</sub> CH <sub>2</sub> CN	9(1,8) - 8(1,7)	0.45 <sup>b</sup>	OriMC-1	OSO	20m	Joh84	
82458.82 *(19)		CH <sub>3</sub> OCH <sub>3</sub>	11(1,10) - 11(0,11) EE	<sup>b</sup>	OriMC-1	NRAO	11m	Tur89	N
82460.38 *(8)		CH <sub>3</sub> OCH <sub>3</sub>	11(1,10) - 11(0,11) AA	<sup>b</sup>	OriMC-1	NRAO	11m	Tur89	N
U 82472.		unidentified		0.02	OriMC-1	NRAO	11m	Tur89	N
U 82516.		unidentified		0.04	OriMC-1	NRAO	11m	Tur91	N
82539.041*(5)		HC <sub>5</sub> N	31 - 30	0.13	OriMC-1	NRAO	11m	Buj81	
82539.375*(47)		HC <sub>3</sub> N	9-8 $\nu_7 = 3$ $\ell = 1$ e	0.03 <sup>b</sup>	Sgr B2	NRAO	11m	Tur89	N
82549.564*(6)		NH <sub>2</sub> CHO	1(1,1) - 0(0,0)	0.07 <sup>b</sup>	Sgr B2	NRAO	11m	Tur89	N
82649.30 (10)		CH <sub>3</sub> OCH <sub>3</sub>	3(1,3) - 2(0,2) AE + EA	<sup>b</sup>	OriMC-1	NRAO	11m	Cla79	Cla79
82650.150*(17)		CH <sub>3</sub> CH <sub>2</sub> OH	11(1,10) - 11(0,11)	<sup>b</sup>	OriMC-1	NRAO	11m	Tur91	N
82650.18 (10)		CH <sub>3</sub> OCH <sub>3</sub>	3(1,3) - 2(0,2) EE	0.2 <sup>b</sup>	OriMC-1	NRAO	11m	Cla79	Cla79
82651.08 (10)		CH <sub>3</sub> OCH <sub>3</sub>	3(1,3) - 2(0,2) AA	<sup>b</sup>	OriMC-1	NRAO	11m	Cla79	Cla79
82659.675*(35)		HC <sub>3</sub> N	9 - 8 $\nu_7 = 3$ $\ell = 3$	0.036	Sgr B2	NRAO	11m	Tur89	N
82686.50 (10)		CH <sub>3</sub> OCH <sub>3</sub>	4(2,2) - 4(1,3) AE + EA	0.10	OriMC-1	NRAO	11m	Cla79	Cla79
82688.77 (10)		CH <sub>3</sub> OCH <sub>3</sub>	4(2,2) - 4(1,3) EE	0.12	OriMC-1	NRAO	11m	Cla79	Cla79
82691.14 (10)		CH <sub>3</sub> OCH <sub>3</sub>	4(2,2) - 4(1,3) AA	0.08	OriMC-1	NRAO	11m	Cla79	Cla79
U 82700.		unidentified		0.02	OriMC-1	NRAO	11m	Tur89	N
U 82783.		unidentified		0.03	Sgr B2	IRAM	30m	Com87	N
U 82870.		unidentified		0.06	OriMC-1	NRAO	11m	Tur89	N
U 82889.		unidentified		0.06	OriMC-1	NRAO	11m	Tur89	N
82894.881*(19)		CH <sub>3</sub> C <sup>13</sup> CH	5(2) - 4(2)	0.03	Sgr B2	IRAM	30m	Com87	N
82897.08 (10)		CH <sub>3</sub> OH	22(5) - 23(4) A +	0.03	Sgr B2	IRAM	30m	Com87	Sas84 N
82899.545*(19)		CH <sub>3</sub> C <sup>13</sup> CH	5(1) - 4(1)	0.02	Sgr B2	IRAM	30m	Com87	N
82901.100*(20)		CH <sub>3</sub> C <sup>13</sup> CH	5(0) - 4(0)	0.01	Sgr B2	IRAM	30m	Com87	N
82908. *(1)		(CH <sub>3</sub> ) <sub>2</sub> CO	8(0,8) - 7(1,7) EA	0.02 <sup>b</sup>	Sgr B2	NRAO	43m	Com87	Vac86 N
82908. *(1)		(CH <sub>3</sub> ) <sub>2</sub> CO	8(1,8) - 7(0,7) EA	<sup>b</sup>	Sgr B2	NRAO	43m	Com87	Vac86 N
82916.58 *(5)		(CH <sub>3</sub> ) <sub>2</sub> CO	8(0,8) - 7(1,7) EE	0.04 <sup>b</sup>	Sgr B2	IRAM	30m	Com87	Vac86 N
82916.61 *(5)		(CH <sub>3</sub> ) <sub>2</sub> CO	8(1,8) - 7(0,7) EE	<sup>b</sup>	Sgr B2	IRAM	30m	Com87	Vac86 N
U 82917.		unidentified		0.04	Sgr B2	NRAO	11m	Tur89	N
82924.37 *(5)		(CH <sub>3</sub> ) <sub>2</sub> CO	8(0,8) - 7(1,7) AA	0.03 <sup>b</sup>	Sgr B2	IRAM	30m	Com87	Vac86 N
82924.48 *(5)		(CH <sub>3</sub> ) <sub>2</sub> CO	8(1,8) - 7(0,7) AA	<sup>b</sup>	Sgr B2	IRAM	30m	Com87	Vac86 N
82951.970*(10)		SO <sub>2</sub>	13(4,10) - 14(3,11)	1.10	OriMC-1	OSO	20m	Sch83	
82966.213 (7)		C <sub>2</sub> H <sub>2</sub>	3(1,2) - 3(0,3)	0.16	Sgr B2	BTL	7m	Cum86	Vrt86a M
83043.782*(45)		<sup>34</sup> SO <sub>2</sub>	8(1,7) - 8(0,8)	0.50	OriMC-1	OSO	20m	Sch83	
83057.99 *(48)		OC <sup>34</sup> S	7 - 6	0.040	Sgr B2	BTL	7m	Gol81	
83097.53 *(11)		CH <sub>3</sub> OCH <sub>3</sub>	14(2,12) - 14(1,13) AE + EA	<sup>b</sup>	OriMC-1	OSO	20m	Joh84	
83099.00 *(9)		CH <sub>3</sub> OCH <sub>3</sub>	14(2,12) - 14(1,13) EE	0.35 <sup>b</sup>	OriMC-1	OSO	20m	Joh84	
83100.47 *(7)		CH <sub>3</sub> OCH <sub>3</sub>	14(2,12) - 14(1,13) AA	<sup>b</sup>	OriMC-1	OSO	20m	Joh84	
83123.4 (3)		C <sub>6</sub> H	<sup>2</sup> I <sub>1/2</sub> $J = 17/2 - 15/2$ $\nu_7 = 1$ f	2.10 <sup>f</sup>	IRC + 10216	IRAM	30m	Yam87b	Yam87b N
U 83163.		unidentified		0.12	IRC + 10216	OSO	20m	Joh84	M
83207.510*(12)		CH <sub>2</sub> CHCN	9(1,9) - 8(1,8)	0.20	OriMC-1	OSO	20m	Joh84	N
U 83215.		unidentified	(real?)	0.02	Sgr B2	NRAO	11m	Tur89	N
83319.56 *(5)		CH <sub>3</sub> OCH <sub>3</sub>	8(1,7) - 7(2,6) AA	<sup>b</sup>	OriMC-1	OSO	20m	Joh84	
83321.43 *(14)		CH <sub>3</sub> OCH <sub>3</sub>	8(1,7) - 7(2,6) EE	0.17 <sup>b</sup>	OriMC-1	OSO	20m	Joh84	
83323.30 *(23)		CH <sub>3</sub> OCH <sub>3</sub>	8(1,7) - 7(2,6) AE + EA	<sup>b</sup>	OriMC-1	OSO	20m	Joh84	
U 83336.		unidentified		0.04	OriMC-1	NRAO	11m	Tur89	N
83345.65 *(23)		<sup>33</sup> SO <sub>2</sub>	8(1,7) - 8(0,8)	0.04	OriMC-1	NRAO	11m	Tur89	N
83465.93 *(30)		HC <sub>7</sub> N	74 - 73	0.04	Sgr B2	NRAO	11m	Tur89	N
83522.9 (3)		HCCSi ?	7 - 6 L	0.10	IRC + 10216	IRAM	30m	Cer86	Cer86 N
83538.0 (5)		HCCSi ?	7 - 6 U	0.11	IRC + 10216	IRAM	30m	Cer86	Cer86 N

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

	Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r(K)$ $/T_s(K)$	Source	Telescope	Astr. ref.	Lab. ref.
	83540.28 *(41)		$^{33}\text{SO}_2$	18(5,13)–19(4,16)	0.02	OriMC-1	NRAO	11m	Tur89
	83541.5 (8)		$\text{C}_5\text{H}$	$^2\Pi_{1/2} J = 35/2 - 33/2$ a	1.7 <sup>f</sup>	IRC+10216	IRAM	30m	Cer86
	83547.1 (6)		$\text{C}_5\text{H}$	$^2\Pi_{1/2} J = 35/2 - 33/2$ b	2.2 <sup>f</sup>	IRC+10216	IRAM	30m	Cer86
	83584.26 (18)		$\text{CH}_3\text{CHO}$	2(1,2)–1(0,1) E	0.05	Sgr B2	NRAO	12m	Ziu86a
	83688.086*(7)		$\text{SO}_2$	8(1,7)–8(0,8)	0.86	OriMC-1	NRAO	11m	Tur91
U	83805.		unidentified		0.02	OriMC-1	NRAO	11m	Tur89
	83842.		$\text{SiC}$	$^3\Pi_0 2 - 1$ e	0.02	IRC+10216	IRAM	30m	Cer89
	83879.8 (4)		$\text{C}_4\text{H}$	$^2\Pi_{1/2} J = 17/2 - 15/2$ $v_7 = 1$ e	1.52 <sup>f</sup>	IRC+10216	IRAM	30m	Yam87b
	83903.30 (10)		$\text{CH}_3\text{OD}$	4(2)–5(1) A–	0.12	Sgr B2	NRAO	11m	Kau80
	83978.60 (10)		$\text{CH}_3\text{NH}_2$	5(1,5)–5(0,5) As $F = 6 - 6$	0.05 <sup>b</sup>	Sgr B2	BTL	7m	Cum86
	83979.57 (10)		$\text{CH}_3\text{NH}_2$	5(1,5)–5(0,5) As $F = 5 - 5$	<sup>b</sup>	Sgr B2	BTL	7m	Tak73
	84108.58 *(5)		$\text{C}_5\text{H}$	$^2\Pi_{3/2} J = 35/2 - 33/2$ a	4.7 <sup>tb</sup>	IRC+10216	IRAM	30m	Cer86a
	84110.41 *(5)		$\text{C}_5\text{H}$	$^2\Pi_{3/2} J = 35/2 - 33/2$ b	<sup>b</sup>	IRC+10216	IRAM	30m	Got86
	84151.854*(14)		$\text{CH}_3\text{CH}_2\text{CN}$	11(0,11)–10(1,10)	0.10 <sup>b</sup>	Sgr B2(OH)	IRAM	30m	Gom86
U	84163.		unidentified		0.06	OriMC-1	NRAO	11m	Tur89
	84185.629*(7)		$\text{H}^3\text{CCCH}$	2(1,2)–1(0,1)	0.13	TMC-1	NRAO	12m	Ger87
U	84215.		unidentified	$(\text{CH}_3\text{CH}_2\text{OH? Tur91})$	0.08	OriMC-1	NRAO	11m	Tur89
	84219.76 (5)		$\text{CH}_3\text{CHO}$	2(1,2)–1(0,1) A	0.05	Sgr B2	BTL	7m	Cum86
	84233.36 *(10)		$\text{HCOOCH}_3$	11(4,7)–11(3,8) A	0.06	OriMC-1	NRAO	11m	Tur89
U	84308.		unidentified		0.10	OriMC-1	OSO	20m	Joh84
	84320.936*(32)		$\text{SO}_2$	32(5,27)–31(6,26)	0.10	OriMC-1	OSO	20m	Joh84
U	84356.		unidentified		0.07	OriMC-1	NRAO	11m	Tur89
U	84385.		unidentified		0.08	OriMC-1	NRAO	11m	Tur91
	84410.68 *(12)		$^{34}\text{SO}$	2(2)–1(1)	0.03	Sgr B2	BTL	7m	Cum86
	84423.81 (10)		$\text{CH}_3\text{OH}$	13(–3)–14(–2) E	0.80	OriMC-1	OSO	20m	Joh84
	84449.17 *(2)		$\text{HCOOCH}_3$	7(2,6)–6(2,5) E	0.45	OriMC-1	OSO	20m	Joh84
	84454.75 *(3)		$\text{HCOOCH}_3$	7(2,6)–6(2,5) A	0.45	OriMC-1	OSO	20m	Plu84
U	84468.		unidentified		0.18	OriMC-1	NRAO	11m	Tur89
U	84478.		unidentified		0.18	OriMC-1	NRAO	11m	Tur89
U	84496.		unidentified		0.10	OriMC-1	NRAO	11m	Tur89
U	84505.35		unidentified		0.08	OriMC-1	NRAO	11m	Kui77
	84521.21 (8)		$\text{CH}_3\text{OH}$	5(–1)–4(0) E	2.8	Sgr B2	NRAO	11m	Zuc72
	84542.331*(3)		$\text{NH}_2\text{CHO}$	4(0,4)–3(0,3)	0.21	Sgr B2	BTL	7m	Cum86
	84550.0 (4)		$\text{C}_6\text{H}$	$^2\Pi_{3/2} J = 61/2 - 59/2$ f	0.04	IRC+10216	IRAM	30m	Gué87
	84574.7 (5)		$\text{C}_6\text{H}$	$^2\Pi_{3/2} J = 61/2 - 59/2$ e	0.03	IRC+10216	IRAM	30m	Gué87
	84595.760*(7)		$\text{CH}_3\text{CH}_2\text{OH}$	4(2,3)–4(1,4)	0.06 <sup>b</sup>	Sgr B2	BTL	7m	Cum86
	84597.64 (10)		$\text{CH}_3\text{NH}_2$	2(1)–2(0) Ea $F = 2 - 2$	<sup>b</sup>	Sgr B2	BTL	7m	Cum86
	84598.54 (10)		$\text{CH}_3\text{NH}_2$	2(1)–2(0) Ea $F = 3 - 3$	<sup>b</sup>	Sgr B2	BTL	7m	Tak73
U	84608.		unidentified		0.12	OriMC-1	NRAO	11m	Tur89
U	84616.		unidentified		0.10	OriMC-1	NRAO	11m	Tur89
U	84628.		unidentified		0.08	OriMC-1	NRAO	11m	Tur89
	84632.02 (10)		$\text{CH}_3\text{OCH}_3$	3(2,1)–3(1,2) AE + EA	0.14	OriMC-1	NRAO	11m	Cla79
	84634.40 (10)		$\text{CH}_3\text{OCH}_3$	3(2,1)–3(1,2) EE	<0.09 <sup>b</sup>	OriMC-1	NRAO	11m	Cla79
	84636.80 (10)		$\text{CH}_3\text{OCH}_3$	3(2,1)–3(1,2) AA	<sup>b</sup>	OriMC-1	NRAO	11m	Cla79
	84727.696*(6)		$\text{C}_3\text{H}_2$	3(2,2)–3(1,3)	0.04	Sgr B2	BTL	7m	Cum86
U	84738.		unidentified		0.02	Sgr B2	NRAO	11m	Vrt86a
	84744.17 (10)		$\text{CH}_3\text{OH}$	19(4)–18(5) E	0.46 <sup>b</sup>	OriMC-1	OSO	20m	Joh84
	84746.036*(20)		$^{30}\text{SiO}$	2–1	0.08 <sup>b</sup>	OriMC-1	NRAO	11m	Sas84
	84807.797*(10)		$\text{NH}_2\text{CHO}$	4(2,3)–3(2,2) n,t	0.18	Sgr B2	NRAO	11m	Wil81
	84865.166*(9)		$\text{O}^{13}\text{CS}$	7–6	0.032	Sgr B2	BTL	7m	Gol81
	84888.996*(18)		$\text{NH}_2\text{CHO}$	4(3,2)–3(3,1) n,t	0.08 <sup>b</sup>	Sgr B2	NRAO	11m	Wil81
	84890.989*(18)		$\text{NH}_2\text{CHO}$	4(3,1)–3(3,0) n,t	<sup>b</sup>	Sgr B2	NRAO	11m	Wil81
	84946.005*(12)		$\text{CH}_2\text{CHCN}$	9(0,9)–8(0,8)	0.10	OriMC-1	OSO	20m	Joh84
	84970.22 (5)		$^{13}\text{CH}_3\text{OH}$	8(0)–7(1) A+	0.20	OriMC-1	OSO	20m	Joh84
U	85067.?		unidentified		0.03	OriMC-1	NRAO	11m	Tur89
	85093.274*(10)		$\text{NH}_2\text{CHO}$	4(2,2)–3(2,1)	0.12	Sgr B2	BTL	7m	Cum86
U	85102.?		unidentified		0.10	OriMC-1	NRAO	11m	Tur89
	85131.1 (4)		$\text{C}_6\text{H}$	$^2\Pi_{1/2} J = 61/2 - 59/2$ f	1.37 <sup>f</sup>	IRC+10216	IRAM	30m	Cer87a
	85139.108*(2)		$\text{OCS}$	7–6	0.7	Sgr B2	NRAO	11m	Sol73
	85162.256 (40)		$\text{HC}^{18}\text{O}^+$	1–0	0.1	L134N	BTL	7m	Lan78
	85176.0 (4)		$\text{C}_6\text{H}$	$^2\Pi_{1/2} J = 61/2 - 59/2$ e	1.45 <sup>f</sup>	IRC+10216	IRAM	30m	Cer87a
	85201.348*(5)		$\text{HC}_5\text{N}$	32–31	0.030	IRC+10216	BTL	7m	Gol81
U	85230.6 (6)		unidentified		0.07	Sgr B2	BTL	7m	Cum86
	85265.470*(7)		$\text{CH}_3\text{CH}_2\text{OH}$	6(0,6)–5(1,5)	0.25	Sgr B2	NRAO	11m	Zuc75
	85302.655*(12)		$\text{CH}_2\text{CHCN}$	9(2,8)–8(2,7)	0.12	Sgr B2	BTL	7m	Cum86

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r$ (K) $/T_a$ (K)	Source	Telescope	Astr. ref.	Lab. ref.
U 85315. ?		unidentified		0.03	OriMC-1	NRAO	11m	Tur89
U 85330.		unidentified		0.03	OriMC-1	NRAO	11m	Tur89
85338.905*(6)		C <sub>2</sub> H <sub>2</sub>	2(1,2)–1(0,1)	3.1	TMC-1	NRAO	11m	Tha81
85347.90 (30)		HCS <sup>+</sup>	2–1	0.4	OriMC-1	NRAO	11m	Tha81
U 85370. ?		unidentified		0.02	OriMC-1	NRAO	11m	Tur89
U 85396.		unidentified		0.05	Sgr B2	NRAO	11m	Tur89
85416.763*(10)		CH <sub>2</sub> CHCN	9(4,6)–8(4,5)	0.12 <sup>b</sup>	OriMC-1	OSO	20m	Joh84
85416.814*(10)		CH <sub>2</sub> CHCN	9(4,5)–8(4,4)	<sup>b</sup>	OriMC-1	OSO	20m	Joh84
85426.933*(10)		CH <sub>2</sub> CHCN	9(3,7)–8(3,6)	0.10	OriMC-1	OSO	20m	Joh84
85434.543*(15)		CH <sub>2</sub> CHCN	9(3,6)–8(3,5)	0.03	Sgr B2	NRAO	11m	Tur91
85442.601*(1)		CH <sub>3</sub> CCH	5(3)–4(3)	0.11	OriMC-1	NRAO	11m	Chu83
85450.7660*(7)		CH <sub>3</sub> CCH	5(2)–4(2)	0.14	OriMC-1	NRAO	11m	Chu83
85455.6665*(6)		CH <sub>3</sub> CCH	5(1)–4(1)	0.23	OriMC-1	NRAO	11m	Chu83
85457.3002*(7)		CH <sub>3</sub> CCH	5(0)–4(0)	0.28	OriMC-1	NRAO	11m	Chu83
85497.7 *(6)		CH <sub>3</sub> C <sub>4</sub> H	21(1)–20(1)	<sup>b</sup>	Sgr B2	NRAO	11m	Tur89
85498.5 *(6)		CH <sub>3</sub> C <sub>4</sub> H	21(0)–20(0)	0.10 <sup>b</sup>	Sgr B2	NRAO	11m	Tur89
U 85506.		unidentified		0.10	OriMC-1	OSO	20m	Joh84
85531.48 *(2)		HOCO <sup>+</sup>	4(0,4)–3(0,3)	0.5	Sgr B2	NRAO	11m	Tha81
U 85565.		unidentified		0.05	IRC + 10216	OSO	20m	Joh84
85567.97 (10)		CH <sub>3</sub> OH	6(–2)–7(–1) E	0.3	OriMC-1	NRAO	11m	Lov76a
85634.00 *(1)		C <sub>4</sub> H	9–8 J=19/2–17/2	0.08	IRC + 10216	NRAO	11m	Gué78
85638.44 *(4)		HCOOCH <sub>3</sub>	4(2,3)–3(1,2) E	0.09	OriMC-1	NRAO	11m	Tur89
85640.456*(30)		SiO	2–1 v=2	0.11	R Cas	NRAO	11m	Cla81
85655.63 *(5)		HCOOCH <sub>3</sub>	4(2,3)–3(1,2) A	0.09 <sup>b</sup>	OriMC-1	NRAO	11m	Tur89
85656.422*(5)		C <sub>2</sub> H <sub>2</sub>	4(3,2)–4(2,3)	<sup>b</sup>	OriMC-1	NRAO	11m	Tur89
85672.57 *(1)		C <sub>4</sub> H	9–8 J=17/2–15/2	0.07	IRC + 10216	NRAO	11m	Gué78
U 85705.		unidentified		0.08	OriMC-1	NRAO	11m	Tur89
85715.434*(12)		CH <sub>2</sub> CHCN	9(2,7)–8(2,6)	0.06	Sgr B2	BTL	7m	Cum86
85759.132*(20)		<sup>29</sup> SiO	2–1	0.13	OriMC-1	NRAO	11m	Lov76a
U 85781.		unidentified		0.08	OriMC-1	NRAO	11m	Tur89
U 85808.		unidentified		0.07	OriMC-1	NRAO	11m	Tur89
85919.15 *(3)		HCOOCH <sub>3</sub>	7(6,1)–6(6,0) E	0.12	OriMC-1	OSO	20m	Ell80
85924.747 (20)		NH <sub>2</sub> D	1(1,1)0+–1(0,1)0– F=0–1	0.40	L183	OSO	20m	Olb85
85925.684 (20)		NH <sub>2</sub> D	1(1,1)0+–1(0,1)0– F=2–1	0.40	L183	OSO	20m	Olb85
85926.263 (10)		NH <sub>2</sub> D	1(1,1)0+–1(0,1)0–	0.14	OriMC-1	NRAO	11m	Tur78
85926.263 (10)		NH <sub>2</sub> D	1(1,1)0+–1(0,1)0– F=2–2	0.99 <sup>b</sup>	L183	OSO	20m	Olb85
85926.263 (10)		NH <sub>2</sub> D	1(1,1)0+–1(0,1)0– F=1–1	<sup>b</sup>	L183	OSO	20m	Olb85
85926.66 *(3)		HCOOCH <sub>3</sub>	7(6,2)–6(6,1) A+E	0.3 <sup>b</sup>	OriMC-1	OSO	20m	Ell80
85926.858 (20)		NH <sub>2</sub> D	1(1,1)0+–1(0,1)0– F=1–2	0.40	L183	OSO	20m	Olb85
85927.23 *(4)		HCOOCH <sub>3</sub>	7(6,1)–6(6,0) A	<sup>b</sup>	OriMC-1	OSO	20m	Ell80
85927.721 (20)		NH <sub>2</sub> D	1(1,1)0+–1(0,1)0– F=1–0	0.40	L183	OSO	20m	Olb85
U 85943.		unidentified		0.04	Sgr B2	NRAO	11m	Tur89
85973.13 *(9)		CH <sub>3</sub> OCH <sub>3</sub>	13(2,12)–12(3,9) AA	<sup>b</sup>	OriMC-1	OSO	20m	Joh84
85976.04 *(17)		CH <sub>3</sub> OCH <sub>3</sub>	13(2,12)–12(3,9) EE	0.06 <sup>b</sup>	OriMC-1	OSO	20m	Joh84
85978.92 *(25)		CH <sub>3</sub> OCH <sub>3</sub>	13(2,12)–12(3,9) EA+AE	<sup>b</sup>	OriMC-1	OSO	20m	Joh84
86021.08 *(3)		HCOOCH <sub>3</sub>	7(5,2)–6(5,1) E	0.12	OriMC-1	OSO	20m	Ell80
86027.80 *(3)		HCOOCH <sub>3</sub>	7(5,3)–6(5,2) E	<sup>b</sup>	OriMC-1	OSO	20m	Ell80
86029.43 *(10)		HCOOCH <sub>3</sub>	7(5,3)–6(5,2) A	0.20 <sup>b</sup>	OriMC-1	OSO	20m	Ell80
86030.20 *(10)		HCOOCH <sub>3</sub>	7(5,2)–6(5,1) A	0.32	OriMC-1	OSO	20m	Ell80
86048.50 (25)		C <sub>4</sub> H	<sup>2</sup> $\Sigma$ J=9–8 $\nu_7$ =2 L	n.r.	IRC + 10216	IRAM	30m	Gué87a
86054.961 (25)		HC <sup>15</sup> N	1–0	0.80 <sup>b</sup>	OriMC-1	NRAO	11m	Lin77
86074.20 (10)		CH <sub>3</sub> NH <sub>2</sub>	4(1,4)–4(0,4) F=3–3	<sup>b</sup>	Sgr B2	NRAO	11m	Kai74
86074.44 (10)		CH <sub>3</sub> NH <sub>2</sub>	4(1,4)–4(0,4) F=5–5	0.2 <sup>b</sup>	Sgr B2	NRAO	11m	Kai74
86075.43 (10)		CH <sub>3</sub> NH <sub>2</sub>	4(1,4)–4(0,4) F=4–4	<sup>b</sup>	Sgr B2	NRAO	11m	Kai74
86093.55 *(24)		SO	2(2)–1(1)	<1.7	OriMC-1	NRAO	11m	Cla74
86104.44 (25)		C <sub>4</sub> H	<sup>2</sup> $\Sigma$ J=9–8 $\nu_7$ =2 U	n.r.	IRC + 10216	IRAM	30m	Gué87a
86153.709*(25)		SO <sub>2</sub>	39(9,31)–40(8,32)	0.07	OriMC-1	OSO	20m	Joh84
86181.413*(10)		C <sub>2</sub> S	6,7–5,6	1.6 <sup>f</sup>	IRC + 10216	IRAM	30m	Cer87b
86210.05 *(3)		HCOOCH <sub>3</sub>	7(4,4)–6(4,3) A	0.18	OriMC-1	OSO	20m	Joh84
86223.61 *(3)		HCOOCH <sub>3</sub>	7(4,3)–6(4,2) E	0.35 <sup>b</sup>	OriMC-1	OSO	20m	Joh84
86223.76 (10)		CH <sub>3</sub> OCH <sub>3</sub>	2(2,0)–2(1,1) AE	<sup>b</sup>	OriMC-1	NRAO	11m	Cla79
86224.22 *(3)		HCOOCH <sub>3</sub>	7(4,4)–6(4,3) E	<sup>b</sup>	OriMC-1	OSO	20m	Joh84
86225.67 (12)		CH <sub>3</sub> OCH <sub>3</sub>	2(2,0)–2(1,1) EA	<sup>b</sup>	OriMC-1	NRAO	11m	Cla79
86226.728 (96)		CH <sub>3</sub> OCH <sub>3</sub>	2(2,0)–2(1,1) EE	0.28 <sup>b</sup>	OriMC-1	NRAO	11m	Cla79
86228.72 (2)		CH <sub>3</sub> OCH <sub>3</sub>	2(2,0)–2(1,1) AA	<sup>b</sup>	OriMC-1	NRAO	11m	Cla79

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_e(K)$	Source	Telescope	Astr. ref.	Lab. ref.	
				$/T_b(K)$					
		SiO	2-1 v=1	17.4 <sup>i</sup>	OriMC-1	NRAO	11m	Sny74a	
		HCOOCH <sub>3</sub>	7(4,3)-6(4,2) A	0.08	Sgr B2	NRAO	11m	Tur89	
		HCOOCH <sub>3</sub>	7(3,5)-6(3,4) A	0.15	OriMC-1	OSO	20m	Joh84	
		HCOOCH <sub>3</sub>	7(3,5)-6(3,4) E	0.20	OriMC-1	OSO	20m	Joh84	
U	86317.	unidentified		0.07	OriMC-1	NRAO	11m	Tur89	
		H <sup>13</sup> CN	1-0 F=1-1	b	OriMC-1	NRAO	11m	Sny71	
		H <sup>13</sup> CN	1-0 F=2-1	<2 <sup>b</sup>	OriMC-1	NRAO	11m	Sny71	
		H <sup>13</sup> CN	1-0 F=0-1	b	OriMC-1	NRAO	11m	Sny71	
U	86360.	unidentified		0.10	IRC+10216	OSO	20m	Joh84	
U	86395.8	(15)	unidentified	0.06	Sgr B2	BTL	7m	Cum86	
U	86401.	?	unidentified	0.07	OriMC-1	NRAO	11m	Tur89	
U	86413.	unidentified		0.15	OriMC-1	OSO	20m	Joh84	
U	86416.9	(13)	unidentified	0.05	Sgr B2	BTL	7m	Cum86	
U	86418.	unidentified		0.20	OriMC-1	OSO	20m	Joh84	
U	86427.	?	unidentified	0.03	OriMC-1	NRAO	11m	Tur89	
U	86432.	?	unidentified	0.02	Sgr B2	NRAO	11m	Tur89	
U	86473.	unidentified		0.10	OriMC-1	NRAO	11m	Tur91	
U	86481.	unidentified		0.07	OriMC-1	NRAO	11m	Tur91	
	86492.97	(2)	HCOOD	4(0,4)-3(0,3)	b	OMC-IRc2	SEST	15m	Ger89
	86546.18	(1)	HCOOH	4(1,4)-3(1,3)	0.07	Sgr B2	BTL	7m	Cum86
	86593.687*	(8)	C <sub>3</sub> O	9-8	0.028	TMC-1	FCRAO	14m	Bro85
	86615.76	(10)	CH <sub>3</sub> OH	7(2)-6(3) A-	0.6	OriMC-1	NRAO	11m	Lov76a
	86639.108*	(7)	SO <sub>2</sub>	8(3,5)-9(2,8)	0.2	OriMC-1	NRAO	11m	Tur91
	86670.82	(4)	HCO	1(0,1)-0(0,0) 3/2-1/2 F=2-1	0.15	OriMC-2	NRAO	11m	Sny76
	86708.35	(4)	HCO	1(0,1)-0(0,0) 3/2-1/2 F=1-0	0.04	Sgr B2	BTL	7m	Cum86
	86708.379	(20)	C <sub>3</sub> S	15-14	2.4 <sup>f</sup>	IRC+10216	IRAM	30m	Cer87b
	86745.315*	(15)	CH <sub>3</sub> CH <sub>2</sub> CN	8(1,8)-7(0,7)	0.02	Sgr B2	NRAO	11m	Tur89
	86754.294	(30)	H <sup>13</sup> CO <sup>+</sup>	1-0	0.6	OriMC-1	NRAO	11m	Sny76a
	86777.43	(4)	HCO	1(0,1)-0(0,0) 1/2-1/2 F=1-1	0.021	DR21	OSO	20m	Sch86
	86805.75	(4)	HCO	1(0,1)-0(0,0) 1/2-1/2 F=0-1	0.015	DR21	OSO	20m	Sch86
	86819.851*	(13)	CH <sub>3</sub> CH <sub>2</sub> CN	10(1,10)-9(1,9)	0.50	OriMC-1	OSO	20m	Joh84
	86846.998*	(20)	SiO	2-1 v=0	0.9	OriMC-1	NRAO	11m	Dic72
U	86864.	unidentified		0.08	OriMC-1	OSO	20m	Dow82	
U	86866.	unidentified		0.05	IRC+10216	OSO	20m	Joh84	
	86903.06	(10)	CH <sub>3</sub> OH	7(2)-6(3) A+	0.2	OriMC-1	NRAO	11m	Lov76a
U	86980.	unidentified		0.10	OriMC-1	OSO	20m	Joh84	
	87057.5	(5)	HC <sup>17</sup> O <sup>+</sup>	1-0	0.05	Sgr B2	BTL	7m	Gué82
	87090.735	(46)	HN <sup>13</sup> C	1-0 F=0-1	0.08	L134N	BTL	7m	Fre79a
	87090.859	(46)	HN <sup>13</sup> C	1-0 F=2-1	0.42	L134N	BTL	7m	Fre79a
	87090.942	(46)	HN <sup>13</sup> C	1-0 F=1-1	0.25	L134N	BTL	7m	Fre79a
U	87110.	unidentified		0.04	OriMC-1	NRAO	11m	Tur89	
U	87116.	unidentified		0.03	Sgr B2	NRAO	11m	Tur89	
	87142.3	(4)	C <sub>2</sub> H	<sup>2</sup> Pi <sub>3/2</sub> J=19/2-17/2 v <sub>7</sub> =1e	1.45 <sup>f</sup>	IRC+10216	IRAM	30m	Yam87b
	87143.29	(3)	HCOOCH <sub>3</sub>	7(3,4)-6(3,3) E	0.37	OriMC-1	OSO	20m	Plu86
	87161.28	(3)	HCOOCH <sub>3</sub>	7(3,4)-6(3,3) A	0.25	OriMC-1	OSO	20m	Plu84
U	87215.	unidentified	(CH <sub>3</sub> CH <sub>2</sub> CN?)		0.04	OriMC-1	NRAO	11m	Tur89
U	87260.	unidentified		0.05	OriMC-1	NRAO	11m	Tur89	
	87284.156	(30)	C <sub>2</sub> H	1-0 3/2-1/2 F=1-1	0.53	OriMC-1	NRAO	11m	Got83a
U	87299.	unidentified		0.05	OriMC-1	NRAO	11m	Tur89	
	87312.827*	(18)	CH <sub>2</sub> CHCN	9(1,8)-8(1,7)	0.18	OriMC-1	NRAO	11m	Tur89
	87316.925	(4)	C <sub>3</sub> H	1-0 3/2-1/2 F=2-1	4.00	OriMC-1	NRAO	11m	Got83a
U	87323.	unidentified		0.23	OriMC-1	NRAO	11m	Tur89	
	87328.624	(6)	C <sub>2</sub> H	1-0 3/2-1/2 F=1-0	2.27	OriMC-1	NRAO	11m	Got83a
	87348.3	(4)	C <sub>6</sub> H	<sup>2</sup> Pi <sub>3/2</sub> J=63/2-61/2 e	0.05	IRC+10216	IRAM	30m	Gué87
	87371.8	(4)	C <sub>2</sub> H	<sup>2</sup> Pi <sub>3/2</sub> J=19/2-17/2 v <sub>7</sub> =1f	2.40 <sup>f</sup>	IRC+10216	IRAM	30m	Gué87
	87402.004	(5)	C <sub>2</sub> H	1-0 1/2-1/2 F=1-1	2.25	OriMC-1	NRAO	11m	Got83a
	87407.165	(11)	C <sub>2</sub> H	1-0 1/2-1/2 F=0-1	1.02	OriMC-1	NRAO	11m	Got83a
	87446.512	(23)	C <sub>2</sub> H	1-0 1/2-1/2 F=1-0	0.56	OriMC-1	NRAO	11m	Tuc78
	87458.286*	(42)	AlCl	6-5	0.73 <sup>f</sup>	IRC+10216	IRAM	30m	Cer87c
U	87479.	unidentified		0.05	IRC+10216	OSO	20m	Joh84	
U	87525.	unidentified	(CH <sub>3</sub> CH <sub>2</sub> OH? Tur90)	0.18	OriMC-1	NRAO	11m	Tur89	
	87550.545*	(28)	5-4	0.027	IRC+10216	FCRAO	14m	Ziu84	
U	87580.	unidentified		0.10	Sgr B2	NRAO	11m	Tur89	
	87597.333*	(3)	HNCO	4(1,4)-3(1,3)	0.13	OriMC-1	OSO	20m	Joh84
	87715.980*	(9)	CH <sub>3</sub> CH <sub>2</sub> OH	5(2,4)-5(1,5)	0.06	Sgr B2	BTL	7m	Cum86

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r(K)$ $/T_a(K)$	Source	Telescope	Astr. ref.	Lab. ref.
U 87726.		unidentified		0.05	OriMC-1	NRAO	11m	Tur89
87766.42 *( 3)		HCOOCH <sub>3</sub>	8(0,8) – 7(1,7) E	0.02 <sup>b</sup>	Sgr B2	BTL	7m	Cum86
87767.5 ( 2)		HCCN	4,5 – 3,4	0.85 <sup>c</sup>	IRC + 10216	IRAM	30m	Gué91
87769.03 *( 3)		HCOOCH <sub>3</sub>	8(0,8) – 7(1,7) A	<sup>b</sup>	Sgr B2	BTL	7m	Cum86
U 87777.		unidentified		0.05	Sgr B2	NRAO	11m	Tur89
U 87779.		unidentified	(CH <sub>3</sub> NH <sub>2</sub> )?	0.08	OriMC-1	NRAO	11m	Tur89
87782.23 (10)		CH <sub>3</sub> NH <sub>2</sub>	3(1,3) – 3(0,3) As F = 4 – 4	0.03 <sup>b</sup>	Sgr B2	BTL	7m	Cum86
87783.09 (10)		CH <sub>3</sub> NH <sub>2</sub>	3(1,3) – 3(0,3) As F = 3 – 3	<sup>b</sup>	Sgr B2	BTL	7m	Tak73
87848.875*( 4)		HN <sub>2</sub> CHO	4(1,3) – 3(1,2)	0.31	Sgr B2	BTL	7m	Cum86
87863.632*( 5)		HC <sub>5</sub> N	33 – 32	0.23	IRC + 10216	OSO	20m	Joh84
87876.57 *( 6)		S <sup>18</sup> O	4(5) – 4(4)	0.04	OriMC-1	NRAO	11m	Tur89
87889.4 ( 4)		HCCN	4,4 – 3,3	0.72 <sup>f</sup>	IRC + 10216	IRAM	30m	Gué91
87898.416*( 4)		HNCO	4(2,3) – 3(2,2)	0.06 <sup>b</sup>	Sgr B2	BTL	7m	Cum86
87898.620*( 4)		HNCO	4(2,2) – 3(2,1)	<sup>b</sup>	Sgr B2	BTL	7m	Cum86
87921.7 ( 3)		C <sub>6</sub> H	<sup>2</sup> Π <sub>1/2</sub> J = 63/2 – 61/2 f	1.19 <sup>f</sup>	IRC + 10216	IRAM	30m	Cer87a
87925.238*( 4)		HNCO	4(0,4) – 3(0,3)	3.7	Sgr B2	NRAO	11m	Tur91
87967.7 ( 3)		C <sub>6</sub> H	<sup>2</sup> Π <sub>1/2</sub> J = 63/2 – 61/2 e	1.31 <sup>f</sup>	IRC + 10216	IRAM	30m	Cer87a
U 88018. ( 1)		unidentified		0.10	IRC + 10216	IRAM	30m	Cer87a
88085.86 ( 5)		CH <sub>3</sub> SH	14(1) – 13(2) A –	0.08	OriMC-1	NRAO	11m	Tur89
U 88130.		unidentified		0.03	OriMC-1	NRAO	11m	N
88166.808*( 8)		H <sup>13</sup> CCCN	10 – 9	0.15	IRC + 10216	OSO	20m	Joh84
U 88204.		unidentified		0.03	OriMC-1	NRAO	11m	Tur89
88214.0 (10)		HCCN	4,4 – 3,3	0.9 <sup>f</sup>	IRC + 10216	IRAM	30m	Gué91
88239.027*( 3)		HNCO	4(1,3) – 3(1,2)	0.09	Sgr B2	NRAO	11m	Tur91
88285.809*(27)		Si <sup>34</sup> S	5 – 4	0.10	IRC + 10216	OSO	20m	Joh84
U 88292.		unidentified		0.03	OriMC-1	NRAO	11m	Tur89
88315.2 ( 4)		C <sub>5</sub> H	<sup>2</sup> Π <sub>1/2</sub> J = 37/2 – 35/2 a	0.8 <sup>f</sup>	IRC + 10216	IRAM	30m	Cer86
88321.0 ( 4)		C <sub>5</sub> H	<sup>2</sup> Π <sub>1/2</sub> J = 37/2 – 35/2 b	1.1 <sup>f</sup>	IRC + 10216	IRAM	30m	Cer86
88323.757*(13)		CH <sub>3</sub> CH <sub>2</sub> CN	10(0,10) – 9(0,9)	0.12	OriMC-1	NRAO	11m	Joh77
U 88349.		unidentified		0.03	OriMC-1	NRAO	11m	Tur89
88358.53 *(10)		HCOOCH <sub>3</sub>	22(5,17) – 22(4,18) A	0.07	OriMC-1	NRAO	11m	Tur89
U 88402.		unidentified		0.04	Sgr B2	NRAO	11m	Tur89
U 88445.		unidentified		0.03	OriMC-1	NRAO	11m	Tur89
U 88481.		unidentified		0.05	OriMC-1	NRAO	11m	Tur91
88594.96 (10)		CH <sub>3</sub> OH	15(3) – 14(4) A +	0.73	OriMC-1	OSO	20m	Joh84
88630.4157(10)		HCN	1 – 0 F = 1 – 1	9.6	OriMC-1	NRAO	11m	Uli76
88631.8473(10)		HCN	1 – 0 F = 2 – 1	17.2	OriMC-1	NRAO	11m	DeL69
88633.9360(10)		HCN	1 – 0 F = 0 – 1	6.8	OriMC-1	NRAO	11m	Uli76
88668.06 (10)		CH <sub>3</sub> NH <sub>2</sub>	2(0,2) – 1(0,1) Aa	<sup>b</sup>	Sgr B2	NRAO	11m	Kai75
88668.62 (10)		CH <sub>3</sub> NH <sub>2</sub>	2(0,2) – 1(0,1) Es	0.15 <sup>b</sup>	Sgr B2	NRAO	11m	Kai75
88668.63 (10)		CH <sub>3</sub> NH <sub>2</sub>	2(0,2) – 1(0,1) A + E	0.04	Sgr B2	NRAO	11m	Kut80
88669.61 (10)		CH <sub>3</sub> NH <sub>2</sub>	2(0,2) – 1(0,1) As, Ea	<sup>b</sup>	Sgr B2	NRAO	11m	Joh72
88706.38 *(16)		CH <sub>3</sub> OCH <sub>3</sub>	15(2,13) – 15(1,14) EA + AE	<sup>b</sup>	OriMC-1	OSO	20m	Kai75
88707.64 (10)		CH <sub>3</sub> OCH <sub>3</sub>	15(2,13) – 15(1,14) EE	0.05	OriMC-1	NRAO	11m	Kut80
88707.78 *(12)		CH <sub>3</sub> OCH <sub>3</sub>	15(2,13) – 15(1,14) EE	0.27 <sup>b</sup>	OriMC-1	OSO	20m	Joh84
88709.07 (10)		CH <sub>3</sub> OCH <sub>3</sub>	15(2,13) – 15(1,14) AA	0.06	OriMC-1	NRAO	11m	Kut80
88709.19 *( 8)		CH <sub>3</sub> OCH <sub>3</sub>	15(2,13) – 15(1,14) AA	<sup>b</sup>	OriMC-1	OSO	20m	Joh84
88720.604*(56)		<sup>34</sup> SO <sub>2</sub>	7(3,5) – 8(2,6)	0.10 <sup>b</sup>	OriMC-1	OSO	20m	Sch83
88723.384*( 6)		HCOOCH <sub>3</sub>	11(3,9) – 11(2,10) A	<sup>b</sup>	OriMC-1	OSO	20m	M
U 88741.8		unidentified		0.03	OriMC-1	NRAO	11m	Kut80
U 88749.8		unidentified		0.03	OriMC-1	NRAO	11m	Kut80
U 88758.		unidentified		0.08	OriMC-1	NRAO	11m	Tur89
U 88770.8		unidentified		0.03	OriMC-1	NRAO	11m	Kut80
88843.24 *( 3)		HCOOCH <sub>3</sub>	7(1,6) – 6(1,5) E	0.09	OriMC-1	NRAO	11m	Kut80
88851.60 *( 3)		HCOOCH <sub>3</sub>	7(1,6) – 6(1,5) A	0.07	OriMC-1	NRAO	11m	Plu84
U 88861.		unidentified		0.15	OriMC-1	OSO	20m	Gol81b
88865.692 (26)		H <sup>15</sup> NC	1 – 0	0.15	DR21 (OH)	NRAO	11m	Bro77
88914.14 *( 5)		C <sub>5</sub> H	<sup>2</sup> Π <sub>3/2</sub> J = 37/2 – 35/2 a	4.9 <sup>b</sup>	IRC + 10216	IRAM	30m	Cer86a
U 88916.		unidentified		0.16	OriMC-1	NRAO	11m	Tur89
88916.19 *( 5)		C <sub>5</sub> H	<sup>2</sup> Π <sub>3/2</sub> J = 37/2 – 35/2 b	<sup>b</sup>	IRC + 10216	IRAM	30m	Cer86a
88940.21 *( 1)		H <sub>2</sub> CCCC	10(1,10) – 9(1,9)	0.099	IRC + 10216	IRAM	30m	Kil90
88940.09 (10)		CH <sub>3</sub> OH	15(3) – 14(4) A –	1.30	OriMC-1	OSO	20m	Sas84
U 88957.		unidentified		0.04	OriMC-1	NRAO	11m	Tur89
U 88977.		unidentified		0.09	OriMC-1	NRAO	11m	Tur89
89045.59 *( 2)		C <sub>5</sub> N	9 – 8 J = 19/2 – 17/2	0.13 <sup>i</sup>	IRC + 10216	NRAO	11m	Gué77
								Got83

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

	Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r(K)$ $/T_a(K)$	Source	Telescope	Astr. ref.	Lab. ref.	
	89060.930*(21)		CH <sub>3</sub> CH <sub>2</sub> OH	18(4,14)–17(5,13) ?	0.08	OriMC-1	NRAO	11m	Tur89	N
	89064.36 *(2)		C <sub>3</sub> N	9–8 J=17/2–15/2	0.14 <sup>a</sup>	IRC+10216	NRAO	11m	Gué77	Got83
U	89084.		unidentified	(CH <sub>3</sub> NH <sub>2</sub> )?	0.07	OriMC-1	NRAO	11m	Tur89	N
	89086.53 (15)		HCN	1–0 $\ell=0$ F=1–1 $v_2=2$	b	IRC+10216	IRAM	30m	Luc88	Win71 N
	89087.92 (10)		HCN	1–0 $\ell=0$ F=2–1 $v_2=2$	0.20 <sup>b</sup>	IRC+10216	IRAM	30m	Luc88	Win71 N
	89090.13 (15)		HCN	1–0 $\ell=0$ F=0–1 $v_2=2$	b	IRC+10216	IRAM	30m	Luc88	Win71 N
	89103.730*(26)		5–4		0.07	IRC+10216	OSO	20m	Joh84	
	89104.60 *(37)		HC <sub>7</sub> N	79–78	0.03	OriMC-1	NRAO	11m	Tur91	N
	89188.518*(9)		HCO <sup>+</sup>	1–0	10.8	OriMC-1	NRAO	11m	Uli76	
U	89234.		unidentified		0.15	OriMC-1	NRAO	11m	Tur89	N
	89297.651*(13)		CH <sub>3</sub> CH <sub>2</sub> CN	10(2,9)–9(2,8)	0.32	OriMC-1	OSO	20m	Joh84	
	89314.64 *(3)		HCOOCH <sub>3</sub>	8(1,8)–7(1,7) E	0.35 <sup>b</sup>	OriMC-1	OSO	20m	Joh84	Plu86 M
	89316.64 *(4)		HCOOCH <sub>3</sub>	8(1,8)–7(1,7) A	b	OriMC-1	OSO	20m	Joh84	Plu84 M
	89329.527*(33)		5(1)–4(1)		b	Sgr B2	BTL	7m	Cum86	M
	89331.203*(33)		5(0)–4(0)		0.22 <sup>b</sup>	Sgr B2	BTL	7m	Cum86	M
U	89411.		unidentified		0.08	OriMC-1	NRAO	11m	Tur89	N
U	89419.		unidentified		0.03	Sgr B2	FCRAO	14m	Woo83	N
	89487.415 (15)		HOC <sup>+</sup> ?	1–0	0.08	Sgr B2	FCRAO	14m	Woo83	Gud82
	89489.223*(26)		Si <sup>33</sup> S	5–4	0.022	IRC+10216	IRAM	30m	Kah88	
	89505.86 (4)		CH <sub>3</sub> OH	8(–4)–9(–3) E	0.3	OriMC-1	NRAO	11m	Lov76a	Lov78
	89562.317*(12)		CH <sub>3</sub> CH <sub>2</sub> CN	10(6)–9(6)	0.08 <sup>b</sup>	OriMC-1	NRAO	11m	Joh77	
	89565.031*(12)		CH <sub>3</sub> CH <sub>2</sub> CN	10(7)–9(7)	0.05 <sup>b</sup>	OriMC-1	NRAO	11m	Joh77	
	89568.105*(12)		CH <sub>3</sub> CH <sub>2</sub> CN	10(5)–9(5)	0.11 <sup>b</sup>	OriMC-1	NRAO	11m	Joh77	
	89573.052*(13)		CH <sub>3</sub> CH <sub>2</sub> CN	10(8)–9(8)	0.03 <sup>b</sup>	OriMC-1	NRAO	11m	Joh77	
	89579.17*(1)		HCOOH	4(0,4)–3(0,3)	0.05	Sgr B2	FCRAO	14m	Woo83	Wil80
	89590.035*(12)		CH <sub>3</sub> CH <sub>2</sub> CN	10(4,7)–9(4,6)	0.05 <sup>b</sup>	OriMC-1	NRAO	11m	Joh77	
	89591.019*(12)		CH <sub>3</sub> CH <sub>2</sub> CN	10(4,6)–9(4,5)	0.05 <sup>b</sup>	OriMC-1	NRAO	11m	Joh77	
	89628.451*(13)		CH <sub>3</sub> CH <sub>2</sub> CN	10(3,8)–9(3,7)	0.13	OriMC-1	NRAO	11m	Joh77	
U	89651.		unidentified		0.06	Sgr B2	NRAO	11m	Tur89	N
	89684.718*(13)		CH <sub>3</sub> CH <sub>2</sub> CN	10(3,7)–9(3,6)	0.22	OriMC-1	OSO	20m	Joh84	
	89699.76 *(8)		CH <sub>3</sub> OCH <sub>3</sub>	2(2,1)–2(1,2) EE	0.06 <sup>b</sup>	OriMC-1	NRAO	11m	Tur89	N
	89702.76 *(4)		CH <sub>3</sub> OCH <sub>3</sub>	2(2,1)–2(1,2) AA	b	OriMC-1	NRAO	11m	Tur89	N
U	89726.		unidentified		0.07	IRC+10216	OSO	20m	Joh84	
	89745.55 *(23)		CH <sub>3</sub> OCH <sub>3</sub>	11(1,10)–11(0,11) E	0.06	OriMC-1	NRAO	11m	Tur89	N
U	89823.		unidentified		0.03	Sgr B2	NRAO	11m	Tur89	N
U	89834.		unidentified		0.11	OriMC-1	NRAO	11m	Tur89	N
	89861.48 *(1)		HCOOH	4(2,3)–3(2,2)	0.13	Sgr B2	BTL	7m	Cum86	
U	89898.		unidentified		0.05	OriMC-1	NRAO	11m	Tur89	N
	89927.70 (10)		CH <sub>3</sub> SH	17(1)–16(2) A+ ?	0.07	OriMC-1	NRAO	11m	Tur89	Lee80 N
U	89936.		unidentified	(CH <sub>3</sub> SH?)	0.20	OriMC-1	OSO	20m	Joh84	
U	89952.		unidentified		0.02	OriMC-1	NRAO	11m	Tur89	N
U	89960.		unidentified	(CH <sub>3</sub> OD?)	0.20	OriMC-1	OSO	20m	Joh84	
U	90038.		unidentified		0.04	Sgr B2	NRAO	11m	Tur89	N
U	90051.		unidentified		0.02	Sgr B2	NRAO	11m	Tur89	N
U	90061.		unidentified		0.02	Sgr B2	NRAO	11m	Tur89	N
	90093.0 (3)		C <sub>6</sub> H	<sup>2</sup> P <sub>3/2</sub> J=65/2–63/2 f	0.05	IRC+10216	IRAM	30m	Gué87	Cer87a N
	90117.600*(9)		CH <sub>3</sub> CH <sub>2</sub> OH	4(1,4)–3(0,3)	0.25 <sup>b</sup>	Sgr B2	NRAO	11m	Zuc75	
	90121.4 (3)		C <sub>6</sub> H	<sup>2</sup> P <sub>3/2</sub> J=65/2–63/2 e	0.06	IRC+10216	IRAM	30m	Gué87	Cer87a N
	90145.72 *(3)		HCOOCH <sub>3</sub>	7(2,5)–6(2,4) E	0.32	OriMC-1	OSO	20m	Joh83	Plu86 M
	90156.46 *(3)		HCOOCH <sub>3</sub>	7(2,5)–6(2,4) A	0.25	OriMC-1	OSO	20m	Joh83	Plu84 M
U	90212. (1)		unidentified		0.04	Sgr B2	NRAO	11m	Hol80	
	90227.63 *(3)		HCOOCH <sub>3</sub>	8(0,8)–7(0,7) E	0.15	OriMC-1	NRAO	11m	Hol80	Plu86 M
	90229.63 *(4)		HCOOCH <sub>3</sub>	8(0,8)–7(0,7) A	0.15	OriMC-1	NRAO	11m	Hol80	Plu84 M
	90263.833 (30)		1–0		0.035	DR21(OH)	BTL	7m	Lin83	Gud82a
U	90286. ?		unidentified		0.10	OriMC-1	NRAO	11m	Tur89	N
U	90355. ?		unidentified		0.08	OriMC-1	NRAO	11m	Tur89	N
	90453.358*(13)		CH <sub>3</sub> CH <sub>2</sub> CN	10(2,8)–9(2,7)	0.35	OriMC-1	OSO	20m	Joh84	
	90482.482*(28)		CH <sub>3</sub> CH <sub>2</sub> CN	7(4,4)–8(3,5)	0.02	Sgr B2(OH)	IRAM	30m	Gom86	N
U	90506.		unidentified		0.12	Sgr B2	NRAO	11m	Tur89	N
	90515.644*(28)		CH <sub>3</sub> CH <sub>2</sub> CN	7(4,3)–8(3,6)	0.02	Sgr B2(OH)	IRAM	30m	Gom86	N
	90525.892*(5)		HC <sub>5</sub> N	34–33	0.20	IRC+10216	OSO	20m	Joh84	
	90530.93 *(3)		CH <sub>3</sub> CH <sub>2</sub> CN	23(3,20)–23(2,21)	0.015	OriMC-1	FCRAO	14m	Ziu88	N
	90548.251*(28)		SO <sub>2</sub>	25(3,23)–24(4,20)	0.6	OriMC-1	OSO	20m	Sch83	
	90562.1 (5)		4(0,4)–3(0,3)		0.06	IRC+10216	IRAM	30m	Cer86b	Cer91b N
	90593.059*(11)		HC <sup>13</sup> CCN	10–9	0.35	Sgr B2	NRAO	11m	Uli78	

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r(K)$ $/T_s(K)$	Source	Telescope	Astr. ref.	Lab. ref.
90601.791*(5)		HCC <sup>13</sup> CN	10-9	0.18	Sgr B2	NRAO	11m	Uli78
U 90609.		unidentified		0.015	OriMC-1	FCRAO	14m	Ziu88 N
U 90619.		unidentified		0.008	OriMC-1	FCRAO	14m	Ziu88 N
U 90635.		unidentified		0.015	OriMC-1	FCRAO	14m	Ziu88 N
90663.450 (10)		HNC	1-0 F=0-1	n.r.	L134N	BTL	7m	Fre79a Fre79a
90663.543 (40)		HNC	1-0	1.6	L134	NRAO	11m	Sny77a Pea76
90663.574 (10)		HNC	1-0 F=2-1	n.r.	L134N	BTL	7m	Fre79a Fre79a
90663.656 (10)		HNC	1-0 F=1-1	n.r.	L134N	BTL	7m	Fre79a Fre79a
90686.385*(8)		C <sub>2</sub> S	7,7-6,6	0.2	Sgr B2	NRAO	11m	Sch85 Yam90 M
U 90689.		unidentified		0.025	OriMC-1	FCRAO	14m	Ziu88 N
U 90700.		unidentified		0.010	OriMC-1	FCRAO	14m	Ziu88 N
90703.78 (5)		CH <sub>3</sub> OD	2(-1)-1(-1) E	0.14 <sup>b</sup>	Sgr B2	NRAO	11m	Got79 Lov78
90705.77 (5)		CH <sub>3</sub> OD	2(0)-1(0) A	<sup>b</sup>	Sgr B2	NRAO	11m	Got79 Lov78
90712.2 (3)		C <sub>6</sub> H	<sup>2</sup> Π <sub>1,2</sub> J=65/2-63/2 f	1.09 <sup>f</sup>	IRC+10216	IRAM	30m	Cer87a Cer87a N
U 90727.		unidentified		0.13	Sgr B2	NRAO	11m	Tur89 N
90743.56 (5)		CH <sub>3</sub> OD	2(1)-1(1) E	0.09	Sgr B2	NRAO	11m	Tur91 Kau80 N
U 90757.		unidentified		0.10	Sgr B2	NRAO	11m	Tur89 N
90759.3 (3)		C <sub>6</sub> H	<sup>2</sup> Π <sub>1,2</sub> J=65/2-63/2 e	1.21 <sup>f</sup>	IRC+10216	IRAM	30m	Cer87a Cer87a N
U 90763.		unidentified		0.20	OriMC-1	OSO	20m	Joh84
90771.546*(26)		SiS	5-4	0.35	IRC+10216	NRAO	11m	Mor75
U 90809.		unidentified		0.010	OriMC-1	FCRAO	14m	Ziu88 N
U 90814.		unidentified		0.030	OriMC-1	FCRAO	14m	Ziu88 N
U 90820.		unidentified		0.008	OriMC-1	FCRAO	14m	Ziu88 N
U 90838.		unidentified		0.015	OriMC-1	FCRAO	14m	Ziu88 N
U 90841. (3)		unidentified		0.08	Sgr B2	NRAO	11m	Cla79
U 90864.		unidentified		0.18	Sgr B2	NRAO	11m	Tur91 N
90889.20 (23)		CH <sub>3</sub> OCH <sub>3</sub>	15(3,12)-14(4,11) AA	<sup>b</sup>	OriMC-1	FCRAO	14m	Ziu88 Lov79 N
90892.26 (23)		CH <sub>3</sub> OCH <sub>3</sub>	15(3,12)-14(4,11) EE	0.04 <sup>b</sup>	OriMC-1	FCRAO	14m	Ziu88 Lov79 N
90895.32 (23)		CH <sub>3</sub> OCH <sub>3</sub>	15(3,12)-14(4,11) AE+EA	<sup>b</sup>	OriMC-1	FCRAO	14m	Ziu88 Lov79 N
U 90908. (3)		unidentified		0.05	Sgr B2	NRAO	11m	Cla79
U 90912.		unidentified		0.05	Sgr B2	NRAO	11m	Tur89 N
90926.039*(17)		<sup>13</sup> C <sup>34</sup> S	2-1	0.10	OriMC-1	NRAO	11m	Tur89 N
U 90928. (1)		unidentified		0.07	Sgr B2	NRAO	11m	Cla79
90937.539 (40)		CH <sub>3</sub> OCH <sub>3</sub>	6(0,6)-5(1,5) AA	<sup>b</sup>	OriMC-1	NRAO	11m	Sny74 Cla79
90938.099 (30)		CH <sub>3</sub> OCH <sub>3</sub>	6(0,6)-5(1,5) EE	0.17 <sup>b</sup>	OriMC-1	NRAO	11m	Sny74 Cla79
90938.674 (50)		CH <sub>3</sub> OCH <sub>3</sub>	6(0,6)-5(1,5) AE+EA	<sup>b</sup>	OriMC-1	NRAO	11m	Sny74 Cla79
U 90949.		unidentified		0.01	OriMC-1	FCRAO	14m	Ziu88 N
U 90964.		unidentified		0.04	OriMC-1	FCRAO	14m	Ziu88 N
90978.993*(2)		HC <sub>3</sub> N	10-9	1.77	OriMC-1	NRAO	11m	Mor76
U 91000.		unidentified		0.01	OriMC-1	FCRAO	14m	Ziu88 N
91008.20 (41)		CH <sub>3</sub> CH <sub>2</sub> OH	14(2,13)-13(3,10) ?	0.015	OriMC-1	FCRAO	14m	Ziu88 N
U 91022.		unidentified		0.008	OriMC-1	FCRAO	14m	Ziu88 N
U 91045.		unidentified		0.10	Sgr B2	NRAO	11m	Tur89 N
U 91063.		unidentified		0.09	OriMC-1	NRAO	11m	Tur89 N
U 91074.		unidentified		0.02	Sgr B2	NRAO	11m	Tur89 N
U 91086.		unidentified		0.06	Sgr B2	NRAO	11m	Tur89 N
U 91096.		unidentified		0.10	Sgr B2	NRAO	11m	Tur89 N
U 91106. ?		unidentified		0.03	OriMC-1	NRAO	11m	Tur89 N
91128.19 *(3)		HC <sub>3</sub> N	10-9 $\ell=1e$ $\nu_6=1$	0.10 <sup>h</sup>	Sgr B2	NRAO	11m	Tur89 N
U 91135.		unidentified		0.10	Sgr B2	NRAO	11m	Tur91 N
91169.93 *(6)		NaCl	7-6	1.91 <sup>t</sup>	IRC+10216	IRAM	30m	Cer87c N
91175.25 (10)		CH <sub>3</sub> OCH <sub>3</sub>	5(4,2)-6(3,3) EE	0.04	OriMC-1	NRAO	11m	Tur89 Lov79 N
91202.607*(27)		HC <sub>3</sub> N	10-9 $\nu_7=\ell$ $\ell=1e$	0.2	OriMC-1	NRAO	11m	Cla76
91204.328 (30)		N <sup>15</sup> NH <sup>+</sup>	1-0 F=1-1	0.02	DR21(OH)	BTL	7m	Lin83 Gud82a
91205.999 (30)		N <sup>15</sup> NH <sup>+</sup>	1-0 F=2-1	0.025	DR21(OH)	BTL	7m	Lin83 Gud82a
91208.663 (70)		N <sup>15</sup> NH <sup>+</sup>	1-0 F=0-1	0.01	DR21(OH)	BTL	7m	Lin83 Gud82a
91333.308*(27)		HC <sub>3</sub> N	10-9 $\nu_7=1$ $\ell=1f$	0.2	OriMC-1	NRAO	11m	Cla76
91366.30 *(5)		HCOOCH <sub>3</sub>	9(4,5)-9(3,6) E	0.08	Sgr B2	NRAO	11m	Tur89 Plu86 N
91476.59 *(3)		CH <sub>3</sub> OCH <sub>3</sub>	3(2,2)-3(1,3) EE	0.15 <sup>b</sup>	OriMC-1	NRAO	11m	Tur89 Lov79 N
91479.21 *(4)		CH <sub>3</sub> OCH <sub>3</sub>	3(2,2)-3(1,3) AA	<sup>b</sup>	OriMC-1	NRAO	11m	Tur89 Lov79 N
91485.030*(11)		CH <sub>3</sub> CH <sub>2</sub> OH	6(2,5)-6(1,6)	0.07	Sgr B2	NRAO	11m	Tur89 N
91494.349 (30)		c-C <sub>3</sub> H	2(1,2)-1(1,1)	0.19	TMC-1	NRO	45m	Yam87a Yam87a N
91497.608 (30)		c-C <sub>3</sub> H	2(1,2)-1(1,1)	0.13	TMC-1	NRO	45m	Yam87a Yam87a N
U 91520.		unidentified		0.02	Sgr B2	NRAO	11m	Tur89 N
U 91541.		unidentified		0.03	Sgr B2	NRAO	11m	Tur89 N

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r(K)$ $/T_a(K)$	Source	Telescope	Astr. ref.	Lab. ref.
91549.122*(13)		CH <sub>3</sub> CH <sub>2</sub> CN	10(1,9)–9(1,8)	0.36 <sup>b</sup>	OriMC-1	NRAO	11m	Tur89
91550.470*(13)		SO <sub>2</sub>	18(5,13)–19(4,16)	<sup>b</sup>	OriMC-1	NRAO	11m	Tur89
91554.521*(43)		HC <sub>3</sub> N	10–9 $\nu_7=2$ $\ell=0$	<sup>b</sup>	OriMC-1	NRAO	11m	Tur89
91555.932*(49)		HC <sub>3</sub> N	10–9 $\nu_7=2$ $\ell=2e$	<sup>b</sup>	OriMC-1	NRAO	11m	Tur89
91558.432*(44)		HC <sub>3</sub> N	10–9 $\nu_7=2$ $\ell=2f$	<sup>b</sup>	OriMC-1	NRAO	11m	Tur89
91572.54 *(3)		HCCCHO	10(1,10)–9(1,9)	0.02	Sgr B2	NRAO	11m	Tur91
U 91587.		unidentified		0.02	Sgr B2	NRAO	11m	Tur89
U 91605.		unidentified		0.03	OriMC-1	NRAO	11m	Tur89
91608.9 (5)		<sup>30</sup> SiC <sub>2</sub>	4(2,3)–3(2,2)	0.06	IRC+10216	IRAM	30m	Cer86b
U 91636.		unidentified		0.03	Sgr B2	NRAO	11m	Tur89
U 91654.		unidentified		0.02	Sgr B2	NRAO	11m	Tur89
U 91662.		unidentified		0.04	Sgr B2	NRAO	11m	Tur89
U 91665.		unidentified		0.08	OriMC-1	NRAO	11m	Tur89
91692.752 (30)		c-C <sub>3</sub> H	2(1,2)–1(1,1) 3/2,1–1/2,0	0.10	TMC-1	NRO	45m	Yam87a
91699.471 (30)		c-C <sub>3</sub> H	2(1,2)–1(1,1) 3/2,2–1/2,1	0.16	TMC-1	NRO	45m	Yam87a
U 91703.		unidentified		0.02	OriMC-1	NRAO	11m	Tur89
U 91749.		unidentified		0.10	Sgr B2	NRAO	11m	Tur89
91771.8 (3)		<sup>29</sup> SiC <sub>2</sub>	4(0,4)–3(0,3)	0.08	IRC+10216	IRAM	30m	Cer86b
U 91808.		unidentified		0.05	OriMC-1	NRAO	11m	Tur89
U 91848.		unidentified		0.15	Sgr B2	NRAO	11m	Tur91
U 91913.		unidentified	(NH <sub>2</sub> CHO?)	0.06	OriMC-1	NRAO	11m	Tur89
91925.741*(12)		CH <sub>3</sub> <sup>13</sup> CN	5(3)–4(3)	0.03	Sgr B2	IRAM	30m	Cer88
91934.549*(7)		CH <sub>3</sub> <sup>13</sup> CN	5(2)–4(2)	<sup>b</sup>	Sgr B2	IRAM	30m	Cer88
91939.834*(8)		CH <sub>3</sub> <sup>13</sup> CN	5(1)–4(1)	<sup>b</sup>	Sgr B2	IRAM	30m	Cer88
91941.596*(9)		CH <sub>3</sub> <sup>13</sup> CN	5(0)–4(0)	0.15 <sup>b</sup>	Sgr B2	IRAM	30m	Cer88
91959.024*(2)		CH <sub>3</sub> CN	5(4)–4(4) $F=6-5$	0.08 <sup>b</sup>	OriMC-1	NRAO	11m	Lov76a
91959.359*(2)		CH <sub>3</sub> CN	5(4)–4(4) $F=4-3$	<sup>b</sup>	OriMC-1	NRAO	11m	Lov76a
91971.310*(1)		CH <sub>3</sub> CN	5(3)–4(3) $F=6-5$	0.20 <sup>b</sup>	OriMC-1	NRAO	11m	Lov76a
91971.465*(1)		CH <sub>3</sub> CN	5(3)–4(3) $F=4-3$	<sup>b</sup>	OriMC-1	NRAO	11m	Lov76a
91980.089*(1)		CH <sub>3</sub> CN	5(2)–4(2) $F=6-5$	0.16	OriMC-1	NRAO	11m	Lov76a
91985.317*(1)		CH <sub>3</sub> CN	5(1)–4(1)	0.28 <sup>b</sup>	OriMC-1	NRAO	11m	Lov76a
91987.090*(1)		CH <sub>3</sub> CN	5(0)–4(0)	<sup>b</sup>	OriMC-1	NRAO	11m	Lov76a
U 92002.		unidentified		0.10	Sgr B2	NRAO	11m	Tur89
92064.63 *(6)		Si <sup>13</sup> CC	4(2,3)–3(2,2)	0.4 <sup>f</sup>	IRC+10216	IRAM	30m	Cer91b
92075.51 (5)		CH <sub>3</sub> OD	2(1)–1(1) A-	0.07	OriMC-1	NRAO	11m	Tur89
92261.440 (60)		CH <sub>3</sub> CN	5(0)–4(0) $\nu_8=1$ $\ell=1$	0.03?	OriMC-1	NRAO	11m	Bou80
92262.992 (60)		CH <sub>3</sub> CN	5(0)–4(0) $\nu_8=1$ $\ell=1$	0.03?	OriMC-1	NRAO	11m	Bou80
U 92334.		unidentified		0.03	OriMC-1	NRAO	11m	Tur89
U 92342.		unidentified		0.02	OriMC-1	NRAO	11m	Tur89
92353.43 *(10)		CH <sub>3</sub> CN	5(1)–4(1) $\nu_8=1$ $\ell=1$	0.035	OriMC-1	NRAO	11m	Tur91
92426.260*(18)		CH <sub>2</sub> CHCN	10(1,10)–9(1,9)	0.05	Sgr B2	NRAO	11m	Tur89
U 92456. ?		unidentified		0.03	Sgr B2	NRAO	11m	Tur89
92488.490 (20)		C <sub>4</sub> S	16–15	2.2 <sup>f</sup>	IRC+10216	IRAM	30m	Cer87b
92494.299*(17)		<sup>13</sup> CS	2–1	0.215	OriMC-1	NRAO	11m	Yam87
U 92715.		unidentified		0.03	OriMC-1	NRAO	11m	Tur89
92793.6 (5)		<sup>30</sup> SiC <sub>2</sub>	4(2,2)–3(2,1)	0.03	IRC+10216	IRAM	30m	Cer86b
92865.2 (3)		C <sub>6</sub> H	<sup>2</sup> P <sub>3/2</sub> $J=67/2-65/2$ f	0.05	IRC+10216	IRAM	30m	Gué87
U 92877.		unidentified		0.03	Sgr B2	NRAO	11m	Tur89
92882.0 (3)		<sup>29</sup> SiC <sub>2</sub>	4(2,3)–3(2,2)	0.06	IRC+10216	IRAM	30m	Cer86b
92894.9 (3)		C <sub>6</sub> H	<sup>2</sup> P <sub>3/2</sub> $J=67/2-65/2$ e	0.06	IRC+10216	IRAM	30m	Gué87
U 92916.		unidentified		0.10	Sgr B2	NRAO	11m	Tur89
93063.639 (9)		SiC <sub>2</sub>	4(0,4)–3(0,3)	0.11	IRC+10216	NRAO	11m	Sny83
93089.0 (3)		C <sub>5</sub> H	<sup>2</sup> P <sub>1/2</sub> $J=39/2-37/2$ a	1.3 <sup>f</sup>	IRC+10216	IRAM	30m	Cer86
93094.9 (4)		C <sub>5</sub> H	<sup>2</sup> P <sub>1/2</sub> $J=39/2-37/2$ b	1.5 <sup>f</sup>	IRC+10216	IRAM	30m	Cer86
93098.35 *(1)		HCOOH	4(1,3)–3(1,2)	0.12	Sgr B2	NRAO	11m	Tur89
93171.619 (10)		N <sub>2</sub> H <sup>+</sup>	1–0 $F_1=1-1$ $F=0-1$	0.5	L134N	NRAO	11m	Sny79
93171.947 (10)		N <sub>2</sub> H <sup>+</sup>	1–0 $F_1=1-1$ $F=2-2$	0.7	L134N	NRAO	11m	Sny77
93172.098 (10)		N <sub>2</sub> H <sup>+</sup>	1–0 $F_1=1-1$ $F=1-0$	0.8	L134N	NRAO	11m	Sny77
93173.505 (10)		N <sub>2</sub> H <sup>+</sup>	1–0 $F_1=2-1$ $F=2-1$	0.9	L134N	NRAO	11m	Sny77
93173.809 (10)		N <sub>2</sub> H <sup>+</sup>	1–0 $F_1=2-1$ $F=3-2$	0.9	L134N	NRAO	11m	Sny77
93174.016 (10)		N <sub>2</sub> H <sup>+</sup>	1–0 $F_1=2-1$ $F=1-1$	0.6	L134N	NRAO	11m	Sny77
93176.310 (10)		N <sub>2</sub> H <sup>+</sup>	1–0 $F_1=0-1$ $F=1-2$	0.7	L134N	NRAO	11m	Sny77
93188.127*(5)		HC <sub>3</sub> N	35–34	0.09	OriMC-1	NRAO	11m	Lov82
93196.62 (1)		CH <sub>3</sub> OH	1(0)–2(1) E $\nu_1=1$	0.18	OriMC-1	NRAO	11m	Lov82
93213.030*(36)		CH <sub>3</sub> CH <sub>2</sub> OH	16(8,9)–17(7,10) ?	<sup>b</sup>	OriMC-1	NRAO	11m	Lov89

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r(K)$ $/T_a(K)$	Source	Telescope	Astr. ref.	Lab. ref.
93213.150*(36)		$\text{CH}_3\text{CH}_2\text{OH}$	16(8,8)–17(7,11) ?	0.06 <sup>b</sup>	OriMC-1	NRAO	11m	Tur89 N
U 93231.		unidentified		0.01	Sgr B2	NRAO	11m	Tur89 N
U 93261.70 *(10)		$\text{HCOOCH}_3$	14(2,12)–14(1,13) A	0.07	OriMC-1	NRAO	11m	Tur89 Plu84 N
U 93294.		unidentified		0.06	OriMC-1	NRAO	11m	Tur89 N
U 93355.		unidentified		0.1	Sgr B2	NRAO	11m	Tur89 N
U 93361.		unidentified		0.10	Sgr B2	NRAO	11m	Tur89 N
93502.2 (10)		$\text{C}_6\text{H}$	$^2\Pi_{1/2} J = 67/2 - 65/2 f$	0.90 <sup>f</sup>	IRC+10216	IRAM	30m	Cer87a N
93550.9 (5)		$\text{C}_6\text{H}$	$^2\Pi_{1/2} J = 67/2 - 65/2 e$	1.20 <sup>f</sup>	IRC+10216	IRAM	30m	Cer87a N
U 93561.		unidentified	( $\text{HCOOCH}_3$ ?)	0.04	OriMC-1	NRAO	11m	Tur89 N
93580.86 (10)		$\text{CH}_3\text{CHO}$	5(1,5)–4(1,4) A	0.17	Sgr B2	BTL	7m	Cum86 Bau76
93586.5 (3)		$\text{C}_4\text{H}$	$^2\Pi_{1/2} J = 19/2 - 17/2 v_7 = 1e$	1.80 <sup>f</sup>	IRC+10216	IRAM	30m	Yam87b Yam87b N
93595.28 (10)		$\text{CH}_3\text{CHO}$	5(1,5)–4(1,4) E	0.17	Sgr B2	BTL	7m	Cum86 Bau76
93619.46 (5)		$^{13}\text{CH}_3\text{OH}$	2(1)–1(1) A+	0.12 <sup>b</sup>	OriMC-1	NRAO	11m	Tur89 Kur86 N
U 93628. ?		unidentified		0.04	OriMC-1	NRAO	11m	Tur89 N
U 93656.		unidentified		0.07	OriMC-1	NRAO	11m	Tur89 N
93660.00 *(7)		$\text{HCOOCH}_3$	8(4,4)–8(3,5) A	0.09	OriMC-1	NRAO	11m	Tur89 N
93666.65 *(12)		$\text{CH}_3\text{OCH}_3$	12(1,11)–12(0,12) EE	0.10	OriMC-1	NRAO	11m	Hol80 N
93692.448*(?)		HNCS	8(1,8)–7(1,7)	0.03	OriMC-1	NRAO	11m	Tur89 N
U 93730.		unidentified		0.03	Sgr B2	NRAO	11m	Tur89 N
93812.630*(22)		$\text{CH}_3\text{CH}_2\text{OH}$	13(7,7)–14(6,8) ?	0.03 <sup>b</sup>	OriMC-1	NRAO	11m	Tur89 N
93813.150*(22)		$\text{CH}_3\text{CH}_2\text{OH}$	13(7,6)–14(6,9) ?	<sup>b</sup>	OriMC-1	NRAO	11m	Tur89 N
93830.050 (20)		HNCS	8(0,8)–7(0,7)	0.05	OriMC-1	BTL	7m	Fre79 Yam79
U 93839.		unidentified		0.02	OriMC-1	NRAO	11m	Tur89 N
U 93844. (2)		unidentified		0.06	Sgr B2	NRAO	11m	Cla79 N
93854.44 (10)		$\text{CH}_3\text{OCH}_3$	4(2,3)–4(1,4) AE+EA	0.14	OriMC-1	NRAO	11m	Cla79 N
93857.11 (10)		$\text{CH}_3\text{OCH}_3$	4(2,3)–4(1,4) EE	0.20	OriMC-1	NRAO	11m	Cla79 N
93859.64 (10)		$\text{CH}_3\text{OCH}_3$	4(2,3)–4(1,4) AA	0.03	OriMC-1	NRAO	11m	Cla79 N
93863.3 (10)		$\text{C}_6\text{H}$	$^2\Pi_{1/2} J = 19/2 - 17/2 v_7 = 1f$	2.4 <sup>bf</sup>	IRC+10216	IRAM	30m	Yam87b Yam87b N
93870.101*(8)		$\text{C}_5\text{S}$	8,7–7,6	0.2 <sup>bs</sup>	Sgr B2	NRAO	11m	Cla79 Yam90 M
93871.70 *(2)		$\text{NH}_2\text{CHO}$	3(2,2)–4(1,3)	<sup>b</sup>	Sgr B2	NRAO	11m	Tur91 M
93979.78 (10)		PN	2–1	0.023	OriMC-1	NRAO	12m	Tur87b Wys72 N
93995.203*(3)		HNCS	8(1,7)–7(1,6)	0.01	Sgr B2	NRAO	11m	Tur89 N
94014.404 (50)		$^{13}\text{CH}_3\text{OH}$	2(1)–1(1) E	0.008	Sgr B2	NRAO	11m	Tur89 And87 N
94064.779*(19)		$\text{SO}_2$	23(6,18)–24(5,19)	0.13	OriMC-1	NRAO	11m	Tur89 N
U 94077.		unidentified		0.03	OriMC-1	NRAO	11m	Tur89 N
94137.3 (3)		$^{29}\text{SiC}_2$	4(2,2)–3(2,1)	0.06	IRC+10216	IRAM	30m	Cer86b Cer91b N
U 94175.		unidentified		0.12	Sgr B2	NRAO	11m	Tur89 N
U 94195.		unidentified		0.10	Sgr B2	NRAO	11m	Tur89 N
U 94200.		unidentified		0.05	OriMC-1	NRAO	11m	Tur89 N
U 94237.		unidentified		0.10	Sgr B2	NRAO	11m	Tur89 N
94245.393 (9)		$\text{SiC}_2$	4(2,3)–3(2,2)	0.10	IRC+10216	NRAO	11m	Tha84 Got89 M
94247.473*(16)		$\text{NH}_2\text{CHO}$	8(1,7)–8(0,8)	0.05	Sgr B2	NRAO	11m	Tur89 N
94276.640*(12)		$\text{CH}_2\text{CHCN}$	10(0,10)–9(0,9)	0.08	Sgr B2	NRAO	11m	Joh77 M
U 94353.		unidentified	( $\text{CH}_2\text{CHCN}$ ? Tur90)	0.12	OriMC-1	NRAO	11m	Tur89 N
94405.42 (5)		$^{13}\text{CH}_3\text{OH}$	2(–1)–1(–1) E	<sup>b</sup>	Sgr B2	NRAO	11m	Got79 Kur86 M
94407.28 (5)		$^{13}\text{CH}_3\text{OH}$	2(0)–1(0) A+	0.8 <sup>b</sup>	Sgr B2	NRAO	11m	Got79 Kur86 M
94411.26 (5)		$^{13}\text{CH}_3\text{OH}$	2(0)–1(0) E	<sup>b</sup>	Sgr B2	NRAO	11m	Got79 Kur86 M
94420.61 (5)		$^{13}\text{CH}_3\text{OH}$	2(1)–1(1) E	1.0	OriMC-1	IRAM	30m	Men88 Kur86 N
U 94473.		unidentified		0.09	OriMC-1	NRAO	11m	Tur91 N
U 94486.		unidentified		0.12	OriMC-1	NRAO	11m	Tur89 N
U 94499.		unidentified		0.17	OriMC-1	NRAO	11m	Tur89 N
94541.81 (10)		$\text{CH}_3\text{OH}$	8(3)–9(2) E	0.43	OriMC-1	NRAO	11m	Hol83 Sas84 N
94632.80 *(6)		$\text{HCOOCH}_3$	5(2,4)–4(1,3) E	0.16	OriMC-1	NRAO	11m	Tur89 N
U 94774.		unidentified		0.16	OriMC-1	NRAO	11m	Tur89 N
U 94811. ?		unidentified		0.10	OriMC-1	NRAO	11m	Tur89 N
U 94832. ?		unidentified		0.02	OriMC-1	NRAO	11m	Tur89 N
U 94880.		unidentified		0.02	OriMC-1	NRAO	11m	Tur89 N
U 94902.		unidentified	( $\text{CH}_3\text{CH}_2\text{OH}$ ? Tur91)	0.04	OriMC-1	NRAO	11m	Tur89 N
94913.139*(14)		$\text{CH}_2\text{CHCN}$	10(4,7)–9(4,6)	<sup>b</sup>	Sgr B2	NRAO	11m	Tur89 N
94913.250*(14)		$\text{CH}_2\text{CHCN}$	10(4,6)–9(4,5)	0.04 <sup>b</sup>	Sgr B2	NRAO	11m	Tur89 N
U 95052.		unidentified		0.03	OriMC-1	NRAO	11m	Tur89 N
U 95073.		unidentified		0.05	OriMC-1	NRAO	11m	Tur89 N
U 95143.		unidentified		0.03	OriMC-1	NRAO	11m	Tur89 N
U 95145.		unidentified		0.24	Sgr B2	NRAO	11m	Tur89 N
95150.32 *(2)		$\text{C}_6\text{H}$	10–9 $J = 21/2 - 19/2$	0.08	IRC+10216	NRAO	11m	Gué78 Got83

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r(K)$ $/T_a(K)$	Source	Telescope	Astr. ref.	Lab. ref.	
95169.44 (10)		CH <sub>3</sub> OH	8(0)–7(1) A +	0.85	OriMC-1	NRAO	11m	Lov76a	Lee68
U 95188.		unidentified		0.06	Sgr B2	NRAO	11m	Tur89	N
95188.94 *(2)		C <sub>4</sub> H	10–9 J = 19/2 – 17/2	0.08	IRC+10216	NRAO	11m	Gué78	Got83
95208.67 (10)		<sup>13</sup> CH <sub>3</sub> OH	2(1)–1(1) A –	0.15	OriMC-1	NRAO	11m	Tur89	Lee73
U 95220.		unidentified		0.03	Sgr B2	NRAO	11m	Tur89	N
95247.1 *(5)		HCOOCH <sub>3</sub>	7(4,3)–7(3,4) E	0.11	OriMC-1	NRAO	11m	Tur89	N
U 95260.		unidentified		0.08	OriMC-1	NRAO	11m	Tur89	N
U 95295.		unidentified		0.03	Sgr B2	NRAO	11m	Tur89	N
95325.490*(17)		CH <sub>2</sub> CHCN	10(2,8)–9(2,7)	0.12	Sgr B2	NRAO	11m	Tur89	N
U 95339.		unidentified		0.04	Sgr B2	NRAO	11m	Tur89	N
95442.482*(14)		CH <sub>3</sub> CH <sub>2</sub> CN	11(1,11)–10(1,10)	0.20 <sup>b</sup>	OriMC-1	NRAO	11m	Joh77	
95443.850*(33)		CH <sub>3</sub> CH <sub>2</sub> OH	16(2,14)–16(1,13)	<sup>b</sup>	OriMC-1	NRAO	11m	Tur89	N
95454.4 (3)		HCCSi ?	8–7 L	0.09	IRC+10216	IRAM	30m	Gué86	Gué86
95469.3 (2)		HCCSi ?	8–7 U	0.11	IRC+10216	IRAM	30m	Gué86	Gué86
95502.421*(21)		CH <sub>3</sub> CH <sub>2</sub> CN	14(2,13)–(14(1,14)	0.07	OriMC-1	NRO	45m	Sai89	N
95548.441*(43)		CH <sub>3</sub> OCH <sub>3</sub>	14(7,8)–15(6,9) EE	0.16	OriMC-1	NRO	45m	Sai89	N
95553.241*(39)		CH <sub>3</sub> OCH <sub>3</sub>	14(7,7)–15(6,10) EE	0.13	OriMC-1	NRO	45m	Sai89	N
U 95570.		unidentified		0.07	Sgr B2	NRAO	11m	Tur89	N
95579.381 (15)		SiC <sub>2</sub>	4(2,2)–3(2,1)	0.10	IRC+10216	NRAO	11m	Cum80	Got89
U 95585.		unidentified		0.06	OriMC-1	NRAO	11m	Tur91	N
95611.13 (25)		C <sub>4</sub> H	<sup>2</sup> Σ J = 10–9 ν <sub>7</sub> = 2 L	n.r.	IRC+10216	IRAM	30m	Gué87a	Gué87a
U 95613.0		unidentified		0.18	OriMC-1	NRO	45m	Sai89	N
95636.6 (4)		C <sub>6</sub> H	<sup>2</sup> Π <sub>3/2</sub> J = 69/2 – 67/2 f	0.05	IRC+10216	IRAM	30m	Gué87	Cer87a
95667.89 (25)		C <sub>4</sub> H	<sup>2</sup> Σ J = 10–9 ν <sub>7</sub> = 2 U	n.r.	IRC+10216	IRAM	30m	Gué87a	Gué87a
95668.3 (6)		C <sub>6</sub> H	<sup>2</sup> Π <sub>3/2</sub> J = 69/2 – 67/2 e	0.09 <sup>b</sup>	IRC+10216	IRAM	30m	Gué87	Gué87
95689.778*(17)		CH <sub>3</sub> CH <sub>2</sub> CN	3(2,2)–2(1,1)	0.34	OriMC-1	NRO	45m	Sai89	N
U 95710.7		unidentified		0.05	OriMC-1	NRO	45m	Sai89	N
95730.4		CH <sub>3</sub> OCH <sub>3</sub>	16(2,14)–16(1,15) EA + AE	0.58	OriMC-1	NRO	45m	Sai89	Sai89
95731.8		CH <sub>3</sub> OCH <sub>3</sub>	16(2,14)–16(1,15) EE	1.14	OriMC-1	NRO	45m	Sai89	Sai89
95732.68 *(11)		CH <sub>3</sub> OCH <sub>3</sub>	16(2,14)–16(1,15) AA	0.53	OriMC-1	NRO	45m	Sai89	N
U 95741.3		unidentified		0.09	OriMC-1	NRO	45m	Sai89	N
U 95747.2		unidentified		0.08	OriMC-1	NRO	45m	Sai89	N
U 95783.		unidentified		0.08	OriMC-1	NRAO	11m	Tur89	N
95810.425*(56)		<sup>34</sup> SO <sub>2</sub>	2(2,0)–3(1,3)	0.07	OriMC-1	NRAO	11m	Tur89	N
95850.337*(5)		HC <sub>3</sub> N	36–35	19.5 <sup>f</sup>	IRC+10216	IRAM	30m	Cer86a	N
95870.8 *(5)		HC <sub>7</sub> N	85–84	0.06	Sgr B2	NRAO	11m	Tur89	N
U 95877.		unidentified		0.06	OriMC-1	NRAO	11m	Tur89	N
95914.29 (10)		CH <sub>3</sub> OH	2(1)–1(1) A +	0.81	OriMC-1	NRAO	11m	Tur89	Lee68
95947.43 *(5)		CH <sub>3</sub> CHO	5(0,5)–4(0,4) E	0.35	Sgr B2	NRAO	11m	Tur89	Kle91
95963.42 *(5)		CH <sub>3</sub> CHO	5(0,5)–4(0,4) A	0.30	Sgr B2	NRAO	11m	Tur89	Kle91
U 95989.		unidentified		0.02	OriMC-1	NRAO	11m	Tur89	N
U 96033.		unidentified		0.03	OriMC-1	NRAO	11m	Tur89	N
96070.73 *(3)		HCOOCH <sub>3</sub>	8(2,7)–7(2,6) E	0.08	Sgr B2	NRAO	11m	Tur89	Plu86
96076.84 *(10)		HCOOCH <sub>3</sub>	8(2,7)–7(2,6) A	0.08	Sgr B2	NRAO	11m	Tur89	Plu84
96086.51 *(8)		HCOOCH <sub>3</sub>	6(4,2)–6(3,3) A	0.03	Sgr B2	NRAO	11m	Tur89	N
96166.9 *(5)		HCOOCH <sub>3</sub>	6(4,2)–6(3,3) E	0.03	Sgr B2	NRAO	11m	Tur89	N
U 96204.		unidentified		0.11	Sgr B2	NRAO	11m	Tur91	N
U 96258.		unidentified		0.02	Sgr B2	NRAO	11m	Tur89	N
96261.16 (10)		H <sub>2</sub> O	4(4,0)–5(3,3) ν <sub>2</sub> = 1	4.2 <sup>f</sup>	VY CMa	IRAM	30m	Men89	Kuz80
96274.24 *(5)		CH <sub>3</sub> CHO	5(2,4)–4(2,3) A	0.09	Sgr B2	NRAO	11m	Tur89	Kle91
96293.3 (3)		C <sub>6</sub> H	<sup>2</sup> Π <sub>1/2</sub> J = 69/2 – 67/2 f	1.12 <sup>f</sup>	IRC+10216	IRAM	30m	Sai87	Cer87a
96342.5 (3)		C <sub>6</sub> H	<sup>2</sup> Π <sub>1/2</sub> J = 69/2 – 67/2 e	1.28 <sup>f</sup>	IRC+10216	IRAM	30m	Sai87	Cer87a
96367.85 (10)		CH <sub>3</sub> CHO	5(3,2)–4(3,1) E	<sup>b</sup>	Sgr B2	NRAO	11m	Got78a	Kle91
96368.32 (10)		CH <sub>3</sub> CHO	5(3,3)–4(3,2) A	0.07 <sup>b</sup>	Sgr B2	NRAO	11m	Got78a	Kle91
96371.718 (50)		CH <sub>3</sub> CHO	5(3,2)–4(3,1) A	<sup>b</sup>	Sgr B2	NRAO	11m	Got78a	Kle91
96384.379 (50)		CH <sub>3</sub> CHO	5(3,3)–4(3,2) E	0.1	Sgr B2	NRAO	11m	Got78a	Kle91
96396.01 (10)		CH <sub>3</sub> OH	2(1)–1(1) A + ν <sub>t</sub> = 1	0.09	OriMC-1	NRAO	11m	Tur89	Lee68
96412.982*(13)		C <sup>34</sup> S	2–1	0.62	OriMC-1	NRAO	11m	Tur73	
96425.618 (50)		CH <sub>3</sub> CHO	5(2,4)–4(2,3) E	0.10	Sgr B2	NRAO	11m	Tur89	Kle91
U 96437.		unidentified	(HCOOCH <sub>3</sub> ?)	0.05	OriMC-1	NRAO	11m	Tur89	N
96475.536 (50)		CH <sub>3</sub> CHO	5(2,3)–4(2,2) E	0.08	Sgr B2	NRAO	11m	Got78a	Kle91
96478.3 (3)		C <sub>4</sub> H	<sup>2</sup> Π <sub>3/2</sub> J = 21/2 – 19/2 ν <sub>7</sub> = 1e	2.85 <sup>f</sup>	IRC+10216	IRAM	30m	Yam87b	Yam87b
96492.13 (1)		CH <sub>3</sub> OH	2(1)–1(1) E ν <sub>t</sub> = 1	0.13	OriMC-1	NRAO	11m	Hol83	Lov82
96493.58 (1)		CH <sub>3</sub> OH	2(0)–1(0) E ν <sub>t</sub> = 1	0.12	OriMC-1	NRAO	11m	Hol83	Lov82
96501.66 (1)		CH <sub>3</sub> OH	2(−1)–1(−1) E ν <sub>t</sub> = 1	0.06	OriMC-1	NRAO	11m	Hol83	Lov82

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r(K)$ $/T_a(K)$	Source	Telescope	Astr. ref.	Lab. ref.	
96513.70	( 1 )	CH <sub>3</sub> OH	2( 0 ) - 1( 0 ) A + $\nu_t = 1$	0.08	OriMC-1	NRAO	11m	Hol83	Lov82
U 96536.		unidentified		0.1	OriMC-1	NRAO	11m	Sny83	
96588.60	( 10 )	CH <sub>3</sub> OH	2(1) - 1(1) A - $\nu_t = 1$	0.10	OriMC-1	NRAO	11m	Tur89	Lee68 N
96613.44 *	( 44 )	HCOOCH <sub>3</sub>	8(4,5) - 8(3,6) E	0.2	OMC-IRc2	IRAM	30m	Ger89	N
96632.63	( 10 )	CH <sub>3</sub> CHO	5(2,3) - 4(2,2) A	0.12	OMC-IRc2	IRAM	30m	Ger89	Kle91 N
96637.69 *	( 7 )	HCOOCH <sub>3</sub>	7(4,4) - 7(3,5) A	0.2	OMC-IRc2	IRAM	30m	Ger89	N
96647.60 *	( 44 )	HCOOCH <sub>3</sub>	5(4,1) - 5(3,2) E	n.r.	OMC-IRc2	IRAM	30m	Ger89	N
96670.27 *	( 45 )	HCOOCH <sub>3</sub>	5(4,2) - 5(3,3) E	0.05	OMC-IRc2	IRAM	30m	Ger89	N
96693.37 *	( 7 )	HCOOCH <sub>3</sub>	6(4,3) - 6(3,4) A	0.1	OMC-IRc2	IRAM	30m	Ger89	N
96709.20 *	( 7 )	HCOOCH <sub>3</sub>	8(4,5) - 8(3,6) A	0.2	OMC-IRc2	IRAM	30m	Ger89	N
U 96720.		unidentified		0.10	OriMC-1	NRAO	11m	Tur89	N
96739.39	( 10 )	CH <sub>3</sub> OH	2(-1) - 1(-1) E	0.96	OriMC-1	NRAO	11m	Hol83	Lee68
96741.42	( 10 )	CH <sub>3</sub> OH	2(0) - 1(0) A +	1.13	OriMC-1	NRAO	11m	Hol83	Lee68
96744.58	( 10 )	CH <sub>3</sub> OH	2(0) - 1(0) E	0.88	OriMC-1	NRAO	11m	Hol83	Lee68
96755.51	( 10 )	CH <sub>3</sub> OH	2(1) - 1(1) E	0.54	OriMC-1	NRAO	11m	Hol83	Lee68
U 96775.		unidentified		0.20	OriMC-1	NRAO	11m	Tur89	N
96781.849*	( 60 )	<sup>34</sup> SO	4(5) - 4(4)	0.04 <sup>b</sup>	OriMC-1	NRAO	11m	Tur89	
U 96797.	( 3 )	unidentified		0.05	Sgr B2	NRAO	11m	Cla79	
U 96822.		unidentified		0.06	Sgr B2	NRAO	11m	Tur89	N
U 96841.	?	unidentified		0.06	Sgr B2	NRAO	11m	Tur89	N
96847.25	( 10 )	CH <sub>3</sub> OCH <sub>3</sub>	5(2,4) - 5(1,5) AE + EA	0.11	OriMC-1	NRAO	11m	Cla79	Cla79
96849.85	( 10 )	CH <sub>3</sub> OCH <sub>3</sub>	5(2,4) - 5(1,5) EE	0.14	OriMC-1	NRAO	11m	Cla79	Cla79
96852.46	( 10 )	CH <sub>3</sub> OCH <sub>3</sub>	5(2,4) - 5(1,5) AA	0.13	OriMC-1	NRAO	11m	Cla79	Cla79
96919.757*	( 14 )	CH <sub>3</sub> CH <sub>2</sub> CN	11(0,11) - 10(0,10)	0.08	OriMC-1	NRAO	11m	Joh77	
96988.139*	( 9 )	O <sup>13</sup> CS	8 - 7	0.069	Sgr B2	BTL	7m	Gol81	
U 97069.		unidentified		0.12	OriMC-1	NRAO	11m	Tur89	
97172.086*	( 13 )	C <sup>33</sup> S	2 - 1	0.17	Sgr B2	BTL	7m	Cum86	
U 97263.		unidentified		0.01	OriMC-1	NRAO	11m	Tur89	
97271.033*	( 12 )	CS	2 - 1 v = 1	0.007	IRC + 10216	NRAO	12m	Tur87	
U 97276.		unidentified		0.02	OriMC-1	NRAO	11m	Tur89	
U 97282.		unidentified		0.01	OriMC-1	NRAO	11m	Tur89	
97286.836*	( 28 )	CH <sub>2</sub> CHCN	6(1,6) - 5(0,5)	0.02	OriMC-1	NRAO	11m	Tur89	
U 97293.		unidentified		0.03 <sup>b</sup>	Sgr B2	NRAO	11m	Tur89	
97295.48 *	( 14 )	Si <sup>13</sup> CC	4(1,3) - 3(1,2)	0.6 <sup>f</sup>	IRC + 10216	IRAM	30m	Cer91b	
97301.2085	( 2 )	OCS	8 - 7	0.85	Sgr B2	NRAO	11m	Sol73	Dij71
97318.612*	( 45 )	HCOOCH <sub>3</sub>	4(2,2) - 3(1,3) E	0.01	OriMC-1	NRAO	11m	Tur89	
U 97536.9		unidentified		0.08	OriMC-1	NRO	45m	Ohi88	
U 97547.3		unidentified		0.06	OriMC-1	NRO	45m	Ohi88	
U 97550.1		unidentified		0.05	OriMC-1	NRO	45m	Ohi88	
U 97563.2		unidentified		0.05	OriMC-1	NRO	45m	Ohi88	
U 97569.0		unidentified		0.04	OriMC-1	NRO	45m	Ohi88	
U 97574.7		unidentified		0.09	OriMC-1	NRO	45m	Ohi88	
U 97577.9		unidentified		0.14	OriMC-1	NRO	45m	Ohi88	
97582.83	( 1 )	CH <sub>3</sub> OH	2( 1 ) - 1( 1 ) A -	< 2.5	OriMC-1	OSO	20m	Fri84	Lee68
U 97597.8		unidentified		0.21	OriMC-1	NRO	45m	Ohi88	
U 97603.		unidentified		0.06	OriMC-1	NRAO	11m	Tur89	
U 97618.7		unidentified		0.05	OriMC-1	NRO	45m	Ohi88	
97632.218*	( 21 )	H <sub>2</sub> <sup>13</sup> CS	3(1,3) - 2(1,2)	0.04	Sgr B2	BTL	7m	Cum86	
U 97650.1		unidentified		0.12	OriMC-1	NRO	45m	Ohi88	
97651.35 *	( 3 )	HCOOCH <sub>3</sub>	10(4,7) - 10(3,8) E	0.22	OriMC-1	NRO	45m	Ohi88	Plu86 N
U 97662.0		unidentified		0.21	OriMC-1	NRO	45m	Ohi88	
97677.7		CH <sub>3</sub> OH	21(6) - 22(5) A -	0.29	OriMC-1	NRO	45m	Ohi88	
97678.8		CH <sub>3</sub> OH	21(6) - 22(5) A +	0.34	OriMC-1	NRO	45m	Ohi88	
97694.26 *	( 10 )	HCOOCH <sub>3</sub>	10(7,4) - 10(8,3) A	0.2	OriMC-1	NRO	45m	Ohi88	Plu84 N
97702.359*	( 8 )	SO <sub>2</sub>	7(3,5) - 8(2,6)	< 0.3	OriMC-1	NRAO	11m	Sny75a	
97715.388*	( 38 )	<sup>34</sup> SO	3(2) - 2(1)	0.14	OriMC-1	NRAO	11m	Got78	
U 97729.4		unidentified		0.06	OriMC-1	NRO	45m	Ohi88	
U 97739.3		unidentified		0.10	OriMC-1	NRO	45m	Ohi88	
U 97753.4		unidentified		0.19	OriMC-1	NRO	45m	Ohi88	
U 97756.4		unidentified		0.05	OriMC-1	NRO	45m	Ohi88	
U 97774.9		unidentified		0.07	OriMC-1	NRO	45m	Ohi88	
U 97815.4		unidentified		0.05	OriMC-1	NRO	45m	Ohi88	
U 97816.8		unidentified		0.05	OriMC-1	NRO	45m	Ohi88	
97833.60 *	( 1 )	H <sub>2</sub> CCCC	11(1,11) - 10(1,10)	0.106	IRC + 10216	IRAM	30m	Cer91a	Kil90 N
U 97846.3		unidentified		0.12	OriMC-1	NRO	45m	Ohi88	

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r(K)$ $/T_a(K)$	Source	Telescope	Astr. ref.	Lab. ref.
97862.6 (4)		C <sub>3</sub> H	<sup>2</sup> $\Pi_{1/2}$ $J = 41/2 - 39/2$ a	1.2 <sup>f</sup>	IRC + 10216	IRAM	30m	Cer86
97868.8 (4)		C <sub>3</sub> H	<sup>2</sup> $\Pi_{1/2}$ $J = 41/2 - 39/2$ b	1.1 <sup>f</sup>	IRC + 10216	IRAM	30m	Cer86
U 97869.8		unidentified		0.07	OriMC-1	NRAO	45m	Ohi88
U 97874.0		unidentified		0.07	OriMC-1	NRAO	45m	Ohi88
U 97886.0		unidentified		0.17	OriMC-1	NRAO	45m	Ohi88
U 97897.5		unidentified		0.22	OriMC-1	NRAO	45m	Ohi88
U 97915.6		unidentified		0.06	OriMC-1	NRAO	45m	Ohi88
U 97926.		unidentified		0.02 <sup>b</sup>	OriMC-1	NRAO	11m	Tur89
U 97931.2		unidentified		0.06	OriMC-1	NRAO	45m	Ohi88
U 97933.1		unidentified		0.06	OriMC-1	NRAO	45m	Ohi88
U 97957.2		unidentified		0.04	OriMC-1	NRAO	45m	Ohi88
U 97963.2		unidentified		0.09	OriMC-1	NRAO	45m	Ohi88
97980.968*(17)		CS	2-1	6.94	OriMC-1	NRAO	11m	Tur73
U 97991.1		unidentified		0.2	OriMC-1	NRAO	45m	Ohi88
U 97993.8		unidentified		0.3	OriMC-1	NRAO	45m	Ohi88
97995.166 (50)		I-C <sub>3</sub> H	<sup>2</sup> $\Pi_{1/2}$ $J = 9/2 - 7/2$ F = 5 - 4	0.1	OriMC-1	NRAO	45m	Ohi88
97995.213 (50)		I-C <sub>3</sub> H	<sup>2</sup> $\Pi_{1/2}$ $J = 9/2 - 7/2$ F = 4 - 3	0.2	OriMC-1	NRAO	45m	Ohi88
97995.450 (60)		I-C <sub>3</sub> H	<sup>2</sup> $\Pi_{1/2}$ $J = 9/2 - 7/2$ b	0.116	IRC + 10216	OSO	20m	Tha85
98012.064 (60)		I-C <sub>3</sub> H	<sup>2</sup> $\Pi_{1/2}$ $J = 9/2 - 7/2$ a	0.089	IRC + 10216	OSO	20m	Tha85
98177.581*(14)		CH <sub>3</sub> CH <sub>2</sub> CN	11(2,10) - 10(2,9)	0.15	OriMC-1	NRAO	11m	Joh77
98182.25 *(4)		HCOOCH <sub>3</sub>	8(7,1) - 7(7,0) E	0.07 <sup>b</sup>	OriMC-1	NRAO	11m	Tur89
98190.65 *(4)		HCOOCH <sub>3</sub>	8(7,2) - 7(7,1) A	<sup>b</sup>	OriMC-1	NRAO	11m	Tur89
98190.65 *(4)		HCOOCH <sub>3</sub>	8(7,1) - 7(7,0) A	0.08 <sup>b</sup>	OriMC-1	NRAO	11m	Tur89
98191.61 *(4)		HCOOCH <sub>3</sub>	8(7,2) - 7(7,1) E	<sup>b</sup>	OriMC-1	NRAO	11m	Tur89
U 98218.		unidentified		0.08	IRC + 10216	IRAM	30m	Cer87b
U 98230.2		unidentified		0.02	OriMC-1	NRAO	11m	Kut80
U 98239.7		unidentified		0.03	OriMC-1	NRAO	11m	Kut80
98245.01 *(1)		H <sub>2</sub> CCCC	11(0,11) - 10(0,10)	0.038	IRC + 10216	IRAM	30m	Cer91a
U 98257.7		unidentified		0.03	OriMC-1	NRAO	11m	Kut80
U 98265.9 (9)		unidentified		0.04	Sgr B2	BTL	7m	Cum86
98268.516 (20)		C <sub>3</sub> S	17 - 16	2.2 <sup>f</sup>	IRC + 10216	IRAM	30m	Cer87b
98270.44 *(3)		HCOOCH <sub>3</sub>	8(6,2) - 7(6,1) E	0.06	OriMC-1	NRAO	11m	Kut80
98279.02 *(3)		HCOOCH <sub>3</sub>	8(6,3) - 7(6,2) E	<sup>b</sup>	OriMC-1	NRAO	11m	Kut80
98279.74 *(5)		HCOOCH <sub>3</sub>	8(6,3) - 7(6,2) A	0.12 <sup>b</sup>	OriMC-1	NRAO	11m	Kut80
98279.78 *(5)		HCOOCH <sub>3</sub>	8(6,2) - 7(6,1) A	<sup>b</sup>	OriMC-1	NRAO	11m	Kut80
U 98333.9		unidentified		0.02	OriMC-1	NRAO	11m	Kut80
U 98351.9		unidentified		0.02	OriMC-1	NRAO	11m	Kut80
98408.9 (3)		C <sub>6</sub> H	<sup>2</sup> $\Pi_{3/2}$ $J = 71/2 - 69/2$ f	0.04	IRC + 10216	IRAM	30m	Gué87
98424.16 *(3)		HCOOCH <sub>3</sub>	8(5,3) - 7(5,2) E	0.10	OriMC-1	NRAO	11m	Plu86
98431.88 *(3)		HCOOCH <sub>3</sub>	8(5,4) - 7(5,3) E	<sup>b</sup>	Sgr B2	BTL	7m	Cum86
98432.75 *(5)		HCOOCH <sub>3</sub>	8(5,4) - 7(5,3) A	0.04 <sup>b</sup>	Sgr B2	BTL	7m	Cum86
98435.80 *(5)		HCOOCH <sub>3</sub>	8(5,3) - 7(5,2) A	<sup>b</sup>	Sgr B2	BTL	7m	Cum86
98441.7 (3)		C <sub>6</sub> H	<sup>2</sup> $\Pi_{3/2}$ $J = 71/2 - 69/2$ e	0.04	IRC + 10216	IRAM	30m	Gué87
98474.55 *(13)		<sup>33</sup> SO	3(2) - 2(1) F = 3/2 - 1/2	<sup>b</sup>	OriMC-1	NRAO	11m	Tur89
98482.15 *(8)		<sup>33</sup> SO	3(2) - 2(1) F = 5/2 - 3/2	<sup>b</sup>	OriMC-1	NRAO	11m	Tur89
98489.08 *(7)		<sup>33</sup> SO	3(2) - 2(1) F = 7/2 - 5/2	0.10 <sup>b</sup>	OriMC-1	NRAO	11m	Tur89
98493.68 *(13)		<sup>33</sup> SO	3(2) - 2(1) F = 9/2 - 7/2	<sup>b</sup>	OriMC-1	NRAO	11m	Tur89
98512.522*(5)		HC <sub>3</sub> N	37 - 36	0.08	OriMC-1	NRAO	11m	Buj81
98523.880*(13)		CH <sub>3</sub> CH <sub>2</sub> CN	11(6) - 10(6)	0.13	OriMC-1	NRAO	11m	Joh77
98524.661*(13)		CH <sub>3</sub> CH <sub>2</sub> CN	11(7) - 10(7)	0.10	OriMC-1	NRAO	11m	Joh77
98524.94 *(5)		C <sub>3</sub> H	<sup>2</sup> $\Pi_{3/2}$ $J = 41/2 - 39/2$ a	4.5 <sup>n</sup>	IRC + 10216	IRAM	30m	Cer86a
98527.44 *(5)		C <sub>3</sub> H	<sup>2</sup> $\Pi_{3/2}$ $J = 41/2 - 39/2$ b	<sup>b</sup>	IRC + 10216	IRAM	30m	Cer86a
98532.070*(14)		CH <sub>3</sub> CH <sub>2</sub> CN	11(8) - 10(8)	0.06	OriMC-1	NRAO	11m	Joh77
98533.985*(26)		CH <sub>3</sub> CH <sub>2</sub> CN	11(5) - 10(5)	0.17	OriMC-1	NRAO	11m	Joh77
98544.145*(15)		CH <sub>3</sub> CH <sub>2</sub> CN	11(9,3) - 10(9,2)	0.08 <sup>b</sup>	OriMC-1	NRAO	11m	Tur89
98544.145*(15)		CH <sub>3</sub> CH <sub>2</sub> CN	11(9,2) - 10(9,1)	<sup>b</sup>	OriMC-1	NRAO	11m	Tur89
98564.834*(13)		CH <sub>3</sub> CH <sub>2</sub> CN	11(4,8) - 10(4,7)	0.09	OriMC-1	NRAO	11m	Joh77
98566.799*(13)		CH <sub>3</sub> CH <sub>2</sub> CN	11(4,7) - 10(4,6)	0.09	OriMC-1	NRAO	11m	Joh77
98606.85 *(3)		HCOOCH <sub>3</sub>	8(3,6) - 7(3,5) E	<sup>b</sup>	Sgr B2	BTL	7m	Cum86
98610.108*(13)		CH <sub>3</sub> CH <sub>2</sub> CN	11(3,9) - 10(3,8)	0.14	OriMC-1	NRAO	11m	Joh77
98611.15 *(4)		HCOOCH <sub>3</sub>	8(3,6) - 7(3,5) A	0.08 <sup>b</sup>	Sgr B2	BTL	7m	Cum86
U 98630.		unidentified		0.10	Sgr B2	NRAO	11m	Tur89
98655.07 *(1)		H <sub>2</sub> CCCC	11(1,10) - 10(1,9)	0.124	IRC + 10216	IRAM	30m	Cer91a
U 98663.		unidentified		0.06	OriMC-1	NRAO	11m	Tur89
98682.60 *(4)		HCOOCH <sub>3</sub>	8(4,5) - 7(4,4) A	0.02	Sgr B2	BTL	7m	Plu84

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r(K)$ $/T_a(K)$	Source	Telescope	Astr. ref.	Lab. ref.
U 98696.		unidentified		0.05	OriMC-1	NRAO	11m	Tur89
98701.109*(13)		$\text{CH}_3\text{CH}_2\text{CN}$	11(3,8)–10(3,7)	0.12	OriMC-1	NRAO	11m	Joh77
98712.06 *(3)		$\text{HCOOCH}_3$	8(4,5)–7(4,4) E	0.04	Sgr B2	BTL	7m	Cum86
98747.87 *(3)		$\text{HCOOCH}_3$	8(4,4)–7(4,3) E	0.04	Sgr B2	BTL	7m	Cum86
U 98771.		unidentified		0.03	OriMC-1	NRAO	11m	Tur89
98792.28 *(4)		$\text{HCOOCH}_3$	8(4,4)–7(4,3) A	0.05	Sgr B2	BTL	7m	Cum86
98863.328 (50)		$\text{CH}_3\text{CHO}$	5(1,4)–4(1,3) E	0.23	Sgr B2	BTL	7m	Cum86
98900.948 (50)		$\text{CH}_3\text{CHO}$	5(1,4)–4(1,3) A	0.18	Sgr B2	BTL	7m	Kle91
98926.723*(17)		AIF	3–2	0.97 <sup>f</sup>	IRC + 10216	IRAM	30m	Cer87c
98940.02 *(2)		$\text{C}_3\text{N}$	10–9 J = 21/2–19/2	0.18	IRC + 10216	NRAO	11m	Gué77
98958.78 *(2)		$\text{C}_3\text{N}$	10–9 J = 19/2–17/2	0.13	IRC + 10216	NRAO	11m	Gué77
98976.284*(22)		$\text{SO}_2$	28(7,21)–29(6,24)	0.08	OriMC-1	NRAO	11m	Tur91
U 99011.		unidentified		0.08	OriMC-1	NRAO	11m	Tur89
U 99068.		unidentified		0.08	OriMC-1	NRAO	11m	Tur91
99083.2 (5)		$\text{C}_6\text{H}$	$^2\Pi_{1/2} J = 71/2 - 69/2$ f	0.97 <sup>f</sup>	IRC + 10216	IRAM	30m	Sai87
U 99087.		unidentified		0.12	OriMC-1	NRAO	11m	Tur89
99118.6 (1)		$\text{NH}_2\text{D}$	5(2,4)–4(1,4)	0.04	Sgr B2	BTL	7m	Cum86
U 99120.		unidentified	( $\text{NH}_2\text{D}$ ?)	0.15	OriMC-1	OSO	20m	Fri84
99133.8 (5)		$\text{C}_6\text{H}$	$^2\Pi_{1/2} J = 71/2 - 69/2$ e	1.05 <sup>f</sup>	IRC + 10216	IRAM	30m	Sai87
U 99142.		unidentified		0.10	OriMC-1	NRAO	11m	Tur89
99203.46 *(10)		$\text{CH}_3\text{SH}$	2(1)–2(0) E	0.10	Sgr B2	NRAO	11m	Tur89
99264.98 (5)		$\text{CH}_3\text{SH}$	3(1)–3(0) E	0.08	OriMC-1	NRAO	11m	Tur89
99299.879*(38)		SO	3(2)–2(1)	1.59 <sup>ma</sup>	OriMC-1	NRAO	11m	Got78
99311.195 (75)		$\text{NH}_2\text{CN}$	5(1,5)–4(1,4)	0.40	Sgr B2	BTL	7m	Cum86
99325.25 (20)		$\text{CH}_3\text{OCH}_3$	4(1,4)–3(0,3) EE	0.2	OriMC-1	NRAO	11m	Cla79
U 99361.		unidentified		0.03	Sgr B2	NRAO	11m	Tur89
U 99378.		unidentified		0.03	Sgr B2	NRAO	11m	Tur89
99392.645*(27)		$\text{SO}_2$	29(4,26)–28(5,23)	<0.50	OriMC-1	OSO	20m	Fri84
99409.74 (10)		$\text{CH}_3\text{SH}$	4(1)–4(0) E	0.05	Sgr B2	NRAO	11m	Tur89
U 99586.		unidentified		0.12	OriMC-1	NRAO	11m	Tur89
99651.863*(11)		$\text{HC}^{13}\text{CCN}$	11–10	0.13	Sgr B2	BTL	7m	Cum86
99661.471*(6)		$\text{HCC}^{13}\text{CN}$	11–10	0.14	Sgr B2	BTL	7m	Cum86
99681.516*(14)		$\text{CH}_3\text{CH}_2\text{CN}$	11(2,9)–10(2,8)	0.05	Sgr B2	BTL	7m	Cum86
U 99698. ?		unidentified		0.03	OriMC-1	NRAO	11m	Tur89
U 99727.0 (16)		unidentified		0.04	Sgr B2	BTL	7m	Cum86
99730.92 (1)		$\text{CH}_3\text{OH}$	6(1)–5(0) E $\nu_t = 1$	0.20	OriMC-1	NRAO	11m	Chu80
99774.15 (5)		$\text{H}_2\text{C}^{34}\text{S}$	3(1,3)–2(1,2)	<0.2	OriMC-1	OSO	20m	Gar85
99866.510*(12)		$\text{C}_2\text{S}$	7,8–6,7	0.08	Sgr B2	BTL	7m	Cum86
U 99903.		unidentified		0.15	Sgr B2	NRAO	11m	Tur89
99929.54 (10)		KCl	13–12	0.43 <sup>f</sup>	IRC + 10216	IRAM	30m	Cer87c
99953.27 (6)		$\text{NH}_2\text{CN}$	5(2,4)–4(2,3)	0.08 <sup>b</sup>	Sgr B2	BTL	7m	Cum86
99956.60 (4)		$\text{NH}_2\text{CN}$	5(2,3)–4(2,2)	<sup>b</sup>	Sgr B2	BTL	7m	Joh76a
99972.66 (8)		$\text{NH}_2\text{CN}$	5(0,5)–4(0,4)	0.12	Sgr B2	BTL	7m	Cum86
100029.569*(60)		SO	4(5)–4(4)	0.38 <sup>ma</sup>	OriMC-1	NRAO	11m	Got78
100076.389*(2)		$\text{HC}_3\text{N}$	11–10	1.28	OriMC-1	NRAO	11m	Mor76
100094.461*(51)		$\text{CH}_2\text{CO}$	5(1,5)–4(1,4)	0.17	Sgr B2	NRAO	11m	Tur77
100110.27 (10)		$\text{CH}_3\text{SH}$	4(1)–3(1) A+	0.06	Sgr B2	BTL	7m	Lin79
U 100122.		unidentified		0.10	OriMC-1	NRAO	11m	Tur89
U 100157.0		unidentified		0.07	Sgr B2	NRAO	11m	Tur77
100173.10 (10)		$\text{CH}_3\text{SH}$	7(2)–8(1) A+	0.08	OriMC-1	NRAO	11m	Tur89
U 100185.		unidentified		0.05	OriMC-1	NRAO	11m	Tur89
U 100197.2 (8)		unidentified		0.09	Sgr B2	BTL	7m	Cum85
U 100200.4		unidentified		0.09	Sgr B2	NRAO	11m	Tur77
100240.524*(31)		$\text{HC}_3\text{N}$	11–10 $\nu_6 = 1 \ell = 1e$	0.02	Sgr B2	NRAO	11m	Tur91
100294.61 *(3)		$\text{HCOOCH}_3$	8(3,5)–7(3,4) E	0.05	Sgr B2	BTL	7m	Cum86
100308.17 *(5)		$\text{HCOOCH}_3$	8(3,5)–7(3,4) A	0.08	OriMC-1	BTL	7m	Gol82
100322.349*(29)		$\text{HC}_3\text{N}$	11–10 $\nu_7 = 1 \ell = 1e$	0.07	OriMC-1	BTL	7m	Gol82
U 100332.		unidentified		0.06	Sgr B2	NRAO	11m	Tur89
U 100365.		unidentified		0.18	OriMC-1	NRAO	11m	Tur89
U 100373.		unidentified		0.10	OriMC-1	NRAO	11m	Tur89
U 100421.		unidentified		0.06	OriMC-1	NRAO	11m	Tur89
U 100436.		unidentified		0.06	OriMC-1	NRAO	11m	Tur91
U 100453.		unidentified		0.08	Sgr B2	NRAO	11m	Tur89
100463.11 (3)		$\text{CH}_3\text{OCH}_3$	6(2,5)–6(1,6) EE	0.12	OriMC-1	NRAO	11m	Wil81
100466.106*(29)		$\text{HC}_3\text{N}$	11–10 $\nu_7 = 1 \ell = 1f$	0.04	OriMC-1	NRAO	11m	Tur91

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r(K)$ $/T_a(K)$	Source	Telescope	Astr. ref.	Lab. ref.	
100482.27 *( 3)		HCOOCH <sub>3</sub>	8(1,7)–7(1,6) E	0.08	OriMC-1	BTL	7m	Gol82	Plu86 M
100490.67 *( 5)		HCOOCH <sub>3</sub>	8(1,7)–7(1,6) A	0.08	OriMC-1	BTL	7m	Gol82	Plu84 M
U 100498.5 unidentified				0.05	OriMC-1	NRAO	11m	Wil81	
100526.506*( 8)		CH <sub>3</sub> NC	5–4	1.8	Sgr B2	IRAM	30m	Cer88	N
100598.34		CH <sub>2</sub> CN	5(0,5)–4(0,4) 11/2–9/2	0.55	Sgr B2	FCARO	14m	Irv88a	Irv88a N
100614.295*(14)		CH <sub>3</sub> CH <sub>2</sub> CN	11(1,10)–10(1,9)	0.10	OriMC-1	NRAO	11m	Joh77	
100629.50 (12)		NH <sub>2</sub> CN	5(1,4)–4(1,3)	0.17	Sgr B2	NRAO	11m	Tur75a	Joh76a
100638.90 (10)		CH <sub>3</sub> OH	13(2)–12(3) E1	0.35	OriMC-1	NRAO	11m	Tur89	Sas84 N
100681.51 *( 3)		HCOOCH <sub>3</sub>	9(0,9)–8(0,8) E	0.07 <sup>b</sup>	Sgr B2	NRAO	11m	Chu80	Plu86 M
100683.36 *( 5)		HCOOCH <sub>3</sub>	9(0,9)–8(0,8) A	<sup>b</sup>	Sgr B2	NRAO	11m	Chu80	Plu84 M
100708.837*(44)		HC <sub>3</sub> N	11–10 $\nu_7=2 \ell=0$	0.05 <sup>b</sup>	Sgr B2	BTL	7m	Cum86	
100710.972*(52)		HC <sub>3</sub> N	11–10 $\nu_7=2 \ell=2$ e	<sup>b</sup>	Sgr B2	BTL	7m	Cum86	
100714.306*(46)		HC <sub>3</sub> N	11–10 $\nu_7=2 \ell=2$ f	<sup>b</sup>	Sgr B2	BTL	7m	Cum86	
U 100765. ? unidentified				0.05	OriMC-1	NRAO	11m	Tur89	N
100878.113*( 6)		SO <sub>2</sub>	2(2,0)–3(1,3)	0.08	Sgr B2	BTL	7m	Cum86	
100989.940*(16)		CH <sub>3</sub> CH <sub>2</sub> OH	8(2,7)–8(1,8)	0.05	Sgr B2	BTL	7m	Lin79	
101002.34 *( 5)		CH <sub>2</sub> CO	5(3,3)–4(3,2)	0.06 <sup>b</sup>	Sgr B2	BTL	7m	Cum86	M
101002.35 *( 5)		CH <sub>2</sub> CO	5(3,2)–4(3,1)	<sup>b</sup>	Sgr B2	BTL	7m	Cum86	M
101024.401*(44)		CH <sub>2</sub> CO	5(2,4)–4(2,3)	0.05 <sup>b</sup>	Sgr B2	NRAO	11m	Tur89	N
101029.75 ( 5)		CH <sub>3</sub> SH	4(–1)–3(–1) E	<sup>b</sup>	Sgr B2	BTL	7m	Lin79	Lin79
101036.56 *( 6)		CH <sub>2</sub> CO	5(0,5)–4(0,4)	0.12 <sup>b</sup>	Sgr B2	NRAO	11m	Tur77	
101139.16 ( 5)		CH <sub>3</sub> SH	4(0)–3(0) A	0.27 <sup>b</sup>	Sgr B2	BTL	7m	Lin79	Lin79
101139.65 ( 4)		CH <sub>3</sub> SH	4(0)–3(0) E	<sup>b</sup>	Sgr B2	BTL	7m	Lin79	Lin79
101159.46 (10)		CH <sub>3</sub> SH	4(2)–3(2) A–	0.03	Sgr B2	BTL	7m	Cum86	Lee80
101167.15 ( 4)		CH <sub>3</sub> SH	4(–2)–3(–2) E	0.13 <sup>b</sup>	Sgr B2	BTL	7m	Cum86	Lin79
101168.34 ( 4)		CH <sub>3</sub> SH	4(2)–3(2) E	<sup>b</sup>	Sgr B2	BTL	7m	Cum86	Lin79
101174.679*( 5)		HC <sub>3</sub> N	38–37	0.09 <sup>b</sup>	Sgr B2	BTL	7m	Lin79	
101179.76 (10)		CH <sub>3</sub> SH	4(2)–3(2) A	<sup>b</sup>	Sgr B2	BTL	7m	Lin79	Lee80 N
101180.3 ( 3)		C <sub>6</sub> H	$^2\Pi_{3/2} J = 73/2 - 71/2$ f	1.20 <sup>f</sup>	IRC+10216	IRAM	30m	Cer87a	Cer87a N
101215.0 (15)		C <sub>6</sub> H	$^2\Pi_{3/2} J = 73/2 - 71/2$ e	0.70 <sup>f</sup>	IRC+10216	IRAM	30m	Cer87a	Cer87a N
101284.36 ( 4)		CH <sub>3</sub> SH	4( 1)–3( 1) E	0.09	Sgr B2	BTL	7m	Lin79	Lin79
101332.984*(17)		H <sub>2</sub> CO	6(1,5)–6(1,6)	<0.1	Sgr B2	BTL	7m	Lin79	
101343.41 *(10)		CH <sub>3</sub> CHO	3(1,3)–2(0,2) E	0.08	Sgr B2	BTL	7m	Cum86	M
U 101371. unidentified				0.05	OriMC-1	NRAO	11m	Tur89	N
U 101384. unidentified		(DNCO?)		0.02	OriMC-1	NRAO	11m	Tur89	N
U 101461. ? unidentified				0.02	OriMC-1	NRAO	11m	Tur89	N
101469.70 (10)		CH <sub>3</sub> OH	8(–2)–8(1) E2	0.17	OriMC-1	NRAO	11m	Tur89	Sas84 N
101477.753*(55)		H <sub>2</sub> CS	3(1,3)–2(1,2)	0.49	OriMC-1	BTL	7m	Van84	
101559.35 (10)		CH <sub>3</sub> OCH <sub>3</sub>	12(2,10)–11(3,9) AA	<sup>b</sup>	OriMC-1	NRAO	11m	Tur89	
101562.17 (10)		CH <sub>3</sub> OCH <sub>3</sub>	12(2,10)–11(3,9) EE	0.10 <sup>b</sup>	OriMC-1	NRAO	11m	Tur89	
101564.90 (10)		CH <sub>3</sub> OCH <sub>3</sub>	12(2,10)–11(3,9) AE+EA	<sup>b</sup>	OriMC-1	NRAO	11m	Tur89	
101637.243*(18)		CH <sub>2</sub> CHCN	11(1,11)–10(1,10)	0.05	OriMC-1	NRAO	11m	Tur91	
U 101677. unidentified				0.02	Sgr B2	NRAO	11m	Tur89	
101688.5 *( 5)		<sup>35</sup> SO <sub>2</sub>	12(4,8)–12(3,11)	0.03	Sgr B2	NRAO	11m	Tur89	N
101737.08 ( 5)		CH <sub>3</sub> OH	9(–2)–9(1) E	0.36	OriMC-1	OSO	20m	Mil87	Sas84 N
101771.95 *(10)		HCOOCH <sub>3</sub>	24(5,19)–24(4,20) A	0.06	OriMC-1	OSO	20m	Mil87	Plu84 N
101873.6 (10)		C <sub>6</sub> H	$^2\Pi_{1/2} J = 73/2 - 71/2$ f	0.75 <sup>f</sup>	IRC+10216	IRAM	30m	Cer87a	Cer87a N
101925.2 ( 7)		C <sub>6</sub> H	$^2\Pi_{1/2} J = 73/2 - 71/2$ e	0.78 <sup>f</sup>	IRC+10216	IRAM	30m	Cer87a	Cer87a N
101961.53 *( 7)		Na <sup>37</sup> Cl	8–7	0.68 <sup>f</sup>	IRC+10216	IRAM	30m	Cer87c	N
U 101970. unidentified				0.05	Sgr B2	NRAO	11m	Tur89	N
101981.383*(51)		CH <sub>2</sub> CO	5(1,4)–4(1,3)	0.22	Sgr B2	NRAO	11m	Tur77	
102031.906*(54)		<sup>35</sup> SO <sub>2</sub>	3(1,3)–2(0,2)	0.05	OriMC-1	NRAO	11m	Tur89	N
102031.94 *( 5)		AlCl	7–6	0.82 <sup>f</sup>	IRC+10216	IRAM	30m	Cer87c	N
U 102043. unidentified				0.03	OriMC-1	NRAO	11m	Tur89	N
102064.268*( 8)		NH <sub>2</sub> CHO	5(1,5)–4(1,4)	0.2	Sgr B2	NRAO	11m	Tur78a	
102122.59 ( 5)		CH <sub>3</sub> OH	10(–2)–10(1) E	0.41	OriMC-1	OSO	20m	Mil87	Sas84 N
102202.49 ( 4)		CH <sub>3</sub> SH	4( 1)–3( 1) A–	0.08	Sgr B2	BTL	7m	Lin79	Lin79
102217.515*( 5)		NH <sub>2</sub> CHO	2(1,2)–1(0,1)	0.09	Sgr B2	NRAO	11m	Tur89	N
U 102274. unidentified				0.02	OriMC-1	NRAO	11m	Tur89	N
102298.08 *( 3)		HCCCHO	11(0,11)–10(0,10)	0.03	Sgr B2	NRAO	11m	Tur89	N
U 102319. unidentified				0.10	Sgr B2	NRAO	11m	Tur89	N
U 102395. unidentified				0.10	OriMC-1	NRAO	11m	Tur89	N
U 102407. unidentified				0.10	OriMC-1	NRAO	11m	Tur89	N
U 102423. unidentified				0.03	OriMC-1	NRAO	11m	Tur89	N
				0.05	OriMC-1	NRAO	11m	Tur89	N

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r(K)$ $/T_a(K)$	Source	Telescope	Astr. ref.	Lab. ref.
U 102432.		unidentified		0.04	OriMC-1	NRAO	11m	Tur89
U 102490.		unidentified		0.03	OriMC-1	NRAO	11m	Tur89
102530.346*( 1)		CH <sub>3</sub> CCH	6(3)–5(3)	0.14	OriMC-1	NRAO	11m	Chu83
102540.144*( 1)		CH <sub>3</sub> CCH	6(2)–5(2)	0.23	OriMC-1	NRAO	11m	Chu83
102546.024*( 1)		CH <sub>3</sub> CCH	6(1)–5(1)	0.29	OriMC-1	NRAO	11m	Chu83
102547.984*( 1)		CH <sub>3</sub> CCH	6(0)–5(0)	0.33	OriMC-1	NRAO	11m	Chu83
102635.7 ( 7)		C <sub>5</sub> H	<sup>2</sup> Π <sub>1/2</sub> $J = 43/2 - 41/2$ a	1.1 <sup>f</sup>	IRC + 10216	IRAM	30m	Cer86
U 102640.		unidentified		0.08	OriMC-1	OSO	20m	Mil87
102642.4 ( 7)		C <sub>5</sub> H	<sup>2</sup> Π <sub>1/2</sub> $J = 43/2 - 41/2$ b	1.0 <sup>f</sup>	IRC + 10216	IRAM	30m	Cer86
U 102644.		unidentified		0.05	OriMC-1	NRAO	11m	Tur89
U 102650.		unidentified		0.07	OriMC-1	NRAO	11m	Tur89
102658.04 (10)		CH <sub>3</sub> OH	11(–2)–11(1) E	0.15	OriMC-1	NRAO	11m	Lov82
102690.022*(26)		SO <sub>2</sub>	33(8,26)–34(7,27)	0.07	OriMC-1	OSO	20m	Mil87
102736.91 *(10)		HCOOCH <sub>3</sub>	16(5,11)–16(4,12) A	0.12	OriMC-1	OSO	20m	Mil87
102807.318*(53)		H <sub>2</sub> C <sup>34</sup> S	3(1,2)–2(1,1)	0.02	Sgr B2	NRAO	11m	Tur89
102957.73 (10)		CH <sub>3</sub> OH	unassigned	0.12	OriMC-1	NRAO	11m	Tur89
102992.38 *( 1)		H <sub>2</sub> CCC	5(1,5)–4(1,4)	0.230	TMC-1	IRAM	30m	Cer91
U 103028.		unidentified		0.03 <sup>b</sup>	Sgr B2	NRAO	11m	Tur89
103040.399*(53)		H <sub>2</sub> CS	3(0,3)–2(0,2)	0.2	Sgr B2	NRAO	11m	Got78a
103051.785*(58)		H <sub>2</sub> CS	3(2,1)–2(2,0)	0.13	Sgr B2	BTL	7m	Van84
U 103071.		unidentified		0.02	Sgr B2	NRAO	11m	Tur89
U 103075.		unidentified		0.02	OriMC-1	NRAO	11m	Tur89
103114.897*(10)		HCOOCH <sub>3</sub>	21(4,17)–21(3,18) A	0.05	OriMC-1	NRAO	11m	Tur89
U 103133.		unidentified		0.02	OriMC-1	NRAO	11m	Tur89
U 103151.		unidentified		0.02	OriMC-1	NRAO	11m	Tur89
103188.64 *(10)		NH <sub>2</sub> D	8(3,6)–8(2,6) U	0.01	Sgr B2	NRAO	11m	Tur89
U 103196.		unidentified		0.03	Sgr B2	NRAO	11m	Tur89
U 103216.6 (12)		unidentified		0.04	Sgr B2	BTL	7m	Cum86
U 103223.		unidentified		0.03	OriMC-1	NRAO	11m	Tur89
U 103227.		unidentified		0.03	OriMC-1	NRAO	11m	Tur89
103266.0 ( 3)		C <sub>4</sub> H	<sup>2</sup> Π <sub>1/2</sub> $J = 21/2 - 19/2$ $\nu_7 = 1$ e	2.75 <sup>f</sup>	IRC + 10216	IRAM	30m	Yam87b
U 103270.		unidentified		0.05	OriMC-1	NRAO	11m	Tur89
U 103297.		unidentified		0.05	Sgr B2	NRAO	11m	Tur89
103319.611 (60)		I-C <sub>3</sub> H	<sup>2</sup> Π <sub>3/2</sub> $J = 9/2 - 7/2$ a	0.054	IRC + 10216	FCRAO	14m	Tha85
U 103328.		unidentified		0.03	OriMC-1	NRAO	11m	Tur89
103330. ( 1)		C <sub>5</sub> H	<sup>2</sup> Π <sub>3/2</sub> $J = 45/2 - 43/2$	0.07	IRC + 10216	IRAM	30m	Yam87b
103372.658 (60)		I-C <sub>3</sub> H	<sup>2</sup> Π <sub>3/2</sub> $J = 9/2 - 7/2$ b	0.078	IRC + 10216	FCRAO	14m	Tha85
103381.11 ( 5)		CH <sub>3</sub> OH	12(–2)–12(1) E2	0.07	OriMC-1	NRAO	11m	Tur89
U 103417.		unidentified		0.04	OriMC-1	NRAO	11m	Sas84
U 103426.		unidentified		0.05	OriMC-1	NRAO	11m	Tur89
U 103458.		unidentified	(CH <sub>3</sub> CH <sub>2</sub> OH? Tur90)	0.16	OriMC-1	NRAO	11m	Tur89
103466.59 *( 3)		HCOOCH <sub>3</sub>	8(2,6)–7(2,5) E	0.07	Sgr B2	BTL	7m	Cum86
103478.64 *( 4)		HCOOCH <sub>3</sub>	8(2,6)–7(2,5) A	0.04	Sgr B2	BTL	7m	Plu84
U 103517.		unidentified		0.08	OriMC-1	NRAO	11m	Tur89
103524.232*(20)		NH <sub>2</sub> CHO	9(1,8)–9(0,9)	0.08	OriMC-1	NRAO	11m	Tur89
U 103549.0 (19)		unidentified		0.04	Sgr B2	BTL	7m	Cum86
103575.401*(14)		CH <sub>3</sub> CHCN	11(0,11)–10(0,10)	0.07	Sgr B2	BTL	7m	M
103576.5 ( 3)		C <sub>4</sub> H	<sup>2</sup> Π <sub>1/2</sub> $J = 21/2 - 19/2$ $\nu_7 = 1$ f	0.10	IRC + 10216	IRAM	30m	Cer87b
103640.754*( 8)		C <sub>2</sub> S	8,8–7,7	0.05	Sgr B2	BTL	7m	Yam87b
U 103680.		unidentified		0.05	OriMC-1	NRAO	11m	Tur89
U 103689.		unidentified		0.05	OriMC-1	NRAO	11m	Tur89
103699.708*(48)		SO <sub>2</sub>	7(3,5)–8(2,6) $\nu_2 = 1$	0.04	OriMC-1	NRAO	11m	Tur89
103702.810*(10)		CH <sub>3</sub> CH <sub>2</sub> OH	9(1,8)–8(2,7)	0.04	Sgr B2	BTL	7m	Cum86
U 103714.		unidentified		0.10	Sgr B2	NRAO	11m	Tur89
U 103787.		unidentified		0.04	OriMC-1	NRAO	11m	Tur89
U 103796.		unidentified		0.02	OriMC-1	NRAO	11m	Tur89
103836.809*( 5)		HC <sub>5</sub> N	39–38	0.05	Sgr B2	BTL	7m	Cum86
U 103868.		unidentified		0.03	Sgr B2	NRAO	11m	Tur89
U 103915.		unidentified	(H <sub>5</sub> 6c?)	0.1	OriMC-1	NRAO	11m	Kui77
U 103918.		unidentified		0.10	OriMC-1	NRAO	11m	Tur89
U 103932.		unidentified		0.01	OriMC-1	NRAO	11m	Tur89
103951.9 ( 4)		C <sub>6</sub> H	<sup>2</sup> Π <sub>3/2</sub> $J = 75/2 - 73/2$ f	1.25 <sup>f</sup>	IRC + 10216	IRAM	30m	Cer87a
103989.0 ( 4)		C <sub>6</sub> H	<sup>2</sup> Π <sub>3/2</sub> $J = 75/2 - 73/2$ e	0.90 <sup>f</sup>	IRC + 10216	IRAM	30m	Cer87a
104029.416*( 5)		SO <sub>2</sub>	3(1,3)–2(0,2)	3.0	OriMC-1	NRAO	11m	Hol76a
104048.455 (20)		C <sub>3</sub> S	18–17	2.1 <sup>f</sup>	IRC + 10216	IRAM	30m	Cer87b

**FRANK J. LOVAS**

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r$ (K) / $T_s$ (K)	Source	Telescope	Astr. ref.	Lab. ref.
104051.281*(14)		CH <sub>3</sub> CH <sub>2</sub> CN	12(1,12)–11(1,11)	0.08	OriMC-1	NRAO	11m	Joh77
104060.76 (10)		CH <sub>3</sub> OH	13(–4)–12(–3)	0.2	OriMC-1	NRAO	11m	Kui77
104175.92 (20)		CH <sub>3</sub> OCH <sub>3</sub>	17(2,15)–17(1,16) EA + AE	<sup>b</sup>	OriMC-1	NRAO	11m	Tur89
104177.37 (20)		CH <sub>3</sub> OCH <sub>3</sub>	17(2,15)–17(1,16) EE	0.09 <sup>b</sup>	OriMC-1	NRAO	11m	Tur89
104178.80 (20)		CH <sub>3</sub> OCH <sub>3</sub>	17(2,15)–17(1,16) AA	<sup>b</sup>	OriMC-1	NRAO	11m	Tur89
104187.115*(6)		C <sub>3</sub> HD	3(0,3)–2(1,2)	0.39	TMC-1	NRAO	12m	Ger87
104189.74 *(7)		NaCl	8–7	1.24 <sup>t</sup>	IRC + 10216	IRAM	30m	Cer87c
U 104200.1 (8)		unidentified		0.07	Sgr B2	BTL	7m	Cum86
104212.655*(12)		CH <sub>2</sub> CHCN	11(2,10)–10(2,9)	0.06	Sgr B2	BTL	7m	Cum86
104239.293*(10)		SO <sub>2</sub>	10(1,9)–10(0,10)	0.29	Sgr B2	BTL	7m	Cum86
104300.46 (10)		CH <sub>3</sub> OH	11(–1)–10(–2) E	0.12	Sgr B2	BTL	7m	Cum86
104336.54 (5)		CH <sub>3</sub> OH	13(–2)–13(1) E	0.03	Sgr B2	BTL	7m	Cum86
104354.85 (10)		CH <sub>3</sub> OH	10(4)–11(3) A–	0.06	Sgr B2	BTL	7m	Cum86
104391.65 *(6)		<sup>34</sup> SO <sub>2</sub>	10(1,9)–10(0,10)	0.04	Sgr B2	BTL	7m	Cum86
104408.903*(13)		CH <sub>2</sub> CHCN	11(5)–10(5)	0.08 <sup>b</sup>	Sgr B2	BTL	7m	Cum86
104410.48 (10)		CH <sub>3</sub> OH	10(4)–11(3) A+	<sup>b</sup>	Sgr B2	BTL	7m	Cum86
104411.262*(13)		CH <sub>2</sub> CHCN	11(4,8)–10(4,7)	<sup>b</sup>	Sgr B2	BTL	7m	Cum86
104411.485*(13)		CH <sub>2</sub> CHCN	11(4,7)–10(4,6)	<sup>b</sup>	Sgr B2	BTL	7m	Cum86
104419.308*(15)		CH <sub>2</sub> CHCN	11(6)–10(6)	<sup>b</sup>	Sgr B2	BTL	7m	Cum86
U 104425.		unidentified		0.08	Sgr B2	NRAO	11m	Tur89
104432.793*(15)		CH <sub>2</sub> CHCN	11(3,9)–10(3,8)	0.04 <sup>b</sup>	Sgr B2	BTL	7m	Cum86
104437.516*(17)		CH <sub>2</sub> CHCN	11(7)–10(7)	<sup>b</sup>	Sgr B2	BTL	7m	Cum86
104453.927*(15)		CH <sub>2</sub> CHCN	11(3,8)–10(3,7)	0.06	Sgr B2	BTL	7m	Cum86
104477.51 *(30)		CH <sub>3</sub> OD	4(2)–5(1) A+	0.10	Sgr B2	NRAO	11m	Tur89
104487.220*(9)		CH <sub>3</sub> CH <sub>2</sub> OH	7(0,7)–6(1,6)	0.20	Sgr B2	BTL	7m	Cum86
U 104531.		unidentified		0.05	Sgr B2	NRAO	11m	Tur89
U 104589.		unidentified		0.15 <sup>x</sup>	Sgr B2	NRAO	11m	Lis78
104616.975*(55)		H <sub>2</sub> CS	3(1,2)–2(1,1)	0.77	Sgr B2	NRAO	11m	Lis78
104666.56 *(2)		C <sub>4</sub> H	11–10 J=23/2–21/2	0.10	IRC + 10216	NRAO	11m	Gué78
U 104696.		unidentified		0.04	Sgr B2	NRAO	11m	Tur89
104703.33 *(4)		CH <sub>3</sub> OCH <sub>3</sub>	7(2,6)–7(1,7) EE	0.08 <sup>b</sup>	OriMC-1	NRAO	11m	Tur89
104705.10 *(2)		C <sub>4</sub> H	11–10 J=21/2–19/2	0.10	IRC + 10216	NRAO	11m	Gué78
104705.95 *(5)		CH <sub>3</sub> OCH <sub>3</sub>	7(2,6)–7(1,7) AA	<sup>b</sup>	OriMC-1	NRAO	11m	Tur89
104711.385*(20)		<sup>13</sup> C <sup>18</sup> O	1–0	n.r.	OriMC-2	NRAO	11m	Wan76
U 104720.		unidentified		0.07	Sgr B2	NRAO	11m	Tur89
U 104798.		unidentified		0.05	Sgr B2	NRAO	11m	Tur89
104808.620*(11)		CH <sub>3</sub> CH <sub>2</sub> OH	5(1,5)–4(0,4)	0.18	Sgr B2	NRAO	11m	Zuc75
U 104819.		unidentified		0.02	Sgr B2	NRAO	11m	Tur89
U 104874.8 (10)		unidentified		0.12	Sgr B2	BTL	7m	Cum86
104891.9 *(6)		HC <sub>7</sub> N	93–92	0.09	Sgr B2	NRAO	11m	Tur89
104915.58 *(1)		H <sub>2</sub> CCC	5(1,4)–4(1,3)	0.257	TMC-1	IRAM	30m	Cer91
U 104941.?		unidentified		0.15	Sgr B2	NRAO	11m	Tur89
104960.550*(16)		CH <sub>2</sub> CHCN	11(2,9)–10(2,8)	0.06	Sgr B2	BTL	7m	Cum86
U 105023.		unidentified	(CH <sub>3</sub> CH <sub>2</sub> OH? Tur90)	0.04	OriMC-1	NRAO	11m	Tur89
U 105027.		unidentified		0.05	OriMC-1	NRAO	11m	Tur89
105063.70 (10)		CH <sub>3</sub> OH	13(1)–12(2)	0.55	OriMC-1	FCRAO	14m	Gol83
105174.58 (20)		C <sub>4</sub> H	<sup>2</sup> $\Sigma$ J=11–10 $v_7$ =2 L	0.15	IRC + 10216	IRAM	30m	Gué87a
105230.65 (20)		C <sub>4</sub> H	<sup>2</sup> $\Sigma$ J=11–10 $v_7$ =2 U	0.15	IRC + 10216	IRAM	30m	Gué87a
U 105278.		unidentified		0.04	OriMC-1	NRAO	11m	Tur89
105310.73 *(12)		HCOOCH <sub>3</sub>	27(6,21)–27(5,22) A	0.10	OriMC-1	NRAO	11m	Tur89
105355.40 *(4)		CH <sub>3</sub> CH <sub>2</sub> OH	17(2,15)–17(1,16)	0.04	Sgr B2	NRAO	11m	Tur89
U 105412.		unidentified		0.05	OriMC-1	NRAO	11m	Tur89
105464.221 (6)		NH <sub>2</sub> CHO	5(0,5)–4(0,4)	0.31	Sgr B2	BTL	7m	Cum86
105469.303*(14)		CH <sub>3</sub> CH <sub>2</sub> CN	12(0,12)–11(0,11)	0.2	OriMC-1	NRAO	11m	Kui77
U 105540.		unidentified		0.05	OriMC-1	OSO	20m	Joh84
105558.077*(4)		HNCS	9(0,9)–8(0,8)	0.05	Sgr B2	BTL	7m	Fre79
105576.35 (10)		CH <sub>3</sub> OH	14(–2)–14(1) E	0.2 <sup>n</sup>	OriMC-1	NRAO	11m	Kui77
U 105590.		unidentified		0.15	OriMC-1	OSO	20m	Joh84
U 105610.		unidentified		0.05	Sgr B2	NRAO	11m	Tur89
U 105618.		unidentified		0.03	Sgr B2	NRAO	11m	Tur89
U 105728.		unidentified		0.02	OriMC-1	NRAO	11m	Tur89
U 105739.		unidentified		0.05	OriMC-1	NRAO	11m	Tur89
105743.859*(3)		HNCS	9(1,8)–8(1,7)	0.13	OriMC-1	NRAO	11m	Tur89
105768.60 *(43)		CH <sub>3</sub> OCH <sub>3</sub>	13(1,12)–13(0,13) EA + AE	<sup>b</sup>	OriMC-1	OSO	20m	Joh84
105770.50 *(26)		CH <sub>3</sub> OCH <sub>3</sub>	13(1,12)–13(0,13) EE	0.20 <sup>b</sup>	OriMC-1	OSO	20m	Joh84

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r$ (K) $/T_a$ (K)	Source	Telescope	Astr. ref.	Lab. ref.
105772.41 *(12)		CH <sub>3</sub> OCH <sub>3</sub>	13(1,12)–13(0,13) AA	b	OriMC-1	OSO	20m	Joh84
U 105787.		unidentified		0.02	OriMC-1	NRAO	11m	Tur89
105794.057*(58)		CH <sub>2</sub> NH	4(0,4)–3(1,3)	0.27 <sup>b</sup>	Sgr B2	BTL	7m	Cum86
105799.093*(10)		H <sup>13</sup> CCCN	12–11	b	Sgr B2	BTL	7m	Cum86
105799.093*(10)		H <sup>13</sup> CCCN	12–11	0.10	OriMC-1	OSO	20m	Joh84
105838.0 (3)		C <sub>4</sub> H	<sup>2</sup> Π <sub>3/2</sub> $J = 23/2 - 21/2$ $v_7 = 1e$	3.50 <sup>f</sup>	IRC + 10216	IRAM	30m	Yam87b
105972.601*(14)		NH <sub>2</sub> CHO	5(2,4)–4(2,3)	0.1°	Sgr B2	NRAO	11m	Got78a
106132.8 (3)		C <sub>4</sub> H	<sup>2</sup> Π <sub>3/2</sub> $J = 23/2 - 21/2$ $v_7 = 1f$	3.10 <sup>f</sup>	IRC + 10216	IRAM	30m	Yam87b
106134.430*(25)		NH <sub>2</sub> CHO	5(3,3)–4(3,2)	0.10 <sup>b</sup>	Sgr B2	BTL	7m	Cum86
106141.403*(25)		NH <sub>2</sub> CHO	5(3,2)–4(3,1)	b	Sgr B2	BTL	7m	Cum86
U 106156.		unidentified		0.04	OriMC-1	NRAO	11m	Tur89
106347.742*(10)		C <sub>2</sub> S	9,8–8,7	0.19	Sgr B2	BTL	7m	Cum86
U 106367.		unidentified		0.04	OriMC-1	NRAO	11m	Tur89
106374.18 *(27)		<sup>34</sup> SO <sub>2</sub>	33(5,27)–32(6,26)	0.03 <sup>b</sup>	OMC-IRC2	SEST	15m	Ger89
106375.003*(20)		CH <sub>3</sub> CH <sub>2</sub> CN	15(3,12)–12(2,13)	b	OMC-IRC2	SEST	15m	Ger89
U 106386.		unidentified		0.03	OriMC-1	NRAO	11m	Tur89
106493.94 *(4)		HOCO <sup>+</sup>	5(1,5)–4(1,4)	b	Sgr B2	NRAO	12m	Tur87b
106498.911*(5)		HC <sub>5</sub> N	40–39	0.04 <sup>b</sup>	Sgr B2	NRAO	12m	Tur87b
106541.683*(14)		NH <sub>2</sub> CHO	5(2,3)–4(2,2)	0.15	Sgr B2	BTL	7m	Cum86
106641.394*(17)		CH <sub>2</sub> CHCN	11(1,10)–10(1,9)	0.05	Sgr B2	BTL	7m	Cum86
106723.410*(18)		CH <sub>3</sub> CH <sub>2</sub> OH	9(2,8)–9(1,9)	0.06	Sgr B2	BTL	7m	Cum86
106743.365*(36)		<sup>34</sup> SO	2(3)–1(2)	0.16 <sup>d</sup>	OriMC-1	NRAO	11m	Got78
106762.7 (3)		C <sub>6</sub> H	<sup>2</sup> Π <sub>3/2</sub> $J = 77/2 - 75/2$ e	1.00 <sup>f</sup>	IRC + 10216	IRAM	30m	Cer87a
106777.52 *(15)		CH <sub>3</sub> OCH <sub>3</sub>	9(1,8)–8(2,7) EE	0.05	Sgr B2	BTL	7m	Cum86
106787.38 *(4)		OC <sup>34</sup> S	9–8	0.089	Sgr B2	BTL	7m	Gol81
106913.52 *(3)		HOCO <sup>+</sup>	5(0,5)–4(0,4)	0.4	Sgr B2	BTL	7m	Tha81
106922.945*(49)		<sup>29</sup> SiS	6–5	0.012	IRC + 10216	BTL	7m	Hen85
U 106942.		unidentified		0.03	OriMC-1	NRAO	11m	Tur89
U 106963.		unidentified		0.02	OriMC-1	NRAO	11m	Tur89
U 106981.		unidentified		0.06	OriMC-1	NRAO	11m	Tur89
U 106995.		unidentified		0.08	OriMC-1	NRAO	11m	Tur89
107013.85 (10)		CH <sub>3</sub> OH	3(1)–4(0) A +	4.5	OriMC-1	FCRAO	14m	Gol83
107043.524*(14)		CH <sub>3</sub> CH <sub>2</sub> CN	12(2,11)–11(2,10)	0.05	Sgr B2	BTL	7m	Cum86
107060.323*(35)		SO <sub>2</sub>	27(3,25)–26(4,22)	0.07	Sgr B2	BTL	7m	Cum86
107159.79 (5)		CH <sub>3</sub> OH	15(–2)–15(1) E2	0.31	OriMC-1	NRAO	11m	Tur89
107178.486*(31)		<sup>13</sup> CH <sub>3</sub> CN	6(3)–5(3)	0.04 <sup>b</sup>	Sgr B2	BTL	7m	Cum86
107188.545*(31)		<sup>13</sup> CH <sub>3</sub> CN	6(2)–5(2)	b	Sgr B2	BTL	7m	Cum86
107194.580*(32)		<sup>13</sup> CH <sub>3</sub> CN	6(1)–5(1)	b	Sgr B2	BTL	7m	Cum86
107196.592*(32)		<sup>13</sup> CH <sub>3</sub> CN	6(0)–5(0)	0.07 <sup>b</sup>	Sgr B2	BTL	7m	Cum86
U 107207.		unidentified		0.10	OriMC-1	NRAO	11m	Tur89
107315.36 *(2)		HOCO <sup>+</sup>	5(1,4)–4(1,3)	b	Sgr B2	NRAO	12m	Tur87b
107316.46 *(10)		CH <sub>3</sub> SH	3(–1)–3(0) A	0.04 <sup>b</sup>	Sgr B2	BTL	7m	Cum86
107384.6 (3)		HCCSi ?	9–8 L	0.12	IRC + 10216	IRAM	30m	Gué86
107399.8 (4)		HCCSi ?	9–8 U	0.11	IRC + 10216	IRAM	30m	Gué86
107423.658*(6)		C <sub>3</sub> HD	3(1,3)–2(0,2)	0.5	TMC-1	IRAM	30m	Ger87
U 107426.		unidentified		0.02	OriMC-1	NRAO	11m	Tur89
107453.2 (3)		C <sub>6</sub> H	<sup>2</sup> Π <sub>1/2</sub> $J = 77/2 - 75/2$ f	0.66 <sup>f</sup>	IRC + 10216	IRAM	30m	Cer87a
107481.468*(23)		CH <sub>3</sub> CH <sub>2</sub> CN	17(2,16)–17(1,17)	0.10 <sup>b</sup>	Sgr B2(OH)	IRAM	30m	Gom86
107485.178*(13)		CH <sub>3</sub> CH <sub>2</sub> CN	12(7,6)–11(7,5)	0.05 <sup>b</sup>	Sgr B2	BTL	7m	Cum86
107485.178*(13)		CH <sub>3</sub> CH <sub>2</sub> CN	12(7,5)–11(7,4)	b	Sgr B2	BTL	7m	Cum86
107486.961*(13)		CH <sub>3</sub> CH <sub>2</sub> CN	12(6,7)–11(6,6)	b	Sgr B2	BTL	7m	Cum86
107486.961*(13)		CH <sub>3</sub> CH <sub>2</sub> CN	12(6,6)–11(6,5)	b	Sgr B2	BTL	7m	Cum86
107491.573*(14)		CH <sub>3</sub> CH <sub>2</sub> CN	12(8,5)–11(8,4)	b	Sgr B2	BTL	7m	Cum86
107491.573*(14)		CH <sub>3</sub> CH <sub>2</sub> CN	12(8,4)–11(8,3)	b	Sgr B2	BTL	7m	Cum86
107502.426*(13)		CH <sub>3</sub> CH <sub>2</sub> CN	12(5,8)–11(5,7)	0.05 <sup>b</sup>	Sgr B2	BTL	7m	Cum86
107502.474*(13)		CH <sub>3</sub> CH <sub>2</sub> CN	12(5,7)–11(5,6)	b	Sgr B2	BTL	7m	Cum86
107507.9 (4)		C <sub>6</sub> H	<sup>2</sup> Π <sub>1/2</sub> $J = 77/2 - 75/2$ e	0.58 <sup>f</sup>	IRC + 10216	IRAM	30m	Cer87a
U 107516.		unidentified		0.03	Sgr B2	BTL	7m	Cum86
107537.26 *(3)		HCOOCH <sub>3</sub>	9(2,8)–8(2,7) E	b	Sgr B2	BTL	7m	Cum86
107543.70 *(7)		HCOOCH <sub>3</sub>	9(2,8)–8(2,7) A	0.07 <sup>b</sup>	Sgr B2	BTL	7m	Plu86
107543.926*(13)		CH <sub>3</sub> CH <sub>2</sub> CN	12(4,9)–11(4,8)	b	Sgr B2	BTL	7m	Plu86
107547.601*(13)		CH <sub>3</sub> CH <sub>2</sub> CN	12(4,8)–11(4,7)	b	Sgr B2	BTL	7m	Cum86
107594.049*(14)		CH <sub>3</sub> CH <sub>2</sub> CN	12(3,10)–11(3,9)	0.06	Sgr B2	BTL	7m	Cum86
U 107604.		unidentified		0.02 <sup>b</sup>	Sgr B2	NRAO	11m	Tur89
107611.54 *(14)		KCl	14–13	0.25 <sup>f</sup>	IRC + 10216	IRAM	30m	Cer87c

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r(K)$	Source	Telescope	Astr. ref.	Lab. ref.
				/T <sub>a</sub> (K)				
107622.92 *( 1)		H <sub>2</sub> CCCC	12(1,11)–11(1,10)	0.103	IRC + 10216	IRAM	30m	Cer91a
107734.741*(14)		CH <sub>3</sub> CH <sub>2</sub> CN	12(3,9)–11(3,8)	0.04	Sgr B2	BTL	7m	Cum86
U 107751.		unidentified		0.02	OriMC-1	NRAO	11m	Tur89
107843.508*(11)		SO <sub>2</sub>	12(4,8)–13(3,11)	0.06	Sgr B2	BTL	7m	Cum86
107971.65 *(20)		Si <sup>13</sup> CC	5(1,4)–4(1,4)	0.6 <sup>f</sup>	IRC + 10216	IRAM	30m	Cer91b
U 108024.		unidentified		0.15	OriMC-1	NRAO	11m	Tur89
108126.71 *( 1)		HCOOH	5(1,5)–4(1,4)	0.06	Sgr B2	BTL	7m	Cum86
U 108210.		unidentified		0.08	Sgr B2	NRAO	11m	Tur89
U 108216.		unidentified		0.07	OriMC-1	NRAO	11m	Tur89
U 108255.		unidentified		0.07	OriMC-1	NRAO	11m	Tur89
U 108453.		unidentified		0.03	Sgr B2	NRAO	11m	Tur89
108651.297 (50)		<sup>13</sup> CN	1/2–1/2 F=2–1, $F_1=0, F_2=1$ –0	0.07	Sgr B2	BTL	7m	Ger84
108657.646 (50)		<sup>13</sup> CN	1/2–1/2 F=2–2, $F_1=1, F_2=1$ –1	0.07 <sup>b</sup>	Sgr B2	BTL	7m	Ger84
108658.948 (50)		<sup>13</sup> CN	1/2–1/2 F=1–2, $F_1=1, F_2=1$ –1	<sup>b</sup>	Sgr B2	BTL	7m	Ger84
108710.523*(11)		H <sup>13</sup> CCN	12–11	0.15	Sgr B2	BTL	7m	Cum86
108721.008*( 7)		HCC <sup>13</sup> CN	12–11	0.15	Sgr B2	BTL	7m	Cum86
108777.58 (10)		CH <sub>3</sub> OH	unassigned	0.035	OriMC-1	FCRAO	14m	Ziu88
108780.201 (50)		<sup>13</sup> CN	3/2–1/2 F=3–2, $F_1=1, F_2=2$ –1	0.13 <sup>b</sup>	Sgr B2	BTL	7m	Ger84
108782.374 (50)		<sup>13</sup> CN	3/2–1/2 F=2–1, $F_1=1, F_2=2$ –1	<sup>b</sup>	Sgr B2	BTL	7m	Ger84
108786.982 (50)		<sup>13</sup> CN	3/2–1/2 F=1–0, $F_1=1, F_2=2$ –1	<sup>b</sup>	Sgr B2	BTL	7m	Ger84
U 108796.		unidentified		0.04	OriMC-1	FCRAO	14m	Ziu88
U 108802.		unidentified		0.025	OriMC-1	FCRAO	14m	Ziu88
108813.575*(52)		CH <sub>2</sub> CHCN	20(1,19)–20(0,20)	0.02	OriMC-1	FCRAO	14m	Ziu88
108834.27 *( 3)		C <sub>3</sub> N	11–10 J=23/2–21/2	0.45	IRC + 10216	OSO	20m	Joh84
108853.02 *( 3)		C <sub>3</sub> N	11–10 J=21/2–19/2	0.45	IRC + 10216	OSO	20m	Joh84
108883.55 *(10)		HCOOCH <sub>3</sub>	14(3,12)–14(2,13) A	0.02	OriMC-1	FCRAO	14m	Ziu88
108893.94 (10)		CH <sub>3</sub> OH	0(0)–1(–1) E	0.98	Sgr B2	BTL	7m	Cum86
108924.267*(48)		SiS	6–5	0.28	IRC + 10216	NRAO	11m	Mor75
108940.601*(14)		CH <sub>3</sub> CH <sub>2</sub> CN	12(2,10)–11(2,9)	0.24	OriMC-1	FCRAO	14m	Ziu88
U 108998.		unidentified		0.02	OriMC-1	FCRAO	14m	Ziu88
109008.67 *( 3)		DCOOH ?	9(1,8)–9(0,9)	0.04	OriMC-1	NRAO	11m	Tur89
U 109012.		unidentified		0.02	OriMC-1	FCRAO	14m	Ziu88
U 109018.		unidentified		0.15	Sgr B2	NRAO	11m	Tur89
U 109050.		unidentified		0.05	OriMC-1	NRAO	11m	Tur89
U 109054.		unidentified		0.05	OriMC-1	NRAO	11m	Tur89
U 109071.		unidentified		0.02	OriMC-1	FCRAO	14m	Ziu88
U 109093.		unidentified		0.02	OriMC-1	FCRAO	14m	Ziu88
109110.844*( 4)		O <sup>13</sup> CS	9–8	0.08	Sgr B2	BTL	7m	Cum86
109136.81 (10)		CH <sub>3</sub> OH	unassigned or 14(5)–15(4) E	0.3	OriMC-1	FCRAO	14m	Gol82
109153.19 (10)		CH <sub>3</sub> OH	16(–2)–16(1) E	0.3	OriMC-1	FCRAO	14m	Gol82
109160.984*( 5)		HC <sub>3</sub> N	41–40	0.018	IRC + 10216	NRAO	11m	Jew84
109173.634 ( 4)		HC <sub>3</sub> N	12–11	2.57	Sgr B2	NRAO	11m	Mor76
109252.184*(36)		SO	2(3)–1(2)	2.42 <sup>m</sup>	OriMC-1	MMWO	4.9m	deZ71
109292.39 *( 4)		HCOOCH <sub>3</sub>	10(1,9)–9(2,8) E	0.1	OriMC-1	NRAO	11m	Tur89
109302.11 *( 5)		HCOOCH <sub>3</sub>	10(1,9)–9(2,8) A	0.22	OriMC-1	NRAO	11m	Tur89
109352.726*(38)		HC <sub>3</sub> N	12–11 $\nu_6=1$ $\ell=1e$	0.02	OriMC-1	FCRAO	14m	Gol85
U 109387.		unidentified		0.06	OriMC-1	NRAO	11m	Tur89
U 109414.		unidentified		0.04	OriMC-1	NRAO	11m	Tur89
109438.572*(49)		HC <sub>3</sub> N	12–11 $\nu_6=1$ $\ell=1f$	0.02 <sup>b</sup>	OriMC-1	FCRAO	14m	Gol85
109441.944*(30)		HC <sub>3</sub> N	12–11 $\nu_7=1$ $\ell=1e$	0.13	OriMC-1	FCRAO	14m	Gol82
109463.063*( 1)		OCS	9–8	0.70	Sgr B2	NRAO	11m	Jef71
109496.007*( 4)		HNCO	5(1,5)–4(1,4)	0.16	OriMC-1	FCRAO	14m	Gol82
U 109525.		unidentified		0.06	OriMC-1	NRAO	11m	Tur89
U 109530.		unidentified		0.08	OriMC-1	NRAO	11m	Tur89
U 109538.		unidentified		0.10	OriMC-1	NRAO	11m	Tur89
109571.54 ( 9)		CH <sub>3</sub> OCH <sub>3</sub>	8(2,7)–8(1,8) EA	0.10 <sup>b</sup>	OriMC-1	FCRAO	14m	Gol85
109571.54 ( 9)		CH <sub>3</sub> OCH <sub>3</sub>	8(2,7)–8(1,8) AE	<sup>b</sup>	OriMC-1	FCRAO	14m	Gol85
109574.22 ( 4)		CH <sub>3</sub> OCH <sub>3</sub>	8(2,7)–8(1,8) EE	0.16	OriMC-1	FCRAO	14m	Gol85
109576.88 ( 6)		CH <sub>3</sub> OCH <sub>3</sub>	8(2,7)–8(1,8) AA	0.12	OriMC-1	FCRAO	14m	Gol85
109598.751*(30)		HC <sub>3</sub> N	12–11 $\nu_7=1$ $\ell=1f$	0.19	OriMC-1	FCRAO	14m	Gol85
U 109641. ?		unidentified		0.04	OriMC-1	NRAO	11m	Tur89
109650.305*(14)		CH <sub>3</sub> CH <sub>2</sub> CN	12(1,11)–11(1,10)	0.07	OriMC-1	NRAO	11m	Joh77
U 109720.		unidentified		0.10	Sgr B2	NRAO	11m	Tur89
U 109738.5		unidentified		0.02	OriMC-1	FCRAO	14m	Gol83
109753.504*( 8)		NH <sub>2</sub> CHO	5(1,4)–4(1,3)	0.3	Sgr B2	BTL	7m	Lin81

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r$ (K) / $T_a$ (K)	Source	Telescope	Astr. ref.	Lab. ref.
109757.633*(15)		SO <sub>2</sub>	17(5,13)–18(4,14)	0.30	OriMC-1	FCRAO	14m	Gol82
U 109770.5		unidentified		0.03	OriMC-1	FCRAO	14m	Gol83
109771.8 (3)		HCCN	5,6–4,5	1.0 <sup>f</sup>	IRC+10216	IRAM	30m	Gué91
109782.160*(20)		C <sup>18</sup> O	1–0	2.1	OriMC-1	NRAO	11m	Uli76
U 109820.?		unidentified		0.25	Sgr B2	NRAO	11m	Tur89
109828.290(20)		C <sub>3</sub> S	19–18	2.7 <sup>f</sup>	IRC+10216	IRAM	30m	Cer87b
109833.489*(6)		HNCO	5(3,3)–4(3,2)	<sup>a</sup>	OriMC-1	FCRAO	14m	Gol82
109833.489*(6)		HNCO	5(3,2)–4(3,1)	0.03 <sup>b</sup>	OriMC-1	FCRAO	14m	Gol82
109862.5 (3)		HCCN	5,5–4,4	0.4 <sup>f</sup>	IRC+10216	IRAM	30m	Gué91
109862.828*(46)		HC <sub>3</sub> N	12–11 $v_7=2$ $\ell=0$	0.02 <sup>b</sup>	OriMC-1	FCRAO	14m	Gol83
109865.854*(55)		HC <sub>3</sub> N	12–11 $v_7=2$ $\ell=2e$	<sup>a</sup>	OriMC-1	FCRAO	14m	Gol83
109870.188*(48)		HC <sub>3</sub> N	12–11 $v_7=2$ $\ell=2f$	<sup>a</sup>	Sgr B2	NRAO	11m	Tur89
109872.366*(5)		HNCO	5(2,4)–4(2,3)	0.09 <sup>b</sup>	OriMC-1	FCRAO	14m	Gol82
109872.773*(5)		HNCO	5(2,3)–4(2,2)	<sup>a</sup>	OriMC-1	FCRAO	14m	Gol82
109905.753*(5)		HNCO	5(0,5)–4(0,4)	1.1	Sgr B2	NRAO	11m	Sol73
110044.2 (15)		HCCN	5,4–4,3	0.3 <sup>f</sup>	IRC+10216	IRAM	30m	Gué91
110050.77 *(9)		HC <sub>3</sub> N	12–11 $v_7=3$ $\ell=1e$	0.10 <sup>b</sup>	Sgr B2	NRAO	11m	Tur89
110152.084 (20)		NH <sub>2</sub> D	1(1,1)0–1(0,1)0+ $F=0–1$	<sup>a</sup>	DR21(OH)	OSO	20m	Olb85
110152.995 (20)		NH <sub>2</sub> D	1(1,1)0–1(0,1)0+ $F=2–1$	<sup>a</sup>	DR21(OH)	OSO	20m	Olb85
110153.599 (10)		NH <sub>2</sub> D	1(1,1)0–1(0,1)0+ $F=1–1$	<sup>a</sup>	DR21(OH)	OSO	20m	Olb85
110153.599 (10)		NH <sub>2</sub> D	1(1,1)0–1(0,1)0+ $F=2–2$	0.11 <sup>b</sup>	DR21(OH)	OSO	20m	Olb85
110153.599 (10)		NH <sub>2</sub> D	1(1,1)0–1(0,1)0+ $F=1–1$	0.14	OriMC-1	NRAO	11m	Kui78
110154.222 (20)		NH <sub>2</sub> D	1(1,1)0–1(0,1)0+ $F=1–2$	<sup>a</sup>	DR21(OH)	OSO	20m	Olb85
110155.053 (20)		NH <sub>2</sub> D	1(1,1)0–1(0,1)0+ $F=1–0$	<sup>a</sup>	DR21(OH)	OSO	20m	Olb85
110188.860 (50)		CH <sub>3</sub> OD	1(1)–1(0) E	0.5 <sup>f</sup>	OriMC-1	IRAM	30m	Mau88
110201.353*(9)		<sup>13</sup> CO	1–0	9.3	OriMC-1	NRAO	11m	Uli76
110229.8 (10)		C <sub>6</sub> H	$^{2\Pi}_{1/2}$ $J=79/2–77/2$ e	0.74 <sup>f</sup>	IRC+10216	IRAM	30m	Cer87a
U 110240.		unidentified		0.12	OriMC-1	NRAO	11m	Tur91
110243.4 (10)		C <sub>6</sub> H	$^{2\Pi}_{1/2}$ $J=79/2–77/2$ f	0.76 <sup>f</sup>	IRC+10216	IRAM	30m	Cer87a
110262.640 (50)		CH <sub>3</sub> OD	2(1)–2(0) E	2.0 <sup>f</sup>	OriMC-1	IRAM	30m	Mau88
110298.098*(4)		HNCO	5(1,4)–4(1,3)	0.23	Sgr B2	BTL	7m	Cum86
110309.88 *(2)		CH <sub>3</sub> <sup>13</sup> CN	6(3)–5(3)	0.05	OriMC-1	NRAO	11m	Tur89
110326.78 *(3)		CH <sub>3</sub> <sup>13</sup> CN	6(1)–5(1)	<sup>a</sup>	Sgr B2	BTL	7m	Cum86
110328.89 *(3)		CH <sub>3</sub> <sup>13</sup> CN	6(0)–5(0)	0.14 <sup>b</sup>	Sgr B2	BTL	7m	Cum86
110330.627*(3)		CH <sub>3</sub> CN	6(5)–5(5) $F=7–6$	0.2 <sup>bk</sup>	Sgr B2	NRAO	11m	Sol71
110330.872*(2)		CH <sub>3</sub> CN	6(5)–5(5) $F=5–4$	<sup>a</sup>	Sgr B2	NRAO	11m	Sol71
110349.659*(2)		CH <sub>3</sub> CN	6(4)–5(4) $F=7–6$	0.45 <sup>b</sup>	Sgr B2	NRAO	11m	Sol73
110349.797*(2)		CH <sub>3</sub> CN	6(4)–5(4) $F=5–4$	<sup>a</sup>	Sgr B2	NRAO	11m	Sol73
110364.469*(1)		CH <sub>3</sub> CN	6(3)–5(3) $F=7–6$	0.31 <sup>b</sup>	Sgr B2	NRAO	11m	Sol73
110364.524*(1)		CH <sub>3</sub> CN	6(3)–5(3) $F=5–4$	<sup>a</sup>	Sgr B2	NRAO	11m	Sol73
110375.052*(1)		CH <sub>3</sub> CN	6(2)–5(2) $F=7–6$	0.81	Sgr B2	NRAO	11m	Sol73
110381.404*(1)		CH <sub>3</sub> CN	6(1)–5(1) $F=7–6$	1.09 <sup>b</sup>	Sgr B2	NRAO	11m	Sol73
110383.522*(1)		CH <sub>3</sub> CN	6(0)–5(0) $F=7–6$	<sup>a</sup>	Sgr B2	NRAO	11m	Sol73
110413.59 *(2)		HCOOH	9(3,6)–10(2,9)	0.04	OriMC-1	NRAO	11m	Tur89
110455.62 *(5)		HCOOCH <sub>3</sub>	9(8,2)–8(8,1) A	<sup>a</sup>	Sgr B2	NRAO	11m	Tur89
110455.62 *(5)		HCOOCH <sub>3</sub>	9(8,1)–8(8,0) A	0.06 <sup>b</sup>	Sgr B2	NRAO	11m	Tur89
110458.22 *(4)		HCOOCH <sub>3</sub>	9(8,2)–8(8,1) E	<sup>a</sup>	Sgr B2	NRAO	11m	Tur89
110475.76 (10)		CH <sub>3</sub> OD	3(1)–3(0) E1	0.10	Sgr B2	NRAO	11m	Kau80
U 110486.		unidentified		0.03	OriMC-1	NRAO	11m	Tur89
110525.66 *(4)		HCOOCH <sub>3</sub>	9(7,2)–8(7,1) E	0.03	OriMC-1	NRAO	11m	Tur89
110535.18 *(8)		HCOOCH <sub>3</sub>	9(7,3)–8(7,2) A	0.03 <sup>b</sup>	Sgr B2	BTL	7m	Plu84
110535.18 *(8)		HCOOCH <sub>3</sub>	9(7,2)–8(7,1) A	<sup>a</sup>	Sgr B2	BTL	7m	Plu84
110536.15 *(4)		HCOOCH <sub>3</sub>	9(7,3)–8(7,2) E	<sup>a</sup>	Sgr B2	BTL	7m	Plu84
110550.22 *(40)		HCOOCH <sub>3</sub>	7(2,6)–6(1,5) E	0.05	Sgr B2	NRAO	11m	Tur89
110559.89 *(16)		HCOOCH <sub>3</sub>	7(2,6)–6(1,5) A	0.05	Sgr B2	NRAO	11m	Tur89
U 110599.		unidentified		0.05	Sgr B2	NRAO	11m	Tur89
110609.554*(60)		CH <sub>3</sub> CN	6(1)–5(1) $v_8=1$ $\ell=1$	0.06	OriMC-1	FCRAO	14m	Gol83
110652.76 *(3)		HCOOCH <sub>3</sub>	9(6,3)–8(6,2) E	0.10	OriMC-1	FCRAO	14m	Gol83
110662.41 *(3)		HCOOCH <sub>3</sub>	9(6,4)–8(6,3) E	<sup>a</sup>	OriMC-1	FCRAO	14m	Plu86
110663.25 *(7)		HCOOCH <sub>3</sub>	9(6,4)–8(6,3) A	0.23 <sup>b</sup>	OriMC-1	FCRAO	14m	Plu84
110663.44 *(7)		HCOOCH <sub>3</sub>	9(6,3)–8(6,2) A	<sup>a</sup>	OriMC-1	FCRAO	14m	Plu84
110680.35 *(10)		CH <sub>3</sub> CN	6(3)–5(3) $v_8=1$ $\ell=-1$	0.05 <sup>b</sup>	OriMC-1	FCRAO	14m	Gol83
110683.96 *(10)		CH <sub>3</sub> CN	6(5)–5(5) $v_8=1$ $\ell=-1$	<sup>a</sup>	OriMC-1	FCRAO	14m	Gol83
110695.506*(10)		CH <sub>3</sub> CN	6(2)–5(2) $v_8=1$ $\ell=-1$	0.05 <sup>b</sup>	OriMC-1	FCRAO	14m	Gol83
110698.701*(10)		CH <sub>3</sub> CN	6(4)–5(4) $v_8=1$ $\ell=1$	<sup>a</sup>	OriMC-1	FCRAO	14m	Gol83

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r(K)$ $/T_s(K)$	Source	Telescope	Astr. ref.	Lab. ref.
110706.251*(60)		CH <sub>3</sub> CN	6(1)–5(1) $v_3=1 \ell=-/+1$	<sup>b</sup>	OriMC-1	FCRAO	14m	Gol83
110709.313*(11)		CH <sub>3</sub> CN	6(3)–5(3) $v_3=1 \ell=+1$	0.05 <sup>b</sup>	OriMC-1	FCRAO	14m	Gol83
110712.166*(11)		CH <sub>3</sub> CN	6(0)–5(0) $v_3=1 \ell=1$	<sup>b</sup>	OriMC-1	FCRAO	14m	Gol83
110716.272*(17)		CH <sub>3</sub> CN	6(2)–5(2) $v_3=1 \ell=+/-1$	<sup>b</sup>	OriMC-1	FCRAO	14m	Gol83
U 110770.5	unidentified			0.04	OriMC-1	FCRAO	14m	Gol83
110788.64 *(3)		HCOOCH <sub>3</sub>	10(1,10)–9(1,9) E	0.23 <sup>b</sup>	OriMC-1	FCRAO	14m	Gol83
110790.52 *(5)		HCOOCH <sub>3</sub>	10(1,10)–9(1,9) A	<sup>b</sup>	OriMC-1	FCRAO	14m	Gol83
110812.85 (10)		NHD <sub>2</sub>	1(1,0)–1(0,1) O- (s)	0.025	OriMC-1	NRAO	12m	Tur90a
110823.095*(60)		CH <sub>3</sub> CN	6(1)–5(1) $v_3=1 \ell=+/-1$	0.05	OriMC-1	FCRAO	14m	Gol83
110839.988*(18)		CH <sub>2</sub> CHCN	12(1,12)–11(1,11)	0.06	OriMC-1	FCRAO	14m	Gol83
U 110845.	unidentified			0.03 <sup>b</sup>	Sgr B2	NRAO	11m	Tur89
110873.90 *(3)		HCOOCH <sub>3</sub>	9(5,4)–8(5,3) E	0.06 <sup>b</sup>	Sgr B2	BTL	7m	Cum86
110879.77 *(3)		HCOOCH <sub>3</sub>	9(3,7)–8(3,6) E	<sup>b</sup>	Sgr B2	BTL	7m	Cum86
110880.44 *(7)		HCOOCH <sub>3</sub>	9(5,5)–8(5,4) A	<sup>b</sup>	Sgr B2	BTL	7m	Cum86
110882.42 *(3)		HCOOCH <sub>3</sub>	9(5,5)–8(5,4) E	<sup>b</sup>	Sgr B2	BTL	7m	Cum86
110887.08 *(7)		HCOOCH <sub>3</sub>	9(3,7)–8(3,6) A	<sup>b</sup>	Sgr B2	BTL	7m	Cum86
110890.25 *(7)		HCOOCH <sub>3</sub>	9(5,4)–9(5,3) A	<sup>b</sup>	Sgr B2	BTL	7m	Cum86
U 110906.	unidentified			0.13	OriMC-1	NRAO	11m	Tur89
110950.75 (10)		CH <sub>3</sub> OD	4(1)–4(0) E1	0.04	Sgr B2	NRAO	11m	Tur89
110962.18 *(10)		HCOOCH <sub>3</sub>	15(4,12)–15(3,18) A	0.17 <sup>b</sup>	OriMC-1	NRAO	11m	Tur89
U 110968.	unidentified			<sup>b</sup>	OriMC-1	NRAO	11m	Tur89
U 111019. ?	unidentified			0.03	Sgr B2	NRAO	11m	Tur89
U 111038.	unidentified			0.02	Sgr B2	NRAO	11m	Tur89
111169.87 *(3)		HCOOCH <sub>3</sub>	10(0,10)–9(0,9) E	<sup>b</sup>	OriMC-1	NRAO	11m	Tur89
111171.63 *(5)		HCOOCH <sub>3</sub>	10(0,10)–9(0,9) A	0.09 <sup>b</sup>	OriMC-1	NRAO	11m	Tur89
111195.95 *(5)		HCOOCH <sub>3</sub>	9(4,6)–8(4,5) A	0.17	OriMC-1	NRAO	11m	Tur89
U 111211.	unidentified			0.03	Sgr B2	NRAO	11m	Tur89
111223.49 *(3)		HCOOCH <sub>3</sub>	9(4,6)–8(4,5) E	0.11	OriMC-1	NRAO	11m	Tur89
111289.62 (10)		CH <sub>3</sub> OH	7(2)–8(1) A+	0.58	OriMC-1	NRAO	11m	Tur89
U 111312.	unidentified			0.05	OriMC-1	NRAO	11m	Tur89
111408.43 *(3)		HCOOCH <sub>3</sub>	9(4,5)–8(4,4) E	0.10	OriMC-1	NRAO	11m	Tur89
U 111432.	unidentified			0.04	OriMC-1	NRAO	11m	Tur89
111453.29 *(5)		HCOOCH <sub>3</sub>	9(4,5)–8(4,4) A	0.34	OriMC-1	NRAO	11m	Tur89
111492.27 *(3)		HCOOCH <sub>3</sub>	13(1,12)–13(0,13) A	0.02	OriMC-1	NRAO	11m	Tur89
111538.210*(14)		CH <sub>3</sub> CCCN	27(2)–26(2)	0.02	OriMC-1	NRAO	11m	Tur89
111542.501*(15)		CH <sub>3</sub> CCCN	27(0)–26(0)	0.05	OriMC-1	NRAO	11m	Tur89
U 111575.	unidentified			0.05	OriMC-1	NRAO	11m	Tur89
U 111580.	unidentified			0.04	OriMC-1	NRAO	11m	Tur89
U 111589.	unidentified			0.02	Sgr B2	NRAO	11m	Tur89
111626.53 (5)		CH <sub>3</sub> OH	17(–2)–17(1) E2	0.22	OriMC-1	NRAO	11m	Tur89
111674.13 *(3)		HCOOCH <sub>3</sub>	9(1,8)–8(1,7) E	0.18	OriMC-1	NRAO	11m	Plu86
U 111678.	unidentified			0.14	OriMC-1	NRAO	11m	Tur89
111682.18 *(5)		HCOOCH <sub>3</sub>	9(1,8)–8(1,7) A	0.18	OriMC-1	NRAO	11m	Tur89
U 111726. ?	unidentified			0.03	OriMC-1	NRAO	11m	Tur89
111733.94 *(3)		HCOOCH <sub>3</sub>	10(1,10)–9(0,9) E	0.05 <sup>b</sup>	OriMC-1	NRAO	11m	Tur89
111735.30 *(5)		HCOOCH <sub>3</sub>	10(1,10)–9(0,9) A	<sup>b</sup>	OriMC-1	NRAO	11m	Tur89
111746.78 *(1)		HCOOH	5(0,5)–4(0,4)	0.10	Sgr B2	BTL	7m	Cum86
111755.106*(46)		SO <sub>2</sub>	31(3,29)–30(4,26)	0.06	Sgr B2	NRAO	11m	Tur91
111783.26 *(3)		CH <sub>3</sub> OCH <sub>3</sub>	7(0,7)–6(1,6) EE	0.12	Sgr B2	BTL	7m	Cum86
111813.16 *(18)		CH <sub>3</sub> OCH <sub>3</sub>	7(5,2)–8(4,5) EE	0.12	OriMC-1	NRAO	11m	Tur89
111823.027*(5)		HC <sub>3</sub> N	42–41	0.08	Sgr B2	NRAO	11m	Tur91
U 111827.6	unidentified	(HC <sub>3</sub> N?)		0.13	OriMC-1	FCRAO	14m	Gol83
U 111944. ?	unidentified			0.04	OriMC-1	NRAO	11m	Tur89
U 111967.	unidentified			0.05	OriMC-1	NRAO	11m	Tur89
U 112006.	unidentified			0.02	Sgr B2	NRAO	11m	Tur89
U 112114.	unidentified			0.10	OriMC-1	NRAO	11m	Tur89
112248.728 (50)		CH <sub>3</sub> CHO	6(1,6)–5(1,5) A	0.25	Sgr B2	NRAO	11m	Tur91
112254.524 (50)		CH <sub>3</sub> CHO	6(1,6)–5(1,5) E	0.24	Sgr B2	NRAO	11m	Tur91
U 112348.	unidentified			0.08	Sgr B2	IRAM	30m	Com87
112354.9 (8)		5(0,5)–4(0,4)	0.10 <sup>b</sup>	IRC + 10216	IRAM	30m	Cer87b	
112358.780 (15)		C <sup>17</sup> O	1–0 F = 3/2–5/2	0.20	B335	BTL	7m	Fre81
112358.988 (8)		C <sup>17</sup> O	1–0 F = 7/2–5/2	0.43	B335	BTL	7m	Fre81
112360.005 (8)		C <sup>17</sup> O	1–0 F = 5/2–5/2	0.38	B335	BTL	7m	Fre81
112370. (2)		(CH <sub>3</sub> ) <sub>2</sub> CO	11(1,11)–10(0,10) AA	0.03	TMC-1	IRAM	30m	Com87
112380. (2)		(CH <sub>3</sub> ) <sub>2</sub> CO	11(0,11)–10(1,10) EE	0.04	TMC-1	IRAM	30m	Vac86
								N

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r(K)$ $/T_s(K)$	Source	Telescope	Astr. ref.	Lab. ref.
112432.30 *(1)		HCOOH	5(4,2)–4(4,1)	0.06 <sup>b</sup>	Sgr B2	NRAO	11m	Tur89
112432.30 *(1)		HCOOII	5(4,1)–4(4,0)	<sup>b</sup>	Sgr B2	NRAO	11m	Tur89
U 112445.		unidentified	(real?)	0.2	Sgr B2	NRAO	11m	Tur89
112459.61 *(1)		HCOOH	5(3,3)–4(3,2)	0.06 <sup>b</sup>	Sgr B2	BTL	7m	Cum86
112467.00 *(1)		HCOOH	5(3,2)–4(3,1)	<sup>b</sup>	Sgr B2	BTL	7m	Cum86
U 112532.		unidentified		0.05	Sgr B2	NRAO	11m	Tur91
U 112585.		unidentified		0.02	Sgr B2	NRAO	11m	Tur89
112593.44 *(10)		Si <sup>13</sup> CC	5(0,5)–4(0,4)	0.7 <sup>f</sup>	IRC+10216	IRAM	30m	Cer91b
112646.236*(15)		CH <sub>3</sub> CH <sub>2</sub> CN	13(1,13)–12(1,12)	0.10	Sgr B2	BTL	7m	Cum86
112654.099*(35)		NH <sub>2</sub> CHO	8(3,6)–9(2,7)	0.07	OriMC-1	NRAO	11m	Tur89
112807.100*(11)		CH <sub>3</sub> CH <sub>2</sub> OH	2(2,1)–1(1,0)	0.12	Sgr B2	NRAO	11m	Kut80
112840.655*(18)		CH <sub>2</sub> CHCN	12(0,12)–11(0,11)	0.06	Sgr B2	NRAO	11m	Kut80
112869.45 *(9)		HCOOCH <sub>3</sub>	14(3,11)–13(4,10) A	0.07	OriMC-1	NRAO	11m	Tur89
U 112874.		unidentified		0.08	OriMC-1	NRAO	11m	Tur89
112891.43 *(11)		HCOOH	5(2,3)–4(2,2) n,t	0.06	Sgr B2	NRAO	11m	Kut80
112922.5 *(4)		C <sub>2</sub> H	<sup>2</sup> P <sub>1/2</sub> J=23/2–21/2 $\nu_7$ =1e	3.01 <sup>f</sup>	IRC+10216	IRAM	30m	Yam87b
U 112997.		unidentified		0.10	OriMC-1	NRAO	11m	Tur89
U 113001.		unidentified		0.11	OriMC-1	NRAO	11m	Tur89
113032.124*(30)		CH <sub>2</sub> CHCN	8(1,8)–7(0,7)	0.09	Sgr B2	NRAO	11m	Tur89
U 113061.		unidentified		0.11	OriMC-1	NRAO	11m	Tur89
113136.20 *(10)		N <sup>34</sup> S	<sup>2</sup> P <sub>1/2</sub> J=5/2–3/2 F=3/2–3/2c	0.10	Sgr B2	NRAO	11m	Tur89
113144.192 *(9)		CN	1–0 J=1/2–1/2 F=1/2–3/2	1.14	OriMC-1	NRAO	11m	Tur75
U 113159.		unidentified		0.10	Sgr B2	NRAO	11m	Tur89
113170.528 (20)		CN	1–0 J=1/2–1/2 F=3/2–1/2	0.97	OriMC-1	NRAO	11m	Tur75
113191.317 (40)		CN	1–0 J=1/2–1/2 F=3/2–3/2	1.38	OriMC-1	NRAO	11m	Tur75
U 113246.		unidentified		0.20	Sgr B2	NRAO	11m	Tur89
U 113260.		unidentified		0.22	Sgr B2	NRAO	11m	Tur87b
113265.9 (3)		C <sub>2</sub> H	<sup>2</sup> P <sub>1/2</sub> J=23/2–21/2 $\nu_7$ =1f	3.67 <sup>f</sup>	IRC+10216	IRAM	30m	Yam87b
113266.74 *(4)		CH <sub>2</sub> CHCN	20(2,18)–20(1,19)	0.15	Sgr B2	NRAO	11m	Tur89
113278.39 *(18)		CH <sub>3</sub> OCH <sub>3</sub>	10(6,5)–11(5,6) AA	<sup>b</sup>	OriMC-1	NRAO	11m	Tur89
113279.53 *(18)		CH <sub>3</sub> OCH <sub>3</sub>	10(6,4)–11(5,7) AA	0.05 <sup>b</sup>	OriMC-1	NRAO	11m	Tur89
113282.72 *(28)		CH <sub>3</sub> OCH <sub>3</sub>	10(6,4)–11(5,7) EE	<sup>b</sup>	OriMC-1	NRAO	11m	Tur89
U 113314.		unidentified		0.07	OriMC-1	NRAO	11m	Tur89
113350.80 (10)		CH <sub>3</sub> OD	6(1)–6(0) E1	0.04	OriMC-1	NRAO	11m	Tur89
113410.207*(12)		C <sub>2</sub> S	8,9–7,8	2.1 <sup>f</sup>	IRC+10216	IRAM	30m	Cer87b
113488.140 (5)		CN	1–0 J=3/2–1/2 F=3/2–1/2	1.04	OriMC-1	NRAO	11m	Pen74
113490.982 (3)		CN	1–0 J=3/2–1/2 F=5/2–3/2	3.23	OriMC-1	NRAO	11m	Dix77
113499.639 (5)		CN	1–0 J=3/2–1/2 F=1/2–1/2	0.79	OriMC-1	NRAO	11m	Jef70
113508.944 (13)		CN	1–0 J=3/2–1/2 F=3/2–3/2	0.94	OriMC-1	NRAO	11m	Dix77
113520.414*(10)		CN	1–0 J=3/2–1/2 F=1/2–3/2	<0.2	OriMC-1	NRAO	11m	All78
U 113523.		unidentified		0.22	OriMC-1	NRAO	11m	Tur89
U 113544.		unidentified		0.05	OriMC-1	NRAO	11m	Tur89
113657.647*(17)		CH <sub>2</sub> CHCN	12(2,11)–11(2,10)	0.12	OriMC-1	NRAO	11m	Tur89
U 113729.		unidentified		0.04	OriMC-1	NRAO	11m	Tur89
113743.10 *(3)		HCOOCH <sub>3</sub>	9(3,6)–8(3,5) E	0.13	OriMC-1	NRAO	11m	Tur89
113756.60 *(5)		HCOOCH <sub>3</sub>	9(3,6)–8(3,5) A	0.09	OriMC-1	NRAO	11m	Plu84
113766.42 *(3)		HCCCHO	12(1,11)–11(1,10)	0.04	Sgr B2	NRAO	11m	Tur91
U 113818.		unidentified		0.20	Sgr B2	NRAO	11m	Tur89
113820.15 (40)		<sup>29</sup> SiC <sub>2</sub>	5(0,5)–4(0,4)	n.r.	IRC+10216	IRAM	30m	Cer91b
113831.197*(41)		CH <sub>2</sub> CHCN	18(2,16)–18(1,17)	0.08	OriMC-1	NRAO	11m	Tur89
U 113844.		unidentified		0.10	Sgr B2	NRAO	11m	Tur89
113978.251*(15)		CH <sub>3</sub> CH <sub>2</sub> CN	13(0,13)–12(0,12)	0.12	OriMC-1	NRAO	11m	Joh77
U 114005.		unidentified		0.11	OriMC-1	NRAO	11m	Tur89
114064.850*(11)		CH <sub>3</sub> CH <sub>2</sub> OH	2(2,0)–1(1,1)	0.12	Sgr B2	NRAO	11m	Tur89
U 114092.		unidentified		0.07	OriMC-1	NRAO	11m	Tur89
U 114113.		unidentified		0.07	OriMC-1	NRAO	11m	Tur89
114182.51 *(2)		C <sub>2</sub> H	12–11 J=25/2–23/2	0.23	IRC+10216	NRAO	11m	Sco78
114221.04 *(2)		C <sub>2</sub> H	12–11 J=23/2–21/2	0.40	IRC+10216	NRAO	11m	Got83
U 114291.		unidentified		0.09	OriMC-1	NRAO	11m	Tur89
U 114313.		unidentified		0.05	OriMC-1	NRAO	11m	Tur89
U 114336.		unidentified		0.05	OriMC-1	NRAO	11m	Tur89
114361.9 (10)		<sup>30</sup> SiC <sub>2</sub>	5(2,4)–4(2,3)	n.r.	IRC+10216	IRAM	30m	Cer91b
*114445.02 *(16)		CH <sub>3</sub> CH <sub>2</sub> OH	17(2,11)–16(3,13) ?	0.06	OriMC-1	NRAO	11m	Tur89
114485.040*(5)		HC <sub>5</sub> N	43–42	0.11	Sgr B2	BTL	7m	Cum86
114531.0 *(9)		HOCS <sup>+</sup> ?	10(0,10)–9(0,9)	0.02	Sgr B2	NRAO	11m	Tur89

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r(K)$ $/T_a(K)$	Source	Telescope	Astr. ref.	Lab. ref.
114565.476*(41)		SO <sub>2</sub>	29(3,27)–28(4,24)	0.17	OriMC-1	NRAO	11m	Tur89
114574.468*(71)		<sup>34</sup> SO <sub>2</sub>	6(3,3)–7(2,6)	0.05	OriMC-1	NRAO	11m	Tur89
114615.021*(11)		H <sup>13</sup> CCCN	13–12	0.13 <sup>b</sup>	Sgr B2	BTL	7m	Cum86
114621.577*(16)		CH <sub>2</sub> CHCN	12(2,10)–11(2,9)	<sup>b</sup>	Sgr B2	BTL	7m	Cum86
114650.99 (5)		CH <sub>3</sub> OH	18(–2)–18(1) E2	0.35	OriMC-1	NRAO	11m	Tur89
114737.17 (20)		C <sub>6</sub> H	<sup>2</sup> $\Sigma$ $J=12-11$ $v_7=2$ L	0.15	IRC+10216	IRAM	30m	Gué87a
114793.82 (20)		C <sub>6</sub> H	<sup>2</sup> $\Sigma$ $J=12-11$ $v_7=2$ U	0.15	IRC+10216	IRAM	30m	Gué87a
114831.084*(11)		HC <sub>3</sub> <sup>15</sup> N	13–12	0.03	Sgr B2	NRAO	11m	Tur89
U 114840.		unidentified		0.06	OriMC-1	NRAO	11m	Tur89
U 114861.		unidentified		0.03	Sgr B2	NRAO	11m	Tur89
114887.16 *(13)		HCOOCH <sub>3</sub>	23(6,18)–22(7,15) A	0.10	Sgr B2(OH)	IRAM	30m	Gom86
114897.368*(9)		H <sup>13</sup> CCCH	3(0,3)–2(1,2)	0.07	TMC-1	NRAO	12m	Ger87
114940.190 (50)		CH <sub>3</sub> CHO	6(0,6)–5(0,5) E	0.15	Sgr B2	BTL	7m	Cum86
114959.911 (50)		CH <sub>3</sub> CHO	6(0,6)–5(0,5) A	0.38	Sgr B2	BTL	7m	Cum86
U 115021.		unidentified		n.r.	OriMC-1	NRAO	11m	Tur89
115038.4 (7)		C <sub>6</sub> H	<sup>2</sup> $\Pi_{3/2}$ $J=83/2-81/2$ f	0.52 <sup>f</sup>	IRC+10216	IRAM	30m	Cer87a
115075.20 *(12)		CH <sub>3</sub> OCH <sub>3</sub>	9(2,8)–9(1,9) EE	0.10 <sup>b</sup>	OriMC-1	NRAO	11m	Tur89
115077.91 *(7)		CH <sub>3</sub> OCH <sub>3</sub>	9(2,8)–9(1,9) AA	<sup>b</sup>	OriMC-1	NRAO	11m	Tur89
115084.0 (7)		C <sub>6</sub> H	<sup>2</sup> $\Pi_{3/2}$ $J=83/2-81/2$ e	0.42 <sup>c</sup>	IRC+10216	IRAM	30m	Cer87a
U 115141.		unidentified		n.r.	OriMC-1	NRAO	11m	Tur89
115153.835 (80)		NS	<sup>2</sup> $\Pi_{1/2}$ $J=5/2-3/2$ F=7/2–5/2c	<0.3 <sup>b</sup>	Sgr B2	MMWO	4.9m	Got75
115156.799 (80)		NS	<sup>2</sup> $\Pi_{1/2}$ $J=5/2-3/2$ F=5/2–3/2c	<sup>b</sup>	Sgr B2	MMWO	4.9m	Got75
115185.33 *(8)		NS	<sup>2</sup> $\Pi_{1/2}$ $J=5/2-3/2$ F=3/2–3/2c	0.26	Sgr B2	BTL	7m	Cum86
U 115212.		unidentified		n.r.	OriMC-1	NRAO	11m	Tur89
115216.8 (3)		C <sub>6</sub> H	<sup>2</sup> $\Pi_{3/2}$ $J=25/2-23/2$ $v_7=1$ f	3.05 <sup>f</sup>	IRC+10216	IRAM	30m	Yam87b
115247.025*(58)		HCOOCH <sub>3</sub>	5(2,3)–4(1,4) A	n.r.	OriMC-1	NRAO	11m	Tur89
115271.204 (5)		CO	1–0	60.0	OriMC-1	NRAO	11m	Uli76
115382.38 *(6)		SiC <sub>2</sub>	5(0,5)–4(0,4)	0.22	IRC+10216	NRAO	11m	Kui77
115556.312 (60)		NS	<sup>2</sup> $\Pi_{1/2}$ $J=5/2-3/2$ F=7/2–5/2d	0.24	Sgr B2	NRAO	11m	Got75
115570.762 (50)		NS	<sup>2</sup> $\Pi_{1/2}$ $J=5/2-3/2$ F=5/2–3/2d	0.28 <sup>b</sup>	Sgr B2	NRAO	11m	Got75
115571.93 (6)		NS	<sup>2</sup> $\Pi_{1/2}$ $J=5/2-3/2$ F=3/2–1/2d	<sup>b</sup>	Sgr B2	NRAO	11m	Got75
115894.368*(14)		CH <sub>3</sub> CH <sub>2</sub> CN	12(2,12)–12(2,11)	0.09	OriMC-1	NRAO	11m	Joh77
115943.69 (80)		<sup>29</sup> SiC <sub>2</sub>	5(2,4)–4(2,3)	n.r.	IRC+10216	IRAM	30m	Cer91b
116688.48 *(11)		D <sub>2</sub> CO	2(0,2)–1(0,1)	0.07	OriMC-1	NRAO	12m	Tur90a
120250.15 *(4)		SiC <sub>2</sub>	5(2,3)–4(2,2)	n.r.	IRC+10216	IRAM	30m	Cer91b
122023.510*(9)		C <sub>2</sub> H <sub>2</sub>	2(2,1)–1(1,0)	1.0	TMC-1	FCRAO	14m	Mad86a
124496.497*(65)		<sup>34</sup> SO <sub>2</sub>	12(2,10)–12(1,11)	0.12	Sgr B2	BTL	7m	Cum86
124569.97 (10)		CH <sub>3</sub> OH	6(0)–5(1) E	0.44	Sgr B2	BTL	7m	Cum86
124614.117*(59)		<sup>34</sup> SO <sub>2</sub>	10(2,8)–10(1,9)	0.08	Sgr B2	BTL	7m	Cum86
124729.070*(14)		CH <sub>3</sub> CH <sub>2</sub> CN	14(2,13)–13(2,12)	0.10	Sgr B2	BTL	7m	Cum86
124789.84 (12)		<sup>13</sup> CH <sub>2</sub> NH	2(0,2)–1(0,1)	0.07	Sgr B2	BTL	7m	Cum86
124864.805*(13)		SO <sub>2</sub>	11(4,8)–12(3,9)	0.07	Sgr B2	BTL	7m	Cum86
125040.229*(27)		<sup>13</sup> CH <sub>3</sub> CN	7(3)–6(3)	0.04 <sup>b</sup>	Sgr B2	BTL	7m	Cum86
125051.965*(28)		<sup>13</sup> CH <sub>3</sub> CN	7(2)–6(2)	<sup>b</sup>	Sgr B2	BTL	7m	Cum86
125059.006*(30)		<sup>13</sup> CH <sub>3</sub> CN	7(1)–6(1)	0.05 <sup>b</sup>	Sgr B2	BTL	7m	Cum86
125061.353*(30)		<sup>13</sup> CH <sub>3</sub> CN	7(0)–6(0)	<sup>b</sup>	Sgr B2	BTL	7m	Cum86
125130.914 (50)		CH <sub>3</sub> SH	5(1)–4(1) A–	0.07	Sgr B2	BTL	7m	Cum86
125132.774*(5)		HC <sub>5</sub> N	47–46	<sup>b</sup>	Sgr B2	BTL	7m	Cum86
125173.200*(22)		CH <sub>3</sub> CH <sub>2</sub> OH	8(3,5)–8(2,6)	0.07	Sgr B2	BTL	7m	Cum86
125246.88 *(10)		CH <sub>3</sub> OCH <sub>3</sub>	2(2,1)–1(1,0) EE	0.08	Sgr B2	BTL	7m	Cum86
125564.489*(14)		CH <sub>3</sub> CH <sub>2</sub> CN	14(3,12)–13(3,11)	0.07	Sgr B2	BTL	7m	Cum86
U 125848.6 (12)		unidentified		0.12	Sgr B2	BTL	7m	Cum86
125921.667*(17)		CH <sub>2</sub> CHCN	13(1,12)–12(1,11)	0.10	Sgr B2	BTL	7m	Cum86
125947.250*(13)		CH <sub>3</sub> CH <sub>2</sub> OH	10(1,9)–9(2,8)	0.13	Sgr B2	BTL	7m	Cum86
126980.849*(37)		SO <sub>2</sub>	35(5,31)–34(6,28)	0.06	Sgr B2	BTL	7m	Cum86
127076.117*(81)		SiS	7–6	0.8	IRC+10216	OVRO	10.4m	Sah84
127112.680*(20)		NH <sub>2</sub> CHO	6(2,5)–5(2,4)	0.16 <sup>b</sup>	Sgr B2	BTL	7m	Cum86
127117.345*(30)		<sup>30</sup> SiO	3–2	<sup>b</sup>	Sgr B2	BTL	7m	Cum86
127215.130*(18)		CH <sub>3</sub> CH <sub>2</sub> OH	7(3,4)–7(2,5)	0.05	Sgr B2	BTL	7m	Cum86
U 127288.1 (11)		unidentified		0.04	Sgr B2	BTL	7m	Cum86
U 127307.5 (12)		unidentified		0.03	Sgr B2	BTL	7m	Cum86
127329.945*(70)		NH <sub>2</sub> CHO	6(5,2)–5(5,1)	<sup>b</sup>	Sgr B2	BTL	7m	Cum86
127329.945*(70)		NH <sub>2</sub> CHO	6(5,1)–5(5,0)	0.03 <sup>b</sup>	Sgr B2	BTL	7m	Cum86
127348.310*(48)		NH <sub>2</sub> CHO	6(4,3)–5(4,2)	0.08 <sup>b</sup>	Sgr B2	BTL	7m	Cum86
127348.425*(48)		NH <sub>2</sub> CHO	6(4,2)–5(4,1)	<sup>b</sup>	Sgr B2	BTL	7m	Cum86

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r$ (K) / $T_a$ (K)	Source	Telescope	Astr. ref.	Lab. ref.
127367.658*(2)		HC <sub>3</sub> N	14–13	1.85	OriMC-1	MMWO	4.9m	Mor77
127393.533*(32)		NH <sub>2</sub> CHO	6(3,4)–5(3,3)	0.10	Sgr B2	BTL	7m	Cum86
127412.107*(32)		NH <sub>2</sub> CHO	6(3,3)–5(3,2)	0.09	Sgr B2	BTL	7m	Cum86
127428.307*(35)		SO <sub>2</sub>	28(4,24)–27(5,23)	0.04	Sgr B2	BTL	7m	Cum86
128020.53 (5)		HCS <sup>+</sup>	3–2	0.28	OriMC-1	BTL	7m	Tha81
128102.791*(20)		NH <sub>2</sub> CHO	6(2,4)–5(2,3)	0.16	Sgr B2	BTL	7m	Cum86
128294.89 (41)		HOCO <sup>+</sup>	6(0,6)–5(0,5)	0.4	Sgr B2	BTL	7m	Tha81
128458.888*(44)		SiO	3–2 v=2	83. <sup>c</sup>	OriMC-1	NRAO	11m	Sch82
128605.091*(18)		SO <sub>2</sub>	12(2,10)–12(1,11)	0.58	OriMC-1	MMWO	4.9m	Lor84
128622.14 *(3)		C <sub>3</sub> N	13–12 J=27/2–25/2	0.097	IRC+10216	BTL	7m	Hen85
128636.948*(30)		<sup>29</sup> SiO	3–2	0.11	OriMC-1	MMWO	4.9m	Lor84
128640.90 *(3)		C <sub>3</sub> N	13–12 J=25/2–23/2	0.093	IRC+10216	BTL	7m	Hen85
128668.824*(59)		<sup>34</sup> SO <sub>2</sub>	8(2,6)–8(1,7)	0.06	OriMC-1	MMWO	4.9m	Lor84
128689.620*(15)		CH <sub>3</sub> CH <sub>2</sub> OH	6(3,3)–6(2,4)	0.09 <sup>b</sup>	Sgr B2	BTL	7m	Cum86
128690.117*(3)		CH <sub>3</sub> CN	7(6)–6(6)	0.07	OriMC-1	MMWO	4.9m	Lor84
U 128706.		unidentified		0.06 <sup>b</sup>	OriMC-1	MMWO	4.9m	M
128713.183*(30)		CH <sub>3</sub> <sup>13</sup> CN	7(1)–6(1)	0.11 <sup>b</sup>	Sgr B2	BTL	7m	Cum86
128715.649*(32)		CH <sub>3</sub> <sup>13</sup> CN	7(0)–6(0)	<sup>b</sup>	Sgr B2	BTL	7m	Cum86
128717.365*(2)		CH <sub>3</sub> CN	7(5)–6(5)	0.09	OriMC-1	MMWO	4.9m	Lor84
128739.674*(2)		CH <sub>3</sub> CN	7(4)–6(4)	0.18	OriMC-1	MMWO	4.9m	M
128757.035*(2)		CH <sub>3</sub> CN	7(3)–6(3)	0.39	OriMC-1	MMWO	4.9m	M
128769.440*(2)		CH <sub>3</sub> CN	7(2)–6(2)	0.38	OriMC-1	MMWO	4.9m	M
128776.885*(2)		CH <sub>3</sub> CN	7(1)–6(1)	0.52	OriMC-1	MMWO	4.9m	M
128779.368*(2)		CH <sub>3</sub> CN	7(0)–6(0)	0.62	OriMC-1	MMWO	4.9m	M
128812.86 (10)		HDCO	2(0,2)–1(0,1)	0.3	L134N	BTL	7m	Lan79
129013.260*(4)		HNCS	11(0,11)–10(0,10)	0.06	Sgr B2	BTL	7m	Fre79
129077.570*(12)		CH <sub>3</sub> CH <sub>2</sub> OH	3(2,2)–2(1,1)	0.13	Sgr B2	BTL	7m	Cum86
129105.799*(9)		SO <sub>2</sub>	12(1,11)–11(2,10)	0.20	Sgr B2	BTL	7m	Cum86
129138.898*(32)		SO	3(3)–2(2)	1.5	rho Oph A	MMWO	4.9m	Lor84b
129219.221*(16)		CH <sub>3</sub> CHCN	14(1,14)–13(1,13)	0.05	Sgr B2	BTL	7m	Cum86
129248.12 *(23)		Si <sup>13</sup> CC	6(1,6)–5(1,5)	0.5 <sup>f</sup>	IRC+10216	IRAM	30m	Cer91b
129296.42 *(3)		HCOOCH <sub>3</sub>	10(2,8)–9(2,7) E	0.03	Sgr B2	BTL	7m	Cum86
129310.14 *(10)		HCOOCH <sub>3</sub>	10(2,8)–9(2,7) A	0.05	Sgr B2	BTL	7m	Plu84 M
129363.368*(35)		SiO	3–2 v=1	0.9	OriMC-1	MMWO	4.9m	Dav74
129433.41 (10)		CH <sub>3</sub> OH	12(1)–11(2) A–	0.07	Sgr B2	BTL	7m	Cum86
130010.10 *(3)		HCOOCH <sub>3</sub>	11(2,10)–10(2,9) E	0.04 <sup>b</sup>	Sgr B2	BTL	7m	Plu86 M
130016.77 *(10)		HCOOCH <sub>3</sub>	11(2,10)–10(2,9) A	<sup>b</sup>	Sgr B2	BTL	7m	Plu84 M
130171.466*(32)		H <sub>2</sub> <sup>13</sup> CS	4(1,4)–3(1,3)	0.04	Sgr B2	BTL	7m	Cum86
130223.70 *(8)		NaCl	10–9	1.93 <sup>f</sup>	IRC+10216	IRAM	30m	Cer87c
130268.702*(30)		SiO	3–2 v=0	1.34	OriMC-1	MMWO	4.9m	Dic76
130515.734*(3)		OC <sup>34</sup> S	11–10	<sup>b</sup>	NGC 6334I	IRAM	30m	Bac90
130516.45 *(6)		CH <sub>3</sub> OCH <sub>3</sub>	10(1,9)–9(2,8) AA	1.5 <sup>b</sup>	NGC 6334I	IRAM	30m	Bac90
130518.02 *(16)		CH <sub>3</sub> OCH <sub>3</sub>	10(1,9)–9(2,8) EE	<sup>b</sup>	NGC 6334I	IRAM	30m	Bac90
130650.53 *(15)		KCl	17–16	0.51 <sup>f</sup>	IRC+10216	IRAM	30m	Cer87c
131014.837*(15)		SO <sub>2</sub>	12(1,11)–12(0,12)	0.25	Sgr B2	BTL	7m	Cum86
131102.971*(12)		CH <sub>3</sub> CH <sub>2</sub> OH	5(3,3)–5(2,4)	0.04	Sgr B2	BTL	7m	Cum86
U 131134.0 (7)		unidentified		0.06	Sgr B2	BTL	7m	Cum86
131267.478*(17)		CH <sub>2</sub> CHCN	14(0,14)–13(0,13)	0.09 <sup>b</sup>	Sgr B2	BTL	7m	Cum86
131274.915*(17)		SO <sub>2</sub>	16(5,11)–17(4,14)	<sup>b</sup>	Sgr B2	BTL	7m	Cum86
131394.241*(5)		HNCO	6(1,6)–5(1,5)	0.18	OriMC-1	MMWO	4.9m	Lor84
131405.84 *(2)		CH <sub>3</sub> OCH <sub>3</sub>	6(1,6)–5(0,5) EE	0.17	OriMC-1	MMWO	4.9m	Lor84
131502.670*(15)		CH <sub>3</sub> CH <sub>2</sub> OH	6(3,4)–6(2,5)	0.05	Sgr B2	BTL	7m	Cum86
131551.974*(12)		C <sub>2</sub> S	11(10)–10(9)	0.09	Sgr B2	BTL	7m	Cum86
131617.905*(13)		NH <sub>2</sub> CHO	6(1,5)–5(1,4)	0.23	Sgr B2	BTL	7m	Cum86
131761.8 (5)		HCCN	6,7–5,6	0.6 <sup>f</sup>	IRC+10216	IRAM	30m	Gué91 N
131799.292*(7)		HNCO	6(3,4)–5(3,3)	0.05 <sup>b</sup>	Sgr B2	BTL	7m	Cum86
131799.292*(7)		HNCO	6(3,3)–5(3,2)	<sup>b</sup>	Sgr B2	BTL	7m	Cum86
131832.5 (4)		HCCN	6,6–5,5	0.8 <sup>f</sup>	IRC+10216	IRAM	30m	Gué91 N
131845.880*(5)		HNCO	6(2,5)–5(2,4)	0.06 <sup>b</sup>	Sgr B2	BTL	7m	Cum86
131846.590*(6)		HNCO	6(2,4)–5(2,3)	<sup>b</sup>	Sgr B2	BTL	7m	Cum86
131885.740*(6)		HNCO	6(0,6)–5(0,5)	3.41	Sgr B2	BTL	7m	Cum86
131898.786*(21)		AIF	4–3	0.80 <sup>f</sup>	IRC+10216	IRAM	30m	Gué91 N
132089.902*(80)		H <sub>2</sub> <sup>13</sup> CS	4(0,4)–3(0,3)	0.08	Sgr B2	BTL	7m	Cum86
132105.48 *(3)		HCOOCH <sub>3</sub>	12(1,12)–11(1,11) E	0.10 <sup>b</sup>	Sgr B2	BTL	7m	Plu86 M
132107.20 *(10)		HCOOCH <sub>3</sub>	12(1,12)–11(1,11) A	<sup>b</sup>	Sgr B2	BTL	7m	Plu84 M

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r(K)$ $/T_a(K)$	Source	Telescope	Astr. ref.	Lab. ref.
132113.983*(74)		<sup>34</sup> SO <sub>2</sub>	12(1,11)–12(0,12)	b	Sgr B2	BTL	7m	Cum86
132178.9 (5)		C <sub>4</sub> H	<sup>2</sup> II <sub>1/2</sub> $J=27/2-25/2$ $\nu_7=1e$	5.90 <sup>f</sup>	IRC+10216	IRAM	30m	Yam87b N
132245.10 *(3)		HCOOCH <sub>3</sub>	12(0,12)–11(0,11) E	0.18 <sup>b</sup>	Sgr B2	BTL	7m	Cum86 Plu86 M
132246.385*(13)		H <sup>13</sup> CCCN	15–14	b	Sgr B2	BTL	7m	Cum86
132246.70 *(10)		HCOOCH <sub>3</sub>	12(0,12)–11(0,11) A	b	Sgr B2	BTL	7m	Cum86 Plu84 M
132356.711*(5)		HNCO	6(1,5)–5(1,4)	0.19	Sgr B2	BTL	7m	Cum86
132524.590*(15)		CH <sub>2</sub> CHCN	14(2,13)–13(2,12)	0.15 <sup>b</sup>	Sgr B2	BTL	7m	Cum86
132525.39 *(10)		CH <sub>3</sub> OCH <sub>3</sub>	8(0,8)–7(1,7) EE	b	Sgr B2	BTL	7m	Cum86
132586.8 (3)		C <sub>4</sub> H	<sup>2</sup> II <sub>1/2</sub> $J=27/2-25/2$ $\nu_7=1f$	5.30 <sup>f</sup>	IRC+10216	IRAM	30m	Yam87b N
132621.94 (10)		CH <sub>3</sub> OH	6(2)–7(1) A–	0.12	Sgr B2	BTL	7m	Cum86 Lee68
132744.808*(22)		SO <sub>2</sub>	14(2,12)–14(1,13)	0.57	OriMC-1	NRAO	11m	Pic79
132890.79 (10)		CH <sub>3</sub> OH	6(–1)–5(0) E	2.07	Sgr B2	BTL	7m	Cum86
132917.762*(12)		CH <sub>2</sub> CHCN	14(4,11)–13(4,10)	0.11 <sup>b</sup>	Sgr B2	BTL	7m	Cum86
132919.017*(12)		CH <sub>2</sub> CHCN	14(4,10)–13(4,9)	b	Sgr B2	BTL	7m	Cum86
132921.90 *(3)		HCOOCH <sub>3</sub>	11(1,10)–10(1,9) E	b	Sgr B2	BTL	7m	Cum86 Plu86 M
132928.70 *(10)		HCOOCH <sub>3</sub>	11(1,10)–10(1,9) A	b	Sgr B2	BTL	7m	Cum86 Plu84 M
132935.070*(12)		CH <sub>3</sub> CH <sub>2</sub> OH	3(2,1)–2(1,2)	b	Sgr B2	BTL	7m	Cum86
132946.571*(8)		C <sub>3</sub> S	23–22	1.4 <sup>f</sup>	IRC+10216	IRAM	30m	Cer87b N
133405.23 *(1)		H <sub>2</sub> CCCC	15(1,15)–14(1,14)	0.063	IRC+10216	IRAM	30m	Cer91a Kil90 N
133605.50 (10)		CH <sub>3</sub> OH	5(–2)–6(–1) E	0.19	Sgr B2	BTL	7m	Cum86 Lee68
133672.86 (40)		<sup>30</sup> SiC <sub>2</sub>	6(0,6)–5(0,5)	n.r.	IRC+10216	IRAM	30m	Cer91b Cer91b N
133785.897*(1)		OCS	11–10	1.49	OriMC-1	BTL	7m	Gol81
133813.85 *(14)		Si <sup>13</sup> CC	6(0,6)–5(0,5)	0.9 <sup>f</sup>	IRC+10216	IRAM	30m	Cer91b Cer91b N
133830.52 *(10)		CH <sub>3</sub> CHO	7(0,7)–6(0,6) E	0.16	Sgr B2	BTL	7m	Cum86 M
133854.10 *(10)		CH <sub>3</sub> CHO	7(0,7)–6(0,6) A	0.15	Sgr B2	BTL	7m	Cum86 M
133862.50 (20)		C <sub>4</sub> H	<sup>2</sup> $\Sigma$ $J=14-13$ $\nu_7=2$ L	0.2	IRC+10216	IRAM	30m	Gué87a Gué87a N
133918.54 (20)		C <sub>4</sub> H	<sup>2</sup> $\Sigma$ $J=14-13$ $\nu_7=2$ U	0.2	IRC+10216	IRAM	30m	Gué87a Gué87a N
134004.804*(11)		SO <sub>2</sub>	8(2,6)–8(1,7)	0.65	OriMC-1	MMWO	4.9m	Pic79
134231.12 (10)		CH <sub>3</sub> OH	12(–3)–13(–2) E	0.24	OriMC-1	MMWO	4.9m	Lor85 Sas84
134284.91 *(17)		HDCO	2(1,1)–1(1,0)	0.19	OriMC-1	MMWO	4.9m	Lor85 M
134415.5 (3)		C <sub>4</sub> H	<sup>2</sup> II <sub>3/2</sub> $J=29/2-27/2$ $\nu_7=1f$	4.50 <sup>f</sup>	IRC+10216	IRAM	30m	Yam87b N
134525.20 *(1)		H <sub>2</sub> CCCC	15(1,14)–14(1,13)	0.070	IRC+10216	IRAM	30m	Cer91a Kil90 N
135298.134*(75)		H <sub>2</sub> CS	4(1,4)–3(1,3)	0.64	OriMC-1	MMWO	4.9m	Van84
135371.19 (30)		<sup>29</sup> SiC <sub>2</sub>	6(0,6)–5(0,5)	n.r.	IRC+10216	IRAM	30m	Cer91b Cer91b N
135696.011*(8)		SO <sub>2</sub>	5(1,5)–4(0,4)	1.5	rho Oph	MMWO	4.9m	Got78
135775.633*(42)		<sup>34</sup> SO	4(3)–3(2)	0.62	rho Oph A	MMWO	4.9m	Lor85
U 136250.7 (11)		unidentified		0.04	Sgr B2	BTL	7m	Cum86
136280.03 *(3)		HCOOCH <sub>3</sub>	11(4,8)–10(4,7) E	0.12 <sup>b</sup>	Sgr B2	BTL	7m	Cum86
136282.56 *(10)		HCOOCH <sub>3</sub>	11(4,8)–10(4,7) A	b	Sgr B2	BTL	7m	Cum86 Plu84 M
U 136387.8 (15)		unidentified	( <sup>13</sup> C <sup>34</sup> S?)	0.05	Sgr B2	BTL	7m	Cum86
136464.400*(2)		HC <sub>3</sub> N	15–14	1.5	Sgr B2	MMWO	4.9m	Mor77
136541.301*(14)		CH <sub>3</sub> CH <sub>2</sub> CN	15(1,14)–14(1,13)	0.10	Sgr B2	BTL	7m	Cum86
136634.682*(68)		SO	5(6)–5(5)	0.4	OriMC-1	MMWO	4.9m	Mun84
136704.502*(1)		CH <sub>3</sub> CCH	8(3)–7(3)	0.17	OriMC-1	MMWO	4.9m	Mun84
136717.560*(1)		CH <sub>3</sub> CCH	8(2)–7(2)	0.20	OriMC-1	MMWO	4.9m	Mun84
136725.397*(1)		CH <sub>3</sub> CCH	8(1)–7(1)	0.41	OriMC-1	MMWO	4.9m	Mun84
136728.010*(1)		CII <sub>3</sub> CCII	8(0)–7(0)	0.42	OriMC-1	MMWO	4.9m	Mun84
136799.703*(30)		HC <sub>3</sub> N	15–14 $\nu_7=1$ $\ell=1e$	0.09	Sgr B2	BTL	7m	Cum86
137015.9 (8)		<sup>30</sup> SiC <sub>2</sub>	6(2,5)–5(2,4)	n.r.	IRC+10216	IRAM	30m	Cer91b Cer91b N
137180.77 *(7)		SiC <sub>2</sub>	6(0,6)–5(0,5)	0.138	IRC+10216	BTL	7m	Tha84 M
137369.315*(98)		H <sub>2</sub> CS	4(3,2)–3(3,1)	0.12 <sup>b</sup>	OriMC-1	MMWO	4.9m	Van84
137369.346*(98)		H <sub>2</sub> CS	4(3,1)–3(3,0)	b	OriMC-1	MMWO	4.9m	Van84
137371.043*(84)		H <sub>2</sub> CS	4(0,4)–3(0,3)	0.37	OriMC-1	MMWO	4.9m	Van84
137381.956*(64)		H <sub>2</sub> CS	4(2,3)–3(2,2)	0.10	OriMC-1	MMWO	4.9m	Van84
137411.803*(64)		H <sub>2</sub> CS	4(2,2)–3(2,1)	0.09	OriMC-1	MMWO	4.9m	Van84
137449.959*(6)		H <sub>2</sub> <sup>13</sup> CO	2(1,2)–1(1,1)	0.2	OriMC-1	MMWO	4.9m	Kut76
137637.08 *(8)		Si <sup>13</sup> CC	6(2,5)–5(2,4)	0.8 <sup>f</sup>	IRC+10216	IRAM	30m	Cer91b Cer91b N
137739.93 (80)		<sup>30</sup> SiC <sub>2</sub>	6(4,3)–5(4,2)	n.r.	IRC+10216	IRAM	30m	Cer91b Cer91b N
137742.42 (80)		<sup>30</sup> SiC <sub>2</sub>	6(4,2)–5(4,1)	n.r.	IRC+10216	IRAM	30m	Cer91b Cer91b N
137903.06 (10)		CH <sub>3</sub> OH	7(–4)–8(–3) E	0.8	OriMC-1	BTL	7m	Woo84 Lee68
138178.648*(42)		SO	4(3)–3(2)	2.0	OriMC-1	MMWO	4.9m	Got73b
138284.88 (10)		CH <sub>3</sub> CHO	7(1,6)–6(1,5) E	0.15	Sgr B2	BTL	7m	Cum86 Lia86 M
138319.75 (10)		CH <sub>3</sub> CHO	7(1,6)–6(1,5) A	0.14	Sgr B2	BTL	7m	Cum86 Lia86 M
138351.055*(14)		CH <sub>3</sub> CH <sub>2</sub> CN	16(1,16)–15(1,15)	0.15	Sgr B2	BTL	7m	Cum86
U 138652.		unidentified		0.05	IRC+10216	IRAM	30m	Cer87b N

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r(K)$ $/T_a(K)$	Source	Telescope	Astr. ref.	Lab. ref.
138725.845*(8)		C <sub>2</sub> S	24–23	1.6 <sup>f</sup>	IRC+10216	IRAM	30m	Ger87b
138739.309*(29)		<sup>13</sup> CS	3–2	0.5	OriMC-1	MMWO	4.9m	Wil71
138901.77 (70)		<sup>29</sup> SiC <sub>2</sub>	6(2,5)–5(2,4)	n.r.	IRC+10216	IRAM	30m	Cer91b
139483.466*(75)		H <sub>2</sub> CS	4(1,3)–3(1,2)	0.17	rho Oph B1	MMWO	4.9m	Lor84a
139678.6 (10)		<sup>29</sup> SiC <sub>2</sub>	6(4,3)–5(4,2)	n.r.	IRC+10216	IRAM	30m	Cer91b
139681.2 (10)		<sup>29</sup> SiC <sub>2</sub>	6(4,2)–5(4,1)	n.r.	IRC+10216	IRAM	30m	Cer91b
U 139864.8		unidentified		> 0.3	OriMC-1	IRAM	30m	Mau88a
U 139873.4		unidentified		0.18	OriMC-1	IRAM	30m	Mau88a
U 139878.0		unidentified		0.58	OriMC-1	IRAM	30m	Mau88a
U 139880.9		unidentified		0.20	OriMC-1	IRAM	30m	Mau88a
U 139896.5		unidentified		0.08	OriMC-1	IRAM	30m	Mau88a
U 139902.5		unidentified		0.10	OriMC-1	IRAM	30m	Mau88a
U 139907.2		unidentified		0.09	OriMC-1	IRAM	30m	Mau88a
U 139918.6		unidentified		0.16	OriMC-1	IRAM	30m	Mau88a
U 139934.5		unidentified		0.12	OriMC-1	IRAM	30m	Mau88a
U 139944.7		unidentified		0.15	OriMC-1	IRAM	30m	Mau88a
139953.62 *(72)		NH <sub>2</sub> CN	7(0,7)–6(0,6)	0.08	Sgr B2	BTL	7m	Cum86
U 139960.3		unidentified		0.18	OriMC-1	IRAM	30m	Mau88a
U 139967.4		unidentified		0.16	OriMC-1	IRAM	30m	Mau88a
U 139999.9		unidentified		0.17	OriMC-1	IRAM	30m	Mau88a
U 140013.6		unidentified		0.08	OriMC-1	IRAM	30m	Mau88a
U 140019.7		unidentified		0.76	OriMC-1	IRAM	30m	Mau88a
140033.50 (10)		CH <sub>3</sub> OH	unassigned	0.03	Sgr B2	BTL	7m	Cum86
U 140042.1		unidentified		0.06	OriMC-1	IRAM	30m	Mau88a
140047.36 *(5)		HCOOCH <sub>3</sub>	18(2,16)–18(1,17) E	0.20	OriMC-1	IRAM	30m	Mau88a
U 140058.9		unidentified		0.21	OriMC-1	IRAM	30m	Plu86
U 140077.3		unidentified		0.07	OriMC-1	IRAM	30m	Mau88a
U 140083.2		unidentified		0.05	OriMC-1	IRAM	30m	Mau88a
140097.131*(23)		CH <sub>3</sub> CH <sub>2</sub> CN	27(4,23)–27(3,24)	0.47	OriMC-1	IRAM	30m	Mau88a
140118.53 *(10)		HCOOCH <sub>3</sub>	18(2,16)–18(1,17) A	0.30	OriMC-1	IRAM	30m	Mau88a
140127.473*(48)		CH <sub>2</sub> CO	7(1,7)–6(1,6)	0.15	Sgr B2	BTL	7m	Plu84
U 140137.2		unidentified		0.02	OriMC-1	IRAM	30m	N
140141.6 (6)		NH <sub>3</sub>	2(1)–1(1) $v_2=1$	0.11	OriMC-1	IRAM	30m	Sch90
140151.08 (10)		CH <sub>3</sub> OH	18(0)–18(−1) E	0.05	Sgr B2	BTL	7m	Lee68
U 140160.6		unidentified		0.20	OriMC-1	IRAM	30m	Mau88a
U 140166.0		unidentified		0.53	OriMC-1	IRAM	30m	Mau88a
140175.200 (50)		CH <sub>3</sub> OD	4(1)–4(0) A–	5.1 <sup>f</sup>	OriMC-1	IRAM	30m	Mau88
140180.751*(14)		C <sub>2</sub> S	10,11–9,10	1.8 <sup>f</sup>	IRC+10216	IRAM	30m	And88
U 140180.2		unidentified		0.10	OriMC-1	IRAM	30m	Yam90
140194.09 *(10)		HCOOCH <sub>3</sub>	24(4,20)–24(4,21) A	0.15	OriMC-1	IRAM	30m	N
U 140223.0		unidentified		0.26	OriMC-1	IRAM	30m	Plu84
U 140236.6		unidentified		0.12	OriMC-1	IRAM	30m	N
U 140253.6		unidentified		0.16	OriMC-1	IRAM	30m	Mau88a
U 140283.0		unidentified		0.05	OriMC-1	IRAM	30m	Mau88a
140306.164*(9)		SO <sub>2</sub>	6(2,4)–6(1,5)	0.75	OriMC-1	MMWO	4.9m	Pic79
140348.0 *(10)		<sup>33</sup> SO <sub>2</sub>	10(4,6)–11(3,9)	0.13	OriMC-1	IRAM	30m	N
U 140371.5		unidentified		0.29	OriMC-1	IRAM	30m	Mau88a
140423.83 (4)		<sup>13</sup> CH <sub>3</sub> OH	3(1)–2(1) A+	0.05 <sup>b</sup>	Sgr B2	BTL	7m	Haq74
140429.438*(17)		CH <sub>2</sub> CHCN	15(0,15)–14(0,14)	<sup>b</sup>	Sgr B2	BTL	7m	Cum86
U 140687.3 (16)		unidentified		0.07	Sgr B2	BTL	7m	Cum86
140733.941*(22)		CH <sub>3</sub> NC	7–6	1.9	Sgr B2	IRAM	30m	N
140740.379*(4)		HNCS	12(0,12)–11(0,11)	0.05	Sgr B2	BTL	7m	Fre79
140839.518*(7)		H <sub>2</sub> CO	2(1,2)–1(1,1)	4.5	OriMC-1	MMWO	4.9m	Yam79
140877.42 *(70)		NH <sub>2</sub> CN	7(1,6)–6(1,5)	0.05	Sgr B2	BTL	7m	Cum86
U 140902.2 (14)		unidentified		0.07	Sgr B2	BTL	7m	Cum86
140920.17 *(3)		SiC <sub>2</sub>	6(2,5)–5(2,4)	0.123	IRC+10216	BTL	7m	Tha84
140956.2 (5)		<sup>30</sup> SiC <sub>2</sub>	6(2,4)–5(2,3)	0.03	IRC+10216	IRAM	30m	Cer91b
140967.75 (10)		PN	3–2	0.032	OriMC-1	BTL	7m	Wys72
141037.69 *(3)		HCOOCH <sub>3</sub>	12(2,11)–11(2,10) E	0.07	OriMC-1	NRAO	12m	Plu86
141044.31 *(5)		HCOOCH <sub>3</sub>	12(2,11)–11(2,10) A	0.07	OriMC-1	NRAO	12m	Plu84
141061.797*(15)		H <sup>13</sup> CCCN	16–15	0.10	IRC+10216	IRAM	30m	Mik89
141061.797*(15)		H <sup>13</sup> CCCN	16–15	0.07	Sgr B2	BTL	7m	N
141244.02 *(3)		HCOOCH <sub>3</sub>	11(3,8)–10(3,7) E	0.5	OriMC-1	NRAO	11m	Wil81
141260.41 *(10)		HCOOCH <sub>3</sub>	11(3,8)–10(3,7) A	0.4	OriMC-1	NRAO	11m	Plu84
141595.48 (5)		<sup>13</sup> CH <sub>3</sub> OH	3(0)–2(0) E	0.44 <sup>b</sup>	Sgr B2	BTL	7m	M

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r(K)$ $/T_a(K)$	Source	Telescope	Astr. ref.	Lab. ref.
141597.06 (5)		<sup>13</sup> CH <sub>3</sub> OH	3(-1)-2(-1) E	b	Sgr B2	BTL	7m	Cum86 Haq74
141602.53 (4)		<sup>13</sup> CH <sub>3</sub> OH	3(0)-2(0) A+	b	Sgr B2	BTL	7m	Cum86 Haq74
141636.055 (60)		1-C <sub>2</sub> H	$^2\Pi_{1/2} J = 13/2 - 11/2$	0.042	IRC+10216	BTL	7m	Tha85 Tha85
141709.128 (60)		1-C <sub>2</sub> H	$^2\Pi_{1/2} J = 13/2 - 11/2$	0.062	IRC+10216	BTL	7m	Tha85 Tha85
141751.54 *(3)		SiC <sub>2</sub>	6(4,3)-5(4,2)	0.064	IRC+10216	BTL	7m	Tha84 M
141755.41 *(3)		SiC <sub>2</sub>	6(4,2)-5(4,1)	0.064	IRC+10216	BTL	7m	Tha84 M
141783.3 (4)		C <sub>4</sub> H	$^2\Pi_{1/2} J = 29/2 - 27/2 \nu_7 = 1e$	4.60 <sup>f</sup>	IRC+10216	IRAM	30m	Yam87b Yam87b N
141983.748*(6)		H <sub>2</sub> <sup>13</sup> CO	2(0,2)-1(0,1)	0.21	OriMC-1	BTL	7m	Kah84
142138.76 *(12)		Si <sup>13</sup> CC	6(2,4)-5(2,3)	1.0 <sup>f</sup>	IRC+10216	IRAM	30m	Cer91b Cer91b N
142223.7 (3)		C <sub>4</sub> H	$^2\Pi_{1/2} J = 29/2 - 27/2 \nu_7 = 1f$	4.70 <sup>f</sup>	IRC+10216	IRAM	30m	Yam87b Yam87b N
142285.061*(17)		CH <sub>3</sub> CH <sub>2</sub> OH	9(0,9)-8(1,8)	0.14	Sgr B2	BTL	7m	Cum86
142321.60 *(5)		Al <sup>37</sup> Cl	10-9	1.10 <sup>f</sup>	IRC+10216	IRAM	30m	Cer87c N
142346.314*(14)		CH <sub>3</sub> CH <sub>2</sub> CN	16(2,15)-15(2,14)	0.07	Sgr B2	BTL	7m	Cum86
142379.431*(3)		OC <sup>34</sup> S	12-11	0.08	Sgr B2	BTL	7m	Cum86
142399.489*(14)		CH <sub>2</sub> CHCN	15(5,11)-14(5,10)	0.07 <sup>b</sup>	Sgr B2	BTL	7m	Cum86
142399.510*(14)		CH <sub>2</sub> CHCN	15(5,10)-14(5,9)	b	Sgr B2	BTL	7m	Cum86
142401.867*(16)		CH <sub>2</sub> CHCN	15(6)-14(6)	b	Sgr B2	BTL	7m	Cum86
142419.704*(19)		CH <sub>2</sub> CHCN	15(7)-14(7)	0.06 <sup>b</sup>	Sgr B2	BTL	7m	Cum86
142424.454*(13)		CH <sub>2</sub> CHCN	15(4,12)-14(4,11)	b	Sgr B2	BTL	7m	Cum86
142426.506*(13)		CH <sub>2</sub> CHCN	15(4,11)-14(4,10)	b	Sgr B2	BTL	7m	Cum86
142447.936*(21)		CH <sub>2</sub> CHCN	15(8)-14(8)	0.07	Sgr B2	BTL	7m	Cum86
142701.329*(18)		NH <sub>2</sub> CHO	7(1,7)-6(1,6)	0.11	Sgr B2	BTL	7m	Cum86
142733.50 *(3)		HCOOCH <sub>3</sub>	13(1,13)-12(1,12) E	0.05 <sup>b</sup>	Sgr B2	BTL	7m	Cum86 Plu86 M
142735.13 *(10)		HCOOCH <sub>3</sub>	13(1,13)-12(1,12) A	b	Sgr B2	BTL	7m	Cum86 Plu84 M
142768.884*(48)		CH <sub>2</sub> CO	7(1,6)-6(1,5)	0.11	Sgr B2	BTL	7m	Cum86
142807.66 (4)		<sup>13</sup> CH <sub>3</sub> OH	3(1)-2(1) A-	b	Sgr B2	BTL	7m	Cum86 Haq74
142815.44 *(3)		HCOOCH <sub>3</sub>	13(0,13)-12(0,12) E	0.04 <sup>b</sup>	Sgr B2	BTL	7m	Cum86 Plu86 M
142817.02 *(10)		HCOOCH <sub>3</sub>	13(0,13)-12(0,12) A	b	Sgr B2	BTL	7m	Cum86 Plu84 M
143057.058*(28)		SO <sub>2</sub>	16(2,14)-16(1,15)	0.57	OriMC-1	MMWO	4.9m	Pic79
143061.65 (40)		<sup>29</sup> SiC <sub>2</sub>	6(2,4)-5(2,3)	n.r.	IRC+10216	IRAM	30m	Cer91b Cer91b N
143237.44 *(8)		NaCl	11-10	1.47 <sup>f</sup>	IRC+10216	IRAM	30m	Cer87c N
143424.39 (20)		C <sub>4</sub> H	$^2\Sigma J = 15 - 14 \nu_7 = 2 L$	0.2	IRC+10216	IRAM	30m	Gué87a Gué87a N
143446.3 (3)		C <sub>4</sub> H	$^2\Pi_{3/2} J = 31/2 - 29/2 \nu_7 = 1e$	0.25	IRC+10216	IRAM	30m	Gué87a Yam87b N
U 143474.0		unidentified		1.2	OMC-IRc2	IRAM	30m	Jac90 N
143479.18 *(3)		CH <sub>3</sub> CH <sub>2</sub> CN	16(14,2)-15(14,1)	b	OMC-IRc2	IRAM	30m	Jac90 N
143479.18 *(3)		CH <sub>3</sub> CH <sub>2</sub> CN	16(14,3)-15(14,2)	0.7 <sup>b</sup>	OMC-IRc2	IRAM	30m	Jac90 N
143480.41 (20)		C <sub>4</sub> H	$^2\Sigma J = 15 - 14 \nu_7 = 2 L$	0.2	IRC+10216	IRAM	30m	Gué87a Gué87a N
143506.98 *(1)		CH <sub>3</sub> CH <sub>2</sub> CN	16(4,13)-15(4,12)	4.3	OMC-IRc2	IRAM	30m	Jac90 N
143519.11 *(3)		CH <sub>3</sub> CH <sub>2</sub> CN	16(15,2)-15(15,1)	b	OMC-IRc2	IRAM	30m	Jac90 N
143519.11 *(3)		CH <sub>3</sub> CH <sub>2</sub> CN	16(15,1)-15(15,0)	0.6 <sup>b</sup>	OMC-IRc2	IRAM	30m	Jac90 N
143524.885*(9)		DC <sub>3</sub> N	17-16	1.5	OMC-IRc2	IRAM	30m	Jac90 N
143529.203*(14)		CH <sub>3</sub> CH <sub>2</sub> CN	16(3,14)-15(3,13)	4.1	OMC-IRc2	IRAM	30m	Jac90 N
143535.295*(13)		CH <sub>3</sub> CH <sub>2</sub> CN	16(4,12)-15(4,11)	4.4	OMC-IRc2	IRAM	30m	Jac90 N
143565.14 *(20)		NH <sub>2</sub> CHO	24(6,19)-25(5,20)	1.0	OMC-IRc2	IRAM	30m	Jac90 N
143570.318*(4)		DNCO	7(1,6)-6(1,5)	0.7	OMC-IRc2	IRAM	30m	Jac90 N
U 143577.8		unidentified		1.1	OMC-IRc2	IRAM	30m	Jac90 N
U 143589.9		unidentified		0.6	OMC-IRc2	IRAM	30m	Jac90 N
143599.44 *(16)		CH <sub>3</sub> OCH <sub>3</sub>	7(3,4)-7(2,5) AE	0.9	OMC-IRc2	IRAM	30m	Jac90 N
143600.16 *(13)		CH <sub>3</sub> OCH <sub>3</sub>	7(3,4)-7(2,5) EA	1.3	OMC-IRc2	IRAM	30m	Jac90 N
143603.06 *(7)		CH <sub>3</sub> OCH <sub>3</sub>	7(3,4)-7(2,5) EE	2.9	OMC-IRc2	IRAM	30m	Jac90 N
143603.06 *(14)		CH <sub>3</sub> OCH <sub>3</sub>	7(3,4)-7(2,5) EE	0.08	Sgr B2	BTL	7m	Cum86
143606.30 *(7)		CH <sub>3</sub> OCH <sub>3</sub>	7(3,4)-7(2,5) AA	2.1	OMC-IRc2	IRAM	30m	Jac90 N
U 143617.5		unidentified		1.7	OMC-IRc2	IRAM	30m	Jac90 N
U 143627.7		unidentified		0.8	OMC-IRc2	IRAM	30m	Jac90 N
U 143642.2		unidentified		0.5	OMC-IRc2	IRAM	30m	Jac90 N
U 143646.6		unidentified		0.4	OMC-IRc2	IRAM	30m	Jac90 N
U 143652.4		unidentified		0.3	OMC-IRc2	IRAM	30m	Jac90 N
143663.780*(59)		SO <sub>2</sub>	6(2,4)-6(1,5) $\nu_2 = 1$	0.4	OMC-IRc2	IRAM	30m	Jac90 N
U 143682.5		unidentified		0.7	OMC-IRc2	IRAM	30m	Jac90 N
143707.45 *(22)		HCOOCH <sub>3</sub>	23(2,21)-24(1,24) A	0.3	OMC-IRc2	IRAM	30m	Jac90 N
143727.210 (37)		HDO	4(2,2)-4(2,3)	2.6	OMC-IRc2	IRAM	30m	Jac90 And88 N
143741.650 (50)		CH <sub>3</sub> OD	5(1)-5(0) A-	6.6 <sup>f</sup>	OriMC-1	IRAM	30m	Mau88 N
143759.252*(16)		CH <sub>2</sub> CHCN	15(2,13)-14(2,12)	1.2	OMC-IRc2	IRAM	30m	Jac90 N
143764.973*(5)		HC <sub>5</sub> N	54-53	0.3	OMC-IRc2	IRAM	30m	Jac90 N
U 143768.4 (15)		unidentified		0.07 <sup>f</sup>	Sgr B2	BTL	7m	Cum86

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r(K)$ $/T_a(K)$	Source	Telescope	Astr. ref.	Lab. ref.
U143772.3		unidentified		0.8	OMC-IRc2	IRAM	30m	Jac90
U143784.1		unidentified		0.3	OMC-IRc2	IRAM	30m	Jac90
143795.84 * (24)		$^{33}\text{SO}_2$	4(2,2) – 4(1,3)	0.5	OMC-IRc2	IRAM	30m	Jac90
U143829.2		unidentified		0.8	OMC-IRc2	IRAM	30m	Jac90
143850.41 * (10)		$\text{HCOOCH}_3$	18(3,16) – 18(2,17) A	0.3	OMC-IRc2	IRAM	30m	Jac90
143865.79 (10)		$\text{CH}_3\text{OH}$	3(1) – 2(1) A +	1.27	Sgr B2	BTL	7m	Cum86
143870.0 (3)		$\text{C}_2\text{H}$	$^2\Pi_{3/2} J = 31/2 - 29/2 \nu_7 = 1f$	5.10 <sup>f</sup>	IRC + 10216	IRAM	30m	Yam87b
143880.12 * (54)		$\text{H}^{13}\text{COOH}$	7(3,4) – 8(2,7)	0.7	OMC-IRc2	IRAM	30m	Jac90
144077.321* (23)		$\text{DCO}^+$	2 – 1	0.3	OriMC-1	MMWO	4.9m	Gu67a
144241.96 (3)		$\text{DC}_2\text{D}$	$2 - 1 J = 5/2 - 3/2 F = 7/2 - 5/2$	0.13 <sup>b</sup>	OriMC-1	BTL	7m	Vrt85
144243.05 (3)		$\text{DC}_2\text{D}$	$2 - 1 J = 5/2 - 3/2 F = 5/2 - 3/2$	<sup>b</sup>	OriMC-1	BTL	7m	Vrt85
144243.05 (3)		$\text{DC}_2\text{D}$	$2 - 1 J = 5/2 - 3/2 F = 3/2 - 1/2$	<sup>b</sup>	OriMC-1	BTL	7m	Vrt85
144244.836* (12)		$\text{C}_2\text{S}$	12,11 – 11,10	0.13	Sgr B2	NRAO	11m	Hol81
144296.72 (8)		$\text{DC}_2\text{D}$	$2 - 1 J = 3/2 - 1/2 F = 5/2 - 3/2$	0.09	OriMC-1	BTL	7m	Vrt85
144504.990* (8)		$\text{C}_3\text{S}$	25 – 24	1.4 <sup>f</sup>	IRC + 10216	IRAM	30m	Cer87b
144617.147* (19)		$\text{C}^{34}\text{S}$	3 – 2	1.2	OriMC-1	MMWO	4.9m	Wil76a
144826.573* (2)		$\text{DCN}$	$2 - 1 F' = 2 - 2$	<sup>b</sup>	OriMC-1	MMWO	4.9m	Pen77
144826.8097 (10)		$\text{DCN}$	$2 - 1 F' = 1 - 0 F = 2 - 1$	<sup>b</sup>	OriMC-1	MMWO	4.9m	Pen77
144826.8414 (10)		$\text{DCN}$	$2 - 1 F' = 1 - 0 F = 1 - 1$	<sup>b</sup>	OriMC-1	MMWO	4.9m	Pen77
144828.000* (2)		$\text{DCN}$	$2 - 1 F' = 2 - 1$	0.9 <sup>b</sup>	OriMC-1	MMWO	4.9m	Pen77
144828.109* (2)		$\text{DCN}$	$2 - 1 F' = 3 - 2$	<sup>b</sup>	OriMC-1	MMWO	4.9m	Pen77
144830.336* (2)		$\text{DCN}$	$2 - 1 F' = 1 - 1$	<sup>b</sup>	OriMC-1	MMWO	4.9m	DeL69
U145075.9 (5)		unidentified		0.25	OriMC-1	NRAO	11m	Hol81
145093.75 (10)		$\text{CH}_3\text{OH}$	3(0) – 2(0) E	1.25	OriMC-1	NRAO	11m	Kut73
145097.47 (10)		$\text{CH}_3\text{OH}$	3(–1) – 2(–1) E	1.45	OriMC-1	NRAO	11m	Kut73
145103.23 (10)		$\text{CH}_3\text{OH}$	3(0) – 2(0) A +	1.35	OriMC-1	NRAO	11m	Kut73
145124.41 (10)		$\text{CH}_3\text{OH}$	3(2) – 2(2) A –	1.45 <sup>b</sup>	OriMC-1	NRAO	11m	Kut73
145126.37 (10)		$\text{CH}_3\text{OH}$	3(2) – 2(2) E, 3(–2) – 3(–2) E	<sup>b</sup>	OriMC-1	NRAO	11m	Kut73
145131.88 (10)		$\text{CH}_3\text{OH}$	3(1) – 2(1) E	1.25 <sup>b</sup>	OriMC-1	NRAO	11m	Kut73
145133.46 (10)		$\text{CII}_3\text{OII}$	3(2) – 2(2) A +	<sup>b</sup>	OriMC-1	NRAO	11m	Kut73
145136.95 * (17)		$\text{Si}^{13}\text{CC}$	6(1,5) – 5(1,5)	0.9 <sup>f</sup>	IRC + 10216	IRAM	30m	Cer91b
145226.96 * (13)		$\text{SiS}$	8 – 7	0.25	IRC + 10216	BTL	7m	Hen85
145325.85 * (5)		$\text{SiC}_2$	6(2,4) – 5(2,3)	n.r.	IRC + 10216	IRAM	30m	Cer91b
145418.035* (14)		$\text{CH}_3\text{CH}_2\text{CN}$	16(1,15) – 15(1,14)	0.1	OriMC-1	BTL	7m	Woo84
145560.946* (2)		$\text{HC}_3\text{N}$	16 – 15	0.8	Sgr B2	MMWO	4.9m	Mor77
145602.953* (10)		$\text{H}_2\text{CO}$	2(0,2) – 1(0,1)	1.9	OriMC-1	NRAO	11m	Tha71
145680.54 * (14)		$\text{CH}_3\text{OCH}_3$	5(3,2) – 5(2,3) EE	0.1	OriMC-1	BTL	7m	Woo84
145744.62 * (5)		$\text{AlCl}$	10 – 9	2.42 <sup>f</sup>	IRC + 10216	IRAM	30m	Cer87c
145755.620* (50)		$\text{C}^{33}\text{S}$	$3 - 2 F = 9/2 - 7/2$	0.2 <sup>b</sup>	OriMC-1	MMWO	4.9m	Wil76a
145755.620* (50)		$\text{C}^{33}\text{S}$	$3 - 2 F = 7/2 - 5/2$	<sup>b</sup>	OriMC-1	MMWO	4.9m	Wil76a
145756.500* (50)		$\text{C}^{33}\text{S}$	$3 - 2 F = 5/2 - 3/2$	<sup>b</sup>	OriMC-1	MMWO	4.9m	Wil76a
145756.500* (50)		$\text{C}^{33}\text{S}$	$3 - 2 F = 3/2 - 1/2$	<sup>b</sup>	OriMC-1	MMWO	4.9m	Wil76a
145766.14 (10)		$\text{CH}_3\text{OH}$	16(0) – 16(–1) E	0.4	OriMC-1	BTL	7m	Woo84
145946.812 (2)		$\text{OCS}$	12 – 11	0.45	Sgr B2	NRAO	11m	Sol73
146003.33 * (15)		$\text{KCl}$	19 – 18	0.39 <sup>f</sup>	IRC + 10216	IRAM	30m	Cer87c
146635.675* (6)		$\text{H}_2^{13}\text{CO}$	2(1,1) – 1(1,0)	n.r.	OriMC-1	MMWO	4.9m	Wan76
146876.061 (9)		$\text{H}_2\text{CCC}$	7(1,6) – 6(1,5)	0.082	TMC-1	IRAM	30m	Cer91
U146932.5 (10)		unidentified		0.6	OriMC-1	NRAO	11m	Hol81
146969.049* (23)		$\text{CS}$	3 – 2	8.1	OriMC-1	MMWO	4.9m	Lis75
146977.67 * (3)		$\text{HCOOCH}_3$	12(3,10) – 11(3,9) E	< 0.08	OriMC-1	MMWO	4.9m	Lor84
146988.03 * (10)		$\text{HCOOCH}_3$	12(3,10) – 11(3,9) A	0.11	OriMC-1	MMWO	4.9m	Plu84
147024.94 * (2)		$\text{CH}_3\text{OCH}_3$	7(1,6) – 6(0,6) EE	0.20	OriMC-1	MMWO	4.9m	Lor84
147072.609* (4)		$\text{CH}_3\text{CN}$	8(6) – 7(6)	0.08	OriMC-1	MMWO	4.9m	Lor84
147103.744* (3)		$\text{CH}_3\text{CN}$	8(5) – 7(5)	0.12	OriMC-1	MMWO	4.9m	Lor84
147129.236* (2)		$\text{CH}_3\text{CN}$	8(4) – 7(4)	0.16	OriMC-1	MMWO	4.9m	Lor84
147149.073* (2)		$\text{CH}_3\text{CN}$	8(3) – 7(3)	0.32	OriMC-1	MMWO	4.9m	Lor84
147163.248* (2)		$\text{CH}_3\text{CN}$	8(2) – 7(2)	0.34	OriMC-1	MMWO	4.9m	Lor84
147171.756* (2)		$\text{CH}_3\text{CN}$	8(1) – 7(1)	0.50	OriMC-1	MMWO	4.9m	Lor84
147174.592* (2)		$\text{CH}_3\text{CN}$	8(0) – 7(0)	0.54	OriMC-1	MMWO	4.9m	Lor84
U147243.		unidentified		0.12	OriMC-1	MMWO	4.9m	Lor84
148221.42 (12)		$\text{HCNH}^+$	2 – 1	0.09 <sup>b</sup>	Sgr B2	MWO	4.9m	Ziu86a
148223.144* (27)		$\text{NH}_2\text{CHO}$	7(2,6) – 6(2,5)	<sup>b</sup>	Sgr B2	MWO	4.9m	Ziu86a
148359.772 (50)		$\text{CH}_3\text{OD}$	6(0) – 5(1) A +	3.3 <sup>f</sup>	OriMC-1	IRAM	30m	Mau88
150141.68 (10)		$\text{CH}_3\text{OH}$	14(0) – 14(–1) E	0.86	OriMC-1	FCRAO	14m	Ziu91
U150164.0		unidentified		0.12	OriMC-1	FCRAO	14m	Lee68

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r(K)$	Source	Telescope	Astr. ref.	Lab. ref.
				$/T_a(K)$				
150176.48 (4)	NO		$^2\Pi_{1/2} J = 3/2 - 1/2 F = 5/2 - 3/2(- + )$	0.25	Sgr B2	NRAO	11m	Lis78a Poy80
150198.76 (4)	NO		$^2\Pi_{1/2} J = 3/2 - 1/2 F = 3/2 - 1/2(- + )$	0.03	OriMC-1	FCRAO	14m	Ziu91 Poy80 N
150218.73 (4)	NO		$^2\Pi_{1/2} J = 3/2 - 1/2 F = 3/2 - 3/2(- + )$	0.03 <sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91 Poy80 N
150225.66 (4)	NO		$^2\Pi_{1/2} J = 3/2 - 1/2 F = 1/2 - 1/2(- + )$	<sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91 Poy80 N
U 150328.0 (10)	unidentified			0.14	Sgr B2	NRAO	11m	Hol81
150381.139*(20)	SO <sub>2</sub>		15(5,11) - 16(4,12)	0.25	Sgr B2	NRAO	11m	Hol80a
150415.344*(49)	CH <sub>3</sub> CH <sub>2</sub> CN		27(1,26) - 27(0,27)	0.03	OriMC-1	FCRAO	14m	Ziu91a
150439.12 (4)	NO		$^2\Pi_{1/2} J = 3/2 - 1/2 F = 3/2 - 3/2(+ - )$	0.15	OriMC-1	NRAO	11m	Hol80a Poy80
150449.24 *(5)	HCOOCH <sub>3</sub>		12(6,6) - 12(5,7) E	0.03	OriMC-1	FCRAO	14m	Ziu91a Plu86 N
150498.339*(7)	H <sub>2</sub> CO		2(1,1) - 1(1,0)	2.7	OriMC-1	NRAO	11m	Tha71
150546.52 (4)	NO		$^2\Pi_{1/2} J = 3/2 - 1/2 F = 5/2 - 3/2(+ - )$	0.25	Sgr B2	NRAO	11m	Lis78a Poy80
U 150594.5	unidentified			0.12	OriMC-1	FCRAO	14m	Ziu91
150600.78 *(3)	HCOOCH <sub>3</sub>		12(4,8) - 11(4,7) E	0.2	OriMC-1	BTL	7m	Woo84 Plu86 M
150618.27 *(10)	HCOOCH <sub>3</sub>		12(4,8) - 11(4,7) A	0.2	OriMC-1	BTL	7m	Woo84 Plu84 M
150636.87 *(7)	HCOOCH <sub>3</sub>		12(6,7) - 12(5,8) A	0.04 <sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a N
150644.34 (4)	NO		$^2\Pi_{1/2} J = 3/2 - 1/2 F = 3/2 - 1/2(+ - )$	<sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91 Poy80 N
U 150724.0	unidentified			0.09	OriMC-1	FCRAO	14m	Ziu91a
U 150736.0	unidentified			0.04	OriMC-1	FCRAO	14m	Ziu91a
150798.14 *(4)	HCOOCH <sub>3</sub>		26(18,8) - 27(17,11) A	0.1 <sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a N
150798.14 *(4)	HCOOCH <sub>3</sub>		26(18,9) - 27(17,10) A	<sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a N
150820.669*(6)	C <sub>3</sub> H <sub>2</sub>		4(0,4) - 3(1,3)	0.3	Sgr B2	NRAO	11m	Hol83a Vrt87 M
150851.901*(6)	C <sub>3</sub> H <sub>2</sub>		4(1,4) - 3(0,3)	0.3	Sgr B2	NRAO	11m	Hol83a Vrt87 M
150884.58 (10)	CH <sub>3</sub> OH		12(-1) - 11(-2) E n,t	1.5	Sgr B2	NRAO	11m	Sny80 Lee68
150981.85 *(10)	HCOOCH <sub>3</sub>		22(6,17) - 22(5,18) A	0.05	OriMC-1	FCRAO	14m	Ziu91a N
150992.22 *(25)	CH <sub>3</sub> OCH <sub>3</sub>		10(3,8) - 10(2,9) EA	0.24 <sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a N
150992.30 *(24)	CH <sub>3</sub> OCH <sub>3</sub>		10(3,8) - 10(2,9) AE	<sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a N
150995.52 *(17)	CH <sub>3</sub> OCH <sub>3</sub>		10(3,8) - 10(2,9) EE	0.32	OriMC-1	FCRAO	14m	Ziu91a N
150998.77 *(10)	CH <sub>3</sub> OCH <sub>3</sub>		10(3,8) - 10(2,9) AA	0.30	OriMC-1	FCRAO	14m	Ziu91a N
151008.75 *(3)	HCOOCH <sub>3</sub>		11(6,6) - 11(5,7) E	0.07	OriMC-1	FCRAO	14m	Ziu91a Plu86 N
151009.21 *(7)	HCOOCH <sub>3</sub>		11(6,6) - 11(5,7) A	0.12	OriMC-1	FCRAO	14m	Ziu91a N
151036.02 *(5)	HCOOCH <sub>3</sub>		11(6,5) - 11(5,6) E	0.07	OriMC-1	FCRAO	14m	Ziu91a Plu86 N
151127.254*(14)	CH <sub>3</sub> CH <sub>2</sub> CN		17(2,16) - 16(2,15)	0.22	OriMC-1	FCRAO	14m	Ziu91a N
U 151283.5	unidentified			0.1	OriMC-1	FCRAO	14m	Ziu91a N
U 151305.5	unidentified			0.05	OriMC-1	FCRAO	14m	Ziu91a N
151356.955*(17)	CH <sub>2</sub> CHCN		16(2,15) - 15(2,14)	0.03	OriMC-1	FCRAO	14m	Ziu91a N
151378.667*(8)	SO <sub>2</sub>		2(2,0) - 2(1,1)	0.32	rho Oph A	MMWO	4.9m	Lor85
151496.05 *(7)	HCOOCH <sub>3</sub>		10(6,5) - 10(5,6) A	0.035	OriMC-1	FCRAO	14m	Ziu91a N
151510.97 *(8)	CH <sub>3</sub> OCH <sub>3</sub>		14(2,12) - 13(3,11) AA	<sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a N
151513.41 *(26)	CH <sub>3</sub> OCH <sub>3</sub>		14(2,12) - 13(3,11) EE	0.15 <sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a N
151515.85 *(45)	CH <sub>3</sub> OCH <sub>3</sub>		14(2,12) - 13(3,11) AE	<sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a N
151515.86 *(45)	CH <sub>3</sub> OCH <sub>3</sub>		14(2,12) - 13(3,11) EA	<sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a N
151589.90 (8)	CH <sub>3</sub> CHO		6(1,6) - 5(0,5) E	<sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a Lia86 N
151591.05 *(43)	CH <sub>3</sub> OCH <sub>3</sub>		14(2,13) - 14(1,14) AE + EA	<sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a N
151594.12 *(34)	CH <sub>3</sub> OCH <sub>3</sub>		14(2,13) - 14(1,14) EE	0.18 <sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a N
151597.18 *(25)	CH <sub>3</sub> OCH <sub>3</sub>		14(2,13) - 14(1,14) AA	<sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a N
151616.190 (26)	HDO		7(3,4) - 7(3,5)	0.2	OMC-IRC2	IRAM	30m	Jac90 Del71 N
151860.32 (10)	CH <sub>3</sub> OH		13(0) - 13(-1) E	0.48	OriMC-1	FCRAO	14m	Ziu91a Lee68 N
151899.098*(10)	CH <sub>2</sub> CHCN		16(6,11) - 15(6,10)	<sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a N
151899.098*(10)	CH <sub>2</sub> CHCN		16(6,10) - 15(6,9)	<sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a N
151900.311*(8)	CH <sub>2</sub> CHCN		16(5,12) - 15(5,11)	0.08 <sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a N
151900.349*(8)	CH <sub>2</sub> CHCN		16(5,11) - 15(5,10)	<sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a N
151915.903*(11)	CH <sub>2</sub> CHCN		16(7,9) - 15(7,8)	0.07 <sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a N
151915.903*(11)	CH <sub>2</sub> CHCN		16(7,10) - 15(7,9)	<sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a N
151933.627*(7)	CH <sub>2</sub> CHCN		16(4,13) - 15(4,12)	<sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a N
151936.870*(7)	CH <sub>2</sub> CHCN		16(4,12) - 15(4,11)	0.05 <sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a N
151950.04 *(3)	HCOOCH <sub>3</sub>		13(2,12) - 12(2,11) E	0.25	OriMC-1	FCRAO	14m	Ziu91a Plu86 N
151956.459*(54)	HCOOCH <sub>3</sub>		13(2,12) - 12(2,11) A	0.21	OriMC-1	FCRAO	14m	Ziu91a N
151986.775*(8)	CH <sub>2</sub> CHCN		16(3,14) - 15(3,13)	0.04	OriMC-1	FCRAO	14m	Ziu91a N
U 151993.	unidentified			0.05	OriMC-1	FCRAO	14m	Ziu91a N
152243.735*(3)	HNCS		13(1,13) - 12(1,12)	0.05 <sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a N
152297.846*(14)	CH <sub>3</sub> CH <sub>2</sub> CN		17(8,9) - 16(8,8)	0.19 <sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a N
152297.846*(14)	CH <sub>3</sub> CH <sub>2</sub> CN		17(8,10) - 16(8,9)	<sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a N
152303.836*(13)	CH <sub>3</sub> CH <sub>2</sub> CN		17(7,11) - 16(7,10)	0.3 <sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a N
152303.836*(13)	CH <sub>3</sub> CH <sub>2</sub> CN		17(7,10) - 16(7,9)	<sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a N
152304.648*(13)	CH <sub>3</sub> CH <sub>2</sub> CN		17(9,8) - 16(9,7)	<sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a N

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r(K)$ $/T_a(K)$	Source	Telescope	Astr. ref.	Lab. ref.
152304.648*(13)		$\text{CH}_3\text{CH}_2\text{CN}$	17(9,9)–16(9,8)	b	OriMC-1	FCRAO	14m	Ziu91a
152320.512*(12)		$\text{CH}_3\text{CH}_2\text{CN}$	17(10,8)–16(10,7)	b	OriMC-1	FCRAO	14m	Ziu91a
152320.512*(12)		$\text{CH}_3\text{CH}_2\text{CN}$	17(10,7)–16(10,6)	0.1	OriMC-1	FCRAO	14m	Ziu91a
152329.873*(12)		$\text{CH}_3\text{CH}_2\text{CN}$	17(6,12)–16(6,11)	0.16 <sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a
152329.893*(12)		$\text{CH}_3\text{CH}_2\text{CN}$	17(6,11)–16(6,10)	b	OriMC-1	FCRAO	14m	Ziu91a
152332.614*(36)		$\text{CH}_2\text{CHCN}$	24(1,23)–23(2,22)	0.06	OriMC-1	FCRAO	14m	Ziu91a
152343.346*(20)		$\text{CH}_3\text{CH}_2\text{CN}$	17(11,7)–16(11,6)	0.09 <sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a
152343.346*(20)		$\text{CH}_3\text{CH}_2\text{CN}$	17(11,6)–16(11,5)	b	OriMC-1	FCRAO	14m	Ziu91a
U 152366.0		unidentified		0.05	OriMC-1	FCRAO	14m	Ziu91a
152371.904*(22)		$\text{CH}_3\text{CH}_2\text{CN}$	17(12,6)–16(12,5)	b	OriMC-1	FCRAO	14m	Ziu91a
152371.904*(22)		$\text{CH}_3\text{CH}_2\text{CN}$	17(12,5)–16(12,4)	0.08 <sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a
152383.32 *(11)		$\text{CH}_3\text{CH}_2\text{OH}$	15(3,13)–15(2,14)	0.03	OriMC-1	FCRAO	14m	Ziu91a
152391.262*(12)		$\text{CH}_3\text{CH}_2\text{CN}$	17(5,13)–16(5,12)	0.24 <sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a
152391.465*(12)		$\text{CH}_3\text{CH}_2\text{CN}$	17(5,12)–16(5,11)	b	OriMC-1	FCRAO	14m	Ziu91a
152405.398*(25)		$\text{CH}_3\text{CH}_2\text{CN}$	17(13,5)–16(13,4)	0.07 <sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a
152405.398*(25)		$\text{CH}_3\text{CH}_2\text{CN}$	17(13,4)–16(13,3)	b	OriMC-1	FCRAO	14m	Ziu91a
152436.69 *(22)		$\text{CH}_3\text{CH}_2\text{OH}$ ?	20(3,18)–19(4,15)	0.06	OriMC-1	FCRAO	14m	Ziu91a
152443.14 (10)		$\text{CH}_3\text{OH}$	14(–3)–13(–4) E	0.3	OriMC-1	FCRAO	14m	Ziu91a
152485.281*(30)		$\text{CH}_3\text{CH}_2\text{CN}$	17(15,2)–16(15,1)	0.05 <sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a
152485.281*(30)		$\text{CH}_3\text{CH}_2\text{CN}$	17(15,3)–16(15,2)	b	OriMC-1	FCRAO	14m	Ziu91a
152505.410*(13)		$\text{CH}_3\text{CH}_2\text{CN}$	17(3,15)–16(3,14)	0.18	OriMC-1	FCRAO	14m	Ziu91a
152509.621*(13)		$\text{CH}_3\text{CH}_2\text{CN}$	17(3,14)–16(3,13)	0.19	OriMC-1	FCRAO	14m	Ziu91a
U 152514.5		unidentified		0.1	OriMC-1	FCRAO	14m	Ziu91a
U 152525.0		unidentified		0.04	OriMC-1	FCRAO	14m	Ziu91a
152552.918*(13)		$\text{CH}_3\text{CH}_2\text{CN}$	17(4,13)–16(4,12)	0.24	OriMC-1	FCRAO	14m	Ziu91a
U 152579.5		unidentified		0.07	OriMC-1	FCRAO	14m	Ziu91a
152598.05 *(9)		$\text{HCOOCH}_3$	17(2,16)–17(1,17) A	0.07 <sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a
152607.625 (80)		$\text{CH}_3\text{CHO}$	8(0,8)–7(0,7) E	b	OriMC-1	FCRAO	14m	Ziu91a
152609.774 (50)		DNC	2–1	0.13 <sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a
152609.774 (50)		DNC	2–1	0.5 <sup>b</sup>	L134	MMWO	4.9m	Snc77 Crc76
U 152621.5		unidentified		0.08	OriMC-1	FCRAO	14m	Ziu91a
152635.07 (8)		$\text{CH}_3\text{CHO}$	8(0,8)–7(0,7) A	0.06	OriMC-1	FCRAO	14m	Ziu91a
U 152651.5		unidentified		0.04	OriMC-1	FCRAO	14m	Ziu91a
152656.779*(22)		$\text{CH}_3\text{CH}_2\text{OH}$ ?	4(2,2)–3(1,3)	0.05	OriMC-1	FCRAO	14m	Ziu91a
152669.521*(21)		$\text{CH}_3\text{CH}_2\text{CN}$	22(4,18)–22(3,19)	0.04 <sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a
U 152678.		unidentified		b	OriMC-1	FCRAO	14m	Ziu91a
152708.51 (10)		$\text{CH}_3\text{OH}$	9(4)–10(3) A–	0.35	OriMC-1	FCRAO	14m	Ziu91a
152741.31 (10)		$\text{CH}_3\text{OH}$	9(4)–10(3) A+	0.26	OriMC-1	FCRAO	14m	Ziu91a
152828.29 *(27)		$\text{CH}_3\text{OCH}_3$	11(3,9)–11(2,10) EA	b	OriMC-1	FCRAO	14m	Ziu91a
152828.33 *(27)		$\text{CH}_3\text{OCH}_3$	11(3,9)–11(2,10) AE	b	OriMC-1	FCRAO	14m	Ziu91a
152831.48 *(20)		$\text{CH}_3\text{OCH}_3$	11(3,9)–11(2,10) EE	0.1 <sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a
152834.67 *(12)		$\text{CH}_3\text{OCH}_3$	11(3,9)–11(2,10) AA	b	OriMC-1	FCRAO	14m	Ziu91a
152883.57 *(46)		$\text{CH}_3\text{OCH}_3$	11(7,5)–12(6,6) EA	b	OriMC-1	FCRAO	14m	Ziu91a
152887.69 *(40)		$\text{CH}_3\text{OCH}_3$	11(7,5)–12(6,6) EE	0.07 <sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a
152889.04 *(43)		$\text{CH}_3\text{OCH}_3$	11(7,5)–12(6,6) AE	b	OriMC-1	FCRAO	14m	Ziu91a
152889.07 *(43)		$\text{CH}_3\text{OCH}_3$	11(7,4)–12(6,7) AE	b	OriMC-1	FCRAO	14m	Ziu91a
152891.85 *(35)		$\text{CH}_3\text{OCH}_3$	11(7,5)–12(6,6) AA	b	OriMC-1	FCRAO	14m	Ziu91a
152891.88 *(35)		$\text{CH}_3\text{OCH}_3$	11(7,4)–12(6,7) AA	b	OriMC-1	FCRAO	14m	Ziu91a
152893.19 *(41)		$\text{CH}_3\text{OCH}_3$	11(7,4)–12(6,7) EE	b	OriMC-1	FCRAO	14m	Ziu91a
152894.51 *(47)		$\text{CH}_3\text{OCH}_3$	11(7,4)–12(6,7) EA	b	OriMC-1	FCRAO	14m	Ziu91a
152898.202*(78)		$\text{CH}_2\text{CHCN}$	16(4,13)–17(3,14)	0.02	OriMC-1	FCRAO	14m	Ziu91a
152953.73 *(11)		$^{34}\text{SO}_2$	9(4,6)–10(3,7)	0.06	OriMC-1	FCRAO	14m	Ziu91a
152986.00 (20)		$\text{C}_4\text{H}$	$^2\Sigma J=16-15 \nu_7=2$ L	n.r.	IRC+10216	IRAM	30m	Gué87a
U 152989.5		unidentified		0.095	OriMC-1	FCRAO	14m	Ziu91a
153015.07 *(8)		$^{34}\text{SO}_2$	3(2,2)–3(1,3)	0.08	OriMC-1	FCRAO	14m	Ziu91a
U 153026.0		unidentified		0.06	OriMC-1	FCRAO	14m	Ziu91a
153041.88 (20)		$\text{C}_4\text{H}$	$^2\Sigma J=16-15 \nu_7=2$ U	n.r.	IRC+10216	IRAM	30m	Gué87a
153054.97 *(3)		$\text{CH}_3\text{OCH}_3$	9(0,9)–8(1,8) EE	0.39	Sgr B2	NRAO	11m	Mer82
U 153064.5		unidentified		0.045	OriMC-1	FCRAO	14m	Ziu91a
U 153070.5		unidentified		0.04	OriMC-1	FCRAO	14m	Ziu91a
U 153106.1		unidentified		0.04	OriMC-1	FCRAO	14m	Ziu91a
U 153129.1		unidentified		0.05	OriMC-1	FCRAO	14m	Ziu91a
153179.33 *(13)		HDS	2(1,1)–2(1,2)	0.39	OriMC-1	FCRAO	14m	Min90
153272.217*(13)		$\text{CH}_3\text{CH}_2\text{CN}$	17(3,14)–16(3,13)	0.17	OriMC-1	FCRAO	14m	Ziu91a
153281.24 (10)		$\text{CH}_3\text{OH}$	12(0)–12(–1) E2	0.78	OriMC-1	FCRAO	14m	Lee68 N

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r(K)$ $/T_a(K)$	Source	Telescope	Astr. ref.	Lab. ref.
153290.31 *( 5)		HCOOCH <sub>3</sub>	14(0,14)–13(1,13) A	0.19 <sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a N
153291.946*( 6)		HNCO	7(1,7)–6(1,6)	<sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a N
153323.998 (50)		CH <sub>3</sub> OD	7(1)–7(0) A–	7.6 <sup>f</sup>	OriMC-1	IRAM	30m	Mau88 And88 N
153351.86 *( 6)		HCOOCH <sub>3</sub>	14(1,14)–13(1,13) A	0.26 <sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a N
153353.86 *(16)		HCOOCH <sub>3</sub>	19(3,17)–19(2,18) A	<sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a N
U 153386.6		unidentified		0.14	OriMC-1	FCRAO	14m	Ziu91a N
153399.21 *( 6)		HCOOCH <sub>3</sub>	14(0,14)–13(0,13) A	0.32	OriMC-1	FCRAO	14m	Ziu91a N
153432.18 *( 2)		NH <sub>2</sub> CHO	7(1,6)–6(1,5)	0.15	Sgr B2	NRAO	11m	Hol83a N
153460.76 *( 6)		HCOOCH <sub>3</sub>	14(1,14)–13(0,13) A	0.1	OriMC-1	FCRAO	14m	Ziu91a N
U 153487.5 ( 5)		unidentified		0.13	Sgr B2	NRAO	11m	Hol81 N
U 153487.6		unidentified		0.08	OriMC-1	FCRAO	14m	Ziu91a N
153512.66 *( 3)		HCOOCH <sub>3</sub>	13(1,12)–12(1,11) E	0.1	OriMC-1	NRAO	11m	Hol83a Plu86 M
153518.69 *( 5)		HCOOCH <sub>3</sub>	13(1,12)–12(1,11) A	0.13	OriMC-1	NRAO	11m	Hol83a Plu84 M
153553.25 *( 3)		HCOOCH <sub>3</sub>	12(2,10)–11(2,9) E	0.13	OriMC-1	NRAO	11m	Hol83a Plu86 M
153566.91 *( 5)		HCOOCH <sub>3</sub>	12(2,10)–11(2,9) A	0.11	OriMC-1	NRAO	11m	Hol83a Plu84 M
U 153668.3 (10)		unidentified		0.08	Sgr B2	NRAO	11m	Hol81 N
153677.54 *(15)		KCl	20–19	0.71 <sup>f</sup>	IRC+10216	IRAM	30m	Cer87c N
153745.6 ( 5)		HCCN	7,8–6,7	0.45 <sup>f</sup>	IRC+10216	IRAM	30m	Gué91 Gué91 N
153764.606*( 8)		HNCO	7(3,4)–6(3,3)	<sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a N
153764.606*( 8)		HNCO	7(3,5)–6(3,4)	0.09 <sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a N
153770.214*( 3)		CH <sub>3</sub> CCH	9(4)–8(4)	<sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a N
153790.770*( 2)		CH <sub>3</sub> CCH	9(3)–8(3)	0.23	Sgr B2	NRAO	11m	Hol81 N
153805.458*( 1)		CH <sub>3</sub> CCH	9(2)–8(2)	0.18	Sgr B2	NRAO	11m	Hol81 N
153814.273*( 1)		CH <sub>3</sub> CCH	9(1)–8(1)	<sup>b</sup>	Sgr B2	NRAO	11m	Hol81 N
153817.212*( 1)		CH <sub>3</sub> CCH	9(0)–8(0)	0.59 <sup>b</sup>	Sgr B2	NRAO	11m	Hol81 N
153818.869*( 6)		HNCO	7(2,6)–6(2,5)	0.3 <sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a N
153820.007*( 7)		HNCO	7(2,5)–6(2,4)	<sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a N
153865.092*( 6)		HNCO	7(0,7)–6(0,6)	2.03	Sgr B2	NRAO	11m	Chu86 N
153872.754 (80)		CH <sub>3</sub> CHO	8(2,7)–7(2,6)	0.06 <sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a Lia86 N
153894.1 ( 4)		HCCN	7,6–6,5	0.5 <sup>f</sup>	IRC+10216	IRAM	30m	Gué91 Gué91 N
154016.096*(11)		HCC <sup>13</sup> CN	17–16	0.05	OriMC-1	FCRAO	14m	Ziu91a N
154200.97 *(10)		CH <sub>3</sub> CHO	8(4,5)–7(4,4)	0.03 <sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a Kle91 N
154201.52 *(10)		CH <sub>3</sub> CHO	8(4,4)–7(4,3)	<sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a Kle91 N
154217.20 (15)		N <sub>2</sub> D <sup>+</sup>	2–1	0.25	rho Oph B2	MMWO	4.9m	Lor84b Sas81 N
154242.770*( 3)		OC <sup>34</sup> S	13–12	1. <sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a N
154244.348*(14)		CH <sub>3</sub> CH <sub>2</sub> CN	17(1,16)–16(1,15)	0.14 <sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a N
U 154391.1		unidentified		0.07	OriMC-1	FCRAO	14m	Ziu91a N
154414.776*( 6)		HNCO	7(1,6)–6(1,5)	0.18	OriMC-1	FCRAO	14m	Ziu91a N
154425.78 (10)		CH <sub>3</sub> OH	11(0)–11(–1) E	1.42	OriMC-1	NRAO	11m	Hol81 Lee68 N
154453.81 *( 7)		CH <sub>3</sub> OCH <sub>3</sub>	11(1,10)–10(2,9) AA	<sup>b</sup>	NGC 6334I	IRAM	30m	Bac90 N
154455.22 *(18)		CH <sub>3</sub> OCH <sub>3</sub>	11(1,10)–10(2,9) EE	1.5 <sup>b</sup>	NGC 6334I	IRAM	30m	Bac90 N
U 154512.5		unidentified		0.04	OriMC-1	FCRAO	14m	Ziu91a N
U 154608.6		unidentified		0.05	OriMC-1	FCRAO	14m	Ziu91a N
154657.283*( 1)		HC <sub>3</sub> N	17–16	1.54	OriMC-1	NRAO	11m	Hol81 N
U 154663.		unidentified		0.5	NGC 6334I	IRAM	30m	Bac90 N
154724.533*(10)		CH <sub>2</sub> CHCN	16(1,15)–15(1,14)	0.07	OriMC-1	FCRAO	14m	Ziu91a N
154984.54 *( 5)		HCOOCH <sub>3</sub>	12(3,9)–11(3,8) E	0.135	OriMC-1	FCRAO	14m	Ziu91a Plu86 N
155002.17 *( 5)		HCOOCH <sub>3</sub>	12(3,9)–11(3,8) A	0.15	OriMC-1	FCRAO	14m	Ziu91a N
155037.225*(30)		HCCCN	17–16 $\nu_7=1$ $\ell=1e$	0.15	OriMC-1	FCRAO	14m	Ziu91a N
U 155075.0		unidentified		0.05	OriMC-1	FCRAO	14m	Ziu91a N
155088.15 ( 8)		CH <sub>3</sub> CHO	8(4,5)–9(3,7)	0.04	OriMC-1	FCRAO	14m	Ziu91a Lia86 N
155125.45 *(30)		CH <sub>3</sub> OCH <sub>3</sub>	12(3,10)–12(2,11) EA	<sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a N
155125.46 *(30)		CH <sub>3</sub> OCH <sub>3</sub>	12(3,10)–12(2,11) AE	0.22 <sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a N
155128.56 *(22)		CH <sub>3</sub> OCH <sub>3</sub>	12(3,10)–12(2,11) EE	0.3	OriMC-1	FCRAO	14m	Ziu91a N
155131.65 *(14)		CH <sub>3</sub> OCH <sub>3</sub>	12(3,10)–12(2,11) AA	0.21	OriMC-1	FCRAO	14m	Ziu91a N
U 155147.0		unidentified		0.06	OriMC-1	FCRAO	14m	Ziu91a N
U 155154.0		unidentified		0.09	OriMC-1	FCRAO	14m	Ziu91a N
155259.211*(30)		HCCCN	17–16 $\nu_7=1$ $\ell=1f$	<sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a N
155262.012 (50)		<sup>13</sup> CH <sub>3</sub> OH	9(0)–9(–1) E	0.23 <sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a And87 N
155320.92 (10)		CH <sub>3</sub> OH	10(0)–10(–1) E	1.3	OriMC-1	FCRAO	14m	Ziu91a Lee68 N
155342.105 (80)		CH <sub>3</sub> CHO	8(2,6)–7(2,5) A	0.08	OriMC-1	FCRAO	14m	Ziu91a Lia86 N
155389.678*(26)		SO <sub>2</sub>	20(6,14)–21(5,17)	0.21	OriMC-1	FCRAO	14m	Ziu91a N
155404.500*(14)		CH <sub>3</sub> CH <sub>2</sub> CN	17(2,15)–16(2,14)	0.20	OriMC-1	FCRAO	14m	Ziu91a N
155426.771*(14)		CH <sub>3</sub> CH <sub>2</sub> CN	18(1,18)–17(1,17)	0.22	OriMC-1	FCRAO	14m	Ziu91a N
155454.496*(12)		C <sub>2</sub> S	12,12–11,11	1.3 <sup>f</sup>	IRC+10216	IRAM	30m	Cer87b Yam90 N

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_e$ (K) $/T_a$ (K)	Source	Telescope	Astr. ref.	Lab. ref.
155506.801*(42)		<sup>34</sup> SO	3(4)–2(3)	0.37	OriMC-1	FCRAO	14m	Ziu91a N
155533.080 (50)		CH <sub>3</sub> OD	1(1)–0(0) E	0.85 <sup>f</sup>	OriMC-1	IRAM	30m	Mau88 And88 N
155539.72 *(20)		CH <sub>3</sub> CHO	8(4,4)–9(3,7)	0.07 <sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a Kle91 N
155540.601*(84)		HCOOCH <sub>3</sub>	22(3,19)–22(3,20) A	<sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a N
U 155549.7		unidentified		0.13	OriMC-1	FCRAO	14m	Ziu91a N
155617.84 *(1)		HCOOH ?	7(0,7)–6(0,6)	0.04	OriMC-1	FCRAO	14m	Ziu91a N
155695.809 (50)		<sup>13</sup> CH <sub>3</sub> OH	8(0)–8(–1) E	0.07	OriMC-1	FCRAO	14m	Ziu91a And87 N
155994.273 (50)		<sup>13</sup> CH <sub>3</sub> OH	7(0)–7(–1) E	0.53 <sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a And87 N
155997.52 (10)		CH <sub>3</sub> OH	9(0)–9(–1) E	2.3 <sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a Lee68 N
156062.872*(9)		C <sub>3</sub> S	27–26	1.0 <sup>f</sup>	IRC+10216	IRAM	30m	Cer87b N
156090.9 *(7)		<sup>33</sup> SO <sub>2</sub>	4(3,1)–5(2,4)	0.14	OriMC-1	FCRAO	14m	Ziu91a N
156112.947*(28)		CH <sub>3</sub> CH <sub>2</sub> CN	25(2,23)–24(3,22)	0.18	OriMC-1	FCRAO	14m	Ziu91a N
156127.70 (10)		CH <sub>3</sub> OH	6(2)–7(1) A+	1.45	OriMC-1	FCRAO	14m	Ziu91a Lee68 N
156165.18 *(8)		HCOOCH <sub>3</sub>	22(3,19)–22(2,20) A	0.07 <sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a N
156171.664*(14)		CH <sub>3</sub> CH <sub>2</sub> CN	18(0,18)–17(0,17)	0.23	OriMC-1	FCRAO	14m	Ziu91a N
156186.559 (50)		<sup>13</sup> CH <sub>3</sub> OH	6(0)–6(–1) E	0.23	OriMC-1	FCRAO	14m	Ziu91a And87 N
156248.60 (10)		NaCl	12–11	1.52 <sup>f</sup>	IRC+10216	IRAM	30m	Cer87c Clo64 N
U 156325.		unidentified		0.05	IRC+10216	IRAM	30m	Cer87b N
156456.48 (30)		<sup>29</sup> SiC <sub>2</sub>	7(0,7)–6(0,6)	n.r.	IRC+10216	IRAM	30m	Cer91b N
156488.95 (10)		CH <sub>3</sub> OH	8(0)–8(–1) E	1.1	OriMC-1	NRAO	11m	Hol81 Lee68
156547.15 *(5)		Al <sup>37</sup> Cl	11–10	1.52 <sup>f</sup>	IRC+10216	IRAM	30m	Cer87c N
156602.42 (10)		CH <sub>3</sub> OH	2(1)–3(0) A+	1.5	OriMC-1	NRAO	11m	Hol81 Lee68
156828.51 (10)		CH <sub>3</sub> OH	7(0)–7(–1) E	1.75	OriMC-1	FCRAO	14m	Ziu91a Lee68 N
U 156842.2		unidentified		0.07	OriMC-1	FCRAO	14m	Ziu91a N
U 156970.7		unidentified		0.04	OriMC-1	FCRAO	14m	Ziu91a N
156981.665*(12)		C <sub>2</sub> S	13,12–12,11	1.7 <sup>f</sup>	IRC+10216	IRAM	30m	Cer87b Yam90 N
U 157000.7		unidentified		0.07	OriMC-1	FCRAO	14m	Ziu91a N
157048.62 (10)		CH <sub>3</sub> OH	6(0)–6(–1) E	2.20	OriMC-1	FCRAO	14m	Ziu91a Lee68 N
157135.428*(47)		SO <sub>2</sub>	33(4,30)–32(5,27)	0.095	OriMC-1	FCRAO	14m	Ziu91a N
157178.97 (10)		CH <sub>3</sub> OH	5(0)–5(–1) E	2.25	OriMC-1	FCRAO	14m	Ziu91a Lee68 N
157246.10 (10)		CH <sub>3</sub> OH	4(0)–4(–1) E	2.25	OriMC-1	FCRAO	14m	Ziu91a Lee68 N
157270.70 (10)		CH <sub>3</sub> OH	1(0)–1(–1) E	2.32 <sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a Lee68 N
157272.47 (10)		CH <sub>3</sub> OH	3(0)–3(–1) E	<sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a Lee68 N
157276.04 (10)		CH <sub>3</sub> OH	2(0)–2(–1) E	2.0	OriMC-1	FCRAO	14m	Ziu91a Lee68 N
U 157286.7		unidentified		0.08	OriMC-1	FCRAO	14m	Ziu91a N
U 157304.7		unidentified		0.05	OriMC-1	FCRAO	14m	Ziu91a N
U 157337.2		unidentified		0.04 <sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a N
157342.85 *(10)		CH <sub>3</sub> CHO	3(3,1)–4(2,3) E	<sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a Kle91 N
157344.187*(21)		CH <sub>3</sub> CH <sub>2</sub> CN	19(4,15)–19(3,16)	<sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a N
U 157354.7		unidentified		0.04 <sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a N
157494.101 (9)		SiC	<sup>3</sup> P <sub>2</sub> J=4–3 e,f	0.29	IRC+10216	IRAM	30m	Cer89 Cer89 N
157525.67 *(9)		CH <sub>3</sub> CH <sub>2</sub> OH	9(8,2)–8(8,1)	<sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a N
157525.67 *(9)		CH <sub>3</sub> CH <sub>2</sub> OH	9(8,1)–8(8,0)	0.08 <sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a N
U 157557.7		unidentified		0.18	OriMC-1	FCRAO	14m	Ziu91a N
157574.96 (10)		CH <sub>3</sub> OH	13(5)–14(4) E	0.33	OriMC-1	FCRAO	14m	Ziu91a Lee68 N
157598.615*(5)		O <sup>13</sup> CS	13–12	0.07	OriMC-1	FCRAO	14m	Ziu91a N
157929.45 *(32)		CH <sub>3</sub> OCH <sub>3</sub>	13(3,11)–13(2,12) EA	<sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a N
157929.47 *(32)		CH <sub>3</sub> OCH <sub>3</sub>	13(3,11)–13(2,12) AE	<sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a N
157932.48 *(21)		CH <sub>3</sub> OCH <sub>3</sub>	13(3,11)–13(2,12) EE	0.23 <sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a N
157935.50 *(11)		CH <sub>3</sub> OCH <sub>3</sub>	13(3,11)–13(2,12) AA	<sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a N
157937.754 (80)		CH <sub>3</sub> CHO	8(1,7)–7(1,6) E	0.08	OriMC-1	FCRAO	14m	Ziu91a Lia86 N
157974.57 *(10)		CH <sub>3</sub> CHO	8(1,7)–7(1,6) A	0.06	OriMC-1	FCRAO	14m	Ziu91a Kle91 N
158107.357*(1)		OCS	13–12	0.76	OriMC-1	FCRAO	14m	Ziu91a N
158199.784*(8)		SO <sub>2</sub>	3(2,2)–3(1,3)	0.71	OriMC-1	FCRAO	14m	Ziu91a N
158296.96 *(8)		HCOOCH <sub>3</sub>	5(4,1)–4(3,2) A	0.06	OriMC-1	FCRAO	14m	Ziu91a N
158499.23 *(8)		SiC <sub>2</sub>	7(0,7)–6(0,6)	n.r.	IRC+10216	IRAM	30m	Cer91b Cer91b N
U 158522.0		unidentified		0.16	OriMC-1	FCRAO	14m	Ziu91a N
158657.435*(10)		CH <sub>2</sub> CHCN	17(0,17)–16(0,16)	0.06	OriMC-1	FCRAO	14m	Ziu91a N
158692.020*(19)		H <sup>13</sup> CCCN	18–17	0.32	OriMC-1	FCRAO	14m	Ziu91a N
158704.270*(53)		HCOOCH <sub>3</sub>	13(3,11)–12(3,10) A	0.30	OriMC-1	FCRAO	14m	Ziu91a N
158971.814*(42)		SO	3(4)–2(3)	3.5	OriMC-1	NRAO	11m	Hol81
U 159007.0		unidentified		0.05	OriMC-1	FCRAO	14m	Ziu91a N
U 159030.0		unidentified		0.05	OriMC-1	FCRAO	14m	Ziu91a N
U 159318.0		unidentified		0.07	OriMC-1	FCRAO	14m	Ziu91a N
159437.464 (50)		CH <sub>3</sub> OD	8(1)–8(0) A–	3.7 <sup>f</sup>	OriMC-1	IRAM	30m	Mau88 And88 N

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r(K)$ $/T_a(K)$	Source	Telescope	Astr. ref.	Lab. ref.	
159552.64 (60)		$^{30}\text{SiC}_2$	7(2,6)–6(2,5)	n.r.	IRC+10216	IRAM	30m	Cer91b	Cer91b N
159571.086 (50)		$\text{CH}_3\text{OD}$	6(0)–5(1) E	2.4 <sup>f</sup>	OriMC-1	IRAM	30m	Mau88	And88 N
159582.38 *(7)		$\text{HCOOCH}_3$	13(11,3)–12(11,2) A	0.06 <sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a	N
159582.38 *(7)		$\text{HCOOCH}_3$	13(11,2)–12(11,1) A	<sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a	N
U 159654.0		unidentified		0.08	OriMC-1	FCRAO	14m	Ziu91a	N
159663.097*(7)		$\text{HCOOCH}_3$	13(10,3)–12(10,2) A	0.12 <sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a	N
159663.097*(7)		$\text{HCOOCH}_3$	13(10,4)–12(10,3) A	<sup>b</sup>	OriMC-1	FCRAO	14m	Ziu91a	N
U 159673.0		unidentified		0.13	OriMC-1	FCRAO	14m	Ziu91a	N
159888.873*(13)		$\text{CH}_3\text{CH}_2\text{CN}$	18(2,17)–17(2,16)	0.15	Sgr B2	NRAO	11m	Hol81	
U 159915.6 (10)		unidentified		0.07	Sgr B2	NRAO	11m	Hol81	
160229.99 *(9)		$\text{Si}^{13}\text{CC}$	7(2,6)–6(2,5)	1.1 <sup>f</sup>	IRC+10216	IRAM	30m	Cer91b	Cer91b N
160312.16 *(5)		$\text{AlCl}$	11–10	3.56 <sup>f</sup>	IRC+10216	IRAM	30m	Cer87c	N
160815.53 (40)		$^{30}\text{SiC}_2$	7(4,4)–6(4,3)	n.r.	IRC+10216	IRAM	30m	Cer91b	Cer91b N
160825.62 (40)		$^{30}\text{SiC}_2$	7(4,3)–6(4,2)	n.r.	IRC+10216	IRAM	30m	Cer91b	Cer91b N
160827.843*(9)		$\text{SO}_2$	10(0,10)–9(1,9)	2.4	OriMC-1	NRAO	11m	Hol81	
161350.19 *(15)		$\text{KCl}$	21–20	1.00 <sup>f</sup>	IRC+10216	IRAM	30m	Cer87c	N
161977.186 (10)		$\text{SiC}$	$^3\Pi_1 J=4-3$ e	0.08	IRC+10216	IRAM	30m	Cer89	Cer89 N
162121.467 (17)		$\text{SiC}$	$^3\Pi_1 J=4-3$ f	0.12	IRC+10216	IRAM	30m	Cer89	Cer89 N
U 162410.		unidentified		0.5	NGC 6334I	IRAM	30m	Bac90	N
162529.62 *(11)		$\text{CH}_3\text{OCH}_3$	8(1,8)–7(0,7) EE	0.1 <sup>b</sup>	NGC 6334I	IRAM	30m	Bac90	N
162530.27 *(8)		$\text{CH}_3\text{OCH}_3$	8(1,8)–7(0,7) AA	<sup>b</sup>	NGC 6334I	IRAM	30m	Bac90	N
162547.41 (15)		$\text{C}_4\text{H}$	$^2\Sigma J=17-16 \nu_7=2$ L	0.2	IRC+10216	IRAM	30m	Gué87a	Gué87a N
162581.64 *(19)		$\text{SiS}$	9–8 v=1	0.1	IRC+10216	IRAM	30m	Gué87a	Gué87a N
162603.18 (15)		$\text{C}_4\text{H}$	$^2\Sigma J=17-16 \nu_7=2$ U	0.2	IRC+10216	IRAM	30m	Gué87a	Gué87a N
U 162640.		unidentified		0.05	IRC+10216	IRAM	30m	Gué87a	Gué87a N
162775.93 *(8)		$^{34}\text{SO}_2$	7(1,7)–6(0,6)	n.r.	Sgr B2	FCRAO	14m	Hol91	N
162937.95 *(5)		$\text{HNO}$	2(0,2)–1(0,1)	0.06	Sgr B2	FCRAO	14m	Hol91	N
162958.66 *(3)		$\text{NH}_2\text{CHO}$	8(1,8)–7(1,7)	0.10	Sgr B2	FCRAO	14m	Hol91	N
163081.9 (10)		$^{29}\text{SiC}_2$	7(4,4)–6(4,3)	n.r.	IRC+10216	IRAM	30m	Cer91b	Cer91b N
163093.1 (10)		$^{29}\text{SiC}_2$	7(4,3)–6(4,2)	n.r.	IRC+10216	IRAM	30m	Cer91b	Cer91b N
163119.437*(21)		$\text{SO}_2$	18(2,16)–17(3,15)	0.20	Sgr B2	NRAO	11m	Hol83a	
163160.825*(53)		$\text{CH}_2\text{CO}$	8(1,7)–7(1,6)	0.20	Sgr B2	NRAO	11m	Hol83a	
163829.61 *(3)		$\text{HCOOCH}_3$	14(1,13)–13(1,12) E	0.35	OriMC-1	NRAO	11m	Sny85a	Plu86 M
163835.45 *(5)		$\text{HCOOCH}_3$	14(1,13)–13(1,12) A	0.40	OriMC-1	NRAO	11m	Sny85a	Plu84 M
163872.400 (10)		$^{13}\text{CH}_3\text{OH}$	7(0)–6(1) E	0.15	OriMC-1	NRAO	11m	Sny85a	And87 M
U 163902. (1)		unidentified		0.10	OriMC-1	NRAO	11m	Sny85a	
163927.31 *(5)		$\text{HCOOCH}_3$	15(0,15)–14(1,14) A	0.15	OriMC-1	NRAO	11m	Sny85a	Plu84 M
164069.08 *(3)		$\text{SiC}_2$	7(2,6)–6(2,5)	n.r.	IRC+10216	IRAM	30m	Cer91b	Cer91b N
164770.54 *(5)		$\text{SiC}_2$	7(2,6)–6(2,5)	n.r.	IRC+10216	IRAM	30m	Cer91b	Cer91b N
164867.840*(25)		$\text{AlF}$	5–4	1.90 <sup>f</sup>	IRC+10216	IRAM	30m	Cer87c	N
167620.172*(9)		$\text{C}_3\text{S}$	29–28	1.0 <sup>f</sup>	IRC+10216	IRAM	30m	Cer87b	N
167910.516 (2)		$\text{H}_2^{34}\text{S}$	1(1,0)–1(0,1)	0.1	W49	FCRAO	14m	Min91	Hui71 N
167931.13 (10)		$\text{CH}_3\text{OH}$	9(1)–9(0) E1	0.13	SgrB2	FCRAO	14m	Min91	Sas84 N
168049.5 (10)		$^{29}\text{SiC}_2$	7(2,5)–6(2,4)	n.r.	IRC+10216	IRAM	30m	Cer91b	Cer91b N
168657.72 *(18)		$\text{Si}^{13}\text{CC}$	7(1,6)–6(1,5)	1.1 <sup>f</sup>	IRC+10216	IRAM	30m	Cer91b	Cer91b N
168762.76237(2)		$\text{H}_2\text{S}$	1(1,0)–1(0,1)	2.3	OriMC-1	NRAO	11m	Tha72	Cup68
168815.101*(36)		$^{34}\text{SO}$	4(3)–3(3)	0.9	OriMC-1	NRAO	11m	IIol81	
169257.38 *(8)		$\text{NaCl}$	13–12	1.54 <sup>f</sup>	IRC+10216	IRAM	30m	Cer87c	N
169335.34 (10)		$\text{CH}_3\text{OH}$	10(1)–10(0) E	0.7	OriMC-1	NRAO	11m	Wil72	Lee68 Got89 M
170740.916 (9)		$\text{SiC}_2$	7(2,5)–6(2,4)	0.16	IRC+10216	NRAO	11m	Tha84	
170876.405*(2)		$\text{CH}_3\text{CCH}$	10(3)–9(3)	0.2	OriMC-1	MMWO	4.9m	Mun84	
170892.722*(2)		$\text{CH}_3\text{CCH}$	10(2)–9(2)	0.31	OriMC-1	MMWO	4.9m	Mun84	
170902.514*(1)		$\text{CH}_3\text{CCH}$	10(1)–9(1)	0.51	OriMC-1	MMWO	4.9m	Mun84	
170905.779*(1)		$\text{CH}_3\text{CCH}$	10(0)–9(0)	0.58	OriMC-1	MMWO	4.9m	Mun84	
171275.166*(57)		$\text{SiO}$	4–3 v=2	87. <sup>e</sup>	X-Cyg	NRAO	11m	Sch82	
172107.956 (45)		$\text{HC}^{15}\text{N}$	2–1	0.45	OriMC-1	NRAO	11m	Wil72	Pea76
172108.36 (50)		$\text{C}_4\text{H}$	$^2\Sigma J=18-17 \nu_7=2$ L	n.r.	IRC+10216	IRAM	30m	Gué87a	Gué87a N
172164.12 (80)		$\text{C}_4\text{H}$	$^2\Sigma J=18-17 \nu_7=2$ U	n.r.	IRC+10216	IRAM	30m	Gué87a	Gué87a N
172481.140*(45)		$\text{SiO}$	4–3 v=1	50. <sup>e</sup>	X-Cyg	NRAO	11m	Sch82	
172676.573 (50)		$\text{H}^{13}\text{CN}$	2–1 F=1–0,2–2	<sup>b</sup>	OriMC-1	NRAO	11m	Wil72	Pea76
172677.959 (50)		$\text{H}^{13}\text{CN}$	2–1 F=2–1,3–2	0.91 <sup>b</sup>	OriMC-1	NRAO	11m	Wil72	Pea76
172680.209 (50)		$\text{H}^{13}\text{CN}$	2–1 F=1–1	<sup>b</sup>	OriMC-1	NRAO	11m	Wil72	Pea76
173377.38 *(10)		$\text{HCO}$	2(0,2)–1(0,1) 5/2–3/2 F=3–2	0.12	OriMC-2	NRAO	11m	Sny85a	Sny85a
173391.211*(16)		$\text{CH}_3\text{CH}_2\text{OH}$	5(2,3)–4(1,4)	<sup>b</sup>	OriMC-2	NRAO	11m	Sny85a	M
173391.715*(27)		$\text{CH}_3\text{CH}_2\text{CN}$	10(2,8)–9(1,9)	0.05 <sup>b</sup>	OriMC-2	NRAO	11m	Sny85a	M

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r(K)$ $/T_a(K)$	Source	Telescope	Astr. ref.	Lab. ref.
173406.08 *(10)	HCO	$2(0,2) - 1(0,1)$ $5/2 - 3/2$ $F = 2 - 1$	0.05	OriMC-2	NRAO	11m	Sny85a	Sny85a
173443.06 *(10)	HCO	$2(0,2) - 1(0,1)$ $3/2 - 1/2$ $F = 2 - 1$	0.06	OriMC-2	NRAO	11m	Sny85a	Sny85a
173688.254*(41)	SiO	$4 - 3$ $v=0$	65 <sup>c</sup>	OriMC-1	NRAO	11m	Sch82	
177238.71 *(10)	HCN	$2 - 1$ $v_2 = 1$ $\ell = 1c$	80.	IRC + 10216	IRAM	30m	Luc89	Win71 N
178136.50 *(10)	HCN	$2 - 1$ $v_2 = 1$ $\ell = 1d$	1.	IRC + 10216	IRAM	30m	Luc89	Win71 N
178170.38 *(10)	HCN	$2 - 1$ $v_2 = 2$ $\ell = 0$	0.8	IRC + 10216	IRAM	30m	Luc89	Del77 N
183310.0906(15)	H <sub>2</sub> O	$3(1,3) - 2(2,0)$	10.	OriMC-1	KAO	1m	Wat77	Hui71
191040.302*(4)	HC <sub>3</sub> N	21—20	3.0	W49N	IRAM	30m	Cer90	
195954.249*(29)	CS	4—3	3.3	NGC2024	MMWO	4.9m	Mun84a	
200809.32 *(3)	SO <sub>2</sub>	$16(1,15) - 16(0,16)$	4.87	OriMC-1	NRAO	12m	Jew89	N
200888.30 *(10)	SO <sub>2</sub>	$13(5,9) - 14(4,10)$ $v_2 = 1$	0.28	OriMC-1	NRAO	12m	Jew89	N
200913.79 *(4)	HC <sub>3</sub> N	$22 - 21$ $v_7 = 1$ $\ell = 1f$	0.73	OriMC-1	NRAO	12m	Jew89	N
U 200936.	unidentified	(U204070?)	0.50	OriMC-1	NRAO	12m	Jew89	N
200956.34 *(5)	HCOOCH <sub>3</sub>	$16(5,11) - 15(5,10)$ A	0.45	OriMC-1	NRAO	12m	Jew89	Plu84
U 201088.	unidentified	(U203918.?) note1	1.48	OriMC-1	NRAO	12m	Jew89	N
U 201200.	unidentified	(U203806.?)	0.27	OriMC-1	NRAO	12m	Jew89	N
U 201323.	unidentified	(U204707.?)	0.19	OriMC-1	NRAO	12m	Jew89	N
201341.35 *(20)	HDCO	$3(1,2) - 2(1,1)$	0.79	OriMC-1	NRAO	12m	Jew89	Dan78
201376.45 *(10)	<sup>34</sup> SO <sub>2</sub>	$11(2,10) - 11(1,11)$	0.62	OriMC-1	NRAO	12m	Jew89	N
201429.63 *(10)	HC <sub>3</sub> N	$22 - 21$ $v_7 = 2$ $\ell = 2f$	0.12	OriMC-1	NRAO	12m	Jew89	N
201445.59 *(5)	CH <sub>3</sub> OH	$5(2) - 6(1)$ A+	2.52	OriMC-1	NRAO	12m	Jew89	Sas84
201539.79 *(30)	CH <sub>3</sub> OCH <sub>3</sub>	$12(4,8) - 12(3,9)$ EE	0.51 <sup>b</sup>	OriMC-1	NRAO	12m	Jew89	N
201543.09 *(23)	CH <sub>3</sub> OCH <sub>3</sub>	$12(4,8) - 12(3,9)$ AA	<sup>b</sup>	OriMC-1	NRAO	12m	Jew89	N
201614.27 *(1)	H <sub>2</sub> <sup>18</sup> O	$3(1,3) - 2(1,2)$	0.12	OriMC-1	NRAO	12m	Jew89	N
201691.96 *(1)	OC <sup>34</sup> S	17—16	0.30	OriMC-1	NRAO	12m	Jew89	N
201846.65 *(4)	<sup>34</sup> SO	4(5)—3(4)	2.33	OriMC-1	NRAO	12m	Jew89	N
202040.684*(11)	CH <sub>3</sub> CN	11(9)—10(9)	0.81	OriMC-1	NRAO	12m	Jew89	N
202106.617*(9)	CH <sub>3</sub> CN	11(8)—10(8)	0.68	OriMC-1	NRAO	12m	Jew89	N
202164.855*(7)	CH <sub>3</sub> CN	11(7)—10(7)	0.77	OriMC-1	NRAO	12m	Jew89	N
202215.377*(5)	CH <sub>3</sub> CN	11(6)—10(6)	1.55	OriMC-1	NRAO	12m	Jew89	N
202258.160*(3)	CH <sub>3</sub> CN	11(5)—10(5)	2.11	OriMC-1	NRAO	12m	Jew89	N
U 202673.	unidentified		0.32	Sgr B2	NRAO	12m	Tur85	N
202690.687*(22)	NH <sub>2</sub> CHO	6(2,5)—6(1,6)	0.65	OriMC-1	NRAO	12m	Tur85	N
202708.6 *(1)	CH <sub>3</sub> CN	$11(7) - 10(7)$ $v_8 = 1$ $\ell = -1$	0.09	OriMC-1	NRAO	12m	Tur85	N
202721.4 *(1)	CH <sub>3</sub> CN	$11(9) - 10(9)$ $v_8 = 1$ $\ell = +1$	0.18	W51	NRAO	12m	Tur85	N
202767.7 *(1)	CH <sub>3</sub> CN	$11(6) - 10(6)$ $v_8 = 1$ $\ell = -1$	<sup>b</sup>	W51	NRAO	12m	Tur85	N
202769.65 *(7)	CH <sub>3</sub> CN	$11(1) - 10(1)$ $v_8 = 1$ $\ell = +1$	0.18 <sup>b</sup>	W51	NRAO	12m	Tur85	N
202818.966*(66)	CH <sub>3</sub> CN	$11(5) - 10(5)$ $v_8 = 1$ $\ell = -1$	0.18	W51	NRAO	12m	Tur85	N
203391.488*(15)	SO <sub>2</sub>	$12(0,12) - 11(1,11)$	2.0	OriMC-1	MMWO	4.9m	Eri84	
203407.52 *(2)	H <sub>2</sub> <sup>18</sup> O	$3(1,3) - 2(2,0)$	0.10 <sup>b</sup>	W51d	NRAO	12m	Jac88	Del72
203411.52 *(18)	CH <sub>3</sub> OCH <sub>3</sub>	$3(3,0) - 2(2,1)$ AE	0.036	W51d	NRAO	12m	Jac88	N
U 203412.7	unidentified		0.056	W51d	NRAO	12m	Jac88	N
203418.82 *(9)	CH <sub>3</sub> OCH <sub>3</sub>	$3(3,0) - 2(2,1)$ AA	0.10 <sup>b</sup>	W51e1/e2	NRAO	12m	Jac90	N
203420.63 *(12)	CH <sub>3</sub> OCH <sub>3</sub>	$3(3,0) - 2(2,1)$ EA	<sup>b</sup>	W51e1/e2	NRAO	12m	Jac90	N
U 203806.	unidentified	(U201200.?)	0.27	OriMC-1	NRAO	12m	Jew89	N
203853.71 *(3)	HCOOCH <sub>3</sub>	$17(3,15) - 16(3,14)$ E	0.82	OriMC-1	NRAO	12m	Jew89	Plu86
203864.14 *(5)	HCOOCH <sub>3</sub>	$17(3,15) - 16(3,14)$ A	0.68	OriMC-1	NRAO	12m	Jew89	Plu84
U 203918.	unidentified	(U201088?)	1.48	OriMC-1	NRAO	12m	Jew89	N
203936.77 *(7)	<sup>33</sup> SO	$4(5) - 3(4)$ $F = 9/2 - 7/2$	<sup>b</sup>	OriMC-1	NRAO	12m	Jew89	N
203937.37 *(8)	<sup>33</sup> SO	$4(5) - 3(4)$ $F = 7/2 - 5/2$	1.73 <sup>b</sup>	OriMC-1	NRAO	12m	Jew89	N
203939.24 *(16)	<sup>33</sup> SO	$4(5) - 3(4)$ $F = 11/2 - 9/2$	<sup>b</sup>	OriMC-1	NRAO	12m	Jew89	N
203941.50 *(16)	<sup>33</sup> SO	$4(5) - 3(4)$ $F = 5/2 - 3/2$	<sup>b</sup>	OriMC-1	NRAO	12m	Jew89	N
U 204070.	unidentified	(U200936.?)	0.50	OriMC-1	NRAO	12m	Jew89	N
204136.25 *(9)	<sup>34</sup> SO <sub>2</sub>	$12(0,12) - 11(1,11)$	1.02	OriMC-1	NRAO	12m	Jew89	N
204158.18 *(13)	CH <sub>3</sub> OCH <sub>3</sub>	$9(4,5) - 9(3,6)$ EE	0.50 <sup>b</sup>	OriMC-1	NRAO	12m	Jew89	N
204160.29 *(13)	CH <sub>3</sub> OCH <sub>3</sub>	$9(4,5) - 9(3,6)$ AA	<sup>b</sup>	OriMC-1	NRAO	12m	Jew89	N
204246.72 *(5)	SO <sub>2</sub>	$18(3,15) - 18(2,16)$	3.88	OriMC-1	NRAO	12m	Jew89	N
204384.26 *(2)	SO <sub>2</sub>	$7(4,4) - 8(3,5)$	1.77	OriMC-1	NRAO	12m	Jew89	N
204525.23 *(13)	<sup>34</sup> SO <sub>2</sub>	$16(3,13) - 16(2,14)$	0.94	OriMC-1	NRAO	12m	Jew89	N
204552.40 *(11)	CH <sub>3</sub> OCH <sub>3</sub>	$8(4,4) - 8(3,5)$ EE	0.81 <sup>b</sup>	OriMC-1	NRAO	12m	Jew89	N
204552.63 *(29)	CH <sub>3</sub> OCH <sub>3</sub>	$11(4,8) - 11(3,9)$ EE	<sup>b</sup>	OriMC-1	NRAO	12m	Jew89	N
204553.20 *(10)	CH <sub>3</sub> OCH <sub>3</sub>	$8(4,4) - (83,5)$ AA	<sup>b</sup>	OriMC-1	NRAO	12m	Jew89	N
204633.78 *(27)	CH <sub>3</sub> OCH <sub>3</sub>	$10(4,7) - 10(3,8)$ EE	1.03 <sup>b</sup>	OriMC-1	NRAO	12m	Jew89	N
204638.20 *(14)	CH <sub>3</sub> OCH <sub>3</sub>	$10(4,7) - 10(3,8)$ AA	<sup>b</sup>	OriMC-1	NRAO	12m	Jew89	N
U 204707.	unidentified	(U201323.?) note2	0.19	OriMC-1	NRAO	12m	Jew89	N

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r(K)$ $/T_a(K)$	Source	Telescope	Astr. ref.	Lab. ref.
204736.60 *(26)		$\text{CH}_3\text{OCH}_3$	9(4,6)–9(3,7) EE	0.33 <sup>b</sup>	OriMC-1	NRAO	12m	Jew89
204741.99 *(12)		$\text{CH}_3\text{OCH}_3$	9(4,6)–9(3,7) AA	<sup>b</sup>	OriMC-1	NRAO	12m	Jew89
204758.63 *(41)		$\text{CH}_3\text{OCH}_3$	14(4,11)–14(3,12) EE	0.43 <sup>b</sup>	OriMC-1	NRAO	12m	Jew89
204761.85 *(29)		$\text{CH}_3\text{OCH}_3$	14(4,11)–14(3,12) AA	<sup>b</sup>	OriMC-1	NRAO	12m	Jew89
204932.82 *(23)		$\text{CH}_3\text{OCH}_3$	7(4,4)–7(3,5) EE	0.62	OriMC-1	NRAO	12m	Jew89
204961.16 *(7)		$\text{CH}_3\text{OCH}_3$	6(4,2)–6(3,3) AA	0.73 <sup>b</sup>	OriMC-1	NRAO	12m	Jew89
204961.72 *(8)		$\text{CH}_3\text{OCH}_3$	6(4,2)–6(3,3) EE	<sup>b</sup>	OriMC-1	NRAO	12m	Jew89
205018.11 *(1)		$\text{CH}_3\text{CCH}$	12(4)–11(4)	0.69	OriMC-1	NRAO	12m	Jew89
205045.50 *(1)		$\text{CH}_3\text{CCH}$	12(3)–11(3)	0.67	OriMC-1	NRAO	12m	Jew89
205050.57 *(9)		$\text{CH}_3\text{OCH}_3$	5(4,1)–5(3,2) EE	1.54 <sup>b</sup>	OriMC-1	NRAO	12m	Jew89
205050.70 *(7)		$\text{CH}_3\text{OCH}_3$	5(4,1)–5(3,2) AA	<sup>b</sup>	OriMC-1	NRAO	12m	Jew89
205060.98 *(16)		$\text{CH}_3\text{OCH}_3$	5(4,2)–5(3,3) EE	<sup>b</sup>	OriMC-1	NRAO	12m	Jew89
205065.07 *(1)		$\text{CH}_3\text{CCH}$	12(2)–11(2)	0.87	OriMC-1	NRAO	12m	Jew89
205076.81 *(1)		$\text{CH}_3\text{CCH}$	12(1)–11(1)	0.91 <sup>b</sup>	OriMC-1	NRAO	12m	Jew89
205080.73 *(1)		$\text{CH}_3\text{CCH}$	12(0)–11(0)	<sup>b</sup>	OriMC-1	NRAO	12m	Jew89
205096.09 *(12)		$\text{CH}_3\text{OCH}_3$	4(4,0)–4(3,1) EE	0.60 <sup>b</sup>	OriMC-1	NRAO	12m	Jew89
205096.78 *(7)		$\text{CH}_3\text{OCH}_3$	4(4,1)–4(3,2) EE	<sup>b</sup>	OriMC-1	NRAO	12m	Jew89
205118.20 *(48)		$\text{CH}_3\text{OCH}_3$	15(4,12)–15(3,13) EE	0.61	OriMC-1	NRAO	12m	Jew89
205736.52 *(3)		$\text{CH}_3\text{CH}_2\text{CN}$	23(5,18)–23(4,19)	0.07	OriMC-1	NRAO	12m	Tur85
206131.627*(6)		$\text{H}_2^{13}\text{CO}$	3(1,2)–2(1,2)	3.00	OriMC-1	FCRAO	14m	Eri84c
206176.015*(40)		SO	4(5)–3(4)	9.00	OriMC-1	FCRAO	14m	Eri84c
208700.338*(11)		$\text{SO}_2$	3(2,2)–2(1,1)	0.5	rho Oph A	MMWO	4.9m	Lor84a
209230.221*(26)		$\text{HC}_3\text{N}$	23–22	0.7	OriMC-1	MMWO	4.9m	Lor81
211013.011*(36)		$^{34}\text{SO}$	5(5)–4(4)	0.45	OriMC-1	MMWO	4.9m	Tha84a
211211.452*(9)		$\text{H}_2\text{CO}$	3(1,3)–2(1,2)	1.9	rho Oph B	MMWO	4.9m	Lor83
211804. *(1)		$\text{CH}_3\text{OH}$	16(2)–15(1) A–	0.6	OriMC-1	OVRO	10.4m	Sut85
213159.21 *(10)		$\text{CH}_3\text{OH}$	20(–4)–19(–5) E	0.5	OriMC-1	OVRO	10.4m	Sut85
213293.594*(29)		$\text{H}_2^{13}\text{CO}$	3(2,1)–2(2,0)	<0.5	OriMC-1	BTL	7m	Tha81
213360.55 *(8)		HCS <sup>+</sup>	5–4	0.6	OriMC-1	BTL	7m	Tha81
U213376.		unidentified	( $\text{H}_2^{34}\text{S}?$ )	0.7	OriMC-1	BTL	7m	Tha81
213379. *(1)		$\text{CH}_3\text{OH}$	13(6)–14(5) E	0.6	OriMC-1	OVRO	10.4m	Sut85
213427.117*(40)		$\text{CH}_3\text{OH}$	1(1)–0(0) E	5.4	OriMC-1	OVRO	10.4m	Sut85
214088.570*(69)		SiO	5–4 v=2	110. <sup>c</sup>	VX Sgr	MMWO	4.9m	Cle83
214509.66 *(16)		$\text{Si}^{13}\text{CC}$	9(1,8)–8(1,7)	0.7 <sup>t</sup>	IRC+10216	IRAM	30m	Cer91b
214778.432*(8)		$\text{H}_2^{31}\text{O}$	3(1,2)–2(1,1)	0.19	OriMC-1	MWO	4.9m	Man90
U214783.		unidentified	( $\text{CH}_3\text{CCCN}$ 52–51 ?)	0.10	OriMC-1	MWO	4.9m	Man90
214790.761 *(18)		HNCO	47(0,47)–46(1,46)	<sup>b</sup>	OriMC-1	MWO	4.9m	Hoc75
214790.81 *(13)		$\text{HCOOCH}_3$	4(4,0)–3(2,1) A	<sup>b</sup>	OriMC-1	MWO	4.9m	N
214792.48 *(5)		$\text{HCOOCH}_3$	18(3,16)–17(3,15) A	0.20 <sup>b</sup>	OriMC-1	MWO	4.9m	Plu84
215039.723*(14)		$\text{CH}_3\text{CH}_2\text{CN}$	24(9,16)–23(9,15)	1.1 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
215039.723*(14)		$\text{CH}_3\text{CH}_2\text{CN}$	24(9,15)–23(9,14)	<sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
215041.89 *(2)		$\text{CH}_3\text{CH}_2\text{CN}$	24(10,14)–23(10,13)	<sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
215041.89 *(2)		$\text{CH}_3\text{CH}_2\text{CN}$	24(10,15)–23(10,14)	<sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
215058.02 *(1)		$\text{CH}_3\text{CH}_2\text{CN}$	24(3,22)–23(3,21)	1.4 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
215058.58 *(1)		$\text{CH}_3\text{CH}_2\text{CN}$	24(8,17)–23(8,16)	<sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
215058.58 *(1)		$\text{CH}_3\text{CH}_2\text{CN}$	24(8,16)–23(8,15)	<sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
215059.23 *(2)		$\text{CH}_3\text{CH}_2\text{CN}$	24(11,13)–23(11,12)	<sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
215059.23 *(2)		$\text{CH}_3\text{CH}_2\text{CN}$	24(11,14)–23(11,13)	<sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
215088.23 *(2)		$\text{CH}_3\text{CH}_2\text{CN}$	24(12,13)–23(12,12)	0.6 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
215088.23 *(2)		$\text{CH}_3\text{CH}_2\text{CN}$	24(12,12)–23(12,11)	<sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
215109.05 *(1)		$\text{CH}_3\text{CH}_2\text{CN}$	24(7,18)–23(7,17)	1.2 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
215109.05 *(1)		$\text{CH}_3\text{CH}_2\text{CN}$	24(7,17)–23(7,16)	<sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
215119.22 *(2)		$\text{CH}_3\text{CH}_2\text{CN}$	25(0,25)–24(0,24)	1.1	OriMC-1	OVRO	10.4m	Sut85
215126.72 *(2)		$\text{CH}_3\text{CH}_2\text{CN}$	24(13,12)–23(13,11)	0.5 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
215126.72 *(2)		$\text{CH}_3\text{CH}_2\text{CN}$	24(13,11)–23(13,10)	<sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
215173.25 *(2)		$\text{CH}_3\text{CH}_2\text{CN}$	24(14,11)–23(14,10)	0.3 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
215173.25 *(2)		$\text{CH}_3\text{CH}_2\text{CN}$	24(14,10)–23(14,9)	<sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
215211.53 *(1)		$\text{CH}_3\text{CH}_2\text{CN}$	24(6,19)–23(6,18)	<sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
215212.47 *(1)		$\text{CH}_3\text{CH}_2\text{CN}$	24(6,18)–23(6,17)	<sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
215220.649*(36)		SO	5(5)–4(4)	3.0	OriMC-1	MMWO	4.9m	Cle84
215302.23 *(5)		$\text{CH}_3\text{OH}$	6(1)–7(2) A + $\nu_7=1$	1.3	OriMC-1	OVRO	10.4m	Sut85
215400.81 *(1)		$\text{CH}_3\text{CH}_2\text{CN}$	24(5,20)–23(5,19)	0.8	OriMC-1	OVRO	10.4m	Sut85
215427.98 *(1)		$\text{CH}_3\text{CH}_2\text{CN}$	24(5,19)–23(5,18)	1.0	OriMC-1	OVRO	10.4m	Sut85
215596.040*(55)		SiO	5–4 v=1	150. <sup>c</sup>	VX Sgr	MMWO	4.9m	Cle83
215620.19 *(1)		$\text{CH}_3\text{CH}_2\text{CN}$	24(4,21)–23(4,20)	0.6	OriMC-1	OVRO	10.4m	Sut85

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r$ (K) $/T_s$ (K)	Source	Telescope	Astr. ref.	Lab. ref.
215839.903*(38)		<sup>34</sup> SO	6(5)–5(4)	0.50	OriMC-1	MMWO	4.9m	Sne84a
215886.963 (5)		<sup>13</sup> CH <sub>3</sub> OH	4(2)–3(1) E	0.9	OriMC-1	OVRO	10.4m	Sut85
215965.59 *(2)		CH <sub>3</sub> CH <sub>2</sub> CN	25(1,25)–24(0,24)	0.3	OriMC-1	OVRO	10.4m	Sut85
215999.78 *(12)		<sup>34</sup> SO <sub>2</sub>	14(3,11)–14(2,12)	0.7	OriMC-1	OVRO	10.4m	Sut85
216077.20 *(1)		CH <sub>3</sub> CH <sub>2</sub> CN	24(4,20)–23(4,19)	0.7	OriMC-1	OVRO	10.4m	Sut85
216109.73 *(3)		HCOOCH <sub>3</sub>	19(2,18)–18(2,17) E	0.9	OriMC-1	OVRO	10.4m	Sut85
216112.623*(29)		DCO <sup>+</sup>	3–2	2.5	p-Oph	MMWO	4.9m	Plu86
216115.48 *(10)		HCOOCH <sub>3</sub>	19(2,18)–18(2,17) A	1.1	OriMC-1	OVRO	10.4m	Sut85
216210.86 *(3)		HCOOCH <sub>3</sub>	19(1,16)–18(1,17) E	0.8	OriMC-1	OVRO	10.4m	Plu86
216216.45 *(10)		HCOOCH <sub>3</sub>	19(1,16)–18(1,17) A	0.9	OriMC-1	OVRO	10.4m	Plu84
216278.730*(11)		C <sub>3</sub> H <sub>2</sub>	3(3,0)–2(2,1)	3.4	TMC-1	FCRAO	14m	Mad86a
216373.32 (2)		DC <sub>2</sub> D	1–0 J=7/2–5/2 F=9/2–7/2	0.27 <sup>b</sup>	OriMC-1	MMWO	4.9m	Com85
216373.32 (2)		DC <sub>2</sub> D	1–0 J=7/2–5/2 F=7/2–5/2	<sup>b</sup>	OriMC-1	MMWO	4.9m	Com85
216568.618*(43)		H <sub>2</sub> CO	9(1,8)–9(1,9)	1.3	OriMC-1	OVRO	10.4m	Sut85
216643.329*(46)		SO <sub>2</sub>	22(2,20)–22(1,21)	0.3	OriMC-1	MMWO	4.9m	Lor84a
216710.437*(2)		H <sub>2</sub> S	2(2,0)–2(1,1)	0.32	OriMC-1	MMWO	4.9m	Lor84a
216752.552*(10)		CH <sub>3</sub> CH <sub>2</sub> CN	26(1,25)–25(2,24)	0.17	OriMC-1	MMWO	4.9m	Lor84a
216757.32 *(46)		SiS	12–11 v=1	0.046	IRC+10216	NRAO	12m	Tur87a
216830.15 *(3)		HCOOCH <sub>3</sub>	18(2,16)–17(2,15) E	1.2	OriMC-1	OVRO	10.4m	Sut85
216838.81 *(10)		HCOOCH <sub>3</sub>	18(2,16)–17(2,15) A	1.1	OriMC-1	OVRO	10.4m	Plu84
216936.68 *(4)		CH <sub>2</sub> CHCN	23(2,22)–22(2,21)	0.6	OriMC-1	OVRO	10.4m	Sut85
216945.60 (5)		CH <sub>3</sub> OH	4(2)–5(1) E	3.1	OriMC-1	OVRO	10.4m	Sut85
216964.79 *(3)		HCOOCH <sub>3</sub>	20(1,20)–19(1,19) E	2.0 <sup>b</sup>	OriMC-1	OVRO	10.4m	Plu86
216965.88 *(5)		HCOOCH <sub>3</sub>	20(1,20)–19(1,19) A	<sup>b</sup>	OriMC-1	OVRO	10.4m	Plu84
216966.2 *(1)		HCOOCH <sub>3</sub>	20(0,20)–19(0,19) E	<sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
216967.33 *(5)		HCOOCH <sub>3</sub>	20(0,20)–19(0,19) A	<sup>b</sup>	OriMC-1	OVRO	10.4m	Plu84
217104.935*(53)		SiO	5–4 v=0	1.6	OriMC-1	MMWO	4.9m	Lor84a
217238.531*(10)		DCN	3–2	0.7	OriMC-1	NRAO	11m	Phi74
217299.202 (50)		CH <sub>3</sub> OH	6(1)–7(2) A–	1.2	OriMC-1	OVRO	10.4m	Sut85
217301.07 *(11)		HCOOCH <sub>3</sub>	7(3,5)–6(1,6) A	0.1	Sgr B2(OH)	IRAM	30m	Ger89
217817.32 *(46)		SiS	12–11	0.66	IRC+10216	MMWO	4.9m	Sah84
217822.036*(12)		C <sub>3</sub> H <sub>2</sub>	6(0,6)–5(1,5)	0.23 <sup>b</sup>	OriMC-1	MMWO	4.9m	Lor84
217822.258*(12)		C <sub>3</sub> H <sub>2</sub>	6(1,6)–5(0,5)	<sup>b</sup>	OriMC-1	MMWO	4.9m	Lor84
217827.14 *(11)		<sup>33</sup> SO	6(5)–5(4) F=9/2–7/2	<sup>b</sup>	OriMC-1	MMWO	4.9m	Lor84
217829.806*(54)		<sup>33</sup> SO	6(5)–5(4) F=11/2–9/2	<sup>b</sup>	OriMC-1	MMWO	4.9m	Lor84
217831.762*(54)		<sup>33</sup> SO	6(5)–5(4) F=13/2–11/2	0.15 <sup>b</sup>	OriMC-1	MMWO	4.9m	Lor84
217832.67 *(11)		<sup>33</sup> SO	6(5)–5(4) F=15/2–13/2	<sup>b</sup>	OriMC-1	MMWO	4.9m	Lor84
217886.6 (1)		CH <sub>3</sub> OH	20(1)–20(0) E	0.9	OriMC-1	OVRO	10.4m	Sut85
218198.998 (30)		O <sup>13</sup> CS	18–17	0.5	OriMC-1	OVRO	10.4m	Sut85
218222.191*(13)		H <sub>2</sub> CO	3(0,3)–2(0,2)	4.0	OriMC-1	MMWO	4.9m	Dub80
218280.85 *(3)		HCOOCH <sub>3</sub>	17(3,14)–16(3,13) E	1.0	OriMC-1	OVRO	10.4m	Plu86
218297.81 *(10)		HCOOCH <sub>3</sub>	17(3,14)–16(3,13) A	1.2	OriMC-1	OVRO	10.4m	Plu84
218324.744*(35)		HC <sub>3</sub> N	24–23	0.9	OriMC-1	MMWO	4.9m	Lor81
218390.01 *(2)		CH <sub>3</sub> CH <sub>2</sub> CN	24(3,21)–23(3,20)	0.8	OriMC-1	OVRO	10.4m	Sut85
218398.50 *(9)		CH <sub>2</sub> CHCN	23(7,17)–22(7,16)	<sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
218398.50 *(9)		CH <sub>2</sub> CHCN	23(7,16)–22(7,15)	<sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
218402.39 *(7)		CH <sub>2</sub> CHCN	23(6,18)–22(6,17)	<sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
218402.40 *(7)		CH <sub>2</sub> CHCN	23(6,17)–22(6,16)	0.4 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
218421.73 *(11)		CH <sub>2</sub> CHCN	23(8,16)–22(8,15)	0.3 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
218421.73 *(11)		CH <sub>2</sub> CHCN	23(8,15)–22(8,14)	<sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
218440.05 (5)		CH <sub>3</sub> OH	4(2)–3(1) E	1.7	OriMC-1	MMWO	4.9m	Lor84b
218451.25 *(6)		CH <sub>2</sub> CHCN	23(5,19)–22(5,18)	0.2 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sas84
218452.31 *(6)		CH <sub>2</sub> CHCN	23(5,18)–22(5,17)	<sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
218475.639*(13)		H <sub>2</sub> CO	3(2,2)–2(2,1)	1.8	OriMC-1	MMWO	4.9m	Lor84b
218507.1 (10)		<sup>29</sup> SiC <sub>2</sub>	9(?,7)–8(?,6)	n.r.	IRC+10216	IRAM	30m	Cer91b
218573.60 *(5)		CH <sub>2</sub> CHCN	23(4,20)–22(4,19)	0.3	OriMC-1	OVRO	10.4m	Sut85
218585.03 *(5)		CH <sub>2</sub> CHCN	23(3,21)–22(3,20)	0.3	OriMC-1	OVRO	10.4m	Sut85
218615.05 *(5)		CH <sub>2</sub> CHCN	23(4,19)–22(4,18)	0.2	OriMC-1	OVRO	10.4m	Sut85
218760.068*(13)		H <sub>2</sub> CO	3(2,1)–2(2,0)	1.5	OriMC-1	MMWO	4.9m	Lor84a
218837.00 *(6)		C <sub>4</sub> H	23–22 J=47/2–45/2	0.06	IRC+10216	MMWO	4.9m	Lor84a
218860.629*(58)		HC <sub>3</sub> N	24–23 ν <sub>7</sub> =1 ℓ=1e	0.6	OriMC-1	OVRO	10.4m	Sut85
218875.36 *(6)		C <sub>4</sub> H	23–22 J=45/2–43/2	0.06	IRC+10216	MMWO	4.9m	Lor84a
218903.357 (3)		OCS	18–17	2.8	OriMC-1	BTL	7m	Gol81
218981.019*(12)		HNCO	10(1,10)–9(1,9)	0.24	OriMC-1	MMWO	4.9m	Arm84a
U 219002.		unidentified		0.1 <sup>u</sup>	OriMC-1	MMWO	4.9m	Arm84a

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r(K)$ $/T_a(K)$	Source	Telescope	Astr. ref.	Lab. ref.
219173.582*(58)		HC <sub>3</sub> N	24–23 $v_7=1 \ell=1f$	0.6	OriMC-1	OVRO	10.4m	Sut85
219276.00 *(5)		SO <sub>2</sub>	22(7,15)–23(6,16)	0.3	OriMC-1	OVRO	10.4m	Sut85
219335.07 *(10)		<sup>34</sup> SO <sub>2</sub>	11(1,11)–10(0,10)	1.3	OriMC-1	OVRO	10.4m	Sut85
219400.54 *(5)		CH <sub>2</sub> CHCN	23(3,20)–22(3,19)	0.3	OriMC-1	OVRO	10.4m	Sut85
219463.63 *(2)		CH <sub>3</sub> CH <sub>2</sub> CN	22(2,21)–21(1,20)	0.3	OriMC-1	OVRO	10.4m	Sut85
219505.59 *(2)		CH <sub>3</sub> CH <sub>2</sub> CN	24(2,22)–23(2,21)	0.9	OriMC-1	OVRO	10.4m	Sut85
219547.105*(11)		HNCO	10(4,7)–9(4,6)	0.4 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
219547.105*(11)		HNCO	10(4,6)–9(4,5)	<sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
219560.319*(46)		C <sup>18</sup> O	2–1	3.5	DR 21	NRAO	11m	Phi77
219656.805*(11)		HNCO	10(3,8)–9(3,7)	0.4 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
219656.805*(11)		HNCO	10(3,7)–9(3,6)	<sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
219733.824*(11)		HNCO	10(2,9)–9(2,8)	0.6	OriMC-1	OVRO	10.4m	Sut85
219737.175*(13)		HNCO	10(2,8)–9(2,7)	0.8	OriMC-1	OVRO	10.4m	Sut85
U 219767.8		unidentified		0.15	IRC+10216	NRAO	12m	Tur87a
219798.282*(8)		HNCO	10(0,10)–9(0,9)	0.3	OriMC-1	MMWO	4.9m	Arm84
219908.489*(6)		H <sub>2</sub> <sup>13</sup> CO	3(1,2)–2(1,1)	0.5	OriMC-1	MMWO	4.9m	Arm84a
219949.391*(38)		SO	6(5)–5(4)	4.3	OriMC-1	MMWO	4.9m	Lor84a
220037.96 *(1)		HCOOH	10(0,10)–9(0,9)	0.3	OriMC-1	OVRO	10.4m	Sut85
220078.6 *(1)		CH <sub>3</sub> OH	7(1)–8(0) E	6.1	OriMC-1	OVRO	10.4m	Sut85
220166.85 *(3)		HCOOCH <sub>3</sub>	17(4,13)–16(4,12) E	1.3	OriMC-1	OVRO	10.4m	Sut85
220177.52 *(18)		CH <sub>2</sub> CO	11(1,11)–10(1,10)	1.0	OriMC-1	OVRO	10.4m	Sut85
220190.20 *(10)		HCOOCH <sub>3</sub>	17(4,13)–16(4,12) A	1.3	OriMC-1	OVRO	10.4m	Sut85
220398.686*(23)		<sup>13</sup> CO	2–1	17.	OriMC-1	NRAO	11m	Phi77
220475.812*(10)		CH <sub>3</sub> CN	12(8)–11(8)	0.5	OriMC-1	OVRO	10.4m	Sut85
220539.329*(7)		CH <sub>3</sub> CN	12(7)–11(7)	0.10	OriMC-1	MMWO	4.9m	Lor84
220561.33 *(7)		CH <sub>2</sub> CHCN	24(1,24)–23(1,23)	0.4	OriMC-1	OVRO	10.4m	Sut85
220584.762*(12)		HNCO	10(1,9)–9(1,8)	0.13	OriMC-1	MMWO	4.9m	Lor84
220594.428*(5)		CH <sub>3</sub> CN	12(6)–11(6)	0.23	OriMC-1	MMWO	4.9m	Lor84
220599.94 *(14)		CH <sub>3</sub> <sup>13</sup> CN	12(3)–11(3)	<sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
220621.08 *(15)		CH <sub>3</sub> <sup>13</sup> CN	12(2)–11(2)	0.5	OriMC-1	OVRO	10.4m	Sut85
220633.77 *(16)		CH <sub>3</sub> <sup>13</sup> CN	12(1)–11(1)	0.5 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
220641.089*(4)		CH <sub>3</sub> CN	12(5)–11(5)	0.29	OriMC-1	MMWO	4.9m	Lor84
220660.91 *(2)		CH <sub>3</sub> CH <sub>2</sub> CN	25(2,24)–24(2,23)	0.7	OriMC-1	OVRO	10.4m	Sut85
U 220664.5		unidentified		0.14	OriMC-1	MMWO	4.9m	Lor84
220679.296*(4)		CH <sub>3</sub> CN	12(4)–11(4)	0.37	OriMC-1	MMWO	4.9m	Lor84
220709.025*(3)		CH <sub>3</sub> CN	12(3)–11(3)	0.80	OriMC-1	MMWO	4.9m	Lor84
220730.268*(3)		CH <sub>3</sub> CN	12(2)–11(2)	0.67	OriMC-1	MMWO	4.9m	Lor84
220743.018*(3)		CH <sub>3</sub> CN	12(1)–11(1)	0.84	OriMC-1	MMWO	4.9m	Lor84
220747.268*(3)		CH <sub>3</sub> CN	12(0)–11(0)	0.99	OriMC-1	MMWO	4.9m	Lor84
U 220792.5		unidentified		0.17 <sup>a</sup>	OriMC-1	MMWO	4.9m	Lor84
220811.69 *(3)		HCOOCH <sub>3</sub>	18(3,16)–17(2,15) E	0.4	OriMC-1	OVRO	10.4m	Sut85
220815.19 *(10)		HCOOCH <sub>3</sub>	18(3,16)–17(2,15) A	0.4	OriMC-1	OVRO	10.4m	Plu84 M
220889.02 *(10)		HCOOCH <sub>3</sub>	18(17,2)–17(17,1) A	0.4 <sup>b</sup>	OriMC-1	OVRO	10.4m	Plu84 M
220889.02 *(10)		HCOOCH <sub>3</sub>	18(17,1)–17(17,0) A	<sup>b</sup>	OriMC-1	OVRO	10.4m	Plu84 M
220926.20 *(10)		HCOOCH <sub>3</sub>	18(16,3)–17(16,2) A	0.5 <sup>b</sup>	OriMC-1	OVRO	10.4m	Plu84 M
220926.20 *(10)		HCOOCH <sub>3</sub>	18(16,2)–17(16,1) A	<sup>b</sup>	OriMC-1	OVRO	10.4m	Plu84 M
220977.84 *(10)		HCOOCH <sub>3</sub>	18(15,3)–17(15,2) A	0.5 <sup>b</sup>	OriMC-1	OVRO	10.4m	Plu84 M
220977.84 *(10)		HCOOCH <sub>3</sub>	18(15,4)–17(15,3) A	<sup>b</sup>	OriMC-1	OVRO	10.4m	Plu84 M
221047.67 *(10)		HCOOCH <sub>3</sub>	18(14,4)–17(14,3) A	0.5 <sup>b</sup>	OriMC-1	OVRO	10.4m	Plu84 M
221047.67 *(10)		HCOOCH <sub>3</sub>	18(14,5)–17(14,4) A	<sup>b</sup>	OriMC-1	OVRO	10.4m	Plu84 M
221049.47 *(6)		HCOOCH <sub>3</sub>	18(14,4)–17(14,3) E	<sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
221067.34 *(6)		HCOOCH <sub>3</sub>	18(14,5)–17(14,4) E	0.3	OriMC-1	OVRO	10.4m	Plu86 M
221123.82 *(4)		CH <sub>2</sub> CHCN	23(1,22)–22(1,21)	0.4	OriMC-1	OVRO	10.4m	Sut85
221139.35 *(5)		HCOOCH <sub>3</sub>	18(13,5)–17(13,4) E	<sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
221141.02 *(10)		HCOOCH <sub>3</sub>	18(13,6)–17(13,5) A	<sup>b</sup>	OriMC-1	OVRO	10.4m	Plu84 M
221141.02 *(10)		HCOOCH <sub>3</sub>	18(13,5)–17(13,4) A	0.7 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
221158.84 *(5)		HCOOCH <sub>3</sub>	18(13,6)–17(13,5) E	0.2	OriMC-1	OVRO	10.4m	Plu86 M
221198.962*(90)		CH <sub>3</sub> CN	12(1)–11(1) $v_8=1 \ell=1$	0.7	OriMC-1	OVRO	10.4m	Sut85
221252.388*(83)		CH <sub>3</sub> CN	12(5)–11(5) $v_8=1 \ell=-1$	0.3	OriMC-1	OVRO	10.4m	Sut85
221260.50 *(4)		HCOOCH <sub>3</sub>	18(12,6)–17(12,5) E	0.4	OriMC-1	OVRO	10.4m	Sut85
221265.59 *(10)		HCOOCH <sub>3</sub>	18(12,7)–17(12,6) A	<sup>b</sup>	OriMC-1	OVRO	10.4m	Plu84 M
221265.59 *(10)		HCOOCH <sub>3</sub>	18(12,6)–17(12,5) A	0.6 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
221281.09 *(4)		HCOOCH <sub>3</sub>	18(12,7)–17(12,6) E	0.4	OriMC-1	OVRO	10.4m	Sut85
221299.576*(80)		CH <sub>3</sub> CN	12(4)–11(4) $v_8=1 \ell=-1$	0.2	OriMC-1	OVRO	10.4m	Sut85
221311.925*(78)		CH <sub>3</sub> CN	12(6)–11(6) $v_8=1 \ell=1$	0.2	OriMC-1	OVRO	10.4m	Sut85

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r(K)$ $/T_s(K)$	Source	Telescope	Astr. ref.	Lab. ref.
221338.038*(90)		CH <sub>3</sub> CN	12(3)–11(3) $v_8=1 \ell=-1$	0.3	OriMC-1	OVRO	10.4m	Sut85
221350.329*(81)		CH <sub>3</sub> CN	12(5)–11(5) $v_8=1 \ell=-1$	0.2	OriMC-1	OVRO	10.4m	Sut85
221367.512*(90)		CH <sub>3</sub> CN	12(2)–11(2) $v_8=1 \ell=-1$	0.6	OriMC-1	OVRO	10.4m	Sut85
221380.61 *(10)		CH <sub>3</sub> CN	12(4)–11(4) $v_8=1 \ell=1$	0.6	OriMC-1	OVRO	10.4m	Sut85
221387.33 *(10)		CH <sub>3</sub> CN	12(1)–11(1) $v_8=1 \ell=-1$	0.4	OriMC-1	OVRO	10.4m	Sut85
221394.13 *(15)		CH <sub>3</sub> CN	12(0)–11(0) $v_8=1 \ell=1$	0.5	OriMC-1	OVRO	10.4m	Sut85
221403.51 *(11)		CH <sub>3</sub> CN	12(3)–11(3) $v_8=1 \ell=1$	0.3	OriMC-1	OVRO	10.4m	Sut85
221422.34 *(16)		CH <sub>3</sub> CN	12(2)–11(2) $v_8=1 \ell=1$	0.3 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
221424.52 *(4)		HCOOCH <sub>3</sub>	18(11,7)–17(11,6) E	0.8	OriMC-1	OVRO	10.4m	Sut85
221432.95 *(10)		HCOOCH <sub>3</sub>	18(11,8)–17(11,7) A	<sup>b</sup>	OriMC-1	OVRO	10.4m	Plu86 M
221432.95 *(10)		HCOOCH <sub>3</sub>	18(11,7)–17(11,6) A	0.9 <sup>b</sup>	OriMC-1	OVRO	10.4m	Plu84 M
221445.70 *(4)		HCOOCH <sub>3</sub>	18(11,8)–17(11,7) E	0.6	OriMC-1	OVRO	10.4m	Sut85
221626.04 *(9)		CH <sub>3</sub> CN	12(1)–11(1) $v_8=1 \ell=1$	0.4	OriMC-1	OVRO	10.4m	Sut85
221649.39 *(4)		HCOOCH <sub>3</sub>	18(10,8)–17(10,7) E	0.5	OriMC-1	OVRO	10.4m	Plu86 M
221660.46 *(3)		HCOOCH <sub>3</sub>	18(4,15)–17(4,14) E	1.5 <sup>b</sup>	OriMC-1	OVRO	10.4m	Plu86 M
221661.06 *(10)		HCOOCH <sub>3</sub>	18(10,8)–17(10,7) A	<sup>b</sup>	OriMC-1	OVRO	10.4m	Plu84 M
221661.06 *(10)		HCOOCH <sub>3</sub>	18(10,9)–17(10,8) A	<sup>b</sup>	OriMC-1	OVRO	10.4m	Plu84 M
221670.71 *(4)		HCOOCH <sub>3</sub>	18(10,9)–17(10,8) E	0.4	OriMC-1	OVRO	10.4m	Sut85
221674.62 *(10)		HCOOCH <sub>3</sub>	18(4,15)–17(4,14) A	0.8	OriMC-1	OVRO	10.4m	Plu86 M
221735.67 *(12)		<sup>34</sup> SO <sub>2</sub>	13(2,12)–13(1,13)	1.0	OriMC-1	OVRO	10.4m	Sut85
221765.98 *(6)		CH <sub>2</sub> CHCN	24(0,24)–23(0,23)	0.4	OriMC-1	OVRO	10.4m	Sut85
221965.21 *(2)		SO <sub>2</sub>	11(1,11)–10(0,10)	13.9	OriMC-1	OVRO	10.4m	Sut85
222009.37 *(5)		SiC <sub>2</sub>	9(2,7)–8(2,6)	n.r.	IRC+10216	IRAM	30m	Cer91b N
222099.152*(10)		CH <sub>3</sub> CCH	13(4)–12(4)	0.2	OriMC-1	OVRO	10.4m	Sut85
222128.814*(6)		CH <sub>3</sub> CCH	13(3)–12(3)	0.13	OriMC-1	MMWO	4.9m	Lor84d
222150.009*(3)		CH <sub>3</sub> CCH	13(2)–12(2)	0.30	OriMC-1	MMWO	4.9m	Lor84d
222153.45 *(5)		CH <sub>2</sub> CHCN	23(2,21)–22(2,20)	0.4	OriMC-1	OVRO	10.4m	Sut85
222162.729*(2)		CH <sub>3</sub> CCH	13(1)–12(1)	0.27	OriMC-1	MMWO	4.9m	Lor84d
222166.970*(2)		CH <sub>3</sub> CCH	13(0)–12(0)	0.41	OriMC-1	MMWO	4.9m	Lor84d
U 222177.		unidentified		0.4	OriMC-1	OVRO	10.4m	Sut85
222197.65 *(28)		CH <sub>2</sub> CO	11(0,11)–10(0,10)	0.6	OriMC-1	OVRO	10.4m	Sut85
222228.61 *(20)		CH <sub>2</sub> CO	11(2,10)–10(2,9)	0.2	OriMC-1	OVRO	10.4m	Sut85
222238.67 *(35)		CH <sub>3</sub> OCH <sub>3</sub>	4(3,2)–3(2,1) EA	0.02	OriMC-1	OVRO	10.4m	Sut85
222247.48 *(19)		CH <sub>3</sub> OCH <sub>3</sub>	4(3,2)–3(2,1) AE	1.3 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
222247.60 *(21)		CH <sub>3</sub> OCH <sub>3</sub>	4(3,2)–3(2,1) EE	<sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
222254.74 *(9)		CH <sub>3</sub> OCH <sub>3</sub>	4(3,2)–3(2,1) AA	1.0	OriMC-1	OVRO	10.4m	Sut85
U 222259.		unidentified		0.6	OriMC-1	OVRO	10.4m	Sut85
222314.40 *(20)		CH <sub>2</sub> CO	11(2,9)–10(2,8)	0.2	OriMC-1	OVRO	10.4m	Sut85
222329.40 *(18)		HCNH <sup>+</sup>	2–1	0.11	Sgr B2	MWO	4.9m	Ziu86a N
222421.46 *(4)		HCOOCH <sub>3</sub>	18(8,10)–17(8,9) E	1.0	OriMC-1	OVRO	10.4m	Bog85a N
222426.82 *(19)		CH <sub>3</sub> OCH <sub>3</sub>	4(3,1)–3(2,2) AE	0.3	OriMC-1	OVRO	10.4m	Plu86 M
222433.96 *(10)		CH <sub>3</sub> OCH <sub>3</sub>	4(3,1)–3(2,2) EE	1.5 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
222434.08 *(9)		CH <sub>3</sub> OCH <sub>3</sub>	4(3,1)–3(2,2) AA	<sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
222435.63 *(13)		CH <sub>3</sub> OCH <sub>3</sub>	4(3,1)–3(2,2) EA	<sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
222438.23 *(10)		HCOOCH <sub>3</sub>	18(8,10)–17(8,9) A	1.2 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
222440.34 *(10)		HCOOCH <sub>3</sub>	18(8,11)–17(8,10) A	<sup>b</sup>	OriMC-1	OVRO	10.4m	Plu84 M
222442.01 *(4)		HCOOCH <sub>3</sub>	18(8,10)–17(8,9) E	<sup>b</sup>	OriMC-1	OVRO	10.4m	Plu86 M
222707.22 *(2)		CH <sub>3</sub> CH <sub>2</sub> CN	26(0,26)–25(1,25)	0.3	OriMC-1	OVRO	10.4m	Sut85
222722.9 (1)		CH <sub>3</sub> OH	16(2)–15(1) A+	0.6	OriMC-1	OVRO	10.4m	Sut85
222918.17 *(2)		CH <sub>3</sub> CH <sub>2</sub> CN	25(1,24)–24(1,23)	0.9	OriMC-1	OVRO	10.4m	Sut85
223037.92 *(3)		HCOOCH <sub>3</sub>	19(2,17)–18(3,16) E	0.3	OriMC-1	OVRO	10.4m	Plu86 M
223119.20 *(10)		HCOOCH <sub>3</sub>	18(7,12)–17(7,11) A	1.1	OriMC-1	OVRO	10.4m	Plu84 M
223124.89 *(3)		HCOOCH <sub>3</sub>	18(7,12)–17(7,11) E	1.0	OriMC-1	OVRO	10.4m	Plu86 M
223135.13 *(3)		HCOOCH <sub>3</sub>	18(7,11)–17(7,10) E	1.0	OriMC-1	OVRO	10.4m	Plu86 M
223162.69 *(10)		HCOOCH <sub>3</sub>	18(7,11)–17(7,10) A	0.8	OriMC-1	OVRO	10.4m	Plu84 M
223200.13 *(24)		CH <sub>3</sub> OCH <sub>3</sub>	8(2,7)–7(1,6) EA	<sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
223200.13 *(24)		CH <sub>3</sub> OCH <sub>3</sub>	8(2,7)–7(1,6) AE	<sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
223202.32 *(17)		CH <sub>3</sub> OCH <sub>3</sub>	8(2,7)–7(1,6) EA	1.1 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
223204.51 *(11)		CH <sub>3</sub> OCH <sub>3</sub>	8(2,7)–7(1,6) EA	<sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
223385.32 *(2)		CH <sub>3</sub> CH <sub>2</sub> CN	26(1,26)–25(1,25)	0.9	OriMC-1	OVRO	10.4m	Sut85
223434.43 *(6)		SO <sub>2</sub>	27(6,20)–28(7,21)	0.3	OriMC-1	OVRO	10.4m	Sut85
223553.58 *(2)		CH <sub>3</sub> CH <sub>2</sub> CN	26(0,26)–25(0,25)	0.6	OriMC-1	OVRO	10.4m	Sut85
223650.13 *(10)		CH <sub>3</sub> CHO	12(1,12)–11(1,11) E	0.2	OriMC-1	OVRO	10.4m	Sut85
223660.57 *(10)		CH <sub>3</sub> CHO	12(1,12)–11(1,11) A	0.3	OriMC-1	OVRO	10.4m	M
223883.64 *(2)		SO <sub>2</sub>	6(4,2)–7(3,5)	1.4	OriMC-1	OVRO	10.4m	Sut85

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r(K)$	Source	Telescope	Astr. ref.	Lab. ref.
				$/T_a(K)$				
223915.56 *( 1)		HCOOH	10(2,9)–9(2,8)	0.3	OriMC-1	OVRO	10.4m	Sut85
223933.73 *( 2)		CH <sub>3</sub> CH <sub>2</sub> CN	25(3,23)–24(3,22)	0.6	OriMC-1	OVRO	10.4m	Sut85
224002.12 *( 2)		CH <sub>3</sub> CH <sub>2</sub> CN	25(10,16)–24(10,15)	b	OriMC-1	OVRO	10.4m	Sut85
224002.12 *( 2)		CH <sub>3</sub> CH <sub>2</sub> CN	25(10,15)–24(10,14)	b	OriMC-1	OVRO	10.4m	Sut85
224003.44 *( 2)		CH <sub>3</sub> CH <sub>2</sub> CN	25(9,16)–24(9,15)	0.9 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
224003.44 *( 2)		CH <sub>3</sub> CH <sub>2</sub> CN	25(9,17)–24(9,16)	b	OriMC-1	OVRO	10.4m	Sut85
224017.54 *( 2)		CH <sub>3</sub> CH <sub>2</sub> CN	25(11,14)–24(11,13)	b	OriMC-1	OVRO	10.4m	Sut85
224017.54 *( 2)		CH <sub>3</sub> CH <sub>2</sub> CN	25(11,15)–24(11,14)	0.6 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
224021.4 *( 1)		HCOOCH <sub>3</sub>	18(6,13)–17(6,12) E	1.0 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
224024.05 *( 10)		HCOOCH <sub>3</sub>	18(6,13)–17(6,12) A	b	OriMC-1	OVRO	10.4m	Sut85
224028.14 *( 2)		CH <sub>3</sub> CH <sub>2</sub> CN	25(6,17)–24(6,16)	b	OriMC-1	OVRO	10.4m	Sut85
224028.14 *( 2)		CH <sub>3</sub> CH <sub>2</sub> CN	25(6,18)–24(6,17)	0.8 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
224045.75 *( 2)		CH <sub>3</sub> CH <sub>2</sub> CN	25(12,14)–24(12,13)	b	OriMC-1	OVRO	10.4m	Sut85
224045.75 *( 2)		CH <sub>3</sub> CH <sub>2</sub> CN	25(12,13)–24(12,12)	0.3 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
224084.28 *( 2)		CH <sub>3</sub> CH <sub>2</sub> CN	25(13,13)–24(13,12)	b	OriMC-1	OVRO	10.4m	Sut85
224084.28 *( 2)		CH <sub>3</sub> CH <sub>2</sub> CN	25(13,12)–24(13,11)	b	OriMC-1	OVRO	10.4m	Sut85
224088.19 *( 2)		CH <sub>3</sub> CH <sub>2</sub> CN	25(7,19)–24(7,18)	b	OriMC-1	OVRO	10.4m	Sut85
224088.23 *( 2)		CH <sub>3</sub> CH <sub>2</sub> CN	25(7,18)–24(7,17)	0.8 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
224131.51 *( 2)		CH <sub>3</sub> CH <sub>2</sub> CN	25(14,11)–24(14,10)	b	OriMC-1	OVRO	10.4m	Sut85
224131.51 *( 2)		CH <sub>3</sub> CH <sub>2</sub> CN	25(14,12)–24(14,11)	0.2 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
224186.35 *( 2)		CH <sub>3</sub> CH <sub>2</sub> CN	25(15,10)–24(15,9)	b	OriMC-1	OVRO	10.4m	Sut85
224186.35 *( 2)		CH <sub>3</sub> CH <sub>2</sub> CN	25(15,11)–24(15,10)	0.2 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
224206.60 *( 2)		CH <sub>3</sub> CH <sub>2</sub> CN	25(6,20)–24(6,19)	0.7 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
224208.08 *( 2)		CH <sub>3</sub> CH <sub>2</sub> CN	25(6,19)–24(6,18)	b	OriMC-1	OVRO	10.4m	Sut85
224264.90 *( 3)		SO <sub>2</sub>	20(2,16)–19(3,17)	2.6	OriMC-1	OVRO	10.4m	Sut85
224313.08 *( 3)		HCOOCH <sub>3</sub>	18(5,14)–17(5,13) E	0.8	OriMC-1	OVRO	10.4m	Sut85
224327.21 *(18)		CH <sub>2</sub> CO	11(1,10)–10(1,9)	b	OriMC-1	OVRO	10.4m	Sut85
224328.25 *(10)		HCOOCH <sub>3</sub>	18(5,14)–17(5,13) A	0.8 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
224419.82 *( 2)		CH <sub>3</sub> CH <sub>2</sub> CN	25(5,21)–24(5,20)	0.4	OriMC-1	OVRO	10.4m	Sut85
224458.85 *( 2)		CH <sub>3</sub> CH <sub>2</sub> CN	25(5,20)–24(5,19)	0.7	OriMC-1	OVRO	10.4m	Sut85
224469.02 *( 3)		CH <sub>3</sub> CH <sub>2</sub> CN	25(19,6)–24(19,5)	b	OriMC-1	OVRO	10.4m	Sut85
224469.02 *( 3)		CH <sub>3</sub> CH <sub>2</sub> CN	25(19,7)–24(19,6)	0.3 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
U 224493.		unidentified		0.5	OriMC-1	OVRO	10.4m	Sut85
224582.45 *( 3)		HCOOCH <sub>3</sub>	18(6,12)–17(6,11) E	0.8	OriMC-1	OVRO	10.4m	Sut85
224609.31 *(10)		HCOOCH <sub>3</sub>	18(6,12)–17(6,11) A	0.8	OriMC-1	OVRO	10.4m	Sut85
224638.70 *( 2)		CH <sub>3</sub> CH <sub>2</sub> CN	25(4,22)–24(4,21)	0.6 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
224643.26 *( 5)		CH <sub>3</sub> CH <sub>2</sub> CN	25(21,4)–24(21,3)	b	OriMC-1	OVRO	10.4m	Sut85
224643.26 *( 5)		CH <sub>3</sub> CH <sub>2</sub> CN	25(21,5)–24(21,4)	b	OriMC-1	OVRO	10.4m	Sut85
224699.4 *( 1)		CH <sub>3</sub> OH	20(–2)–19(–3) E	0.7	OriMC-1	OVRO	10.4m	Sut85
224714.368*(30)		C <sup>17</sup> O	2–1	1.5	OriMC-1	OVRO	10.4m	Sut85
U 224895.		unidentified		0.7	OriMC-1	OVRO	10.4m	Sut85
225153.69 *( 2)		SO <sub>2</sub>	13(2,12)–13(1,13)	6.3	OriMC-1	OVRO	10.4m	Sut85
225236.11 *( 2)		CH <sub>3</sub> CH <sub>2</sub> CN	25(4,21)–24(4,20)	0.8	OriMC-1	OVRO	10.4m	Sut85
225413.638 (30)		OC <sup>34</sup> S	19–18	0.7	OriMC-1	OVRO	10.4m	Sut85
225512.54 *( 1)		HCOOH	10(3,7)–9(3,6)	0.4	OriMC-1	OVRO	10.4m	Sut85
225599.14 *(15)		CH <sub>3</sub> OCH <sub>3</sub>	12(1,12)–11(0,11) EE	0.7	OriMC-1	MMWO	4.9m	Woo84
225608.78 *( 3)		HCOOCH <sub>3</sub>	19(3,17)–18(3,16) E	1.1	OriMC-1	OVRO	10.4m	Sut85
225618.66 *(10)		HCOOCH <sub>3</sub>	19(3,17)–18(3,16) A	1.3	OriMC-1	OVRO	10.4m	Sut85
U 225625.		unidentified		1.0	OriMC-1	OVRO	10.4m	Sut85
225648.70 *(10)		HCOOCH <sub>3</sub>	26(9,18)–26(8,19) A	2.3	OMC-IRc2	IRAM	30m	Jac90
U 225660.6		unidentified		1.6	OMC-IRc2	IRAM	30m	Jac90
225697.772*( 9)		H <sub>2</sub> CO	3(1,2)–2(1,1)	5.0	OriMC-1	MMWO	4.9m	Eva79
U 225726.4		unidentified		1.6	OMC-IRc2	IRAM	30m	Jac90
U 225744.8		unidentified		1.9	OMC-IRc2	IRAM	30m	Jac90
U 225756.3		unidentified		2.3	OMC-IRc2	IRAM	30m	Jac90
U 225767.4		unidentified		0.8	OMC-IRc2	IRAM	30m	Jac90
U 225781.6		unidentified		1.2	OMC-IRc2	IRAM	30m	Jac90
U 225784.6		unidentified		0.6	OMC-IRc2	IRAM	30m	Jac90
U 225803.1		unidentified		1.3	OMC-IRc2	IRAM	30m	Jac90
225824.33 *( 6)		HCOOH	31(3,28)–31(3,29)	1.8	OMC-IRc2	IRAM	30m	Jac90
U 225840.8		unidentified		0.7	OMC-IRc2	IRAM	30m	Jac90
U 225850.8		unidentified		1.4	OMC-IRc2	IRAM	30m	Jac90
225853.841*( 1)		D <sup>15</sup> NC	3–2	1.9	OMC-IRc2	IRAM	30m	Jac90
225896.720 (38)		HDO	3(1,2)–2(2,1)	2.3	OriMC-1	OVRO	10.4m	Sut85
U 225915.8		unidentified		0.7	OMC-IRc2	IRAM	30m	DeL71 N

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r$ (K) $/T_a$ (K)	Source	Telescope	Astr. ref.	Lab. ref.	
225928.56 *(10)		HCOOCH <sub>3</sub>	6(6,1)–5(5,0) A	0.4 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85	Plu84 M
225928.59 *(10)		HCOOCH <sub>3</sub>	6(6,0)–5(5,1) A	v	OriMC-1	OVRO	10.4m	Sut85	Plu84 M
U 225934.6		unidentified		0.9	OMC-IRc2	IRAM	30m	Jac90	N
U 225944.6		unidentified		0.6	OMC-IRc2	IRAM	30m	Jac90	N
U 226035.6		unidentified		1.0	OMC-IRc2	IRAM	30m	Jac90	N
U 226043.3		unidentified		1.1	OMC-IRc2	IRAM	30m	Jac90	N
U 226058.4		unidentified		0.7	OMC-IRc2	IRAM	30m	Jac90	N
U 226072.4		unidentified		1.7	OMC-IRc2	IRAM	30m	Jac90	N
226078.0 *(6)		HCOOCH <sub>3</sub>	10(3,7)–9(1,8) E	0.6	OMC-IRc2	IRAM	30m	Jac90	N
U 226090.2		unidentified		2.0	OMC-IRc2	IRAM	30m	Jac90	N
226094.6 *(2)		HCOOCH <sub>3</sub>	5(4,1)–4(2,2) A	0.9	OMC-IRc2	IRAM	30m	Jac90	N
226125.6 *(2)		HCOOCH <sub>3</sub>	10(3,7)–9(1,8) A	0.9	OMC-IRc2	IRAM	30m	Jac90	N
226256.83 *(5)		CH <sub>2</sub> CHCN	24(2,23)–23(2,22)	0.2	OriMC-1	OVRO	10.4m	Sut85	
226300.00 *(4)		SO <sub>2</sub>	14(3,11)–14(2,12)	5.8	OriMC-1	OVRO	10.4m	Sut85	
226332.519*(20)		CN	2–1 J=3/2–3/2 F=3/2–5/2	0.3	OriMC-1	OVRO	10.4m	Sut85	
226341.919*(20)		CN	2–1 J=3/2–3/2 F=5/2–3/2	0.3	OriMC-1	OVRO	10.4m	Sut85	Woo82
226346.00 *(13)		CH <sub>3</sub> OCH <sub>3</sub>	14(1,13)–13(2,12) AA	v	OriMC-1	OVRO	10.4m	Sut85	
226346.89 *(25)		CH <sub>3</sub> OCH <sub>3</sub>	14(1,13)–13(2,12) EE	1.6 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85	
226347.78 *(37)		CH <sub>3</sub> OCH <sub>3</sub>	14(1,13)–13(2,12) AE	v	OriMC-1	OVRO	10.4m	Sut85	
226347.78 *(37)		CH <sub>3</sub> OCH <sub>3</sub>	14(1,13)–13(2,12) EA	v	OriMC-1	OVRO	10.4m	Sut85	
226359.987*(20)		CN	2–1 J=3/2–3/2 F=5/2–5/2	1.2	OriMC-1	OVRO	10.4m	Sut85	Woo82
U 226384.		unidentified		0.5	OriMC-1	OVRO	10.4m	Sut85	
U 226436.		unidentified		0.4	OriMC-1	OVRO	10.4m	Sut85	
226538.674 (50)		CH <sub>3</sub> OD	5(0)–4(0) A	4.6 <sup>f</sup>	OriMC-1	IRAM	30m	Mau88	And88 N
226551.59 (5)		CH <sub>3</sub> CHO	12(0,12)–11(0,11) E	0.3	OriMC-1	OVRO	10.4m	Sut85	Lia86 M
226592.71 (5)		CH <sub>3</sub> CHO	12(0,12)–11(0,11) A	0.2	OriMC-1	OVRO	10.4m	Sut85	Lia86 M
226616.520*(20)		CN	2–1 J=3/2–1/2 F=1/2–3/2	0.2	OriMC-1	OVRO	10.4m	Sut85	Ska83
226632.176*(20)		CN	2–1 J=3/2–1/2 F=3/2–3/2	1.4	OriMC-1	OVRO	10.4m	Sut85	Ska83
226659.543*(20)		CN	2–1 J=3/2–1/2 F=5/2–3/2	4.3	OriMC-1	OVRO	10.4m	Sut85	Ska83
226663.685*(20)		CN	2–1 J=3/2–1/2 F=1/2–1/2	1.5	OriMC-1	OVRO	10.4m	Sut85	Ska83
226679.341*(20)		CN	2–1 J=3/2–1/2 F=3/2–1/2	1.9	OriMC-1	OVRO	10.4m	Sut85	Ska83
226706.601 (50)		CH <sub>3</sub> OD	5(2)–4(2) A–	3.7 <sup>f</sup>	OriMC-1	IRAM	30m	Mau88	And88 N
226713.04 *(3)		HCOOCH <sub>3</sub>	20(2,19)–19(2,18) E	0.9	OriMC-1	OVRO	10.4m	Sut85	Plu86 M
226718.70 *(5)		HCOOCH <sub>3</sub>	20(2,19)–19(2,18) A	0.5	OriMC-1	OVRO	10.4m	Sut85	Plu84 M
226738.864 (50)		CH <sub>3</sub> OD	5(–4)–4(–4) E	1.4 <sup>f</sup>	OriMC-1	IRAM	30m	Mau88	And88 N
226773.17 *(3)		HCOOCH <sub>3</sub>	20(1,19)–19(1,18) E	0.9	OriMC-1	OVRO	10.4m	Sut85	Plu86 M
226778.70 *(5)		HCOOCH <sub>3</sub>	20(1,19)–19(1,18) A	1.0	OriMC-1	OVRO	10.4m	Sut85	Plu84 M
226856.81 *(3)		HCOOCH <sub>3</sub>	20(2,19)–19(1,18) E	0.5	OriMC-1	OVRO	10.4m	Sut85	Plu86 M
226862.19 *(10)		HCOOCH <sub>3</sub>	20(2,19)–19(1,18) A	0.6	OriMC-1	OVRO	10.4m	Sut85	Plu84 M
226874.183*(20)		CN	2–1 J=5/2–3/2 F=5/2–3/2	v	OriMC-1	OVRO	10.4m	Woo82	Ska83
226874.764*(20)		CN	2–1 J=5/2–3/2 F=7/2–5/2	8.0 <sup>b</sup>	OriMC-1	OVRO	10.4m	Woo82	Ska83
226875.896*(20)		CN	2–1 J=5/2–3/2 F=3/2–1/2	v	OriMC-1	OVRO	10.4m	Woo82	Ska83
226887.399*(20)		CN	2–1 J=5/2–3/2 F=3/2–3/2	1.0	OriMC-1	OVRO	10.4m	Woo82	Ska83
226892.151*(20)		CN	2–1 J=5/2–3/2 F=5/2–5/2	1.0	OriMC-1	OVRO	10.4m	Woo82	Ska83
226922.584 (50)		CH <sub>3</sub> OD	5(–2)–4(–2) E	1.0 <sup>f</sup>	OriMC-1	IRAM	30m	Mau88	And88 N
226942.830 (50)		CH <sub>3</sub> OD	5(3)–4(2) A+	1.2 <sup>f</sup>	OriMC-1	IRAM	30m	Mau88	And88 N
227004.78 *(13)		Si <sup>13</sup> CC	10(2,9)–9(2,8)	0.7 <sup>f</sup>	IRC+10216	IRAM	30m	Cer91b	Cer91b N
227019.49 *(3)		HCOOCH <sub>3</sub>	19(2,17)–18(2,16) E	1.0	OriMC-1	OVRO	10.4m	Sut85	Plu86 M
227028.06 *(10)		HCOOCH <sub>3</sub>	19(2,17)–18(2,16) A	1.2	OriMC-1	OVRO	10.4m	Sut85	Plu84 M
227031.94 *(11)		<sup>34</sup> SO <sub>2</sub>	12(3,9)–12(2,10)	0.7	OriMC-1	OVRO	10.4m	Sut85	
227094.6 (1)		CH <sub>3</sub> OH	21(1)–20(0) E	0.9	OriMC-1	OVRO	10.4m	Sut85	M
227418.957*(46)		HC <sub>3</sub> N	25–24	3.5	OriMC-1	OVRO	10.4m	Sut85	
227560.95 *(3)		HCOOCH <sub>3</sub>	21(1,21)–20(1,20) E	v	OriMC-1	OVRO	10.4m	Sut85	Plu86 M
227561.75 *(3)		HCOOCH <sub>3</sub>	21(0,21)–20(0,20) E	v	OriMC-1	OVRO	10.4m	Sut85	Plu86 M
227561.95 *(10)		HCOOCH <sub>3</sub>	21(1,21)–20(1,20) A	2.1 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85	Plu84 M
227562.77 *(10)		HCOOCH <sub>3</sub>	21(0,21)–20(0,20) A	v	OriMC-1	OVRO	10.4m	Sut85	Plu84 M
227780.97 *(2)		CH <sub>3</sub> CH <sub>2</sub> CN	25(3,22)–24(3,21)	0.5	OriMC-1	OVRO	10.4m	Sut85	
227814.5 (1)		CH <sub>3</sub> OH	16(1)–15(2) A+	1.4	OriMC-1	OVRO	10.4m	Sut85	Sut85 M
227897.52 *(11)		CH <sub>2</sub> CHCN	24(7,17)–23(7,16)	v	OriMC-1	OVRO	10.4m	Sut85	
227897.52 *(11)		CH <sub>2</sub> CHCN	24(7,18)–23(7,17)	0.5 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85	
227906.61 *(9)		CH <sub>2</sub> CHCN	24(6,19)–23(6,18)	0.5 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85	
227906.64 *(9)		CH <sub>2</sub> CHCN	24(6,18)–23(6,17)	v	OriMC-1	OVRO	10.4m	Sut85	
227918.54 *(13)		CH <sub>2</sub> CHCN	24(8,17)–23(8,16)	v	OriMC-1	OVRO	10.4m	Sut85	
227918.54 *(13)		CH <sub>2</sub> CHCN	24(8,16)–23(8,15)	0.5 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85	
227960.07 *(15)		CH <sub>2</sub> CHCN	24(9,15)–23(9,14)	v	OriMC-1	OVRO	10.4m	Sut85	

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r(K)$ $/T_a(K)$	Source	Telescope	Astr. ref.	Lab. ref.
227960.07 *(15)		CH <sub>2</sub> CHCN	24(9,16)–23(9,15)	b	OriMC-1	OVRO	10.4m	Sut85
227965.97 *( 7)		CH <sub>2</sub> CHCN	24(5,20)–23(5,19)	b	OriMC-1	OVRO	10.4m	Sut85
227967.52 *( 7)		CH <sub>2</sub> CHCN	24(5,19)–23(5,18)	0.5 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
227977.074*(68)		HC <sub>3</sub> N	25–24 $\nu_7=1$ $\ell=1e$	0.7	OriMC-1	OVRO	10.4m	Sut85
228090.48 *( 5)		CH <sub>2</sub> CHCN	24(3,22)–23(3,21)	0.4	OriMC-1	OVRO	10.4m	Sut85
228104.55 *( 6)		CH <sub>2</sub> CHCN	24(4,21)–23(4,20)	0.5	OriMC-1	OVRO	10.4m	Sut85
228302.988*(68)		HC <sub>3</sub> N	25–24 $\nu_7=1$ $\ell=1f$	0.8	OriMC-1	OVRO	10.4m	Sut85
228483.14 *( 2)		CH <sub>3</sub> CH <sub>2</sub> CN	25(2,23)–24(2,22)	0.9	OriMC-1	OVRO	10.4m	Sut85
228544.07 *( 1)		HCOOH	10(2,8)–9(2,7)	0.4	OriMC-1	OVRO	10.4m	Sut85
228628.82 *( 3)		HCOOCH <sub>3</sub>	18(5,13)–17(5,12) E	1.2	OriMC-1	OVRO	10.4m	Sut85
228651.34 *(10)		HCOOCH <sub>3</sub>	18(5,13)–17(5,12) A	1.2	OriMC-1	OVRO	10.4m	Sut85
228797.47 *( 4)		CH <sub>3</sub> CH <sub>2</sub> CN	14(2,12)–13(1,13)	0.3	OriMC-1	OVRO	10.4m	Sut85
228910.46 *(10)		DNC	3–2	0.23	OriMC-1	MMWO	4.9m	Lor84b
228978.76 *(58)		CH <sub>3</sub> OCH <sub>3</sub>	7(7,1)–8(6,2) EA	0.2	OriMC-1	OVRO	10.4m	Sut85
228983.24 *(48)		CH <sub>3</sub> OCH <sub>3</sub>	7(7,1)–8(6,2) EE	0.2 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
228984.83 *(48)		CH <sub>3</sub> OCH <sub>3</sub>	7(7,1)–8(6,2) AE	b	OriMC-1	OVRO	10.4m	Sut85
228984.83 *(48)		CH <sub>3</sub> OCH <sub>3</sub>	7(7,0)–8(6,3) AE	b	OriMC-1	OVRO	10.4m	Sut85
228987.74 *(37)		CH <sub>3</sub> OCH <sub>3</sub>	7(7,1)–8(6,2) AA	b	OriMC-1	OVRO	10.4m	Sut85
228987.74 *(37)		CH <sub>3</sub> OCH <sub>3</sub>	7(7,0)–8(6,3) AA	b	OriMC-1	OVRO	10.4m	Sut85
228989.33 *(40)		CH <sub>3</sub> OCH <sub>3</sub>	7(7,0)–8(6,3) EE	b	OriMC-1	OVRO	10.4m	Sut85
228990.91 *(44)		CH <sub>3</sub> OCH <sub>3</sub>	7(7,0)–8(6,3) EA	b	OriMC-1	OVRO	10.4m	Sut85
229086.99 *( 5)		CH <sub>2</sub> CHCN	24(3,21)–23(3,20)	0.3	OriMC-1	OVRO	10.4m	Sut85
229265.16 *( 2)		CH <sub>3</sub> CH <sub>2</sub> CN	26(2,25)–25(2,24)	0.7	OriMC-1	OVRO	10.4m	Sut85
229304.7 (10)		<sup>29</sup> SiC <sub>2</sub>	10(2,9)–9(2,8)	n.r.	IRC + 10216	IRAM	30m	Cer91b
229347.73 *( 3)		SO <sub>2</sub>	11(5,7)–12(4,8)	1.9	OriMC-1	OVRO	10.4m	Sut85
229404.98 *( 3)		HCOOCH <sub>3</sub>	18(3,15)–17(3,14) E	1.2	OriMC-1	OVRO	10.4m	Sut85
229420.30 *(10)		HCOOCH <sub>3</sub>	18(3,15)–17(3,14) A	1.3	OriMC-1	OVRO	10.4m	Plu86 M
229474.17 *( 5)		HCOOCH <sub>3</sub>	20(3,17)–19(4,16) E	0.3	OriMC-1	OVRO	10.4m	Plu86 M
229504.59 *(10)		HCOOCH <sub>3</sub>	20(3,17)–19(4,16) A	0.3	OriMC-1	OVRO	10.4m	Plu84 M
229589.1 (1)		CH <sub>3</sub> OH	15(4)–16(3) E	1.3	OriMC-1	OVRO	10.4m	Sut85
229647.75 *( 9)		CH <sub>2</sub> CHCN	25(1,25)–24(1,24)	0.2	OriMC-1	OVRO	10.4m	Sut85
229758.76 ( 5)		CH <sub>3</sub> OH	8(–1)–7(0) E	10.6	OriMC-1	OVRO	10.4m	Sut85
229857.66 *(11)		<sup>34</sup> SO <sub>2</sub>	4(2,2)–3(1,3)	1.1	OriMC-1	OVRO	10.4m	Sut85
229864.19 ( 5)		CH <sub>3</sub> OH	19(5)–20(4) A+	0.4	OriMC-1	OVRO	10.4m	Sas84
229939.18 ( 5)		CH <sub>3</sub> OH	19(5)–20(4) A-	0.5	OriMC-1	OVRO	10.4m	Sas84
230027.06 ( 5)		CH <sub>3</sub> OH	3(–2)–4(–1) E	5.1	OriMC-1	OVRO	10.4m	Sas84
U 230233.		unidentified		0.6	OriMC-1	OVRO	10.4m	Sut85
230317.527 (30)		O <sup>13</sup> CS	19–18	0.5	OriMC-1	OVRO	10.4m	Sut85
230368.69 ( 5)		CH <sub>3</sub> OH	22(4)–21(5) E	0.2	OriMC-1	OVRO	10.4m	Sas84
230465.75 *(71)		CH <sub>3</sub> OCH <sub>3</sub>	10(8,3)–11(7,4) EA	b	OriMC-1	OVRO	10.4m	Sut85
230467.78 *(64)		CH <sub>3</sub> OCH <sub>3</sub>	10(8,3)–11(7,4) EE	0.4 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
230469.81 *(59)		CH <sub>3</sub> OCH <sub>3</sub>	10(8,3)–11(7,4) AA	b	OriMC-1	OVRO	10.4m	Sut85
230469.81 *(59)		CH <sub>3</sub> OCH <sub>3</sub>	10(8,2)–11(7,5) AA	b	OriMC-1	OVRO	10.4m	Sut85
230470.19 *(70)		CH <sub>3</sub> OCH <sub>3</sub>	10(8,3)–11(7,4) AE	b	OriMC-1	OVRO	10.4m	Sut85
230470.19 *(70)		CH <sub>3</sub> OCH <sub>3</sub>	10(8,2)–11(7,5) AE	b	OriMC-1	OVRO	10.4m	Sut85
230472.22 *(69)		CH <sub>3</sub> OCH <sub>3</sub>	10(8,2)–11(7,5) EE	b	OriMC-1	OVRO	10.4m	Sut85
230474.62 *(80)		CH <sub>3</sub> OCH <sub>3</sub>	10(8,2)–11(7,5) EA	b	OriMC-1	OVRO	10.4m	Sut85
230509.8 (15)		<sup>30</sup> SiC <sub>2</sub>	10(4,6)–9(4,5)	n.r.	IRC + 10216	IRAM	30m	Cer91b N
230538.000 ( 2)		CO	2–1	70.	OriMC-1	NRAO	11m	Phi77
230738.48 *( 8)		CH <sub>2</sub> CHCN	25(0,25)–24(0,24)	0.4	OriMC-1	OVRO	10.4m	Sut85
231060.991*( 2)		OCS	19–18	0.80	OriMC-1	FCRAO	14m	Sch84
231199.27 *(10)		HCOOCH <sub>3</sub>	21(9,12)–21(8,13) A	0.3	OriMC-1	OVRO	10.4m	Sut85
231220.768*(40)		<sup>13</sup> CS	5–4	0.7	OriMC-1	MMWO	4.9m	Mun84a
231239.06 *(10)		HCOOCH <sub>3</sub>	21(9,13)–21(8,14) A	0.4	OriMC-1	OVRO	10.4m	Sut85
231281.10 ( 5)		CH <sub>3</sub> OH	10(2)–9(3) A-	0.4	OriMC-1	MMWO	4.9m	Mun84a
231310.43 *( 2)		CH <sub>3</sub> CH <sub>2</sub> CN	26(1,25)–25(1,24)	b	OriMC-1	OVRO	10.4m	Sut85
231312.30 *( 2)		CH <sub>3</sub> CH <sub>2</sub> CN	27(0,27)–26(1,26)	0.9 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
231313.23 *( 2)		CH <sub>3</sub> CH <sub>2</sub> CN	24(2,23)–23(1,22)	b	OriMC-1	OVRO	10.4m	Sut85
231321.635 (50)		N <sub>2</sub> D <sup>+</sup>	3–2	0.17	rho Oph B2	MMWO	4.9m	Lor85
231410.21 *(22)		D <sub>2</sub> CO	4(0,4)–3(0,3)	0.12	OriMC-1	NRAO	12m	Tur90a N
231505.59 *( 1)		HCOOH	10(1,9)–9(1,8)	0.8	OriMC-1	OVRO	10.4m	Sut85
231854.21 *( 2)		CH <sub>3</sub> CH <sub>2</sub> CN	27(1,27)–26(1,26)	1.1	OriMC-1	OVRO	10.4m	Sut85
231952.27 *( 5)		CH <sub>2</sub> CHCN	24(2,22)–23(2,21)	0.3	OriMC-1	OVRO	10.4m	Sut85
231966.91 *(10)		HCOOCH <sub>3</sub>	20(9,11)–20(8,12) A	0.4 <sup>b</sup>	OriMC-1	NRAO	12m	Tur88b
231968.42 (10)		CH <sub>3</sub> CHO	12(3,9)–11(3,8) A	b	OriMC-1	OVRO	12m	Tur87b
								Lia86 N

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r(K)$	Source	Telescope	Astr. ref.	Lab. ref.
				$/T_a(K)$				
U 231975.		unidentified		1.0	OriMC-1	NRAO	12m	Tur87b
231987.79 *(13)		$\text{CH}_3\text{OCH}_3$	13(0,13)–12(1,12) AA	b	OriMC-1	OVRO	10.4m	Sut85
231987.87 *(15)		$\text{CH}_3\text{OCH}_3$	13(0,13)–12(1,12) EE	3.2 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
231987.95 *(18)		$\text{CH}_3\text{OCH}_3$	13(0,13)–12(1,12) AE	b	OriMC-1	OVRO	10.4m	Sut85
231987.95 *(18)		$\text{CH}_3\text{OCH}_3$	13(0,13)–12(1,12) EA	b	OriMC-1	OVRO	10.4m	Sut85
231990.41 *(2)		$\text{CH}_3\text{CH}_2\text{CN}$	27(0,27)–26(0,26)	1.1	OriMC-1	OVRO	10.4m	Sut85
U 232008.		unidentified		0.2	OriMC-1	NRAO	12m	Tur87b
U 232163.		unidentified		0.8	OriMC-1	OVRO	10.4m	Sut85
232194.64 *(18)		$^{13}\text{CH}_3\text{CN}$	13(3)–12(3)	0.7	OriMC-1	OVRO	10.4m	Sut85
232216.43 *(18)		$^{13}\text{CH}_3\text{CN}$	13(2)–12(2)	0.5	OriMC-1	OVRO	10.4m	Sut85
232229.51 *(18)		$^{13}\text{CH}_3\text{CN}$	13(1)–12(1)	0.5	OriMC-1	OVRO	10.4m	Sut85
232233.87 *(18)		$^{13}\text{CH}_3\text{CN}$	13(0)–12(0)	0.6	OriMC-1	OVRO	10.4m	Sut85
232265.878*(58)		$\text{Si}^{18}\text{O}$	5(6)–4(5)	0.3	OriMC-1	OVRO	10.4m	Sut85
232418.59 (5)		$\text{CH}_3\text{OH}$	10(2)–9(3) A+	3.9	OriMC-1	OVRO	10.4m	Sut85
232534.308*(4)		$\text{SiC}_2$	10(2,9)–9(2,8)	n.r.	IRC + 10216	IRAM	30m	Cer91b
232686.70 (5)		$\text{H}_2\text{O}$	5(5,0)–6(4,3) $v_2=1$	2.8 <sup>f</sup>	VY CMa	IRAM	30m	Men89
232783.50 (5)		$\text{CH}_3\text{OH}$	18(3)–17(4) A+	1.4	OriMC-1	OVRO	10.4m	Sut85
232790.03 *(2)		$\text{CH}_3\text{CH}_2\text{CN}$	26(3,24)–25(3,23)	1.1	OriMC-1	OVRO	10.4m	Sas84
232945. (1)		$\text{CH}_3\text{OH}$	10(–3)–11(–2) E	3.0	OriMC-1	OVRO	10.4m	Sut85
232962.34 *(2)		$\text{CH}_3\text{CH}_2\text{CN}$	26(10,17)–25(10,16)	b	OriMC-1	OVRO	10.4m	Sut85
232962.34 *(2)		$\text{CH}_3\text{CH}_2\text{CN}$	26(10,16)–25(10,15)	b	OriMC-1	OVRO	10.4m	Sut85
232967.58 *(2)		$\text{CH}_3\text{CH}_2\text{CN}$	26(9,17)–25(9,16)	1.2 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
232967.58 *(2)		$\text{CH}_3\text{CH}_2\text{CN}$	26(9,18)–25(9,17)	b	OriMC-1	OVRO	10.4m	Sut85
232975.52 *(2)		$\text{CH}_3\text{CH}_2\text{CN}$	26(11,15)–25(11,14)	0.8 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
232975.52 *(2)		$\text{CH}_3\text{CH}_2\text{CN}$	26(11,16)–25(11,15)	b	OriMC-1	OVRO	10.4m	Sut85
232998.74 *(2)		$\text{CH}_3\text{CH}_2\text{CN}$	26(8,18)–25(8,17)	b	OriMC-1	OVRO	10.4m	Sut85
232998.74 *(2)		$\text{CH}_3\text{CH}_2\text{CN}$	26(8,19)–25(8,18)	1.1 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
233002.70 *(2)		$\text{CH}_3\text{CH}_2\text{CN}$	26(12,14)–25(12,13)	b	OriMC-1	OVRO	10.4m	Sut85
233002.70 *(2)		$\text{CH}_3\text{CH}_2\text{CN}$	26(12,15)–25(12,14)	b	OriMC-1	OVRO	10.4m	Sut85
233041.09 *(2)		$\text{CH}_3\text{CH}_2\text{CN}$	26(13,14)–25(13,13)	0.4 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
233041.09 *(2)		$\text{CH}_3\text{CH}_2\text{CN}$	26(13,13)–25(13,12)	b	OriMC-1	OVRO	10.4m	Sut85
233069.31 *(2)		$\text{CH}_3\text{CH}_2\text{CN}$	26(7,19)–25(7,18)	b	OriMC-1	OVRO	10.4m	Sut85
233069.31 *(2)		$\text{CH}_3\text{CH}_2\text{CN}$	26(7,20)–25(7,19)	1.0 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
233088.07 *(2)		$\text{CH}_3\text{CH}_2\text{CN}$	26(14,12)–25(14,11)	0.5 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
233088.07 *(2)		$\text{CH}_3\text{CH}_2\text{CN}$	26(14,13)–25(14,12)	b	OriMC-1	OVRO	10.4m	Sut85
233144.82 *(2)		$\text{CH}_3\text{CH}_2\text{CN}$	26(15,11)–25(15,10)	0.4 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
233144.82 *(2)		$\text{CH}_3\text{CH}_2\text{CN}$	26(15,12)–25(15,11)	b	OriMC-1	OVRO	10.4m	Sut85
233205.05 *(2)		$\text{CH}_3\text{CH}_2\text{CN}$	26(6,21)–25(6,20)	1.5 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
233207.32 *(2)		$\text{CH}_3\text{CH}_2\text{CN}$	26(6,20)–25(6,19)	b	OriMC-1	OVRO	10.4m	Sut85
233208.07 *(2)		$\text{CH}_3\text{CH}_2\text{CN}$	26(16,10)–25(16,9)	b	OriMC-1	OVRO	10.4m	Sut85
233208.07 *(2)		$\text{CH}_3\text{CH}_2\text{CN}$	26(16,11)–25(16,10)	b	OriMC-1	OVRO	10.4m	Sut85
U 233213.		unidentified		0.2	OriMC-1	MMWO	4.9m	Eri81
233226.73 *(10)		$\text{HCOOCH}_3$	19(4,16)–18(4,15) A	1.1	OriMC-1	OVRO	10.4m	Sut85
233310.00 *(10)		$\text{HCOOCH}_3$	19(15,5)–18(15,4) A	b	OriMC-1	OVRO	10.4m	Plu84
233310.00 *(10)		$\text{HCOOCH}_3$	19(15,4)–18(15,3) A	0.4 <sup>b</sup>	OriMC-1	OVRO	10.4m	Plu84
233394.55 *(10)		$\text{HCOOCH}_3$	19(14,6)–18(14,5) A	b	OriMC-1	OVRO	10.4m	Plu84
233394.55 *(10)		$\text{HCOOCH}_3$	19(14,5)–18(14,4) A	0.4 <sup>b</sup>	OriMC-1	OVRO	10.4m	Plu84
233443.09 *(2)		$\text{CH}_3\text{CH}_2\text{CN}$	26(5,22)–25(5,21)	0.7	OriMC-1	OVRO	10.4m	Sut85
233498.29 *(2)		$\text{CH}_3\text{CH}_2\text{CN}$	26(5,21)–25(5,20)	0.8	OriMC-1	OVRO	10.4m	Sut85
233506.59 *(10)		$\text{HCOOCH}_3$	19(13,7)–18(13,6) A	b	OriMC-1	OVRO	10.4m	Sut85
233506.59 *(10)		$\text{HCOOCH}_3$	19(13,6)–18(13,5) A	0.8 <sup>b</sup>	OriMC-1	OVRO	10.4m	Plu84
233523.54 *(4)		$\text{CH}_3\text{CH}_2\text{CN}$	26(20,7)–25(20,6)	0.5 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
233523.54 *(4)		$\text{CH}_3\text{CH}_2\text{CN}$	26(20,6)–25(20,5)	b	OriMC-1	OVRO	10.4m	Sut85
233524.87 *(5)		$\text{HCOOCH}_3$	19(13,6)–18(13,5) E	0.4	OriMC-1	OVRO	10.4m	Sut85
233627.06 *(10)		$\text{HCOOCH}_3$	17(9,8)–17(8,9) A	0.4 <sup>b</sup>	OriMC-1	OVRO	10.4m	Plu84
233628.39 *(10)		$\text{HCOOCH}_3$	17(9,9)–17(8,10) A	b	OriMC-1	OVRO	10.4m	Plu84
233649.77 *(4)		$\text{HCOOCH}_3$	19(12,7)–18(12,6) E	0.5	OriMC-1	OVRO	10.4m	Sut85
233654.07 *(2)		$\text{CH}_3\text{CH}_2\text{CN}$	26(4,23)–25(4,22)	1.1	OriMC-1	OVRO	10.4m	Sut85
233655.27 *(10)		$\text{HCOOCH}_3$	19(12,8)–18(12,7) A	b	OriMC-1	OVRO	10.4m	Plu84
233655.27 *(10)		$\text{HCOOCH}_3$	19(12,7)–18(12,6) A	1.1 <sup>b</sup>	OriMC-1	OVRO	10.4m	Plu84
233671.08 *(4)		$\text{HCOOCH}_3$	19(12,6)–18(12,7) E	0.3	OriMC-1	OVRO	10.4m	Sut85
233753.95 *(3)		$\text{HCOOCH}_3$	18(4,14)–17(4,13) E	0.8	OriMC-1	OVRO	10.4m	Plu86
233777.45 *(10)		$\text{HCOOCH}_3$	18(4,14)–17(4,13) A	0.8	OriMC-1	OVRO	10.4m	Sut85
233795.75 (5)		$\text{CH}_3\text{OH}$	18(3)–17(4) A–	1.0	OriMC-1	OVRO	10.4m	Sas84
233845.21 *(4)		$\text{HCOOCH}_3$	19(11,8)–18(11,7) E	0.5	OriMC-1	OVRO	10.4m	Plu86

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r(K)$ $/T_s(K)$	Source	Telescope	Astr. ref.	Lab. ref.	
233854.23 *(10)		HCOOCH <sub>3</sub>	19(11,9)–18(11,8) A	b	OriMC-1	OVRO	10.4m	Sut85	Plu84 M
233854.23 *(10)		HCOOCH <sub>3</sub>	19(11,8)–18(11,7) A	0.7 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85	Plu84 M
233867.15 *(4)		HCOOCH <sub>3</sub>	19(11,9)–18(11,8) E	0.4	OriMC-1	OVRO	10.4m	Sut85	Plu86 M
234011.34 *(10)		HCOOCH <sub>3</sub>	16(9,7)–16(8,8) A	b	OriMC-1	OVRO	10.4m	Sut85	Plu84 M
234011.58 (5)		<sup>13</sup> CH <sub>3</sub> OH	5(1)–4(1) A+	0.76 <sup>b</sup>	OriMC-1	OVRO	10.4m	Bla84	Bla84
234011.81 *(10)		HCOOCH <sub>3</sub>	16(9,8)–16(8,9) A	b	OriMC-1	OVRO	10.4m	Sut85	Plu84 M
234112.42 *(4)		HCOOCH <sub>3</sub>	19(10,9)–18(10,8) E	0.3	OriMC-1	OVRO	10.4m	Sut85	Plu86 M
234124.84 *(10)		HCOOCH <sub>3</sub>	19(10,9)–18(10,8) A	0.6 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85	Plu84 M
234124.84 *(10)		HCOOCH <sub>3</sub>	19(10,10)–18(10,9) A	b	OriMC-1	OVRO	10.4m	Sut85	Plu84 M
234134.53 *(4)		HCOOCH <sub>3</sub>	19(10,10)–18(10,9) E	0.6	OriMC-1	OVRO	10.4m	Sut85	Plu86 M
234187.12 *(7)		SO <sub>2</sub>	28(3,25)–28(2,26)	1.6	OriMC-1	OVRO	10.4m	Sut85	
U 234291.		unidentified		0.6	OriMC-1	OVRO	10.4m	Sut85	
		SO <sub>2</sub>	16(6,10)–17(5,13)	1.5	OriMC-1	OVRO	10.4m	Sut85	
		ClI <sub>3</sub> CII <sub>2</sub> CN	26(4,22)–25(4,21)	b	OriMC-1	OVRO	10.4m	Sut85	
		HCOOCH <sub>3</sub>	19(9,10)–18(9,9) E	0.6	OriMC-1	OVRO	10.4m	Sut85	Plu86 M
		HCOOCH <sub>3</sub>	19(9,11)–18(9,10) A	1.1 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85	Plu84 M
		HCOOCH <sub>3</sub>	19(9,10)–18(9,9) A	b	OriMC-1	OVRO	10.4m	Sut85	Plu84 M
		HCOOCH <sub>3</sub>	19(9,11)–18(9,10) E	0.6	OriMC-1	OVRO	10.4m	Sut85	Plu86 M
		CH <sub>3</sub> OH	4(2)–5(1) A–	2.6	OriMC-1	OVRO	10.4m	Sut85	Sas84
		CH <sub>3</sub> OH	5(–4)–6(–3) E	1.2	OriMC-1	OVRO	10.4m	Sut85	Sas84
		HCOOCH <sub>3</sub>	20(2,18)–19(3,17) A	0.5	OriMC-1	OVRO	10.4m	Sut85	Plu84 M
U 234781.		CH <sub>3</sub> CH <sub>2</sub> OH	6(3,4)–5(2,3)	1.8	OriMC-1	NRAO	12m	Tur87b	
		CH <sub>3</sub> CHO	8(3,6)–8(2,7) E	0.70 <sup>b</sup>	OriMC-1	NRAO	12m	Tur87b	Lia86 N
		HCOOCH <sub>3</sub>	9(5,4)–8(4,4) E	b	OriMC-1	NRAO	12m	Tur87b	Plu87 N
		HCOOCH <sub>3</sub>	9(5,5)–8(4,5) E	b	OriMC-1	NRAO	12m	Tur87b	Plu87 N
		CH <sub>3</sub> CHO	12(2,10)–11(2,9) E	b	OriMC-1	NRAO	12m	Tur87b	Lia86 N
		HCOOCH <sub>3</sub>	13(9,4)–13(8,5) A	0.90 <sup>b</sup>	OriMC-1	NRAO	12m	Tur87b	Plu84 N
		HCOOCH <sub>3</sub>	13(9,5)–13(8,6) A	b	OriMC-1	NRAO	12m	Tur87b	Plu84 N
		SiS	13–12 v=1	0.060	IRC+10216	NRAO	12m	Tur87a	
		CH <sub>3</sub> CHO	12(2,10)–11(2,9) A	0.2	OriMC-1	NRAO	12m	Tur87b	Lia86 N
		unidentified (or U232041)		0.2	OriMC-1	NRAO	12m	Tur87b	
U 234823.		CH <sub>3</sub> CHO	6(3,3)–6(2,4) A	0.2	OriMC-1	NRAO	12m	Tur87b	Lia86 N
		CH <sub>3</sub> CH <sub>2</sub> OH	9(5,4)–8(4,5)	0.7	OriMC-1	NRAO	12m	Tur87b	
		CH <sub>3</sub> CH <sub>2</sub> CN	14(3,12)–13(2,11)	0.2	OriMC-1	NRAO	12m	Tur87b	
		HCOOCH <sub>3</sub>	9(5,4)–8(4,5) A	0.4	OriMC-1	NRAO	12m	Tur87b	Plu84 N
		PN	5–4	0.400	OriMC-1	NRAO	12m	Tur87b	Wys72 N
		HNCS	20(1,19)–10(1,18)	0.3	OriMC-1	NRAO	12m	Tur87b	
		HCOOCH <sub>3</sub>	12(9,3)–12(8,4) A	b	OriMC-1	NRAO	12m	Tur87b	Plu84 N
		HCOOCH <sub>3</sub>	12(9,4)–12(8,5) A	0.3 <sup>b</sup>	OriMC-1	NRAO	12m	Tur87b	Plu84 N
		HCOOCH <sub>3</sub>	19(8,11)–18(8,10) E	1.2	OriMC-1	OVRO	10.4m	Sut85	Plu86 M
		HCOOCH <sub>3</sub>	19(8,12)–18(8,11) A	0.6	OriMC-1	OVRO	10.4m	Sut85	Plu84 M
U 235051.		HCOOCH <sub>3</sub>	19(8,12)–18(8,11) E	b	OriMC-1	OVRO	10.4m	Sut85	Plu86 M
		HCOOCH <sub>3</sub>	19(8,11)–18(8,10) A	1.2	OriMC-1	OVRO	10.4m	Sut85	Plu84 M
		SO <sub>2</sub>	4(2,2)–3(1,3)	1.0	OriMC-1	MMWO	4.9m	Lor84a	
		unidentified		0.7	OriMC-1	OVRO	10.4m	Sut85	
		CH <sub>2</sub> CHCN	25(2,24)–24(2,23)	0.3	OriMC-1	OVRO	10.4m	Sut85	
		HCOOCH <sub>3</sub>	19(7,13)–18(7,12) A	0.54	OriMC-1	OVRO	10.4m	Bla84	Plu84 M
		HCOOCH <sub>3</sub>	19(7,13)–18(7,12) E	0.48	OriMC-1	OVRO	10.4m	Bla84	Plu86 M
		<sup>13</sup> CH <sub>3</sub> OH	5(0)–4(0) E	0.60	OriMC-1	OVRO	10.4m	Bla84	
		HCOOCH <sub>3</sub>	19(7,12)–18(7,11) E	0.54	OriMC-1	OVRO	10.4m	Bla84	Plu86 M
		<sup>34</sup> SO <sub>2</sub>	5(2,4)–4(1,3)	0.59	OriMC-1	OVRO	10.4m	Bla84	
U 235261.		HCOOCH <sub>3</sub>	19(7,12)–18(7,11) A	0.47	OriMC-1	OVRO	10.4m	Bla84	Plu84 M
		<sup>13</sup> CH <sub>3</sub> OH	5(–1)–4(–1) E	0.68	OriMC-1	OVRO	10.4m	Bla84	Bla84
		<sup>34</sup> SO <sub>2</sub>	10(3,7)–10(2,8)	0.71	OriMC-1	OVRO	10.4m	Bla84	
		<sup>13</sup> CH <sub>3</sub> OH	5(0)–4(0) A+	0.71	OriMC-1	OVRO	10.4m	Bla84	Bla84
		SiS	13–12	0.39	IRC+10216	MMWO	4.9m	Sah84	
		<sup>13</sup> CH <sub>3</sub> OH	5(4)–4(4) A+-	0.25	OriMC-1	OVRO	10.4m	Bla84	Bla84
		<sup>13</sup> CH <sub>3</sub> OH	5(–4)–4(–4) E	0.12	OriMC-1	OVRO	10.4m	Bla84	Bla84
		<sup>13</sup> CH <sub>3</sub> OH	5(4)–4(4) E	b	OriMC-1	OVRO	10.4m	Bla84	Bla84
		<sup>13</sup> CH <sub>3</sub> OH	5(3)–4(3) A+-	0.72 <sup>b</sup>	OriMC-1	OVRO	10.4m	Bla84	Bla84
		<sup>13</sup> CH <sub>3</sub> OH	5(3)–4(3) E	0.35	OriMC-1	OVRO	10.4m	Bla84	Bla84
J. Phys. Chem. Ref. Data, Vol. 21, No. 2, 1992		<sup>13</sup> CH <sub>3</sub> OH	5(2)–4(2) A-	0.65	OriMC-1	OVRO	10.4m	Bla84	Bla84
		<sup>13</sup> CH <sub>3</sub> OH	5(–3)–4(–3) E	0.36	OriMC-1	OVRO	10.4m	Bla84	Bla84
		<sup>13</sup> CH <sub>3</sub> OH	5(1)–4(1) E	0.56	OriMC-1	OVRO	10.4m	Bla84	Bla84
		<sup>13</sup> CH <sub>3</sub> OH	5(1)–4(1) E	0.3	OriMC-1	MMWO	4.9m	Eri84	Lee84

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r(K)$ $/T_s(K)$	Source	Telescope	Astr. ref.	Lab. ref.
238926.78 *(3)		HCOOCH <sub>3</sub>	20(3,18)–19(2,17) E	0.3	OriMC-1	OVRO	10.4m	Sut85
238972.394*(6)		CH <sub>3</sub> CN	13(6)–12(6)	0.31	OriMC-1	MMWO	4.9m	Lor84
238992.562*(54)		SO <sub>2</sub>	21(7,15)–22(6,16)	<0.12	OriMC-1	MMWO	4.9m	Lor84
239001.21 *(21)		CH <sub>3</sub> <sup>13</sup> CN	12(2)–11(2)	0.3	OriMC-1	OVRO	10.4m	Sut85
239014.95 *(21)		CH <sub>3</sub> <sup>13</sup> CN	12(1)–11(1)	0.5 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
239019.53 *(21)		CH <sub>3</sub> <sup>13</sup> CN	12(0)–11(0)	<sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
239022.928*(4)		CH <sub>3</sub> CN	13(5)–12(5)	0.33	OriMC-1	MMWO	4.9m	Lor84
239064.303*(3)		CH <sub>3</sub> CN	13(4)–12(4)	0.39	OriMC-1	MMWO	4.9m	Lor84
239096.500*(3)		CH <sub>3</sub> CN	13(3)–12(3)	0.68	OriMC-1	MMWO	4.9m	Lor84
239119.507*(3)		CH <sub>3</sub> CN	13(2)–12(2)	0.54	OriMC-1	MMWO	4.9m	Lor84
239133.316*(3)		CH <sub>3</sub> CN	13(1)–12(1)	0.73	OriMC-1	MMWO	4.9m	Lor84
239137.919*(3)		CH <sub>3</sub> CN	13(0)–12(0)	0.83	OriMC-1	MMWO	4.9m	Lor84
239179.284*(15)		CH <sub>3</sub> CCH	14(4)–13(4)	0.16	OriMC-1	MMWO	4.9m	Lor84a
239211.218*(4)		CH <sub>3</sub> CCH	14(3)–13(3)	0.24	OriMC-1	MMWO	4.9m	Lor84a
239234.036*(4)		CH <sub>3</sub> CCH	14(2)–13(2)	0.19	OriMC-1	MMWO	4.9m	Lor84a
239247.731*(4)		CH <sub>3</sub> CCH	14(1)–13(1)	0.36	OriMC-1	MMWO	4.9m	Lor84a
239252.296*(4)		CH <sub>3</sub> CCH	14(0)–13(0)	0.37	OriMC-1	MMWO	4.9m	Lor84a
239609.95 *(10)		IICOOCII <sub>3</sub>	32(5,28)–32(3,29) A	0.9	OMC-IRc2	IRAM	30m	Jac90
239627.16 *(12)		CH <sub>3</sub> CN	13(1)–12(1) $v_8=1 \ell=1$	0.4	OriMC-1	OVRO	10.4m	Sut85
239639.45 *(10)		CH <sub>3</sub> CN	13(8)–12(8) $v_8=1 \ell=1$	0.8	OMC-IRc2	IRAM	30m	Jac90
U 239650.8		unidentified		0.8	OMC-IRc2	IRAM	30m	Jac90
U 239674.0		unidentified		0.6	OMC-IRc2	IRAM	30m	Jac90
239682.80 *(2)		CH <sub>3</sub> CH <sub>2</sub> CN	27(1,26)–26(1,25)	0.7	OriMC-1	OVRO	10.4m	Sut85
239684.57 *(10)		CH <sub>3</sub> CN	13(5)–12(5) $v_8=1 \ell=-1$	7.2	OriMC-IRc2	IRAM	30m	Jac90
239699.25 *(10)		CH <sub>3</sub> CN	13(7)–12(7) $v_8=1 \ell=1$	1.6	OMC-IRc2	IRAM	30m	Jac90
239708.28 *(11)		CH <sub>2</sub> CHCN	26(0,26)–25(0,25)	0.1	OriMC-1	OVRO	10.4m	Sut85
239731.4 *(1)		CH <sub>3</sub> OH	16(7)–17(6) A+-	0.6	OriMC-1	OVRO	10.4m	Sut85
239735.65 *(10)		CH <sub>3</sub> CN	13(4)–12(4) $v_8=1 \ell=1$	2.2	OMC-IRc2	IRAM	30m	Jac90
239746.253 (12)		CH <sub>3</sub> OH	4(1)–4(1) A+-	7.4	OriMC-1	OVRO	10.4m	Sut85
239777.19 *(11)		CH <sub>3</sub> CN	13(3)–12(3) $v_8=1 \ell=-1$	0.3	OriMC-1	OVRO	10.4m	Sut85
239791.76 *(11)		CH <sub>3</sub> CN	13(5)–12(5) $v_8=1 \ell=1$	0.2	OriMC-1	OVRO	10.4m	Sut85
239802.5 *( )		NH <sub>2</sub> CN	12(4,8)–11(4,7)	0.4 <sup>b</sup>	OMC-IRc2	IRAM	30m	Jac90
239802.5 *( )		NH <sub>2</sub> CN	12(4,9)–11(4,8)	<sup>b</sup>	OMC-IRc2	IRAM	30m	Jac90
239808.91 *(12)		CH <sub>3</sub> CN	13(2)–12(2) $v_8=1 \ell=-1$	0.6	OriMC-1	OVRO	10.4m	Sut85
239816.08 *(5)		CH <sub>2</sub> CHCN	25(1,24)–24(1,23)	0.5	OriMC-1	OVRO	10.4m	Sut85
239824.78 *(12)		CH <sub>3</sub> CN	13(4)–12(4) $v_8=1 \ell=1$	0.8	OriMC-1	OVRO	10.4m	Sut85
239829.96 *(13)		CH <sub>3</sub> CN	13(1)–12(1) $v_8=1 \ell=-1$	0.5	OriMC-1	OVRO	10.4m	Sut85
239836.06 *(18)		CH <sub>3</sub> CN	13(0)–12(0) $v_8=1 \ell=1$	0.5	OriMC-1	OVRO	10.4m	Sut85
239850.01 *(14)		CH <sub>3</sub> CN	13(3)–12(3) $v_8=1 \ell=1$	0.7	OriMC-1	OVRO	10.4m	Sut85
239871.67 *(29)		CH <sub>3</sub> CN	13(2)–12(2) $v_8=1 \ell=1$	0.4	OriMC-1	OVRO	10.4m	Sut85
239887.27 *(2)		CH <sub>3</sub> CH <sub>2</sub> CN	28(0,28)–27(1,27)	1.8	OMC-IRc2	IRAM	30m	Jac90
239904. *( )		NH <sub>2</sub> CN	12(2,10)–11(2,9)	0.16	OriMC-1	NRAO	12m	Tur85
U 239926.9		unidentified		0.6	OMC-IRc2	IRAM	30m	Jac90
239935.4 *(4)		HCOOCH <sub>3</sub>	39(8,32)–39(7,33) A	0.8	OMC-IRc2	IRAM	30m	Jac90
239945.17 *(37)		CH <sub>3</sub> CH <sub>2</sub> CN	23(4,20)–23(2,21)	0.6	OMC-IRc2	IRAM	30m	Jac90
239951.81 *(6)		NH <sub>2</sub> CHO	11(1,11)–10(1,9)	2.1	OMC-IRc2	IRAM	30m	Jac90
U 239960.7		unidentified		1.2	OMC-IRc2	IRAM	30m	Jac90
U 239971.0		unidentified		0.4	OMC-IRc2	IRAM	30m	Jac90
U 239977.5		unidentified		2.0	OMC-IRc2	IRAM	30m	Jac90
U 239985.6		unidentified		0.9	OMC-IRc2	IRAM	30m	Jac90
U 239991.9		unidentified		1.4	OMC-IRc2	IRAM	30m	Jac90
U 239998.0		unidentified		0.5	OMC-IRc2	IRAM	30m	Jac90
U 240008.6		unidentified		0.4	OMC-IRc2	IRAM	30m	Jac90
240021.08 *(3)		HCOOCH <sub>3</sub>	19(3,16)–18(3,15) E	1.0	OriMC-1	OVRO	10.4m	Sut85
U 240045.3		unidentified		0.5	OMC-IRc2	IRAM	30m	Jac90
240050.1 (15)		10(2,8)–9(2,7)	n.r.	IRC+10216	IRAM	30m	Cer91b	
240057.4 *(1)		SO <sub>2</sub>	11(5,7)–12(4,8) $\nu_2=1$	0.28	OriMC-1	NRAO	12m	Tur85
U 240079.1		unidentified		0.5	OMC-IRc2	IRAM	30m	Jac90
240089.83 *(12)		CH <sub>3</sub> CN	13(1)–12(1) $v_8=1 \ell=1$	0.6	OriMC-1	OVRO	10.4m	Sut85
240185.77 *(26)		CH <sub>2</sub> CO	12(1,12)–11(1,11)	0.5	OriMC-1	OVRO	10.4m	Sut85
240241.50 (5)		CH <sub>3</sub> OH	5(3)–6(2) E	0.55	OriMC-1	MMWO	4.9m	Lor84a
240266.16 *(40)		H <sub>2</sub> CS	7(0,7)–6(0,6)	0.55	OriMC-1	MMWO	4.9m	Lor84a
240319.338*(21)		CH <sub>3</sub> CH <sub>2</sub> CN	28(1,28)–27(1,27)	0.16	OriMC-1	MMWO	4.9m	Lor84a
240331.44 *(26)		H <sub>2</sub> CS	7(4,4)–6(4,3)	0.07 <sup>b</sup>	OriMC-1	MMWO	4.9m	Lor84a
240331.44 *(26)		H <sub>2</sub> CS	7(4,3)–6(4,2)	<sup>b</sup>	OriMC-1	MMWO	4.9m	Lor84a

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r(K)$ $/T_a(K)$	Source	Telescope	Astr. ref.	Lab. ref.
240381.27 *(33)		H <sub>2</sub> CS	7(2,6)–6(2,5)	0.16	OriMC-1	MMWO	4.9m	Lor84a
240392.29 *(26)		H <sub>2</sub> CS	7(3,5)–6(3,4)	0.38 <sup>b</sup>	OriMC-1	MMWO	4.9m	Lor84a
240392.96 *(26)		H <sub>2</sub> CS	7(3,4)–6(3,3)	<sup>b</sup>	OriMC-1	MMWO	4.9m	Lor84a
240429.183*(21)		CH <sub>3</sub> CH <sub>2</sub> CN	28(0,28)–27(0,27)	0.12	OriMC-1	MMWO	4.9m	Lor84a
U 240473.4	unidentified			0.11	OriMC-1	MMWO	4.9m	Lor84a
240548.29 *(33)		H <sub>2</sub> CS	7(2,5)–6(2,4)	0.16	OriMC-1	MMWO	4.9m	Lor84a
240875.735*(16)		HNCO	11(1,11)–10(1,10)	1.0	OriMC-1	OVRO	10.4m	Sut85
240942.793*(37)		SO <sub>2</sub>	18(1,17)–18(0,18)	0.8	OriMC-1	MMWO	4.9m	Lei84
240960.56 *(5)		CH <sub>3</sub> OH	5(1)–4(2) A+ $\nu_t=1$	0.9	OriMC-1	OVRO	10.4m	Sut85
240978.15 *(33)		CH <sub>3</sub> OCH <sub>3</sub>	5(3,3)–4(2,2) EA	0.2	OriMC-1	OVRO	10.4m	Sut85
240982.94 *(21)		CH <sub>3</sub> OCH <sub>3</sub>	5(3,3)–4(2,2) AE	<sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
240985.15 *(19)		CH <sub>3</sub> OCH <sub>3</sub>	5(3,3)–4(2,2) EE	1.0 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
240990.14 *(10)		CH <sub>3</sub> OCH <sub>3</sub>	5(3,3)–4(2,2) AA	0.7	OriMC-1	OVRO	10.4m	Sut85
241016.176*(29)		C <sup>34</sup> S	5–4	0.83	OriMC-2	MMWO	4.9m	Sne84
241146.20 *(1)		HCOOH	11(0,11)–10(0,10)	0.2	OriMC-1	OVRO	10.4m	Sut85
241159.13 *(5)		CH <sub>3</sub> OH	5(4)–4(4) E $\nu_t=1$	0.7	OriMC-1	OVRO	10.4m	Sut85
241166.53 *(5)		CH <sub>3</sub> OH	5(3)–4(3) E $\nu_t=1$	0.8	OriMC-1	OVRO	10.4m	Sas84
241178.42 *(5)		CH <sub>3</sub> OH	5(4)–4(4) A+ $\nu_t=1$	1.3 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sas84
241179.90 *(5)		CH <sub>3</sub> OH	5(–3)–4(–3) E $\nu_t=1$	<sup>b</sup>	OriMC-1	OVRO	10.4m	Sas84
241184.08 *(5)		CH <sub>3</sub> OH	5(–4)–4(–4) E $\nu_t=1$	1.1	OriMC-1	OVRO	10.4m	Sas84
241187.40 *(5)		CH <sub>3</sub> OH	5(–2)–4(–2) E $\nu_t=1$	1.4	OriMC-1	OVRO	10.4m	Sas84
241192.81 *(5)		CH <sub>3</sub> OH	5(2)–4(2) A+ $\nu_t=1$	1.9	OriMC-1	OVRO	10.4m	Sas84
241196.35 *(5)		CH <sub>3</sub> OH	5(2)–4(2) A– $\nu_t=1$	2.1 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sas84
241198.29 *(5)		CH <sub>3</sub> OH	5(3)–4(3) A+ $\nu_t=1$	<sup>b</sup>	OriMC-1	OVRO	10.4m	Sas84
242023.69 *(5)		CH <sub>3</sub> OH	5(1)–4(1) E $\nu_t=1$	<sup>b</sup>	OriMC-1	OVRO	10.4m	Sas84
242105.99 *(5)		CH <sub>3</sub> OH	5(0)–4(0) E $\nu_t=1$	2.8	OriMC-1	OVRO	10.4m	Sas84
242120.68 *(5)		CH <sub>3</sub> OH	5(2)–4(2) E $\nu_t=1$	1.2 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sas84
242138.16 *(5)		CH <sub>3</sub> OH	5(–1)–4(–1) E $\nu_t=1$	0.7	OriMC-1	OVRO	10.4m	Sas84
242167.88 *(5)		CH <sub>3</sub> OH	5(0)–4(0) A $\nu_t=1$	0.4	OriMC-1	OVRO	10.4m	Sut85
241365.35 *(6)		CH <sub>2</sub> CHCN	19(3,17)–20(0,20)	2.1	OMC-IRc2	IRAM	30m	Jac90
241420.880(20)		HCO	10(0,10)–9(1,9)	1.7	OMC-IRc2	IRAM	30m	Jac90
241436.41 *(10)		HCOOCH <sub>3</sub>	28(2,26)–28(2,27) A	<sup>b</sup>	OMC-IRc2	IRAM	30m	Jac90
241437.28 *(10)		HCOOCH <sub>3</sub>	28(2,26)–28(1,27) A	2.6 <sup>b</sup>	OMC-IRc2	IRAM	30m	Jac90
241441.24 *(5)		CH <sub>3</sub> OH	5(1)–4(1) A– $\nu_t=1$	1.5	OriMC-1	OVRO	10.4m	Sut85
241464.25 *(10)		HCOOCH <sub>3</sub>	28(3,26)–28(2,27) A	1.0 <sup>b</sup>	OMC-IRc2	IRAM	30m	Jac90
241465.14 *(10)		HCOOCH <sub>3</sub>	28(3,26)–28(1,27) A	<sup>b</sup>	OMC-IRc2	IRAM	30m	Jac90
241509.05 *(10)		<sup>34</sup> SO <sub>2</sub>	16(1,15)–15(2,14)	0.9	OriMC-1	OVRO	10.4m	Sut85
241523.98 *(20)		CH <sub>3</sub> OCH <sub>3</sub>	5(3,2)–4(2,3) AE	0.9	OriMC-1	OVRO	10.4m	Sut85
241528.76 *(11)		CH <sub>3</sub> OCH <sub>3</sub>	5(3,2)–4(2,3) EA	<sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
241528.97 *(11)		CH <sub>3</sub> OCH <sub>3</sub>	5(3,2)–4(2,3) EE	1.7 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
241531.18 *(10)		CH <sub>3</sub> OCH <sub>3</sub>	5(3,2)–4(2,3) AA	<sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
U 241534.	unidentified			0.4	OriMC-1	MMWO	4.9m	Eri84b
241561.550(37)		HDO	2(1,1)–2(1,2)	1.0	OriMC-1	MMWO	4.9m	Bec82
U 241589.3	unidentified			4.9	OMC-IRc2	IRAM	30m	Jac90
241615.795*(13)		SO <sub>2</sub>	5(2,4)–4(1,3)	1.4	OriMC-1	MMWO	4.9m	Lor84e
241700.219(12)		CH <sub>3</sub> OH	5(0)–4(0) E	1.7	OriMC-1	MMWO	4.9m	Pic81
U 241739.9	unidentified			2.5	OMC-IRc2	IRAM	30m	Jac90
241767.224(12)		CH <sub>3</sub> OH	5(–1)–4(–1) E	1.8	OriMC-1	MMWO	4.9m	Lor84
241774.037*(10)		HNCO	11(0,11)–10(0,10)	3.1	OriMC-1	OVRO	10.4m	Sut85
241791.431(12)		CH <sub>3</sub> OH	5(0)–4(0) A+	1.8	OriMC-1	MMWO	4.9m	Lor84
241806.507(12)		CH <sub>3</sub> OH	5(4)–4(4) A+	0.8 <sup>b</sup>	OriMC-1	MMWO	4.9m	Lor84
241806.508(12)		CH <sub>3</sub> OH	5(4)–4(4) A-	<sup>b</sup>	OriMC-1	MMWO	4.9m	Pic81
241813.257(12)		CH <sub>3</sub> OH	5(–4)–4(–4) E	0.7	OriMC-1	MMWO	4.9m	Lor84
241829.646(12)		CH <sub>3</sub> OH	5(4)–4(4) E	<0.7	OriMC-1	MMWO	4.9m	Pic81
241832.951(12)		CH <sub>3</sub> OH	5(3)–4(3) A+, A-	1.6	OriMC-1	MMWO	4.9m	Lor84
241842.23(12)		CH <sub>3</sub> OH	5(2)–4(2) A-	<sup>b</sup>	OriMC-1	MMWO	4.9m	Pic81
241843.646(12)		CH <sub>3</sub> OH	5(3)–4(3) E	1.7 <sup>b</sup>	OriMC-1	MMWO	4.9m	Lor84
241852.352(12)		CH <sub>3</sub> OH	5(–3)–4(–3) E	0.9	OriMC-1	MMWO	4.9m	Pic81
241879.073(12)		CH <sub>3</sub> OH	5(1)–4(1) E	1.4	OriMC-1	MMWO	4.9m	Lor84
241887.704(12)		CH <sub>3</sub> OH	5(2)–4(2) A+	1.2	OriMC-1	MMWO	4.9m	Pic81
241904.119(50)		CH <sub>3</sub> OH	5(2)–4(2) E	1.2 <sup>b</sup>	OriMC-1	MMWO	4.9m	Lor81a
241904.407(50)		CH <sub>3</sub> OH	5(–2)–4(–2) E	<sup>b</sup>	OriMC-1	MMWO	4.9m	Pic81
241922.55 *(2)		CH <sub>3</sub> CH <sub>2</sub> CN	27(10,18)–26(10,17)	0.9 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
241922.55 *(2)		CH <sub>3</sub> CH <sub>2</sub> CN	27(10,17)–26(10,16)	<sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
241932.18 *(2)		CH <sub>3</sub> CH <sub>2</sub> CN	27(9,19)–26(9,18)	1.3 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r(K)$ $/T_a(K)$	Source	Telescope	Astr. ref.	Lab. ref.
241932.18 *( 2)		$\text{CH}_3\text{CH}_2\text{CN}$	27(9,18)–26(9,17)	b	OriMC-1	OVRO	10.4m	Sut85
241933.16 *( 2)		$\text{CH}_3\text{CH}_2\text{CN}$	27(11,16)–26(11,15)	b	OriMC-1	OVRO	10.4m	Sut85
241933.16 *( 2)		$\text{CH}_3\text{CH}_2\text{CN}$	27(11,17)–26(11,16)	b	OriMC-1	OVRO	10.4m	Sut85
241946.86 *(15)		$\text{CH}_3\text{OCH}_3$	13(1,13)–12(0,12) EE	0.5	OriMC-1	MMWO	4.9m	Lor81a
241959.06 *( 2)		$\text{CH}_3\text{CH}_2\text{CN}$	27(12,15)–26(12,14)	0.7 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
241959.06 *( 2)		$\text{CH}_3\text{CH}_2\text{CN}$	27(12,16)–26(12,15)	b	OriMC-1	OVRO	10.4m	Sut85
241970.44 *( 2)		$\text{CH}_3\text{CH}_2\text{CN}$	27(6,19)–26(6,18)	b	OriMC-1	OVRO	10.4m	Sut85
241970.44 *( 2)		$\text{CH}_3\text{CH}_2\text{CN}$	27(6,20)–26(6,19)	0.8 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
241985.51 *(10)		$^{34}\text{SO}_2$	8(3,5)–8(2,5)	1.4	OriMC-1	OVRO	10.4m	Sut85
241997.11 *( 2)		$\text{CH}_3\text{CH}_2\text{CN}$	27(13,15)–26(13,14)	0.5 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
241997.11 *( 2)		$\text{CH}_3\text{CH}_2\text{CN}$	27(13,14)–26(13,13)	b	OriMC-1	OVRO	10.4m	Sut85
242045.30 *( 2)		$\text{CH}_3\text{CH}_2\text{CN}$	27(14,14)–26(14,13)	b	OriMC-1	OVRO	10.4m	Sut85
242045.30 *( 2)		$\text{CH}_3\text{CH}_2\text{CN}$	27(14,13)–26(14,12)	b	OriMC-1	OVRO	10.4m	Sut85
242052.48 *( 2)		$\text{CH}_3\text{CH}_2\text{CN}$	27(7,21)–26(7,20)	b	OriMC-1	OVRO	10.4m	Sut85
242052.58 *( 2)		$\text{CH}_3\text{CH}_2\text{CN}$	27(7,20)–26(7,19)	0.8 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
242102.24 *( 2)		$\text{CH}_3\text{CH}_2\text{CN}$	27(15,12)–26(15,11)	b	OriMC-1	OVRO	10.4m	Sut85
242102.24 *( 2)		$\text{CH}_3\text{CH}_2\text{CN}$	27(15,13)–26(15,12)	0.8 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
242166.96 *( 2)		$\text{CH}_3\text{CH}_2\text{CN}$	27(16,11)–26(16,10)	b	OriMC-1	OVRO	10.4m	Sut85
242166.96 *( 2)		$\text{CH}_3\text{CH}_2\text{CN}$	27(16,12)–26(16,11)	0.2 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
242206.97 *( 2)		$\text{CH}_3\text{CH}_2\text{CN}$	27(6,22)–26(6,21)	1.3 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
242210.41 *( 2)		$\text{CH}_3\text{CH}_2\text{CN}$	27(6,21)–26(6,20)	b	OriMC-1	OVRO	10.4m	Sut85
242375.82 *(38)		$\text{CH}_2\text{CO}$	12(0,12)–11(0,11)	0.5	OriMC-1	OVRO	10.4m	Sut85
242398.66 *(23)		$\text{CH}_2\text{CO}$	12(3,10)–11(3,9)	0.6 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
242399.16 *(23)		$\text{CH}_2\text{CO}$	12(3,9)–11(3,8)	b	OriMC-1	OVRO	10.4m	Sut85
242424.66 *(28)		$\text{CH}_2\text{CO}$	12(2,11)–11(2,10)	0.2	OriMC-1	OVRO	10.4m	Sut85
242446.21 ( 5)		$\text{CH}_3\text{OH}$	13(–2)–14(–1) E	3.3	OriMC-1	OVRO	10.4m	Sut85
242470.39 *( 2)		$\text{CH}_3\text{CH}_2\text{CN}$	27(5,23)–26(5,22)	0.9	OriMC-1	OVRO	10.4m	Sut85
242490.3 ( 1)		$\text{CH}_3\text{OH}$	24(–3)–24(2) A	0.7	OriMC-1	OVRO	10.4m	Sut85
242536.16 *(28)		$\text{CH}_2\text{CO}$	12(2,10)–11(2,9)	0.4	OriMC-1	OVRO	10.4m	Sut85
242547.32 *( 2)		$\text{CH}_3\text{CH}_2\text{CN}$	27(5,22)–26(5,21)	0.7	OriMC-1	OVRO	10.4m	Sut85
242639.717*(16)		$\text{HNCO}$	11(1,10)–10(1,9)	1.1	OriMC-1	OVRO	10.4m	Sut85
242664.68 *( 2)		$\text{CH}_3\text{CH}_2\text{CN}$	27(4,24)–26(4,23)	1.0	OriMC-1	OVRO	10.4m	Sut85
242871.52 *( 3)		$\text{HCOOCH}_3$	19(5,14)–18(5,13) E	1.1	OriMC-1	OVRO	10.4m	Sut85
242895.95 *(10)		$\text{HCOOCH}_3$	19(5,14)–18(5,13) A	1.1	OriMC-1	OVRO	10.4m	Plu84 M
242913.680*(26)		$^{33}\text{S}$	5–4	1.5	OriMC-1	OVRO	10.4m	Plu86 M
243039.344*(54)		$\text{S}^{18}\text{O}$	7(5)–6(5)	0.4	OriMC-1	OVRO	10.4m	Plu84 M
243087.72 *( 3)		$\text{SO}_2$	5(4,2)–6(3,3)	1.4	OriMC-1	OVRO	10.4m	Sut85
243160.753*(25)		CS	5–4 v=1	0.067	IRC+10216	NRAO	12m	Tur87 N
243218.034*( 2)		OCS	20–19	0.67	OriMC-1	MMWO	4.9m	Lor84a M
243397.53 ( 5)		$\text{CH}_3\text{OH}$	18(6)–19(5) A +	1.6	OriMC-1	OVRO	10.4m	Sas84
243412.6 ( 1)		$\text{CH}_3\text{OH}$	23(–3)–23(2) A	0.9	OriMC-1	OVRO	10.4m	Sut85
243522.64 *( 9)		$\text{SO}_2$	14(0,14)–13(1,13) $\nu_2$ – 1	0.6	OriMC-1	OVRO	10.4m	Sut85
243643.23 *( 2)		$\text{CH}_3\text{CH}_2\text{CN}$	27(4,23)–26(4,22)	0.9	OriMC-1	OVRO	10.4m	Sut85
U 243740.		unidentified		0.8	OriMC-1	OVRO	10.4m	Sut85
U 243747.		unidentified		1.1	OriMC-1	OVRO	10.4m	Sut85
243915.826 (12)		$\text{CH}_3\text{OH}$	5(1)–4(1) A –	8.1	OriMC-1	OVRO	10.4m	Pic81 M
243935.88 *(21)		$^{34}\text{SO}_2$	18(1,17)–18(0,18)	0.4	OriMC-1	OVRO	10.4m	Sut85
244047.75 *(48)		$\text{H}_2\text{CS}$	7(1,6)–6(1,5)	0.91	OriMC-1	MMWO	4.9m	Lor85 M
244254.228*(24)		$\text{SO}_2$	14(0,14)–13(1,13)	1.5	OriMC-1	MMWO	4.9m	Lor85 M
244330.5 ( 1)		$\text{CH}_3\text{OH}$	22(–3)–22(2) A	1.1	OriMC-1	OVRO	10.4m	Sut85
244338.02 ( 5)		$\text{CH}_3\text{OH}$	9(1)–8(0) E $\nu_i$ =1	1.2	OriMC-1	OVRO	10.4m	Sas84
244481.54 *(11)		$^{34}\text{SO}_2$	14(0,14)–13(1,13)	1.4	OriMC-1	OVRO	10.4m	Sut85
244580.31 *( 3)		$\text{HCOOCH}_3$	20(4,17)–19(4,16) E	1.3	OriMC-1	OVRO	10.4m	Plu86 M
244593.98 *(10)		$\text{HCOOCH}_3$	20(4,17)–19(4,16) A	1.1	OriMC-1	OVRO	10.4m	Plu84 M
244712.24 *(26)		$\text{CH}_2\text{CO}$	12(1,11)–11(1,10)	0.8	OriMC-1	OVRO	10.4m	Sut85
244857.39 *( 7)		$\text{CH}_2\text{CHCN}$	26(2,25)–25(2,24)	0.5	OriMC-1	OVRO	10.4m	Sut85
244935.606*(33)		CS	5–4	5.5	OriMC-2	MMWO	4.9m	Sne84
245178.68 *(16)		$^{34}\text{SO}_2$	15(2,14)–15(1,15)	0.8	OriMC-1	OVRO	10.4m	Sut85
245223.0 ( 1)		$\text{CH}_3\text{OH}$	21(–3)–21(2) A	1.3	OriMC-1	OVRO	10.4m	Sut85
245302.30 *(11)		$^{34}\text{SO}_2$	6(3,3)–6(2,4)	0.9	OriMC-1	OVRO	10.4m	Sut85
245339.40 *( 5)		$\text{SO}_2$	26(3,23)–25(4,22)	1.7	OriMC-1	OVRO	10.4m	Sut85
245563.43 *( 2)		$\text{SO}_2$	10(3,7)–10(2,8)	7.8	OriMC-1	OVRO	10.4m	Sut85
245606.406*(78)		$\text{HC}_3\text{N}$	27–26	0.7	OriMC-1	MMWO	4.9m	Lor81
245651.09 *(10)		$\text{HCOOCH}_3$	20(15,6)–19(15,5) A	0.6 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
245651.09 *(10)		$\text{HCOOCH}_3$	20(15,5)–19(15,4) A	b	OriMC-1	OVRO	10.4m	Plu84 M

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r(K)$ $/T_a(K)$	Source	Telescope	Astr. ref.	Lab. ref.
245752.17 *(10)		HCOOCH <sub>3</sub>	20(14,6)–19(14,5) A	0.7 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
245752.17 *(10)		HCOOCH <sub>3</sub>	20(14,7)–19(14,6) A	v	OriMC-1	OVRO	10.4m	Sut85
245753.84 *(5)		HCOOCH <sub>3</sub>	20(14,6)–19(14,5) E	v	OriMC-1	OVRO	10.4m	Sut85
245772.81 *(5)		HCOOCH <sub>3</sub>	20(14,7)–19(14,6) E	0.5	OriMC-1	OVRO	10.4m	Sut85
245883.01 *(5)		HCOOCH <sub>3</sub>	20(13,8)–19(13,7) E	0.2	OriMC-1	OVRO	10.4m	Sut85
245885.14 *(10)		HCOOCH <sub>3</sub>	20(13,8)–19(13,7) A	v	OriMC-1	OVRO	10.4m	Sut85
245885.14 *(10)		HCOOCH <sub>3</sub>	20(13,7)–19(13,6) A	0.8 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
245903.76 *(5)		HCOOCH <sub>3</sub>	20(13,7)–19(13,6) E	0.2	OriMC-1	OVRO	10.4m	Sut85
246054.84 *(4)		HCOOCH <sub>3</sub>	20(12,9)–19(12,8) E	0.5	OriMC-1	OVRO	10.4m	Sut85
246060.75 *(10)		HCOOCH <sub>3</sub>	20(12,8)–19(12,7) A	0.8 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
246060.75 *(10)		HCOOCH <sub>3</sub>	20(12,9)–19(12,8) A	v	OriMC-1	OVRO	10.4m	Sut85
246074.65 (5)		CH <sub>3</sub> OH	20(–3)–20(2) A	1.6	OriMC-1	OVRO	10.4m	Sut85
246268.73 *(2)		CH <sub>3</sub> CH <sub>2</sub> CN	27(2,25)–26(2,24)	0.9	OriMC-1	OVRO	10.4m	Sut85
246285.47 *(4)		HCOOCH <sub>3</sub>	20(11,9)–19(11,8) E	0.4	OriMC-1	OVRO	10.4m	Sut85
246295.06 *(10)		HCOOCH <sub>3</sub>	20(11,10)–19(11,9) A	1.3 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
246295.06 *(10)		HCOOCH <sub>3</sub>	20(11,9)–19(11,8) A	v	OriMC-1	OVRO	10.4m	Sut85
246308.10 *(4)		HCOOCH <sub>3</sub>	20(11,10)–19(11,9) E	0.4	OriMC-1	OVRO	10.4m	Sut85
246421.91 *(2)		CH <sub>3</sub> CH <sub>2</sub> CN	28(2,27)–27(2,26)	0.6	OriMC-1	OVRO	10.4m	Sut85
246548.69 *(2)		CH <sub>3</sub> CH <sub>2</sub> CN	27(3,24)–26(3,23)	0.6	OriMC-1	OVRO	10.4m	Sut85
246560.749*(91)		HC <sub>3</sub> N	27–26 $\nu_7=1 \ell=1f$	1.1	OriMC-1	OVRO	10.4m	Sut85
246600.16 *(4)		HCOOCH <sub>3</sub>	20(10,11)–19(10,10) E	0.7	OriMC-1	OVRO	10.4m	Sut85
246613.34 *(10)		HCOOCH <sub>3</sub>	20(10,11)–19(10,10) A	1.1 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
246613.38 *(10)		HCOOCH <sub>3</sub>	20(10,10)–19(10,9) A	v	OriMC-1	OVRO	10.4m	Sut85
246623.01 *(4)		HCOOCH <sub>3</sub>	20(10,10)–19(10,9) E	0.8	OriMC-1	OVRO	10.4m	Sut85
246663.390*(38)		<sup>34</sup> SO	5(6)–4(5)	2.9	OriMC-1	OVRO	10.4m	Sut85
246686.18 *(13)		<sup>34</sup> SO <sub>2</sub>	4(3,1)–4(2,2)	0.3	OriMC-1	OVRO	10.4m	Sut85
246873.34 (5)		CH <sub>3</sub> OH	19(3)–19(2) A–+	0.30	OriMC-1	MMWO	4.9m	Lor85
246891.62 *(3)		HCOOCH <sub>3</sub>	19(4,15)–18(4,14) E	0.18	OriMC-1	MMWO	4.9m	Lor85
246896.87 *(16)		CH <sub>2</sub> CHCN	26(7,20)–25(7,19)	0.1 <sup>b</sup>	OriMC-1	MMWO	4.9m	Lor85
246896.87 *(16)		CH <sub>2</sub> CHCN	26(7,19)–25(7,18)	v	OriMC-1	OVRO	10.4m	Lor85
246914.59 *(10)		HCOOCH <sub>3</sub>	19(4,15)–18(4,14) A	1.2	OriMC-1	OVRO	10.4m	Sut85
246924.65 *(31)		HDCO	4(1,4)–3(1,3)	0.40	OriMC-1	MMWO	4.9m	Lor85
246945.78 *(5)		HCOOCH <sub>3</sub>	10(5,6)–9(4,6) E	0.16	OriMC-1	MMWO	4.9m	Lor85
246952.14 *(23)		CH <sub>2</sub> CHCN	26(9,18)–25(9,17)	0.6 <sup>b</sup>	OriMC-1	OVRO	10.4m	Sut85
246952.14 *(23)		CH <sub>2</sub> CHCN	26(9,17)–25(9,16)	v	OriMC-1	OVRO	10.4m	Sut85
247001.71 *(11)		CH <sub>2</sub> CHCN	26(5,22)–25(5,21)	0.2 <sup>b</sup>	OriMC-1	OVRO	10.4m	Bla86
247004.92 *(11)		CH <sub>2</sub> CHCN	26(5,21)–25(5,20)	v	OriMC-1	OVRO	10.4m	Bla86
247040.77 *(4)		HCOOCH <sub>3</sub>	20(9,11)–19(9,10) E	0.6	OriMC-1	OVRO	10.4m	Bla86
247044.11 *(3)		HCOOCH <sub>3</sub>	20(3,19)–19(3,18) E	1.1	OriMC-1	OVRO	10.4m	Bla86
247053.45 *(5)		HCOOCH <sub>3</sub>	20(3,19)–19(3,18) A	1.2	OriMC-1	OVRO	10.4m	Bla86
247057.25 *(10)		HCOOCH <sub>3</sub>	20(9,12)–19(9,11) A	1.2 <sup>b</sup>	OriMC-1	OVRO	10.4m	Bla86
247057.70 *(10)		HCOOCH <sub>3</sub>	20(9,11)–19(9,10) A	v	OriMC-1	OVRO	10.4m	Bla86
247063.46 *(4)		HCOOCH <sub>3</sub>	20(9,12)–19(9,11) E	0.5	OriMC-1	OVRO	10.4m	Bla86
247086.93 *(8)		CH <sub>2</sub> CHCN	26(3,24)–25(3,23)	0.2	OriMC-1	OVRO	10.4m	Bla86
247162.1 (1)		CH <sub>3</sub> OH	16(2)–15(3) E	1.6	OriMC-1	OVRO	10.4m	Bla86
247228.693 (24)		CH <sub>3</sub> OH	4(2)–5(1) A+	3.9	OriMC-1	OVRO	10.4m	Bla86
247270.64 *(9)		CH <sub>2</sub> CHCN	26(4,22)–25(4,21)	0.3	OriMC-1	OVRO	10.4m	Bla86
247440.36 *(12)		<sup>34</sup> SO <sub>2</sub>	5(3,3)–5(2,4)	0.7	OriMC-1	OVRO	10.4m	Bla86
U 247469.		unidentified		0.6	OriMC-1	OVRO	10.4m	
247610.96 (5)		CH <sub>3</sub> OH	18(3)–18(2) A–+	1.1	OriMC-1	OVRO	10.4m	Bla86
U 247630.		unidentified		0.4	OriMC-1	OVRO	10.4m	Sas84
U 247636.		unidentified		0.4	OriMC-1	OVRO	10.4m	Bla86
247656.85 *(3)		HCOOCH <sub>3</sub>	20(2,19)–19(2,18) E	1.4	OriMC-1	OVRO	10.4m	Bla86
247665.34 *(10)		HCOOCH <sub>3</sub>	20(2,19)–19(2,18) A	1.2	OriMC-1	OVRO	10.4m	Bla86
247682.65 *(4)		HCOOCH <sub>3</sub>	20(8,12)–19(8,11) E	0.2	OriMC-1	OVRO	10.4m	Bla86
247697.19 *(10)		HCOOCH <sub>3</sub>	20(8,13)–19(8,12) A	0.7	OriMC-1	OVRO	10.4m	Bla86
247704.35 *(4)		HCOOCH <sub>3</sub>	20(8,13)–19(8,12) E	0.8	OriMC-1	OVRO	10.4m	Bla86
247707.95 *(10)		HCOOCH <sub>3</sub>	20(8,12)–19(8,11) A	1.1	OriMC-1	OVRO	10.4m	Bla86
247798.55 *(15)		CH <sub>2</sub> CHCN	27(1,27)–26(1,26)	0.3	OriMC-1	OVRO	10.4m	Bla86
247840.2 (1)		CH <sub>3</sub> OH	12(–2)–13(–3) E	1.0	OriMC-1	OVRO	10.4m	Bla86
U 247875.		unidentified		0.7	OriMC-1	OVRO	10.4m	Bla86
247901.65 *(3)		HCOOCH <sub>3</sub>	22(8,21)–21(8,20) E	0.7	OriMC-1	OVRO	10.4m	Bla86
247907.12 *(10)		HCOOCH <sub>3</sub>	22(2,21)–21(2,20) A	0.6	OriMC-1	OVRO	10.4m	Bla86
U 247911.		unidentified		0.5	OriMC-1	OVRO	10.4m	Bla86
247922.26 *(3)		HCOOCH <sub>3</sub>	22(1,21)–21(1,20) E	0.6	OriMC-1	OVRO	10.4m	Bla86

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r$ (K) $/T_a$ (K)	Source	Telescope	Astr. ref.	Lab. ref.	
247927.69 *(10)		HCOOCH <sub>3</sub>	22(1,21)–21(1,20) A	0.5	OriMC-1	OVRO	10.4m	Bla86	Plu84 M
248057.385*(31)		SO <sub>2</sub>	15(2,14)–15(1,15)	6.1	OriMC-1	OVRO	10.4m	Bla86	
248242.5 (1)		CH <sub>3</sub> OH	17( 3)–17( 2) A+–	2.2	OriMC-1	OVRO	10.4m	Bla86	Bla86
248364.82 *(11)		<sup>34</sup> SO <sub>2</sub>	7(3,5)–7(2,6)	0.9	OriMC-1	OVRO	10.4m	Bla86	
248436.900*(33)		SO <sub>2</sub>	13(3,11)–14(0,14)	0.6	OriMC-1	OVRO	10.4m	Bla86	
248528.95 *(78)		CH <sub>2</sub> CHCN	26(3,23)–25(3,22)	0.4	OriMC-1	OVRO	10.4m	Bla86	
248617.41 *(10)		HCOOCH <sub>3</sub>	20(7,14)–19(7,13) A	1.0	OriMC-1	OVRO	10.4m	Bla86	Plu84 M
248633.58 *( 4)		HCOOCH <sub>3</sub>	20(7,14)–19(7,13) E	1.0	OriMC-1	OVRO	10.4m	Bla86	Plu86 M
249887.47 ( 5)		CH <sub>3</sub> OH	14( 3)–14( 2) A+–	3.6	OriMC-1	OVRO	10.4m	Bla86	Sas84
249924.31 *(28)		CH <sub>3</sub> OCH <sub>3</sub>	15(1,14)–14(2,13) EE	1.1	OriMC-1	OVRO	10.4m	Bla86	
250050.21 *(24)		<sup>13</sup> CH <sub>3</sub> CN	14( 3)–13( 3)	0.6	OriMC-1	OVRO	10.4m	Bla86	Bou80
250073.68 *(24)		<sup>13</sup> CH <sub>3</sub> CN	14( 2)–13( 2)	0.5	OriMC-1	OVRO	10.4m	Bla86	Bou80
250087.76 *(25)		<sup>13</sup> CH <sub>3</sub> CN	14( 1)–13( 1)	0.3	OriMC-1	OVRO	10.4m	Bla86	Bou80
250092.46 *(25)		<sup>13</sup> CH <sub>3</sub> CN	14( 0)–13( 0)	0.4	OriMC-1	OVRO	10.4m	Bla86	Bou80
250246.46 *( 3)		HCOOCH <sub>3</sub>	20(3,17)–19(3,16) E	1.0	OriMC-1	OVRO	10.4m	Bla86	Plu86 M
250258.34 *(10)		HCOOCH <sub>3</sub>	20(3,17)–19(3,16) A	0.9	OriMC-1	OVRO	10.4m	Bla86	Plu84 M
250291.18 ( 5)		CH <sub>3</sub> OH	13( 3)–13( 2) A+–	4.2	OriMC-1	OVRO	10.4m	Bla86	Sas84
250358.42 *(10)		<sup>34</sup> SO <sub>2</sub>	9(3,7)–9(2,8)	0.9	OriMC-1	OVRO	10.4m	Bla86	
250440.328*(20)		CH <sub>3</sub> CH <sub>2</sub> CN	28(3,26)–27(3,25)	1.7 <sup>w</sup>	OriMC-1	OVRO	10.4m	Bla86	
250482.94 ( 2)		NO	$\Sigma \Pi_{1/2} J, F = 5/2, 5/2 - 3/2, 3/2 e$	0.3	OriMC-1	OVRO	10.4m	Bla86	Poy80
250506.98 ( 5)		CH <sub>3</sub> OH	11( 0)–10( 1) A+–	5.8	OriMC-1	OVRO	10.4m	Bla86	Sas84
250635.207 (12)		CH <sub>3</sub> OH	12( 3)–12( 2) A+–	5.9	OriMC-1	OVRO	10.4m	Bla86	Pic81
251738.520 (12)		CH <sub>3</sub> OH	6(3)–6(2) A+–	2.0	OriMC-1	MMWO	4.9m	Cle84	Pic81
251811.882 (12)		CH <sub>3</sub> OH	5(3)–5(2) A+–	1.2	OriMC-1	MMWO	4.9m	Cle84	Pic81
251825.762*(39)		SO	5(6)–4(5)	3.3	OriMC-1	MMWO	4.9m	Cle84	
251866.579 (12)		CH <sub>3</sub> OH	4(3)–4(2) A+–	1.5	OriMC-1	MMWO	4.9m	Cle84	Pic81
251890.901 (12)		CH <sub>3</sub> OH	5(3)–5(2) A+–	1.8	OriMC-1	MMWO	4.9m	Cle84	Pic81
251895.728 (12)		CH <sub>3</sub> OH	6(3)–6(2) A+–	2.1	OriMC-1	MMWO	4.9m	Cle84	Pic81
251900.495 (12)		CH <sub>3</sub> OH	4(3)–4(2) A+–	1.7	OriMC-1	MMWO	4.9m	Cle84	Pic81
251905.812 (12)		CH <sub>3</sub> OH	3(3)–3(2) A+–	1.0	OriMC-1	MMWO	4.9m	Cle84	Pic81
251917.042 (12)		CH <sub>3</sub> OH	3(3)–3(2) A+–	1.1	OriMC-1	MMWO	4.9m	Cle84	Pic81
251923.631 (12)		CH <sub>3</sub> OH	7(3)–7(2) A+–	1.8	OriMC-1	MMWO	4.9m	Cle84	Pic81
U 251953.		unidentified		1.2	OriMC-1	MMWO	4.9m	Cle84	
252803.377 (24)		CH <sub>3</sub> OH	12( 3)–12( 2) A+–	4.1	OriMC-1	OVRO	10.4m	Bla86	Pic81
252896.045*(20)		CH <sub>3</sub> CH <sub>2</sub> CN	28(4,24)–27(4,23)	0.7	OriMC-1	OVRO	10.4m	Bla86	
253207.011*(32)		<sup>34</sup> SO	6(6)–5(5)	3.0	OriMC-1	OVRO	10.4m	Bla86	
253221.39 ( 5)		CH <sub>3</sub> OH	13( 3)–13( 2) A+–	3.1	OriMC-1	OVRO	10.4m	Bla86	Sas84
253755.85 ( 5)		CH <sub>3</sub> OH	14(3)–14(–2) A+–	0.73	OriMC-1	MMWO	4.9m	Lor84b	Sas84
254015.34 ( 5)		CH <sub>3</sub> OH	2(0)–1(–1) E	0.95	OriMC-1	MMWO	4.9m	Lor84	Sas84
254102.68 *(74)		SIS	14–13	0.85	IRC+10216	MMWO	4.9m	Sah84	
254216.241*(67)		<sup>30</sup> SiO	6–5	0.6	OriMC-1	MMWO	4.9m	Lor84b	
254423.58 ( 5)		CH <sub>3</sub> OH	15( 3)–15( 2) A+–	3.0 <sup>b</sup>	OriMC-1	OVRO	10.4m	Bla86	Sas84
254423.58 ( 5)		CH <sub>3</sub> OH	11( 5)–11( 4) E	<sup>b</sup>	OriMC-1	OVRO	10.4m	Bla86	Sas84
254573.657*(10)		SO	8(9)–8(8)	0.39	OriMC-1	MMWO	4.9m	Lor84	
254699.62 *(10)		HC <sub>3</sub> N	28–27	5.0	OriMC-1	OVRO	10.4m	Bla86	
254841.818 (30)		<sup>13</sup> CH <sub>3</sub> OH	8(3)–8(2) A+A+	0.7	OriMC-1	OVRO	10.4m	Sut88	And87 N
254959.398 (30)		<sup>13</sup> CH <sub>3</sub> OH	7(3)–7(2) A-A+	1.2	OriMC-1	OVRO	10.4m	Bla86	And87 N
254959.5 ( 1)		CH <sub>3</sub> OH	unassigned	1.2	OriMC-1	OVRO	10.4m	Bla86	Bla86
254976.344*(20)		CH <sub>3</sub> CH <sub>2</sub> CN	29(2,28)–28(2,27)	1.5	OriMC-1	OVRO	10.4m	Bla86	
255050.260 (59)		HDO	5(2,3)–4(3,2)	2.1	OriMC-1	OVRO	10.4m	Bla86	Del71
255050.965 (30)		<sup>13</sup> CH <sub>3</sub> OH	6(3)–6(2) A-A+	n.r.	OriMC-1	OVRO	10.4m	Bla86d	And87 N
255120.837 (30)		<sup>13</sup> CH <sub>3</sub> OH	5(3)–5(2) A-A+	1.7	OriMC-1	OVRO	10.4m	Bla86	And87 N
255173.019 (30)		<sup>13</sup> CH <sub>3</sub> OH	4(3)–4(2) A-A+	1.2	OriMC-1	OVRO	10.4m	Bla86	And87 N
255193.329 (30)		<sup>13</sup> CH <sub>3</sub> OH	5(3)–5(2) A+A-	<sup>b</sup>	OriMC-1	OVRO	10.4m	Bla86	And87 N
255193.329 (30)		<sup>13</sup> CH <sub>3</sub> OH	6(3)–6(2) A+A-	1.8 <sup>b</sup>	OriMC-1	OVRO	10.4m	Bla86	And87 N
255203.728 (30)		<sup>13</sup> CH <sub>3</sub> OH	4(3)–4(2) A+A-	1.3	OriMC-1	OVRO	10.4m	Bla86	And87 N
255210.605 (30)		<sup>13</sup> CH <sub>3</sub> OH	3(3)–3(2) A+A-	0.6	OriMC-1	OVRO	10.4m	Sut88	And87 N
255214.891 (30)		<sup>13</sup> CH <sub>3</sub> OH	7(3)–7(2) A+A-	1.0	OriMC-1	OVRO	10.4m	Bla86	And87 N
255220.865 (30)		<sup>13</sup> CH <sub>3</sub> OH	3(3)–3(2) A+A-	0.9	OriMC-1	OVRO	10.4m	Bla86	And87 N
255241.97 ( 5)		CH <sub>3</sub> OH	16( 3)–16( 2) A+-	3.8	OriMC-1	OVRO	10.4m	Bla86	Sas84
255265.637 (30)		<sup>13</sup> CH <sub>3</sub> OH	8(3)–8(2) A+A-	1.4	OriMC-1	OVRO	10.4m	Bla86	And87 N
255324.34 *(11)		HC <sub>3</sub> N	28–27 $v_J=1$ $\ell=1e$	1.0	OriMC-1	OVRO	10.4m	Bla86	Sut88 N
255357. ( 1)		<sup>13</sup> CH <sub>3</sub> OH	9(3)–9(2) A+A-	1.0	OriMC-1	OVRO	10.4m	Bla86	
255374.453*( 2)		OCS	21–20	6.5	OriMC-1	OVRO	10.4m	Bla86	
255479.39 *( 8)		HC <sup>18</sup> O <sup>+</sup>	3–2	1.0	OriMC-1	OVRO	10.4m	Bla86	

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r$ (K) $/T_a$ (K)	Source	Telescope	Astr. ref.	Lab. ref.	
255498. (1)		$^{13}\text{CH}_3\text{OH}$	10(3)–10(2) A+A-	0.8	OriMC-1	OVRO	10.4m	Bla86	Sut88 N
255553.328*(14)		SO <sub>2</sub>	4(3,1)–4(2,2)	7.4	OriMC-1	OVRO	10.4m	Bla86	
255595.35 *(13)		SO <sub>2</sub>	51(7,45)–50(8,42)	0.4 <sup>v</sup>	OriMC-1	OVRO	10.4m	Bla86	
U255651.		unidentified	28–27 $\nu_7=1 \ell=1f$	1.2	OriMC-1	OVRO	10.4m	Bla86	
255689.08 *(11)		HC <sub>3</sub> N	21(4,18)–20(4,17) E	1.1	OriMC-1	OVRO	10.4m	Bla86	
255776.13 *(3)		HCOOCH <sub>3</sub>	21(4,18)–20(4,17) A	1.0	OriMC-1	OVRO	10.4m	Bla86	Plu86 M
255789.41 *(10)		HCOOCH <sub>3</sub>	28(3,25)–27(3,24)	1.0	OriMC-1	OVRO	10.4m	Bla86	Plu84 M
255906.469*(20)		CH <sub>3</sub> CH <sub>2</sub> CN	3(3,1)–3(2,2)	0.9	OriMC-1	OVRO	10.4m	Bla86	
255958.073*(15)		SO <sub>2</sub>	>3.	OriMC-1	BTL	7m	Tha81		
255980. (1)		$^{13}\text{CH}_3\text{OH}$	12(3)–12(2) A+A-	0.5	OriMC-1	OVRO	10.4m	Bla86	Sut88 N
256027.12 (8)		HCS <sup>+</sup>	6–5	<1.	OriMC-1	BTL	7m	Tha81	Bog84
256228.80 (5)		CH <sub>3</sub> OH	17( 3)–17( 2) A+ –	1.7	OriMC-1	OVRO	10.4m	Bla86	Sas84
256246.969*(14)		SO <sub>2</sub>	5(3,3)–5(2,4)	1.2	OriMC-1	MMWO	4.9m	Lor84b	
256292.639*(13)		CH <sub>3</sub> CCH	15(3)–14(3)	0.3	OriMC-1	MMWO	4.9m	Lor84b	
256317.079*(8)		CH <sub>3</sub> CCH	15(2)–14(2)	0.3	OriMC-1	MMWO	4.9m	Lor84b	
256331.746*(6)		CH <sub>3</sub> CCH	15(1)–14(1)	0.4	OriMC-1	MMWO	4.9m	Lor84b	
256336.637*(6)		CH <sub>3</sub> CCH	15(0)–14(0)	0.4	OriMC-1	MMWO	4.9m	Lor84b	
256395.926*(22)		CH <sub>3</sub> CH <sub>2</sub> CN	29(1,28)–28(1,27)	1.0	OriMC-1	OVRO	10.4m	Bla86	
256409.07 *(29)		CH <sub>2</sub> CHCN	27(8,19)–26(8,18)	b	OriMC-1	OVRO	10.4m	Bla86	
256409.07 *(29)		CH <sub>2</sub> CHCN	27(8,20)–26(8,19)	0.7 <sup>b</sup>	OriMC-1	OVRO	10.4m	Bla86	
256425.85 *(16)		CH <sub>2</sub> CHCN	27(6,22)–26(6,21)	0.7 <sup>b</sup>	OriMC-1	OVRO	10.4m	Bla86	
256425.95 *(16)		CH <sub>2</sub> CHCN	27(6,21)–26(6,20)	b	OriMC-1	OVRO	10.4m	Bla86	
256447.75 *(28)		CH <sub>2</sub> CHCN	27(9,18)–26(9,17)	b	OriMC-1	OVRO	10.4m	Bla86	
256447.75 *(28)		CH <sub>2</sub> CHCN	27(9,19)–26(9,18)	0.4 <sup>b</sup>	OriMC-1	OVRO	10.4m	Bla86	
256522.86 *(13)		CH <sub>2</sub> CHCN	27(5,23)–26(5,22)	0.8	OriMC-1	OVRO	10.4m	Bla86	
256527.36 *(13)		CH <sub>2</sub> CHCN	27(5,22)–26(5,21)	0.5	OriMC-1	OVRO	10.4m	Bla86	
256585.34 *(33)		HDCO	4(0,4)–3(0,3)	0.54	OriMC-1	MMWO	4.9m	Lor85	M
256671.817 (30)		$^{13}\text{CH}_3\text{OH}$	9(0)–8(1) E	0.5	OriMC-1	OVRO	10.4m	Bla86	And87 N
256711.75 *(11)		CH <sub>2</sub> CHCN	27(4,24)–26(4,23)	0.3	OriMC-1	OVRO	10.4m	Bla86	
256837.22 *(11)		CH <sub>2</sub> CHCN	27(4,23)–26(4,22)	0.3	OriMC-1	OVRO	10.4m	Bla86	
256877.802*(32)		<sup>34</sup> SO	7(6)–6(5)	0.79	OriMC-1	MMWO	4.9m	Lor84	
256966.885*(25)		CH <sub>3</sub> CH <sub>2</sub> CN	30(0,30)–29(1,29)	0.2	OriMC-1	OVRO	10.4m	Bla86	
257033.444*(18)		CH <sub>3</sub> CN	14(10)–13(10)	0.3	OriMC-1	OVRO	10.4m	Bla86	M
257099.982*(14)		SO <sub>2</sub>	7(3,5)–7(2,6)	7.9	OriMC-1	OVRO	10.4m	Bla86	
257127.036*(14)		CH <sub>3</sub> CN	14( 9)–13( 9)	0.6	OriMC-1	OVRO	10.4m	Bla86	M
257210.879*(11)		CH <sub>3</sub> CN	14( 8)–13( 8)	0.6	OriMC-1	OVRO	10.4m	Bla86	M
257226.56 *(3)		HCOOCH <sub>3</sub>	20(5,15)–19(5,14) E	0.8	OriMC-1	OVRO	10.4m	Bla86	Plu86 M
257239.855*(25)		CH <sub>3</sub> CH <sub>2</sub> CN	30(1,30)–29(1,29)	0.4	OriMC-1	OVRO	10.4m	Bla86	
257252.59 *(10)		HCOOCH <sub>3</sub>	20(5,15)–19(5,14) A	0.9	OriMC-1	OVRO	10.4m	Bla86	Plu84
257255.002*(67)		<sup>29</sup> SiO	6–5	1.6	OriMC-1	OVRO	10.4m	Bla86	
257284.937*(8)		CH <sub>3</sub> CN	14( 7)–13( 7)	1.0	OriMC-1	OVRO	10.4m	Bla86	M
257310.641*(25)		CH <sub>3</sub> CH <sub>2</sub> CN	30(0,30)–29(0,29)	0.8	OriMC-1	OVRO	10.4m	Bla86	
257349.182*(6)		CH <sub>3</sub> CN	14( 6)–13( 6)	1.8	OriMC-1	OVRO	10.4m	Bla86	M
257380.15 *(27)		CH <sub>3</sub> <sup>13</sup> CN	14( 2)–13( 2)	0.3	OriMC-1	OVRO	10.4m	Bla86	Bou80
257402.19 (5)		CH <sub>3</sub> OH	18( 3)–18( 2) A+ –	2.8 <sup>b</sup>	OriMC-1	OVRO	10.4m	Bla86	Sas84
257403.587*(4)		CH <sub>3</sub> CN	14(5)–13(5)	0.5	OriMC-1	MMWO	4.9m	Lor84	M
257420.24 *(14)		SO <sub>2</sub>	24(2,22)–24(1,23) $\nu_2=1$	0.4	OriMC-1	OVRO	10.4m	Bla86	
257448.131*(3)		CH <sub>3</sub> CN	14(4)–13(4)	0.5	OriMC-1	MMWO	4.9m	Lor84	M
257482.794*(3)		CH <sub>3</sub> CN	14(3)–13(3)	1.1	OriMC-1	MMWO	4.9m	Lor84	M
257507.564*(3)		CH <sub>3</sub> CN	14(2)–13(2)	0.85	OriMC-1	MMWO	4.9m	Lor84	M
257522.429*(3)		CH <sub>3</sub> CN	14(1)–13(1)	1.15	OriMC-1	MMWO	4.9m	Lor84	M
257527.385*(3)		CH <sub>3</sub> CN	14(0)–13(0)	1.2	OriMC-1	MMWO	4.9m	Lor84	M
257583.611*(25)		CH <sub>3</sub> CH <sub>2</sub> CN	30(1,30)–29(0,29)	0.3	OriMC-1	OVRO	10.4m	Bla86	
257646.01 *(19)		CH <sub>2</sub> CHCN	28(0,28)–27(0,27)	0.5	OriMC-1	OVRO	10.4m	Bla86	
257690.32 *(3)		HCOOCH <sub>3</sub>	22(3,20)–21(3,19) E	1.4	OriMC-1	OVRO	10.4m	Bla86	Plu86 M
257699.44 *(10)		HCOOCH <sub>3</sub>	22(3,20)–21(3,19) A	0.9	OriMC-1	OVRO	10.4m	Bla86	Plu84
257747.05 (3)		HDCO	4(2,3)–3(2,2)	0.6	OriMC-1	OVRO	10.4m	Bla86	Dan78
U257912.		unidentified		1.0	OriMC-1	OVRO	10.4m	Bla86	
257975.01 *(1)		HCOOH	12(1,12)–11(1,11)	0.3	OriMC-1	OVRO	10.4m	Bla86	
258054.14 *(15)		CH <sub>3</sub> CN	14( 1)–13( 1) $\nu_8=1 \ell=1$	1.1	OriMC-1	OVRO	10.4m	Bla86	Bou80
258070.96 (6)		HDCO	4(3,2)–3(3,1)	0.3	OriMC-1	OVRO	10.4m	Bla86	Dan78
258081.01 *(3)		HCOOCH <sub>3</sub>	22(2,20)–21(2,19) E	1.2	OriMC-1	OVRO	10.4m	Bla86	Plu86 M
258089.50 *(10)		HCOOCH <sub>3</sub>	22(2,20)–21(2,19) A	1.1	OriMC-1	OVRO	10.4m	Bla86	Plu84
258121.06 *(10)		HCOOCH <sub>3</sub>	21(14,7)–20(14,6) A	b	OriMC-1	OVRO	10.4m	Bla86	Plu84
258121.06 *(10)		HCOOCH <sub>3</sub>	21(14,8)–20(14,7) A	1.0 <sup>b</sup>	OriMC-1	OVRO	10.4m	Bla86	Plu84

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r(K)$ $/T_s(K)$	Source	Telescope	Astr. ref.	Lab. ref.
258122.69 *(5)		HCOOCH <sub>3</sub>	21(14,7)–20(14,6) E	b	OriMC-1	OVRO	10.4m	Bla86
258157.02 *(47)		HC <sup>15</sup> N	3–2	5.2	OriMC-1	OVRO	10.4m	Bla86
258186.99 *(13)		CH <sub>3</sub> CN	14(6)–13(5) $v_8=1$ $\ell=1$	0.3	OriMC-1	OVRO	10.4m	Bla86
258255.828*(32)		SO	6(6)–5(5)	4.0	OriMC-1	MMWO	4.9m	Cle84
258295.60 *(18)		CH <sub>3</sub> CN	14(3)–13(3) $v_8=1$ $\ell=1$	1.1	OriMC-1	OVRO	10.4m	Bla86
258320.39 *(25)		CH <sub>3</sub> CN	14(2)–13(2) $v_8=1$ $\ell=1$	0.7	OriMC-1	OVRO	10.4m	Bla86
258360.05 *(7)		CH <sub>2</sub> CHCN	27(1,26)–26(1,25)	0.6	OriMC-1	OVRO	10.4m	Bla86
258388.81 *(12)		SO <sub>2</sub>	32(4,28)–32(3,29)	1.5	OriMC-1	OVRO	10.4m	Bla86
258476.61 *(5)		HCOOCH <sub>3</sub>	21(12,9)–20(12,8) E	0.9	OriMC-1	OVRO	10.4m	Bla86
258482.92 *(10)		HCOOCH <sub>3</sub>	21(12,10)–20(12,9) A	1.0	OriMC-1	OVRO	10.4m	Bla86
258490.87 *(4)		HCOOCH <sub>3</sub>	23(2,22)–22(2,21) E	1.0	OriMC-1	OVRO	10.4m	Bla86
258496.27 *(10)		HCOOCH <sub>3</sub>	23(2,23)–22(2,21) A	1.1	OriMC-1	OVRO	10.4m	Bla86
258499.11 *(5)		HCOOCH <sub>3</sub>	21(12,10)–20(12,9) E	0.8	OriMC-1	OVRO	10.4m	Bla86
258502.78 *(4)		HCOOCH <sub>3</sub>	23(1,22)–22(1,21) E	1.0	OriMC-1	OVRO	10.4m	Bla86
258508.14 *(10)		HCOOCH <sub>3</sub>	23(1,22)–22(1,21) A	1.0	OriMC-1	OVRO	10.4m	Bla86
258549.04 *(20)		CH <sub>3</sub> OCH <sub>3</sub>	14(1,14)–13(0,13) EE	3.2 <sup>b</sup>	OriMC-1	OVRO	10.4m	Bla86
258549.30 *(19)		CH <sub>3</sub> OCH <sub>3</sub>	14(1,14)–13(0,13) AA	b	OriMC-1	OVRO	10.4m	Bla86
258552.40 *(15)		CH <sub>3</sub> CN	14(1)–13(1) $v_8=1$ $\ell=1$	0.6 <sup>b</sup>	OriMC-1	OVRO	10.4m	Bla86
258667.002*(61)		SO <sub>2</sub>	20(7,13)–21(6,16)	0.7	OriMC-1	OVRO	10.4m	Bla86
258707.351*(65)		SiO	6–5 $v=1$	41.7Jy	R Leo	OVRO	12m	Jew87
258746.44 *(5)		HCOOCH <sub>3</sub>	21(11,10)–20(11,9) E	0.5	OriMC-1	OVRO	10.4m	Bla86
258756.63 *(10)		HCOOCH <sub>3</sub>	21(11,10)–20(11,9) A	0.7 <sup>b</sup>	OriMC-1	OVRO	10.4m	Bla86
258756.63 *(10)		HCOOCH <sub>3</sub>	21(11,11)–20(11,10) A	b	OriMC-1	OVRO	10.4m	Bla86
258769.68 *(5)		HCOOCH <sub>3</sub>	21(11,11)–20(11,10) E	0.4	OriMC-1	OVRO	10.4m	Bla86
258780.38 *(5)		CH <sub>3</sub> OH	19(3)–19(2) A+–	1.8	OriMC-1	OVRO	10.4m	Bla86
258942.207*(18)		SO <sub>2</sub>	9(3,7)–9(2,8)	0.9	OriMC-1	MMWO	4.9m	Lor84b
259011.79 *(55)		H <sup>13</sup> CN	3–2	2.3	OriMC-1	MMWO	4.9m	Lor84b
259035.13 *(33)		HDCO	4(2,2)–3(2,1)	0.18	OriMC-1	MMWO	4.9m	Lor84b
259114.18 *(4)		HCOOCH <sub>3</sub>	21(10,11)–20(10,10) E	0.6	OriMC-1	OVRO	10.4m	Bla86
259128.13 *(10)		HCOOCH <sub>3</sub>	21(10,12)–20(10,11) A	b	OriMC-1	OVRO	10.4m	Bla86
259128.17 *(10)		HCOOCH <sub>3</sub>	21(10,11)–20(10,10) A	1.1 <sup>b</sup>	OriMC-1	OVRO	10.4m	Bla86
259137.69 *(4)		HCOOCH <sub>3</sub>	21(10,12)–20(10,11) E	0.3	OriMC-1	OVRO	10.4m	Bla86
259232.721*(21)		CH <sub>3</sub> CH <sub>2</sub> CN	29(3,27)–28(3,26)	0.7	OriMC-1	OVRO	10.4m	Bla86
259273.7 (1)		CH <sub>3</sub> OH	17(2)–16(1) A–	1.0	OriMC-1	OVRO	10.4m	Bla86
U 259285.		unidentified		0.8	OriMC-1	OVRO	10.4m	Bla86
U 259311.		unidentified		0.6	OriMC-1	OVRO	10.4m	Bla86
259341.93 *(5)		HCOOCH <sub>3</sub>	24(1,24)–23(1,23) E	2.0 <sup>b</sup>	OriMC-1	OVRO	10.4m	Bla86
259342.07 *(5)		HCOOCH <sub>3</sub>	24(0,24)–23(0,23) E	b	OriMC-1	OVRO	10.4m	Bla86
259342.84 *(10)		HCOOCH <sub>3</sub>	24(1,24)–23(1,23) A	b	OriMC-1	OVRO	10.4m	Bla86
259342.95 *(10)		HCOOCH <sub>3</sub>	24(0,24)–23(0,23) A	b	OriMC-1	OVRO	10.4m	Bla86
259484.90 *(28)		CH <sub>3</sub> OCH <sub>3</sub>	6(3,4)–5(2,3) EA	0.7 <sup>b</sup>	OriMC-1	OVRO	10.4m	Bla86
259486.79 *(22)		Cl <sub>3</sub> OCH <sub>3</sub>	6(3,4)–5(2,3) AE	b	OriMC-1	OVRO	10.4m	Bla86
259488.87 *(17)		CH <sub>3</sub> OCH <sub>3</sub>	6(3,4)–5(2,3) EE	1.3	OriMC-1	OVRO	10.4m	Bla86
259493.92 *(10)		CH <sub>3</sub> OCH <sub>3</sub>	6(3,4)–5(2,3) AA	0.6	OriMC-1	OVRO	10.4m	Bla86
259499.92 *(3)		HCOOCH <sub>3</sub>	20(4,16)–19(4,15) E	0.8	OriMC-1	OVRO	10.4m	Bla86
259521.70 *(10)		HCOOCH <sub>3</sub>	20(4,16)–19(4,15) A	1.0	OriMC-1	OVRO	10.4m	Bla86
259599.48 *(11)		SO <sub>2</sub>	30(4,26)–30(3,27)	1.5	OriMC-1	OVRO	10.4m	Bla86
259617.23 *(10)		<sup>34</sup> SO <sub>2</sub>	13(3,11)–13(2,12)	1.0	OriMC-1	OVRO	10.4m	Bla86
259629.42 *(4)		HCOOCH <sub>3</sub>	21(9,12)–20(9,11) E	0.6	OriMC-1	OVRO	10.4m	Bla86
259646.55 *(10)		HCOOCH <sub>3</sub>	21(9,13)–20(9,12) A	0.8 <sup>b</sup>	OriMC-1	OVRO	10.4m	Bla86
259646.67 *(10)		HCOOCH <sub>3</sub>	21(9,12)–20(9,11) A	b	OriMC-1	OVRO	10.4m	Bla86
259652.84 *(4)		HCOOCH <sub>3</sub>	21(9,13)–20(9,12) E	0.5	OriMC-1	OVRO	10.4m	Bla86
U 259690.		unidentified		0.5	OriMC-1	OVRO	10.4m	Bla86
U 259733.		unidentified		0.7	OriMC-1	OVRO	10.4m	Bla86
259842.936*(23)		CH <sub>3</sub> CH <sub>2</sub> CN	29(10,19)–28(10,18)	1.0 <sup>b</sup>	OriMC-1	OVRO	10.4m	Bla86
259842.936*(23)		CH <sub>3</sub> CH <sub>2</sub> CN	29(10,20)–28(10,19)	b	OriMC-1	OVRO	10.4m	Bla86
259847.373*(24)		CH <sub>3</sub> CH <sub>2</sub> CN	29(11,19)–28(11,18)	0.9 <sup>b</sup>	OriMC-1	OVRO	10.4m	Bla86
259847.373*(24)		CH <sub>3</sub> CH <sub>2</sub> CN	29(11,18)–28(11,17)	b	OriMC-1	OVRO	10.4m	Bla86
259862.754*(22)		CH <sub>3</sub> CH <sub>2</sub> CN	29(9,21)–28(9,20)	0.9 <sup>b</sup>	OriMC-1	OVRO	10.4m	Bla86
259862.754*(22)		CH <sub>3</sub> CH <sub>2</sub> CN	29(9,20)–28(9,19)	b	OriMC-1	OVRO	10.4m	Bla86
259869.904*(25)		CH <sub>3</sub> CH <sub>2</sub> CN	29(12,18)–28(12,17)	0.6 <sup>b</sup>	OriMC-1	OVRO	10.4m	Bla86
259869.904*(25)		CH <sub>3</sub> CH <sub>2</sub> CN	29(12,17)–28(12,16)	b	OriMC-1	OVRO	10.4m	Bla86
259906.678*(27)		CH <sub>3</sub> CH <sub>2</sub> CN	29(13,17)–28(13,16)	0.5 <sup>b</sup>	OriMC-1	OVRO	10.4m	Bla86
259906.678*(27)		CH <sub>3</sub> CH <sub>2</sub> CN	29(13,16)–28(13,15)	b	OriMC-1	OVRO	10.4m	Bla86
259917.265*(25)		CH <sub>3</sub> CH <sub>2</sub> CN	29(8,22)–28(8,21)	1.0 <sup>b</sup>	OriMC-1	OVRO	10.4m	Bla86

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r(K)$ $/T_a(K)$	Source	Telescope	Astr. ref.	Lab. ref.
259917.265*(25)		$\text{CH}_3\text{CH}_2\text{CN}$	29(8,21)–28(8,20)	b	OriMC-1	OVRO	10.4m	Bla86
259955.178*(28)		$\text{CH}_3\text{CH}_2\text{CN}$	29(14,16)–28(14,15)	0.4 <sup>b</sup>	OriMC-1	OVRO	10.4m	Bla86
259955.178*(28)		$\text{CH}_3\text{CH}_2\text{CN}$	29(14,15)–28(14,14)	b	OriMC-1	OVRO	10.4m	Bla86
U 259986. unidentified				0.8	OriMC-1	OVRO	10.4m	Bla86
259986.530 (30)		$^{13}\text{CH}_3\text{OH}$	2(1)–1(0) E	0.8	OriMC-1	OVRO	10.4m	Bla86
260013.701*(30)		$\text{CH}_3\text{CH}_2\text{CN}$	29(15,14)–28(15,13)	b	OriMC-1	OVRO	10.4m	Bla86
260013.701*(30)		$\text{CH}_3\text{CH}_2\text{CN}$	29(15,15)–28(15,14)	0.5 <sup>b</sup>	OriMC-1	OVRO	10.4m	Bla86
260025.312*(21)		$\text{CH}_3\text{CH}_2\text{CN}$	29(7,23)–28(7,22)	0.8 <sup>b</sup>	OriMC-1	OVRO	10.4m	Bla86
260025.566*(21)		$\text{CH}_3\text{CH}_2\text{CN}$	29(7,23)–28(7,22)	b	OriMC-1	OVRO	10.4m	Bla86
260060.33 (10)		$\text{HCO}$	3(0,3)–2(0,2) $J=7/2-5/2$ $F=4-3$	0.09	OriMC-1	MMWO	4.9m	Sny85a
260081.055*(33)		$\text{CH}_3\text{CH}_2\text{CN}$	29(16,14)–28(16,13)	0.3 <sup>b</sup>	OriMC-1	OVRO	10.4m	Bla86
260081.055*(33)		$\text{CH}_3\text{CH}_2\text{CN}$	29(16,13)–28(16,12)	b	OriMC-1	OVRO	10.4m	Bla86
260156.377*(37)		$\text{CH}_3\text{CH}_2\text{CN}$	29(17,13)–28(17,12)	0.4 <sup>b</sup>	OriMC-1	OVRO	10.4m	Bla86
260156.377*(37)		$\text{CH}_3\text{CH}_2\text{CN}$	29(17,12)–28(17,11)	b	OriMC-1	OVRO	10.4m	Bla86
260191.99 *(36)		$\text{CH}_2\text{CO}$	13(1,13)–12(1,12)	0.6	OriMC-1	OVRO	10.4m	Bla86
260221.648*(21)		$\text{CH}_3\text{CH}_2\text{CN}$	29(6,24)–28(6,23)	0.9 <sup>b</sup>	OriMC-1	OVRO	10.4m	Bla86
260229.152*(21)		$\text{CH}_3\text{CH}_2\text{CN}$	29(6,23)–28(6,22)	b	OriMC-1	OVRO	10.4m	Bla86
260244.42 *(4)		$\text{HCOOCH}_3$	21(3,18)–20(3,17) E	0.8	OriMC-1	OVRO	10.4m	Bla86
260255.06 *(5)		$\text{HCOOCH}_3$	21(3,18)–20(3,17) A	2.1 <sup>b</sup>	OriMC-1	OVRO	10.4m	Plu84
260255.48 *(20)		$\text{H}^{13}\text{CO}^+$	3–2	0.95	OriMC-1	MMWO	4.9m	Woo84a
260255.48 *(20)		$\text{H}^{13}\text{CO}^+$	3–2	>1.0 <sup>b</sup>	OriMC-1	OVRO	10.4m	Bla86
260327.00 *(22)		$^{34}\text{SO}_2$	24(2,22)–24(1,23)	1.0	OriMC-1	OVRO	10.4m	Bla86
260381.56 (5)		$\text{CH}_3\text{OH}$	20(3)–20(2) A+–	1.8 <sup>b</sup>	OriMC-1	OVRO	10.4m	Bla86
260384.19 *(4)		$\text{HCOOCH}_3$	21(8,13)–20(8,12) E	1.6 <sup>b</sup>	OriMC-1	OVRO	10.4m	Bla86
260392.73 *(10)		$\text{HCOOCH}_3$	21(8,14)–20(8,13) A	1.0	OriMC-1	OVRO	10.4m	Plu84
260404.09 *(4)		$\text{HCOOCH}_3$	21(8,14)–20(8,13) E	1.8	OriMC-1	OVRO	10.4m	Plu86
260415.31 *(10)		$\text{HCOOCH}_3$	21(8,13)–20(8,12) A	0.7	OriMC-1	OVRO	10.4m	Plu84
U 260440. unidentified				1.2	OriMC-1	OVRO	10.4m	Bla86
260518.027*(67)		$\text{SiO}$	6–5 v=0	2.9	OriMC-1	MMWO	4.9m	Lor84b
260664.770*(21)		$\text{CH}_3\text{CH}_2\text{CN}$	29(4,26)–28(4,25)	0.9 <sup>b</sup>	OriMC-1	OVRO	10.4m	Bla86
260667.111*(30)		$\text{CH}_3\text{CH}_2\text{CN}$	11(4,7)–10(3,6)	b	OriMC-1	OVRO	10.4m	Bla86
260679.039*(21)		$\text{CH}_3\text{CH}_2\text{CN}$	29(5,24)–28(5,23)	0.8	OriMC-1	OVRO	10.4m	Bla86
U 260726. unidentified				1.2	OriMC-1	OVRO	10.4m	Bla86
260758.61 *(14)		$\text{CH}_3\text{OCH}_3$	6(3,3)–5(2,4) EE	1.9	OriMC-1	OVRO	10.4m	Bla86
260761.70 *(10)		$\text{CH}_3\text{OCH}_3$	6(3,3)–5(2,4) AA	1.5	OriMC-1	OVRO	10.4m	Bla86
261061.36 (5)		$\text{CH}_3\text{OH}$	21(–4)–20(–5) E	0.5	OriMC-1	OVRO	10.4m	Bla86
261148.87 *(3)		$\text{HCOOCH}_3$	21(5,17)–20(5,16) E	1.4	OriMC-1	OVRO	10.4m	Plu86
261165.41 *(10)		$\text{HCOOCH}_3$	21(5,17)–20(5,16) A	1.2	OriMC-1	OVRO	10.4m	Plu84
261247.64 *(56)		$\text{CH}_3\text{OCH}_3$	15(5,10)–15(4,11) EE	1.5	OriMC-1	OVRO	10.4m	Bla86
261250.17 *(46)		$\text{CH}_3\text{OCH}_3$	15(5,10)–15(4,11) AA	0.8	OriMC-1	OVRO	10.4m	Bla86
261263.39 *(10)		$\text{HN}^{13}\text{C}$	3–2	0.2	OriMC-1	MMWO	4.9m	Lor84b
261433.75 *(10)		$\text{HCOOCH}_3$	21(7,15)–20(7,14) A	0.9	OriMC-1	OVRO	10.4m	Bla86
261436.51 *(4)		$\text{HCOOCH}_3$	21(7,15)–20(7,14) E	1.3	OriMC-1	OVRO	10.4m	Plu86
U 261564. unidentified				1.1	OriMC-1	OVRO	10.4m	Bla86
261704.44 (5)		$\text{CH}_3\text{OH}$	12(6)–11(5) E	0.9	OriMC-1	OVRO	10.4m	Sas84
261715.68 *(4)		$\text{HCOOCH}_3$	21(7,14)–20(7,13) E	1.1	OriMC-1	OVRO	10.4m	Plu86
261746.56 *(10)		$\text{HCOOCH}_3$	21(7,14)–20(7,13) A	1.1	OriMC-1	OVRO	10.4m	Plu84
261805.71 (5)		$\text{CH}_3\text{OH}$	2(1)–1(0) E	1.0	OriMC-1	MMWO	4.9m	Lor85
261843.715*(36)		$\text{SO}$	7(6)–6(5)	4.2	OriMC-1	MMWO	4.9m	Sas84
261897.33 *(6)		$\text{CH}_3\text{OCH}_3$	14(5,9)–14(4,10) EE	0.23	OriMC-1	MMWO	4.9m	Lor85
261955.99 *(14)		$\text{CH}_3\text{OCH}_3$	15(5,11)–15(4,12) EE	0.28	OriMC-1	MMWO	4.9m	M
261959.30 *(45)		$\text{CH}_3\text{OCH}_3$	15(5,11)–15(4,12) AA	1.1	OriMC-1	OVRO	10.4m	Bla86
262004.26 (5)		$\text{C}_2\text{H}$	3–2 $J=7/2-5/2$ $F=4-3$	3.5	OriMC-1	MMWO	4.9m	Ziu82
262006.48 (5)		$\text{C}_2\text{H}$	3–2 $J=7/2-5/2$ $F=3-2$	3.0	OriMC-1	MMWO	4.9m	Ziu82
262064.99 (5)		$\text{C}_2\text{H}$	3–2 $J=5/2-3/2$ $F=3-2$	2.8	OriMC-1	MMWO	4.9m	Ziu82
262067.46 (5)		$\text{C}_2\text{H}$	3–2 $J=5/2-3/2$ $F=2-1$	2.4	OriMC-1	MMWO	4.9m	Ziu82
262078.89 *(30)		$\text{C}_2\text{H}$	3–2 $J=5/2-3/2$ $F=2-2$	0.8	OriMC-1	OVRO	10.4m	Bla86
262103.48 *(1)		$\text{HCOOH}$	12(0,12)–11(0,11)	0.4	OriMC-1	OVRO	10.4m	Bla86
262183.742*(22)		$\text{CH}_3\text{CH}_2\text{CN}$	29(4,25)–28(4,24)	0.7	OriMC-1	OVRO	10.4m	Bla86
262208.61 *(30)		$\text{C}_2\text{H}$	3–2 $J=5/2-3/2$ $F=3-3$	<0.8	OriMC-1	OVRO	10.4m	Bla86
262224.2 (1)		$\text{CH}_3\text{OH}$	21(3)–21(2) A+–	1.3	OriMC-1	OVRO	10.4m	Bla86
262256.904*(25)		$\text{SO}_2$	11(3,9)–11(2,10)	1.7	OriMC-1	MMWO	4.9m	Eri84a
262307.30 *(81)		$\text{CH}_3\text{OCH}_3$	14(5,10)–14(4,11) EA	0.8 <sup>b</sup>	OriMC-1	OVRO	10.4m	Bla86
262310.27 *(63)		$\text{CH}_3\text{OCH}_3$	14(5,10)–14(4,11) AE	b	OriMC-1	OVRO	10.4m	Bla86
262312.45 *(56)		$\text{CH}_3\text{OCH}_3$	14(5,10)–14(4,11) EE	1.0	OriMC-1	OVRO	10.4m	Bla86

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r(K)$ $/T_s(K)$	Source	Telescope	Astr. ref.	Lab. ref.
262316.39 *(39)		$\text{CH}_3\text{OCH}_3$	14(5,10)–14(4,11) AA	0.9	OriMC-1	OVRO	10.4m	Bla86
262324.81 *(3)		$\text{HCOOCH}_3$	21(6,16)–20(6,15) E	1.2	OriMC-1	OVRO	10.4m	Bla86
262340.53 *(10)		$\text{HCOOCH}_3$	21(6,16)–20(6,15) A	1.0	OriMC-1	OVRO	10.4m	Bla86
262393.39 *(36)		$\text{CH}_3\text{OCH}_3$	13(5,8)–13(4,9) EE	1.3 <sup>b</sup>	OriMC-1	OVRO	10.4m	Bla86
262394.92 *(33)		$\text{CH}_3\text{OCH}_3$	13(5,8)–13(4,9) AA	<sup>b</sup>	OriMC-1	OVRO	10.4m	Bla86
262548.36 *(51)		$\text{CH}_2\text{CO}$	13(0,13)–12(0,12)	0.5	OriMC-1	OVRO	10.4m	Bla86
262624.70 *(51)		$\text{CH}_3\text{OCH}_3$	13(5,9)–13(4,10) EE	1.6	OriMC-1	OVRO	10.4m	Bla86
262629.54 *(33)		$\text{CH}_3\text{OCH}_3$	13(5,9)–13(4,10) AA	0.6	OriMC-1	OVRO	10.4m	Bla86
262768.94 *(29)		$\text{CH}_3\text{OCH}_3$	12(5,7)–12(4,6) EE	1.3 <sup>b</sup>	OriMC-1	OVRO	10.4m	Bla86
262769.484*(20)		HNC	12(1,12)–11(1,11)	1.3 <sup>b</sup>	OriMC-1	OVRO	10.4m	Bla86
262769.72 *(28)		$\text{CH}_3\text{OCH}_3$	12(5,7)–12(4,6) AA	<sup>b</sup>	OriMC-1	OVRO	10.4m	Bla86
262774.25 *(18)		$\text{CH}_3\text{OCH}_3$	8(2,6)–7(1,7) EE	0.7	OriMC-1	OVRO	10.4m	Bla86
262889.46 *(47)		$\text{CH}_3\text{OCH}_3$	12(5,8)–11(4,9) EE	0.5	OriMC-1	OVRO	10.4m	Bla86
262895.29 *(28)		$\text{CH}_3\text{OCH}_3$	12(5,8)–11(4,9) AA	0.5	OriMC-1	OVRO	10.4m	Bla86
263050.03 *(24)		$\text{CH}_3\text{OCH}_3$	11(5,6)–11(4,7) EE	1.1 <sup>b</sup>	OriMC-1	OVRO	10.4m	Bla86
263050.33 *(23)		$\text{CH}_3\text{OCH}_3$	11(5,6)–11(4,7) AA	<sup>b</sup>	OriMC-1	OVRO	10.4m	Bla86
U 263065.		unidentified		0.9	OriMC-1	OVRO	10.4m	Bla86
263107.25 *(39)		$\text{CH}_3\text{OCH}_3$	11(5,7)–11(4,8) EE	0.3	OriMC-1	OVRO	10.4m	Bla86
263113.70 *(23)		$\text{CH}_3\text{OCH}_3$	11(5,7)–11(4,8) AA	1.2	OriMC-1	OVRO	10.4m	Bla86
263748.630*(13)		HNC	12(0,12)–11(0,11)	0.3	OriMC-1	MMWO	4.9m	Arm84
263792.47 *(12)		$\text{HC}_3\text{N}$	29–28	0.6	OriMC-1	MMWO	4.9m	Arm84
264270.05 *(6)		$\text{H}_2\text{CO}$	10(1,9)–10(1,10)	1.0	OriMC-1	NRAO	12m	Ziu86
U 264330.		unidentified		1.0	OriMC-1	NRAO	12m	Ziu86
U 265698.		unidentified		0.16	OriMC-1	MMWO	4.9m	Lor84a
U 265700.		unidentified		0.8	OriMC-1	NRAO	12m	Ziu86
265759.45 *(9)		$\text{C}_3\text{H}_2$	4(4,1)–3(3,0)	0.21	OriMC-1	MMWO	4.9m	Lor84a
U 265760.		unidentified		0.8	OriMC-1	NRAO	12m	Ziu86
265852.68 (5)		HCN	$3-2 \nu_2=1 \ell=1c$	1.5	OriMC-1	NRAO	12m	Ziu86
265886.432*(10)		HCN	3–2	20.	OriMC-1	Hale	5m	Hug79
266838.13 (5)		$\text{CH}_3\text{OH}$	5(2)–4(1) E	1.7	OriMC-1	MMWO	4.9m	Joh84
266943.5 *(8)		$\text{SO}_2$	30(9,21)–31(8,24)	0.20	OriMC-1	NRAO	12m	Tur90
267109.37 (10)		HCN	$3-2 \nu_2=2 \ell=2c$	0.2	IRC + 10216	IRAM	30m	Luc89
267120.02 (10)		HCN	$3-2 \nu_2=2 \ell=2d$	0.5	IRC + 10216	IRAM	30m	Del77
267199.37 (5)		HCN	$3-2 \nu_2=1 \ell=1d$	1.5	OriMC-1	NRAO	12m	Ziu86
267241.5 *(9)		<sup>29</sup> SIS	15–14	0.1 <sup>b</sup>	IRC + 10216	NRAO	12m	Ziu86
267243.15 (10)		HCN	$3-2 \nu_2=2 \ell=0$	0.17 <sup>b</sup>	OriMC-1	NRAO	12m	Tur87
267403.44 (5)		$\text{CH}_3\text{OH}$	9(0)–8(1) E	1.8	OriMC-1	UKIRT	3.8m	Den84
267530.218 (20)		OCS	22–21	'	OriMC-1	MMWO	4.9m	Lor84b
267537.440*(33)		$\text{SO}_2$	13(3,11)–13(2,12)	'	OriMC-1	MMWO	4.9m	Sch83a
267557.625*(17)		$\text{HCO}^+$	3–2	12.	OriMC-1	Hale	5m	Hug79
268745.769*(12)		$\text{H}_2\text{C}^{18}\text{O}$	4(1,4)–3(1,3)	0.64	OriMC-1	MWO	4.9m	Man90
271981.067*(50)		HNC	3–2	10.	OriMC-1	Hale	5m	Hug79
272242.40 *(91)		SIS	15–14	0.48	IRC + 10216	MMWO	4.9m	Sah84
272884.95 *(15)		$\text{HC}_3\text{N}$	30–29	0.8	OriMC-1	MMWO	4.9m	Lor81
274762.114*(9)		$\text{H}_2^{13}\text{CO}$	4(1,4)–3(1,3)	1.20	OriMC-1	MWO	4.9m	Man90
275240.166*(43)		$\text{SO}_2$	15(3,13)–15(2,14)	1.7	OriMC-1	MMWO	4.9m	Lor84c
275724.703*(6)		$\text{CH}_3\text{CN}$	15(6)–14(6)	0.47	OriMC-1	MMWO	4.9m	Lor84
275782.975*(4)		$\text{CH}_3\text{CN}$	15(5)–14(5)	0.39	OriMC-1	MMWO	4.9m	Lor84
275830.684*(3)		$\text{CH}_3\text{CN}$	15(4)–14(4)	0.42	OriMC-1	MMWO	4.9m	Lor84
275867.8111*(3)		$\text{CH}_3\text{CN}$	15(3)–14(3)	0.96	OriMC-1	MMWO	4.9m	Lor84
275894.342*(3)		$\text{CH}_3\text{CN}$	15(2)–14(2)	0.83	OriMC-1	MMWO	4.9m	Lor84
275910.264*(3)		$\text{CH}_3\text{CN}$	15(1)–14(1)	1.17	OriMC-1	MMWO	4.9m	Lor84
275915.572*(3)		$\text{CH}_3\text{CN}$	15(0)–14(0)	1.24	OriMC-1	MMWO	4.9m	Lor84
U 278263.		unidentified		1.0	OriMC-1	MMWO	4.9m	Lor84c
278304.51 (5)		$\text{CH}_3\text{OH}$	9(–1)–8(0) E	1.5	OriMC-1	MMWO	4.9m	Lor84c
278886.49 *(59)		$\text{H}_2\text{CS}$	8(1,7)–7(1,6)	0.8	OriMC-1	MMWO	4.9m	Lor84f
279511.732*(77)		$\text{N}_2\text{H}^+$	3–2	0.9	OriMC-1	MMWO	4.9m	Lor84g
281526.922*(12)		$\text{H}_2\text{CO}$	4(1,4)–3(1,3)	1.4	rho Oph B	MMWO	4.9m	Lor83
281762.598*(38)		$\text{SO}_2$	15(1,15)–14(0,14)	1.0	OriMC-1	MMWO	4.9m	Lor84c
281914.13 (10)		PN	6–5	0.10	OriMC-1	NRAO	12m	Tur87b
281958.		$\text{CH}_3\text{OH}$	9(–3)–10(–2) E	0.8	OriMC-1	MMWO	4.9m	Lor81
281977.05 *(18)		$\text{HC}_3\text{N}$	31–30	0.8	OriMC-1	MMWO	4.9m	Sut88 M
282036.560*(14)		$\text{SO}_2$	6(2,4)–5(1,5)	1.6	OriMC-1	MMWO	4.9m	Lor81
282292.795*(51)		$\text{SO}_2$	20(1,19)–20(0,20)	0.7	OriMC-1	MMWO	4.9m	Lor84f
283441.872*(9)		$\text{H}_2^{13}\text{CO}$	4(0,4)–3(0,3)	0.50	OriMC-1	MWO	4.9m	Man90

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r(K)$ $/T_a(K)$	Source	Telescope	Astr. ref.	Lab. ref.
286293.697*(12)		$H_2C^{18}O$	4(1,3)–3(1,2)	0.10	OriMC-1	MWO	4.9m	Man90
U 286342.45		unidentified		0.36	OriMC-1	MMWO	4.9m	Lor85
286416.390*(45)		$SO_2$	22(2,20)–21(3,19)	0.22	OriMC-1	MMWO	4.9m	Lor85
288143.912*(28)		$DCO^+$	4–3	<1.3	p-Oph	MMWO	4.9m	Lor82
289209.179*(39)		$C^{34}S$	6–5	0.8	OriMC-1	MMWO	4.9m	Lor85
289644.897*(20)		DCN	4–3	0.77	OriMC-1	MMWO	4.9m	Woo85
289939.477 (14)		$CH_3OH$	6(0)–5(0) E	2.1	OriMC-1	MMWO	4.9m	Pla82
290307.563*(50)		$CH_3OH$	6(2)–5(2) E1	<sup>b</sup>	OriMC-1	MWO	4.9m	Man90
290307.563*(50)		$CH_3OH$	6(–2)–5(–2) E2	4.0 <sup>b</sup>	OriMC-1	MWO	4.9m	Man90
290380.0 *(11)		SIS	16–15	0.22	IRC+10216	MMWO	4.9m	Sah84
290479.934*(17)		$CH_3CCH$	17(2)–16(2)	0.14	OriMC-1	MMWO	4.9m	Lor84b
290496.545*(14)		$CH_3CCH$	17(1)–16(1)	0.32	OriMC-1	MMWO	4.9m	Lor84b
290502.083*(14)		$CH_3CCH$	17(0)–16(0)	0.3	OriMC-1	MMWO	4.9m	Lor84b
290562.242*(38)		$^{34}SO$	6(7)–5(6)	0.4	OriMC-1	MMWO	4.9m	Lor84b
290623.416*(13)		$H_2CO$	4(0,4)–3(0,3)	3.8	OriMC-1	MMWO	4.9m	Lor84b
291237.770*(22)		$H_2CO$	4(2,3)–3(2,2)	2.2	OriMC-1	MMWO	4.9m	Lor84a
291380.452*(32)		$H_2CO$	4(3,2)–3(3,1)	2.3 <sup>b</sup>	OriMC-1	MMWO	4.9m	Lor84a
291384.371*(32)		$H_2CO$	4(3,1)–3(3,0)	<sup>b</sup>	OriMC-1	MMWO	4.9m	Lor84a
291839.652*(5)		OCS	24–23	0.53	OriMC-1	MMWO	4.9m	Lor84b
291948.072*(22)		$H_2CO$	4(2,2)–3(2,1)	1.9	OriMC-1	MMWO	4.9m	Lor84a
U 292414.		unidentified		0.36	OriMC-1	MMWO	4.9m	Woo85
293126.507*(9)		$H_2^{13}CO$	4(1,3)–3(1,2)	1.00	OriMC-1	MWO	4.9m	Man90
293463.99 (5)		$CH_3OH$	3(2)–4(1) A +	0.95	OriMC-1	MMWO	4.9m	Lor84b
293912.160*(39)		CS	6–5	3.3	OriMC-2	MMWO	4.9m	Sne84
294098.866*(7)		$CH_3CN$	16(6)–15(6)	0.29	OriMC-1	MMWO	4.9m	Lor84a
294161.001*(5)		$CH_3CN$	16(5)–15(5)	0.16	OriMC-1	MMWO	4.9m	Lor84a
294211.873*(3)		$CH_3CN$	16(4)–15(4)	0.29	OriMC-1	MMWO	4.9m	Lor84a
298576.296*(24)		$SO_2$	9(2,8)–8(1,7)	2.0	OriMC-1	MMWO	4.9m	Eri84
300836.635*(12)		$H_2CO$	4(1,3)–3(1,2)	3.9	OriMC-1	MMWO	4.9m	Lor86
301286.126*(32)		SO	7(7)–6(6)	2.7	OriMC-1	MMWO	4.9m	Lor86
303926.81 *(9)		$SiO$	7–6 v=0	8.	OriMC-1	NRAO	12m	Hol86
303993.256*(3)		OCS	25–24	3.3	OriMC-1	NRAO	12m	Hol86
304077.88 *(4)		SO	8.7–7.6	13.	OriMC-1	NRAO	12m	Hol86
U 304122.6		unidentified		0.4	OriMC-1	NRAO	12m	Woo86
304208.35 (5)		$CH_3OH$	2,1–2,0 A	7.2	OriMC-1	NRAO	12m	Hol86
304306.1 *(9)		$H_2CS$	9(1,9)–8(1,8)	2.0	OriMC-1	NRAO	12m	Hol86
304332.1 *(2)		$^{34}SO_2$	3(3,1)–2(2,0)	0.7	OriMC-1	NRAO	12m	Hol86
U 304374.		unidentified		1.6	OriMC-1	NRAO	12m	Hol86
307165.94 (5)		$CH_3OH$	4(1)–4(0) A	6.6	OriMC-1	NRAO	12m	DeL89 N
307192.41 (5)		$H_3O^+$	1,1–2,1	0.6	OriMC-1	NRAO	12m	Plu85 N
U 307205.4		unidentified		0.5	OriMC-1	NRAO	12m	Woo86 N
307311.471 (50)		$^{13}CH_3OH$	4(0)–4(1) A	1.0	OriMC-1	NRAO	12m	Woo86 N
318318.793 (15)		$CH_3OH$	8(1)–8(0) A	6.0	W51	CSO	10.4m	Men90 Pic81 N
321225.64 (24)		$H_2O$	10(2,9)–9(3,6)	3.0	W51	CSO	10.4m	Men90 DeL72a N
322161.6 *(4)		$CH_2NH$	5(2,3)–4(2,2)	1.1	OriMC-1	CSO	10.4m	Men90a N
322239.45 (5)		$CH_3OH$	9(1)–9(0) A	5.5	OriMC-1	CSO	10.4m	Men90a Sas84 N
322493.1 *(29)		HDCO	5(4,2)–4(4,1)	1.0 <sup>b</sup>	OriMC-1	CSO	10.4m	Men90a N
322493.1 *(29)		HDCO	5(4,1)–4(4,0)	1.0 <sup>b</sup>	OriMC-1	CSO	10.4m	Men90a N
322521.64 *(7)		$HCOOCH_3$	25(6,19)–24(6,18)	0.5	OriMC-1	CSO	10.4m	Men90a N
322530.0 *(7)		$CH_2CHCN$	38(4,35)–38(3,36)	1.0	OriMC-1	CSO	10.4m	Men90a N
322965.17 (5)		$H_2^{18}O$	5(1,5)–4(2,2)	0.5	OriMC-1	CSO	10.4m	Men90a DeL72 N
325152.919 (27)		$H_2O$	5(1,5)–4(2,2)	2.2	OriMC-1	CSO	10.4m	Men90a DeL72a N
330587.957*(23)		$^{13}CO$	3–2	16.03	OriMC-1	NRAO	12m	Jew89 N
U 330797.		unidentified	$(CH_3OH\ 8(-3)-9(-2)\ E?)$	1.59	OriMC-1	NRAO	12m	Jew89 N
330842.757*(7)		$CH_3CN$	18(6)–17(6)	1.23	OriMC-1	NRAO	12m	Jew89 N
330912.604*(5)		$CH_3CN$	18(5)–17(5)	0.88	OriMC-1	NRAO	12m	Jew89 N
330969.791*(4)		$CH_3CN$	18(4)–17(4)	1.38	OriMC-1	NRAO	12m	Jew89 N
331014.293*(3)		$CH_3CN$	18(3)–17(3)	1.38	OriMC-1	NRAO	12m	Jew89 N
331046.093*(3)		$CH_3CN$	18(2)–17(2)	1.60	OriMC-1	NRAO	12m	Jew89 N
331065.179*(4)		$CH_3CN$	18(1)–17(1)	1.64	OriMC-1	NRAO	12m	Jew89 N
331071.541*(4)		$CH_3CN$	18(0)–17(0)	1.77	OriMC-1	NRAO	12m	Jew89 N
331502.37 *(5)		$CH_3OH$	11(1)–11(0) A+.A-	1.99	OriMC-1	NRAO	12m	Jew89 Sas84 N
332015.78 *(10)		$CH_3CN$	17(0)–16(0) $v_8=1\ell=-1$	1.22 <sup>b</sup>	OriMC-1	NRAO	12m	Jew89 Wlo88 N
332017.77 *(10)		$CH_3CN$	17(–1)–16(–1) $v_8=1\ell=+1$	<sup>b</sup>	OriMC-1	NRAO	12m	Jew89 Wlo88 N
332091.38 *(7)		$SO_2$	21(2,20)–21(1,21)	1.92	OriMC-1	NRAO	12m	Jew89 N

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r(K)$	Source	Telescope	Astr. ref.	Lab. ref.
				$/T_a(K)$				
332505.26 *(2)		SO <sub>2</sub>	4(3,1)–3(2,2)	3.02	OriMC-1	NRAO	12m	Jew89
332575.94 *(10)		HCOOCH <sub>3</sub>	30(2,29)–29(2,28) A	b	OriMC-1	NRAO	12m	Jew89
332576.16 *(10)		HCOOCH <sub>3</sub>	30(1,29)–29(1,28) A	0.64 <sup>b</sup>	OriMC-1	NRAO	12m	Jew89
333900.98 *(5)		<sup>34</sup> SO	7(8)–6(7)	2.18	OriMC-1	NRAO	12m	Jew89
334673.34 *(2)		<sup>34</sup> SO	8(2,6)–7(1,7)	3.25	OriMC-1	NRAO	12m	Jew89
335133.51 (2)		CH <sub>3</sub> OH	2(2)–3(1) A-	1.98	OriMC-1	NRAO	12m	Jew89
335395.50 (3)		HDO	3(3,1)–4(2,2)	0.52	OriMC-1	NRAO	12m	Jew89
33546.53 (10)		NHD <sub>2</sub>	1(1,1)–0(0,0) O- (a)	0.015	OriMC-1	NRAO	12m	Tur90a
U 335559.		unidentified		0.71	OriMC-1	NRAO	12m	Jew89
335582.005 (15)		CH <sub>3</sub> OH	7(1)–6(1) A+	3.37	OriMC-1	NRAO	12m	Jew89
336089.24 *(8)		SO <sub>2</sub>	23(3,21)–23(2,22)	2.17	OriMC-1	NRAO	12m	Jew89
336351.51 *(11)		NH <sub>2</sub> CHO	29(4,25)–29(3,26)	0.62	OriMC-1	NRAO	12m	Jew89
336521.23 *(29)		HC <sub>3</sub> N	37–36	1.09	OriMC-1	NRAO	12m	Jew89
336865.11 (5)		CH <sub>3</sub> OH	12(1)–12(0) A+,A-	3.47	OriMC-1	NRAO	12m	Jew89
337061.10 *(4)		<sup>17</sup> O	3–2	1.47	OriMC-1	NRAO	12m	Jew89
337135.87 *(10)		CH <sub>3</sub> OH	4(2)–3(3) E	0.76	OriMC-1	NRAO	12m	Jew89
U 337167.		unidentified		0.63	OriMC-1	NRAO	12m	Jew89
U 337201.		unidentified		0.97	OriMC-1	NRAO	12m	Jew89
337300.94 *(15)		NH <sub>2</sub> CHO	19(2,18)–19(1,19)	0.88	OriMC-1	NRAO	12m	Jew89
U 337353.		unidentified		0.72	OriMC-1	NRAO	12m	Jew89
337396.602*(55)		<sup>34</sup> S	7–6	1.89	OriMC-1	NRAO	12m	Jew89
337580.15 *(5)		<sup>34</sup> SO	8(8)–7(7)	1.92	OriMC-1	NRAO	12m	Jew89
337643.864*(52)		CH <sub>3</sub> OH	7(0)–6(0) E $\nu_t=1$	1.05	OriMC-1	NRAO	12m	Jew89
U 337973.		unidentified		0.86	OriMC-1	NRAO	12m	Jew89
338081.00*(123)		H <sub>2</sub> CS	10(1,10)–9(1,9)	1.78	OriMC-1	NRAO	12m	Jew89
338124.502 (17)		CH <sub>3</sub> OH	7(0)–6(0) E1	4.48	OriMC-1	NRAO	12m	Jew89
U 338147.		unidentified		0.67	OriMC-1	NRAO	12m	Jew89
338305.99 *(7)		SO <sub>2</sub>	18(4,14)–18(3,15)	3.42	OriMC-1	NRAO	12m	Jew89
338344.629 (22)		CH <sub>3</sub> OH	7(–1)–6(–1) E2	4.23	OriMC-1	NRAO	12m	Jew89
338404.781 (30)		CH <sub>3</sub> OH	7(6)–6(6) E1	4.52 <sup>b</sup>	OriMC-1	NRAO	12m	Jew89
338408.681 (15)		CH <sub>3</sub> OH	7(0)–6(0) A+	b	OriMC-1	NRAO	12m	Jew89
338414.09 *(10)		HCOOCH <sub>3</sub>	27(7,21)–26(7,20) A	1.2	OriMC-1	MMWO	4.9m	Lor85
338430.987 (14)		CH <sub>3</sub> OH	7(–6)–6(–6) E2	0.80	OriMC-1	NRAO	12m	Jew89
338442.441 (10)		CH <sub>3</sub> OH	7(6)–6(6) A+	1.08 <sup>b</sup>	OriMC-1	NRAO	12m	Jew89
338442.441 (10)		CH <sub>3</sub> OH	7(6)–6(6) A-	b	OriMC-1	NRAO	12m	Jew89
338456.499 (15)		CH <sub>3</sub> OH	7(–5)–6(–5) E2	1.72	OriMC-1	NRAO	12m	Jew89
338475.29 (10)		CH <sub>3</sub> OH	7(5)–6(5) E1	1.80	OriMC-1	NRAO	12m	Jew89
338486.337 (14)		CH <sub>3</sub> OH	7(5)–6(5) A+	2.12 <sup>b</sup>	OriMC-1	NRAO	12m	Jew89
338486.338 (14)		CH <sub>3</sub> OH	7(5)–6(5) A-	b	OriMC-1	NRAO	12m	Jew89
338504.099 (17)		CH <sub>3</sub> OH	7(–4)–6(–4) E2	3.05	OriMC-1	NRAO	12m	Jew89
338512.762 (29)		CH <sub>3</sub> OH	7(2)–6(2) A-	b	OriMC-1	NRAO	12m	Jew89
338512.762 (48)		CH <sub>3</sub> OH	7(4)–6(4) A-	b	OriMC-1	NRAO	12m	Jew89
338512.762 (48)		CH <sub>3</sub> OH	7(4)–6(4) A+	4.13 <sup>b</sup>	OriMC-1	NRAO	12m	Jew89
338530.249 (17)		CH <sub>3</sub> OH	7(4)–6(4) E1	1.98	OriMC-1	NRAO	12m	Jew89
338540.795 (15)		CH <sub>3</sub> OH	7(3)–6(3) A+	4.75 <sup>b</sup>	OriMC-1	NRAO	12m	Jew89
338543.204 (15)		CH <sub>3</sub> OH	7(3)–6(3) A-	b	OriMC-1	NRAO	12m	Jew89
338559.928 (24)		CH <sub>3</sub> OH	7(–3)–6(–3) E2	3.05	OriMC-1	NRAO	12m	Jew89
338583.195 (17)		CH <sub>3</sub> OH	7(3)–6(3) E1	4.05	OriMC-1	NRAO	12m	Jew89
338614.999 (17)		CH <sub>3</sub> OH	7(1)–6(1) E1	7.75	OriMC-1	NRAO	12m	Jew89
338639.939 (15)		CH <sub>3</sub> OH	7(2)–6(2) A+	3.82	OriMC-1	NRAO	12m	Jew89
338721.65 (5)		CH <sub>3</sub> OH	7(2)–6(2) E1	5.08 <sup>b</sup>	OriMC-1	NRAO	12m	Jew89
338722.94 (5)		CH <sub>3</sub> OH	7(–2)–6(–2) E2	b	OriMC-1	NRAO	12m	Jew89
338785.76 *(14)		<sup>34</sup> SO <sub>2</sub>	14(4,10)–14(3,11)	0.53	OriMC-1	NRAO	12m	Jew89
338929.48 *(11)		<sup>30</sup> SiO	8–7	1.07	OriMC-1	NRAO	12m	Jew89
339341.47 *(7)		SO	3(3)–3(2)	1.90	OriMC-1	NRAO	12m	Jew89
339857.28 *(7)		<sup>34</sup> SO	9(8)–8(7)	3.29	OriMC-1	NRAO	12m	Jew89
339902.33 *(24)		NH <sub>2</sub> CHO	16(6,11)–15(6,10)	0.60 <sup>b</sup>	OriMC-1	NRAO	12m	Jew89
339902.41 *(24)		NH <sub>2</sub> CHO	16(6,10)–15(6,9)	b	OriMC-1	NRAO	12m	Jew89
340031.567*(40)		CN	3–2 J = 5/2–3/2 F = 7/2–5/2	1.6 <sup>b</sup>	OriMC-1	MMWO	4.9m	Lor85
340035.281*(50)		CN	3–2 J = 5/2–3/2 F = 3/2–1/2	b	OriMC-1	MMWO	4.9m	Lor85
340035.525*(50)		CN	3–2 J = 5/2–3/2 F = 5/2–3/2	b	OriMC-1	MMWO	4.9m	Lor85
340141.223 (50)		CH <sub>3</sub> OH	2(2)–3(1) A+	1.47	OriMC-1	NRAO	12m	Jew89
340247.625*(50)		CN	3–2 J = 7/2–5/2 F = 7/2–5/2	3.1 <sup>b</sup>	OriMC-1	MMWO	4.9m	Lor85
340247.874*(50)		CN	3–2 J = 7/2–5/2 F = 9/2–7/2	b	OriMC-1	MMWO	4.9m	Lor85
340248.573*(50)		CN	3–2 J = 7/2–5/2 F = 5/2–3/2	b	OriMC-1	MMWO	4.9m	Lor85

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r(K)$ $/T_a(K)$	Source	Telescope	Astr. ref.	Lab. ref.
340316.50 *( 8)		SO <sub>2</sub>	28(2,26)–28(1,27)	1.07	OriMC-1	NRAO	12m	Jew89
340449.27 *( 1)		OCS	28–27	2.23	OriMC-1	NRAO	12m	Jew89
340489.61 *(15)		NH <sub>2</sub> CHO	16(3,14)–15(3,13)	0.72	OriMC-1	NRAO	12m	Jew89
340616.18 *(19)		CH <sub>3</sub> OCH <sub>3</sub>	10(3,7)–9(2,8) AA	0.79	OriMC-1	NRAO	12m	Jew89
340714.294*(48)		SO	7(8)–6(7)	2.7	OriMC-1	MMWO	4.9m	Lor85
U340843.		unidentified		0.91	OriMC-1	NRAO	12m	Jew89
U341039.		unidentified		0.43	OriMC-1	NRAO	12m	Jew89
341415.500 (50)		CH <sub>3</sub> OH	7(1)–6(1) A–	2.93	OriMC-1	NRAO	12m	Jew89
342332.10 *(13)		<sup>34</sup> SO <sub>2</sub>	12(4,8)–12(3,9)	0.83	OriMC-1	NRAO	12m	Jew89
342435.88 *(20)		SO <sub>2</sub>	23(3,21)–23(2,22) $v_2=1$	0.48	OriMC-1	NRAO	12m	Jew89
342521.81 *(34)		D <sub>2</sub> CO	6(0,6)–5(0,5)	0.27	OriMC-1	NRAO	12m	Tur90a
342607.71 *(47)		CH <sub>3</sub> OCH <sub>3</sub>	19(0,19)–18(1,18) AA	1.13	OriMC-1	NRAO	12m	Jew89
342729.83 ( 5)		CH <sub>3</sub> OH	13(1)–13(0) A+	4.83 <sup>b</sup>	OriMC-1	NRAO	12m	Jew89
342729.83 ( 5)		CH <sub>3</sub> OH	13(1)–13(0) A-	<sup>b</sup>	OriMC-1	NRAO	12m	Jew89
342882.95 *( 5)		CS	7–6	9.65	OriMC-1	NRAO	12m	Jew89
343083.10 *(15)		NH <sub>2</sub> CHO	16(3,13)–15(3,12)	1.01	OriMC-1	NRAO	12m	Jew89
343201.08 *(85)		H <sub>2</sub> CS	10(5,6)–9(5,5)	0.98 <sup>b</sup>	OriMC-1	NRAO	12m	Jew89
343201.08 *(85)		H <sub>2</sub> CS	10(5,5)–9(5,4)	<sup>b</sup>	OriMC-1	NRAO	12m	Jew89
343325.67 *( 2)		H <sub>2</sub> <sup>13</sup> CO	5(1,5)–4(1,4)	1.32	OriMC-1	NRAO	12m	Jew89
343411.91*(104)		H <sub>2</sub> CS	10(3,7)–9(3,6)	0.98	OriMC-1	NRAO	12m	Jew89
343443.97 *(10)		HCOOCH <sub>3</sub>	28(4,24)–27(4,23) A	0.95	OriMC-1	NRAO	12m	Jew89
343755.08 *(53)		CH <sub>3</sub> OCH <sub>3</sub>	17(2,16)–16(1,15) AA	0.88 <sup>b</sup>	OriMC-1	NRAO	12m	Jew89
343757.97 *(10)		HCOOCH <sub>3</sub>	27(7,20)–26(7,19) A	<sup>b</sup>	OriMC-1	NRAO	12m	Jew89
343810.90*(115)		H <sub>2</sub> CS	10(2,8)–9(2,7)	0.68	OriMC-1	NRAO	12m	Jew89
344029.59 *(10)		HCOOCH <sub>3</sub>	32(0,32)–31(0,31) A	0.81 <sup>b</sup>	OriMC-1	NRAO	12m	Jew89
344029.59 *(10)		HCOOCH <sub>3</sub>	32(1,32)–31(1,31) A	<sup>b</sup>	OriMC-1	NRAO	12m	Jew89
U344111.		unidentified		0.85	OriMC-1	NRAO	12m	Jew89
U344201.		unidentified		2.22	OriMC-1	NRAO	12m	Jew89
344245.45 *(12)		<sup>34</sup> SO <sub>2</sub>	10(4,6)–10(3,7)	0.94	OriMC-1	NRAO	12m	Jew89
344310.728*(54)		SO	8(8)–7(7)	10.93	OriMC-1	NRAO	12m	Jew89
344357.74 *(48)		CH <sub>3</sub> OCH <sub>3</sub>	19(1,19)–18(0,18) AA	1.30	OriMC-1	NRAO	12m	Jew89
344581.11 *(19)		<sup>34</sup> SO <sub>2</sub>	19(1,19)–18(0,18)	0.60	OriMC-1	NRAO	12m	Jew89
344807.99 *(13)		<sup>34</sup> SO <sub>2</sub>	13(4,10)–13(3,11)	0.50	OriMC-1	NRAO	12m	Jew89
344987.65 *(15)		<sup>34</sup> SO <sub>2</sub>	15(4,12)–15(3,13)	0.60	OriMC-1	NRAO	12m	Jew89
344998.25 *(12)		<sup>34</sup> SO <sub>2</sub>	11(4,8)–11(3,9)	0.60	OriMC-1	NRAO	12m	Jew89
345338.519*(44)		SO <sub>2</sub>	13,(2,12)–12(1,11)	7.71 <sup>b</sup>	OriMC-1	NRAO	12m	Jew89
345339.7 *(12)		H <sup>13</sup> CN	4–3	<sup>b</sup>	OriMC-1	NRAO	12m	Jew89
345610.37 *(35)		HC <sub>3</sub> N	38–37	1.95	OriMC-1	NRAO	12m	Jew89
345795.991 ( 2)		CO	3–2	70.00	OriMC-1	NRAO	12m	Jew89
U345905.		unidentified	(CH <sub>3</sub> OH 16(10–15(2) A–?)	1.80	OriMC-1	NRAO	12m	Jew89
346523.89 *( 6)		SO <sub>2</sub>	16(4,12)–16(3,13)	8.73 <sup>b</sup>	OriMC-1	NRAO	12m	Jew89
346528.562*(74)		SO	9(8)–8(7)	<sup>b</sup>	OriMC-1	NRAO	12m	Jew89
346652.19 *( 6)		SO <sub>2</sub>	19(1,19)–18(0,18)	4.82	OriMC-1	NRAO	12m	Jew89
346998.54 *(40)		H <sup>13</sup> CO <sup>+</sup>	4–3	1.03	OriMC-1	NRAO	12m	Jew89
U347191.		unidentified		0.72	OriMC-1	NRAO	12m	Jew89
347330.58 *(11)		SiO	8–7 $v=0$	6.81	OriMC-1	NRAO	12m	Jew89
348117.56 *(16)		<sup>34</sup> SO <sub>2</sub>	19(4,16)–19(3,17)	1.32	OriMC-1	NRAO	12m	Jew89
U348269.		unidentified		0.97	OriMC-1	NRAO	12m	Jew89
348387.96 *( 6)		SO <sub>2</sub>	24(2,22)–23(3,21)	4.13	OriMC-1	NRAO	12m	Jew89
348532.08*(123)		H <sub>2</sub> CS	10(1,9)–9(1,8)	3.38	OriMC-1	NRAO	12m	Jew89
348911.387*(18)		CH <sub>3</sub> CN	19(9)–18(9)	1.50	OriMC-1	NRAO	12m	Jew89
349024.958*(14)		CH <sub>3</sub> CN	19(8)–18(8)	1.03	OriMC-1	NRAO	12m	Jew89
349107.02 ( 5)		CH <sub>3</sub> OH	14(1)–14(0) A+	3.52 <sup>b</sup>	OriMC-1	NRAO	12m	Jew89
349107.02 ( 5)		CH <sub>3</sub> OH	14(1)–14(0) A-	<sup>b</sup>	OriMC-1	NRAO	12m	Jew89
349212.303*( 8)		CH <sub>3</sub> CN	19(6)–18(6)	0.71	OriMC-1	NRAO	12m	Jew89
349285.999*( 5)		CH <sub>3</sub> CN	19(5)–18(5)	0.79	OriMC-1	NRAO	12m	Jew89
349338.10 ( 5)		C <sub>2</sub> H	4–3 $J=9/2–7/2 F=5–4$	1.2 <sup>b</sup>	M17	MMWO	4.9m	Lor85
349338.10 ( 5)		C <sub>2</sub> H	4–3 $J=9/2–7/2 F=4–3$	<sup>b</sup>	M17	MMWO	4.9m	Lor85
349346.338*( 4)		CH <sub>3</sub> CN	19(4)–18(4)	1.27	OriMC-1	NRAO	12m	Jew89
349393.293*( 3)		CH <sub>3</sub> CN	19(3)–18(3)	3.38 <sup>b</sup>	OriMC-1	NRAO	12m	Jew89
349400.61 ( 5)		C <sub>2</sub> H	4–3 $J=7/2–5/2 F=4–3$	1.0 <sup>b</sup>	M17	MMWO	4.9m	Lor85
349400.61 ( 5)		C <sub>2</sub> H	4–3 $J=7/2–5/2 F=3–2$	<sup>b</sup>	M17	MMWO	4.9m	Lor85
349426.845*( 4)		CH <sub>3</sub> CN	19(2)–18(2)	1.50	OriMC-1	NRAO	12m	Jew89
349446.983*( 4)		CH <sub>3</sub> CN	19(1)–18(1)	2.10 <sup>b</sup>	OriMC-1	NRAO	12m	Jew89
349453.696*( 4)		CH <sub>3</sub> CN	19(0)–18(0)	<sup>b</sup>	OriMC-1	NRAO	12m	Jew89

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r(K)$ $/T_a(K)$	Source	Telescope	Astr. ref.	Lab. ref.
U350149.		unidentified		0.78	OriMC-1	NRAO	12m	Jew89
350423.50 *(5)		CH <sub>3</sub> CN	18(-2)-17(-2) $v_8=1 \ell=+1$	1.02 <sup>b</sup>	OriMC-1	NRAO	12m	Jew89
350423.50 *(5)		CH <sub>3</sub> CN	18(2)-17(2) $v_8=1 \ell=-1$	<sup>b</sup>	OriMC-1	NRAO	12m	Jew89
350449.53 *(5)		CH <sub>3</sub> CN	18(-1)-17(-1) $v_8=1 \ell=+1$	1.27	OriMC-1	NRAO	12m	Jew89
U350515.		unidentified		0.95	OriMC-1	NRAO	12m	Jew89
350552.23 *(5)		CH <sub>3</sub> CN	18(2)-17(2) $v_8=1 \ell=+1$	1.25	OriMC-1	NRAO	12m	Jew89
350687.73 *(5)		CH <sub>3</sub> OH	4(0)-3(-1) E2	5.12	OriMC-1	NRAO	12m	Jew89
350862.88 *(8)		SO <sub>2</sub>	10(6,4)-11(5,7)	2.10	OriMC-1	NRAO	12m	Jew89
350905.119 (17)		CH <sub>3</sub> OH	1(1)-0(0) A+	3.33	OriMC-1	NRAO	12m	Jew89
U351047.		unidentified		1.98	OriMC-1	NRAO	12m	Jew89
351257.24 *(2)		SO <sub>2</sub>	5(3,3)-4(2,2)	7.52	OriMC-1	NRAO	12m	Jew89
351633.4 *(5)		HNC	16(0,16)-15(0,15)	2.77	OriMC-1	NRAO	12m	Jew89
351768.639*(18)		H <sub>2</sub> CO	5(1,5)-4(1,4)	11.31	OriMC-1	NRAO	12m	Jew89
351873.896*(43)		SO <sub>2</sub>	14(4,10)-14(3,11)	6.67	OriMC-1	NRAO	12m	Jew89
U352041.		unidentified		1.37	OriMC-1	NRAO	12m	Jew89
U352083.		unidentified		1.46	OriMC-1	NRAO	12m	Jew89
352292.63 *(10)		HCOOCH <sub>3</sub>	30(4,27)-29(4,26) A	1.17	OriMC-1	NRAO	12m	Jew89
U352505.		unidentified		1.00	OriMC-1	NRAO	12m	Jew89
352599.56 *(1)		OCS	29-28	2.99	OriMC-1	NRAO	12m	Jew89
U352903.		unidentified		1.20	OriMC-1	NRAO	12m	Jew89
352925.62 *(10)		HCOOCH <sub>3</sub>	31(3,29)-30(3,28) A	0.97 <sup>b</sup>	OriMC-1	NRAO	12m	Jew89
352929.63 *(10)		HCOOCH <sub>3</sub>	31(2,29)-30(2,28) A	<sup>b</sup>	OriMC-1	NRAO	12m	Jew89
353811.87 *(2)		H <sub>2</sub> <sup>13</sup> CO	5(0,5)-4(0,4)	0.58	OriMC-1	NRAO	12m	Jew89
354505.472*(20)		HCN	4-3	17.40	OriMC-1	NRAO	12m	Jew89
U354610.		unidentified		1.5	Sgr B2N	CSO	10.4m	Lis90
354699.0 *(4)		HC <sub>3</sub> N	39-38	2.0	Sgr B2N	CSO	10.4m	Lis90
355045.55 *(3)		SO <sub>2</sub>	12(4,8)-12(3,9)	7.73	OriMC-1	NRAO	12m	Jew89
355191.02 *(20)		H <sub>2</sub> <sup>13</sup> CO	5(3,3)-4(3,2)	2.22 <sup>b</sup>	OriMC-1	NRAO	12m	Jew89
355202.72 *(20)		H <sub>2</sub> <sup>13</sup> CO	5(3,2)-4(3,1)	<sup>b</sup>	OriMC-1	NRAO	12m	Jew89
U355571.		unidentified		1.08	OriMC-1	NRAO	12m	Jew89
U355603.		unidentified		4.58	OriMC-1	NRAO	12m	Jew89
U355759.		unidentified		0.90	OriMC-1	NRAO	12m	Jew89
U356009.		unidentified		3.80	OriMC-1	NRAO	12m	Jew89
356040.70 *(10)		SO <sub>2</sub>	15(7,9)-16(6,10)	1.26	OriMC-1	NRAO	12m	Jew89
U356261.		unidentified		2.33	OriMC-1	NRAO	12m	Jew89
356734.25 *(3)		HCO <sup>+</sup>	4-3	17.40	OriMC-1	NRAO	12m	Jew89
357165.42 *(4)		SO <sub>2</sub>	13(4,10)-13(3,11)	3.46	OriMC-1	NRAO	12m	Jew89
357241.21 *(5)		SO <sub>2</sub>	15(4,12)-15(3,13)	3.21	OriMC-1	NRAO	12m	Jew89
357387.62 *(3)		SO <sub>2</sub>	11(4,8)-11(3,9)	3.21	OriMC-1	NRAO	12m	Jew89
357671.87 *(2)		SO <sub>2</sub>	9(4,6)-9(3,7)	2.75	OriMC-1	NRAO	12m	Jew89
357892.50 *(2)		SO <sub>2</sub>	7(4,4)-7(3,5)	3.13	OriMC-1	NRAO	12m	Jew89
357925.91 *(2)		SO <sub>2</sub>	6(4,2)-6(3,3)	2.18	OriMC-1	NRAO	12m	Jew89
357962.91 *(6)		SO <sub>2</sub>	17(4,14)-17(3,15)	1.83	OriMC-1	NRAO	12m	Jew89
358013.22 *(3)		SO <sub>2</sub>	5(4,2)-5(3,3)	2.35	OriMC-1	NRAO	12m	Jew89
358215.68 *(6)		SO <sub>2</sub>	20(0,20)-19(1,19)	2.50	OriMC-1	NRAO	12m	Jew89
358605.80 (5)		CH <sub>3</sub> OH	4(1)-3(0) E1	3.18	OriMC-1	NRAO	12m	Jew89
359151.18 *(9)		SO <sub>2</sub>	25(3,23)-25(2,24)	2.21	OriMC-1	NRAO	12m	Jew89
359387.83 *(33)		CH <sub>3</sub> OCH <sub>3</sub>	12(3,10)-11(2,9) AA	0.63	OriMC-1	NRAO	12m	Jew89
359770.68 *(8)		SO <sub>2</sub>	19(4,16)-19(3,17)	3.04	OriMC-1	NRAO	12m	Jew89
362630.092*(1)		HNC	4-3	3.0	OriMC-1	MWO	4.9m	Man90
362735.014*(8)		H <sub>2</sub> CO	5(0,5)-4(0,4)	4.7	OriMC-1	MWO	4.9m	Man90
372421.34 (20)		H <sub>2</sub> D <sup>+</sup>	1(1,0)-1(1,1)	0.23	NGC2264	KAO	1m	Phi85
380197.372*(25)		H <sub>2</sub> O	4(1,4)-3(2,1)	12.	OriMC-1	KAO	1m	Phi80
461040.770 (2)		CO	4-3	60.	OriMC-1	KAO	1m	Phi80
461754.6 *(4)		SO	14(13)-13(13)	25.	OriMC-1	CSO	10.4m	Sch91
461907.700*(9)		OCS	38-37	10.	OriMC-1	CSO	10.4m	Sch91
462239. *(10)		<sup>34</sup> SO	11(10)-10(9)	20. <sup>b</sup>	OriMC-1	CSO	10.4m	Sch91
462239.9 *(10)		CH <sub>3</sub> OH	6(-4)-5(-5) E	20. <sup>b</sup>	OriMC-1	CSO	10.4m	Poy80
464834.684 (50)		CH <sub>3</sub> OH	9(2)-9(1) A	30.	OriMC-1	CSO	10.4m	Sch91
464924.520 (32)		HDO	1(0,1)-0(0,0)	20.	OriMC-1	CSO	10.4m	And90
572498.15 (10)		NH <sub>3</sub>	1(0)-0(0)	3.5	OriMC-1	KAO	1m	DeL71
625901.60 (10)		HCl ?	1-0 3/2-3/2	0.55	OriMC-1	KAO	1m	Bla85b
625918.76 (10)		HCl ?	1-0 5/2-3/2	0.70	OriMC-1	KAO	1m	Bla85b
625932.01 (10)		HCl ?	1-0 1/2-3/2	0.20	OriMC-1	KAO	1m	Bla85b
661067.275*(49)		<sup>13</sup> CO	6-5	64.0	OMC-IRc2	JCMT	Gra90	N

TABLE 5. Recommended rest frequencies for observed interstellar molecular lines — Continued

Frequency (MHz)	Unc.	Formula	Quantum numbers	$T_r(K)$ $/T_a(K)$	Source	Telescope	Astr. ref.	Lab. ref.
691473.090 (12)		CO	6–5	100.	OriMC-1	IRTF	3m	Gol81a
796982.7 * (20)		SO <sub>2</sub>	7(7,1)–6(6,0)	7.2	OriMC-1	IRTF	3m	Stu89
797433.4 * (20)		HCN	9–8	55.	OriMC-1	IRTF	3m	Stu88
802269.72 (5)		CH <sub>3</sub> OH	13(1)–12(0) E	9.	OriMC-1	IRTF	3m	Stu89
806651.806 (10)		CO	7–6	110.	OriMC-1	IRTF	3m	Sch85a
U809583.		unidentified		3.5	OriMC-1	IRTF	3m	Stu89
991329.32 * (8)		<sup>13</sup> CO	9–8	3.0	W3 IRS 5	KAO	1m	Bor91
1036912.403 (10)		CO	9–8	17.5	W3 IRS 5	KAO	1m	Bor91
1267014.504 (10)		CO	11–10	65.	OriMC-1	KAO	1m	Ros89
1381995.110 (13)		CO	12–1	65.	OriMC-1	KAO	1m	Ros89
1611793.517 (11)		CO	14–13	M17	KAO	1m	Har87	
1834747.35 (50)		OH	<sup>2</sup> Π <sub>1/2</sub> J = 3/2–1/2 F = 2–1+	2.2 <sup>aa</sup>	SgrA West	KAO	1m	Gen85
1837816.82 (50)		OH	<sup>2</sup> Π <sub>1/2</sub> J = 3/2–1/2 F = 2+–1–	2.3 <sup>aa</sup>	SgrA West	KAO	1m	Gen85
1841354.512 (11)		CO	16–15	2.6 <sup>aa</sup>	SgrA West	KAO	1m	Gen85
1956018.142 (11)		CO	17–16	0.7 <sup>q</sup>	OriMC-1	KAO	1m	Sta82
1979729.59 * (33)		<sup>13</sup> CO	18–17	2.3 <sup>c</sup>	OriMC-1	KAO	1m	Gen90
2413917.118 (11)		CO	21–20	0.85 <sup>q</sup>	OriMC-1	KAO	1m	Wat80
2509949.43 (50)		OH	<sup>2</sup> Π <sub>3/2</sub> J = 5/2–3/2 F = 3+–2–	n.r.	Sgr B2	KAO	1m	Sto81
2514317.17 (50)		OH	<sup>2</sup> Π <sub>3/2</sub> J = 5/2–3/2 F = 3–2+	n.r.	Sgr B2	KAO	1m	Fah85
2528172.060 (11)		CO	22–21	1.4 <sup>q</sup>	OriMC-1	KAO	1m	Wat80
3097909.364 (17)		CO	27–26	0.43 <sup>q</sup>	OriMC-1	KAO	1m	Sto81a
3438364.618 (10)		CO	30–29	0.16 <sup>q</sup>	OriMC-1	KAO	1m	Sto81a

<sup>a</sup>The asterisk (\*) following a rest frequency indicates that the frequency is a calculated value. A question mark (?) following the frequency indicates that this is a questionable line detection and should be verified by future observations. A question mark (?) following the formula indicates that the identification was uncertain in the astronomical reference. The symbol n.r. in the intensity column means that the intensity was not reported. The abbreviation LSB = lower sideband and USB = upper sideband.

<sup>b</sup>Blended with adjacent transitions, see astronomical reference.

<sup>c</sup>Line-to-continuum ratio ( $T_L/T_c$ ) = 0.0095.

<sup>d</sup>Blended with a recombination line.

<sup>e</sup>In flux units (fu). 1 fu =  $10^{-26}$  W m<sup>-2</sup> Hz<sup>-1</sup> = Jansky (Jy).

<sup>f</sup>Integrated intensity,  $\int T_a dv$ , in K km s<sup>-1</sup>.

<sup>g</sup>Beam brightness temperature.

<sup>h</sup>Assignment questionable.

<sup>i</sup>Intensity varies with time.

<sup>j</sup>Astronomical reference shows partially resolved hyperfine structure.

<sup>k</sup>Blended with CH<sub>3</sub><sup>13</sup>CN.

<sup>l</sup>Peak line radiation temperature.

<sup>m</sup>Only the strongest of several velocity components is listed.

<sup>n</sup>Reported as unidentified in astronomical reference.

<sup>o</sup>The acetaldehyde and formamide lines were observed in different sidebands and are blended in this observation.

<sup>p</sup>The frequency for this unidentified line reported by Clark *et al.* (1979) was in error. The correct frequency is 93.780 GHz as shown here.

<sup>q</sup>Units are  $10^{-16}$  W/cm<sup>2</sup>.

<sup>r</sup>Blended with HCO + J = 3–2.

<sup>s</sup>Originally attributed to NH<sub>2</sub>CHO, however this assignment seems inconsistent with other observations. (Cum86)

<sup>t</sup>Assignment from Cum84.

<sup>u</sup>Not observed in Orion survey by Sutton *et al.* (Sut85).

<sup>v</sup>This line may be blended with NS J = 11/2–9/2.

<sup>w</sup>This line may be blended with NO J = 5/2–3/2.

<sup>x</sup>Confirmed in Tur90.

<sup>y</sup>Although this line is reported in a table of Lor84, it is not apparent in Fig. 2 of this reference.

<sup>z</sup>The J = 54–53 of HC<sub>3</sub>N is calculated at 143764.97(10) MHz.

<sup>aa</sup>Units are  $10^{-4}$  erg s<sup>-1</sup> cm<sup>-2</sup> sr<sup>-1</sup>.

Note1: Assignment may be CH<sub>3</sub>OH 8(4)–9(3) A + at 201084.8 MHz.

Note2: Assignment of HCOOH 22(6,17)–23(5,18) at 204707.25(4) MHz seems unlikely.

## 6. References to Table 5

- Aka74 K. Akabane, M. Morimoto, K. Nagane, K. Miyazawa, T. Miyaji, H. Tabara, H. Hirabayashi, N. Kaifu, and Y. Chikada, *Publ. Astr. Soc. Japan* **26**, 1 (1974). "Detection of interstellar lines of paraformaldehyde and OCS and searches for other molecular lines at 73 GHz."
- Ale76 A. J. Alexander, H. W. Kroto, and D. R. M. Walton, *J. Mol. Spectrosc.* **62**, 175 (1976). "The microwave spectrum, substitution structure and dipole moment of cyanobutadiyne, HCCCCN."
- All78 M. Allen and G. R. Knapp, *Astrophys. J.* **225**, 843 (1978). "Radio observations of interstellar CN toward diffuse clouds, dark clouds, black clouds, and circumstellar clouds."
- And77 T. G. Anderson, T. A. Dixon, N. D. Piltch, R. J. Saykally, P. G. Szanto, and R. C. Woods, *Astrophys. J. (Letters)* **216**, L85 (1977). "Laboratory Rest Frequencies for N<sub>2</sub>D<sup>+</sup>."
- And87 T. Anderson, E. Herbst, and F. C. DeLucia, *Astrophys. J. Suppl.* **64**, 703 (1987). "The laboratory millimeter and submillimeter wave spectrum of <sup>13</sup>C Methanol."
- And88 T. Anderson, R. L. Crownover, E. Herbst, and F. C. DeLucia, *Astrophys. J. Suppl. Ser.* **67**, 135 (1988). "The laboratory millimeter- and submillimeter wave spectrum of CH<sub>3</sub>OD."
- And90 T. Anderson, F. C. DeLucia, and E. Herbst, *Astrophys. J. Suppl. Ser.* **72**, 797 (1990). "Additional measurements and a refined analysis of the millimeter- and submillimeter-wave spectrum of methanol."
- Arm84 T. Armstrong (see Lor84a).
- Arm84a T. Armstrong and R. B. Loren (see Lor84a).
- Ave76 L. W. Avery, N. W. Broten, J. M. MacLeod, T. Oka, and H. W. Kroto, *Astrophys. J. (Letters)* **205**, L173 (1976). "Detection of the heavy interstellar molecule cyanodiacetylene."
- Ave79 L. W. Avery, T. Oka, N. W. Broten, and J. M. MacLeod, *Astrophys. J.* **231**, 48 (1979). "Cyanodiacetylene (HC<sub>5</sub>N) in Sagittarius B2."
- Bac90 R. Bachiller and J. Cernicharo, *Astron. Astrophys.* **239**, 276 (1990). "Extremely high-velocity emission from molecular jets in NGC 6334I and NGC 1333 (HH 7-11)."
- Bal70 J. A. Ball, C. A. Gottlieb, A. E. Lilley, and H. E. Radford, *Astrophys. J. (Letters)* **162**, L203 (1970). "Detection of methyl alcohol in Sagittarius."
- Bal70a J. A. Ball, D. F. Dickinson, C. A. Gottlieb, and H. E. Radford, *Astron. J.* **75**, 762 (1970). "The 3.8 cm Spectrum of OH: Laboratory measurement and low noise searchin W3(OH)."
- Bar71 A. H. Barrett, P. R. Schwartz, and J. W. Waters, *Astrophys. J. (Letters)* **168**, L101 (1971). "Detection of methyl alcohol in Orion at a wavelength of ~1 centimeter."
- Bar75 A. H. Barrett, P. Ho, and R. N. Martin, *Astrophys. J. (Letters)* **198**, L119 (1975). "Time variations and spectral structure of the methanol maser in Orion A."
- Bar77 A. H. Barrett, P. T. P. Ho, and P. C. Myers, *Astrophys. J. (Letters)* **211**, L39 (1977). "Ammonia in the Kleinmann-Low nebula."
- Bar89 A. Barcia, J. Alcolea, and V. Bujarrabal, *Astron. Astrophys.* **215**, L9 (1989). "A new circumstellar maser: <sup>30</sup>SiO."
- Bau76 A. Bauder, F. J. Lovas, and D. R. Johnson, *J. Phys. Chem. Ref. Data* **5**, 53 (1976). "Microwave spectra of molecules of astrophysical interest. IX. Acetaldehyde."
- Bau79 A. Bauder, *J. Phys. Chem. Ref. Data* **8**, 583 (1979). "Microwave Spectra of Molecules of Astrophysical Interest. XVI. Methyl Formate."
- Bea78 R. A. Beaudet, and R. L. Poynter, *J. Phys. Chem. Ref. Data* **7**, 311 (1978). "Microwave spectra of molecules of astrophysical interest. XII. Hydroxyl radical."
- Bec82 J. E. Beckman, G. D. Watt, G. J. White, J. P. Phillips, R. L. Frost, and J. H. Davis, *M. N. R. A. S.* **201**, 357 (1982). "Detection of the 2(1,1)-2(1,2) rotational emission line of HDO in the Orion molecular cloud."
- Bel70 J. Bellet and G. Steenbeckeliers, *C. R. Acad. Sci. Ser. B* **271**, 1208 (1970). "Calcul des constantes rotationnelles des molécules H<sub>2</sub>O, HDO, et D<sub>2</sub>O dans leurs états fondamentaux de vibration."
- Bel71 J. Bellet, C. Samson, G. Steenbeckeliers, and R. Wertheimer, *J. Mol. Struct.* **9**, 49 (1971). "Etude du spectre de rotation de la molécule d'acide formique: A. Etude de la molécule H<sup>12</sup>COOH dans l'état fondamental."
- Bel82 M. B. Bell, P. A. Feldman, S. Kwok, and H. E. Matthews, *Nature* **295**, 389 (1982). "Detection of HC<sub>11</sub>N in IRC + 10216."
- Bel83 M. B. Bell, P. A. Feldman, and H. E. Matthews, *Astrophys. J. (Letters)* **273**, L35 (1983). "The detection of butadiynyl (C<sub>4</sub>H) in absorption against Cassiopeia A."
- Bel83a M. B. Bell, H. E. Matthews, and T. J. Sears, *Astron. Astrophys.* **127**, 241 (1983). "Further observations of the N = 1 - 0 transition of C<sub>4</sub>H."
- Bel83b M. B. Bell, H. E. Matthews, and P. A. Feldman, *Astron. Astrophys.* **127**, 420 (1983). "Observations of microwave transitions of A-state acetaldehyde in Sgr B2."
- Bel85 M. B. Bell, and H. E. Matthews, *Astrophys. J. (Letters)* **291**, L63 (1985). "Detection of HC<sub>11</sub>N in the cold dust cloud TMC-1."
- Bel86 M. B. Bell, P. A. Feldman, H. E. Matthews, and L. W. Avery, *Astrophys. J. (Letters)* **311**, L89 (1986). "Detection of deuterated cyclopropenylidene (C<sub>3</sub>HD) in TMC-1."
- Bel87 M. B. Bell, J. K. G. Watson, P. A. Feldman, H. E. Matthews, S. C. Madden, and W. M. Irvine, *Chem. Phys. Lett.* **136**, 588 (1987). "Deuterium hyperfine structure in interstellar C<sub>3</sub>HD."
- Bel87a S. P. Belov, I. N. Kozin, O. L. Polyansky, M. Yu. Tretyakov, and N. F. Zobov, *J. Mol. Spectrosc.* **126**, 113 (1987). "Rotational spectrum of the H<sub>2</sub><sup>16</sup>O molecule in the (010) excited vibrational state."
- Bel91 M. B. Bell and P. A. Feldman, *Astrophys. J. (Letters)* **367**, L33 (1991). "Detection of <sup>13</sup>C isotopomers of HC<sub>5</sub>N (J = 9 - 8) in the circumstellar envelope of IRC + 10216."
- Bel91a S. P. Belov, M. Yu. Tretyakov, and R. D. Suenram, private comm. 1991 "Laboratory measurement of the J = 2 - 1, 3 - 2 and 4 - 3 transitions of CO."
- Bes83 M. Bester, S. Urban, K. Yamada, and G. Winnewisser, *Astron. Astrophys.* **121**, L13 (1983). "The nuclear hyperfine structure of deuterated ammonia."
- Bla77 G. L. Blackman, R. D. Brown, P. D. Godfrey, M. P. Bassez, A. L. Ottrey, D. Winkler, and B. J. Robinson, *M. N. R. A. S.* **180**, 1p (1977). "Detection of J = 2 - 1 emission of acetonitrile (CH<sub>3</sub>CN) in Sgr B2."
- Bla84 G. A. Blake, E. C. Sutton, C. R. Masson, T. G. Phillips, E. Herbst, G. M. Plummer and F. C. DeLucia, *Astrophys. J.* **286**, 586 (1984). "<sup>13</sup>CH<sub>3</sub>OH in OMC-1."
- Bla84a G. A. Blake, K. V. L. N. Sastry, and F. C. DeLucia, *J. Chem. Phys.* **80**, 95 (1984). "The laboratory millimeter and submillimeter spectrum of HCO."
- Bla85a G. A. Blake, and H. Pickett, private communication, 1985. (lab measurements on CH<sub>3</sub>OH)
- Bla85b G. A. Blake, J. Keene, and T. G. Phillips, *Astrophys. J.* **295**, 501 (1985). "Chlorine in dense interstellar clouds. The abundance of HCl in OMC-1."
- Bla86 G. A. Blake, E. C. Sutton, C. R. Masson, and T. G. Phillips, *Astrophys. J. Suppl.* **60**, 357 (1986). "The rotational emission-line spectrum of Orion A between 247 and 263 GHz."
- Bog81 M. Bogey, C. Demuyck, and J. L. Destombes, *Chem. Phys. Lett.* **81**, 256 (1981). "Millimeter spectrum of carbon monosulfide rare isotopes."
- Bog84 M. Bogey, C. Demuyck, and J. L. Destombes, *J. Mol. Spectrosc.* **107**, 417 (1984). "Millimeter wave spectrum of HCS<sup>+</sup>."
- Bog84a M. Bogey, C. Demuyck, and J. L. Destombes, *Can. J. Phys.* **62**, 1248 (1984). "The millimetre wave spectrum of the <sup>13</sup>C<sup>14</sup>N radical in its ground state."

- Bog84b M. Bogey, C. Demuynck, M. Denis, J. L. Destombes, and B. Lemoine, *Astron. Astrophys.* **137**, L15 (1984). "Laboratory measurements of the 1(1,0)-1(1,1) submillimeter line of H<sub>2</sub>D<sup>+</sup>."
- Bog84c M. Bogey, C. Demuynck, J. L. Destombes, *Astron. Astrophys.* **138**, L11 (1984). "Laboratory detection of the protonated carbon dioxide by submillimeterwave spectroscopy."
- Bog85 M. Bogey, C. Demuynck, and J. L. Destombes, *Astron. Astrophys.* **144**, L15 (1985). "Millimeter and submillimeter wave spectroscopy of the deuterated ethynyl radical."
- Bog85a M. Bogey, C. Demuynck, and J. L. Destombes, *J. Chem. Phys.* **83**, 3703 (1985). "Millimeter and submillimeter wave spectrum of HCNH<sup>+</sup>."
- Bog86 M. Bogey and J. L. Destombes, *Astron. Astrophys.* **159**, L8 (1986). "Millimeter wave spectrum of <sup>13</sup>C substitutions of cyclopropenylidene C<sub>3</sub>H<sub>2</sub>."
- Bog87 M. Bogey, C. Demuynck, J. L. Destombes, and H. Dubos, *J. Mol. Spectrosc.* **122**, 313 (1987). "Molecular structure of cyclopropenylidene, HCCCH from the millimeter wave spectra of its isotopomers."
- Bor91 R. T. Boreiko and A. L. Betz, *Astrophys. J.* **369**, 382 (1991). "Observations of <sup>12</sup>CO and <sup>13</sup>CO J = 9 - 8 in galactic molecular clouds."
- Bou80 D. Boucher, J. Burie, A. Bauer, A. Dubrulle, and J. Demaison, *J. Phys. Chem. Ref. Data* **9**, 659 (1980). "Microwave Spectra of Molecules of Astrophysical Interest. XIX. Methyl Cyanide."
- Bro75 R. D. Brown, J. G. Crofts, F. F. Gardner, P. D. Godfrey, B. J. Robinson, and J. B. Whiteoak, *Astrophys. J. (Letters)* **197**, L29 (1975). "Discovery of interstellar methyl formate."
- Bro76 N. W. Broten, J. M. MacLeod, T. Oka, L. W. Avery, J. W. Brooks, R. X. McGee, and L. M. Newton, *Astrophys. J. (Letters)* **309**, L143 (1976). "Evidence for weak maser action in interstellar cyanodiacetylene."
- Bro77 R. D. Brown, P. D. Godfrey, H. I. Gunn, G. L. Blackman, and J. W. V. Storey, M. N. R. A. S. **180**, 87p (1977). "Observation of J = 1 - 0 emission from HNC."
- Bro78 N. W. Broten, T. Oka, L. W. Avery, J. M. MacLeod, and H. Kroto, *Astrophys. J. (Letters)* **223**, L105 (1978). "The detection of HC<sub>9</sub>N in interstellar space."
- Bro80 R. D. Brown, P. D. Godfrey, and D. A. Winkler, M.N.R.A.S. **190**, 1 (1980). "Detection of the 2,3-2,2 emission line of sulphur monoxide and its relevance to magnetic fields in Orion."
- Bro81 R. L. Brown, *Astrophys. J. (Letters)* **248**, L119 (1981). "Isocyanic acid in the Taurus molecular cloud 1."
- Bro82 J. M. Brown, J. E. Schubert, K. M. Evenson, and H. E. Radford, *Astrophys. J.* **258**, 899 (1982). "The far-infrared spectrum of the OH radical."
- Bro83 R. D. Brown, F. W. Eastwood, P. S. Elms, and P. D. Godfrey, *J. Am. Chem. Soc.* **105**, 6496 (1983). "Tricarbon monoxide."
- Bro84 N. W. Broten, J. M. MacLeod, L. W. Avery, W. M. Irvine, B. Höglund, P. Friberg, and Å. Hjalmarson, *Astrophys. J. (Letters)* **276**, L25 (1984). "The detection of interstellar methyl-cyanoacetylene."
- Bro85 R. D. Brown, P. D. Godfrey, D. M. Cragg, E. H. N. Rice, W. M. Irvine, P. Friberg, H. Suzuki, M. Ohishi, N. Kaifu, and M. Morimoto, *Astrophys. J.* **297**, 302 (1985). "Tricarbon monoxide in TMC-1."
- Buh74 D. Buhl, L. E. Snyder, F. J. Lovas, and D. R. Johnson, *Astrophys. J. (Letters)* **192** L97 (1974). "Silicon monoxide: detection of maser emission from the second vibrationally excited state."
- Buj81 V. Bujarrabal, M. Guélin, M. Morris, and P. Thaddeus, *Astron. Astrophys.* **99**, 239 (1981). "The abundance and excitation of the carbon chains in interstellar molecular clouds."
- Bur53 C. A. Burrus, and W. Gordy, *Phys. Rev.* **92**, 1437 (1953). "One-to-two millimeter wave spectroscopy. III. NO and DI."
- Caz86 G. Cazzoli, G. Corbelli, C. D. Esposti, and P. G. Favero, *NBS Spec. Pub.* **716**, 159 (1986). "Inner and outer nitrogen hyperfine structure in the HN<sub>2</sub><sup>+</sup> molecular ion."
- Cer84 J. Cernicharo, M. Guélin, and J. Askne, *Astron. Astrophys.* **138**, 371 (1984). "TMC1-like clouplets in HCL2."
- Cer86 J. Cernicharo, C. Kahane, J. Gómez-González, and M. Guélin, *Astron. Astrophys.* **164**, L1 (1986). "Tentative detection of the C<sub>5</sub>H radical."
- Cer86a J. Cernicharo, C. Kahane, J. Gómez-González, and M. Guélin, *Astron. Astrophys.* **167**, L5 (1986). "Detection of the <sup>2</sup>Π<sub>3/2</sub> state of C<sub>5</sub>H."
- Cer86b J. Cernicharo, C. Kahane, J. Gómez-González, and M. Guélin, *Astron. Astrophys.* **167**, L9 (1986). "Detection of <sup>29</sup>SiC<sub>2</sub> and <sup>30</sup>SiC<sub>2</sub> toward IRC + 10216."
- Cer87 J. Cernicharo, M. Guélin, and C. M. Walmsley, *Astron. Astrophys.* **172**, L5 (1987). "Detection of the hyperfine structure of the C<sub>5</sub>H radical."
- Cer87a J. Cernicharo, M. Guélin, K. M. Menten, and C. M. Walmsley, *Astron. Astrophys.* **181**, L1 (1987). "C<sub>6</sub>H: astronomical study of its fine and hyperfine structure."
- Cer87b J. Cernicharo, M. Guélin, H. Hein, and C. Kahane, *Astron. Astrophys.* **181**, L9 (1987). "Sulfur in IRC + 10216."
- Cer87c J. Cernicharo, and M. Guélin, *Astron. Astrophys.* **183**, L10 (1987). "Metals in IRC + 10216: detection of NaCl, AlCl, and KCl and tentative detection of AlF."
- Cer88 J. Cernicharo, C. Kahane, M. Guélin, and J. Gómez-González, *Astron. Astrophys.* **189**, L1 (1988). "Tentative detection of CH<sub>3</sub>NC towards SgrB2."
- Cer89 J. Cernicharo, C. A. Gottlieb, M. Guélin, P. Thaddeus, and J. M. Vrtilek, *Astrophys. J. (Letters)* **341**, L25 (1989). "Astronomical and laboratory detection of the SiC radical."
- Cer90 J. Cernicharo, C. Thum, H. Hein, D. John, P. Garcia, and F. Mattioco, *Astron. Astrophys.* **231**, L15 (1990). "Detection of 183 GHz water vapor maser emission from interstellar and circumstellar sources."
- Cer91 J. Cernicharo, C. A. Gottlieb, M. Guélin, T. C. Killian, G. Paubert, P. Thaddeus, and J. M. Vrtilek, *Astrophys. J. (Letters)* **368**, L39 (1991). "Astronomical detection of H<sub>2</sub>CCC."
- Cer91a J. Cernicharo, C. A. Gottlieb, M. Guélin, T. C. Killian, P. Thaddeus, and J. M. Vrtilek, *Astrophys. J. (Letters)* **368**, L43 (1991). "Astronomical detection of H<sub>2</sub>CCCC."
- Cer91b J. Cernicharo, M. Guélin, C. Kahane, M. Bogey, C. Demuynck, and J. L. Destombes, *Astron. Astrophys.* **246**, 213 (1991). "Astronomical and laboratory study of Si<sup>13</sup>CC."
- Chu73 F. Y. Chu and S. M. Freund, *J. Mol. Spectrosc.* **48**, 183 (1973). "Millimeter rotation-inversion transition of <sup>14</sup>NH<sub>3</sub> and <sup>15</sup>NH<sub>3</sub> in the v<sub>2</sub> state."
- Chu75 E. Churchwell and G. Winnewisser, *Astron. Astrophys.* **45**, 229 (1975). "Observations of methyl formate in the galactic center."
- Chu77 E. Churchwell, C. M. Walmsley, and G. Winnewisser, *Astron. Astrophys.* **54**, 925 (1977). "Observational Evidence for chemical fractionation in Sgr B2."
- Chu80 E. Churchwell, A. Nash, J. Rahe, C. M. Walmsley, O. Lochner and G. Winnewisser, *Astrophys. J. (Letters)* **241**, L169 (1980). "Abundances and excitation of interstellar methyl formate."
- Chu83 E. Churchwell and J. M. Hollis, *Astrophys. J.* **272**, 591 (1983). "The kinetic temperature and CH<sub>3</sub>CCH column density profile in Sgr B2, Orion, and DR 21."
- Chu86 E. Churchwell, D. Wood, P. C. Myers, and R. V. Myers, *Astrophys. J.* **305**, 405 (1986). "The excitation, abundance, and distribution of HNCO in Sagittarius B2."
- Cla74 F. O. Clark and D. R. Johnson, *Astrophys. J. (Letters)* **191**, L87 (1974). "Magnetic fields in the Orion molecular cloud from the Zeeman effect in SO."
- Cla76 F. O. Clark, R. D. Brown, P. D. Godfrey, J. W. V. Storey, and D. R. Johnson, *Astrophys. J. (Letters)* **210**, L139 (1976). "Detection of interstellar vibrationally excited cyanoacetylene."
- Cla77 F. O. Clark and F. J. Lovas, *Astrophys. J. (Letters)* **217**, L47 (1977). "SiO in the interstellar medium."

- Cla78 F. O. Clark, D. R. Johnson, C. E. Heiles, and T. H. Troland, *Astrophys. J.* **226**, 824 (1978). "Upper limits to the ambient magnetic field in several dense molecular clouds."
- Cla79 F. O. Clark, F. J. Lovas, and D. R. Johnson, *Astrophys. J.* **229**, 553 (1979). "Dimethyl ether in Orion."
- Cla81 F. O. Clark, T. H. Troland, F. J. Lovas, and P. R. Schwartz, *Astrophys. J. (Letters)* **244**, L99 (1981). "Detection of the 3.5 millimeter  $J=2-1, v=2$  transition of circumstellar SiO."
- Cle83 D. P. Clemens and A. P. Lane, *Astrophys. J. (Letters)* **266**, L117 (1983). "Detection of  $J=5-4$  SiO masers in late-type stars."
- Clo64 P. L. Clouser and W. Gordy, *Phys. Rev. A* **134**, 863 (1964). "Millimeter wave molecular-beam spectroscopy: alkali chlorides."
- Cle84 D. P. Clemens (see Lor84a).
- Coh82 E. A. Cohen and H. M. Pickett, *J. Mol. Spectrosc.* **93**, 83 (1982). "The rotation-inversion spectra and vibration-rotation interaction in  $\text{NH}_2\text{D}$ ."
- Com85 F. Combes, F. Boulanger, P. J. Encrenaz, M. Gerin, M. Bogey, C. Demuyck, and J. L. Destombes, *Astron. Astrophys.* **147**, L25 (1985). "Detection of interstellar CCD."
- Com87 F. Combes, M. Gerin, A. Wootten, G. Wlodarczak, F. Claussel, and P. J. Encrenaz, *Astron. Astrophys.* **180**, L13 (1987). "Acetone in interstellar space."
- Cre76 R. A. Creswell, E. F. Pearson, M. Winnewisser, and G. Winnewisser, *Z. Naturforsch.* **31a**, 221 (1976). "Detection of the millimeter wave spectrum of hydrogen isocyanide, HNC."
- Cum80 S. E. Cummins, M. Morris, and P. Thaddeus, *Astrophys. J.* **235**, 886 (1980). "On  $\text{C}_4\text{H}$  versus vibrationally excited CO in  $\text{IRC}+10216$ ."
- Cum86 S. E. Cummins, R. A. Linke, and P. Thaddeus, *Astrophys. J. Suppl.* **60**, 819 (1986). "A survey of the millimeter spectrum of Sagittarius B2."
- Cup68 R. E. Cupp, R. A. Kempf, and J. J. Gallagher, *Phys. Rev.* **171**, 60 (1968). "Hyperfine structure in the millimeter spectrum of hydrogen sulfide: electric resonance spectroscopy on asymmetric-top molecules."
- Dan78 D. Dangoisse, E. Willemot, and J. Bellet, *J. Mol. Spectrosc.* **71**, 414 (1978). "Microwave spectrum of formaldehyde and its isotopic species in D,  $^{13}\text{C}$  and  $^{18}\text{O}$ : study of Coriolis resonance between  $v_4$  and  $v_6$  vibrational excited states."
- Dav74 J. H. Davis, G. N. Blair, H. Van Till, and P. Thaddeus, *Astrophys. J. (Letters)* **190**, L117 (1974). "Vibrationally excited silicon monoxide in the Orion nebula."
- DeL69 F. C. DeLucia and W. Gordy, *Phys. Rev.* **187**, 58 (1969). "Molecular-beam maser for the shorter-millimeter wave region: spectral constants of HCN and DCN."
- DeL71 F. C. DeLucia, R. L. Cook, P. Helminger, and W. Gordy, *J. Chem. Phys.* **55**, 5334 (1971). "Millimeter and submillimeter wave rotational spectrum and centrifugal distortion effects of HDO."
- DeL71a F. C. DeLucia, P. Helminger, and W. Gordy, *Phys. Rev. A* **3**, 1849 (1971). "Submillimeter-wave spectra and equilibrium structures of the hydrogen halides."
- DeL72 F. C. DeLucia, P. Helminger, R. L. Cook, and W. Gordy, *Phys. Rev. A* **6**, 1324 (1972). "Submillimeter microwave spectrum of  $\text{H}_2^{18}\text{O}$ ."
- DeL72a F. C. DeLucia, P. Helminger, R. L. Cook, and W. Gordy, *Phys. Rev. A* **5**, 487 (1972). "Submillimeter microwave spectrum of  $\text{H}_2^{16}\text{O}$ ."
- DeL75 F. C. DeLucia and P. Helminger, *J. Mol. Spectrosc.* **54**, 200 (1975). "Millimeter- and submillimeter-wave length spectrum of partially deuterated ammonias; a study of inversion, centrifugal distortion, and rotation-inversion interactions."
- DeL77 F. C. DeLucia and P. Helminger, *J. Chem. Phys.* **67**, 4262 (1977). "Millimeter spectroscopy of active laser plasmas; the excited vibrational states of HCN."
- Den84 W. R. F. Dent, L. T. L. Little, P. W. Riley, and D. Vizard, Private communication, 1984. (observation of  $\text{CH}_3\text{OH}$ )
- Des75 J. L. Destombes and C. Marliere, *Chem. Phys. Lett.* **39**, 532 (1975). "Measurement of hyperfine splitting in the OH radical by a radio-frequency microwave double resonance method."
- deZ71 R. L. deZafra, *Astrophys. J.* **170**, 165 (1971). "Precise laboratory determination of rotational transition frequencies in cyanoacetylene."
- Dic72 D. F. Dickinson, *Astrophys. Lett.* **12**, 235 (1972). "Detection of cyanoacetylene at 18 GHz."
- Dic76 D. F. Dickinson, C. A. Gottlieb, E. W. Gottlieb, and M. M. Litvak, *Astrophys. J.* **206**, 79 (1976). "Observations of interstellar silicon monoxide."
- Dij71 F. A. Dijk, Ph. D. Dissertation, Katholieke Universiteit, Nijmegen, Netherlands (1971).
- Dix77 T. A. Dixon and R. C. Woods, *J. Chem. Phys.* **67**, 3956 (1977). "The laboratory microwave spectrum of the cyanide radical in its  $X^2\Sigma^+$  ground state."
- Doh74 L. H. Doherty, J. M. MacLeod, and T. Oka, *Astrophys. J. (Letters)* **192**, L157 (1974). "Detection of the 10.464 GHz transition of interstellar thioformaldehyde."
- Dow82 D. Downes, R. Genzel, Å. Hjalmarson, L. A. Nyman, and B. Ronnang, *Astrophys. J. (Letters)* **252**, L29 (1982). "Thermal SiO as a probe of high velocity motions in regions of star formation."
- Dub78 A. Dubrulle, D. Boucher, J. Burie, and J. Demaison, *J. Mol. Spectrosc.* **72**, 158 (1978). "Microwave spectra of propyne and its  $[^{13}\text{C}]$  isotopic species. Refined molecular structure of propyne."
- Dub80 A. Dubrulle, J. Demaison, J. Burie, and D. Boucher, *Z. Naturforsch.* **35a**, 471 (1980). "The millimeter wave rotational spectra of carbonyl sulfide."
- Ell80 J. Eildér, P. Freiberg, Å. Hjalmarson, B. Höglund, W. M. Irvine, L. E. B. Johansson, H. Olofsson, G. Rydbeck, and O. E. H. Rydbeck, *Astrophys. J. (Letters)* **242**, L93 (1980). "On methyl formate, methane, and deuterated ammonia in Orion A."
- Eri81 N. R. Erickson, R. L. Snell, R. B. Loren, L. Mundy, and R. L. Plambeck, *Astrophys. J. (Letters)* **245**, L83 (1981). "Detection of interstellar  $\text{CO}^+$  toward OMC-1."
- Eri84 N. R. Erickson and R. L. Plambeck (see Lor84a).
- Eri84a N. R. Erickson and R. B. Loren (see Lor84a).
- Eri84b N. R. Erickson (see Lor84a).
- Eri84c N. Erickson and R. L. Snell, Private communication, 1984.
- Eva70 N. J. Evans, II, A. C. Cheung, and R. M. Sloanaker, *Astrophys. J. (Letters)* **159**, L9 (1970). "Microwave absorption of the  $2_{12}-2_{11}$  rotational transition in interstellar formaldehyde."
- Eva79 N. J. Evans, II, R. L. Plambeck, and J. H. Davis, *Astrophys. J. (Letters)* **227**, L25 (1979). "Detection of the  $3_{12}-2_{11}$  transitions of interstellar formaldehyde at 1.3 millimeters."
- Far85 J. Farhoomand, G. Blake, and H. M. Pickett, *Astrophys. J. (Letters)* **291**, L19 (1985). "Direct measurement of the fundamental rotational transitions of the OH radical by laser sideband spectroscopy."
- Fou74 N. Fourikis, M. W. Sinclair, B. J. Robinson, P. D. Godfrey, and R. D. Brown, *Aust. J. Phys.* **27**, 425 (1974). "Microwave emission of the  $2_{11}-2_{12}$  rotational transition in interstellar acetaldehyde."
- Fou74a N. Fourikis, K. Takagi, and M. Morimoto, *Astrophys. J. (Letters)* **191**, L139 (1974). "Detection of interstellar methylamine by its  $2_{02}-1_{10}$  Aa-state transition."
- Fou77 N. Fourikis, K. Takagi, and S. Saito, *Astrophys. J. (Letters)* **212**, L33 (1977). "Probable detection of interstellar methylamine-D ( $\text{CH}_3\text{NHID}$ )."
- Fre79 M. A. Frerking, R. A. Linke, and P. Thaddeus, *Astrophys. J. (Letters)* **234**, L143 (1979). "Interstellar isothiocyanic acid."
- Fre79a M. A. Frerking, and W. D. Langer, and R. W. Wilson, *Astrophys. J. (Letters)* **232**, L65 (1979). "Determination of the hyperfine structure of  $\text{HN}^{13}\text{C}$  and HNC."
- Fre81 M. A. Frerking, and W. D. Langer, *J. Chem. Phys.* **74**, 6990 (1981). "A measurement of the hyperfine structure of  $\text{C}^{17}\text{O}$ ."

- Fri80 P. Friberg, Å. Hjalmarson, and W. M. Irvine, *Astrophys. J. (Letters)* **241**, L99 (1980). "Interstellar C<sub>3</sub>N: detection in Taurus dark clouds."
- Fri80 P. Friberg, Å. Hjalmarson, and W. M. Irvine, *Astrophys. J. (Letters)* **241**, L99 (1980). "Interstellar C<sub>3</sub>N: detection in Taurus dark clouds."
- Fri84 P. Friberg, *Astron. Astrophys.* **132**, 265 (1984). "SO (3,2-2,1) mapping of the Orion KL cloud components."
- Gai74 L. Gaines, K. H. Casleton, and S. G. Kukolich, *Astrophys. J. (Letters)* **191**, L99 (1974). "Beam maser measurements of CH<sub>3</sub>OH rotational transitions."
- Gar64 F. F. Gardner, B. J. Robinson, J. G. Bolton, and K. J. van Damme, *Phys. Rev. Lett.* **13**, 3 (1964). "Detection of interstellar OH lines at 1612 and 1720 Mc/sec."
- Gar70 F. F. Gardner, R. X. McGee, and M. W. Sinclair, *Astrophys. Letters* **5**, 67 (1970). "<sup>18</sup>OH in Sagittarius."
- Gar71 F. F. Gardner and J. C. Ribes, *Astrophys. Lett.* **9**, 175 (1971). "Observations of the excited lines of HO near 4700 MHz."
- Gar71a F. F. Gardner, J. C. Ribes, and B. F. C. Cooper, *Astrophys. Lett.* **9**, 181 (1971). "Detection of the O<sup>18</sup> isotope of formaldehyde at 4388 MHz."
- Gar75 F. F. Gardner and G. Winnewisser, *Astrophys. J. (Letters)* **195**, L127 (1975). "The detection of interstellar vinyl cyanide (acrylonitrile)."
- Gar76 F. F. Gardner and J. B. Whiteoak, M. N. R. A. S. **176**, 57p (1976). "The detection of interstellar <sup>17</sup>OH."
- Gar78 F. F. Gardner, J. B. Whiteoak, and G. Winnewisser, *Astron. Astrophys.* **67**, L23 (1978). "Observations of the J=13-12 transition of HC<sub>7</sub>N at 14.7 GHz."
- Gar78a F. F. Gardner and G. Winnewisser, M. N. R. A. S. **185**, 57P (1978). "Detection of the J=2-1 transition of interstellar HC<sub>5</sub>N."
- Gar80 F. F. Gardner, P. D. Godfrey, and D. R. Williams, M.N.R.A.S. **193**, 713 (1980). "Observations of the <sup>12</sup>C and <sup>13</sup>C isotopes of formamide at 19 cm."
- Gar83 F. F. Gardner and J. Martin-Pintado, M.N.R.A.S. **204**, 709 (1983). "Quasi-thermal excitation of the satellite lines of OH at 5 cm."
- Gar85 F. F. Gardner, B. Höglund, C. Shurke, A. Stark, and T. L. Wilson, *Astron. Astrophys.* **146**, 303 (1985). "Observations of *ortho* and *para* thioformaldehyde."
- Gen85 R. Genzel, D. M. Watson, M. K. Crawford, and C. H. Townes, *Astrophys. J.* **297**, 766 (1985). "The neutral-gas disk around the galactic center."
- Gen90 R. Genzel, A. Poglitsch, and G. Stacey, *Astrophys. Space Sci. Lib.* **151**, 261 (1990). "Detection of far-infrared <sup>13</sup>CO line emission."
- Ger84 M. Gerin, F. Combes, P. Encrénaz, R. Linke, J. L. Destombes, and C. Demuynck, *Astron. Astrophys.* **136**, L17 (1984). "Detection of <sup>13</sup>CN in three galactic sources."
- Ger87 M. Gerin, H. A. Wooten, F. Combes, F. Boulanger, W. L. Peters, III, T. B. Kuiper, P. J. Encrénaz, and M. Bogey, *Astron. Astrophys.* **173**, L1 (1987). "Deuterated C<sub>3</sub>H<sub>2</sub> as a clue to deuterium chemistry."
- Gil76 W. Gilmore, M. Morris, D. R. Johnson, F. J. Lovas, B. Zuckerman, B. E. Turner, and P. Palmer, *Astrophys. J.* **204**, 43 (1976). "Observations of the 6<sub>16</sub>-5<sub>15</sub> transitions of acetaldehyde in Sagittarius B2."
- God73 P. D. Godfrey, R. D. Brown, B. J. Robinson, and M. W. Sinclair, *Astrophys. Lett.* **13**, 119 (1973). "Discovery of interstellar methanimine (formaldimine)."
- God77 P. D. Godfrey, R. D. Brown, H. I. Gunn, G. L. Blackman, and J. W. V. Storey, M. N. R. A. S. **180**, 83p (1977). "Detection of interstellar DNC: difficulties of chemical equilibrium hypothesis for enrichment."
- God84 P. D. Godfrey, L. M. Tack, and W. M. Irvine, Private communication, 1984.
- Gol81 P. F. Goldsmith and R. A. Linke, *Astrophys. J.* **245**, 482 (1981). "A study of interstellar carbonyl sulfide."
- Gol81a P. F. Goldsmith, N. R. Erickson, H. R. Fetterman, B. J. Clifton, D. D. Peck, P. E. Tannenwald, G. A. Koepf, D. Buhl, and N. McAvoy, *Astrophys. J. (Letters)* **243**, L79 (1981). "Detection of the J=6-5 transition of carbon monoxide."
- Gol81b P. F. Goldsmith, W. D. Langer, J. Elldér, W. Irvine, and E. Kollberg, *Astrophys. J.* **249**, 524 (1981). "Determination of the HNC to HCN abundance ratio in giant molecular clouds."
- Gol82 P. F. Goldsmith, R. L. Snell, S. Deguchi, and R. Krotkov, *Astrophys. J.* **260**, 147 (1982). "Vibrationally excited cyanoacetylene in the Orion molecular cloud."
- Gol83 P. F. Goldsmith, R. Krotkov, R. L. Snell, R. D. Brown, and P. Godfrey, *Astrophys. J.* **274**, 184 (1983). "Vibrationally excited CH<sub>3</sub>CN and HC<sub>3</sub>N in Orion."
- Gol85 P. F. Goldsmith, R. Krotkov, and R. L. Snell, *Astrophys. J.* **299**, 405 (1985). "Further studies of vibrationally excited cyanoacetylene near Orion IRc2 and other sources."
- Gom86 J. Gómez-González, M. Guélin, J. Cernicharo, C. Kahane, and M. Bogey, *Astron. Astrophys.* **168**, L11 (1986). "Detection of interstellar <sup>13</sup>C isotopes of C<sub>3</sub>H<sub>2</sub>."
- Got73 C. A. Gottlieb, In "Molecules in the Galactic Environment" Eds. M. A. Gordon and L. E. Snyder (New York: Wiley-Interscience), p. 181 (1973). "Detection of acetaldehyde in Sagittarius."
- Got73a C. A. Gottlieb, P. Palmer, L. J. Richard, and B. Zuckerman, *Astrophys. J.* **182**, 699 (1973). "Studies of interstellar formamide."
- Got73b C. A. Gottlieb and J. A. Ball, *Astrophys. J. (Letters)* **184**, L59 (1973). "Interstellar sulfur monoxide."
- Got74 C. A. Gottlieb, H. E. Radford, and B. P. Smith, unpublished data, 1974.
- Got75 C. A. Gottlieb, J. A. Ball, E. W. Gottlieb, C. J. Lada, and H. Penfield, *Astrophys. J. (Letters)* **200**, L147 (1975). "Detection of interstellar nitrogen sulfide."
- Got78 C. A. Gottlieb, E. W. Gottlieb, M. M. Litvak, J. A. Ball, and H. Penfield, *Astrophys. J.* **219**, 77 (1978). "Observations of interstellar sulfur monoxide."
- Got78a C. A. Gottlieb, Private communication, 1978.
- Got79 C. A. Gottlieb, J. A. Ball, E. W. Gottlieb, and D. F. Dickinson, *Astrophys. J.* **227**, 422 (1979). "Interstellar methyl alcohol."
- Got83 C. A. Gottlieb, E. W. Gottlieb, P. Thaddeus, and H. Kawamura, *Astrophys. J.* **275**, 916 (1983). "Laboratory detection of the C<sub>3</sub>N and C<sub>4</sub>H free radicals."
- Got83a C. A. Gottlieb, E. W. Gottlieb, and P. Thaddeus, *Astrophys. J.* **264**, 740 (1983). "Laboratory and astronomical measurement of the millimeter wave spectrum of the ethynyl radical CCH."
- Got85 C. A. Gottlieb, J. M. Vrtilek, E. W. Gottlieb, and P. Thaddeus, *Astrophys. J. (Letters)* **294**, L55 (1985). "Laboratory detection of the C<sub>3</sub>H-radical."
- Got86 C. A. Gottlieb, E. W. Gottlieb, and P. Thaddeus, *Astron. Astrophys.* **164**, L5 (1986). "Laboratory detection of the C<sub>5</sub>H radical."
- Got89 C. A. Gottlieb, J. M. Vrtilek, and P. Thaddeus, *Astrophys. J. (Letters)* **343**, L29 (1989). "Laboratory measurement of the rotational spectrum of SiCC."
- Gra90 U. U. Graf, R. Genzel, A. I. Harris, R. E. Hills, A. P. G. Russell, and J. Stutski, *Astrophys. J. (Letters)* **358**, L49 (1990). "Detection of an isotopic short submillimeter CO line: Column densities of warm gas in molecular clouds."
- Gra81 M. Grasshoff, E. Tiemann, and C. Henkel, *Astrophys. J.* **101**, 238 (1981). "Detection of the J=1-0 and J=2-1 rotational lines of SiS in the molecular envelope of IRC+10216."
- Gud81 C. S. Gudeman, N. H. Haese, N. D. Piltch, and R. C. Woods, *Astrophys. J. (Letters)* **246**, L47 (1981). "The observation of the J=1-2 transition of HCS<sup>+</sup> in a laboratory glow discharge."
- Gud82 C. S. Gudeman and R. C. Woods, *Phys. Rev. Lett.* **48**, 1344 (1982). "Experimental detection of HOC<sup>+</sup> by microwave spectroscopy."

- Gud82a C. S. Gudeman, Ph. D. Thesis (University of Wisconsin, 1982).
- Gué77 M. Guélin and P. Thaddeus, *Astrophys. J. (Letters)* **212**, L81 (1977). "Tentative detection of the C<sub>3</sub>N radical."
- Gué77a M. Guélin, W. D. Langer, R. L. Snell, and H. A. Wootten, *Astrophys. J. (Letters)* **217**, L165 (1977). "Observations of DCO<sup>+</sup>: the electron abundance in dark clouds."
- Gué78 M. Guélin, S. Green, and P. Thaddeus, *Astrophys. J. (Letters)* **224**, L27 (1978). "Detection of the C<sub>4</sub>H radical toward IRC+10216."
- Gué82 M. Guélin, J. Cernicharo, and R. A. Linke, *Astrophys. J. (Letters)* **263**, L89 (1982). "Detection of HC<sup>17</sup>O<sup>+</sup> in Sagittarius B2."
- Gué82a M. Guélin, P. Friberg, and A. Mezaoui, *Astron. Astrophys.* **109**, 23 (1982). "Astronomical study of the C<sub>3</sub>N and C<sub>4</sub>H radicals: hyperfine interactions and  $\rho$ -type doubling."
- Gué82b M. Guélin, W. D. Langer, and R. W. Wilson, *Astron. Astrophys.* **107**, 107 (1982). "The state of ionization in dense molecular clouds."
- Gué86 M. Guélin, J. Cernicharo, C. Kahane, and J. Gómez-González, *Astron. Astrophys.* **157**, L17 (1986). "A new free radical in IRC+10216."
- Gué87 M. Guélin, J. Cernicharo, C. Kahane, J. Gómez-González, and C. M. Walmsley, *Astron. Astrophys.* **175**, L5 (1987). "Detection of heavy radical in IRC+10216: The hexatriynyl radical C<sub>6</sub>H?"
- Gué87a M. Guélin, J. Cernicharo, S. Navarro, D. R. Woodward, C. A. Gottlieb, and P. Thaddeus, *Astron. Astrophys.* **182**, L37 (1987). "New doublets in IRC+10216: vibrationally excited C<sub>4</sub>H."
- Gué91 M. Guélin, and J. Cernicharo, *Astron. Astrophys.* **244**, L21 (1991). "Astronomical detection of the HCCN radical. Toward a new family of carbon-chain molecules?"
- Gui84 S. Guilloteau, A. Baudry, C. M. Walmsley, T. L. Wilson, and A. Winnberg, *Astron. Astrophys.* **131**, 45 (1984). "Rotationally excited OH: emission and absorption toward HII/OH regions."
- Gui87 S. Guilloteau, A. Omont, and R. Lucas, *Astron. Astrophys.* **176**, L24 (1987). "A new strong maser: HCN."
- Haq74 S. S. Haque, R. M. Lees, J. M. Saint Clair, Y. Beers, and D. R. Johnson, *Astrophys. J. (Letters)* **187**, L15 (1974). "Microwave spectrum of <sup>13</sup>C methanol."
- Har87 A. I. Harris, J. Stutzki, R. Genzel, J. B. Lugten, G. J. Stacey, and D. T. Jaffe, *Astrophys. J. (Letters)* **322**, L49 (1987). "Submillimeter and far-infrared spectroscopy of M17 and S106: UV-heated, quiescent molecular gas?"
- Has89 A. D. Haschick, W. A. Baan, and K. M. Menten, *Astrophys. J.* **346**, 330 (1989). "Detection of three new methanol maser transitions toward star forming regions."
- Hel70 P. Helminger, F. C. DeLucia, and W. Gordy, *Phys. Rev. Lett.* **25**, 1397 (1970). "Extension of microwave absorption spectroscopy to 0.37 mm wavelength."
- Hel71 P. Helminger, F. C. DeLucia, and W. Gordy, *J. Mol. Spectrosc.* **39**, 94 (1971). "Rotational spectra of NH<sub>3</sub> and ND<sub>3</sub> in the 0.5 mm wavelength region."
- Hel73 P. Helminger, F. C. DeLucia, and W. H. Kirchhoff, *J. Phys. Chem. Ref. Data* **2**, 215 (1973). "Microwave spectra of molecules of astrophysical interest. IV. Hydrogen sulfide."
- Hen83 C. Henkel, H. E. Matthews, and M. Morris, *Astrophys. J.* **267**, 184 (1983). "SiS maser emission from IRC+10216."
- Hen83a C. Henkel, T. L. Wilson, C. M. Walmsley, and T. Pauls, *Astron. Astrophys.* **127**, 388 (1983). "Formaldehyde towards compact H II regions: densities and isotopic ratios."
- Hen85 C. Henkel, H. E. Matthews, M. Morris, S. Trebey, and M. Fich, *Astron. Astrophys.* **147**, 143 (1985). "Molecular lines in IRC+10216 AND CIT6."
- Hen87 C. Henkel, R. Mauersberger, T. L. Wilson, L. E. Snyder, K. M. Menten, and J. G. A. Wouterloot, *Astron. Astrophys.* **182**, 299 (1987). "Deuterated water in Orion-KL and NGC 7538."
- Her84 E. Herbst, J. K. Messer, F. C. DeLucia, and P. Helminger, *J. Mol. Spectrosc.* **108**, 42 (1984). "A new analysis and additional measurements of the millimeter and submillimeter spectrum of methanol."
- Her85 W. Hermsen, T. L. Wilson, C. M. Walmsley, and W. Batrla, *Astron. Astrophys.* **146**, 134 (1985). "<sup>15</sup>NH<sub>3</sub> in Orion-KL: the hot core isn't so hot."
- Her85a W. Hermsen, Private communication, 1985. (NH<sub>3</sub> observations)
- Her88 W. Hermsen, T. L. Wilson, C. M. Walmsley, and C. Henkel, *Astron. Astrophys.* **201**, 285 (1988). "A multilevel study of ammonia in star-forming regions III. Orion-KL."
- Heu73 J. E. M. Heuvel and A. Dymanus, *J. Mol. Spectrosc.* **45**, 282 (1973). "Hyperfine structure of CH<sub>3</sub>OH."
- Hja84 Å. Hjalmarson and L. Johansson, private communication, (1984).
- Ho77 P. T. P. Ho, R. N. Martin, P. C. Myers, and A. H. Barrett, *Astrophys. J. (Letters)* **215**, L29 (1977). "Gas temperatures and motion in the Taurus dark cloud."
- Hoc75 W. H. Hocking, M. C. L. Gerry, and G. Winnewisser, *Can. J. Phys.* **53**, 1869 (1975). "The microwave and millimeter wave spectrum, molecular constants, dipole moment, and structure of isocyanic acid, HINCO."
- Hol76 J. M. Hollis, L. E. Snyder, F. J. Lovas, and D. Buhl, *Astrophys. (Letters)* **209**, L83 (1976). "Radio detection of interstellar DCO<sup>+"}</sup>.
- Hol76a J. M. Hollis and P. J. Rhodes, NRAO Documentation Memo No. 1, Tucson, Arizona. "Spectral line calibrations."
- Hol77 J. M. Hollis and B. L. Ulich, *Astrophys. J.* **214**, 699 (1977). "Detection of new interstellar transitions of H, OCS, and H<sub>2</sub>CO and a search for interstellar fluorine."
- Hol80 J. M. Hollis, L. E. Snyder, R. D. Suenram, and F. J. Lovas, *Astrophys. J.* **241**, 1001 (1980). "A search for the lowest-energy conformer of interstellar glycine."
- Hol80a J. M. Hollis, L. E. Snyder, F. J. Lovas, and B. L. Ulich, *Astrophys. J.* **241**, 158 (1980). "A radio search for intersteller phosphorus compounds."
- Hol81 J. M. Hollis, L. E. Snyder, D. H. Blake, F. J. Lovas, R. D. Suenram, and B. L. Ulich, *Astrophys. J.* **251**, 541 (1981). "New interstellar molecular transitions in the 2 millimeter range."
- Hol83 J. M. Hollis, F. J. Lovas, R. D. Suenram, P. R. Jewell, and L. E. Snyder, *Astrophys. J.* **264**, 543 (1983). "Simultaneous observations of corresponding rotational transitions in the ground and torsionally excited states."
- Hol83a J. M. Hollis, R. D. Suenram, F. J. Lovas, and L. E. Snyder, *Astron. Astrophys.* **126**, 393 (1983). "Radio searches for additional interstellar molecules."
- Hol86 J. M. Hollis, E. D. Churchwell, E. Herbst, and F. C. DeLucia, *Nature* **322**, 524 (1986). "An interstellar line coincident with the P(2,1) transition of hydronium (H<sub>3</sub>O<sup>+</sup>)".
- Hol89 J. M. Hollis, P. R. Jewel, and F. J. Lovas, *Astrophys. J.* **346**, 794 (1989). "A search of methylene in the Orion Nebula."
- Hol91 J. M. Hollis, L. E. Snyder, L. M. Ziurys, and D. McGonagle, in *Astron. Soc. Pac. Conf. Ser. Vol. 16*, eds. A. D. Haschick and P. T. Ho, p. 407, 1991. "Interstellar HNO. Confirming the identification."
- Hug51 R. H. Hughes, W. E. Good, and D. K. Coles, *Phys. Rev.* **84**, 418 (1951). "Microwave spectrum of methyl alcohol."
- Hug79 P. J. Huggins, T. G. Phillips, G. Neugebauer, M. W. Werner, P. G. Wannier, and D. Ennis, *Astrophys. J.* **227**, 441 (1979). "The detection of the J=3-2 lines of HCN, HNC, and HCO<sup>+</sup> in the Orion molecular cloud."
- Hui71 C. Huiszoon, *Rev. Sci. Instrum.* **42**, 477 (1971). "A high resolution spectrometer for the shorter millimeter wavelength region."

- Irv81 W. M. Irvine, B. Höglund, P. Friberg, J. Askne, and J. Eldér, *Astrophys. J. (Letters)* **248**, L113 (1981). "The increasing chemical complexity of the Taurus dark clouds: detection of CH<sub>3</sub>CCH and C<sub>4</sub>H."
- Irv83 W. M. Irvine, J. C. Good, and F. P. Schloerb, *Astron. Astrophys.* **127**, L10 (1983). "Observations of SO<sub>2</sub> and HCS<sup>+</sup> in cold molecular clouds."
- Irv83a W. M. Irvine and Å. Hjalmarson, "Cosmochemistry and the Origin of Life." Ed. C. Ponnampерuma, (Dordrecht: D. Reidel p 113, 1983).
- Irv84 W. M. Irvine and P. Friberg, Private communication, 1984.
- Irv88 W. M. Irvine, R. D. Brown, D. M. Cragg, P. Friberg, P. D. Godfrey, N. Kaifu, H. E. Matthews, M. Ohishi, H. Suzuki, and H. Takeo, *Astrophys. J. (Letters)* **335**, L89 (1988). "A new interstellar polyatomic molecule: Detection of propynal in the cold cloud TMC-1."
- Irv88a W. M. Irvine, P. Friberg, Å. Hjalmarson, S. Ishikawa, N. Kaifu, K. Kawaguchi, S. C. Madden, H. E. Matthews, M. Ohishi, S. Saito, H. Suzuki, P. Thaddeus, B. E. Turner, S. Yamamoto, and L. M. Ziurys, *Astrophys. J. (Letters)* **334**, L107 (1988). "Identification of the interstellar cyanomethyl radical (CH<sub>2</sub>CN) in the molecular clouds TMC-1 and Sagittarius B2."
- Irv90 W. M. Irvine, P. Friberg, N. Kaifu, H. E. Matthews, Y.-C. Minh, M. Ohishi, and S. Ishikawa, *Astron. Astrophys. (Letters)* **229**, L9 (1990). "Detection of formic acid in the cold, dark cloud L134N."
- Jac88 T. Jacq, P. R. Jewell, C. Henkel, C. M. Walmsley, and A. Baudry, *Astron. Astrophys.* **199**, L5 (1988). "H<sub>2</sub><sup>18</sup>O in hot dense molecular cloud cores."
- Jac90 T. Jacq, C. M. Walmsley, C. Henkel, A. Baudry, R. Mauersberger, and P. R. Jewell, *Astron. Astrophys.* **228**, 447 (1990). "Deuterated water and ammonia in hot cores."
- Jef70 K. B. Jefferts, A. A. Penzias, and R. W. Wilson, *Astrophys. J. (Letters)* **161**, L87 (1970). "Observation of the CN Radical in the Orion nebula and W51."
- Jef71 K. B. Jefferts, A. A. Penzias, R. W. Wilson, and P. M. Solomon, *Astrophys. J. (Letters)* **168**, L111 (1971). "Detection of interstellar carbonyl sulfide."
- Jen79 D. E. Jennings and K. Fox, *Astrophys. J.* **227**, 433 (1979). "Two new methanol transitions in Orion A."
- Jen82 D. E. Jennings and K. Fox, *Astrophys. J.* **254**, 111 (1982). "Rotational temperatures of cyanodiacylene in Sagittarius B2, TMC-1, and IRC + 10216."
- Jew84 P. R. Jewell and L. E. Snyder, *Astrophys. J.* **278**, 176 (1984). "Observations and analysis of circumstellar cyanoacetylene."
- Jew87 P. R. Jewell, D. F. Dickinson, L. E. Snyder, and D. P. Clemens, *Astrophys. J.* **323**, 749 (1987). "High-excitation SiO masers in evolved stars."
- Jew89 P. R. Jewell, J. M. Hollis, F. J. Lovas, and L. E. Snyder, *Astrophys. J. Suppl.* **70**, 833 (1989). "Millimeter and submillimeter wave survey of Orion A emission lines in the ranges 200.7–202.3 GHz, 203.7–205.3 GHz and 330–360 GHz."
- Joh72 D. R. Johnson, Private communication, 1972.
- Joh76 D. R. Johnson, L. E. Snyder, and F. J. Lovas, *Bull AAS* **8**, 349 (1976). "Sulfur dioxide in Orion and Sgr B2."
- Joh76a D. R. Johnson, R. D. Suenram, and W. J. Lafferty, *Astrophys. J.* **208**, 245 (1976). "Laboratory microwave spectrum of cyanamide."
- Joh77 D. R. Johnson, F. J. Lovas, C. A. Gottlieb, E. W. Gottlieb, M. M. Litvak, M. Guélin, and P. Thaddeus, *Astrophys. J.* **218**, 370 (1977). "Detection of interstellar ethyl cyanide."
- Joh84 L. E. B. Johansson, C. Andersson, J. Eldér, P. Friberg, Å. Hjalmarson, B. Höglund, W. M. Irvine, H. Olofsson, and G. Rydbeck, *Astron. Astrophys.* **130**, 227 (1984). "Spectral scan of Orion A and IRC + 10216 from 72 to 91 GHz."
- Kah84 C. Kahane, M. A. Frerking, W. D. Langer, P. Encrenaz, and R. Lucas, *Astron. Astrophys.* **137**, 211 (1984). "Measurement of the formaldehyde *ortho* to *para* ratio in three molecular clouds."
- Kah88 C. Kahane, J. Gómez-Gonzalez, J. Cernicharo, and M. Guélin, *Astron. Astrophys.* **190**, 167 (1988). "Carbon, nitrogen, sulfur, and silicon isotopic ratios in the envelope of IRC + 10216."
- Kai74 N. Kaifu, M. Morimoto, K. Nagane, K. Akabane, T. Iguchi, and K. Takagi, *Astrophys. J. (Letters)* **191**, L135 (1974). "Detection of interstellar methylamine."
- Kai75 N. Kaifu, K. Takagi, and T. Kojima, *Astrophys. J. (Letters)* **198**, L85 (1975). "Excitation of interstellar methylamine."
- Kai87 N. Kaifu, H. Suzuki, M. Ohishi, T. Miyaji, S. Ishikawa, T. Kasuga, M. Morimoto, and S. Saito, *Astrophys. J. (Letters)* **317**, L111 (1987). "Detection of intense unidentified lines in TMC-1."
- Kak75 R. K. Kakar and R. L. Poynter, *J. Mol. Spectrosc.* **54**, 475 (1975). "Precision line parameter measurements for selected K=J inversion lines of ammonia."
- Kau79 V. K. Kaushik and K. Takagi, *Publ. Astron. Soc. Japan* **31**, 423 (1979). "Laboratory frequencies of the J=2–1, a-type transitions of CH<sub>3</sub>OD."
- Kau80 V. K. Kaushik, K. Takagi, and C. Matsumura, *J. Mol. Spectrosc.* **82**, 418 (1980). "Microwave spectrum of CH<sub>3</sub>OD."
- Kee83 J. Keene, G. A. Blake, and T. G. Phillips, *Astrophys. J. (Letters)* **271**, L27 (1983). "First detection of the ground-state J,K=1,0–0,1, submillimeter transition of interstellar ammonia."
- Kil90 T. C. Killian, J. M. Vrtilek, C. A. Gottlieb, E. W. Gottlieb, and P. Thaddeus, *Astrophys. J. (Letters)* **365**, L89 (1990). "Laboratory detection of a second carbon chain carbene: butatrienyldiene, H<sub>2</sub>C<sub>4</sub>."
- Kle85 W. Klebsch, M. Bester, K. M. T. Yamada, G. Winnewisser, W. Joentgen, H. J. Altenbach, and E. Vogel, *Astron. Astrophys.* **152**, L12 (1985). "Millimeter wave spectrum of tricarbon monoxide, CCCO."
- Kle91 I. Kleiner, J. T. Hougen, R. D. Suenram, F. J. Lovas and M. Godefroid, *J. Mol. Spectrosc.* **148**, 38 (1991). "The ground torsional state of acetaldehyde."
- Koj80 T. Kojima, *J. Phys. Soc. Japan* **49**, 1197 (1980). "Microwave spectrum of methyl mercaptan a-type R-branch transitions."
- Kro78 H. W. Kroto, C. Kirby, D. R. M. Walton, L. W. Avery, N. W. Broton, J. M. MacLeod, and T. Oka, *Astrophys. J. (Letters)* **219**, L133 (1978). "The detection of cyanohexatriyne H(C=C)<sub>3</sub>CN, in Heiles's cloud 2."
- Kui75 E. N. R. Kuiper and T. B. H. Kuiper, Private communication, 1975.
- Kui77 E. N. R. Kuiper, T. B. H. Kuiper, B. Zuckerman, and R. K. Kakar, *Astrophys. J.* **214**, 394 (1977). "Unidentified lines in molecular clouds and a search for <sup>14</sup>C in IRC + 10216."
- Kui78 E. N. R. Kuiper, B. Zuckerman, and T. B. H. Kuiper, *Astrophys. J. (Letters)* **219**, L49 (1978). "Deuterated ammonia toward the Orion nebula."
- Kui84 T. B. H. Kuiper, E. N. R. Kuiper, D. F. Dickinson, B. E. Turner and B. Zuckerman, *Astrophys. J.* **276**, 211 (1984). "Methyl acetylene as a temperature probe for dense interstellar clouds."
- Kui89 T. B. H. Kuiper, W. L. Peters, III, F. F. Gardner, J. B. Whiteoak, and J. E. Reynolds, *Astrophys. J. (Letters)* **340**, L41 (1989). "Detection of the 2<sub>0</sub>–3<sub>-1</sub> transition of <sup>13</sup>CH<sub>3</sub>OH at 14.8 GHz."
- Kuk65 S. G. Kukolich, *Phys. Rev.* **138**, A1322 (1965). "Measurement of hyperfine structure of the J=3, K=2 inversion line of N<sup>14</sup>H<sub>3</sub>."
- Kuk67 S. G. Kukolich, *Phys. Rev.* **156**, 83 (1967). "Measurement of ammonia hyperfine structure with a two-cavity maser."
- Kuk68 S. G. Kukolich, *Phys. Rev.* **172**, 59 (1968). "Hyperfine structure of N<sup>15</sup>H<sub>3</sub>."
- Kuk69 S. G. Kukolich, *J. Chem. Phys.* **50**, 3751 (1969). "Measurement of the molecular g values in H<sub>2</sub>O ad D<sub>2</sub>O and hyperfine structure in H<sub>2</sub>O."
- Kuk70 S. G. Kukolich and S. G. Wofsky, *J. Chem. Phys.* **52**, 5477 (1970). "<sup>14</sup>NH<sub>3</sub> hyperfine and quadrupole coupling."

- Kuk71 S. G. Kukolich, A. C. Nelson, and B. S. Yamanashi, *J. Am. Chem. Soc.* **93**, 6769 (1971). "Molecular-beam microwave spectra of HNCO and DNCO."
- Kuk74 S. G. Kukolich, D. E. Oates, and J. H. S. Wang, *J. Chem. Phys.* **61**, 4686 (1974). "Rotational energy distribution in a nozzle beam."
- Kuk75 S. G. Kukolich, *J. Am. Chem. Soc.* **97**, 5704 (1975). "Proton magnetic shielding tensors from spin-rotation measurements on  $\text{H}_2\text{CO}$  and  $\text{NH}_3$ ."
- Kur86 H. Kuriyama, K. Takagi, H. Takeo, and C. Matusumura, *Astrophys. J.* **311**, 1073 (1986). "Laboratory microwave spectrum of  $^{13}\text{CH}_3\text{OH}$ ."
- Kut73 M. L. Kutner, P. Thaddeus, A. A. Penzias, R. W. Wilson, and K. B. Jefferts, *Astrophys. J. (Letters)* **183**, L27 (1973). "New interstellar methanol lines."
- Kut76 M. L. Kutner, N. J. Evans, II, and K. D. Tucker, *Astrophys. J.* **209**, 452 (1976). "A dense molecular cloud in the OMC-1/OMC-2 region."
- Kut80 M. L. Kutner, D. E. Machnik, K. D. Tucker, and R. L. Dickman, *Astrophys. J.* **242**, 541 (1980). "Search for interstellar pyrole and furan."
- Kuz80 H. Kuze, *Astrophys. J.* **239**, 1131 (1980). "Microwave spectrum of water in the  $v_2$  excited vibrational state."
- Lan78 W. D. Langer, R. W. Wilson, P. S. Henry, and M. Guélin, *Astrophys. J. (Letters)* **225**, L139 (1978). "Observations of anomalous intensities in the lines of the  $\text{HCO}^+$  isotopes."
- Lan79 W. D. Langer, M. A. Frerking, R. A. Linke, and R. W. Wilson, *Astrophys. J. (Letters)* **232**, L169 (1979). "Detection of deuterated formaldehyde in interstellar clouds."
- Lan80 W. D. Langer, F. P. Schloerb, R. L. Snell, and J. S. Young, *Astrophys. J. (Letters)* **239**, L125 (1980). "Detection of deuterated cyanoacetylene in the interstellar cloud TMC 1."
- Lee68 R. M. Lees and J. G. Baker, *J. Chem. Phys.* **48**, 5299 (1968). "Torsion-vibration-rotation interactions in methanol. I. Millimeter wave spectrum."
- Lee73 R. M. Lees, F. J. Lovas, W. H. Kirchhoff, and D. R. Johnson, *J. Phys. Chem. Ref. Data* **2**, 205 (1973). "Microwave spectra of molecules of astrophysical interest. III. Methanol."
- Lee80 R. M. Lees and M. A. Mohammadi, *Can. J. Phys.* **58**, 1640 (1980). "Millimeter wave spectrum of methyl mercaptan."
- Lee84 R. M. Lees, Private communication, 1984.
- Lei84 D. T. Leisawitz (see Lor84a).
- Lei84a D. T. Leisawitz, R. B. Loren, and J. H. Davis (see Lor84a).
- Lia86 W. Liang, J. G. Baker, E. Herbst, R. A. Booker, and F. C. DeLucia, *J. Mol. Spectrosc.* **120**, 298 (1986). "The millimeter-wave spectrum of acetaldehyde in its two lowest torsional states."
- Lin77 R. A. Linke, P. F. Goldsmith, P. G. Wannier, R. W. Wilson, and A. A. Penzias, *Astrophys. J.* **214**, 50 (1977). "Isotopic abundance variations in interstellar HCN."
- Lin79 R. A. Linke, M. A. Frerking, and P. Thaddeus, *Astrophys. J. (Letters)* **234**, L139 (1979). "Interstellar methyl mercaptan."
- Lin81 R. A. Linke, A. A. Stark, and M. A. Frerking, *Astrophys. J.* **243**, 147 (1981). "Millimeter wave absorption features toward the galactic center: evidence for a massive nuclear disk."
- Lin83 R. A. Linke, M. Guélin, and W. D. Langer, *Astrophys. J. (Letters)* **271**, L85 (1983). "Detection of  $H^{15}\text{NN}^+$  and  $\text{HN}^{15}\text{N}^+$  in interstellar clouds."
- Lis75 H. S. Liszt and R. A. Linke, *Astrophys. J.* **196**, 709 (1975). "Interstellar carbon monosulfide."
- Lis78 H. S. Liszt, *Astrophys. J.* **219**, 454 (1978). "Upper limits on the abundance of the sulfur dimer in molecular clouds."
- Lis78a H. S. Liszt and B. E. Turner, *Astrophys. J. (Letters)* **224**, L73 (1978). "Microwave detection of interstellar NO."
- Lis90 D. C. Lis, and P. F. Goldsmith, *Astrophys. J.*, (1990). "High density gas in the core of the Sagittarius B2 molecular cloud."
- Lit77 L. T. Little, P. W. Riley, and D. N. Matheson, *M.N.R.A.S.* **181**, 33p (1977). "Detection of the  $J=9-8$  transition of interstellar cyanodiacylene."
- Lit78 L. T. Little, G. H. Macdonald, P. W. Riley, and D. N. Matheson, *M. N. R. A. S.* **183**, 45p (1978). "Observations of interstellar  $\text{HC}_5\text{N}$  and  $\text{HC}_7\text{N}$  in dark dust clouds."
- Lor81 R. B. Loren, N. R. Erickson, R. L. Snell, L. Mundy, and J. H. Davis, *Astrophys. J. (Letters)* **244**, L107 (1981). "Detection of high-excitation rotational lines of cyanoacetylene in the OMC-1 region."
- Lor81a R. B. Loren, L. Mundy, and N. R. Erickson, *Astrophys. J.* **250**, 573 (1981). "High-temperature methyl cyanide in Orion molecular cloud 1."
- Lor82 R. B. Loren and A. Wootten, *Proc. 16th ESLAB Symposium on Galactic and Extragalactic Infrared Spectroscopy*. Toledo, Spain Dec. (ESA SP-192) pp. 93-99 (1982). "The relationship between the cold and dense regions in  $\rho$  Oph: The  $\text{DCO}^+$  lines."
- Lor83 R. B. Loren, Aa. Sandqvist, and A. Wootten, *Astrophys. J.* **270**, 620 (1983). "Molecular clouds on the threshold of star formation: the radial density profile of the cores of the  $\rho$  Ophiuchi and  $R$  Coronae Australis clouds."
- Lor84 R. B. Loren and L. G. Mundy, *Astrophys. J.* **286**, 232 (1984). "The methyl cyanide hot and warm cores in Orion: statistical equilibrium excitation models of a symmetric top molecule."
- Lor84a R. B. Loren, *Tech. Rep. AST 8116403-1 June 1984*. "MWO spectral line detections from 128 to 357 GHz 1979-1984."
- Lor84b R. B. Loren and A. Wootten (see Lor84a).
- Lor84c R. B. Loren and N. R. Erickson (see Lor84a).
- Lor84d R. B. Loren and L. G. Mundy (see Lor84a).
- Lor84e R. B. Loren and D. T. Leisawitz (see Lor84a).
- Lor84f R. B. Loren and W. L. Peters (see Lor84a).
- Lor84g R. B. Loren, N. R. Erickson, and L. G. Mundy (see Lor84a), R. B. Loren., and A. Wootten, *Astrophys. J.* **299**, 947 (1985). "High-excitation lines of deuterated formaldehyde (HDCO) in the Orion molecular cloud."
- Lor86 R. B. Loren and A. Wootten, *Astrophys. J.* **310**, 889 (1986). "Submillimeter molecular spectroscopy with the Texas Millimeter Wave Observatory Radio Telescope."
- Lov74 F. J. Lovas and E. Tiemann, *J. Phys. Chem. Ref. Data* **3**, 609 (1974). "Microwave spectral tables. I. Diatomic molecules."
- Lov76 F. J. Lovas, L. E. Snyder, and D. Buhl, *Private communication*, 1976.
- Lov76a F. J. Lovas, D. R. Johnson, D. Buhl, and L. E. Snyder, *Astrophys. J.* **209**, 770 (1976). "Millimeter emission lines in Orion A."
- Lov78 F. J. Lovas and R. D. Suenram, *private communication*, 1978. "Lab measurement of  $\text{CH}_3\text{OH}$  and  $\text{CH}_3\text{OD}$ ."
- Lov79 F. J. Lovas, H. Lutz, and H. Dreizler, *J. Phys. Chem. Ref. Data* **8**, 1051 (1979). "Microwave spectra of molecules of astrophysical interest. XVII. Dimethyl ether."
- Lov82 F. J. Lovas, R. D. Suenram, L. E. Snyder, J. M. Hollis, and R. M. Lees, *Astrophys. J.* **253**, 149 (1982). "Detection of the torsionally excited state of methanol in Orion A."
- Lov82a F. J. Lovas and R. D. Suenram, *J. Mol. Spectrosc.* **93**, 416 (1982). "Reaction products from a microwave discharge in  $\text{N}_2$  and  $\text{H}_2\text{S}$ . The microwave spectrum of NS."
- Lov82b F. J. Lovas, R. D. Suenram, and K. M. Evenson, *Astrophys. J. (Letters)* **267**, L131 (1982). "Laboratory measurement of the  $4_{04}-3_{13}$  70 GHz transition of ground state methylene ( $\text{CH}_2$ )."
- Lov84 F. J. Lovas, *private communication*, 1984. "Lab measurement of  $\text{H}_2\text{C}^{34}\text{S}$ ".
- Lov85 F. J. Lovas, *private communication*, 1985. "Lab measurement of  $\text{CH}_3\text{NH}_2$ ".
- Lov88 F. J. Lovas, R. D. Suenram, G. T. Fraser, C. W. Gillies, J. Zozom, *J. Chem. Phys.* **88**, 722 (1988). "The microwave spectrum of formamide-water and formamide-methanol complexes."
- Lov89 F. J. Lovas and R. D. Suenram, *private communication*, 1989. "Lab measurements of  $(\text{CH}_3)_2\text{CO}$ ."
- Lov91 F. J. Lovas, *private communication*, 1991.

- Luc88 R. Lucas, S. Guilloteau, and A. Omont, *Astron. Astrophys.* **194**, 230 (1988). "New HCN masers in stars."
- Luc89 R. Lucas and J. Cernicharo *Astron. Astrophys.* **218**, L20 (1989). "Discovery of strong maser emission from HCN in IRC + 10216."
- McG77 R. X. McGee, M. Balister, and L. M. Newton, *M.N.R.A.S.* **180**, 585 (1977). "Interstellar cyanoacetylene  $J = 2 - 1$ ,  $J = 4 - 3$  transitions."
- Mac75 J. M. MacLeod and L. H. Doherty, *Bull. A. A. S.* **7**, 265 (1975). "Detection of the  $3_{13}-3_{12}$  transitions of thioformaldehyde and acetaldehyde in Sgr B2."
- Mac81 J. M. MacLeod, L. W. Avery, and N. W. Broten, *Astrophys. J. (Letters)* **251**, L33 (1981). "Detection of deuterated cyanodiacetylene (DC<sub>5</sub>N) in Taurus molecular cloud 1."
- Mac81a J. M. MacLeod, N. W. Broten, T. Oka, and L. W. Avery, Private communication, 1981.
- Mad86 S. C. Madden, W. M. Irvine, H. E. Matthews, R. D. Brown, and P. D. Godfrey, *Astrophys. J. (Letters)* **300**, L79 (1986). "New interstellar maser in nonmetastable ammonia."
- Mad86a S. C. Madden, W. M. Irvine, H. E. Matthews, and L. W. Avery, *NASA Tech. Memo.* 88342, p. 155 (1986). "Multi-level study of C<sub>3</sub>H<sub>2</sub>: The first interstellar hydrocarbon ring."
- Mak74 A. G. Maki, *J. Phys. Chem. Ref. Data* **3**, 221 (1974). "Microwave spectra of molecules of astrophysical interest. VI. Carbonyl sulfide and hydrogen cyanide."
- Man71 R. N. Manchester and M. A. Gordon, *Astrophys. J.* **169**, 507 (1971). "Excitation temperatures of the 18 centimeter OH transitions in an absorbing cloud."
- Man90 J. G. Mangum, A. Wootten, R. B. Loren, and E. J. Wadiak, *Astrophys. J.* **348**, 542 (1990). "Observations of the formaldehyde emission in Orion-KL: Abundances, distribution, and kinematics of the dense gas in the Orion molecular ridge."
- Man90a J. G. Mangum and A. Wootten, *Astron. Astrophys.* **239**, 319 (1990). "Observations of the cyclic C<sub>3</sub>H radical in the interstellar medium."
- Mat80 D. N. Matsakis, A. C. Cheung, M. C. H. Wright, J. I. H. Askne, C. H. Townes, and W. J. Welch, *Astrophys. J.* **236**, 481 (1980). "An interferometric and multitransitional study of the Orion methanol masers."
- Mat83 H. E. Matthews and T. J. Sears, *Astrophys. J. Letters* **267**, L53 (1983). "Detection of the  $J = 1 - 0$  transition of CH<sub>3</sub>CN."
- Mat83a H. E. Matthews and T. J. Sears, *Astrophys. J.* **272** 149 (1983). "The detection of vinyl cyanide in TMC-1."
- Mat84 H. E. Matthews, W. M. Irvine, P. Friberg, R. D. Brown, and P. D. Godfrey, *Nature* **310**, 125 (1984). "A new interstellar molecule: tricarbon monoxide."
- Mat85 H. E. Matthews, P. Friberg, and W. M. Irvine, *Astrophys. J.* **240**, 609 (1985). "The detection of acetaldehyde in cold dust clouds."
- Mat85a H. E. Matthews, and W. M. Irvine, *Astrophys. J. (Letters)* **298**, L61 (1985). "The hydrocarbon ring C<sub>3</sub>H<sub>2</sub> is ubiquitous in the galaxy."
- Mat86 H. E. Matthews, and T. J. Sears, *Astrophys. J.* **300**, 766 (1986). "Interstellar molecular line searches at 1.5 centimeters."
- Mat86a H. E. Matthews, S. C. Madden, L. W. Avery, and W. M. Irvine, *Astrophys. J. (Letters)* **307**, L69 (1986). "The C<sub>3</sub>H<sub>2</sub>  $2_{21}-2_{11}$  transition: absorption in cold dark clouds."
- Mat87 H. E. Matthews, P. A. Feldman, and P. F. Bernath, *Astrophys. J.* **312**, 358 (1987). "Upper limits to interstellar PO."
- Mat87a H. E. Matthews, J. M. MacLeod, N. W. Broten, S. C. Madden, and P. Friberg, *Astrophys. J.* **315**, 646 (1987). "Observations of OCS and a search for OC<sub>3</sub>S in the interstellar medium."
- Mau86 R. Mauersberger, T. L. Wilson, C. Henkel, C. M. Walmsley, and W. Hermsen, *Astron. Astrophys.* **162**, 199 (1986). "Hot ammonia in the galaxy."
- Mau87 R. Mauersberger, C. Henkel, and T. L. Wilson, *Astron. Astrophys.* **173**, 352 (1987). "A multilevel study of ammonia in star-forming regions. I. Maser and thermal emission toward W51 IRS2."
- Mau88 R. Mauersberger, C. Henkel, T. Jacq, and C. M. Walmsley, *Astron. Astrophys.* **194**, L1 (1988). "Deuterated methanol in Orion."
- Mau88a R. Mauersberger, C. Henkel, and T. L. Wilson, *Astron. Astrophys.* **205**, 235 (1988). "Vibrationally excited ammonia toward Orion-KL."
- Mee75 W. L. Meerts and H. Dymanus, *Can. J. Phys.* **53**, 2123 (1975). "A molecular beam electric resonance study of the hyperfine L doubling spectrum of OH, OD, SH, and SD."
- Meh85 S. C. Mehrotra, H. Dreizler, and H. Mäder, *J. Naturforsch.* **40a**, 683 (1985). "J-Dependence of T-parameters for rotational transitions of SO<sub>2</sub> and CH<sub>3</sub>OH in K-band."
- Men85 K. M. Menten, K. J. Johnston, T. L. Wilson, C. M. Walmsley, R. Mauersberger, and C. Henkel, *Astrophys. J. (Letters)* **293**, L83 (1985). VLA observations of the 9,2-10,1 A<sup>+</sup> methanol masers toward W3(OH)."
- Men86 K. M. Menten, C. M. Walmsley, C. Henkel, T. L. Wilson, *Astron. Astrophys.* **157**, 318 (1986). "The centimeter transitions of E-type methanol."
- Men86a K. M. Menten, C. M. Walmsley, C. Henkel, T. L. Wilson, L. E. Snyder, J. M. Hollis, and F. J. Lovas, *Astron. Astrophys.* **169**, 271 (1986). "Torsionally excited methanol in hot molecular cloud cores."
- Men88 K. M. Menten, C. M. Walmsley, C. Henkel, T. L. Wilson, *Astron. Astrophys.* **198**, 253 (1988). "Methanol in the Orion region. I. Millimeter wave observations."
- Men89 K. M. Menten, and G. J. Melnick, *Astrophys. J. (Letters)* **341**, L91 (1989). "Hot water around late-type stars: Detection of two millimeter wave emission lines from the  $v_2$  vibrationally excited state."
- Men90 K. M. Menten, G. J. Melnick, and T. G. Phillips, *Astrophys. J. (Letters)* **350**, L41 (1990). "Submillimeter water masers."
- Men90a K. M. Menten, G. J. Melnick, T. G. Phillips, and D. A. Neufeld, *Astrophys. J. (Letters)* **363**, L27 (1990). "A new submillimeter water maser transition at 325 GHz."
- Mer82 A. J. Merer, C. M. Walmsley, and E. Churchwell, *Astrophys. J.* **256**, 151 (1982). "A search for interstellar and stellar iron monoxide."
- Mik89 H. Mikami, S. Yamamoto, S. Saito, and M. Guélin, *Astron. Astrophys.* **217**, L5 (1989). "Laboratory microwave spectroscopy of the C<sub>3</sub>N radical in the vibrationally excited state  $v_2$ ."
- Mil87 T. J. Millar, J. Elldér, Å. Hjalmarson, and H. Olofsson, *Astron. Astrophys.* **182**, 143 (1987). "Searches for interstellar and circumstellar metal oxides and chlorides."
- Min90 Y. C. Minh, L. M. Ziurys, W. M. Irvine, and D. McGonagle, *Astrophys. J.* **360**, 136 (1990). "Observations of H<sub>2</sub>S toward OMC-1."
- Min91 Y. C. Minh, L. M. Ziurys, W. M. Irvine, and D. McGonagle, *Astrophys. J.* **366**, 192 (1991). "Abundances of hydrogen sulfide in star-forming regions."
- Moc55 R. C. Mockler and G. R. Bird, *Phys. Rev.* **98**, 1837 (1955). "Microwave spectrum of carbon monosulfide."
- Mor73 J. M. Moran, G. D. Papadopoulos, B. F. Burke, K. Y. Lo, P. R. Schwartz, D. L. Thacker, K. J. Johnson, S. H. Knowles, A. C. Rcisz, and I. I. Shapiro, *Astrophys. J. (Letters)* **185**, 535 (1973). "Very long baseline interferometric observations of the H<sub>2</sub>O sources in W49N, W3(OH), Orion A, and VY Canus Majoris."
- Mor73a M. Morris, B. Zuckerman, P. Palmer, and B. E. Turner, *Astrophys. J.* **186**, 501 (1973). "Interstellar ammonia."
- Mor75 M. Morris, W. Gilmore, P. Palmer, B. E. Turner, and B. Zuckerman, *Astrophys. J. (Letters)* **199**, L47 (1975). "Detection of interstellar SiS and a study of the IRC + 10216 molecular envelope."
- Mor76 M. Morris, B. E. Turner, P. Palmer, and B. Zuckerman, *Astrophys. J.* **205**, 82 (1976). "Cyanoacetylene in dense interstellar clouds."

- Mor77 M. Morris, R. L. Snell, and P. Vanden Bout, *Astrophys. J.* **216**, 738 (1977). "Emission from highly excited rotational states of  $\text{HC}_3\text{N}$  in dense clouds."
- Mor85 M. Morimoto, M. Ohishi, and T. Kanzawa, *Astrophys. J. (Letters)* **288**, L11 (1985). "New maser lines of methanol."
- Mun84 L. G. Mundy and R. B. Loren (see Lor84a).
- Mun84a L. G. Mundy (see Lor84a).
- Nor87 R. P. Norris, J. L. Caswell, F. F. Gardner, and K. J. Wellington, *Astrophys. J. (Letters)* **321**, L159 (1987). "Widespread strong methanol masers near H II regions."
- Nys78 H. J. Nystrom, P. Palmer, and B. Zuckerman, *Bull. AAS* **10**, 393 (1978). "Observations of inversion lines of nonmetastable states of  $\text{NH}_3$  in Orion."
- Ohi88 M. Ohishi, S. Yamamoto, S. Saito, K. Kawaguchi, H. Suzuki, N. Kaifu, S. I. Ishikawa, S. Takano, T. Tsuh, and W. Unno, *Astrophys. J.* **329**, 511 (1988). "The laboratory spectrum of the PS radical and related astronomical search."
- Ohi89 M. Ohishi, N. Kaifu, K. Kawaguchi, A. Murakami, S. Saito, S. Yamamoto, and W. M. Irvine, *Astrophys. J. (Letters)* **345**, L83 (1989). "Detection of a circumstellar carbon chain molecule  $\text{C}_3\text{Si}$ ."
- Olb85 M. Olberg, M. Bester, G. Rao, T. Pauls, G. Winnewisser, L. E. B. Johansson, and Å. Hjalmarson, *Astron. Astrophys.* **142**, L1 (1985). "A new search for and discovery of deuterated ammonia in three molecular clouds."
- Olo84 H. Olofsson, *Astron. Astrophys.* **134**, 36 (1984). "Deuterated water in Orion-KL and W51M."
- Pal69 P. Palmer, B. Zuckerman, D. Buhl, and L. E. Snyder, *Astrophys. J. (Letters)* **156**, L147 (1969). "Formaldehyde absorption in dark nebulae."
- Pea76 E. F. Pearson, R. A. Creswell, M. Winnewisser, and G. Winnewisser, *Z. Naturforsch.* **31a**, 1394 (1976). "The molecular structure of HNC and HCN derived from the eight stable isotopic species."
- Pea77 R. Pearson, Jr., and F. J. Lovas, *J. Chem. Phys.* **66**, 4149 (1977). "Microwave spectrum and molecular structure of methylenimine ( $\text{CH}_2\text{NH}$ )."
- Pen74 A. A. Penzias, R. W. Wilson, and K. B. Jefferts, *Phys. Rev. Lett.* **32**, 701 (1974). "Hyperfine structure of the CN radical determined from astronomical observations."
- Pen77 A. A. Penzias, P. G. Wannier, R. W. Wilson, and R. A. Linke, *Astrophys. J.* **211**, 108 (1977). "Deuterium in the galaxy."
- Pet88 S. J. Petuchowski, and C. L. Bennett, *Astrophys. J.* **326**, 376 (1988). "Detection of the  $2_{20}-2_{21}$  transition of HDO in Orion A: Evidence for dense clumped gas in the hot core."
- Pet91 S. J. Petuchowski, and C. L. Bennett, *Astrophys. J.* **367**, 168 (1991). "A search for vibrationally excited  $\text{H}_2\text{O}$  at 68 GHz."
- Phi74 T. G. Phillips, K. B. Jefferts, and P. G. Wannier, *Astrophys. J. (Letters)* **192**, L153 (1974). "A new DCN line: DCN (HCN) excitation."
- Phi77 T. G. Phillips and P. J. Huggins, *Astrophys. J.* **211**, 798 (1977). "Observations of carbon monoxide  $J=2-1$  isotopic lines in DR21, W51, and Orion."
- Phi80 T. G. Phillips, J. Kwan, and P. J. Huggins, "Interstellar Molecules", ed. B. H. Andrew, (Dordrecht: D. Reidel p 21, (1980). "Detection of submillimeter lines of CO (0.65 mm) and  $\text{H}_2\text{O}$  (0.79 mm)."
- Phi85 P. G. Phillips, G. A. Blake, J. Keene, R. C. Woods, and E. Churchwell, *Astrophys. J. (Letters)* **294**, L45 (1985). Interstellar  $\text{H}_3^+$ : Possible detection of the  $1(1,0)-1(1,1)$  transition  $\text{H}_2\text{D}^+$ ."
- Pic78 H. M. Pickett and T. L. Boyd, *Chem. Phys. Lett.* **58**, 446 (1978). Microwave detection of photolysis products:  $\text{HCO}$  from acetaldehyde using mercury sensitization."
- Pic79 H. M. Pickett and J. H. Davis, *Astrophys. J.* **227**, 446 (1979). "Rotational temperature of sulfur dioxide in OMC-1."
- Pic81 H. M. Pickett, E. A. Cohen, D. B. Brinza, and M. M. Schaefer, *J. Mol. Spectrosc.* **89**, 542 (1981). "The submillimeter wavelength spectrum of methanol."
- Pla82 R. L. Plambeck and N. R. Erickson, *Astrophys. J.* **262**, 606 (1982). "A search for  $\text{NaH}$  in dense molecular clouds: evidence against formation on grains."
- Plu84 G. M. Plummer, E. Herbst, F. C. DeLucia, and G. A. Blake, *Astrophys. J. Suppl.* **55**, 633 (1984). "The millimeter and submillimeter laboratory spectrum of methyl formate in its ground symmetric torsional state."
- Plu85 G. M. Plummer, E. Herbst, and F. C. DeLucia, *J. Chem. Phys.* **83**, 1428 (1985). "Laboratory measurement of the P(2,1) submillimeter transition frequency of  $\text{H}_3\text{O}^+$ ".
- Plu86 G. M. Plummer, E. Herbst, F. C. DeLucia, and G. A. Blake, *Astrophys. J. Suppl.* **60**, 949 (1986). "The laboratory millimeter-wave spectrum of methyl formate in its ground torsional E state."
- Plu87 G. M. Plummer, E. Herbst, and F. C. DeLucia, *Astrophys. J.* **318**, 873 (1987). "C-type transitions in methyl formate."
- Poy75 R. L. Poynter and R. K. Kakar, *Astrophys. J. Suppl.* **29**, 87 (1975). "The microwave frequencies, line parameters, and spectral constants for  $^{14}\text{NH}_3$ ."
- Poy80 R. L. Poynter and H. M. Pickett, *JPL Pub.* 80-23, magnetic tape catalogue. "Submillimeter, millimeter, and microwave spectral line catalogue."
- Rad68 H. E. Radford, *Rev. Sci. Instrum.* **39**, 1687 (1968). "Scanning microwave echo box spectrometer."
- Rad71 H. E. Radford, *Astrophys. J.* **174**, 207 (1972). "Rest frequency of the 36 cm radio line of methanol remeasured."
- Rib73 J. C. Ribes, J. G. Ables, P. D. Godfrey, and R. D. Brown, *Aust. J. Phys.* **26**, 79 (1973). "Observations of formamide at 6 cm in Sagittarius B2."
- Rob74 B. J. Robinson, J. W. Brooks, P. D. Godfrey, and R. D. Brown, *Aust. J. Phys.* **27**, 865 (1974). "Detection of the 3,1-3,1 (A) transition of methanol in Sagittarius B2."
- Rod80 L. F. Rodriguez and E. J. Chaisson, *M. N. R. A. S.* **192**, 651 (1980). "Observations of  $\text{HC}_3\text{N}$  and  $\text{HC}_2\text{N}$  in Sgr B2 and Cloud 2."
- Ros58 B. Rosenblum, A. H. Nethercot, and C. H. Townes, *Phys. Rev.* **109**, 400 (1958). "Isotopic mass ratios, magnetic moments and the sign of the electric dipole moment in carbon monoxide."
- Rös89 H. P. Röser, J. Schmid-Burgk, G. Schwaab, and R. U. Titz, *Proc. 14<sup>th</sup> Int. Conf. Infrared and Millimeter Waves*, p. 374 (1989). "Line emission in the 100–500  $\mu\text{m}$  region from galactic clouds."
- Rub71 R. H. Rubin, G. W. Swenson, Jr., R. C. Benson, H. L. Tigelaar, and W. H. Flygare, *Astrophys. J. (Letters)* **169**, L39 (1971). "Microwave detection of interstellar formamide."
- Ryd74 O. E. H. Rydbeck, J. Elldér, W. M. Irvine, A. Sume, and Å. Hjalmarson, *Astron. Astrophys.* **34**, 479 (1974). "Radio astronomical determination of ground state transition frequencies of CH."
- Ryd76 O. E. H. Rydbeck, E. Kollberg, Å. Hjalmarson, A. Sume, J. Elldér, and W. M. Irvine, *Astrophys. J. Suppl.* **31**, 333 (1976). "Radio observations of interstellar CH. I."
- Ryd77 O. E. H. Rydbeck, A. Sume, Å. Hjalmarson, J. Elldér, B. O. Ronnang, and E. Kollberg, *Astrophys. J. (Letters)* **215**, L35 (1977). "Hyperfine structure of interstellar ammonia in dark clouds."
- Ryd80 O. E. H. Rydbeck, W. M. Irvine, Å. Hjalmarson, G. Rydbeck, J. Elldér, and E. Kollberg, *Astrophys. J. (Letters)* **235**, L171 (1980). "Observations of SO in dark and molecular clouds."
- Sah84 R. Sahai, A. Wootten, and R. E. S. Clegg, *Astrophys. J.* **284**, 144 (1984). "SiS in circumstellar shells."
- Sai72 S. Saito and K. Takagi, *Astrophys. J. (Letters)* **175**, L47 (1972). "Laboratory detection of microwave spectrum for  $\text{HNO}$ ."
- Sai87 S. Saito, K. Kawaguchi, H. Suzuki, M. Ohishi, N. Kaifu, and S. Ishikawa, *Publ. Astron. Soc. Japan* **39**, 193 (1987). "Detection of  $\text{C}_6\text{H}$  in the  $^2\Pi_{1/2}$  state toward IRC + 10216."
- Sai88 S. Saito, S. Yamamoto, W. M. Irvine, L. M. Ziurys, H. Suzuki, M. Ohishi, and N. Kaifu, *Astrophys. J. (Letters)* **334**, L113 (1988). "Laboratory detection of a new interstellar free radical  $\text{CH}_2\text{CN}$  (2B1)."

- Sai89 S. Saito, S. Yamamoto, K. Kawaguchi, M. Ohish, H. Suzuki, S. I. Ishikawa, and N. Kaifu, *Astrophys. J.* **341**, 1114 (1989). "The microwave spectrum of the CP radical and related astronomical search."
- Sas81 K. V. L. N. Sastry, P. Helminger, E. Herbst, and F. C. DeLucia, *Chem. Phys. Letters* **84**, 286 (1981). "Millimeter and submillimeter spectra of  $\text{HN}_2^+$  and  $\text{DN}_2^+$ ."
- Sas81a K. V. L. N. Sastry, P. Helminger, A. Charo, E. Herbst, and F. C. DeLucia, *Astrophys. J. (Letters)* **251**, L119 (1981). "Laboratory millimeter and submillimeter spectrum of CCH."
- Sas84 K. V. L. N. Sastry, R. M. Lees, and F. C. DeLucia, *J. Mol. Spectrosc.* **103**, 486 (1984). "Microwave and submillimeter wave spectra of  $\text{CH}_3\text{OH}$ ."
- Sas84a K. V. L. N. Sastry, P. Helminger, G. M. Plummer, E. Herbst, and F. C. DeLucia, *Astrophys. J. Suppl.* **55**, 563 (1984). "Laboratory millimeter and submillimeter spectra of  $\text{HNO}$  and  $\text{DNO}$ ."
- Sas86 K. V. L. N. Sastry, E. Herbst, R. A. Booker, and F. C. DeLucia, *J. Mol. Spectrosc.* **116**, 120 (1986). "The millimeter-wave spectrum of methyl mercaptan."
- Say76 R. J. Saykally, P. G. Szanto, T. G. Anderson, and R. C. Woods, 31st Symposium on Molecular Spectroscopy, Columbus, Ohio (1976). "The microwave spectrum and molecular structure of HNC."
- Sca78 E. Scalise, Jr. and J. R. D. Lepine, *Astron. Astrophys.* **65**, L7 (1978). "Detection of a new transition of SiO in OH/IR stars."
- Sch79 W. Schrepp and H. Dreizler, *Z. Naturforsch.* **34a**, 903 (1979). "A contribution to the Stark-spectroscopy at low microwave frequencies."
- Sch81 F. P. Schloerb, R. L. Snell, W. D. Langer, and Y. S. Young, *Astrophys. J. (Letters)* **251**, L37 (1981). "Detection of deuterocyanobutadiyne ( $\text{DC}_5\text{N}$ ) in the interstellar cloud TMC-1."
- Sch82 P. R. Schwartz, B. Zuckerman, and J. M. Bologna, *Astrophys. J. (Letters)* **256**, L55 (1982). "Nearly simultaneous observations of vibrationally excited  $J=1-0$ ,  $J=2-1$ ,  $J=3-2$ , and  $J=4-3$  SiO masers."
- Sch83 F. P. Schloerb, P. Friberg, Å. Hjalmarson, B. Höglund, and W. M. Irvine, *Astrophys. J.* **264**, 161 (1983). "Observations of sulfur dioxide in the Kleinmann-Low Nebula."
- Sch83a E. Schafer and M. Winnewisser, *Ber. Bunsenges. Phys. Chem.* **87**, 327 (1983). "A broadband submillimeter wave spectrometer system with on-line microcomputer data analysis."
- Sch84 F. P. Schloerb and R. L. Snell, Private communication, 1984.
- Sch85 M. S. Schenewerk, P. R. Jewell, L. E. Snyder, L. W. Buxton, E. J. Campbell, and W. H. Flygare, *Astrophys. J.* **296**, 218 (1985). "A search for the interstellar HCN dimer."
- Sch85a G. V. Schultz, E. J. Durwen, H. P. Roser, W. A. Sherwood, and R. Wattenbach, *Astrophys. J. (Letters)* **291**, L59 (1985). "Detection of the CO ( $J=7-6$ ) rotational transition at  $\lambda=0.37$  millimeters toward Orion."
- Sch86 M. S. Schenewerk, L. E. Snyder, and Å. Hjalmarson, *Astrophys. J. (Letters)* **303**, L71 (1986). "Interstellar HCO: Detection of the missing 3 millimeter quartet."
- Sch90 P. Schilke, R. Mauersberger, C. M. Walmsley, and T. L. Wilson, *Astron. Astrophys.* **227**, 220 (1990). "Vibrationally excited ammonia in the galaxy."
- Sch91 A. Schulz, R. Gysten, E. Serabyn, and C. M. Walmsley, *Astron. Astrophys.* **246**, L55 (1991). "Detection of the ground-state transition of HDO."
- Sco78 N. Z. Scoville, and P. M. Solomon, *Astrophys. J. (Letters)* **220**, L103 (1978). "Vibrationally excited carbon monoxide in IRC+10216."
- Sin73 M. W. Sinclair, N. Fourikis, J. C. Ribes, B. J. Robinson, R. D. Brown, and P. D. Godfrey, *Aust. J. Phys.* **26**, 85 (1973). "Detection of interstellar thioformaldehyde."
- Ska83 D. D. Skatrud, F. C. DeLucia, G. A. Blake, and K. V. L. N. Sastry, *J. Mol. Spectrosc.* **99**, 35 (1983). "The millimeter and submillimeter spectrum of CN in its first four vibrational states."
- Sne77 R. L. Snell and H. A. Wootten, *Astrophys. J. (Letters)* **216**, L111 (1977). "Detection of interstellar DNC."
- Sne81 R. L. Snell, F. P. Schloerb, J. S. Young, Å. Hjalmarson, and P. Friberg, *Astrophys. J.* **244**, 45 (1981). "Observations of  $\text{HC}_3\text{N}$ ,  $\text{HC}_2\text{N}$ , and  $\text{HC}_7\text{N}$  in molecular clouds."
- Sne84 R. L. Snell, L. G. Mundt, P. F. Goldsmith, N. J. Evans, II., and N. R. Erickson, *Astrophys. J.* **276**, 625 (1984). "Models of molecular clouds. I. Multitransitional study of CS."
- Sne84a R. L. Snell, N. Z. Scoville, and F. P. Schloerb, Private communication, 1984.
- Sny69 L. E. Snyder, D. Buhl, B. Zuckerman, and P. Palmer, *Phys. Rev. Lett.* **22**, 679 (1969). "Microwave detection of interstellar formaldehyde."
- Sny71 L. E. Snyder and D. Buhl, *Bull. AAS* **3**, 388 (1971). "Detection of interstellar isocyanic acid, methylacetylene and hydrogenisocyanide."
- Sny72 L. E. Snyder and D. Buhl, Private communication, 1972.
- Sny73 L. E. Snyder and D. Buhl, *Nature Phys. Sci.* **243**, 45 (1973). "Interstellar methylacetylene and isocyanic acid."
- Sny74 L. E. Snyder, D. Buhl, P. R. Schwartz, F. O. Clark, D. R. Johnson, F. J. Lovas, and P. T. Giguere, *Astrophys. J. (Letters)* **191**, L79 (1974). "Radio detection of interstellar dimethyl ether."
- Sny74a L. E. Snyder and D. Buhl, *Astrophys. J. (Letters)* **189**, L31 (1974). "Detection of possible maser emission near 3.48 millimeters from an unidentified molecular species in Orion."
- Sny75 L. E. Snyder and D. Buhl, *Astrophys. J.* **197**, 329 (1975). "Detection of new stellar sources of vibrationally excited silicon monoxide maser emission at 6.95 millimeters."
- Sny75a L. E. Snyder, J. M. Hollis, B. L. Ulich, F. J. Lovas, D. R. Johnson, and D. Buhl, *Astrophys. J. (Letters)* **198**, L81 (1975). "Radio detection of interstellar sulfur dioxide."
- Sny76 L. E. Snyder, J. M. Hollis, and B. L. Ulich, *Astrophys. J. (Letters)* **208**, L91 (1976). "Radio detection of the interstellar formyl radical."
- Sny76a L. E. Snyder, J. M. Hollis, F. J. Lovas, and B. L. Ulich, *Astrophys. J.* **209**, 67 (1976). "Detection, identification and observations of interstellar  $\text{H}^{13}\text{CO}^+$ ."
- Sny77 L. E. Snyder, J. M. Hollis, D. Buhl, and W. D. Watson, *Astrophys. J. (Letters)* **218**, L61 (1977). "Radio detection of interstellar  $\text{N}_2\text{D}^+$ ."
- Sny77a L. E. Snyder, J. M. Hollis, and D. Buhl, *Astrophys. J. (Letters)* **215**, L87 (1977). "The quadrupole coupling constant of HNC."
- Sny78 L. E. Snyder, D. F. Dickinson, L. W. Brown, and D. Buhl, *Astrophys. J.* **224**, 512 (1978). "Detection of a weak maser emission pedestal associated with the SiO maser."
- Sny80 L. E. Snyder, Private communication, 1980.
- Sny83 L. E. Snyder, J. M. Hollis, R. D. Suenram, F. J. Lovas, L. W. Brown, and D. Buhl, *Astrophys. J.* **268**, 123 (1983). "An extensive galactic search for conformer II glycine."
- Sny85 L. E. Snyder, C. Henkel, J. M. Hollis, and F. J. Lovas, *Astrophys. J. (Letters)* **290**, L29 (1985). "Observations of the  $\text{SiC}_2$  radical toward IRC+10216 at 1.27 cm."
- Sny85a L. E. Snyder, M. S. Schenewerk, and J. M. Hollis, *Astrophys. J.* **298**, 360 (1985). "Observations of several new transitions of interstellar HCO."
- Sol71 P. M. Solomon, K. B. Jefferts, A. A. Penzias, and R. W. Wilson, *Astrophys. J. (Letters)* **168**, L107 (1971). "Detection of millimeter emission lines from interstellar methyl cyanide."
- Sol73 P. M. Solomon, A. A. Penzias, K. B. Jefferts, and R. W. Wilson, *Astrophys. J. (Letters)* **185**, L63 (1973). "Millimeter emission lines of polyatomic molecules in Sagittarius B2."
- Sor86 R. L. Sorochenko, A. M. Tolmachev, and G. Winnewisser, *Astron. Astrophys.* **155**, 237 (1986). "High resolution measurements of cyanoacetylene in dark clouds."
- Sta82 G. J. Stacey, N. T. Kurtz, S. D. Smyers, M. Harwit, R. W. Russell, and G. Melnick, *Astrophys. J. (Letters)* **257**, L37 (1982). "The mass of hot, shocked CO in Orion: first observations of the  $J=17-16$  transition at 153 microns."

- Sto81 J. W. V. Storey, D. M. Watson, and C. H. Townes *Astrophys. J. (Letters)* **244**, L27 (1981). "Detection of interstellar OH in the far-infrared."
- Sto81a J. W. V. Storey, D. M. Watson, C. H. Townes, E. E. Haller, and W. L. Hansen, *Astrophys. J.* **247**, 136 (1981). "Far-infrared observations of shocked CO in Orion."
- Str48 M. W. P. Strandberg, T. Wentink, R. E. Hillger, G. H. Wannier, and M. L. Deutsch, *Phys. Rev.* **73**, 188 (1948). "Stark spectrum of HDO."
- Stu88 J. Stutzki, R. Genzel, A. I. Harris, J. Herman, and D. T. Jaffe, *Astrophys. J. (Letters)* **330**, L125 (1988). "First detection of HCN  $J=9-8$  (797 GHz) line emission: Very high densities in the Orion core."
- Stu89 J. Stutzki, R. Genzel, U. U. Grae, A. I. Harris, and D. T. Jaffe, *Astrophys. J. (Letters)* **340**, L37 (1989). "First detection of SO<sub>2</sub> and CH<sub>3</sub>OH emission and one unidentified line near 800 GHz."
- Sue89 R. D. Suenram, F. J. Lovas, and K. Matsumura, *Astrophys. J. (Letters)* **342**, L103 (1989). "Laboratory measurements of the  $1_{01}-0_{00}$  transition and electric dipole moment of SiC<sub>2</sub>."
- Sut85 E. C. Sutton, G. A. Blake, C. R. Masson, and T. G. Phillips, *Astrophys. J. Suppl.* **58**, 341 (1985). "Molecular line survey of Orion A from 215 to 247 GHz."
- Sut88 E. C. Sutton and E. Herbst, *Astrophys. J.* **333**, 359 (1988). "Identification of interstellar methanol lines."
- Suz84 H. Suzuki, N. Kaifu, T. Miyaji, M. Morimoto, M. Ohishi, and S. Saito, *Astrophys. J. (Letters)* **282**, 197 (1984). "Detection of U45. 379: an intense, peculiar unidentified line."
- Suz84a H. Suzuki, M. Ohishi, M. Morimoto, N. Kaifu, P. Friberg, M. W. Irvine, H. E. Matthews, and S. Saito, "The Search for Extraterrestrial Life", ed. M. Papagiannis (Dordrecht: D. Reidel, 1984). "Recent observations of organic molecules in nearby cold, dark interstellar clouds."
- Suz85 H. Suzuki, N. Kaifu, M. Ohishi, M. Morimoto, and T. Miyaji, private comm. (1985). "Obs. of C<sub>3</sub>H<sub>2</sub>."
- Suz86 H. Suzuki, M. Ohishi, N. Kaifu, S. Ishikawa, T. Kasuga, S. Saito, and K. Kawaguchi, *Publ. Astron. Soc. Japan* **38**, 911 (1986). "Detection of the interstellar C<sub>6</sub>H radical."
- Tak59 H. Takuma, T. Schimizu, and K. Shimoda, *J. Phys. Soc. Japan* **14**, 1595 (1959). "Magnetic hyperfine spectrum of H<sub>2</sub>CO by a maser."
- Tak73 K. Takagi and T. Kojima, *Astrophys. J. (Letters)* **181**, L91 (1973). "Laboratory microwave spectrum of methylamine."
- Tak90 S. Takano, H. Suzuki, M. Ohishi, S-I. Ishikawa, N. Kaifu, Y. Hirahara, and A. Masuda, *Astrophys. J. (Letters)* **361**, L15 (1990). "Detection of five <sup>13</sup>C isotopic species of HC<sub>5</sub>N in TMC-1."
- ter72 J. J. ter Meulen and A. Dymanus, *Astrophys. J. (Letters)* **172**, L21 (1972). "Beam-maser measurements of the ground-state transition frequencies of OH."
- ter76 J. J. ter Meulen, W. L. Meerts, G. W. M. van Mierlo, and A. Dymanus, *Phys. Rev. Lett.* **36**, 1031 (1976). "Observations of population inversion between the L-doublet states of OH."
- Tha64 P. Thaddeus, L. C. Krisher, and J. H. N. Loubser, *J. Chem. Phys.* **40**, 257 (1964). "Hyperfine structure in the microwave spectrum of HDO, HDS, ClH<sub>2</sub>O, and CHDO: Beam maser spectroscopy on asymmetric-top molecules."
- Tha70 D. L. Thacker, W. J. Wilson, and A. H. Barrett, *Astrophys. J. (Letters)* **161**, L191 (1970). "Observations of the <sup>2</sup>II<sub>1/2</sub>  $J=1/2$  state of OH."
- Tha71 P. Thaddeus, R. W. Wilson, M. Kutner, A. A. Penzias, and K. B. Jefferts, *Astrophys. J. (Letters)* **168**, L59 (1971). "Discovery of para-formaldehyde and the 2-millimeter formaldehyde distribution in the Orion infrared nebula."
- Tha72 P. Thaddeus, M. L. Kutner, A. A. Penzias, R. W. Wilson, and K. B. Jefferts, *Astrophys. J. (Letters)* **176**, L73 (1972). "Interstellar hydrogen sulfide."
- Tha81 P. Thaddeus, M. Guélin, and R. A. Linke, *Astrophys. J. (Letters)* **246**, L41 (1981). "Three new "nonterrestrial" molecules."
- Tha84 P. Thaddeus, S. E. Cummins, and R. A. Linke, *Astrophys. J. (Letters)* **283**, L45 (1984). "Identification of the SiCC radical toward IRC+10216: the first molecular ring in an astronomical source."
- Tha84a P. Thaddeus (see Lor84a).
- Tha85 P. Thaddeus, C. A. Gottlieb, Å. Hjalmarson, L. E. B. Johansson, W. M. Irvine, P. Friberg, and R. A. Linke, *Astrophys. J. (Letters)* **294**, L49 (1985). "Astronomical identification of the C<sub>3</sub>H radical."
- Tie76 E. Tiemann, *J. Phys. Chem. Ref. Data* **5**, 1147 (1976). "Microwave Spectra of Molecules of Astrophysical Interest. XI. Silicon Sulfide."
- Tol81 F. Tolle, H. Ungerechts, C. M. Walmsley, G. Winnewisser, and E. Churchwell, *Astron. Astrophys.* **95**, 143 (1981). "A molecular line study of the elongated dark dust cloud TMC-1."
- Tow83 C. H. Townes, R. Genzel, D. M. Watson, and J. W. V. Storey, *Astrophys. J. (Letters)* **269**, L11 (1983). "Detection of interstellar NH<sub>3</sub> in the far-infrared warm and dense gas in Orion-KL."
- Tuc71 K. D. Tucker, G. R. Tomasevich, and P. Thaddeus, *Astrophys. J.* **169**, 429 (1971). "Laboratory measurement of the 6-centimeter formaldehyde transitions."
- Tuc78 K. D. Tucker, and M. L. Kutner, *Astrophys. J.* **222**, 859 (1978). "The abundance and distribution of interstellar C<sub>2</sub>H."
- Tur70 B. E. Turner, P. Palmer, and B. Zuckerman, *Astrophys. J. (Letters)* **160**, L125 (1970). "Detection of the <sup>2</sup>II<sub>3/2</sub>,  $J=7/2$  state of interstellar OH at a wavelength of 2.2 centimeters."
- Tur73 B. E. Turner, B. Zuckerman, P. Palmer, and M. Morris, *Astrophys. J.* **186**, 123 (1973). "Interstellar CS: observations of new transitions and isotopic species and a study of its excitation."
- Tur75 B. E. Turner and R. H. Gammon, *Astrophys. J.* **198**, 71 (1975). "Interstellar CN at radio wavelengths."
- Tur75a B. E. Turner, A. G. Kislyakov, H. S. Liszt, and N. Kaifu, *Astrophys. J. (Letters)* **201**, L149 (1975). "Microwave detection of interstellar cyanamide."
- Tur75b B. E. Turner, B. Zuckerman, N. Fourikis, M. Morris, and P. Palmer, *Astrophys. J. (Letters)* **198**, L125 (1975). "Microwave detection of interstellar HDO."
- Tur77 B. E. Turner, *Astrophys. J. (Letters)* **213**, L75 (1977). "Microwave detection of interstellar ketene."
- Tur78 B. E. Turner, B. Zuckerman, M. Morris, and P. Palmer, *Astrophys. J. (Letters)* **219**, L43 (1978). "Microwave detection of interstellar deuterated ammonia."
- Tur78a B. E. Turner, Private communication, 1978.
- Tur85 B. E. Turner and T. C. Steimle, *Astrophys. J.* **299**, 956 (1985). "Interstellar MgO."
- Tur87 B. E. Turner, *Astron. Astrophys.* **182**, L15 (1987). "Vibrationally excited CS in IRC+10216."
- Tur87a B. E. Turner, *Astron. Astrophys.* **183**, L23 (1987). "Detection of vibrationally excited SiS in IRC+10216."
- Tur87b B. E. Turner and J. Bally, *Astrophys. J. (Letters)* **321**, L75 (1987). "Detection of interstellar PN: The first identified phosphorous compound in the interstellar medium."
- Tur88 B. E. Turner, *Astrophys. J.* **329**, 425 (1988). "Rotationally excited interstellar CH: detection of satellite lines and analysis of abundance and excitation."
- Tur89 B. E. Turner, *Astrophys. J. Suppl.* **70**, 539 (1989). "A molecular line survey of Sagittarius B2 and Orion-KL from 70 to 115 GHz. I. The observational data."
- Tur89a B. E. Turner, *Astrophys. J. (Letters)* **347**, L39 (1989). "Detection of interstellar C<sub>4</sub>D: implications for ion-molecule chemistry."
- Tur90 B. E. Turner, T. Tsuji, J. Bally, M. Guélin, and J. Cernicharo, *Astrophys. J.* **365**, 569 (1990). "Phosphorus in the dense interstellar medium."
- Tur90a B. E. Turner, *Astrophys. J. (Letters)* **362**, L29 (1990). "Detection of doubly deuterated interstellar formaldehyde (D<sub>2</sub>CO) as an indicator of active grain surface chemistry."

- Tur91 B. E. Turner, *Astrophys. J. Suppl.* **76**, 617 (1991). "A molecular line survey of Sagittarius B2 and Orion(KL) from 70 to 115 GHz. II. Analysis of the data."
- Uli76 B. L. Ulich and R. W. Haas, *Astrophys. J. Suppl.* **30**, 247 (1976). "Absolute calibration of millimeter-wavelength spectral lines."
- Uli77 B. L. Ulich, J. M. Hollis, and L. E. Snyder, *Astrophys. J. (Letters)* **217**, L105 (1977). "Radio detection of nitroxyl (HNO): the first interstellar NO bond."
- Uli78 B. L. Ulich, Private communication, 1978.
- Vac86 J. M. Vacerand, B. P. Van Eijck, J. Burie, and J. Demaison, *J. Mol. Spectrosc.* **118**, 355 (1986). "The rotational spectrum of acetone: Internal rotation and centrifugal distortion analysis." P. Vanden Bout (see Lor84a).
- Var91 T. D. Varberg, and K. M. Evenson, *Astrophys. J. (Letters)*, (1991). "Accurate far-infrared rotational frequencies of carbon monoxide."
- Ven55 P. Venkateswarlu, H. D. Edwards, and W. Gordy, *J. Chem. Phys.* **23**, 1195 (1955). "Methyl alcohol. I. Microwave Spectrum."
- Vrt85 J. M. Vrtilek, C. A. Gottlieb, W. D. Langer, P. Thaddeus, and R. W. Wilson, *Astrophys. J. (Letters)* **296**, L35 (1985). "Laboratory and astronomical detection of the deuterated ethynyl radical CCD."
- Vrt87 J. M. Vrtilek, C. A. Gottlieb, and P. Thaddeus, *Astrophys. J.* **314**, 716 (1987). "Laboratory and astronomical spectroscopy of C<sub>3</sub>H<sub>2</sub>, the first interstellar organic ring."
- Vrt90 J. M. Vrtilek, C. A. Gottlieb, T. C. Killian, and P. Thaddeus, *Astrophys. J. (Letters)* **364**, L53 (1990). "Laboratory detection of propadienyldene, H<sub>2</sub>CCC."
- Wal84 C. M. Walmsley, P. R. Jewell, L. E. Snyder, and G. Winnewisser, *Astron. Astrophys.* **134**, L11 (1984). "Detection of interstellar methyldiacetylene (CH<sub>3</sub>C<sub>2</sub>H) in the dark dust cloud TMC-1."
- Wal87 C. M. Walmsley, W. Hermsen, C. Henkel, R. Mauersberger, and T. L. Wilson, *Astron. Astrophys.* **172**, 311 (1987). "Deuterated ammonia in the Orion hot core."
- Wan73 J. H. S. Wang, D. E. Oates, A. Ben-Reuven, and S. G. Kukolich, *J. Chem. Phys.* **59**, 5268 (1973). "Measurements of relaxation cross sections for NH<sub>3</sub> and OCS with a molecular beam maser spectrometer."
- Wan76 P. G. Wannier, A. A. Penzias, R. A. Linke, and R. W. Wilson, *Astrophys. J.* **204**, 26 (1976). "Isotope abundance in interstellar molecular clouds."
- Wan78 P. G. Wannier and R. A. Linke, *Astrophys. J.* **226**, 817 (1978). "Cyanoacetylene and its <sup>13</sup>C species: evidence against relative isotope fractionation and improved <sup>12</sup>C/<sup>13</sup>C abundance ratios."
- Wat77 J. W. Waters, J. J. Gustinic, R. K. Kakar, T. B. H. Kuiper, P. N. Swanson, A. R. Kerr, and P. Thaddeus, *Bull. AAS* **9**, 564 (1977). "Detection of 183 GHz water emission from the Orion nebula."
- Wat80 D. M. Watson, J. W. V. Storey, C. H. Townes, E. E. Haller, and W. L. Hansen, *Astrophys. J. (Letters)* **239**, L129 (1980). "Detection of CO *J* = 21 - 20 (124.2 μm) and *J* = 22 - 21 (118.6 μm) emission from the Orion nebula."
- Wei63 S. Weinreb, A. A. Barrett, M. S. Meeks, and J. C. Henry, *Nature* **200**, 829 (1963). "Radio observations of OH in the interstellar medium."
- Wel70 W. J. Welch, *Bull. AAS* **2**, 355 (1970). "Absorption by the Lambda 1 cm (3<sub>13</sub> - 3<sub>12</sub>) rotational transition."
- Whi86a G. J. White, T. S. Monteiro, K. J. Richardson, M. J. Griffin, and R. Rainey, *Astron. Astrophys.* **162**, 253 (1986). "Submillimeter wavelength spectral line search of the Orion molecular cloud core."
- Whi81 J. B. Whiteoak and F. F. Gardner, *M. N. R. A. S.* **197**, 39p (1981). "The abundance ratio <sup>16</sup>OH/<sup>18</sup>OH in Sgr A and Sgr B2."
- Wil71 R. W. Wilson, A. A. Penzias, K. B. Jefferts, M. Kutner, and P. Thaddeus, *Astrophys. J. (Letters)* **167**, L97 (1971). "Discovery of interstellar silicon monoxide."
- Wil72 R. W. Wilson, A. A. Penzias, K. B. Jefferts, P. Thaddeus, and M. L. Kutner, *Astrophys. J. (Letters)* **176**, L77 (1972). "Interstellar nitrogen-15 and U169. 3 - possibly a new methanol line."
- Wil73 R. W. Wilson, A. A. Penzias, K. B. Jefferts, and P. M. Solomon, *Astrophys. J. (Letters)* **179**, L107 (1973). "Interstellar deuterium: the hyperfine structure of DCN."
- Wil76 W. J. Wilson and R. Kakar, Private communication, 1976.
- Wil76a R. W. Wilson, A. A. Penzias, P. G. Wannier, and R. Linke, *Astrophys. J. (Letters)* **204**, L135 (1976). "Isotopic abundances in interstellar carbon monosulfide."
- Wil76b T. L. Wilson, J. Biegling, D. Downes, and F. F. Gardner, *Astron. Astrophys.* **51**, 303 (1976). "Observations of the carbon-13 isotope of formaldehyde."
- Wil79 T. L. Wilson and T. Pauls, *Astron. Astrophys.* **73**, L10 (1979). "The detection of interstellar <sup>15</sup>NH<sub>3</sub>."
- Wil80 E. Willemot, D. Dangoisse, W. Mannanteuil, and J. Bellet, *J. Phys. Chem. Ref. Data* **9**, 59 (1980). "Microwave spectra of molecules of astrophysical interest. XVIII. Formic acid."
- Wil81 W. J. Wilson and L. E. Snyder, *Astrophys. J.* **246**, 86 (1981). "A search for interstellar nitrous oxide."
- Wil81a D. R. Williams and F. F. Gardner, *Pub. Astron. Soc. Proc.* **93**, 82 (1981). "Detection of the <sup>2</sup>P<sub>1/2</sub>, *F* = 3/2, *F* = 1 - 2 transition of <sup>18</sup>OH at 1584 MHz toward Sagittarius B2."
- Wil84 T. L. Wilson, C. M. Walmsley, L. E. Snyder, and P. R. Jewell, *Astron. Astrophys.* **134**, L7 (1984). "Detection of a new type of methanol maser."
- Wil85 T. L. Wilson, C. M. Walmsley, K. M. Menten, and W. Hermsen, *Astron. Astrophys.* **147**, L19 (1985). "The discovery of a new masering transition of interstellar methanol."
- Wil90 T. L. Wilson, C. M. Walmsley, and A. Baudry, *Astron. Astrophys.* **231**, 159 (1990). "The detection of rotational excited <sup>2</sup>P<sub>1/2</sub> *J* = 3/2 and *J* = 5/2 main lines of OH."
- Win71 G. Winnewisser, A. G. Maki, and D. R. Johnson, *J. Mol. Spectrosc.* **39**, 149 (1971). "Rotational constants for HCN and DCN."
- Win75 G. Winnewisser and E. Churchwell, *Astrophys. J. (Letters)* **200**, L33 (1975). "Detection of formic acid in Sagittarius B2 by its 2<sub>11</sub>-2<sub>12</sub> transition."
- Win76 G. Winnewisser and F. F. Gardner, *Astron. Astrophys.* **48**, 159 (1976). "Detection of dimethyl ether in SGR B2."
- Win78 A. Winnberg, C. M. Walmsley, and E. Churchwell, *Astron. Astrophys.* **66**, 431 (1978). "Detection of the <sup>2</sup>P<sub>3/2</sub> *J* = 9/2 λ-doublet line of OH."
- Wlo88 G. Włodarczak, Private communication, 1988.
- Woo82 A. Wootten, S. M. Lichten, R. Sahai, and P. G. Wannier, *Astrophys. J.* **257**, 151 (1982). "CN abundance variations in the shell of IRC+10216."
- Woo83 R. C. Woods, C. S. Gudeman, R. L. Dickman, P. F. Goldsmith, G. R. Huguenin, W. M. Irvine, Å. Hjalmarson, L. A. Nyman, and H. Olofsson, *Astrophys. J.* **270**, 583 (1983). "The (HCO<sup>+</sup>)/(HOC<sup>+</sup>) abundance ratio in molecular clouds."
- Woo84 A. Wootten, R. B. Loren, and J. Bally, *Astrophys. J.* **277**, 189 (1984). "Formaldehyde in the Orion molecular flow: evidence for a gentle acceleration."
- Woo84a A. Wootten (see Lor84a).
- Woo86 A. Wootten, *Astron. Astrophys.* **166**, L15 (1986). "A search for interstellar H<sub>3</sub>O<sup>+</sup>."
- Wys72 F. C. Wyse, E. L. Manson, and W. Gordy, *J. Chem. Phys.* **57**, 1106 (1972). "Millimeter wave rotational spectrum and molecular constants of <sup>31</sup>P<sup>14</sup>N."
- Wys72a F. C. Wyse and W. Gordy, *J. Chem. Phys.* **56**, 2130 (1972). "Millimeter-wave rotational spectra of AlCl, AlBr, and AlI."
- Yam79 K. Yamada, M. Winnewisser, G. Winnewisser, L. B. Szalanski, and M. C. L. Gerry, *J. Mol. Spectrosc.* **78**, 189 (1979). "Ground state spectroscopic constants of isothiocyanic acid, HNCS, from its microwave and millimeter wave spectra combined with far infrared data."

- Yam87 S. Yamamoto, S. Saito, K. Kawaguchi, N. Kaifu, H. Suzuki, and M. Ohishi, *Astrophys. J. (Letters)* **317**, L119 (1987). "Laboratory detection of a new carbon-chain molecular C<sub>3</sub>S and its astronomical identification."
- Yam87a S. Yamamoto, S. Saito, M. Ohishi, H. Suzuki, S. I. Ishikawa, N. Kaifu, and A. Murakami, *Astrophys. J. (Letters)* **322**, L55 (1987). "Laboratory and Astronomical detection of the cyclic C<sub>3</sub>H radical."
- Yam87b S. Yamamoto, S. Saito, M. Guélin, J. Cernicharo, H. Suzuki, and M. Ohishi, *Astrophys. J. (Letters)* **323**, L149 (1987). "Laboratory microwave spectroscopy of the vibrational satellites for v<sub>7</sub> and 2v<sub>7</sub> states of C<sub>4</sub>H and their astronomical identification."
- Yam90 S. Yamamoto, S. Saito, K. Kawaguchi, Y. Chikada, H. Suzuki, N. Kaifu, S. Ishikawa, and M. Ohishi, *Astrophys. J.* **361**, 318 (1990). "Rotational spectrum of the CCS radical studied by laboratory microwave spectroscopy and radio-astronomical observations."
- Ziu81 L. M. Ziurys, R. N. Martin, T. A. Pauls, and T. L. Wilson, *Astron. Astrophys.* **104**, 288 (1981). "Ammonia in Orion II. The gas in and around OMC-1."
- Ziu82 L. M. Ziurys, R. J. Saykally, R. L. Plambeck, and N. R. Erickson, *Astrophys. J.* **254**, 94 (1982). "Detection of the N=3-2 transition of CCH in Orion and determination of the molecular rotational constants."
- Ziu84 L. M. Ziurys, D. P. Clemens, R. J. Saykally, M. Calvin, and H. F. Schaefer, *Astrophys. J.* **281**, 219 (1984). "A search for interstellar silicon nitride."
- Ziu85 L. M. Ziurys and B. E. Turner, *Astrophys. J. (Letters)* **292**, L25 (1985). "Detection of interstellar rotationally excited CH."
- Ziu86 L. M. Ziurys and B. E. Turner, *Astrophys. J. (Letters)* **300**, L19 (1986). "Detection of interstellar vibrationally excited HCN."
- Ziu86a L. M. Ziurys and B. E. Turner, *Astrophys. J. (Letters)* **302**, L31 (1986). "HCNH<sup>+</sup>: A new interstellar molecular ion."
- Ziu88 L. M. Ziurys, *Astrophys. J.* **324**, 544 (1988). "SiS in Orion-KL: Evidence for "outflow" chemistry."
- Ziu91 L. M. Ziurys, D. McGonagle, Y. Minh, and W. M. Irvine, *Astrophys. J.* **373**, 534 (1991). "Nitric oxide in star-forming regions: Further evidence for interstellar N-O.bonds."
- Ziu91a L. M. Ziurys, and D. McGonagle, *Asastrophys. J. Suppl.* (1991). "Survey of Orion A at 150-160 GHz."
- Zuc68 B. Zuckerman, P. Palmer, H. Penfield, and A. E. Lilley, *Astrophys. J. (Letters)* **153**, L69 (1968). "Detection of microwave radiation from the <sup>2</sup>P<sub>1/2</sub>, J = 1/2 state of OH."
- Zuc69 B. Zuckerman, P. Palmer, L. E. Snyder, and D. Buhl, *Astrophys. J. (Letters)* **157**, L167 (1969). "Detection of interstellar H<sub>2</sub><sup>13</sup>C<sup>18</sup>O."
- Zuc71 B. Zuckerman, J. A. Ball, and C. A. Gottlieb, *Astrophys. J. (Letters)* **163**, L41 (1971). "Microwave detection of interstellar formic acid."
- Zuc72 B. Zuckerman, B. E. Turner, D. R. Johnson, P. Palmer, and M. Morris, *Astrophys. J.* **177**, 601 (1972). "A new interstellar line: the 5,1-4,0 (E2) transition in methyl alcohol."
- Zuc72a B. Zuckerman, J. L. Yen, C. A. Gottlieb, and P. Palmer, *Astrophys. J.* **177**, 59 (1972). "Observations of the <sup>2</sup>P<sub>3/2</sub>, J = 5/2 state of interstellar OH."
- Zuc75 B. Zuckerman, B. E. Turner, D. R. Johnson, F. O. Clark, F. J. Lovas, N. Fourikis, A. E. Lilley, J. A. Ball, C. A. Gottlieb, M. M. Litvak, and H. Penfield, *Astrophys. J. (Letters)* **196**, L99 (1975). "Detection of interstellar *trans*-ethyl alcohol."