Accessible Voting Technology: Analysis and Recommendations

Deb Cook Mark Harniss

Center for Technology and Disability Studies



Goal

- To provide guidance about how to develop more accessible and useable electronic voting systems based on:
 - Review of the Voluntary Voting System Guidelines
 (VVSG Draft 1.1)
 - Review of relevant standards and guidelines (e.g., Section 508)
 - Observation of past, present and prospective future voting systems



UNIVERSITY of WASHINGTON-

Outcome

Generated a report for the ITIF Accessible
 Voting Technology Initiative:

http://elections.itif.org/reports/AVTI-004-Cook-Harniss-2012.pdf



Voting Systems Reviewed

Manufacturer	Name
Hart	eSlate (with VVPAT)
Hart	eSlate
Diebold/Premier	AccuVote TSX
Diebold/Premier	AccuVote TSX (prototype)
ES&S	iVotronic 6-Key (accessible)
Sequoia	Edge2Plus
Avante	Vote Trakker
IVS	Inspire
ES&S	AutoMark VAT
ES&S	AutoMark VAT with AutoCast
	Infinity Voting Panel (with
MicroVote	Double-talk A/V device)
ES&S	DS200i
Unisyn	OpenElect OVO
Unisyn	OpenElect OVI
NIST	Prototype voting system
EveryoneCounts	Ballot on Demand System



Vendor Presentations Attended

- Democracy Live: http://www.democracylive.com/
- Dominion: http://www.dominionvoting.com/
- ES&S (Election Systems and Software): http://www.essvote.com/HTML/home.html
- Everyone Counts: http://www.everyonecounts.com/
- eVOTZ: http://www.evotz.com/
- Helios: http://heliosvoting.org/
- IVS: http://www.ivsllc.com/
- Microvote: http://www.microvote.com/
- Open Voting Consortium: http://www.openvotingconsortium.org/
- Oregon Secretary of State Elections Division: http://oregonvotes.org/
- Prime III: http://www.primevotingsystem.com/
- Scantregrity: http://www.scantegrity.org/
- Scytl: http://www.scytl.com/
- Unisyn: http://www.unisynvoting.com/



Organization

- VVSG 1.1 is organized by disability, we organized by functional feature groupings:
 - Operability
 - Adjustability
 - Discernability
 - Understandability
 - Usability Testing




Analysis

- For each functional category, we
 - describe the associated VVSG requirements,
 - describe their purpose,
 - provide analysis about the extent to which requirements are being met in current or proposed voting systems,
 - and offer recommendations for improvement of the requirements and implementation strategies.



Example: Operability

 Accessing the Machine: Approach and Physical Space







Example: Adjustability

Font, Contrast, and Color Adjustment



Image credit: http://www.webbie.org.uk/webbie/



Example: Discernibility

Function and status of controls and keys





Example: Understandability

Availability and clarity of instructions

Audio	Text on Screen
Welcome to the visually impaired ballot system.	To vote for a candidate, touch the box next to the
Please be methodical and patient when using the	candidate's name. An 'X' mark will appear in the box
audio ballot.	to indicate your intent.
You may increase the volume by pressing [[If you accidentally select then wrong candidate, or if
interruption: the instructions don't match]] or lower	you simply wish to change your vote, touch the mark
it by pressing the 1 key.	that you wish to remove and it will disappear. You
	may then touch the box next to another candidate.
If you wish to increase the playback speed, press the	
pound key at any time. Press the star key to decrease	The ballot may span several pages. To move forward
the playback speed.	to the next page, touch the Next button and it will be
	displayed. You may move backwards at any time by
At each step the system will present a list of keypad	pressing the Back Button.
options to cast votes and navigate the ballot. You may	
make your selection at any time.	



Example Usability Testing



Developer watching videotape of usability test.

(Image credit: blog.templatemonster.com)



Conclusions

- Current guidelines were too specific for certain disabilities and vague for others.
 - Increased emphasis will be intellectual disabilities.
- Guidelines and practices should not be focused on existing technology.
 - If we tell you that putting a nib on the 5 key makes it accessible, you may choose to eliminate the keypad and avoid the requirement. Is that product accessible?



Recommendations

- Develop functional, rather than disability specific, guidelines
- Expand usability testing requirements
- Engage in additional research and development

