Next Challenge: Human Level Robust Performance

Dr. P. Jonathon Phillips

National Institute of Standards and Technology

National Institute of Standards and Technology

Who is this person?



Is this the same person?









Robust Face Recognition









0 40 (A) (B) (B)










Robust recognition of unfamiliar faces.


Question:

What is the most <u>robust</u> face recognition platform?


The Goal












From FERET to MBE 2010



The Good, Bad, & Ugly Face Challenge

- Three performance levels
 - Good
 - Bad
 - Ugly
- Nikon D70-6 Mpixels (SLR)
- Indoor & outdoor images
- Frontal face images
- Taken within one year

Face Pairs











Challenging





Very Challenging

Face Pairs





Good





Challenging





Very Challenging

Human and Machine Performance

- Mugshots & Mobile Studio environments
 - FRVT 2002/2006
 - MBE 2010
- Mobile Studio vs Ambient Lighting
 - FRGC
 - FRVT 2006
- Ambient Lighting (indoor/outdoor)
 - Good, Bad, & Ugly
- Hard Still Cases (reverse ROC)
- Video

Measuring Human Performance







Human subject raters respond...

- 1. sure they are the same person
- 2. think they are the same person
- 3. not sure
- 4. think they are not the same person
- 5. sure they are not the same person

Area Under Curve (AUC)




Frontal Still Face Performance






Is this same person?





Is this same person?






Is this same person?







Human Performance on reverseROC

Human Performance



Video: Walking vs. Walking






Human subject raters respond…

- 1. sure they are the same person
- 2. think they are the same person
- 3. not sure
- 4. think they are not the same person
- 5. sure they are not the same person

Video: Walking vs. Conversation





- Human subject raters respond...
 - 1. sure they are the same person
 - 2. think they are the same person
 - 3. not sure
 - 4. think they are not the same person
 - 5. sure they are not the same person

Gait Experiments

gait video











conversation video












body only





face only





Static Face GG





CG





CC






Next Directions

- In hard cases (poor viewing conditions), humans take advantage of face, body, still, & video
- Evidence: algorithms do NOT take advantage of face, body, still, & video
- Learn from the human visual system.
 - Functional
 - Perceptual
- Incorporate into algorithm design.

Video Performance


- Human and Machine
- UT Dallas Data Set
- Video Dictionary Algorithm—UMD



Human and Machine Performance


- Algorithms Better (Untrained Humans)
 - Mugshots & Mobile Studio environments
 - Digital Single Lens Reflex
 - Mobile Studio and Ambient Lighting
- Humans Better
 - Non-face identity cues
 - Cross-pose (video—one experiment)
- Not Measured
 - Point and Shot Cameras
 - Change in Pose (in general)

Example of Point & Shoot Face Images



Hurdle: Measuring Success


Develop structure for comparing human and machine performance



Adapting recent methods from Neuroscience.




Hurdle: Measuring Success



- FRVT2006-Notre Dame
- FRVT2006–Sandia
- FRGC-difficult
- FRGC-easy
- ♦ GBU-Good
- ♦ GBU-Bad
- ♦ GBU–Ugly




Hurdle: Measuring Success



- FRVT2006-Notre Dame
- FRVT2006–Sandia
- FRGC-difficult
- FRGC-easy
- ♦ GBU-Good
- ♦ GBU-Bad
- ♦ GBU–Ugly
- △ Video: Walking vs Walking
- ▼ Video Face Only: Walking vs Walking
- △ Video: Activity vs Walking
- ▼ Video Face Only: Activity vs Walking
- △ Video: Activity vs Activity
- Video Face Only: Activity vs Activity
- ReverseROC Body Only
- ◆ ReverseROC Face Only
- ♦ ReverseROC Face & Body
- ♦ ReverseROC Face & Body Survey


Face Performance Index







Face Performance Index







The Challenge

- Problem: Robust Recognition of Unfamiliar Faces
- Goal: Human Level Performance
 - Untrained Humans
 - Trained Professionals
 - Forensic Examiners
- Compare Machine & Human on a Face Performance Index
- Objective: Move Machine Performance into the Goal Box



Questions?