

Bundesamt für Sicherheit in der Informationstechnik

Biometrics and (IT) Security

Axel Munde

German Federal Office for Information Security



Motivation

Actual situation of biometrics in governmental environment

- Issuing of biometric enabled Passports and ID Cards (Face only (38%) and Finger (62%)) in 94 states worldwide
- About 360 millions of ePassports / (ID Cards) are issued
- Increasing use of biometrics in border control (16 states using ABC)
- 30 ICAO participating states
- Mandatory taking fingerprints for applying for a Schengen Visa / European Union
 Numbers published by US State Department in Sept. 2011



Motivation

- Increasing numbers of passengers
- Assured transfer time of passenger Economic factor for airport operating companies
- Mandatory biometric usage for Schengen Visa

Question?

Why not use biometrics for ePassport (verification) and Visa (identification) in a self service environment for border control and visa request? (Increasing national security and speeding up processes)



Content

- Biometrics and (IT) Security / Faking Biometrics (Fingerprint)
- Common Criteria
 - Structure
 - Security functional and Assurance classes
 - Evaluation Assurance Level (EAL)
 - Biometric Protection Profiles
 - Attack potential and Examples (Fake detection)
- Methodologies for evaluation of fake detection (Fingerprint)
- Summary



Biometrics and (IT) Security

Biometric characteristic (refined from SC37HBV) Biological or behavioural characteristic of an individual that can be *detected* and from which *distinguishing*, *repeatable* biometric features can be extracted for the purpose of *automated recognition* of individuals (e.g. fingerprint)

- \Rightarrow Biometrics is a (IT) means to ensure the "identity" of user
- \Rightarrow Has to fulfill the "traditional" IT (security) requirements



Challenges of Biometrics

- FAR / FRR Statistical properties (BEM <=> SC37 WG5 Standards)
- Strong and weak biometrics and the "Zoo" (User depending) Quality related?
 - 1. and 2. No (technical) tools used for attacking
- 3. Attacks on biometric systems using fakes
- \Rightarrow In the following only direct attacks, using faked biometrics (limited to fingerprints).
- ⇒ Are Common Criteria (CC) adequate to address the security challenges?



Federal Office for Information Security

Producing Fakes



"Wie können Fingerabdrücke nachgebildet werden? 09. Oktober 2004 (starbug)" http://dasalte.ccc.de/biometrie/fingerabdruck_kopieren?language=de http://dasalte.ccc.de/biometrie/fingerabdruck_kopieren?language=en

March 2012



Faking biometrics - Fingerprints

"The trust in biometric systems depends on their reliability AND their level of security!"

There are many types of publicly known fakes ... and a wide range of variations

With little experience fakes are: made of cheap & easy obtainable materials relatively easy to produce able to deliver high quality fingerprints adaptable by additives like: magnetic powder, color...

The challenge for spoof detection is to distinguish between all existing human fingers and all possible spoofing material



Common Criteria in a Nutshell

2009: Common Criteria Version 3.1 Release 3 ISO/IEC 15408:2009



Homepage: www.commoncriteriaportal.org



Common Criteria (V 3.1) - Structure

- Consists of 3 or 4 parts:
 - Part 1: Introduction and general model
 - **Part 2**: Security functional components
 - **Part 3**: Security assurance components
- Instructions for the evaluation are given by the Common Evaluation Methodology (CEM) (Part 4)
- Protection Profile (PP) Implementation independent description of a TOE type
- Security Target (ST) Implementation dependent description of a specific TOE – Could base on evaluated PP



Federal Office

Common Criteria (V 3.1) - Evaluation

- Evaluated will be Security Target, configuration management, delivery procedures, design documentation, guidance documentation as well as development and production sites
- Product testing and vulnerability analysis
- Evaluation is structured in 7 level, so-called Evaluation Assurance Level, short EAL-Level (Assurance Packages)
- Raised depth of evaluation (trust) from EAL 1 7
- Raised requirements for documentation, development and production sites, intensity of the evaluation and resistance against attackers



Common Criteria (V 3.1) – EAL Level

- EAL1- functional tested
- EAL2 structural tested
- EAL3 methodical tested and checked
- EAL4 methodical designed, tested, and reviewed
- Up to EAL4 international mutual recognition of evaluation (CCRA)
- EAL5 semiformal designed and tested
- EAL6 semiformal verified design and tested
- EAL7 formal verified design and tested



Mutual recognition symbol



Common Criteria (V 3.1) – Part 2 Security Classes

- CLASS FAU: SECURITY AUDIT
- CLASS FCO: COMMUNICATION
- CLASS FCS: CRYPTOGRAPHIC SUPPORT
- CLASS FDP: USER DATA PROTECTION
- CLASS FIA: IDENTIFICATION AND AUTHENTICATION
- CLASS FMT: SECURITY MANAGEMENT
- CLASS FPR: PRIVACY
- CLASS FPT: PROTECTION OF THE T(OE) S(ecurity) F(unction)
- CLASS FRU: RESOURCE UTILISATION
- CLASS FTA: TOE ACCESS
- CLASS FTP: TRUSTED PATH/CHANNELS



Common Criteria (V 3.1) - Part 3 Assurance Classes

- CLASS APE: PROTECTION PROFILE EVALUATION
- CLASS ASE: SECURITY TARGET EVALUATION
- CLASS ADV: DEVELOPMENT
- CLASS AGD: GUIDANCE DOCUMENTS
- CLASS ALC: LIFE-CYCLE SUPPORT
- CLASS ATE: TESTS
- CLASS AVA: VULNERABILITY ASSESSMENT
- CLASS ACO: COMPOSITION

*	Federal Office for Information Securi	Assurance class	Assurance Family	Assurance Components by Evaluation Assurance Level							
				EAL1	EAL2	EAL3	EAL4	EAL5	EAL6	EAL7	
			ADV_ARC		1	1	1	1	1	1	
			ADV_FSP	1	2	3	4	5	5	6	
	Develop	Development	ADV_IMP				1	1	2	2	
			ADV_INT					2	3	3	
			ADV_SPM						1	1	
			ADV_TDS		1	2	3	4	5	6	
		Guidance	AGD_OPE	1	1	1	1	1	1	1	
		documents	AGD_PRE	1	1	1	1	1	1	1	
			ALC_CMC	1	2	3	4	4	5	5	
			ALC_CMS	1	2	3	4	5	5	5	
		Life ovele	ALC_DEL		1	1	1	1	1	1	
		Life-cycle	ALC_DVS			1	1	1	2	2	
		support	ALC_FLR								
			ALC_LCD			1	1	1	1	2	
			ALC_TAT				1	2	3	3	
			ASE_CCL	1	1	1	1	1	1	1	
			ASE_ECD	1	1	1	1	1	1	1	
		Security	ASE_INT	1	1	1	1	1	1	1	
		Target	ASE_OBJ	1	2	2	2	2	2	2	
		evaluation	ASE_REQ	1	2	2	2	2	2	2	
			ASE_SPD		1	1	1	1	1	1	
			ASE_TSS	1	1	1	1	1	1	1	
			ATE COV		1	2	2	2	3	3	
		_	ATE DPT			1	1	3	3	4	
		Tests -	ATE FUN		1	1	1	1	2	2	
			ATE IND	1	2	2	2	2	2	3	
Axel M	lunde	Vulnerability assessment	AVA_VAN	1	2	2	3	4	5	5	Slide 15



Biometric Protection Profiles – An Overview

 Archived U.S. Government Approved Protection Profile - U.S. Government Biometric Verification Mode Protection Profile for Basic Robustness Environments, Version 1.0 http://www.niap-ccevs.org/pp/PP_BVM_BR_V1.0/ Date: 12 January 2006 – Common Criteria Version: 2.3

Not assigned to any Validated Products

 Archived U.S. Government Approved Protection Profile - U.S. Government Biometric Verification Mode Protection Profile for Medium Robustness Environments, Version 1.1 http://www.niap-ccevs.org/pp/PP_BVM_MR_V1.1/ Date: 25 July 2007 – Common Criteria Version: 2.3

Not assigned to any Validated Products

Federal Office for Information Security Biometric Protection Profiles – An Overview

3. Biometric Device Protection Profile (BDPP) http://www.cesg.gov.uk/policy_technologies/biometrics/media/bdpp082.pdf Date: 5. September 2001 – Common Criteria Version: 2.3 Ever used?

5. Protection Profile - Biometric Verification Mechanisms Version 1.04

(BSI-PP-0016-2005) – Evaluated PP

https://www.bsi.bund.de/ContentBSI/Themen/ZertifizierungundAnerkennung/ZertifierungnachCCundITSEC/SchutzprofileProtectionProfile/schutzprofile.html#P P0016

Date: 17. August 2005 – Common Criteria Version: 2.3 Based on PP 1. - 3. – Used for 2 Products – 1 under re-evaluation

4. Biometric Verification Mechanisms Protection Profile Version 1.3

(BSI-CC-PP-0043-2008) – Evaluated PP https://www.bsi.bund.de/ContentBSI/Themen/ZertifizierungundAnerkennung/Ze rtifierungnachCCundITSEC/SchutzprofileProtectionProfile/schutzprofile.html#P P0016

Date: 07. August 2008 – Common Criteria Version: 3.1 Rev 2



- 6. Fingerprint Spoof Detection Protection Profile (FSDPP), Version 1.8 (BSI-CC-PP-0063-2010) https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Zertifizierung/Report ePP/pp0063b_pdf.pdf?__blob=publicationFile Date: 23th November, 2009 – Common Criteria Version: 3.1 Rev 3 2 Products under evaluation
- 7. Fingerprint Spoof Detection Protection Profile based on Organisational Security Policies (FSDPP_OSP), Version 1.7 (BSI-CC-PP-0062-2010) https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Zertifizierung/Report ePP/pp0062b_pdf.pdf?__blob=publicationFile Date: 27th November 2009 – Common Criteria Version: 3.1 Rev 3



How to calculate Attack Potential - Elapsed Time -

Elapsed Time	Factor Value
<= one day	0
<= one week	1
<= two weeks	2
<= one month	4
<= two months	7
<= three months	10
<= four months	13
<= five months	15
<= six months	17
> six months	19



Federal Office

for Information Security

How to calculate Attack Potential Expertise and Knowledge of TOE -

Expertise	Factor Value
Layman	0
Proficient	3(1)
Expert	6
Multiple experts	8
Knowledge of TOE	
Public	0
Restricted	3
Sensitive	7
Critical	11

⁽¹⁾ When several proficient persons are required to complete the attack path, the resulting level of expertise still remains "proficient" (which leads to a 3 rating).



Federal Office

How to calculate Attack Potential for Information Security *indow of Opportunity and Equipment-*

Window of Opportunity	Factor Value
Unnecessary / unlimited access	0
Easy	1
Moderate	4
Difficult	10
None	(2)
Equipment	Factor Value
Standard	0
Specialised	4 ⁽³⁾
Bespoke	7
Multiple bespoke	9

⁽²⁾ Indicates that the attack path is not exploitable due to other measures in the intended operational environment of the TOE.

⁽³⁾ If clearly different test benches consisting of specialised equipment are required for distinct steps of an attack, this should be rated as bespoke.



How to calculate Attack Potential - The Result -

Attack Potential = Elapsed Time + Expertise + Knowledge

of TOE + Window of Opportunity + Equipment

Values	Attack potential required to exploit scenario:	TOE resistant to attackers with attack potential of	Meets assurance components	Failure of components
0-9	Basic	No rating	-	AVA_VAN.15
10-13	Enhanced-Basic	Basic	AVA_VAN.12	AVA_VAN.34
14-19	Moderate	Enhanced- Basic	AVA_VAN.13	AVA_VAN.45
20-24	High	Moderate	AVA_VAN.14	AVA_VAN.5
=>25	Beyond High	High	AVA_VAN.15	



(Fake) Attack Potential - Examples -

1. Example – Fingerprint System

No fake detection; system commercial available; information in internet, unlimited access

Elapsed Time	<= one week	1
Expertise	Layman	0
Knowledge of TOE	Public	0
Window of Opportunity	Unnecessary / unlimited access	0
Equipment	Standard	0

```
\Rightarrow Attack potential is 1
\Rightarrow Fails EAL1
```



(Fake) Attack Potential - Examples -

2. Example – Fingerprint System

Fake detection; system commercial available; information in internet, limited access (Supervised)

Elapsed Time	<= one week	1
Expertise	Proficient	3
Knowledge of TOE	Public	0
Window of Opportunity	Moderate	4
Equipment	Standard	0

 \Rightarrow Attack potential is 8 \Rightarrow Fails EAL1



(Fake) Attack Potential - Examples -

3. Example – Fingerprint System

Sophisticated fake detection¹⁾; system not commercial available; information not in internet, limited access (Supervised)

Elapsed Time	<= one month	4
Expertise	Proficient	3
Knowledge of TOE	Restricted	3
Window of Opportunity	Moderate	4
Equipment	Standard	0

 \Rightarrow Attack potential is 14 (Moderate Attack Potential) \Rightarrow System can be evaluated up to EAL4

1) In terms of fake recognition rate





- In examples no Brute force and Hill-Climbing attacks have been taken into account
- At the moment no fake detection available which could be CC evaluated Fails even EAL 1
- Fingerprint sensor can be spoofed with relatively simple fakes
- Some sensors recognize a subset of the available fakes
- For a sensor usually a "golden" fake could be identified that worked reproducible
- In order to rate the performance of current and future spoof detection technologies there is a need for a comprehensive evaluation methodology
- ⇒ Need to develop of "Fingerprint Spoof Detection Methodology"



Federal Office

for Information Security Supporting Documents on Evaluation on Fake Detection (but not limited to)

- 1. Characterizing Attacks to Fingerprint Verification **Mechanisms** Version 2.0 – 2010 CCDB-2008-09-002 Date: 2010 - 12
- 2. Fingerprint Spoof Detection Evaluation Guidance Version: 2.1 Date: 2009 – 12 - 18



Provides guidance about attack methods to be considered in the evaluation of TOEs with fingerprint verification mechanisms.

Addresses also the standardization of the security rating for this type of mechanisms and include examples for the attack rating. (Re-introduction of Exploitation and Identification of a vulnerability)

Developed by: Spanish National Cryptologic Centre (CCN) and the Biometric Recognition Group - ATVS of the Autonomous University of Madrid (UAM).



Fingerprint Spoof Detection Evaluation Guidance (2.)

- Introduction of "new" extended Vulnerability Component
- Based on component used in EAL2 evaluations (To ensure developers testing and vulnerability analysis)
- Requires resistance against "minimal" attack potential instead of "basic" attack potential
- Evaluations of Spoof Detection System shall always use Flaw Remediation – To update spoof detection

Value	Resistant against attackers with attack potential of:
0 - 4	No rating
5 – 9	Minimal
10 – 13	Basic
14 – 19	Enhanced-Basic
20 – 24	Moderate
>= 25	High



Fingerprint Spoof Detection Evaluation Guidance

Testing methodology:

- Main focus: Examination whether spoof detection functionality is able to detect spoofed biometric characteristics with a **sufficient** reliability
- Determination of security relevant error rate: False Spoof Not Detect Rate (FSNDR)
- Determination using a standardized Fake-Toolbox
- Vulnerability assessment:



- Addresses slight modifications to the "most effective" fakes that are used in ATE and innovative fakes adopted to the specific technology. They must not lead to changes of error rates.
- The evaluation guidance provides interpretations of the CEM work units, gives help in finding the most promising fake and gives examples for relevant attack scenarios together with example ratings.

The TOE has not to miss the maximum error rate for each fake, the "golden" fake as well, that is presented to the system.



Summary

- 1. Biometric systems without fake detection are failing the lowest IT security requirements
- 2. Using biometric systems without security properties, the possible attacks by fakes have to be addressed by organizational means
- 3. First steps are made to formulate a methodology to "measure" the risk of fakes.
- 4. Some Manufacturers improving the fake recognition capability of their products 2 CC evaluation at BSI
- 5. Foundation of a technical domain within CC community or ISO for "Security Evaluation of Biometrics"
- 6. After having a methodology for fingerprint generalizing for other biometrics



Contact



Federal Office for Information Security (BSI)

Axel Munde Godesberger Allee 185-189 53175 Bonn

Tel: +49 (0)22899-9582-5342 Fax: +49 (0)22899-10-9582-5342

axel.munde@bsi.bund.de www.bsi.bund.de www.bsi-fuer-buerger.de