

Intelligent Systems Division National Institute of Standards and Technology U.S. Department of Commerce

Science and Technology Directorate U.S. Department of Homeland Security

Internet RobotTestMethods.nist.gov



Email RobotTestMethods@nist.gov





ASTM International Standards Committee on Homeland Security Applications; Response Robots (E54.09) | Website: RobotTestMethods.nist.gov



Dexterity: Simple Tasks in Various Orientationsn and Elevations Classification Metrics

TOUCH/INSERT TOOL


INDESTRUCTABLE INITIAL APPARATUSES

MORE DEXTERITY REQUIRED

PEG TOOL



OVER/UNDER TASK SHELVES (3 x 3 GRID)




OMNI OBJECT



ASTM International Standards Committee on Homeland Security Applications; Response Robots (E54.09) | Website: RobotTestMethods.nist.gov



Dexterity: Ground Tasks with Some Terrain Complexity Classification Metrics



(HINGED)




ASTM International Standards Committee on Homeland Security Applications; Response Robots (E54.09) | Website: RobotTestMethods.nist.gov




Dexterity: Ground Tasks and Elevated Tasks

Classification Metrics

CYLINDRICAL PIPE TASKS FORWARD/ELEVATED 30cm (12in) Increments



OMNI PIPE TASKS DOWNWARD/ELEVATED 30cm (12in) Increments






ASTM International Standards Committee on Homeland Security Applications; Response Robots (E54.09) | Website: RobotTestMethods.nist.gov



Dexterity: Ground Tasks and Elevated Tasks








ASTM International Standards Committee on Homeland Security Applications; Response Robots (E54.09) | Website: RobotTestMethods.nist.gov



Dexterity: Ground Tasks and Elevated Tasks










ASTM International Standards Committee on Homeland Security Applications; Response Robots (E54.09) | Website: RobotTestMethods.nist.gov



Dexterity: Elevated Shelf Tasks (Over/Under)








ASTM International Standards Committee on Homeland Security Applications; Response Robots (E54.09) | Website: RobotTestMethods.nist.gov



Dexterity: Elevated Wall Tasks (Forward)











ASTM International Standards Committee on Homeland Security Applications; Response Robots (E54.09) | Website: RobotTestMethods.nist.gov



Dexterity: Fold, Stow, and Move Classification Metrics








ASTM International Standards Committee on Homeland Security Applications; Response Robots (E54.09) | Website: RobotTestMethods.nist.gov



Dexterity: Planar Tasks (Basic)


Classification Metrics




ALL PIPES TASKS CONTAIN FOUR TESTS

- Inspect (WK54271)
- Touch/Insert (WK54272)
- Rotate (WK54273)
- Extract & Place (WK54274

FORWARD 150 cm (6 ft) 120 cm (4 ft) 60 cm (2 ft)







ASTM International Standards Committee on Homeland Security Applications; Response Robots (E54.09) | Website: RobotTestMethods.nist.gov



Dexterity: Planar Tasks (Basic)

Classification Metrics

PLANAR TASKS

Forward (Wall)


- 180 cm (6 ft)
- 120 cm (4 ft)
- 60 cm (2 ft)


Over (Shelf)


- 120 cm (4 ft)
- 60 cm (2 ft)
- 0 cm (0 ft)


Under (Shelf)


- 180 cm (6 ft)
- 120 cm (4 ft)
- 60 cm (2 ft)

























ASTM International Standards Committee on Homeland Security Applications; Response Robots (E54.09) | Website: RobotTestMethods.nist.gov



Dexterity: Cylindrical Tasks (Intermediate)

Classification Metrics


CYLINDRICAL TASKS

Forward (Wall)


- 180 cm (6 ft)
- 120 cm (4 ft)
- (2 ft) 60 cm


Over (Shelf)


- 120 cm (4 ft)
- (2 ft) 60 cm
- 0 cm (0 ft)





10 Minutes Each




















Under (Shelf)

- 180 cm (6 ft)
- 120 cm (4 ft)
- (2 ft) 60 cm



ASTM International Standards Committee on Homeland Security Applications; Response Robots (E54.09) | Website: RobotTestMethods.nist.gov



Strength: Grasp-Carry-Place On A Slope (15° or 30°) Classification Metrics










ASTM International Standards Committee on Homeland Security Applications; Response Robots (E54.09) | Website: RobotTestMethods.nist.gov



Shipping Container Test Facility in Your Parking Lot Dexterity and Strength Tests














Adam Jacoff

Intelligent Systems Division National Institute of Standards and Technology U.S. Department of Commerce

Phil Mattson

Science and Technology Directorate U.S. Department of Homeland Security

Internet RobotTestMethods.nist.gov



Email RobotTestMethods@nist.gov



ASTM International Standards Committee on Homeland Security Applications; Response Robots (E54.09) | Website: RobotTestMethods.nist.gov



Building Access C-IED/EOD Essential Mission Tasks

Open Doors

Open and pass through push and pull doors with lever handles and springs.



Search Hallways

Negotiate confined spaces (for the scale of apparatus) to find specific hazmat labels.



Avoid Entanglements

Pass through the Center in Alley adjustable width opening with tarps on the floor.




Cross Hurdles

Use coordinated articulators to cross rolling pipe hurdles in any orientation.



Acend/Descend Stairs

Ascend/descend stairs in any orientation. (Always belayed with a safety rope!)





ASTM International Standards Committee on Homeland Security Applications; Response Robots (E54.09) | Website: RobotTestMethods.nist.gov



Building Access C-IED/EOD Essential Mission Tasks

Open Doors

Open and pass through push and pull doors with lever handles and springs.



Search Hallways

Negotiate confined spaces (for the scale of apparatus) to find specific hazmat labels.



Avoid Entanglements

Pass through the Center in Alley adjustable width opening with tarps on the floor.



Cross Hurdles

Use coordinated articulators to cross rolling pipe hurdles in any orientation.



Acend/Descend Stairs

Ascend/descend stairs in any orientation. (Always belayed with a safety rope!)





ASTM International Standards Committee on Homeland Security Applications; Response Robots (E54.09) | Website: RobotTestMethods.nist.gov



Embedded Scoring Tasks in Scenarios C-IED/EOD Essential Mission Tasks















PIPE TASKS

TOUCH

ROTATE

PLACE

EXTRACT

INSPECT


Standard Test Methods for Response Robots

ASTM International Standards Committee on Homeland Security Applications; Response Robots (E54.09) | Website: RobotTestMethods.nist.gov




Dexterity: Omni Tasks

C-IED/EOD Essential Mission Tasks













ASTM International Standards Committee on Homeland Security Applications; Response Robots (E54.09) | Website: RobotTestMethods.nist.gov



Dexterity: Cylindrical Tasks: Cut Ropes/Straps C-IED/EOD Essential Mission Tasks







ASTM International Standards Committee on Homeland Security Applications; Response Robots (E54.09) | Website: RobotTestMethods.nist.gov



Strength: PBIED Drag or Lift/Roll

C-IED/EOD Essential Mission Tasks







ASTM International Standards Committee on Homeland Security Applications; Response Robots (E54.09) | Website: RobotTestMethods.nist.gov



Dexterity: Packages, PBIED, and Other Tasks C-IED/EOD Essential Mission Tasks

Weighted PBIED Sled with Tow and Roll Over Tasks



OMNI IED WITH COMPONENTS IN PIPES TO X-RAY AND IDENTIFY



OMNI IED

OMNI E-STOPS

OMNI VALVES



ASTM International Standards Committee on Homeland Security Applications; Response Robots (E54.09) | Website: RobotTestMethods.nist.gov



Vehicle Underbody Inspection

C-IED/EOD Essential Mission Tasks













ASTM International Standards Committee on Homeland Security Applications; Response Robots (E54.09) | Website: RobotTestMethods.nist.gov



Place MWB Disruptor C-IED/EOD Essential Mission Tasks









ASTM International Standards Committee on Homeland Security Applications; Response Robots (E54.09) | Website: RobotTestMethods.nist.gov



X-Ray Dice C-IED/EOD Essential Mission Tas










ASTM International Standards Committee on Homeland Security Applications; Response Robots (E54.09) | Website: RobotTestMethods.nist.gov




X-Ray Dice C-IED/EOD Essential Mission Tasks

Continuous Imaging



Series of Single Images






ASTM International Standards Committee on Homeland Security Applications; Response Robots (E54.09) | Website: RobotTestMethods.nist.gov




X-Ray Dice C-IED/EOD Essential Mission Tasks











ASTM International Standards Committee on Homeland Security Applications; Response Robots (E54.09) | Website: RobotTestMethods.nist.gov



VBIED Access

C-IED/EOD Essential Mission Tasks

BREAK GLASS
VERTICAL ARRAY

BORE HOLES
VERTICAL ARRAY

BREAK GLASS 3x3 ARRAY

















Adam Jacoff

Intelligent Systems Division
National Institute of Standards and Technology
U.S. Department of Commerce

Phil Mattson

Science and Technology Directorate U.S. Department of Homeland Security

Internet RobotTestMethods.nist.gov



Email RobotTestMethods@nist.gov