



Burned wood fence that was attached to the house



Metal fence not attached to the house



Burned wood fence that was attached to the house



Metal fence not attached to the house

Item 31 Fence Attached to Residence – Keep combustible fence away from house, use noncombustible fence within 8 ft of house.





Note: Selected photographs are included to illustrate each HMM hardening item. Additional vulnerabilities or hardening items may be seen in the photographs, but those are highlighted within their specific HMM item.

HMM Reference	
NIST Technical Note 2205, Fence Attached to Residence, Table A, Item 31 (Page 60)	
Project: HMM House	Size: A
Scale: 1:75	Sheet: 1/1

- **Hardening Action:** Replace with flame-retardant option (metal or other option), minimum 8 ft
- **Applicable Conditions:** Combustible fence
- **Performance Goals:** Prevent ignition of combustible fence from spreading to house

Installation Cautions ⚠

1. Do not use combustible materials to attach noncombustible fence to the house.



Notes

- Only applies to single fences - Table B, Item 10 is double fences
- Fences must be a minimum 8 ft from any residence

- Color Key:**
- Brown: Wood fence
 - Light gray: Metal fence
 - Mottled brown: Soil
 - Red: Exterior wall siding
 - Gray: Metal flashing
 - Green: Lawn

Fire Hazards ⚠

