


### **Future Challenges**

04 December 2009

NIST

National Institute of Standards and Technology


...working with industry to foster innovation, trade, security and jobs




#### **Results from December 2008**

Results from an Open Book Challenge Problem, NOT an Independent Evaluation

# **Cross mode face recognition**




#### Visible vs near-infrared




<u>ן</u>

False Accept Rate

### Challenges in still frontal face?






# "The Good, the Bad & the Ugly" Still Face Challenge






# **Goal of GBU**




- Encourage development of face recognition algorithms that work on "hard" to recognize face pairs.
- Not at the expense of performance on "nonhard" face pairs.



### Method

# Three performance levels


- Good
- Bad
- Ugly
- Images in MBGC
- Images included in FRVT 2006
- Selected by FRVT 2006 algorithms



# **Experiment Specifics**

- Nikon D70-6 Mpixels
- Uncontrolled images
  - Indoors
  - Outdoors
- 9,307 pool of images
- 522 qualified subjects


# **Experiment Specifics**





- Same number of images per subject\*
- Variation in performance on image attributes


Data Set	Target Size	Query Size
The Good	1046	1046
The Bad	1046	1046
The Ugly	1044*	1046

# **Images per Subject**











### The Data cont.



- Good: High scoring match pairs
- Bad: Average scoring match pairs
- Ugly: Low scoring match pairs.

### **Good Face Pairs**







**ISN** 











# **Bad Face Pairs**







**ISN** 










# **Very Challenging Face Pairs**







ໂ Z












# Good, Bad, Ugly Performance







# Good, Bad, Ugly Performance


ر ا






# Good, Bad, & Ugly ROC








# Good, Bad, Ugly Technique

- Method for defining data sets of varying difficulty
- Applies to other biometric data sets
- Extend to ICE 2006 data set (ND-04/05)

# **Region-based recognition**









Figure 3.2: The facial features used. A is the interior the face. B is the tip of the nose. C and D are the left and right eyes. E is the bridge of the nose.

- Phillips, 1994, 1998
- Moghaddam & Pentland, 1994
- Jarudi & Sinha, 2003
- Kumar, Berg, Belhumeur, & Nayar, 2009


# **Summary-Face region**



- Most important regions of the face
- Fusion across regions
- Robust to occlusion and pose
- Add region decomposition to GBU




### Summary



- Plenty of challenges in face recognition
  - Non-frontal
  - Illumination
  - Cross mode
  - Face Regions
- All are relevant to real-world applications
- Good, Bad, & Ugly iris




# Summary




• Data available to support challenges

### • MBGCv2

- Non-frontal still
- Non-frontal video
- Cross-mode
- Good, Bad, & Ugly
  - Ready for release
- Face Region
  - Based on existing challenge problems





### Multiple Biometric Evaluation (MBE) 2010 Update


04 December 2009

NIST

National Institute of Standards and Technology

...working with industry to foster innovation, trade, security and jobs


### **MBE 2010 Tracks**



#### • The Still Face Track

- Reorganized
- Portal Track
  - Based on portal challenge problem
- Video Track
  - Based on video challenge problem


# **Still Face Track**



### Large scale identification


- 1 million+ face people
- Potentially 3 million people
- Motivated by NGI
- Applicable to large scale identification systems
- Lead: Patrick Grother
- Verification
  - Improvement in still face recognition under MBGC
  - Effects of compression and image resizing
  - Lead: Jonathon Phillips
- Organized as a single track

### **Questions addressed**




- Effect of database size on performance
- Effect of multiple images of a person
- Effect of meta-data
  - Sex
  - Race
  - Date of Birth
  - Etc
  - Application perspective
- Scientific analysis

# Still face track—schedule




- 16 Nov 09: Initial draft evaluation plan released for comment
- 30 Nov 09: Comments due
- 9 Dec 09: Second draft evaluation plan released for comment
- 16 Dec 09: Comments due
- 18 Dec 09: Final evaluation plan released
- 26 Jan 09—14 May 10: Submission period
- Sept/Oct 20: Report(s) released

# **Portal and Video tracks**



- Data is based on MBGC
  - Portal: 3,000+ portal sequences
  - Video: sequences similar to MBGC
- Executable protocol
  - Based on FRVT 2006 and ICE 2006
- Schedule
  - 15 Dec 09: Evaluation plan released
  - March 10: Evaluation starts
  - Fall 10: Report(s) released





# http://face.nist.gov/mbe

# mbe2010@nist.gov