Source Code Security Analysis Tool Test Plan

Draft 2 for public comment of Version 1.0

Michael Koo Romain Gaucher Vadim Okun Information Technology Laboratory (ITL) Software Diagnostics and Conformance Testing Division 9 January 2008



National Institute of Standards and Technology Technology Administration, U.S. Department of Commerce

Abstract

This document provides a set of metrics, including test suites and methods, to determine how well a particular source code security analysis tool conforms to the requirements specified in *Source Code Security Analysis Tool Functional Specification Version 1.0* [SCA]. Each programming language has a corresponding set of test suites. The test suites are intended to be used by tool developers and tool users alike to increase their level of confidence in product quality. Each test suite consists of test cases. Each test case contains test description, weakness contained in the test case, expected result and test code. The detailed information of the test case, such as start parameters, procedures for executing a test file and test file itself can be retrieved from the SAMATE Reference Dataset (SRD) http://samate.nist.gov/SRD/.

As this document evolves, new versions will be posted to the web site at http://samate.nist.gov/index.php/Source_Code_Security_Analysis.

Table of Contents

A	BSTRACT	. 2
Т	ABLE OF CONTENTS	. 3
1	INTRODUCTION	. 4
2	PURPOSE	4
3	TEST METHODOLOGY	. 4
	 3.1 REQUIREMENTS FROM [SCA] 3.1.1 Requirements for Mandatory Features. 3.1.2 Requirements for Optional Features 3.2 MEASUREMENT OF FULFILLMENT OF REQUIREMENTS 3.2.1 Mandatory Features 3.2.2 Optional Features. 	5 5 5 6
4	TEST SUITES	. 7
	 4.1 TEST SUITES FOR THE C LANGUAGE	7 10 12 13 13 14 16 17 17
5	REFERENCE:	17

1 Introduction

There is a critical need in society to ensure that software assurance tools produce accurate, repeatable and objective results. The Software Assurance Metrics and Tool Evaluation (SAMATE) project at the National Institute of Standards and Technology (NIST) is working to establish a methodology for testing software assurance tools by developing functional specifications, test procedures, test criteria, and test suites. The results provide the information necessary for toolmakers to improve tools, for users to make informed choices about acquiring and using software assurance tools, and for interested parties to understand the tools' capabilities. This project is further described at http://samate.nist.gov/.

SAMATE is a joint project of the Department of Homeland Security and the NIST Information Technology Laboratory (ITL). Since all documents are posted on the web for public review and comment, the entire computer software assurance community has the opportunity to participate in the development of the specifications and test methods.

For this document, a Source Code Security Analyzer examines source code to detect and report weaknesses that can lead to security vulnerabilities. Other static analysis tools, for examples tools that scan bytecode or binary code or examine web sites, are not covered.

2 Purpose

This document, along with files in the SRD [SRD], provides a means to test the functions of a tool based on the requirements in *Source Code Security Analysis Tool Functional Specification Version 1.0* [SCA].

The test plan is generic in that it can be applied to any programming language. Each language will have its own specific set of test suites.

The test methodology described in this document focuses only on the requirements of in [SCA]. Testing the performance robustness, scalability, usability, etc. is outside of the scope of this document.

3 Test Methodology

For the reader's convenience, this section repeats the requirements in [SCA]. This

section also describes the approach to measure the tool under test.

3.1 Requirements from [SCA]

3.1.1 Requirements for Mandatory Features

A source code security analysis tool must be able to achieve the following six mandatory tasks:

- SCA-RM-1: Identify all of the code weaknesses listed in Appendix A.
- SCA-RM-2: Generate a text analysis of the code weaknesses that it identifies.
- **SCA-RM-3:** Identify the weakness with a name semantically equivalent to those in Appendix A.
- **SCA-RM-4:** Specify the location of a weakness by providing the directory path, file name and line number.
- SCA-RM-5: Identify any weaknesses within the relevant the coding complexities listed in Appendix B
- **SCA-RM-6:** Have an acceptably low false-positive rate.

3.1.2 Requirements for Optional Features

If the tool supports the applicable optional feature, then the requirement for that feature applies:

- SCA-RO-1: Produce an XML-formatted report.
- SCA-RO-2: Not identify a weakness instance, which has been suppressed.
- SCA-RO-3: Use the CWE name of the weakness it identifies.

3.2 Measurement of Fulfillment of Requirements

Briefly, testing takes three steps:

- 1. Prepare install tool, choose appropriate test suites
- 2. Run tool on test cases in test suites determine if results are as expected
- 3. Summarize results

To prepare to run the tests, the tool must be installed, of course. The tester should establish what names the tool uses corresponding with the errors in SCA, Appendix A. This is one part of satisfying SCA-RM-3, the names that the tool uses mean the same thing as the names used in the test. For automated checking, a correspondence should be made between the two sets of names. If the tool uses CWE names, the correspondence, and SCA-RO-3, are trivial. SCA-RM-3 is still important: it is conceivable that a tool reports a weakness at the right place, but refers to it by some entirely inappropriate name.

Each computer language has three corresponding test suites. Test suite SCA-TS-1name, where name is the name of the language, has programs with weaknesses. For instance, SCA-TS-1-CPP is for the C++ language and SCA-TS-1-Java is for Java. It tests features that are described in requirements SCA-RM-1 through SCA-RM-5. It can also test requirements SCA-RO-1 and SCA-RO-3. Test suite SCA-TS-2name tests requirement SCA-RM-6, false alarms or false positives. Test suite SCA-TS-3-name tests requirement SCA-RO-2, suppressing warnings.

For each language to be tested, download the appropriate test suites SCA-TS-1 and TS-2. If SCA-RO-2, warning suppression, is to be tested, download the appropriate test suites TS-3, too.

Since there may be several hundred individual test results to check, we encourage users to write a harness for their own needs. The "More Downloads" section of the SRD will shortly have sample scripts. All the tests could be run, and results saved, then the determination made if the results are as expected. Alternatively the determination could be made as each test is run. The advantage of making the determination after all runs is that the determination can be rerun if need be without rerunning the tool on all the test cases.

Note that the results of running the tool on test suite SCA-TS-1 are used for many requirements. The results of SCA-TS-2 and SCA-TS-3 are used for one requirement each.

3.2.1 Mandatory Features

• To determine if SCA-RM-1 is met from the results of SCA-TS-1 ...

To determine if SCA-RM-2 is met from the results of SCA-TS-1 ...

To determine if SCA-RM-3 is met from the results of SCA-TS-1 ...

To determine if SCA-RM-4 is met from the results of SCA-TS-1 ...

To determine if SCA-RM-5 is met from the results of SCA-TS-1 ...

For each test case, the tool under testing is expected to generate a report that identifies the weakness with a name semantically equivalent to those in Appendix A of [SCA] and its location (e.g. path name and line number(s) of weakness).

• To determine what to report for SCA-RM-6 from the results of SCA-TS-2 ...

The number of errors reported divided by number of test cases will be the ratio of false positive.

3.2.2 Optional Features

• To test requirement SCA-RO-1, if XML-formatted report is not a default for the tool under testing, turn on that feature and then run test suite SCA-TS-1 for the appropriate language. The tool under test should generate report as described in 3.2.1 in XML-format.

- To test requirement SCA-RO-2, run test suite SCA-TS-3 first to prove the tool can identify the weaknesses. Then run SAC-TS-3 again after the weaknesses described in Appendix A are suppressed in the tool under test. The tool should generate no report on any weakness that is suppressed.
- To test requirement SCA-RO-3, run test suite SCA-TS-1 for the appropriate language. For each test case, the tool under testing is expected to generate a report that identifies the weakness with correct CWE name.

4 Test Suites

A test suite is a collection of test cases explicitly selected for a special purpose. Each test case is an atomic program that ensures a specific functionality required by SCA can be performed by the tool under testing. Test suites and their test cases are stored in SRD [SRD]. Each SRD test case entry provides test file, description of weakness, CWE classification, type of code complexity, location of the weakness and other test case metadata.

4.1 Test Suites for the C Language

4.1.1 Test Suite SCA-TS-1-C (SRD Test Suite 45)

This test suite will cover source code weaknesses in C listed in Appendix A of *Source code security analysis tool Functional Specification* [SCA].

Source Code Weakness	CWE ID	Code Complexity	SRD Test case ID	Remark
Basic XSS	80	Basic	1794	
		Scope	1781	
		Address alias level	1919	
		Container	1921	
		Loop complexity	1792	
Resource Injection	99	Basic	1897	
		Scope	1901	
		Address alias level	1895	
		Container	1899	
OS Command Injection	78	Basic	11	Test function 'system()'.
		Basic	1780	Test function 'execlp()'.
		Scope	1885	
		Local control flow	1881	

		Loop structure	1883	
SQL Injection	89	Basic	1796	
~ (j		Array index complexity	1798	
		Scope	1800	
Stack Overflow	121	Basic	2009	
		Array index complexity	1544	
		Scope	1548	
		Basic	1563	Test function gets()
		Basic	1565	Test function fgets()
		Array index complexity	1751	rest function (jets()
		Array length/limit	1905	
		complexity	1705	
		Index alias level	1907	
		Loop Structure	1909	
Heap Overflow	122	Basic	15	
		Scope	1612	
		Array address complexity	1843	
		Array index complexity	1845	
		Memory location	1847	
Format string vulnerability	134	Basic	10	
		Address alias level	92	
		Scope	93	
		Container	1831	
		Local control flow	1833	
Improper Null Termination	170	Basic	1849	
		Taint	1857	
		Buffer address type	2010	
		Container	1854	
		Address alias level	1850	
Heap Inspection	244	Basic	1737	
Often Misused: String Management	251	Basic	1865	
		Taint	1873	
		Scope	1871	
		Address alias level	1867	
		Container	1869	
Hard-coded	259	Basic	1810	

Password				
		Local control flow	1839	
		Loop structure	1841	
		Container	1837	
		Array Index Complexity	1835	
Time-of-check Time-of-use race condition	367	Basic	102	
		Basic	1806	
		Local Control Flow	1808	
Unchecked Error Condition	391	Basic	1928	
Memory leak	401	Basic	1585	
		Scope	1588	
Unrestricted Critical Resource Lock	412	Basic	1863	
Double Free	415	Basic	1508	
		Buffer address type	99	
		Loop structure	1829	
		Local control flow	1827	
		Scope	1590	
Use After Free	416	Basic	6	
		Scope	1917	
		Address alias level	1911	
		Container	1915	
		Buffer address type	1913	
Uninitialized variable	457	Data type	78	Data type is integer
		Data type	2003	Data type is int *
		Loop Structure	1757	
Unintentional pointer scaling	468	Basic	1782	
Null Dereference	476	Basic	2001	
		Address alias level	1875	
		Local control flow	1877	
		Scope	1879	
Leftover Debug Code	489	Basic	1861	

4.1.2 Test Suite SCA-TS-2-C (SRD Test Suite 46)

This test suite will be used to examine false positive ratio generated by the tool under testing for C applications.

Source Code Weakness	CW E ID	Code Complexity	SRD Test case ID	Remark
Basic XSS	80	Basic	1795	
		Scope	1924	
		Address alias level	1920	
		Container	1922	
		Loop complexity	1793	
Resource Injection	99	Basic	1898	
		Address alias level	1896	
		Container	1900	
		Scope	1902	
OS Command Injection	78	Basic	1931	Test function 'system()'.
		scope	1886	
		Local control flow	1882	
		loop structure	1884	
SQL Injection	89	Basic	1797	
		Array index complexity	1799	
		Scope	1801	
		Loop structure	1930	
Stack Overflow	121	Basic	1547	
		Array index complexity	1545	
		Scope	1549	
		Basic	1566	
		Array length/limit complexity	1906	
		Basic	1602	
		Index alias level	1908	
		Loop Structure	1910	
Heap Overflow	122	Basic	2006	
		Scope	1615	
		Array index complexity	1844	
		Memory location	1848	
		Array index complexity	1574	
		Scope	1613	

Format string vulnerability	134	Scope	1562	
		Address alias level	1560	
		Local control flow	1834	
		Container	1832	
		Scope	1556	
Improper Null Termination	170	Basic	1856	
		Taint	1858	
		Buffer address type	2012	
		Container	1855	
		Address alias level	1851	
Often Misused: String Management	251	Basic	1866	
		Taint	1874	
		Scope	1872	
		Address alias level	1868	
		Container	1870	
Hard-coded Password	259	Local control flow	1840	
		Loop structure	1842	
		Container	1838	
		Array Index Complexity	1836	
Time-of-check Time-of-use race condition	367	Basic	1892	
		Local Control Flow	1894	
Unchecked Error Condition	391	Basic	1929	
Memory leak	401	Basic	1933	
		Scope	1586	
		Address alias level	1589	
		Container	1925	
		Loop structure	1926	
Unrestricted Critical Resource Lock	412	Basic	1864	
Double Free	415	Basic	1932	
		Loop structure	1830	
		local control flow	1828	

		Scope	1591
Use After Free	416	Scope	1918
		Address alias level	1912
		Container	2008
		Buffer address type	1914
Uninitialized variable	457	Basic	2004
Unintentional pointer scaling	468	Data type	1927
Null Dereference	476	Basic	2002
		Scope	1880
		Address alias level	1876
		Local control flow	1878
Leftover Debug Code	489	Basic	1862

4.1.3 Test Suite SCA-TS-3-C (SRD Test Suite 47)

This test suite will examine whether the tool identifies weakness after it has been suppressed for C applications.

Source Code Weakness	CWE ID	Code Complexity	SRD Test case ID	Remark
Basic XSS	80	Basic	1794	
Resource Injection	99	Basic	1897	
OS Command Injection	78	Basic	11	Test function 'system()'.
SQL Injection	89	Basic	1796	
Stack Overflow	121	Basic	2009	
Heap Overflow	122	Basic	15	
Format string vulnerability	134	Basic	10	
Improper Null Termination	170	Basic	1849	
Heap Inspection	244	Basic	1737	
Often Misused: String Management	251	Basic	1865	
Hard-coded Password	259	Basic	1810	

Time-of-check Time-of-use race condition	367	Basic	102	
Unchecked Error Condition	391	Basic	1928	
Memory leak	401	Basic	1585	
Unrestricted Critical Resource Lock	412	Basic	1863	
Double Free	415	Basic	1508	
Use After Free	416	Basic	6	
Uninitialized variable	457	Data type	78	Data type is integer
Unintentional pointer scaling	468	Basic	1782	
Null Dereference	476	Basic	2001	
Leftover Debug Code	489	Basic	1861	

4.2 Test Suites for the C++ Language

4.2.1 Test Suite SCA-TS-1-CPP (SRD Test Suite 57)

This test suite will test the capability of SCA handling weakness in C++ language features. Coupled with SCA-TS-1-C (SRD Test Suite 45), it will cover source code weaknesses in C++ listed in Annex A of *Source Code Security Analysis Tool Functional Specification* [SCA].

Source Code Weakness	CWE ID	Code Complexity	SRD Test case ID	Remark
Basic XSS	80	Basic	1965	
		Scope	1973	
		Index alias level	1975	
Resource Injection	99	Basic	2013	
		Scope	2023	
		Address alias level	2021	
		Container	2026	
OS Command Injection	78	Basic	2028	
		Scope	2030	

		Local control flow	2032	
		Loop structure	2034	
SQL Injection	89	Basic	1983	
		Array index complexity	1989	
		Scope	1985	
Stack Overflow	121	Basic	1971	
		Container	2038	
Heap Overflow	122	Basic	2062	
		Scope	2063	
		Array address complexity	2064	
		Array index complexity	2065	
Hard-coded Password	259	Basic	2043	
		Scope	2044	
		Loop structure	2045	
		Container	2046	
		Data Type	2048	
Unchecked Error Condition	391	Basic	1739	
Memory leak	401	Basic	2054	
		Container	1967	
		Local Control Flow	2056	
Uninitialized variable	457	Data type	1977	Data type is integer
		Data type	2060	Data type is pointer
		Loop Structure	1987	
Unintentional pointer scaling	468	Basic	1979	
Null Pointer Dereference	476	Basic	1993	
		Index alias level	1999	
		Local control flow	1997	
		Scope	1995	
Leftover Debug Code	489	Basic	1954	

4.2.2 Test Suite SCA-TS-2-CPP (SRD Test Suite 58)

This test suite will be used to examine false positive ratio generated by the tool under testing for C++ applications. Coupled with SCA-TS-2-C (SRD Test Suite 46), it will

cover source code weaknesses in C++ listed in Annex A of *Source Code Security Analysis Tool Functional Specification* [SCA].

Source Code Weakness	CWE ID	Code Complexity	SRD Test case ID	Remark
Basic XSS	80	Basic	1966	
		Scope	1974	
		Index alias level	1976	
Resource Injection	99	Basic	2025	
		Scope	2024	
		Address alias level	2022	
		Container	2040	
OS Command Injection	78	Basic	2029	
		Scope	2036	
		Local control flow	2033	
		Loop structure	2035	
SQL Injection	89	Basic	1984	
		Array index complexity	1990	
		Scope	1986	
Stack Overflow	121	Basic	1972	
		Container	2039	
Heap Overflow	122	Basic	2066	
		Scope	2067	
		Array address complexity	2068	
		Array index complexity	1962	
Hard-coded Password	259	Basic	2047	
		Local control flow	2050	
		Loop structure	2051	
		Container	2052	
		Data Type	2049	
Unchecked Error Condition	391	Basic	1992	
Memory leak	401	Basic	2058	
		Container	1968	
		Local control flow	2059	
Uninitialized variable	457	Data type	1978	Data type is integer

		Data type	2061	Data type is pointer
		Loop Structure	1988	
Unintentional Pointer Scaling	468	Basic	1980	
Null Pointer Dereference	476	Basic	1994	
		Index alias level	2000	
		Local control flow	1998	
		Scope	1996	
Leftover Debug Code	489	Basic	1960	

4.2.3 Test Suite SCA-TS-3-CPP (SRD Test Suite 59)

This test suite will examine whether the tool identifies weakness after it has been suppressed for C++ applications. Coupled with SCA-TS-3-C (SRD Test Suite 47), it will cover source code weaknesses in C++ listed in Annex A of *Source Code Security Analysis Tool Functional Specification* [SCA].

Source Code Weakness	CWE ID	Code Complexity	SRD Test case ID	Remark
Basic XSS	80	Basic	1965	
Resource Injection	99	Basic	2013	
OS Command Injection	78	Basic	2028	
SQL Injection	89	Basic	1983	
Stack Overflow	121	Basic	1971	
Heap Overflow	122	Basic	2062	
Hard-coded Password	259	Basic	2043	
Unchecked Error Condition	391	Basic	1739	
Memory leak	401	Basic	2054	
Uninitialized variable	457	Data type	1977	Data type is integer
Unintentional pointer scaling	468	Basic	1979	
Null Pointer Dereference	476	Basic	1993	
Leftover Debug Code	489	Basic	1954	

4.3 Test Suites for the Java Language

4.3.1 Test Suite SCA-TS-1-JAVA

This test suite will cover source code weaknesses in JAVA listed in Appendix A of *Source code security analysis tool Functional Specification* [SCA]. This test suite is still under development.

4.3.2 Test Suite SCA-TS-2-JAVA

This test suite will be used to examine false positive ratio generated by the tool under testing for JAVA applications. The test cases of this suite are still under construction.

4.3.3 Test Suite SCA-TS-3-JAVA

This test suite will examine whether the tool identifies weakness after it has been suppressed for JAVA application. The test cases of this test suite are under construction.

5 Reference:

 [SCA] Source Code Security Analysis Tool Functional Specification Version 1.0 http://samate.nist.gov/docs/SAMATE_source_code_analysis_tool_spec_0 1_29_07.pdf
 [SRD] SAMATE Reference Dataset http://samate.nist.gov/SRD/ To retrieve test suite, click on "Test Suites" on the tool bar. A list of test suite will display. Select the required test suite.