National Construction Safety Team Investigation

The Station Nightclub Fire: Emergency Response

Federal Advisory Committee June 23, 2004

Kenneth Kuntz

U.S. Fire Administration

U.S. Department of Homeland Security Ken.kuntz@fema.gov



Magnitude of life loss & injury

100 fatalities:

□ 96 on site

□ 4 subsequent to hospitalization

Estimated 230 casualties (186 of whom were transported by 1st responder agencies)

In U.S. history: 4th deadliest 'nightclub' fire 9th deadliest 'place of public assembly' fire



West Warwick Fire Department

Provides primary fire suppression, rescue & EMS to a population of just under 30,000 in a service area of approx. 8 sq. miles

Operating out of 4 Stations with a total of:

□ 4 engines,

- □ 1 ladder truck,
- 1 special hazards / light unit &
- 2 rescue ambulances

Staffed by 13 career officers & firefighters per shift* (NFPA 1500 & 1710)



Type & Scope of the Incident

Type: Occupied commercial public assembly fire

Scope: Mass Casualties / Mass Fatalities Incident

WWFD "all hands" response w/ callback of off duty personnel RI multi-regional, multi-State Fire-EMS-Police Mutual Aid

Activated:

- The Southern New England Fire Emergency Assistance Plan MCI component
- □ The Rhode Island Mass Casualty Disaster Plan



Type & Scope of Incident (cont.)

- 583 Fire, EMS & Police responders
- 57 + Public & 6 Commercial Amb. Co.s (BLS-ALS)
- 2 Bus Services provided transportation & shelter

RI State Fire Marshal's Office

RI State Medical Examiner's Office



Incident progression

<u>2/2/03</u>

11:07 pm	Ignition of	stage area wall covering	
----------	-------------	--------------------------	--

- 11:10 pm WWFD dispatched to the scene
- 11:14 pm WWFD Eng.4 on scene advising "Heavy Fire" on arrival
- 11:16 pm WWFD Eng.4 "booster tank" initial water on fire
- 11:22 pm WWFD Chief responding, orders implementation of MCI plan
- 11:24 pm WWFD Eng. 4 receives water supply, begins "Master Stream" operations



Incident progression (cont.)

<u>2/21/03</u> (Rescue & Fire suppression efforts continue)

12:15 am Partial collapse of poolroom area
? am Fire extinguished, recovery operations continue
01:05 am All casualties transported from the scene
4:00 am Chiefs meet to plan demobilization
6:00 am Crane arrives to assist body recovery efforts
Noon Last body recovered
11:15 pm All units returned to quarters, incident scene secured, fire investigation ongoing



Concluding remarks

Incident assessment sources

- Information independently acquired by the NCST from State / local agencies & officials (e.g., A/V tapes, dispatch logs, photographs)
- Information detailed in DHS/ODP's after-action report acquired from various participant interviews, news accounts, existing records, etc.

Actions remaining to be taken:

- Complete "critical events" & "key actions" timeline
- Identify missing information and resolve inconsistencies
- Coordinate information with State / Local officials and DHS/ODP

