ROADM and Optical Layer

Dan Kilper
University of Arizona



SDN: Google Map Routing for Networks? Packets = Driving, Optics = Flying







Key Questions/Issues

- Better performance: tighten margins or eliminate margins
- Better software control: reduced complexity, improve reliability of software controls
- Reduce testing cycles, repair time
- Disaggregation: more reliable performance from disaggregated hardware
- Enable more dynamic/faster switching/DBA operation
- Can we use test or field data in order to 'learn' better methods to address the above issues?
- Which data is useful and where?



Long Term Question

- Can we make optical systems fully open and simple to operate?
 - Buy components from any vendor and put them together however I want without worry
 - Configure, customize, operate as you like



Scope

- Line system components:
 - WSSs, space switches, amplifiers, fiber plant, VOAs,
 OPM/telemetry/OTDR, multiplexers, ASE noise loading
- Line system controls:
 - RSA/RWA/PCE, steady state controls (e.g. power leveling, OA gain settings), channel provisioning (e.g. switch settings, power tuning, synchronization)
- Test, Development, Fault Management:
 - Engineering rule validation testing, interoperability testing, in-service testing, fault identification/localization, fault prediction, electrical power cycling, in-service maintenance



Signal Provisioning


| Stages | Steps | Goal/Issue | Al solution |
|-----------------|-----------------------------------|---|---------------------|
| Before | Physical layer characterization | Lack of accurate optical amplifier model | DNN |
| traffic request | Traffic prediction | Optimize resource allocation | LSTM, DCRNN |
| Before channel | Wavelength selection | Minimize impact to existing channels | DNN |
| setup | QoT estimation | Predict signal quality (e.g. OSNR) | GP, GN, TL |
| During channel | Power tuning | Speed, avoid impact | None |
| setup | Element synchronization | Speed, stability | None |
| After channel | Adaptive control for transmission | Fluctuation of signal quality reconfiguration | Feedback Control |
| setup | Failure detection and recovery | Predict link failure, recover optical link | ML+SDN, tSDX |




Variations in the Field

- Production system measurements (Microsoft)
- Performance varies by wavelength & route over time
- Mostly transceiver focused: what about network!

Wavelength & Route Dependence:




Time Dependence:





Ghobadi, et. al. OFC 2016




Example: OA Models









| P_i | $= RG_M P_{ini} + G_M$ | $\sum_{j\neq i}$ | $(R - fg_j)P_{inj} + G_M(R - fg_I)N_I - fG_Mg_RN$ | I_R |
|-------|------------------------|------------------|---|-------|
| | | | | |

| Parameter | Value |
|----------------------------|---|
| Input Vector | [P _{ch1} , P _{ch2} , P _{ch3} , , P _{ch90}] |
| Output Vector | [P _{chi}] for <i>i</i> in [1, 90] # <i>i</i> is index of the 90 NNs |
| Transfer Func. | [ReLU, Linear, ReLU, Linear, ReLU] |
| Training Target | Min{MSE} |
| Training Method | Stochastic Gradient Descent (SGD) |
| Batch Size (m) | <i>m</i> = 60 |
| Learning Rate (α) | $\alpha = 0.00025$ |
| Training Time | > 15000 iterations |
| , | |




S. Zhu, et. al. ECOC 2018

Use Transfer Learning from Test Lab to Field


Y-K. Huang, E. Ip NEC & UA W. Mo., et. al. OFC 2018


- Improve Quality of Transmission (QoT) estimation and wavelength assignment
- Transfer learning for real time prediction



Best student paper runner-up for OFC 2018!









Dynamic Domain Power Control Algorithm

- Power drifts over time and new channels are provisioned: need periodic power control to stay within margins
- Adjust nodes in parallel within 'optically' isolated domains
 - Node ordering based on channel routes







The Network Today: Long Haul/Regional


- No point to point trans-continental links
- Large, continental scale transparent network
 - Add and drop traffic many times along route from NY to LA






The Network Today: Metro/Wireless/ Access

Manhattan Crown Castle (Wireless) Fiber






COSMOS: Multi-Layer Wireless Optical Testbed






New York City Deployment Area





COSMOS: Optical Networking





COSMOS: Optical Platform for Data Collection

