

**NIST Calibration Program**  
**Calibration Services Users Guide**  
**SP 250 Appendix**  
*Fee Schedule – January 20, 2016*

*Calibration Services:*

*Dimensional*

*Mechanical*

*Thermodynamic*

*Optical Radiation*

*Ionizing Radiation*

*Electromagnetic*

*Time and Frequency*



National Institute of  
Standards and Technology  
U.S. Department of Commerce

# Table of Contents

<b>CHAPTER 1</b>	<b>1</b>
<b>POLICIES</b>	<b>1</b>
A. Introduction	1
B. ProForma Invoice	1
C. Types of Calibration Services	1
D. Criteria for Quality Assurance	2
E. Quality	2
F. Fees	2
G. Reports of Calibration/Test Results	2
H. Traceability	2
I. Reporting Measurement Uncertainty	3
J. Use of Metric (SI) Units	3
K. Reference to NIST in Advertisements	3
L. Disclaimer	4
M. Questions and Inquires	4
N. Contracts and Signed Statements	4
O. Use of NIST Instrumentation at User's Facility	4
<b>CHAPTER 2</b>	<b>5</b>
<b>ORDERING INSTRUCTIONS FOR DOMESTIC CUSTOMERS</b>	<b>5</b>
A. Customer Inquires	5
B. Prearrangements and Scheduling	5
C. Purchase Orders	5
D. Remit to	6
E. Shipping, Insurance, and Risk of Loss	7
F. Turnaround Time	7
G. Customer Checklist	7
<b>CHAPTER 3</b>	<b>9</b>
<b>SPECIAL INSTRUCTIONS FOR FOREIGN CUSTOMERS</b>	<b>9</b>
A. Foreign Inquires	9
B. Criteria for Providing Service	9
C. Special Instructions	9
D. Shipping Charges	11
<b>CHAPTER 4</b>	<b>12</b>
<b>DIMENSIONAL MEASUREMENTS</b>	<b>12</b>
A. Length Measurements	12
B. Diameter and Roundness Measurements	14
C. Complex Dimensional Standards	15
E. Optical Reference Planes and Roundness Standards	17

F.	Angular Measurements	18
G.	Laser Measurements	18
H.	Surface Texture	19

## **CHAPTER 5** **20**

<b>MECHANICAL MEASUREMENTS</b>	<b>20</b>	
A.	Hydrometers	20
B.	Volume and Density	20
C.	Flow Measurements	21
D.	Flow Measurements at Cryogenic Temperatures	21
O.	Air Speed Measurements	22
F.	Mass Standards	22
G.	Force Measurements	23
H.	Vibration Measurements	24
I.	Acoustic Measurements	25

## **CHAPTER 6** **26**

<b>THERMODYNAMIC QUANTITIES</b>	<b>26</b>	
A.	Pressure Measurements	26
B.	Vacuum, Low Pressure and Leak Measurements	26
C.	Laboratory and Industrial-Grade Thermometers	28
D.	Thermocouples, Thermocouple Materials, Thermometer Indicators	29
E.	Resistance Thermometry	30
F.	Radiance Temperature Measurements	32
G.	Humidity Measurements	33
H.	Thermal Resistance Measurements	34

## **CHAPTER 7** **35**

<b>OPTICAL RADIATION MEASUREMENTS</b>	<b>35</b>	
A.	Photometric Measurements	35
B.	Ozone Measurements	36
C.	Optical Properties of Materials Measurements	36
D.	Surface Color and Appearance	37
E.	Spectroradiometric Measurements	37
F.	Radiometric Standards in the Ultraviolet	39
G.	Laser and Optoelectronic Components Used with Lasers	40

## **CHAPTER 8** **42**

<b>IONIZING RADIATION MEASUREMENTS</b>	<b>42</b>	
A.	Radioactivity Sources	42
B.	Neutron Sources and Neutron Dosimetry	43
C.	Dosimetry of X-Rays, Gamma-Rays, and Electrons	43
D.	Dosimetry for High-Dose Applications	44

## **CHAPTER 9** **46**

<b>ELECTROMAGNETIC MEASUREMENTS</b>	<b>46</b>
-------------------------------------	-----------

A.	Resistance Measurements	46
B.	Impedance Measurements (Except Resistors)	48
C.	Voltage Measurements	50
D.	Precision Ratio Measurements	52
E.	Phase Meters and Standards and VOR Measurements	54
F.	Power and Energy Measurements, Low-Frequency	55
G.	RF, Microwave and Millimeter-Wave Measurements	56
H.	Electromagnetic Field Strength and Antenna Measurements	60
I.	High-speed Repetitive Waveform Measurements	61
J.	Pulse Waveform Measurements	61
<b>CHAPTER 10</b>		<b>62</b>
<b>TIME AND FREQUENCY MEASUREMENTS</b>		<b>62</b>
A.	Broadcast and Measurement Services	62
B.	Calibration and Characterization of Oscillators and Amplifiers	63
C.	Test of PM/AM Noise Measurement Systems	63
<b>CHAPTER 11</b>		<b>64</b>
<b>SEMINARS</b>		<b>64</b>

# CHAPTER 1

## POLICIES

### A. Introduction

The calibration services of the National Institute of Standards and Technology (NIST) are designed to help the makers and users of precision instruments achieve the highest possible levels of measurement quality and productivity. The services listed in this Fee Schedule constitute the highest order of calibration services available in the United States. They directly link a customer's precision equipment or transfer standards to national and international measurement standards. These services are offered to public and private organizations and individuals alike.

For more specific information, the NIST Calibration Services Users Guide, SP 250, contains data on uncertainty and other technical references. Copies are available upon request or consult our website (see Section L of this chapter).

### B. ProForma Invoice

Please be advised that for non-U.S. government agencies, starting 01 January 2013, a new legal document (Calibration Service Pro Forma Invoice) containing the NIST calibration service terms and conditions are required for all calibration services. This document is a Calibration Cooperative Research and Development Agreement (C-CRADA) between your company and NIST. In general, this C-CRADA protects your calibration information as well as providing you with a firm price quote, explaining invoicing information, and information on the NIST quality system and traceability. In addition to the legal terms and conditions, the Calibration Service Pro Forma Invoice is used in two primary ways: 1) to create a firm price quote prior to submission of a company purchase order or 2) to create a firm price quote after receipt of a company purchase order. In either case, a signed copy of the Calibration Service Pro Forma Invoice by the authorized company representative is required by NIST. The terms and conditions of the Calibration Service Pro Forma Invoice supersede any conflicting and/or additional terms and conditions contained in a company's purchase order.

For U.S. government agencies, an agreement is required in lieu of the Calibration Service Pro Forma Invoice. Please contact Nancy Selepak ([nancy.selepak@nist.gov](mailto:nancy.selepak@nist.gov)) for assistance.

### C. Types of Calibration Services

- Calibration Services
- Special Tests
- Measurement Assurance Programs (MAPs)

NIST provides Calibration Services using well-characterized, stable and predictable measurement processes. NIST calibrates instruments and devices that are metrologically suitable as reference or transfer standards.

**Special Tests** are so designated for one or more of the following reasons: (1) the specific type of calibration is seldom requested, thus precluding the maintenance of a large statistical base for characterizing the measurement process; (2) the test requested is unique; or (3) the service is still under development – meaning the measurement or calibration methods are still being perfected, or all the quality-control documentation has not been completed.

**Measurement Assurance Programs** are quality control programs for calibrating a customer's entire measurement system. In a typical MAP, a stable artifact or set of artifacts called transfer standards are first measured by NIST and then sent to a customer's laboratory for a series of measurements. The transfer standards are then returned to NIST for re-measurement, along with the participating laboratory's results.

NIST reports its comparative findings to the customer and, when necessary, offers guidance on achieving and maintaining measurement quality. Successful use of a NIST MAP requires that the customer make periodic measurements of in-house check standards to estimate their measurement process uncertainty and to ensure that the measurement process remains in a state of statistical control. Unless a laboratory has a measurement quality assurance program to monitor its own measurement process parameters continuously, there is no value in participating in a MAP. In fact, NIST recommends that its customers establish and use a measurement quality assurance program to monitor their measurement parameters, whether or not they participate in a MAP.

## **D. Criteria for Quality Assurance**

All the measurement services listed in this document meet rigorous criteria for quality assurance. Calibration Services and MAPs satisfy the most demanding and explicit requirements in that they are carried out regularly under pre-established and well-defined conditions; the measurement processes involved are well-characterized, stable, and statistically controlled; and quality-control procedures are well-defined and strictly followed. Furthermore, each Calibration Service or MAP is planned and documented to permit continuity of service over time.

## **E. Quality**

NIST has implemented a quality system for its measurement services. The NIST Quality System, [www.nist.gov/qualitysystem/](http://www.nist.gov/qualitysystem/) (NIST QS) comprises policies and procedures that are documented in the NIST Quality Manual (NIST QM). NIST commits that the NIST QS be, to the extent allowed by statute and regulation, in conformity with the international standard ISO/IEC 17025 and the relevant requirements of ISO Guide 34 as they apply to the Standard Reference Materials® (SRMs) and related services that NIST delivers. In general the scope of the NIST quality system for measurement services encompasses all services listed in the NIST Special Publication (SP) 250, NIST Calibration Services Users Guide and the NIST Special Publication (SP) 260, Standard Reference Materials Catalog.

## **Fees**

NIST recovers the cost of providing calibration services by charging a fee for each calibration performed. The costs of services are published in the Fee Schedule, which is updated and published annually to reflect changes in prices and services. Even so, the cost of many services varies according to your exact calibration specifications; you must therefore provide the technical contact with an exact description of work before receiving a price quote.

**NOTE: Fees for NIST services do not include shipping costs or insurance.**

## **F. Reports of Calibration/Test Results**

Reports on calibrations or other services are the property of the customer. Copies are supplied to other parties only as required by federal law or requested in writing by the customer. The results of calibrations and tests performed by NIST apply only to the specific instrument or standard at the time of test unless otherwise clearly stated.

## **G. Traceability**

The primary purpose of the NIST Policy on Traceability is to state the NIST role with respect to traceability. The Policy presents the definition of measurement traceability used by NIST, and clarifies the roles of NIST

and others in achieving traceability of measurement results for measurements both internal and external to NIST.

The NIST Policy on Traceability also addresses the role of NIST in providing its customers with the tools they need (a) to assist them in establishing traceability of their measurement results, and (b) to assess the claims of traceability made by others. This is achieved directly through the provision of NIST measurement-related products and services, through collaboration with relevant organizations, through development and dissemination of technical information on traceability, and through conducting coordinated outreach programs.

Merely having an instrument or artifact calibrated at NIST is not enough to make the measurement result traceable to reference standards developed and maintained by NIST. To establish traceability to such reference standards, there must be an unbroken chain of comparisons and each provided measurement must be accompanied by a statement of uncertainty. The measurement system by which values are transferred must be clearly understood and under control. The dates and details of each link in the chain must also be provided.

Although NIST supports making the user aware of traceability and provides the user with details as to how traceability is established, NIST does not allow the prominent display of its name on proprietary products or in the advertising of them (See Section J of this chapter).

## **H. Reporting Measurement Uncertainty**

To ensure that NIST uncertainty statements are consistent across the organization and with international practice, NIST policy requires that all NIST measurements be accompanied by statements of uncertainty as discussed in NIST Technical Note 1297<sup>1</sup>.

NIST reports its calibration results, with the measurement values accompanied by the uncertainties associated with the methods, operators, and environment at NIST. Users of these calibration services will make their own measurements with the calibrated instruments or artifacts. In addition to the uncertainty indicated by NIST, other uncertainties are inherent in the instrument, associated with the method or protocol in using the instrument, with the operator of the instrument, and with the physical environment (pressure, temperature, humidity, etc.) in which the measurements are made. Thus, the measurements made with the calibrated instruments or artifacts by organizations outside of NIST have total uncertainty budgets associated with them, only one component of which is the uncertainty reported to them by NIST.

## **I. Use of Metric (SI) Units**

In accordance with the Metric Conversion Act of 1975 as amended by Section 5164 of the Omnibus Trade and Competitiveness Act of 1988 and as required by related provisions of the Code of Federal Regulations, the National Institute of Standards and Technology (NIST) uses the modern metric system of measurement units (International System of Units—SI) in all publications. When the field of application or the special needs of users of NIST publication require the use of non-SI units, the values of quantities are first stated in the SI units and the corresponding values expressed in non-SI units follow in parentheses. Copies of NIST SP 811<sup>3</sup> are available upon request (see Section L) or on the web site: [www.nist.gov/pml/pubs/](http://www.nist.gov/pml/pubs/)

## **J. Reference to NIST in Advertisements**

The NIST measurement/test results or reports shall not be used to indicate or imply that NIST approves, recommends, or endorses the manufacturer, supplier, or user of any instruments or standards or that NIST in any way guarantees or predicts the future performance of items after calibration or test. No reference shall be made to NIST or to reports or results furnished by NIST in any advertising or sales promotions, which would indicate or imply that NIST approves, recommends, or endorses any proprietary product or proprietary material.

## **K. Disclaimer**

Commercial products, materials, and instruments, are identified in our communications and documents for the sole purpose of adequately describing experimental or test procedures. In no event does such identification imply recommendation or endorsement by NIST of a particular product; nor does it imply that a named material or instrument is necessarily the best available for the purpose it serves.

## **L. Questions and Inquires**

The NIST Calibration Services website is intended to make the task of selecting and ordering an appropriate calibration service as quick and easy as possible. Nevertheless, when questions arise you should contact NIST for immediate clarification.

General inquiries about the NIST calibration services, assistance in determining the availability of services, and requests for complimentary copies of the Guide for the International System of Units (SP 811), and Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Results (TN 1297) are to be addressed to:

PML Calibration Services  
National Institute of Standards and Technology  
100 Bureau Drive, Stop 8363  
Gaithersburg, MD 20899-8363  
United States of America  
Telephone: (301) 975-2200  
Fax: (301) 975-2950  
Email: [calibrations@nist.gov](mailto:calibrations@nist.gov)  
Internet: [www.nist.gov/calibrations/](http://www.nist.gov/calibrations/)

For technical questions concerning a specific service, directly contact the NIST staff member responsible for that calibration area.

## **M. Contracts and Signed Statements**

As an agency of the United States Federal Government, Department of Commerce, the National Institute of Standards and Technology attests solely to the provisions described above. Receipt of orders by NIST does not imply acceptance of any provisions set forth in the order that are contrary to the policy, practice, or regulations of NIST or the U.S. Government. In general, NIST will not sign any affidavits, acknowledgement forms, or other documents that may be required by any domestic or foreign entity for policy governing procurement of goods and services.

## **N. Use of NIST Instrumentation at a User's Facility**

The delivery of certain measurement services requires that NIST equipment be loaned to the customer for on-site measurements and/or calibrations. The customer agrees to be responsible for the equipment once it leaves NIST until it is returned to NIST's possession. The User will obtain appropriate liability insurance, including property damage insurance, and will be required to present evidence of insurance coverage for the equipment in an amount not less than \$100,000, or alternatively, not less than the amount specified by NIST in the documentation accompanying the equipment.

## **CHAPTER 2**

### **ORDERING INSTRUCTIONS FOR DOMESTIC CUSTOMERS**

#### **A. Customer Inquires**

General customer inquiries for information or clarifications about the NIST calibration services should be directed as follows:

PML Calibration Services  
National Institute of Standards and Technology  
100 Bureau Drive, Stop 8363  
Gaithersburg, MD 20899-8363  
301-975-2200 phone  
301-975-2950 fax  
[calibrations@nist.gov](mailto:calibrations@nist.gov)

#### **B. Prearrangements and Scheduling**

Services should be arranged in advance, beginning with direct contact with a NIST technical staff member responsible for the desired service. Use the appropriate technical section of the Users Guide or Fee Schedule to determine whom to contact. This advance communication may answer your questions, clarify the policies and procedures briefly described here, and will permit you to schedule a tentative calibration date. Following the initial communication, you must complete and submit a purchase order and prepare to ship the item according to the procedures described below or agreed upon with the technical contact. If a calibration is scheduled far in advance, the item should not be shipped until shortly before the scheduled date; you must submit the purchase order (complete with the name and number of the desired service) before a firm calibration date can be assigned. When NIST receives your purchase order and assigns a firm service date, your order will be confirmed by the technical contact.

#### **C. Purchase Orders**

Before you ship an item for calibration, send a purchase order to the address listed in the appropriate technical section. The purchase order must:

1. State both the name and number of the NIST service (listed in this Fee Schedule as the “Service ID Number”) being requested. **FAILURE TO INCLUDE THE SERVICE ORDER NUMBER WILL SERIOUSLY IMPEDE SCHEDULING AND SERVICE.**
2. Clearly identify the item(s) being sent for calibration, including any serial number(s) or model number(s).
3. Give the name, address, and telephone number of your company’s procurement officer, purchasing agent or other administrative/financial authority.
4. Give the name, address, and telephone number of your company’s technical contact, if different from above.
5. List separately the instructions and address for return shipment, insurance, mailing address for the calibration/test report, and billing address. (Federal or state agency requests for calibration services should be accompanied by a document authorizing that the cost of the service be billed to the agency).
6. Clearly state any special or necessary conditions of test, such as operating frequency or temperature.

7. Clearly state the customer identification number; i.e., customer's employer identification number (EIN) for individuals; tax identification number (TIN) for organizations; or agency location code (ALC) for government customers.
8. If the calibration or test report is to be handled in a special manner, give instructions on the purchase order.

**NOTE:** Receipt of orders by NIST does not imply acceptance of any provisions set forth in the order that are contrary to the policy, practice, or regulations of NIST or the U.S. Government. In general, NIST will not sign any affidavits, acknowledgement forms, or other documents that may be required by company policy governing the procurement of goods and services.

#### **D. Remit to**

Payment Terms: Net 30 days

No discounts are allowed for early payment.

#### **PAY.GOV**

For NIST invoices, electronic payments can be submitted through Pay.gov by ACH, VISA, MasterCard, Discover, American Express or debit card. Go to [www.pay.gov](http://www.pay.gov). Bypass the user id and password section; you do not need to be registered with Pay.gov to make a payment against our invoices. To locate the payment forms click on "by Agency Name" on the left hand side of the menu bar. Find and select the National Institute of Standards and Technology. Choose the appropriate NIST payment form that best fits your invoice. Complete all required fields and submit you payment.

**Note: For ACH payments, please verify with your banking institution that your account is set up to have ACH payments processed.**

#### **Remit to address:**

**NIST Lockbox** accepts check payments for NIST. Please use the following address for all NIST payments:

NIST  
P.O. Box 301505  
Los Angeles, CA 90030-1505

Please remember that all checks must be drawn on a United States bank and made payable in US dollars. In addition, please continue to reference the NIST invoice/receivable number on the check stub.

#### **Other Forms of Payment**

In addition to checks, NIST also accepts VISA, MasterCard, Discover, and American Express. Customers can supply their credit card information and fax a copy of the invoice to Accounts Receivable at 310/975-8943 or mail the information to:

NIST  
Mail Stop 1624  
100 Bureau Drive  
Gaithersburg, MD 20899-1624

**NIST Federal Identification Number: 530-20-5706**

**NIST DUNS Number:** 929956050

**W-9 Mail to:**

NIST  
Accounts Receivable  
Stop 1624  
Gathersburg, MD 20899-1624

## **E. Shipping, Insurance, and Risk of Loss**

Ship the instrument or standard to the mailing address of the technical group providing the service. Please take note that the mailing address is not the same for every technical group.

**Please adhere rigorously to the following procedures:**

1. Ship only items in good repair. Apparatus in disrepair will not be calibrated. If defects are found, after calibration has begun, the procedure will be terminated, a report issued, and a charge levied for work completed.
2. Use strong, reusable packing materials and containers marked clearly and indelibly on the outside with the requestor's name, address and the following notation: **REUSABLE CONTAINER, DO NOT DESTROY.**
3. Follow any special shipping procedures given in the technical sections of the Calibration Services Users Guide, particularly those sections covering radiation and dosimetry measurements.
4. Insure the shipments to and from NIST and clearly state the method of return shipment. NIST will not assume liability for loss or damage unless such loss and damage result solely from the negligence of NIST personnel. If return shipment by parcel post is requested or is suitable, NIST will prepay the return shipment but will not insure it. When no shipping or insurance instructions are furnished, NIST will return the shipment by common carrier, collect and uninsured.
5. Shipments to NIST must be at FOB destinations (customer pays for shipping).
6. Return shipments are sent FOB origin (customer pays for shipping).

**NOTE: Fees for NIST services do not include shipping cost or insurance.**

## **F. Turnaround Time**

Normal turnaround time for NIST calibration services varies greatly—usually from several weeks to several months depending on the type of service requested, and the service schedule. Some services are only scheduled once or twice a year with appointments made months in advance of the service date. To avoid unnecessary scheduling or administrative delays in the calibration process, always make arrangements with the technical contact for the service you wish to utilize prior to shipping your instrument or artifact to us.

## **G. Customer Checklist**

Please refer to last page of this chapter for a Customer Checklist which is intended to assist you in developing the basic information required to process an order for calibration services at NIST.

## *Customer Checklist for Ordering NIST Calibration Services*

<b>Information Obtained from NIST Technical Contact</b>	<b>Comments</b>
NIST Contact (name/telephone)	Provide this information on your purchase order (PO)
Is the service available?	Please make sure customer's technical contact discusses service with NIST technical contact before proceeding.
NIST Service Identification Number	Provide this information on your PO
Estimated cost of services	Provide this information on your PO
Estimated turnaround time	Many calibration services are batched. Find out when to send the instrument.
Special instructions	
Packaging instructions	
Shipping instructions	
Other Precautions	
<b>Information Supplied by the Customer on Purchase Order</b>	
Purchase order number	
Purchase order date	
Customer's tax identification number	
Customer's mailing address	
Customer's billing address	
Name, telephone number, fax number, email address of administrative or procurement contact point at customer's location	
Name, telephone number, fax number, email address of technical contact point at customer's location	
Ship-to address (including NIST technical contact name)	
Return address (for shipment back to customer)	
NIST Service Identification Number	
Estimated cost	
Shipping terms (no FOB destination on return shipment)	
Special instructions from customer's technical contact	

## **CHAPTER 3**

### **SPECIAL INSTRUCTIONS FOR FOREIGN CUSTOMERS**

#### **A. Foreign Inquires**

Foreign customers should address all inquiries to:

PML Calibration Services  
National Institute of Standards and Technology  
100 Bureau Drive, Stop 8363  
Gaithersburg, MD 20899-8363  
United States of America  
Telephone: (301) 975-2200  
Fax: (301) 975-2950  
Email: [calibrations@nist.gov](mailto:calibrations@nist.gov)  
Internet: [www.nist.gov/calibrations/](http://www.nist.gov/calibrations/)

**NOTE:** Please clearly indicate your **city** and **country** on all correspondence so that we may promptly respond to your request.

#### **B. Criteria for Providing Service**

Under certain circumstances, NIST is authorized to provide measurement service, including calibration services, for organizations or individuals located outside the United States. However, the Calibration Program must review each request for calibration services to determine if services are available to the requestor's organization in the requestor's country. Foreign customers must provide the following information, in writing, to the Calibration Program (see address above):

1. Identification of the item(s) to be calibrated, including serial and model numbers.
2. A detailed description of the measurements that are needed, or indicate the service identification number.
3. A description of any special requirement/circumstance that might affect the decision to provide the service. For example, will adjustments have to be made to the instrument, or will the time period be restricted in which the device is available for calibration?
4. A complete name and address of the requestor's organization.

#### **C. Special Instructions**

If the request for calibration service is accepted by NIST, the requesting organization will be notified of the cost of service and will be given the contact information for the NIST technical unit that will perform the measurements. The requesting organization must then complete the following steps:

1. Contact the NIST technical staff that will perform the service to determine the time schedule.
2. Send a purchase order to the Calibration Program. Provide complete addresses, including country, for returning the instrument and for mailing the calibration or test report.
3. NIST policy requires prepayment for all NIST calibration services requested by non-U.S. organizations. Before proceeding with any service(s), we will need a check, money order or a bank wire transfer. The prepayment must be for the full amount and be drawn on a U.S. bank. The prepayment methods are as follows:

### **Money Orders & Prepayment Checks**

All foreign checks must be drawn on a United States Bank and made payable in US Dollars. All foreign checks must be mailed to the Receivables officer for deposit. In addition, please reference the NIST invoice/receivable number on the check stub. Checks made payable to the National Institute of Standards and Technology (NIST) should be mailed to:

NIST  
Mail Stop 1624  
100 Bureau Drive  
Gaithersburg, MD 20899-1624

### **Prepayment by credit card**

Please contact NIST Accounts Receivable Office at 301-975-3880, by email: [billing@nist.gov](mailto:billing@nist.gov), or by Fax: 301-975-8943.

### **Bank Wire Transfers**

Payments may also be sent by wire using the US Department of Treasury FEDWIRE system and it can be done so to the following bank:

Treas NYC (Account is with the Federal Reserve Bank of New York)  
U.S. Dept. of Treasury  
33 Liberty Street  
New York, NY 10045  
Phone: 001-202-874-7132

In Payment Details field, CL329930001  
ABA# 021030004  
Account # 13060001  
Account Name: TREAS NYC/CTR/BNF=/NIST/AC-13060001

Reference "Calibrations" to enable us to identify your payment. In addition, please be sure to pay any fees assessed for your bank wire transfers; otherwise, they will deduct it from your prepayment wire.

**We cannot accept wire payment make through the Swift system only FEDWIRE. Therefore, we do not have a Swift code.**

**PLEASE NOTE:** Our account number and name are of critical importance and must be referenced in order for NIST to be properly credited with your payment. It must appear in the precise manner shown to allow for the automated processing and classification of the funds transfer message. In addition, please refer to the NIST invoice number, your purchase order number, your country, and any other pertinent information that would help us identify you payment.

The transfer of funds can only be accomplished by your company going through a U.S. correspondent bank or by having your country's central bank send a swift telecommunication system message to the Federal Reserve Bank. **Be sure to cover any processing fees your bank may charge you.** Questions on bank wiring can be directed to the NIST Accounts Receivable Office at 301-975-3880, email: [billing@nist.gov](mailto:billing@nist.gov), or fax at 301-975-8943.

## **D. Shipping Charges**

The calibration costs quoted *do not* include shipping, insurance, or the services of a customs broker. You must arrange and pay for these services separately. For your information, NIST currently uses the following customs brokers:

### **Gaithersburg, Maryland**

Laing International  
P.O. Box 16144  
Washington, DC 20041  
Phone: (703) 471-9279  
Fax: (703) 471-8436

### **Boulder, Colorado**

FedEx Trade Networks  
4725 Paris Street, Suite 200  
Denver, CO 80239  
Phone: (303) 371-9550  
Fax: (303) 373-0850

You are **not required** to use these customs brokers, but may select a broker of your choice.

## CHAPTER 4 DIMENSIONAL MEASUREMENTS

### A. Length Measurements

#### A.1 Gage Blocks

<b><u>Technical Contacts:</u></b> Eric Stanfield (Long blocks) Beverly Connelly (Short blocks) Theodore Doiron	<b><u>Telephone:</u></b> (301) 975-4882  (301) 975-2485  (301) 975-3472	<b><u>Email:</u></b> eric.stanfield@nist.gov  beverly.connelly@nist.gov  theodore.doiron@nist.gov	<b><u>Mailing Address:</u></b> NIST 100 Bureau Drive, Stop 8211 Gaithersburg, MD 20899-8211
---	--	--	--

Please contact the technical staff before shipping instruments or standards to the address listed above.

A.1 Gage Blocks		
Service ID Number	Description of Services	Fee (\$)
10010C	Gage Blocks: Set Up Charge, per order	200
10011C	Mechanical Comparisons, per Block (100 mm and shorter)	118
10012C	Mechanical Comparisons, per Block (over 100 mm)	285
10013C	Interferometry, per Block (100 mm and shorter), Maximum 25 Blocks per Order	333
10014C	Interferometry, per Block (over 100 mm)	At Cost
10015C	Non-standard size Gage Blocks	At Cost

*Fees are subject to change without notice.*

#### A.2 Line Standards

<b><u>Technical Contact:</u></b> Ted Doiron	<b><u>Telephone:</u></b> (301) 975-3472	<b><u>Email:</u></b> <a href="mailto:dorion@nist.gov">dorion@nist.gov</a>	<b><u>Mailing Address:</u></b> NIST 100 Bureau Drive, Stop 8211 Gaithersburg, MD 20899-8211
--	--	--	--

Please contact the technical staff before shipping instruments or standards to the address listed above.

A.2 Line Standards		
Service ID Number	Description of Service	Fee (\$)
10020C	Line Standards: Scales, < 1 m (40 inches), 4 Passes	9577
10021C	Line Standards: Scales, < 1 m (40 inches), 8 Passes	14734
10022C	Line Standards: Stage Micrometer, Per Scale, 30 Intervals, 2 Passes	1596
10023C	Line Standards: Stage Micrometer, Per Scale, 30 Intervals, 4 Passes	1995

10024C	Line Standards: End Standards, < 1 m	9777
10025C	Line Standards: Grid Plates, Less than 60 Intervals, 1 D Linear Calibration	16144

*Fees are subject to change without notice.*

**A.3 Metal Tapes/Scales and Long Length Artifacts**

<b><u>Technical Contact:</u></b>	<b><u>Telephone:</u></b>	<b><u>Email:</u></b>	<b><u>Mailing Address:</u></b>
Chris Blackburn	(301) 975-6413	chris.blackburn@nist.gov	NIST
Daniel S. Sawyer	(301) 975-5863	daniel.sawyer@nist.gov	100 Bureau Drive, Stop 8211 Gaithersburg, MD 20899-8211

**Please contact the technical staff before shipping instruments or standards to the address listed above.**

<b>A.3 Metal Tapes/Scales and Long Length Artifacts</b>		
Service ID Number	Description of Services	Fee (\$)
10030C	Metal Tapes: Surveying, Oil Gaging, and General Purpose; Metal Scales	At Cost
10040S	Special Tests of Long Length Artifacts	At Cost

## B. Diameter and Roundness Measurements

**Technical Contacts:**

Eric S. Stanfield  
Theodore Doiron

**Telephone:**

(301) 975-4882  
(301) 975-3472

**Email:**

eric.stanfield@nist.gov  
theodore.doiron@nist.gov

**Mailing Address:**

NIST  
100 Bureau Drive, Stop 8211  
Gaithersburg, MD 20899-8211

**Please contact the technical staff before shipping instruments or standards to the address listed above.**

Service ID Number	Description of Services	Fee (\$)
11010C	Cylindrical Diameter Standards (i.e. Plug and Pin Gages): Set Up Charge, per order	200
11011C	Mechanical comparison, per Gage (25 mm and smaller)	118
11012C	Interferometry, per Gage (50 mm and smaller)	271
11013C	Per Gage (over 50 mm)	At Cost
11014C	Roundness trace, per trace	222
11020C	Measuring Wires for Threads and Gears: Set Up Charge, per order	200
11021C	Single Wire, per wire	119
13020C	Special Tests of Roundness (Sphere and Hemisphere Types) Reversal Method: Radial Deviations from Best Fit Least-Squares Circle at 360 positions	1357
13030S	Special Tests of Roundness Calibration Specimens	At Cost
11030C	Spherical Diameter Standards; Balls: Set Up Charge, per order (applies to mechanical comparison and interferometry)	200
11031C	Mechanical Comparison (51 mm or smaller), Average Diameter, per ball, Expanded Uncertainty, $U \sim \pm 89$ nm to 115 nm	114
11032C	Mechanical Comparison (over 51 mm), Average Diameter, per ball	At Cost
11033C	Interferometry (25 mm or smaller) Average Diameter, per ball, Expanded Uncertainty, $U \sim \pm 30$ nm	579
11034C	Ball Out-of-Roundness: Least-Squares Out-of-Roundness and Polar Plots, price per trace (Typically three orthogonal traces for spheres and five traces for CMM calibration spheres) price per trace	110
<b>Special Tests of Internal Diameter Standards: Ring Gages</b>		
11040C	Plain Ring Gages, per ring	928
11050S	Special Tests of Diameter	At Cost

*Fees are subject to change without notice.*

## C. Complex Dimensional Standards

### C.1 API Threaded Plug and Ring Gages

<b>Technical Contacts:</b>	<b>Telephone:</b>	<b>Email:</b>	<b>Mailing Address:</b>
Dennis Everett (12010C–12070S)	(301) 975-5272	dennis.everett@nist.gov	NIST 100 Bureau Drive, Stop 8211 Gaithersburg, MD 20899-8211
Eric Stanfield (11050S)	(301) 975-4882	eric.stanfield@nist.gov	
John Stoup (12060S)	(301) 975-3476	john.stoup@nist.gov	
Theodore Doiron	(301) 975-3472	theodore.doiron@nist.gov	

Please contact the technical staff before shipping instruments or standards to the address listed above.

C.1 API Threaded Plug and Ring Gages		
Service ID Number	Description of Services	Fee (\$)
12010C	Spec 5, 1.005 inches to 7 5/8 inches	2413
12011C	Spec 5, 8 5/8 inches to 20 inches	3661
12012C	Buttress Casing, 4 1/2 inches to 9 5/8 inches	2838
12013C	Buttress Casing, 10 inches to 13 3/8 inches	3429
12014C	Buttress Casing, 16 inches to 20 inches	3680
12015C	Line Pipe, 1/8 inch to 6 inches (New)	2371
12016C	Line Pipe, 8 inches to 20 inches (New)	3124
12017C	Extreme Line Casing, 5 inches to 7 inches (New)	3944
12018C	Extreme Line Casing, 5 inches to 7 inches (Used)	1486
12019C	Extreme Line Casing, 7 5/8 inches to 10 inches (New)	4509
12021C	Extreme Line Casing, 7 5/8 inches to 10 inches (Used)	1890
12022C	Spec 7 (Rotary), NC 23 - NC 61 (New)	3062
12023C	Spec 7 (Rotary), NC 70 (New)	3240
12024C	Spec 7 (Rotary), 1 inch to 4 1/2 inches, Reg. (New)	3059
12025C	Spec 7 (Rotary), 5 1/2 inches to 8 5/8 inches, Reg. (New)	3338
12026C	Spec 7 (Rotary), Any Type (Used)	1382
12027C	Spec 11B (Sucker Rods) P1, P2 Pin Go P7, P8 Pin Go B1, B2 Box Go (NEW)	1589/per set

12028C	Spec 11B (Sucker Rods) P1, P2 Pin Go P7, P8 Pin Go B1, B2 Box Go <b>(USED)</b>	802/per set
12029C	Spec 11B (Sucker Rods) P3, P4 Pin Cone B3, B4 Box Cone <b>(NEW)</b>	1888/per set
12031C	Spec 11B (Sucker Rods) P3, P4 Pin Cone B3, B4 Box Cone <b>(USED)</b>	731/per set
12032C	Spec 11B (Sucker Rods) P5, P6 Pin Cone B5, B6 Box Cone <b>(NEW)</b>	1244/per set
12033C	Spec 11B (Sucker Rods) P5, P6 Pin B5, B6 Box Cone <b>(USED)</b>	646/per set
12050S	Special Tests of Threaded Plug and Ring Gages	At Cost
12060S, 11050S	Special Tests of Two- and Three-Dimensional Gages	At Cost
12070S	Special Complex Dimensional Test, by Prearrangement	At Cost

*Fees are subject to change without notice.*

## C.2 Sieves

**Technical Contacts:**

Theodore Doiron

**Telephone:**

(301) 975-3472

**Email:**

theodore.doiron@nist.gov

**Mailing Address:**

NIST  
100 Bureau Drive, Stop 8211  
Gaithersburg, MD 20899-8211

**Please contact the technical staff before shipping instruments or standards to the address listed above..**

**C.3 Algorithms Testing and Evaluation Program for Coordinate Measuring Systems**

**Technical Contact:** Craig M. Shakarji  
**Telephone:** (301) 975-3545  
**Email:** shakarji@nist.gov  
**Mailing Address:** NIST  
 100 Bureau Drive, Stop 8211  
 Gaithersburg, MD 20899-8211

**Please contact the technical staff before shipping instruments or standards to the address listed above.**

C.3 Algorithms Testing and Evaluation Program for Coordinate Measuring Systems		
Service ID Number	Description of Services	Fee (\$)
10070S	Special Test of CMS Software: NIST-generated data sets (basic service)	2035
10071S	Special Test of CMS Software: NIST-generated data sets (per geometry evaluated)	At Cost
10072S	Special Test of CMS Software: NIST-generated data sets, standard level (per geometry evaluated)	879
10080S	Special Test of CMS Software: Customer-generated data sets (basic service)	At Cost
10081S	Special Test of CMS Software: Customer-generated data sets (per geometry evaluated)	At Cost
10082S	Special Test of CMS Software: Customer-generated data sets, standard level (per geometry evaluated)	At Cost

*Fees are subject to change without notice.*

**E. Optical Reference Planes and Roundness Standards**

**Technical Contacts:** Eric S. Stanfield, Theodore Doiron  
**Telephone:** (301) 975-4882, (301) 975-3472  
**Email:** eric.stanfield@nist.gov, theodore.doiron@nist.gov  
**Mailing Address:** NIST  
 100 Bureau Drive, Stop 8211  
 Gaithersburg, MD 20899-8211

**Please contact the technical staff before shipping instruments or standards to the address listed above.**

Service ID Number	Description of Services	Fee (\$)
13010C	Optical Reference Planes (Flats): Optical Flat, ≤152 mm (6”), Per Surface	1658
13011C	Optical Reference Planes (Flats): Optical Flat, 152 mm to 203 mm (8”)	2159
13012C	Optical Reference Planes (Flats): Optical Flat, 203 mm to 304 mm	2838
13013C	Optical Reference Planes (Flats): Optical Flat, ≥ 304 mm (12”)	3547
13014C	Optical Reference Planes (Flats): Three Flat Calibration	At Cost

*Fees are subject to change without notice.*

## F. Angular Measurements

**Technical Contacts:**

Bryon S. Faust  
Theodore Doiron

**Telephone:**

(301) 975-4351  
(301) 975-3472

**Email:**

bryon.faust@nist.gov  
theodore.doiron@nist.gov

**Mailing Address:**

NIST  
100 Bureau Drive, Stop 8211  
Gaithersburg, MD 20899-8211

**Please contact the technical staff before shipping instruments or standards to the address listed above.**

Service ID Number	Description of Services	Fee (\$)
14010C	Angle Gage Blocks: Set Up Charge, per order	200
14011C	Angle Gage Blocks, per block	191
14020C	Optical Polygons	At Cost
14030C	Rotary and Indexing Tables: Every 30°	2712
14031C	Rotary and Indexing Tables: (30°, 5°, 1°) Calibration	5410
14040C	Optical Wedges: Fixed-Angle Wedge	932
14041C	Optical Wedges: Variable-Angle Wedge	At Cost
14050S	Special Angular Measurements, by Prearrangement	At Cost

*Fees are subject to change without notice.*

## G. Laser Measurements

**Technical Contact:**

Jack Stone

**Telephone:**

(301) 975-5638

**Email:**

jack.stone@nist.gov

**Mailing Address:**

NIST  
100 Bureau Drive, Stop 8211  
Gaithersburg, MD 20899-8211

**Please contact the technical staff before shipping instruments or standards to the address listed above.**

Service ID Number	Description of Services	Fee (\$)
14510C	Laser Frequency/Wavelength, Full Calibration	2993
14511C	Quick Check of Frequency/Wavelength at Laboratory Conditions	1555

*Fees are subject to change without notice.*

## H. Surface Texture

**Technical Contact:**

T. Brian Renegar

**Telephone:**

(301) 975-4274

**Email:**

brenegar@nist.gov

**Mailing Address:**

NIST

100 Bureau Drive, Stop 8212

Gaithersburg, MD 20899-8212

**Please contact the technical staff before shipping instruments or standards to the address listed above.**

Service ID Number	Description of Services	Fee (\$)
15010C	Roughness Calibration Specimens	1751
15030C	Step Height Measurements	1751
15040S	Surface Roughness and Topography Special Tests	At Cost

*Fees are subject to change without notice.*

## CHAPTER 5 MECHANICAL MEASUREMENTS

### A. Hydrometers

<b><u>Technical Contacts:</u></b>	<b><u>Telephone:</u></b>	<b><u>Email:</u></b>	<b><u>Mailing Address:</u></b>
Sherry Sheckels	(301) 975-5940	sherry.sheckels@nist.gov	NIST
John D. Wright	(301) 975-5937	john.wright@nist.gov	100 Bureau Drive, Stop 8361 Gaithersburg, MD 20899-8361

**Please contact the technical staff before shipping instruments or standards to the address listed above.**

Service ID Number	Description of Services	Fee (\$)
16010C	Reference Standard Hydrometers	1294
16020S	Hydrometers Special Tests	At Cost

*Fees are subject to change without notice.*

### B. Volume and Density

<b><u>Technical Contacts:</u></b>	<b><u>Telephone:</u></b>	<b><u>Email:</u></b>	<b><u>Mailing Address:</u></b>
Sherry Sheckels	(301) 975-5940	sherry.sheckels@nist.gov	NIST
John D. Wright	(301) 975-5937	john.wright@nist.gov	100 Bureau Drive, Stop 8361 Gaithersburg, MD 20899-8361

**Please contact the technical staff before shipping instruments or standards to the address listed above.**

Service ID Number	Description of Services	Fee (\$)
17010C	Volume Standards < 380 L	2142
17020C	Volume Standards > 380 L, 2 points	2976
17030C	Volume Standards > 380 L, 5 points	4227
17040S	Volume Special Tests	At Cost

*Fees are subject to change without notice.*

### C. Flow Measurements

<b><u>Technical Contacts:</u></b>	<b><u>Telephone:</u></b>	<b><u>Email</u></b>	<b><u>Mailing Address:</u></b>
Gina Kline (Gas Flow)	(301) 975-4813	gina.kline@nist.gov	NIST 100 Bureau Drive, Stop 8361 Gaithersburg, MD 20899-8361
John D. Wright (Gas Flow)	(301) 975-5937	john.wright@nist.gov	
Iosif Shinder (Water Flow)	(301) 975-5943	iosif.shinder@nist.gov	
Aaron Johnson (Gas Flow and Hydrocarbon Flow)	(301) 975-5954	aaron.johnson@nist.gov	
Sherry Sheckels (Hydrocarbon Flow)	(301) 975-5940	sherry.sheckels@nist.gov	

Please contact the technical staff before shipping instruments or standards to the address listed above.

Service ID Number	Description of Services	Fee (\$)
18010C	Gas Flow Meters	5138
18015C	Natural Gas Flow Calibration	At Cost
18020C	Water Flow Meters	4464
18040C	Transfer Standards	At Cost
18050S	Gas Flow Special Tests	At Cost
18060S	Water Flow Special Tests	At Cost
18070S	Hydrocarbon Liquid Flow Special Tests	At Cost

**Fees are subject to change without notice.**

*See 30063S Special Tests for Low-Gas-Flow Instrumentation*

### D. Flow Measurements at Cryogenic Temperatures

<b><u>Technical Contact:</u></b>	<b><u>Telephone:</u></b>	<b><u>Email</u></b>	<b><u>Mailing Address:</u></b>
Michael Lewis <b>Fax:</b> (303) 497-5224	(303) 497-3458	mlewis@boulder.nist.gov	NIST 325 Broadway, MC 838.09 Boulder, CO 80305-3328

Please contact the technical staff before shipping instruments or standards to the address listed above.

Service ID Number	Description of Services	Fee (\$)
18800S	Special Tests of Cryogenic Liquid Flow	At Cost

## E. Air Speed Measurements

**Technical Contacts:**

Iosif Shinder

**Telephone:**

(301) 975-5943

**Email:**

[iosif.shinder@nist.gov](mailto:iosif.shinder@nist.gov)

**Mailing Address:**

NIST  
100 Bureau Drive, Stop 8361  
Gaithersburg, MD 20899-8361

**Please contact the technical staff before shipping instruments or standards to the address listed above.**

Service ID Number	Description of Services	Fee (\$)
19010C	High Air Speed Instruments 1.3 m/s to 67 m/s (3 mph to 150 mph)	2693
19030S	High Air Speed Special Tests	At Cost

*Fees are subject to change without notice.*

## F. Mass Standards

**Technical Contacts:**

Patrick Abbott

Zeina J. Kubarych

**Telephone:**

(301) 975-4218

(301) 975-4468

**Email:**

[patrick.abbott@nist.gov](mailto:patrick.abbott@nist.gov)

[zeina.kubarych@nist.gov](mailto:zeina.kubarych@nist.gov)

**Mailing Address:**

NIST  
100 Bureau Drive, Stop 8221  
Gaithersburg, MD 20899-8221

**Administrative and Logistics:**

June Eckley

(301) 975-5866

[june.eckley@nist.gov](mailto:june.eckley@nist.gov)

**Fax:** (301) 417-0514

### IMPORTANT NOTES TO OUR CUSTOMERS:

1. Please contact the technical staff for correct Fee and appropriate Service ID Number for your equipment.
2. Please do not send purchase orders and equipment to NIST without scheduling a calibration.
3. Calibrations for variations of complete standard weight sets are available. These may require fewer (or more) than the number of measurement series required for the calibration of a complete standard weight set. These variations will affect pricing of the service. Contact the technical staff for details.
4. If you request a calibration estimate (which includes cost and turnaround time estimates and start date of calibration), please note that we need to receive a confirmation from you to reserve the calibration start date. If no confirmation is received within 30 days, the reservation will be cancelled and the start date given to the next customer.

**Please contact the technical staff before shipping instruments or standards to the address listed above.**

Service ID Number	Description of Services	Fee (\$)
22011C	Weight cleaning	316
22021C	Single or two equal weights 1 kg or 100 g	2936
22023C	Combination of 5,2,2,1 in the range of 1 kg - 1 mg	2936
22032C	Single or two equal weights 10 kg to 50 kg	2943

22110S	Single Weights > 50 kg to 1200 kg	At Cost
22120S	Single Weights 1200 kg to 28000 kg	At Cost
22160C	Single Weights for Dead Weight Pressure Testers < 10 kg	1165
22140C	Single Weights for Dead Weight Pressure Testers > 22.7 kg (> 50 lb)	At Cost
22161C	Single Weights for Dead Weight Pressure Testers > 10 kg to 50 kg	1481
22170S	Special Mass Measurement Services	At Cost

*Fees are subject to change without notice.*

## G. Force Measurements

**Technical Contacts:**

Rick L. Seifarth

Samuel L. Ho

Kevin L. Chesnutwood

**Telephone:**

(301) 975-6652

(301) 975-6648

(301) 975-6653

**Email:**

ricky.seifarth@nist.gov

samuel.ho@nist.gov

kchesnut@nist.gov

**Mailing Address:**

NIST

100 Bureau Drive, Stop 8222

Gaithersburg, MD 20899-8222

**Administrative and Logistics:**

June Eckley

(301) 975-5866

june.eckley@nist.gov

**Fax:** (301) 417-0514

**Please contact the technical staff before shipping instruments or standards to the address listed above.**

Service ID Number	Description of Services	Fee (\$)
23010C	Force Transducers to 112 540 N (25 300 lbf) 1 mode	3727
23020C	Extra observation	74
23030C	Additional bridges	1004
23040C	Force Transducers to 112 540 N (25 300 lbf) 2 modes	6184
23050C	Extra observation	74
23060C	Additional bridges	1024
23070C	Force Transducers 112 540 N to 498 201 N (25 300 lbf to 112 000 lbf) 1 mode	4278
23080C	Extra observation	74
23090C	Additional bridges	1161
23100C	Force Transducers 112 540 N to 498 201 N (25 300 lbf to 112 000 lbf) 2 modes	8436
23110C	Extra observation	222
23120C	Additional bridges	2351
23130C	Force Transducers 498 205 N to 1 334 467 N (112 000 lbf to 300 000 lbf) 1 mode	8782
23140C	Extra observation	222

23150C	Additional bridges	1460
23160C	Force Transducers 498 205 N to 1 334 467 N (112 000 lbf to 300 000 lbf) 2 modes	13999
23170C	Extra observation	300
23180C	Additional bridges	2627
23190C	Force Transducers 1 334 471 N to 4 448 222 N (300 00 lbf to 1 000 000 lbf) 1 mode	10490
23200C	Extra observation	222
23210C	Additional bridges	2046

23220C	Force Transducers 1 334 471 N to 4 448 222 N (300 00 lbf to 1 000 000 lbf) 2 modes	16489
23230C	Extra observation	290
23240C	Additional bridges	3665
23250C	Force Transducers over 4 448 222 N (1 000 000 lbf) compression only	At Cost
23260S	Special Tests of Force Transducers	At Cost

*Fees are subject to change without notice.*

## H. Vibration Measurements

**Technical Contacts:**

Collen Hood  
Richard A. Allen

**Telephone:**

(301) 975-2236  
(301) 975-5026

**Email:**

[collen.hood@nist.gov](mailto:collen.hood@nist.gov)  
[richard.allen@nist.gov](mailto:richard.allen@nist.gov)

**Mailing Address:**

NIST  
100 Bureau Drive, Stop 8223  
Sound Bldg. (233) Rm. B102  
Gaithersburg, MD 20899-8223

**Please contact the technical staff before shipping instruments or standards to the address listed above.**

Service ID Number	Description of Services	Fee (\$)
24110C	Accelerometer Sensitivity, Sinusoidal, 10 Hz to 20 kHz, for accelerometer mass $\leq$ 350 g	2045
24130S	Accelerometer Special Test	At Cost

*Fees are subject to change without notice.*

## I. Acoustic Measurements

**Technical Contacts:**

Randall P. Wagner

**Telephone:**

(301) 975-6619

**Email:**

[randall.wagner@nist.gov](mailto:randall.wagner@nist.gov)

**Mailing Address:**

NIST  
100 Bureau Drive, Stop 8221  
Gaithersburg, MD 20899-8221

**Administrative and Logistics:**

Beverly Connelly

(301) 975-2485

[beverly.connelly@nist.gov](mailto:beverly.connelly@nist.gov)

**Fax:** (301) 990-8291

**Please contact the technical staff before shipping instruments or standards to the address listed above.**

Service ID Number	Description of Services	Fee (\$)
25010C	Pressure Response: WE Type 640AA microphones or equivalent (e.g., Tokyo Riko Type ECL MR103; Bruel & Kjaer Type 4160, Bruel & Kjaer Types 4144 or 4132 with DB0111 adapter), 50 Hz to 10 000 Hz	6784
25020C	Pressure Response: WE Type 640AA microphones or equivalent (e.g., Tokyo Riko Type ECL MR103; Bruel & Kjaer Type 4160; Bruel & Kjaer Types 4144 or 4132 with DB0111 adapter), 50 Hz to 20 000 Hz	8181
25030C	Pressure Response: Tokyo Riko Type ECL MR112, Bruel & Kjaer Type 4134, or equivalent half-inch microphones, 50 Hz to 10 000 Hz	7901
25040C	Pressure Response: Tokyo Riko Type EC MR112, Bruel & Kjaer Type 4134, or equivalent half-inch microphones, 50 Hz to 20 000 Hz	9976
25060S	Special Tests of Acoustic Devices	At Cost

*Fees are subject to change without notice.*

## CHAPTER 6 THERMODYNAMIC QUANTITIES

### A. Pressure Measurements

<b><u>Technical Contacts:</u></b>	<b><u>Telephone:</u></b>	<b><u>Email:</u></b>	<b><u>Mailing Address:</u></b>
Douglas A. Olson (All Services)	(301) 975-2956	dolson@nist.gov	NIST
R. Gregory Driver (Pneumatic gages) (29010C, 29030C, 29035C, 29040S)	(301) 975-4832	rdriver@nist.gov	100 Bureau Drive, Stop 8364 Gaithersburg, MD 20899-8364

**Please contact the technical staff before shipping instruments or standards to the address listed above.**

Service ID Number	Description of Services	Fee (\$)
29010C	Deadweight Piston Gages	4401
29020C	Controlled Clearance Piston Gages	At Cost
29030C	Pressure Gages and Transducers	At Cost
29035C	Non-mercurial Barometers and Manometers	At Cost
29040S	Special Tests of Pressure Gages	At Cost

*Fees are subject to change without notice.*

### B. Vacuum, Low Pressure and Leak Measurements

<b><u>Technical Contacts:</u></b>	<b><u>Telephone:</u></b>	<b><u>Email:</u></b>	<b><u>Mailing Address:</u></b>
Jacob Ricker (30005C) (30010C–30025C, 30040S)	(301) 975-4475	jacob.ricker@nist.gov	NIST
Jay H. Hendricks (30005C–30025C, 30040S)	(301) 975-4836	jay.hendricks@nist.gov	100 Bureau Drive, Stop 8364 Gaithersburg, MD 20899-8364
James A. Fedchak (30029C–30032S, 30034C–30038C, 30050S)	(301) 975-8962	james.fedchak@nist.gov	
R. Gregory Driver (30060S–30063S, 30062C)	(301) 975-4832	rdriver@nist.gov	

**Please contact the technical staff before shipping instruments or standards to the address listed above.**

**NOTE:** 1 Torr = 133.322 Pa

Service ID Number	Description of Services	Fee (\$)
30005C	Vacuum, Comparison Calibration	809
30010C	One Low-Pressure Transducer Absolute or Differential Relative to Vacuum	2780
30025C	Piston Gauges versus an Ultrasonic Interferometer Manometer	At Cost
30029C	Spinning Rotor Gages, below 0.1 Pa, Nitrogen Gas with NIST Controller	3325

30030C	Spinning Rotor Gages, below 0.1 Pa, Nitrogen Gas Customer Controller with IEEE-488	3325
30031C	Spinning Rotor Gages, below 0.1 Pa, Additional Gas	4139
30032S	Special Test of Spinning Rotor Gages, Transition Range (above 0.1 Pa)	At Cost
30036C	Ionization Gages, $10^{-7}$ Pa to $10^{-1}$ Pa, Nitrogen Gas	5130
30037C	Ionization Gages, Additional Filament or Gas for Above Tests	At Cost
30040S	Special Tests of Low-Pressure Gages	At Cost
30050S	Special Tests of Vacuum Gages	At Cost
30060S	Special Tests of Leak Artifacts ( $10^{-13}$ mol/s to $10^{-6}$ mol/s)	At Cost
30061C	Helium Leaks, Primary Calibration ( $10^{-13}$ mol/s to $10^{-6}$ mol/s)	2044
30062C	Helium Leaks, Comparison Calibration ( $10^{-13}$ mol/s to $10^{-9}$ mol/s)	1549
30063S	Special Tests of Low-Gas-Flow Instruments	At Cost

*Fees are subject to change without notice.*

**NOTE:** Due to the time and effort required preparing vacuum instrumentation for calibration it is particularly important that they be known to be in proper operating condition when they are submitted to NIST. Equipment will be inspected upon receipt and the customer notified of any obvious damage. If the schedule permits, we will cooperate with the customer's efforts to repair or replace damaged equipment so that the calibration of their equipment can proceed. However, concealed damage or operational deficiencies most likely will not be detected before the instrument is operating on the vacuum system or the calibration has started; in such cases, **if the equipment cannot be calibrated, we will charge 20 % of the regular calibration fee for low-pressure transducers and 30 % of the regular fee for spinning rotor and ionization gages.**

### C. Laboratory and Industrial-Grade Thermometers

**Technical Contact:**  
C. Dawn Cross

**Telephone:**  
(301) 975-4822

**Email:**  
[dawn.cross@nist.gov](mailto:dawn.cross@nist.gov)

**Mailing Address:**  
NIST  
100 Bureau Drive, Stop 8363  
Gaithersburg, MD 20899-8363

**Please contact the technical staff before shipping instruments or standards to the address listed above.**

**NOTE:** NIST no longer calibrates mercury in glass thermometers as of March 1, 2011. Fahrenheit ranges are not direct conversions of the Celsius ranges.

Service ID Number	Description of Services	Fee (\$)
31010C	Organic Liquid in Glass Thermometers (0 °C to 200 °C) (32 °F to 392 °F)	271/pt
31040C	Organic Liquid in Glass Thermometers (-1 °C to -110 °C) (31 °F to -166 °F)	387/pt
31050C	Organic Liquid in Glass Thermometers (Liquid N <sub>2</sub> ) (-196 °C or -321 °F)	271/pt
31100C	Quantity Tests of Liquid-In-Glass Thermometers	At Cost
31110C	Special Tests of Industrial Platinum Resistance Thermometers, Thermistor Thermometers, Digital Thermometers and Other Types of Thermometers (0 °C to 150 °C) (32 °F to 300 °F)	155/pt
31120C	Special Tests of Industrial Platinum Resistance Thermometers, Thermistor Thermometers, Digital Thermometers and Other Types of Thermometers (151 °C to 315 °C) (301 °F to 600 °F)	155/pt
31130C	Special Tests of Industrial Platinum Resistance Thermometers, Thermistor Thermometers, Digital Thermometers and Other Types of Thermometers (316 °C to 550 °C) (601 °F to 1022 °F)	155/pt
31140C	Special Tests of Industrial Platinum Resistance Thermometer, Thermistor Thermometers, Digital Thermometers and Other Types of Thermometers (-1 °C to -110 °C) (31 °F to -166 °F)	155/pt
31190S	Additional copy of Table from Results of 31110S-31150S at a Later Date	264
31200S	Preliminary Examination of Ineligible Thermometer	123
31260S	Special Thermometry Services, by Prearrangement	At Cost

*Fees are subject to change without notice.*

## D. Thermocouples, Thermocouple Materials, Thermometer Indicators

**Technical Contacts:**

Karen Garrity  
(32010C–32101C)  
C. Dawn Cross  
(32110C–32120C)

**Telephone:**

(301) 975-4818  
  
(301) 975-4822

**Email:**

kgarrity@nist.gov  
  
dawn.cross@nist.gov

**Mailing Address:**

NIST  
100 Bureau Drive, Stop 8363  
Gaithersburg, MD 20899-8363

Please contact the technical staff before shipping instruments or standards to the address listed above.

Comparison Calibrations, Temperature Measured with Thermocouple (TC)						
Service ID Number	TC Type	Temp Range °C	Points	Min. Length (mm)	Temp. (°C)	Fee (\$)
32010C	S	0 to 1450	1 °C or 1 °F Interv. Table	700	0 to 1100 1450	775
32020C	R	0 to 1450	1 °C or 1 °F Interv. Table	700	0 to 1100 1450	775
32030C	B	0 to 1750	1 °C or 1 °F Interv. Table	1000	0 to 800 800 to 1100 1450 1750	1201
32031C	B	800 to 1750	1 °C or 1 °F Interv. Table	1000	800 to 1100 1450 1750	775
32040C	E	0 to 1000	4 to 15	700	0 to 1000	775
32041C	J	0 to 760	4 to 15	700	0 to 760	775
32042C	K	0 to 1100	4 to 15	700	0 to 1100	775
32043C	N	0 to 1100	4 to 15	700	0 to 1100	775
32044C	T	0 to 400	4 to 15	700	0 to 400	775
32050C	Comparison calibration, two point minimum, per point, for all items above					335/pt
32060C	Each additional table of results at 1 °C or 1 °F intervals, for type S, R, or B at later date					253
32070C	Thermocouple materials tested against Pt Thermoelectric standard, 4 to 15 points, 700 mm minimum lengths					1022

Calibration at Metal Freezing Points, Minimum TC Wire Diameter 0.4 mm, Freezing Point Determination at Au, Ag, Al, and Zn						
Service ID Number	TC Type	Temp Range °C	Points	Min. Length (mm)	Temp. (°C)	Fee (\$)
32090C	S or R	0 to 1450	Table 1 °C or 1 °F Interv. and equations to generate table	1000	at freezing points 0 to 1100 1450	1839
32091C	Type S or T, freezing point determination, per point, two point minimum					538
Calibration of Digital Thermometer Indicator or Portable Potentiometer						
32100C	Indicator or Potentiometer, first dial or range					1167
32101C	Indicator or Potentiometer, each additional dial or range					639
Comparison Calibration of Thermocouples or Thermocouple Materials Tested against Pt Thermoelectric Standard, Temperature Measured with Standard Platinum Resistance Thermometer, Minimum TC Wire Length 1.0 m, 2 Point Minimum						
32110C	Range -110 °C to 315 °C and Liquid N <sub>2</sub> (-196 °C) or -166 °F to 600 °F and Liquid N <sub>2</sub> (-321 °F), Expanded Uncertainty 0.4 °C					403/pt
<b>Table at one degree intervals for Type T thermocouple for any of the following options: (The cost of the table will be in addition to the calibration per point covered under fee schedule services numbered 32110C–32120C).</b>						

*Fees are subject to change without notice.*

**NOTE:** Due to the extra time involved in calibrating sheathed thermocouples, a surcharge of 20 % of the cost of calibrating bare-wire thermocouples will be added to the relevant fees listed above.

## E. Resistance Thermometry

**Technical Contacts:**

Weston L. Tew  
(0.65 K to 84 K)  
Michal J. Chojnacky  
(83 K to 962 °C)

**Telephone:**

(301) 975-4811  
(301) 975-4821

**Email:**

wtew@nist.gov  
michalc@nist.gov

**Mailing Address:**

NIST  
100 Bureau Drive, Stop 8363  
Gaithersburg, MD 20899-8363

**Please contact the technical staff before shipping instruments or standards to the address listed above.**

Service ID Number	Description of Services	Fee (\$)
33010C	Capsule SPRT (13.8 K to 30 °C) e-H <sub>2</sub> to Ga	10937
33020C	Capsule SPRT (13.8 K to 157 °C) e-H <sub>2</sub> to In	11415
33030C	Capsule SPRT (13.8 K to 232 °C) e-H <sub>2</sub> to Sn	11895
33031C	Capsule SPRT (24.5 K to 30 °C) Ne to Ga	7940
33032C	Capsule SPRT (24.5 K to 157 °C) Ne to In	8419

33033C	Capsule SPRT (24.5 K to 232 °C) Ne to Sn	8897
33040C	Capsule SPRT(54 K to 30 °C) O <sub>2</sub> to Ga	6848
33050C	Capsule SPRT (54 K to 157 °C) O <sub>2</sub> to In	7327
33060S	Capsule SPRT (54 K to 232 °C) O <sub>2</sub> to Sn	7805
33065S	Capsule SPRT (83 K to 0.01 °C) Ar to TPW	At Cost
33070C	Capsule SPRT (83 K to 30 °C) Ar to Ga	3428
33080C	Capsule SPRT (83 K to 157 °C) Ar to In	3667
33090C	Capsule SPRT (83 K to 232 °C) Ar to Sn	4086
33100C	Capsule SPRT (0 °C to 30 °C) TPW to Ga	1050
33110C	Capsule SPRT (0 °C to 157 °C) TPW to In	1828
33120C	Capsule SPRT (0 °C to 232 °C) TPW to Sn	2523
33130C	Capsule SPRT (234 K to 30 °C) Hg to Ga	2502
33140C	Rhodium-Iron or Platinum-Cobalt Resistance Thermometers (0.65 K to 24.6 K)	11683
33141C	Rhodium-Iron or Platinum-Cobalt Resistance Thermometers (0.65 K to 83.8 K)	14164
33142C	n-Type Germanium Resistance Thermometers (0.65 K to 24.6 K)	11855
33150C	Long Stem SPRT (83 K to 0.01 °C) Ar to TPW	2770
33160C	Long Stem SPRT (83 K to 30 °C) Ar to Ga	3129
33170C	Long Stem SPRT (83 K to 157 °C) Ar to In	3417
33180C	Long Stem SPRT (83 K to 232 °C) Ar to Sn	3703
33190C	Long Stem SPRT (83 K to 420 °C) Ar to Zn	3991
33200C	Long Stem SPRT (83 K to 661 °C) Ar to Al	4983
33210C	Long Stem SPRT (234 K to 30 °C) Hg to Ga	2360
33220C	Long Stem SPRT (234 K to 157 °C) Hg to In	2646
33230C	Long Stem SPRT (234 K to 232 °C) Hg to Sn	2933
33240C	Long Stem SPRT (234 K to 420 °C) Hg to Zn	3221
33250C	Long Stem SPRT (234 K to 661 °C) Hg to Al	4214
33260C	Long Stem SPRT (0 °C to 30 °C) TPW to Ga	965
33270C	Long Stem SPRT (0 °C to 157 °C) TPW to In	1254
33280C	Long Stem SPRT (0 °C to 232 °C) TPW to Sn	1542
33290C	Long Stem SPRT (0 °C to 420 °C) TPW to Zn	1828
33300C	Long Stem SPRT (0 °C to 661 °C) TPW to Al	2822

33310C	Long Stem SPRT (0 °C to 962 °C) TPW to Ag	7454
33330C	Additional Copy of Table from Results of 33010C–33310C at a Later Date	231
33340C	Minimum Charge for Unsuitable Thermometer	1024
33350S	Special Tests of Resistance Thermometers	At Cost
33355S	Special Tests of Cryogenic Resistance Thermometers	At Cost
33360S	Special Tests of Thermometric Fixed-Point Devices	At Cost
33370M	Measurement Assurance Program for Temperature 83 K to 420 °C (Ar to Zn)	13909
33380M	Measurement Assurance Program for Temperature 83 K to 661 °C (Ar to Al)	16609

*Fees are subject to change without notice.*

## F. Radiance Temperature Measurements

**Technical Contact:**

Charles E. Gibson

**Telephone:**

(301) 975-2329

**Email:**

cgibson@nist.gov

**Mailing Address:**

NIST

100 Bureau Drive, Stop 8441

Gaithersburg, MD 20899-8441

**Fax:** (301) 869-5700

**Please contact the technical staff before shipping instruments or standards to the address listed above.**

Service ID Number	Description of Services	Fee (\$)
<b>Calibration reports are issued giving the radiance temperature of the blackbody at 655.48 nm versus the scale reading, output current, or output voltage</b>		
35010C	Radiance Temperature Standard, Disappearing Filament Optical Pyrometer (800 °C to 2400 °C, 4 to 12 points, 1 range)	8552
35020C	Radiance Temperature Standard, Disappearing Filament Optical Pyrometers (each additional range up to 4200 °C, only available with 35010C)	6255
35040C	Radiance Temperature Standard, Disappearing Filament Optical Pyrometer (800 °C to 4200 °C, 1 range, 3 or fewer points)	3957
<b>Calibration reports are issued giving the radiance temperature of the lamp at 655.48 nm versus the lamp current</b>		
35050C	Radiance Temperature Standard, Tungsten Strip Lamp (800 °C to 2300 °C, 6 to 16 points)	11079
35051C	Recalibration of Tungsten Strip Lamp (800 °C to 2300 °C, 6 to 16 points)	9243
35060C	Radiance Temperature Standard, Tungsten Strip Lamp (800 °C to 2300 °C, 5 or fewer points)	6944
35061C	Recalibration of Tungsten Strip Lamp (800 °C to 2300 °C, 5 or fewer points)	5567
<b>Calibration reports are issued giving the radiance temperature of the reference blackbody at 655.48 nm, 900 nm or 1000 nm versus the display reading, output current, or output voltage</b>		

35070S	Special Tests of Radiation Thermometers (800 °C to 2700 °C)	At Cost
35071C	Radiance Temperature Standard, Radiation Thermometer (800 °C to 2700 °C, 6 to 20 points)	9243
35072C	Radiance Temperature Standard, Radiation Thermometer (800 °C to 2700 °C, 5 or fewer points)	4647
<b>Calibration reports are issued giving the thermodynamic temperature of the reference blackbody versus the radiation thermometer display reading, output current, or output voltage.</b>		
35080S	Special Tests of Radiation Thermometers (-46 °C to 900 °C)	At Cost
35085C	Radiance Temperature Standard, Radiation Thermometer (-46 °C to 900 °C, 3 points)	4502
35086C	Radiance Temperature Standard, Radiation Thermometer (-46 °C to 900 °C, Each additional point when ordered with 35085C)	555/point
<b>Calibration reports are issued giving the thermodynamic temperature of the reference blackbody versus the test blackbody source display reading.</b>		
35090S	Special Tests of Blackbody Sources (-46 °C to 900 °C)	At Cost
<b>Calibration reports are issued giving heat flux at the sensor surface versus the output voltage.</b>		
35100S	Special Tests of Radiative Heat Flux Sensors	At Cost
35101C	Radiative Heat Flux Sensors (1 W/cm <sup>2</sup> to 5 W/cm <sup>2</sup> , 9 points, Gardon and Schmidt-Boelter type sensors)	3039
35102C	Additional Radiative Heat Flux Sensor (same model as 35101C)	2120

*Fees are subject to change without notice.*

**Calibration Schedule:** Requests for calibration services are scheduled after receipt of a purchase order.

## G. Humidity Measurements

**Technical Contacts:**

Christopher Meyer

Gregory E. Scace

**Telephone:**

(301) 975-4825

(301) 975-2626

(301) 975-2626

**Email**

cmeyer@nist.gov

gregory.scace@nist.gov

**Mailing Address:**

NIST

100 Bureau Drive, Stop 8363

Gaithersburg, MD 20899-8363

**Fax:** (301) 548-0206

**Please contact the technical staff before shipping instruments or standards to the address listed above.**

Service ID Number	Description of Services	Fee (\$)
36010C	Dew-Point Hygrometers (Dew/Frost point only) Range: -70 °C to 85 °C	235/point
36020C	Relative Humidity Hygrometers (RH sensors and psychrometers), Range: 3% to 98% at temperatures from 5 °C to 85 °C	235/point
36030C	External Temperature Probe for Dew-point Hygrometer (enabling RH measurements) Range: -110 °C to 150 °C	436/point

36040C	Electrolytic Hygrometers	235/point
36070S	Special Tests of Humidity	At Cost

*Fees are subject to change without notice.*

## H. Thermal Resistance Measurements

**Technical Contact:**

Robert Zarr

**Telephone:**

(301) 975-6436

**Email:**

[robert.zarr@nist.gov](mailto:robert.zarr@nist.gov)

**Mailing Address:**

NIST  
 100 Bureau Drive, Stop 8632  
 Gaithersburg, MD 20899-8632  
**Fax:** (301) 975-5433

**Please contact the technical staff before shipping instruments or standards to the address listed above.**

Service ID Number	Material	Specimen Thickness (mm)	Mean Temp. (K)	Temp. Difference (K)	Relative Expanded Uncertainty $k = 2$ (%)	Fee (\$)
36110C	Fibrous glass blanket	25	297	22 or 28	1.0	3280/pt
36120C	Fibrous glass blanket	75	297	22 or 28	1.5	3280/pt
36130C	Fibrous glass blanket	150	297	22 or 28	2.5	3280/pt
36140C	Fibrous glass blanket	225	297	22 or 28	3.0	3280/pt
36150C	Quantity Tests of Fibrous glass blanket		297	22 or 28		At Cost
36199S	Special Tests of Thermal Insulation		280 to 330	22 or 28		At Cost

*Fees are subject to change without notice.*

## CHAPTER 7 OPTICAL RADIATION MEASUREMENTS

### A. Photometric Measurements

<b><u>Technical Contact:</u></b>	<b><u>Telephone:</u></b>	<b><u>Email:</u></b>	<b><u>Mailing Address:</u></b>
Yuqin Zong	(301) 975-2332	yuqin.zong@nist.gov	NIST
Maria Nadal	(301) 975-4632	maria.nadal@nist.gov	100 Bureau Drive, Stop 8442
Cameron Miller	(301) 975-4713	cameron.miler@nist.gov	Gaithersburg, MD 20899-8442
			<b>Fax:</b> (301) 840-8551

**Please contact the technical staff before shipping instruments or standards to the address listed above.**

Service ID Number	Description of Services	Fee (\$)
37010C	Luminous Intensity and Color Temperature Standard Lamps	4350
37020S	Special Tests for luminous Intensity and Color Temperature of Submitted Lamps	At Cost
37030C	Color Temperature Standard Lamps	3588
37040C	Each Additional Color Temperature for 37030C	571
37050S	Special Tests for Color Temperature of Submitted Lamps	At Cost
37060S	Special Tests for Total Luminous Flux of Submitted Incandescent Lamps and Florescent Lamps	At Cost
37070C	Opal Glass Luminance Coefficient Standards	2967
37080S	Special Tests for Submitted Luminance Sources and Transmitting Diffusers	At Cost
37090S	Special Tests for Photometers, Illuminance Meters and Luminance Meters	At Cost
37100S	Special Photometric Tests	At Cost
37110S	Special Tests for Submitted Flashing-Light Photometers	At Cost
37120S	Special Tests for Color Measuring Instruments for Displays	At Cost
37130S	Special Tests for Luminous Intensity and Luminous Flux of LEDs	At Cost
37220M	Luminous Intensity Measurement Assurance Program	3523
37230M	Solid-state Lighting Measurement Assurance Program	3999
37240M	Solid-state Lighting and Compact Fluorescent Lamp Measurement Assurance Program	5333
37250M	Total Radiant Flux Measurement Assurance Program	4476

*Fees are subject to change without notice.*

## B. Ozone Measurements

**Technical Contacts:**

James Norris

**Telephone:**

(301) 975-3936

**Email:**

james.norris@nist.gov

**Mailing Address:**

NIST  
100 Bureau Drive, Stop 8393  
Gaithersburg, MD 20899-8393

**Please contact the technical staff before shipping instruments or standards to the address listed above.**

Service ID Number	Description of Services	Fee (\$)
37510C	Ozone Instrument Calibrations	2373
37515S	Additional Special Tests for Ozone Instruments	At Cost
37520C	NIST Standard Reference Photometer (NIST SRP)	90684
37525S	NIST Standard Reference Photometer Maintenance	At Cost
37530C	Validation of NIST Standard Reference Photometer (NIST SRP)	5035
37540C	Certification of Mercury Calibration Gas Generator	5039
37535S	Additional Special Tests for Validation of NIST Standard Reference Photometer (NIST SRP)	At Cost

*Fees are subject to change without notice.*

## C. Optical Properties of Materials Measurements

**Technical Contacts:**

Catherine Cooksey  
(38010C-38061S,  
38075S)

Melody Smith  
(38065C-38069C)

**Telephone:**

(301) 975-6208

(301) 975-8533

**Email:**

catherine.cooksey@nist.gov

melody.smith@nist.gov

**Mailing Address:**

NIST  
100 Bureau Drive, Stop 8442  
Gaithersburg, MD 20899-8442  
Fax: (301) 840-8551

**Please contact the technical staff before shipping instruments or standards to the address listed above.**

Service ID Number	Description of Services	Fee (\$)
38010C	Spectral Transmittance Filters (Cobalt Blue Glass)	2914
38020C	Spectral Transmittance Filters (Copper Green Glass)	2914
38030C	Spectral Transmittance Filters (Carbon Yellow Glass)	2914
38040C	Spectral Transmittance Filters (Selenium Orange Glass)	2914
38060S	Special Tests of Spectral Reflectance (250 nm to 2500 nm)	At Cost
38061S	Special Tests of Spectral Transmittance and Index of Refraction (120 nm to 2500 nm)	At Cost

38065C	Recertification of NIST photometric Standard Reference Materials SRM 930, SRM 1930, or SRM 2930	1473
38066C	Recertification of NIST photometric Standard Reference Material SRM 2031	2076
38067C	Recertification of NIST photometric Standard Reference Material SRM 2030	1072
38068C	Replacement filter for NIST photometric Standard Reference Materials SRM 930, SRM 1930, SRM 2030 or SRM 2930	1218
38069C	Replacement filter for NIST photometric Standard Reference Material SRM 2031	1640
38075S	Special Tests Infrared Reflectance, Transmittance, and Emittance of Materials	At Cost

*Fees are subject to change without notice.*

## D. Surface Color and Appearance

**Technical Contacts:**

Maria E. Nadal  
(38090S and 38091S)  
Martin Wilson  
(38100C–38130C)

**Telephone:**

(301) 975-4632  
  
(301) 975-2356

**Email:**

maria.nadal@nist.gov  
  
martin.wilson@nist.gov

**Mailing Address:**

NIST  
100 Bureau Drive, Stop 8442  
Gaithersburg, MD 20899-8442  
**Fax:** (301) 840-8551

**Please contact the technical staff before shipping instruments or standards to the address listed above.**

Service ID Number	Description of Services	Fee (\$)
38090S	Specular Gloss	At Cost
38091S	Special Test of 0°/45° Surface Color	At Cost
38100C	X-Ray Film Step Tablet Transmission Density Standard (Replacement for SRM 1001)	1047
38110C	Recalibration of an X-Ray Film Step Tablet Transmission Density Standard	1143
38120C	Photographic Film Step Tablet Transmission Density Standard (Replacement for SRM 1008)	1219
38130C	Recalibration of a Photographic Film Step Tablet Transmission Density Standard	1296

*Fees are subject to change without notice.*

## E. Spectroradiometric Measurements

### E.1 Spectroradiometric Source Measurements

**Technical Contacts:**

Charles E. Gibson  
(39010C–39060S)  
Jeanne M. Houston  
(39071C–39081S)  
Thomas C. Larason  
(39080S, 39081S, 39100S)  
George Eppeldauer  
(39090S)

**Telephone:**

(301) 975-2329  
  
(301) 975-2327  
  
(301) 975-2334  
  
(301) 975-2338

**Email:**

cgibson@nist.gov  
  
jeanne.houston@nist.gov  
  
tlarason@nist.gov  
  
geppeldauer@nist.gov

**Mailing/Shipping Address:**

NIST  
100 Bureau Drive, Stop 8441  
Gaithersburg, MD 20899-8441  
**Fax:** (301) 869-5700

Fee Schedule 2016

Please contact the technical staff before shipping instruments or standards to the address listed above.

<b>E.1 Spectroradiometric Source Measurements</b>		
Service ID Number	Description of Services	Fee (\$)
<b>NIST calibrates and issues a type 30A/T24/13 tungsten strip lamp with a mogul bi-post base.</b>		
39010C	Spectral Radiance Standard, Tungsten Strip Lamp (225 nm to 2400 nm) (other spectral ranges are available under no. 39060S)	15950
<b>NIST calibrates customer supplied integrating sphere sources and maps the source aperture.</b>		
39020C	Spectral Radiance Standard, Integrating Sphere Source (300 nm to 1000 nm in 25 nm steps)	7634
39021C	Spectral Radiance Standard, Integrating Sphere Source (300 nm to 2400 nm in 25 nm steps)	11770
<b>NIST calibrates and issues an 1000 W, tungsten quartz-halogen lamp mounted in a medium bi-post base. The calibrations are performed at 50 cm.</b>		
39030C	Spectral Irradiance Standard, 1000 W Tungsten Quartz-Halogen Lamp (250 nm to 450 nm)	9638
39031C	Recalibration of 1000 W Tungsten Quartz-Halogen Lamp (250 nm to 450 nm)	5795
39032C	Spectral Irradiance Standard, 1000 W Tungsten Quartz-Halogen Lamp (350 nm to 800 nm)	9638
39033C	Recalibration of 1000 W Tungsten Quartz-Halogen Lamp (350 nm to 800 nm)	5795
39040C	Spectral Irradiance Standard, 1000 W Tungsten Quartz-Halogen Lamp (250 nm to 1600 nm)	11936
39041C	Recalibration of 1000 W Tungsten Quartz-Halogen Lamp (250 nm to 1600 nm)	8094
39045C	Spectral Irradiance Standard, 1000 W Tungsten Quartz-Halogen Lamp (250 nm to 2400 nm)	14670
39046C	Recalibration of 1000 W Tungsten Quartz-Halogen Lamp (250 nm to 2400 nm)	10850
<b>NIST calibrates and issues a 30 W deuterium arc lamp mounted in a medium bi-post base.</b>		
39050C	Spectral Irradiance Standard, 30W Deuterium Arc Lamp (200 nm to 400 nm)	13287
39051C	Recalibration of 30 W Deuterium Arc Lamp (200 nm to 400 nm)	9012
39060S	Special Tests of Radiometric Sources	At Cost
<b>E.2 Spectroradiometric Detector Measurements</b>		
39071C	UV Silicon Photodiodes	1615
39072C	Recalibration of UV Silicon Photodiodes	1398
39073C	Visible to NIR Silicon Photodiodes	4600
39074C	Recalibration of Visible to NIR Silicon Photodiodes	3046
39075S	Special Tests of NIR Photodiodes	At Cost

39077C	UV to Near-Infrared Silicon Photodiodes (Hamamatsu S2281)	5460
39078C	Recalibration of UV to Near-Infrared Silicon Photodiodes (Hamamatsu S1337–1010BQ or S2281)	3810
39080S	Special Tests of Radiometric Detectors	At Cost
39081S	Special Tests of Photodetector Responsivity Spatial Uniformity	At Cost
39090S	Special Tests of IR Detectors	At Cost
39100S	Special Tests of Irradiance Detectors	At Cost
39200S	Special Tests of Aperture Area	At Cost

*Fees are subject to change without notice.*

## F. Radiometric Standards in the Ultraviolet

**Technical Contact:**

Robert E. Vest

**Telephone:**

(301) 975-3992

**Email:**

rvest@nist.gov

**Mailing Address:**

NIST  
100 Bureau Drive, Stop 8411  
Gaithersburg, MD 20899-8411

Charles S. Tarrío

(301) 975-3737

ctarrio@nist.gov

NIST

Steven Grantham

(301) 975-5528

grantham@nist.gov

100 Bureau Drive, Stop 8410

Thomas B. Lucatorto

(301) 975-3734

tlucator@nist.gov

Gaithersburg, MD 20899-8410

**Please contact the technical staff before shipping instruments or standards to the address listed above.**

Standard Detectors in the Far Ultraviolet		
Service ID Number	Description of Services	Fee (\$)
40710C	EUV Detector Calibration	632
40711C	Detector Responsivity Calibration (5 nm to 17 nm)	1451
40712C	Detector Responsivity Calibration (18 nm to 49 nm)	1451
40713C	Detector Responsivity Calibration (52 nm to 122 nm)	766
40714C	Detector Responsivity Calibration (116 nm to 254 nm)	766
40790C	New Al <sub>2</sub> O <sub>3</sub> Photoemissive Transfer Standard Detector	511
40791C	New Si Transfer Standard Photodiode	1222
40799S	Special Test in the Extreme Ultraviolet	At Cost

*Fees are subject to change without notice.*

## G. Laser and Optoelectronic Components Used with Lasers

<b>Technical Contacts:</b>	<b>Telephone:</b>	<b>Email:</b>	<b>Mailing Address:</b>
Marla Dowell (General Technical Inquiries)	(303) 497-7455	marla.dowell@nist.gov	NIST 325 Broadway, MC 815.01 Boulder, CO 80305-3328
Paul D. Hale (High Speed Measurements)	(303) 497-5367	hale@boulder@nist.gov	
Paul Williams (Laser Radiometry)	(303) 497-3805	paul.williams@nist.gov	
Bill Swann (Optical Fiber and Component Measurements - other than Fiber Power)	(303) 497-7381	william.swann@nist.gov	

### Administrative and Logistics:

John Lomax	(303) 497-3842	john.lomax@boulder.nist.gov
	<b>FAX:</b> (303) 497-4286	

Please contact the technical staff before shipping instruments or standards to the address listed above.

Service ID Number	Description of Services	Fee (\$)
42110C	Laser Power and Energy Meter (or Detector) Calibrations at a Single Standard Wavelength and Power (See Table 4)	
	CW Laser Power below 2 Watts	4739
	Pulsed Laser Energy (Q-switched YAG) at 1064 nm	5127
	CW Laser Power at 1064 nm above 2 Watts and 10.6 $\mu\text{m}$	6152
	Pulsed Laser Energy (Excimer) at 248 nm and 193 nm	5871
42111C	Same as 42110C, Additional Standard Wavelengths or Powers (See Table 4)	
	CW Laser Power below 2 Watts	2475
	Pulsed Laser Energy (Q-switched YAG) at 1064 nm	3332
	CW Laser Power at 1064 nm above 2 Watts and 10.6 $\mu\text{m}$ above 1 Watt	4614
	Pulsed Laser Energy (Excimer) at 248 nm and 193 nm	4136
42120M	Laser Power and Energy Measurement Assurance Program (MAP)	At Cost
42130C	Optical Fiber Power Meter (or Detectors Used with Lasers) Calibrations at a Single Standard Wavelength and Connector Type (See Table 5)	3397
42131C	Same as 42130C, Additional Standard Wavelengths or Connector Types (See Table 5)	1236
42140M	Optical Fiber Power Meter Measurement Assurance Program (MAP)	At Cost
42150M	Low-Level Laser Measurement Assurance Program (MAP)	At Cost
42151C	Low-Level Laser Radiometer Calibration	At Cost
42155C	Calibration Service of Optoelectronic Frequency Response for Combined Photodiode/RF Power Sensor Transfer Standards	At Cost

42161S	Special Test for Impulse Response Measurements of Detectors Used with Lasers	At Cost
42162S	Special Test for High Accuracy Laser and Optical Fiber Power Measurements	At Cost
42164C	Spectral Responsivity Measurements of Laser and Optical Fiber Power Meters (or Detectors Used with Lasers)	3077
42165S	Special Test for Spatial Uniformity of Laser and Optical Fiber Power Meters and Detectors Used with Lasers	At Cost
42166C	Calibration for Linearity Measurements of Optical Fiber Power Meters (or Detectors Used with Lasers)	At Cost
42167S	Special Test for Linearity Measurements of High-Power Laser Power Meters (or Detectors Used with Lasers)	At Cost
42170S	Special Test for General Laser Measurements, by Prearrangement	At Cost
42180S	Special Test for General Optical Fiber Power Measurements, by Prearrangement	At Cost
42190S	Special Test for Optical Fiber and Fiber Component Measurements (other than Fiber Power), by Prearrangement	At Cost
42210C	Spectral Responsivity Measurements with Curve Fitting of Laser and Optical Meters (or Detectors used with Lasers)	3973
42220C	Calibration Service for Instruments that Measure Laser Beam Diameter	At Cost

*Fees are subject to change without notice.*

## CHAPTER 8 IONIZING RADIATION MEASUREMENTS

### A. Radioactivity Sources

<u>Technical Contacts:</u>	<u>Telephone:</u>	<u>Email:</u>	<u>Mailing Address:</u>
Lisa R. Karam (All Services)	(301) 975-5561	lisa.karam@nist.gov	NIST 100 Bureau Drive, Stop 8462 Gaithersburg, MD 20899-8462 Attn: Jeffrey Cessna
M.P. Unterweger (43030C, 43040C, 43070S, 43090S)	(301) 975-5536	munterweger@nist.gov	
Jeffrey T. Cessna (43010C, 43020C, 43060C, 43070S)	(301) 975-5539	jcessna@nist.gov	
Lynne King (43030C, 43040C, 43070S, 43090S)	(301) 975-5544	lynne.king@nist.gov	

**Administrative and Logistics:**

Jeffrey Cessna (301) 975-5539 jcessna@nist.gov

**Please contact the technical staff before shipping instruments or standards to the address listed above.**

Service ID Number	Description of Services	Fee (\$)
43010C	Gamma-Ray-Emitting Radionuclides in Solution (Half Lives Greater than 15 Days)	3656
43020C	Gamma-Ray-Emitting Radionuclides in Solution (Half Lives Less than 15 Days)	5900
43030C	Alpha- and Beta-Particle-Emitting Solid Sources, NIST 2 $\pi\alpha/\beta$ Proportional Counter	2438
43040C	Beta-Particle-Emitting Solid Sources (Activity), NIST 2 $\pi\alpha/\beta$ Proportional Counter	3522
43050C	Mixed Alpha-Emitting Solid Sources, NIST 2 $\pi\alpha/\beta$ Proportional Counter in Conjunction with a Solid State Detector	3765
43060S	Special Tests of Beta-Particle-Emitting Solution Sources, Liquid Scintillation Counting	6689
43070S	Special Tests of Beta-Particle-Emitting Solution Sources, Other Techniques	At Cost
43090S	Special Tests of Alpha-Particle-Emitting Solid Sources	At Cost

*Fees are subject to change without notice.*

## B. Neutron Sources and Neutron Dosimetry

<b>Technical Contacts:</b> M. Scott Dewey (All Services Except 44060C) Alan K. Thompson (44060C, 44100S)	<b>Telephone:</b> (301) 975-4843  (301) 975-4666	<b>Email:</b> mdewey@nist.gov  alan.thompson@nist.gov	<b>Mailing Address:</b> NIST 100 Bureau Drive, Stop 8461 Gaithersburg, MD 20899-8461
--	---	--	---

Please contact the technical staff before shipping instruments or standards to the address listed above.

Service ID Number	Description of Services	Fee (\$)
44010C	Radioactive Neutron Sources Emission Rates ( $10^5 \text{ s}^{-1}$ to $10^9 \text{ s}^{-1}$ )	6898
44020C	Radioactive Neutron Sources Emission Rates ( $10^8 \text{ s}^{-1}$ to $10^{10} \text{ s}^{-1}$ )	6898
44060C	Personnel Protection Instrumentation, Californium Source Bare and Moderated	At Cost
44070C	Activation Detector Dosimetry, Thermal Neutrons	At Cost
44080C	Activation Detector Dosimetry, Californium Fission Neutrons	At Cost
44090C	Activation Detector Dosimetry, $^{235}\text{U}$ Cavity Fission Sources	At Cost
44100S	Special Tests of Neutron Sources and Dosimeters	At Cost

*Fees are subject to change without notice.*

## C. Dosimetry of X-Rays, Gamma-Rays, and Electrons

### C.1 X-Ray and Gamma-Ray Measuring Instruments

<b>Technical Contacts:</b> Michelle O'Brien (46010C-46050S) Ronaldo Minniti (46010C-46110C) Michael G. Mitch (46010C-47040S)	<b>Telephone:</b> (301) 975-2014  (301) 975-5586  (301) 975-5491	<b>Email:</b> michelle.obrien@nist.gov  ronaldo.minniti@nist.gov  michael.mitch@nist.gov	<b>Mailing Address:</b> NIST 100 Bureau Drive, Stop 8460 Gaithersburg, MD 20899-8460 <b>Fax:</b> (301) 869-7682
--	---	---	---

Please contact the technical staff before shipping instruments or standards to the address listed above.

C.1 X-Ray and Gamma-Ray Measuring Instruments		
Service ID Number	Description of Services	Fee (\$)
<b>Air-Kerma (Exposure)</b>		
46010C	Radiation Detectors—Calibration in $^{60}\text{Co}$ and $^{137}\text{Cs}$ Gamma-Ray Beams, per Detector, per Set-Up, per Beam Code	2184
46011C	Radiation Detectors—Calibration in X-Ray Beams (see Tables 6, 7 and 8), per Detector, per Set-Up, per Beam Code	2089

46012C	Well-ionization Chamber for one Model S700 Electronic Brachytherapy Source	6180
46013C	Each Additional Model S700 Electronic Brachytherapy Source Submitted With Same Well-ionization Chamber for 46012C	3266
46020C	Passive Dosimeters—Irradiation of Up to Six, One Beam Quality at One Set-up	2439
46021C	Up to Six Additional Dosimeters at Same Set-up and Beam Quality	1517
46030S	Special Tests of High-Gain Electrometers - Charge Sensitivity, One Set of Switch Positions, with 46010C/46011C, by Prearrangement	1575
46040S	Special Tests of kV Measuring Devices	At Cost
46050S	Special Tests of X-Ray and Gamma-Ray Measuring Instruments	At Cost
<b>Absorbed Dose to Water From <sup>60</sup>Co Beam</b>		
46011C	Radiation Detectors - Calibration in a <sup>60</sup> Co Gamma-Ray Beam	2089
<b>C.2 Sealed Gamma-Ray Sources or Beta-Particle Sources, and Measuring Instruments</b>		
47010C	Gamma-Ray Sources Similar to NIST Standards - <sup>60</sup> Co to <sup>137</sup> Cs, Having Air-Kerma Strengths 10 $\mu$ Gy m <sup>2</sup> /h to 1500 $\mu$ Gy m <sup>2</sup> /h; and <sup>192</sup> Ir Sources of the Same Type Used to Calibrate Reentrant Chamber, Having Air-Kerma Strengths 0.1 $\mu$ Gy m <sup>2</sup> /h to 30 $\mu$ Gy m <sup>2</sup> /h	4074
47011C	Each Additional Gamma-Ray Source of Same Radionuclide	3915
47020C	<sup>125</sup> I or <sup>103</sup> Pd Sources: Seeds Having Air-Kerma Strengths 0.5 $\mu$ Gy m <sup>2</sup> /h to 100 $\mu$ Gy m <sup>2</sup> /h	3074
47021C	Each Additional <sup>125</sup> I or <sup>103</sup> Pd Source of Same Radionuclide/Design Submitted with Above	2978
47035C	Beta-Particle Sources Calibrated for Radiation Protection	1029
47036C	Ionization Chamber Calibrated with Beta-Particle Sources for Radiation Protection	1029
47040S	Special Tests of Gamma-Ray and Beta-Particle Sources	At Cost

*Fees are subject to change without notice.*

## **D. Dosimetry for High-Dose Applications**

### **D.1 Dosimetry of High-Energy Electron Beams**

**Technical Contacts:**

Marc D. Desrosiers  
Michael G. Mitch

**Telephone:**

(301) 975-5639  
(301) 975-5491

**Email:**

marc.desrosiers@nist.gov  
michael.mitch@nist.gov

**Mailing Address:**

NIST  
100 Bureau Drive, Stop 8460  
Gaithersburg, MD 20899-8460

**Please contact the technical staff before shipping instruments or standards to the address listed above.**

Service ID Number	Description of Services	Fee (\$)
<b>D.1 Dosimetry of High-Energy Electron Beams</b>		
48010M	Dose Interpretation of NIST-Packaged Dosimeters Irradiated by Customer - Two Dosimeters	1527
48011M	Each Additional Dosimeter	702
48020S	Special Tests of Electron-Beam Dosimeters	At Cost

<b>D.2 Dosimetry of Photon Beams</b>		
49010C	First Irradiation of a Customer Supplied Dosimeter with <sup>60</sup> Co Gamma-Rays	1382
49011C	Each Additional Irradiation at Ambient (20 °C to 30 °C) Temperatures	145
49015C	Setup for Each Non-Ambient Irradiation Temperature (-77 °C to +19 °C and +31 °C to +70 °C)	434
49016C	Each Additional Irradiation at Non-Ambient Temperature Under 49015C	208
49020C	Dose Measurement Session of 1 NIST Transfer Dosimeter and Certificate	1492
49021C	Additional Measurement Session of 1 NIST Transfer Dosimeter, Same Certificate with 49020C	689
49022C	Additional Measurement of 1 NIST Transfer Dosimeter, Same Session	145
49030C	Dose Measurement Session of 1 Dosimeter and 90 Day Summary Certificate	1233
49031C	Additional Measurement Session of 1 Dosimeter, Same Certificate with 49030C	364
49032C	Additional Measurement of 1 Dosimeter, Same Session	58
49050S	Special Measurement Services for Dosimeter Response and Dose Distributions	At Cost

*Fees are subject to change without notice.*

## CHAPTER 9 ELECTROMAGNETIC MEASUREMENTS

### A. Resistance Measurements

#### A.1 DC Resistance Standards and Measurements

<b><u>Technical Contacts:</u></b>	<b><u>Telephone:</u></b>	<b><u>Email:</u></b>	<b><u>Mailing Address:</u></b>
Randolph E. Elmquist	(301) 975-6591	relmquist@nist.gov	NIST
Marlin E. Kraft	(301) 975-4239	marlin.kraft@nist.gov	100 Bureau Drive, Stop 8170 Gaithersburg, MD 20899-8170

**Administrative and Logistics:**  
Denise D. Prather (301) 975-4221 dprather@nist.gov

**Please contact the technical staff before shipping instruments or standards to the address listed above.**

Calibration fees are the most critical element in funding the metrology services that we provide, and represent the direct cost of providing calibration services for dc resistors and shunts. These services often reach beyond traceability to include detailed consultation. Currently our fees also must recover some of the rapidly increasing costs of providing year-round, readily accessible services and maintaining state-of-the-art traceability through the quantum Hall effect standard. Customers of our most critical calibration services, NIST Service ID numbers 51130C and 51131C, have benefited the most from our efforts to reduce turn-around time through automation, and to provide the world's best level of uncertainty, while keeping these test fees at a reasonable level.

Service ID Number	Description of Services	Fee (\$)
51100S	Special Resistance Measurements Services, by Prearrangement	At Cost
51110M	Measurement Assurance Program for Resistance	At Cost
51130C	Standard Resistor, Thomas-Type, 1 $\Omega$	3753
51131C	Standard Resistor, Evanohm Wirewound High Precision, 10 k $\Omega$	3486
51132C	Standard Resistor, Four-Terminal 0.0001 $\Omega$	2624
51133C	Standard Resistor, Four-Terminal 0.001 $\Omega$	2225
51134C	Standard Resistor, Four-Terminal 0.01 $\Omega$	2225
51135C	Standard Resistor, Four-Terminal 0.1 $\Omega$	1632
51136C	Standard Resistor, Four-Terminal 1 $\Omega$	1632
51137C	Standard Resistor, Four-Terminal 10 $\Omega$	1632
51138C	Standard Resistor, Four-Terminal 100 $\Omega$	1632
51139C	Standard Resistor, Four-Terminal 1 k $\Omega$	1632
51140C	Standard Resistor, 10 k $\Omega$	2129
51141C	Standard Resistor, 100 k $\Omega$	2574
51142C	Standard Resistor, 1 M $\Omega$	2574

51143C	Standard Resistor, 10 MΩ	3185
51144C	Additional Voltage, 10 MΩ	2513
51145C	Standard Resistor, 100 MΩ	3185
51146C	Additional Voltage, 100 MΩ	2513
51147C	Standard Resistor, 1 GΩ	3185
51148C	Additional Voltage, 1 GΩ	2513
51149C	Standard Resistor, 10 GΩ	4189
51150C	Additional Voltage, 10 GΩ	3274
51151C	Standard Resistor, 100 GΩ	4189
51152C	Additional Voltage, 100 GΩ	3274
51153C	Standard Resistor, 1 TΩ	4381
51154C	Additional Voltage, 1 TΩ	3274
51160C	Standard Resistor for Current Measurements (Shunts) with all determinations at 300 A or Below, One Range, One Current Level	1833
51161C	Standard Resistor for Current Measurements (Shunts), with At Least One Determination Above 300 A (maximum current 2000 A), One Range, One Current Level	1833
51162C	Standard Resistor for Current Measurements (Shunts), Additional Range of a Multi-Range Resistor	498
51163C	Standard Resistor for Current Measurements (Shunts), Additional Determination at Another Current Level	498

*Fees are subject to change without notice.*

## A.2 High-Voltage Standard Resistors

**Technical Contacts:**

Gerald J. FitzPatrick

**Telephone:**

(301) 975-8922

**Email:**

gfitzpatrick@nist.gov

**Mailing Address:**

NIST  
100 Bureau Drive, Stop 8170  
Gaithersburg, MD 20899-8170

**Administrative and Logistics:**

Denise D. Prather

(301) 975-4221

dprather@nist.gov

**Please contact the technical staff before shipping instruments or standards to the address listed above.**

Service ID Number	Description of Services	Fee (\$)
51210C	High-Voltage Standard Resistors	At Cost

## B. Impedance Measurements (Except Resistors)

### B.1 Low-Frequency Capacitance and Inductance Measurements and Standards

**Technical Contacts:**

Andrew D. Koffman

**Telephone:**

(301) 975-4518

**Email:**

akoffman@nist.gov

**Mailing Address:**

NIST  
100 Bureau Drive, Stop 8170  
Gaithersburg, MD 20899-8170

**Administrative and Logistics:**

Denise D. Prather

(301) 975-4221

dprather@nist.gov

**Please contact the technical staff before shipping instruments or standards to the address listed above.**

Service ID Number	Description of Services	Fee (\$)
52100S	Special Four Terminal-Pair (4TP) Capacitance and Dissipation Factor Characterization	At Cost
52110S	Special LF Capacitance Measurements, by Prearrangements	At Cost
52120S	Special Measurement Assurance Program for Standard Capacitors (100 pF and 1000 pF, at a Frequency of 1000 Hz)	At Cost
52130C	Fixed, Fused-Silica Dielectric Standard Capacitors (1, 10, and 100) pF, at a Frequency of (100, 400, or 1000) Hz	4216
52131C	Additional Measurement at One of the Above Frequencies	442
52140C	Fixed Three-Terminal, High-Precision Nitrogen Dielectric Standard Capacitors with Coaxial Connectors, Small Uncertainty, (10, 100 and 1000) pF, at a Frequency of (100, 400, or 1000) Hz	2769
52141C	Additional Measurement at One of the Above Frequencies	393
52150C	Physical Tests for Three-Terminal Standard Capacitors with Coaxial Connectors, Large Uncertainty (0.001 pF to 10 000 pF) at a Frequency of (100, 400, or 1000) Hz	2553
52160C	Fixed Three-Terminal Standard Capacitors with Coaxial Connectors, Large Uncertainty (0.001 pF to 10 000 pF) at a Frequency of (100, 400, or 1000) Hz	1754
52161C	Additional Measurement at One of the Above Frequencies	393
52170C	Two- or Three- Terminal Mica Dielectric Standard Capacitors with Binding Post Connectors (0.001 $\mu$ F to 1 $\mu$ F), at a Frequency of (66, 100, 400, 1000 or 10 000) Hz	3009
52171C	Additional Measurement at One of the Above Frequencies	2471
52176C	Two-Terminal Standard Capacitors with Precision High Frequency (HF) Coaxial Connectors (0.001 pF to 10 000 pF), at a Frequency of 1000 Hz	At Cost
52180C	Fixed Standard Inductors (0.00005 H to 10 H), at a Frequency of (100, 400, 1000, or 10 000) Hz	1801
52181C	Additional Measurement at One of the Above Frequencies	1601

52190S	Special LF Inductance Measurements, by Prearrangement	At Cost
--------	---	---------

*Fees are subject to change without notice.*

## B.2 High-Frequency Standard Capacitors and Inductors

**Technical Contacts:** Ronald A. Ginley  
**Telephone:** (303) 497-3634  
**Email:** rginley@boulder.nist.gov  
**Mailing Address:** NIST  
M.C. 818.01  
325 Broadway  
Boulder, CO 80305-3325

**Administrative and Logistics:**  
Puanani L. DeLara (303) 497-3753 calibration@boulder.nist.gov

**Please contact the technical staff before shipping instruments or standards to the address listed above.**

Service ID Number	Description of Services	Fee (\$)
52210S	Two-Terminal Low-Loss Standard Capacitors - 10 kHz to 250 MHz; 1 pF to 20 pF	At Cost
52211S	Two-Terminal Low-Loss Standard Capacitors (High Accuracy) - 10 kHz to 30 MHz, (50, 100, 200, 500, and 1000) pF	At Cost
52221S	Three-Terminal Low-Loss Standard Capacitors (High Accuracy) - 10 kHz to 10 MHz, ( $10^{-2}$ , $10^{-1}$ , 1, 10, $10^2$ , and $10^3$ ) pF	At Cost
52310S	Two-Terminal, High- <i>Q</i> Standard Inductors ( $10^{-2}$ $\mu$ H to 1 H)	At Cost

## B.3 Power-Frequency Capacitors

**Technical Contacts:** Gerald J. FitzPatrick  
**Telephone:** (301) 975-8922  
**Email:** gfitzpatrick@nist.gov  
**Mailing Address:** NIST  
100 Bureau Drive, Stop 8170  
Gaithersburg, MD 20899-8170

**Administrative and Logistics:**  
Denise D. Prather (301) 975-4221 dprather@nist.gov

**Please contact the technical staff before shipping instruments or standards to the address listed above.**

Service ID Number	Description of Services	Fee (\$)
52400C	Power-Frequency Capacitors	At Cost

## B.4 Q-Standard

**Technical Contacts:** Ronald A. Ginley  
**Telephone:** (303) 497-3634  
**Email:** rginley@boulder.nist.gov  
**Mailing Address:** NIST  
M.C. 818.01  
325 Broadway  
Boulder, CO 80305-3325

**Administrative and Logistics:**  
Fee Schedule 2016

**Please contact the technical staff before shipping instruments or standards to the address listed above.**

Service ID Number	Description of Services	Fee (\$)
52710C	Inductive <i>Q</i> -Standards; 50 kHz to 45 MHz, 0.25 $\mu$ H to 25 mH	At Cost
52711C	Each Additional Frequency for 52710C	At Cost

## C. Voltage Measurements

### C.1 DC Voltage Measurements and Standards

**Technical Contacts:**

Yi-Hua Tang

**Telephone:**

(301) 975-4691

**Email:**

ytang@nist.gov

**Mailing Address:**

NIST

100 Bureau Drive, Stop 8170

Gaithersburg, MD 20899-8170

**Administrative and Logistics:**

Denise D. Prather

(301) 975-4221

dprather@nist.gov

**Please contact the technical staff before shipping instruments or standards to the address listed above.**

Service ID Number	Description of Services	Fee (\$)
53110S	Special DC Voltage Measurements, by Prearrangement	At Cost
53160C	Tests of Solid-State Voltage Reference Standard (1 Output, 1 V to 10 V)	2263
53161C	Each Additional Output	1443
53180S	Special Handling (Equipment Pickup or Delivery)	261
53190S	Special Handling (Cleaning, Minor Repair, Return Service Charge)	530

***Fees are subject to change without notice.***

**C.2 AC Voltage Measurements**

**Technical Contacts:**

Bryan C. Waltrip

**Telephone:**

(301) 975-2438

**Email:**

bwaltrip@nist.gov

**Mailing Address:**

NIST  
100 Bureau Drive, Stop 8170  
Gaithersburg, MD 20899-8170

**Administrative and Logistics:**

Denise D. Prather

(301) 975-4221

dprather@nist.gov

**Please contact the technical staff before shipping instruments or standards to the address listed above.**

Service ID Number	Description of Services	Fee (\$)
53200S	Special Tests of High-Accuracy Digital Multimeters, Multifunction Calibrators, by Prearrangement	At Cost
53201S	Special Tests of Low-Voltage AC-DC Transfer Standards, by Prearrangement	At Cost
53202S	Special 25-Point Test of Digital Multimeters (DMMs), by Prearrangement	3941
53203S	Each Additional DMM Test Point for 53202S	At Cost

*Fees are subject to change without notice.*

**C.3 AC-DC Thermal Voltage and Current Converters (to 1 MHz)**

**Technical Contacts:**

Thomas E. Lipe

**Telephone:**

(301) 975-4251

**Email:**

tlipe@nist.gov

**Mailing Address:**

NIST  
Building 220, Room B146  
100 Bureau Drive, Stop 8170  
Gaithersburg, MD 20899-8170

**Administrative and Logistics:**

Denise D. Prather

(301) 975-4221

dprather@nist.gov

**Please contact the technical staff before shipping instruments or standards to the address listed above.**

Service ID Number	Description of Services	Fee (\$)
53310S	Special AC-DC Measurement Services, by Prearrangement	At Cost
53350C	Set-up Charge (No Test Points Included) for a Standard or Standards Set for AC-DC Difference (Voltage or Current)	2600
53351C	First Point for Each Applied Voltage or Current	1070
53352C	Additional Points for Each Applied Voltage and Current Level (Additional Frequency/Voltage or Frequency/Current Points)	77

*Fees are subject to change without notice.*

## D. Precision Ratio Measurements

### D.1 Inductive Dividers

**Technical Contact:**  
Scott Shields

**Telephone:**  
(301) 975-4232

**Email:**  
scott.shields@nist.gov

**Mailing Address:**  
NIST  
100 Bureau Drive, Stop 8170  
Gaithersburg, MD 20899-8170

**Administrative and Logistics:**

Denise D. Prather (301) 975-4221 dprather@nist.gov

**Please contact the technical staff before shipping instruments or standards to the address listed above.**

Service ID Number	Description of Services	Fee (\$)
54110S	Special Ratio Measurements and Tests of Inductive Voltage Dividers, by Prearrangement	At Cost
54120C	Inductive Voltage Dividers – (Single Frequency, Voltage to be Specified, Each Setting of 3 Most Significant Dials)	5027
54121C	Additional Frequency Points	5027
54130C	Inductive Voltage Dividers – (Single Frequency, Voltage to be Specified, Each Setting of Most Significant Dial Only)	3150
54131C	Additional Frequency Points	3150

*Fees are subject to change without notice.*

### D.2 Resistive Dividers

**Technical Contacts:**  
Gerald J. FitzPatrick

**Telephone:**  
(301) 975-8922

**Email:**  
gfitzpatrick@nist.gov

**Mailing Address:**  
NIST  
100 Bureau Drive, Stop 8170  
Gaithersburg, MD 20899-8170

**Administrative and Logistics:**

Denise D. Prather (301) 975-4221 dprather@nist.gov

**Please contact the technical staff before shipping instruments or standards to the address listed above.**

Service ID Number	Description of Services	Fee (\$)
54210C	Resistor and Resistive Dividers, Total Resistance or Voltage Ratio, Two Direct Voltage Levels Between 10 kV and 150 kV	3976
54211S	Special Tests of Resistor and Resistive Dividers at Direct Voltage Levels, by Prearrangement	At Cost
54213S	Special Tests of Resistor and Resistive Dividers at 60 Hz, by Prearrangement	At Cost

*Fees are subject to change without notice.*

**D.3 Capacitive Dividers**

**Technical Contacts:**

Gerald J. FitzPatrick

**Telephone:**

(301) 975-8922

**Email:**

gfitzpatrick@nist.gov

**Mailing Address:**

NIST  
100 Bureau Drive, Stop 8170  
Gaithersburg, MD 20899-8170

**Administrative and Logistics:**

Denise D. Prather

(301) 975-4221

dprather@nist.gov

**Please contact the technical staff before shipping instruments or standards to the address listed above.**

Service ID Number	Description of Services	Fee (\$)
54310S	Special Test of Capacitive Dividers at 60 Hz, by Prearrangement	At Cost

**D.4 Voltage and Current Transformers**

**Technical Contacts:**

Gerald J. FitzPatrick

Thomas L. Nelson

**Telephone:**

(301) 975-8922

(301) 975-2986

**Email:**

gfitzpatrick@nist.gov

tnelson@nist.gov

**Mailing Address:**

NIST  
100 Bureau Drive, Stop 8170  
Gaithersburg, MD 20899-8170

**Administrative and Logistics:**

Denise D. Prather

(301) 975-4221

dprather@nist.gov

**Please contact the technical staff before shipping instruments or standards to the address listed above.**

Service ID Number	Description of Services	Fee (\$)
54510C	Voltage Transformer, Ratio & Phase Angle, at 60 Hz on 1 Range, 1 Secondary Voltage, 1 Burden Primary Vrms ≤ 150 kV	At Cost
54520C	Current Transformer, Ratio & Phase Angle, 1 Range at 1 Frequency, 1 Burden, Secondary Currents (0.5, 1, 2, 3, 4, 5) A, Primary Current Not Over 12 000 A	4680
54521C	Current Transformer, Ratio & Phase Angle, 1 Secondary Current, Additional Combination of Range, Frequency, and Burden, Primary Current Not Over 12 000 A	441
54522C	Current Transformer, Ratio & Phase at Each Additional Secondary Current, Same Combination of Range, Frequency, and Burden as 54520C or 54521C	358
54600S	Special Tests of Dividers and Transformers, by Prearrangement	At Cost

*Fees are subject to change without notice.*

**E. Phase Meters and Standards and VOR Measurements**

**Technical Contacts:**  
Bryan C. Waltrip

**Telephone:**  
(301) 975-2438

**Email:**  
bwaltrip@nist.gov

**Mailing Address:**  
NIST  
100 Bureau Drive, Stop 8170  
Gaithersburg, MD 20899-8170

**Administrative and Logistics:**

Denise D. Prather

(301) 975-4221

dprather@nist.gov

**Please contact the technical staff before shipping instruments or standards to the address listed above.**

Service ID Number	Description of Services	Fee (\$)
55110S	Special Tests of Phase Standards and Related Instruments, by Prearrangement	At Cost
55120C	Phase Meters – One Combination of Input Voltages (0.5 V to 120 V) at One Frequency (2 Hz to 100 kHz) – the Input Voltage Ratio Shall Not Exceed 10	3029
55121C	Phase Meters – Each Additional Combination of Input Voltages (0.5 V to 120 V) at the Same or at a Different Frequency (2 Hz to 100 kHz) – the Input Voltage Ratio Shall Not Exceed 10	964
55130C	Phase Meters – One Additional Combination of One Input Voltage (0.5 V to 120 V) and One Input Current (1 A to 5 A) at One Frequency (2 Hz to 4 kHz)	4075
55131C	Phase Meters – Each Additional Combination of One Input Voltage (0.5 V to 120 V) and One Input Current (0.5 A to 5 A)	1102
55140C	Phase Meters – One Input Voltage (120 V to 240 V) and Another Input Voltage (120 V to 240 V) at One Frequency (2 Hz to 5 kHz)	4075
55141C	Phase Meters – Each Additional Combination of One Input Voltage (120 V to 240 V) and Another Input Voltage (120 V to 240 V) at the Same or at a Different Frequency (2 Hz to 5 kHz)	1102

*Fees are subject to change without notice.*

## F. Power and Energy Measurements, Low-Frequency

**Technical Contacts:**

Thomas L. Nelson  
Gerald J. FitzPatrick

**Telephone:**

(301) 975-2986  
(301) 975-8922

**Email:**

tnelson@nist.gov  
gfitzpatrick@nist.gov

**Mailing Address:**

NIST  
100 Bureau Drive, Stop 8170  
Gaithersburg, MD 20899-8170

**Administrative and Logistics:**

Denise D. Prather (301) 975-4221 dprather@nist.gov

**Please contact the technical staff before shipping instruments or standards to the address listed above.**

Service ID Number	Description of Services	Fee (\$)
56110S	Special Test of AC-DC Wattmeters, by Prearrangement	At Cost
56200C	Watt, Watthour, Var, Varhour Meter, Initial Two Determinations of Same Meter at 60 Hz	4240
56201C	Each Additional Determination, Same Meter at 50 Hz	254
56202C	Initial Two Determinations of One or Two Meters Run Simultaneously with the First (56200C)	3882
56210M	Measurement Assurance Program for Watthour Meters	5507
56220S	Special Tests of Watthour Meter with Pulse Output; 120 Volts, 5 Amperes, 60 Hz at 0.5 Lag, Unity and 0.5 Lead Power Factors	1790
56230S	Special Test of Phasor Measurement Units, PMUs	At Cost

*Fees are subject to change without notice.*

## G. RF, Microwave and Millimeter-Wave Measurements

### G.1 Thermistor Detectors

**Technical Contacts:**

Ronald A. Ginley  
Thomas P. Crowley

**Telephone:**

(303) 497-3634  
(303) 497-4133

**Email:**

rginley@boulder.nist.gov  
crowley@boulder.nist.gov

**Mailing Address:**

NIST  
325 Broadway, MC 818.01  
Boulder, CO 80305-3328

**Administrative and Logistics:**

Puanani L. DeLara (303) 497-3753 calibration@boulder.nist.gov  
Fax: (303) 497-3970

Please contact the technical staff before shipping instruments or standards to the address listed above.

Service ID Number	Description of Services	Fee (\$)
<b>The following tests are for 50 Ω thermistor and thermoelectric detectors with coaxial connectors.</b>		
61100S	Measurement setup charge (applies to all coaxial power measurements—one setup charge for multiple detectors with the same connectors and frequencies <sup>1</sup> )	2707
61110S	Coaxial Detectors in the Frequency Range from 0.1 MHz to 10 MHz	3100
61120S	Coaxial Detectors at user Selected Frequencies in the appropriate Frequency Range for the Connector Type <sup>2</sup> . Up to 20 Frequency Points	3342
61121S	Coaxial Detectors at user Selected Frequencies in the appropriate Frequency Range for the Connector Type <sup>2</sup> . From 20 to 40 Frequency Points	3867
61122S	Coaxial Detectors at user Selected Frequencies in the appropriate Frequency Range for the Connector Type <sup>2</sup> . From 40 to 120 Frequency Points	4129

61123S	Coaxial Detectors at user Selected Frequencies in the appropriate Frequency Range for the Connector Type <sup>2</sup> . More than 120 Frequency Points	4655
61137C	NIST Model CN Coaxial Detectors at 21 Frequencies within the Frequency Range of 50 MHz to 18 GHz	7730
61138C	NIST Model CN Coaxial Detectors at Single Customer Selected Frequency within the Frequency Range of 50 MHz to 18 GHz	48
<b>The following tests are for thermistor detectors with waveguide flanges.</b>		
61140S	Measurement setup charge (applies to all waveguide power measurements EXCEPT WR15—one charge for multiple detectors with the same connectors and frequencies <sup>1</sup> )	5070
61141S	Measurement setup charge (applies to all WR15 waveguide power measurements—one charge for multiple detectors with the same connectors and frequencies <sup>1</sup> )	4020
61142S	Rectangular Waveguide Detectors with WR90 Flanges <sup>2</sup>	3170
61143S	Rectangular Waveguide Detectors with WR62 Flanges <sup>2</sup>	3454
61144S	Rectangular Waveguide Detectors with WR42 Flanges <sup>2</sup>	3454



61410S	30 MHz 60 MHz	<i>Coaxial</i> N Precision (PIN) GPC 3.5 (PIN) GPC 7 14 mm	Temperature < 15 000 K (ENR < 17 dB) VSWR < 1.2	
	<b>Set Up Charge, per order</b>			3469
	<b>Per Frequency</b>			5423
61420S	1.0 GHz to 12.4 GHz Continuous Frequencies	<i>Coaxial</i> 14 mm (1 to 4 GHz) GPC 7 N Precision (PIN) GPC 3.5 (PIN) GPC 2.4 (PIN) (8 GHz to 12.4 GHz)	Temperature < 15 000 K (ENR < 17 dB) Reflection Coefficient < 0.2	
	<b>Set Up Charge, per order</b>			5938
	<b>Per Frequency</b>			702
61425S	12.4 GHz to 18.0 GHz Continuous Frequencies	<i>Coaxial</i> GPC 7 N Precision (PIN) GPC 3.5 (PIN) GPC 2.4 (PIN)	Temperature < 15 000 K (ENR < 17 dB) Reflection Coefficient < 0.2	
	<b>Set Up Charge, per order</b>			8068
	<b>Per Frequency</b>			4454
61430S	18.0 GHz to 26 GHz Continuous Frequencies	<i>Coaxial</i> GPC 3.5 (PIN) GPC 2.4 (PIN)	Temperature < 15 000 K (ENR < 17 dB) Reflection Coefficient < 0.2	
	<b>Set Up Charge, per order</b>			7825
	<b>Per Frequency</b>			4333

61435S	26.5 GHz to 40 GHz Continuous Frequencies	<i>Coaxial</i> GPC 2.4 (PIN)	Temperature < 15 000 K (ENR < 17 dB) Reflection Coefficient < 0.2	
	<b>Set Up Charge, per order</b>			10974
	<b>Per Frequency</b>			5905
61450S	8.2 GHz to 12.4 GHz Continuous Frequencies	<i>Waveguide</i> WR 90	Temperature <15 000 K (ENR < 17 dB) Reflection Coefficient < 0.2	
	<b>Set Up Charge, per order</b>			6132
	<b>Per Frequency</b>			702
61455S	12.4 GHz to 18.0 GHz Continuous Frequencies	<i>Waveguide</i> WR 62	Temperature < 15 000 K (ENR < 17 dB) Reflection Coefficient < 0.2	
	<b>Set Up Charge, per order</b>			7948
	<b>Per Frequency</b>			4333
61460S	18.0 GHz to 26.0 GHz Continuous Frequencies	<i>Waveguide</i> WR 42	Temperature < 15 000 K (ENR < 17 dB) Reflection Coefficient < 0.2	
	<b>Set Up Charge, per order</b>			7583
	<b>Per Frequency</b>			4212
61465S	26.5 GHz to 40.0 GHz Continuous Frequencies	<i>Waveguide</i> WR 28	Temperature < 15 000 K (ENR < 17 dB) Reflection Coefficient < 0.2	
	<b>Set Up Charge, per order</b>			8068
	<b>Per Frequency</b>			4260
61470S	33.0 GHz to 50.0 GHz Continuous Frequencies	<i>Waveguide</i> WR 22	Temperature <15 000 K (ENR < 17 dB) Reflection Coefficient <0.2	
	<b>Set Up Charge, per order</b>			7948
	<b>Per Frequency</b>			4212
61475S	50.0 GHz to 65.0 GHz Continuous Frequencies	<i>Waveguide</i> WR 15	Temperature < 15 000 K (ENR , 17 dB) Reflection Coefficient < 0.2	
	<b>Set Up Charge, per order</b>			10247
	<b>Per Frequency</b>			6874
61495S	Special Noise Temperature Measurements, by Prearrangement			At Cost

*Fees are subject to change without notice.*

## H. Electromagnetic Field Strength and Antenna Measurements

### H.1 Microwave Antenna Parameter Measurements

<b><u>Technical Contacts:</u></b>	<b><u>Telephone:</u></b>	<b><u>Email:</u></b>	<b><u>Mailing Address:</u></b>
Perry F. Wilson (63100S–63400S)	(303) 497-3406	pfw@boulder.nist.gov	NIST 325 Broadway, MC 818.02 Boulder, CO 80305-3328
Jeff Guerrieri (63100S)	(303) 497-3863	jeff.guerrieri@nist.gov	
Michael H. Francis (63200S)	(303) 497-5873	mfrancis@boulder.nist.gov	

**Administrative and Logistics:**  
 Puanani L. Delara (303) 497-3753 calibration@boulder.nist.gov  
**Fax:** (303) 497-3970

**Please contact the technical staff before shipping instruments or standards to the address listed above.**

Service ID Number	Description of Services	Fee (\$)
63100S	Gain and Polarization Calibrations of Standard Antennas Using Extrapolation Range	At Cost
63200S	Measurement of Pattern, Gain, and Polarization of Arbitrary Antennas Using Near-Field Scanning Techniques	At Cost
63400S	Special Consulting, Advisory, and Other Services	At Cost

### H.2 Field Strength Parameter Measurements

<b><u>Technical Contacts:</u></b>	<b><u>Telephone:</u></b>	<b><u>Email:</u></b>	<b><u>Mailing Address:</u></b>
Dennis G. Camell Perry F. Wilson	(303) 497-3214 (303) 497-3406	camell@boulder.nist.gov pfw@boulder.nist.gov	NIST 325 Broadway, MC 818.02 Boulder, CO 80305-3328

**Administrative and Logistics:**  
 Puanani L. DeLara (303) 497-3753 calibration@boulder.nist.gov  
**Fax:** (303) 497-3970

**Please contact the technical staff before shipping instruments or standards to the address listed above.**

Service ID Number	Description of Services	Fee (\$)
64100S	Special Test Services for Antenna/Field Strength/Measurement, Using the Transverse Electromagnetic (TEM) Cell Method (10 kHz to 300 MHz)	At Cost
64300S	Special Test Services for Antenna/Field Strength/Reflectivity Measurements, Utilizing the Anechoic Chamber and Standard Field Method	At Cost

## I. High-speed Repetitive Waveform Measurements

**Technical Contacts:**

Paul Hale

**Telephone:**

(303) 497-5367

**Email:**

hale@boulder.nist.gov

**Mailing Address:**

NIST  
325 Broadway, MC 815.01  
Boulder, CO 80305-3328

**Administrative and Logistics:**

John Lomax

(303) 497-3842

john.lomax@nist.gov

**Fax:** (303) 497-4286

Please contact the technical staff before shipping instruments or standards to the address listed above.

Service ID Number	Description of Services	Fee (\$)
65200S	Fast Repetitive Waveforms	At Cost
65400S	Fiber-optic time delay (formerly Pulse Time Delay Interval)	At Cost

## J. Pulse Waveform Measurements

**Technical Contacts:**

Thomas Nelson

**Telephone:**

(301) 975-2986

**Email:**

thomas.nelson@nist.gov

**Mailing Address:**

NIST  
100 Bureau Drive, Stop 8170  
Gaithersburg, MD 20899-8170

**Fax:** (301) 926-3972

**Administrative and Logistics:**

Denise Prather

(301) 975-4221

dprather@nist.gov

Please contact the technical staff before shipping instruments or standards to the address listed above.

Service ID Number	Description of Services	Fee (\$)
65250S	Repetitive Pulse Waveform Measurements, Including Settling Parameters	At Cost
65500S	Peak-to-Peak Detector Calibration at One Frequency Selected from Those Give in Table 9.23 at 1.2V	At Cost
65501S	Additional Frequency for Peak-to-Peak Detector in 65500S	At Cost

## CHAPTER 10

### TIME AND FREQUENCY MEASUREMENTS

#### A. Broadcast and Measurement Services

<b><u>Technical Contacts:</u></b>	<b><u>Telephone:</u></b>	<b><u>Email:</u></b>	<b><u>Mailing Address:</u></b>
Michael A. Lombardi (Frequency)	(303) 497-3212	lombardi@boulder.nist.gov	NIST 325 Broadway, MC 847.40 Boulder, CO 80305-3328
Marc A. Weiss (Time)	(303) 497-3261	mweiss@boulder.nist.gov	
John Lowe	(303) 497-5453	lowe@boulder.nist.gov	
Stefania Romisch	(303) 497-3446	stefania.romisch@nist.gov	

**Administrative and Logistics:**

Trudi Pepler	(303) 497-3338	tpepler@boulder.nist.gov
	<b>Fax:</b> (303) 497-6461	

**Please contact the technical staff before shipping instruments or standards to the address listed above.**

Service ID Number	Description of Services	Fee (\$)
<b>Broadcast Services (WWW, WWVH, WWVB, GOES, ACTS, and NTS)</b>		
76100C	Frequency Measurement and Analysis Service (FMAS), Frequency Delivered to User's Site	Initial One-Time Fee: 1500 Monthly Charge: 501
76101C	Time Measurement and Analysis Service (TMAS)	Initial One-Time Fee: 1500 Monthly Charge: 750
76120S	Characterization of Global Positioning System (GPS) Satellite Receivers	At Cost



## **CHAPTER 11**

### **SEMINARS**

The following announcements concern notification of changes in services and information about future NIST Measurement Seminars. General policy questions regarding NIST measurement services should be referred to the Calibration Program.

#### **NIST MEASUREMENT SEMINARS**

NIST holds seminars and workshops that provide advice and assistance on measurements and calibrations. This affords laboratories outside NIST an opportunity to learn how to make measurements consistent with national standards which NIST maintains. Participation is open to a limited number of people who have the appropriate education, work experience, and current profession in measurement and standards laboratory activities.

Each seminar lasts from one to five days and is devoted to lectures, group discussions, and laboratory demonstrations. A course may be cancelled if registration is insufficient. However, in the past, requests for enrollment have nearly always exceeded the numbers that could be accommodated.

Acceptance letters will be mailed no later than 4 weeks prior to the scheduled date of the course. Detailed information on schedules and housing will be included. Those accepted will be expected to study the assigned reading material before coming to the course and should be prepared to discuss their own experiences with related problems.

See the Weights and Measures Program web site [www.nist.gov/pml/wmd/index.cfm](http://www.nist.gov/pml/wmd/index.cfm) for the National Conference on Weights and Measures (NCWM) Calendar of Events for other training not listed here.

NIST offers conferences and workshops throughout the year. To see the latest listing go to [www.nist.gov](http://www.nist.gov) for upcoming NIST Conferences and Events.