

Overview of the ISO/IEC 30107 Project

Anti-Spoofing and Liveness Detection Techniques

Elaine Newton, PhD NIST

elaine.newton@nist.gov

1-301-975-2532



Remote Authentication in the US Federal Government

- OMB Memo 04-04
 - Describes 4 assurance levels, with qualitative degrees of confidence in the asserted identity's validity:

Level 1: Little or no confidence Level 2: Some confidence

Level 3: High confidence Level 4: Very high confidence

- NIST Special Publication 800-63-1
 - Technical requirements for remote authentication over an open network in response to OMB 04-04
- Biometrics not included in authentication protocols in this guidance
- Adopted by other countries and standards orgs.



Biometric Security Issues




Figure by Nalini Ratha, IBM



Authentication Use Case Comparison


For law enforcement, immigration, etc.

- Enrollment and subsequent recognition attempts
 - highly controlled
 - Supervised / Attended
- Successful recognition
 - Answers the question, "Has this person been previously encountered?"
 - Is a unique pattern


For online transactions, e.g. banking, health, etc.

- Enrollment
 - Less controlled
 - Probably not in person
- Subsequent recognition attempts
 - Unattended
- Successful recognition
 - Answers the question,
 "How confident am I that this is the actual claimant?"
 - Is a tamper-proof rendering of a distinctive pattern

Anti-Spoofing/Liveness



Types of Biometric "Spoofing"*



From the 3rd Working Draft of IS Project 30107



Types of Detection

- , , , , ,	Artefact Detection
Through a biometric system	Liveness Detection
	Challenge-Response
	Alteration Detection
	Non-conformance Detection
	Coercion Detection
	Obscuration Detection
	Failed attempt detection
Through system security	Geographic
policies	Temporal

From the 3rd Working Draft of IS Project 30107





Examples of Data Fields for Detecting Suspicious Presentations*

- Is there a local check for SPD (yes/no)?
- The local SPD decision (pass/fail)
- A score between 0 and 100 provided by the spoof detection mechanism, with lower scores being indicative of spoofed samples
- technique specific data and their units;
- level of supervision / surveillance during capture (qualitative categories)

(In addition to: vendor ID, algorithm ID, and sensor ID.)



How to Participate in the Development of 30107

- In the US, interested parties participate through INCITS M1
 - http://standards.incits.org/a/public/group/m1
- In other countries, interested parties participate in their country's Technical Advisory Group (TAG) to ISO/IEC JTC1 SC37



If you liked this...

Join us Friday for Satellite Workshop II: Artefact, Liveness, & Suspicious Presentation Detection

Where we will discuss testing, error rates, and terms and concepts.

- Location: Portrait Room, NIST
- Time: 09:00 12:00, Friday March 9, 2012



If you hated this...

Join us Friday for Satellite Workshop II: Artefact, Liveness, & Suspicious Presentation Detection

Where we will discuss testing, error rates, and terms and concepts.

- Location: Portrait Room, NIST
- Time: 09:00 12:00, Friday March 9, 2012





Thank you

Questions?

Elaine Newton

elaine.newton@nist.gov

1-301-975-2532

Examples of Artificial and Human Subversive Presentation Characteristic Types

Artific	ial	Complete	gummy finger, latex finger, photo of face, photo of iris, recording of voice, video of face, artificial hand,
			custom contact lens, artificial/patterned contact lens, facial mask (ski, theatrical, Halloween), opaque or
			theatrical contact lenses
		Partial	glue on finger, false facial hair, cosmetics, removable implants, sunglasses
Huma	ın	Lifeless	cadaver part, severed finger/hand
		Altered	nose job, face lift, amputation, mutilation, surgical switching of fingerprints between hands and/or toes
		Altered	nose job, race int, amputation, mutitation, surgical switching or imgerprints between rianus and/or toes
/			
1			
		Non-Conformant	voice mimicry, hand shape control, forged signature, facial expression/extreme, tip or side of finger,
V			falsetto voice
		Conformant	zero effort imposter attempt
		Comoman	zero enon imposter attempt
		Coerced	unconscious, under duress, drugged