

BEYOND COMPARISON™



NIST Quality Workshop Gaithersburg, MD March, 2006



COGENT SYSTEMS

Ming Hsieh

CEO COGENT SYSTEMS, INC





Introduction

- Biometric data quality is a key factor in the performance of identification systems
- Key issues regarding quality
 - Cost
 - Capture time
 - Feature extraction capability (algorithmic)
 - Physical size
 - Number of instances (e.g., number of fingers, multiple images)
 - Performance (accuracy, speed, etc.)
 - Discuss
 - Impact of image quality based on actual large scale government and commercial programs
 - R&D efforts to address the system issues associated with image quality as part of the overall identification process
 - Quality Factor
 - Improve Data Quality
 - Dealing with Poor Quality

Fingerprint identification – Most widely used and most accurate biometric

- Example: European Union EuroDac System (provided by Cogent, in operation since January 2003)
 - "Lights-out" identification for people seeking asylum for all European Member States

- No failure to enroll all levels of image quality are accepted
- Proven true accuracy rate of 99.9% with 0% false acceptance rate
- 100% search penetration no filtering or binning to limit search
- Multi-finger search --- using best "quality" fingers or all "poor quality" fingers available from 10 fingers captured

Quality – Issues & Challenges




- Practical Issues
 - A solution could be limited by budget, operational environment constraints
 - Less than 10 fingers (application dependent)
 - Quality associated with the physical capture process (operator errors)
- Challenge
 - How to maximize identification performance with varying levels of biometric quality
 - Maximize algorithmic performance to compensate for poor image quality

Quality is Multi-Dimensional



- The quality of digital image --- *capture device*
- The quality of biometric sample --- *capture process*
- The quality of biometric feature data --- *algorithmic capability*



Improving Performance for Poor Quality Images

COGENTSSYSTEMS

Quality Class	Quality Score	True Accept Rate
	1	99%
	2	99%
GOOD	3	98%
	4	98%
	5	94%
AVERAGE	6	88%
POOR	7	82%
	8-127	54%


Based on 2 finger search

Based on NIST evaluations Quality 8 images increased to 85% TAR from 54%




- Multiple independent algorithms
- Additional feature sets

Texture - "3rd Level Feature Data"



Texture Feature Example - Latent





Improved Performance with Galaxy+ Matcher



COGENT SYSTEMS







Orignial Match Score ---- No-hit Galaxy+ Match Score --- Hit

Multiple Biometrics: Additional Feature Sets





Fusion with Multiple Biometrics



COGENT SYSTEMS

Score level fusion

- Best tradeoff between ease of implementation and power, universally available.
- Many score fusion formulas
- A reliable usage model is using one strong biometrics that will be most suitable for the application as the 'primary' biometrics and have a second biometrics included for flexibility, risk migration and potential improvement.

Fused score: $s(x) = \log L_A(x) + \log L_B(x) + ...$

Conclusions



COGENT SYSTEMS

 A biometric system has to be resilient in processing all levels of quality and providing high performance

- Quality is multi-dimensional and an identification system must adequately address all aspects
 - The quality of digital image --- capture device
 - The quality of biometric sample --- capture process
 - The quality of biometric feature data --- algorithmic capability

Key challenge for biometric systems

Maximizing identification performance with varying levels of biometric quality

14



COGENT SYSTEMS

Thank you!

