

**United States Department of Commerce
National Institute of Standards and Technology**

***Demonstrated
Areas of Proficiency**

Mass

Echelon I
30 kg - 1 mg
Echelon II
50 kg - 1 mg
1,000 lb - 0.001 lb
8 oz - 0.015625 oz
Echelon III
500 kg - 1 mg
2,500 lb - 0.001 lb
8 oz - 0.03125 oz
Weight Carts
6,000 lb - 3,000 lb
Wheel Load Weighers
40,000 lb - 15,000 lb

Volume

Gravimetric, I
100 mL
5 gal
Volume transfer, II
20 L - 1 L
1,500 gal - 1 gal
100 gal - 20 gal LPG

Length

Steel tapes 40 m - 1 m
 300 ft - 1 ft
Rigid rule 100 cm - 10 cm
 96 in - 6 in

Grain Moisture

23 % - 13 %

~ Certificate of Measurement Traceability ~
for

South Carolina

**a participant in the NIST Weights and Measures
Measurement Assurance Program for the Year(s)**

2009 - 2010

The State standards are traceable to NIST and the laboratory has demonstrated* measurement proficiency through training and interlaboratory comparisons compliant to NIST HB 143:2007 (ISO/IEC 17025:2005).



*Carol T. Hockert,
for the National Institute of Standards and Technology*

Chief, Weights and Measures Division

Title

January 1, 2010 to December 31, 2010

Effective Date Updated

