


Cross-layer/multi-vendor end-to-end networking

NIST Workshop on Machine Learning For Optical Communication Systems
Jesse Simsarian

Outline


1. Use cases
 - Packet/Optical, DC/Optical, End-to-end 5G
 - Machine learning opportunities: optimization, prediction, classification, correlation, model parameter learning
2. Some example data sets
3. Multi-Vendor
 - Industry standards
 - Required metrology
4. Possible sources of data
 - Research testbeds
 - Industry
5. Conclusion and References

Cross-Layer Use Cases: Packet/Optical



- Flexibility of optical network underutilized compared to IP and DC/cloud - virtualization of optical infrastructure [1] and increasing optical dynamicity.
- Statistics from *optical* layer & action at *packet* layer - coherent receivers: power, pre/postFEC BER, CD, DGD, polarization state, constellation, received power spectrum - Bell Labs research on postFEC BER and polarization state monitoring and action [2, 3].
- Statistics from *packet* layer and action at *optical* layer - congestion, latency, flow level statistics, routing tables - Bell Labs research on action at optical layer based on packet congestion for DC interconnection [4]
- Routing modulation and spectrum assignment (RMSA) of optical network based on *IP traffic prediction* and *packet/optical network state*


Cross-Layer Use Cases: DC/Optical




- Optical DC provisioning and reconfiguration based on traffic - elephant/mice flows and shuffle-heavy jobs [6 - 7].
- Virtual Optical Network Embedding: Consider mapping of virtual machines (VMs) to cloud infrastructure and optical network resource allocation. [5]
- Optical express DC interconnection [4]
- VM, VNF, and application performance metrics

Cross-Layer Use Cases: End-to-End 5G

Joint Cloud/IP/Optical Service Orchestration



- Network slice creation (logical network partitions of physical network across domains) and IoT device onboarding to network slices [8 - 9]
- IoT device authentication and security [10]
(Not really cross-layer networking)
- Mobile fronthaul PHY split processing [11]
- 5G control and data plane service VNF placement [12]



These slides are not NIST's slides. NIST is not responsible for the content of these slides.

Some Data Set Examples

IP

IXPs tidal traffic: [13]: London Internet Exchange bitrate vs time at exchange sites

Internet2 (2003) [14]:

- Usage Statistics – the amount of traffic on network links; Flow data - data that examines individual flows across the network; Routing data; Latency data; Throughput data; Router data; Syslog data – what the routers are reporting about the network

Sprint (2002) [15]: IPMON packet trace collection (IP headers) from backbone network 10+ TB/measurement

Optical

Topology Zoo [16]: Topologies widely used in optical papers

SNDlib [17]: Topologies and demands in GML format

Internet Atlas: A Geographic Database of the Internet [18]

- Visualization and analysis portal for diverse Internet measurement data. Geographically anchored representation of the physical Internet including (i) nodes (e.g., hosting facilities and data centers), (ii) conduits/links that connect these nodes, and (iii) meta data

Microsoft Wide-Area Optical Backbone Performance [19]

- February 2015 to April 2016, taken from Microsoft's optical backbone in North America. Polled the aggregation devices every 15 minutes for their optical signal q-factor, transmit power (dBm), chromatic dispersion (ps/nm), and polarization mode dispersion. Random 4000 channels across random 115 optical paths. "This data is the first public release of a large-scale optical backbone."

DC/Cloud

U. Wisconsin and Microsoft "Network Traffic Characteristics of Data Centers in the Wild" [20]

- SNMP link statistics, fine-grained packet traces, and detailed topology


Google cluster server usage data [21].

Virtual Network Functions (VNFs) [22]: Traffic features + CPU consumption: knowledgedefinednetworking.org


E2E 5G

TBD, see 5G network testbeds COSMOS and Berlin

LINX




Topology Zoo



Multi-Vendor and Metrology

OpenConfig YANG Data Models

Updated: 05-15-2018



Open source data models

- IP/Optical data models from OpenConfig [23]
- Data models from OpenROADM [24]
- Is there a need to expand the data models?

Required standards?

- ITU-T Q6/15 new definition of OSNR in dB/0.1nm referenced to 193.6 THz
- Packet trace capture definition - IPFIX from IETF [25]
- VM resource usage definition/data model?

Possible Sources of Data

Internet2, ESNet or other government-sponsored networks

- More detailed data, e.g., flow level, latency, router data?
- Cross-layer IP/optical?

5G Testbeds

- Make link between VNF placement, network slice creation, device onboarding, traffic generated, and end-to-end performance


COSMOS

- NSF funded 5G testbed in Manhattan [26]
- Dark fiber based optical ROADM network
- C-RAN with distributed x-haul processing


Open Testbed Berlin for 5G and Beyond

- Fraunhofer HHI [27]
- 3-node ROADM metro network testbed
- 5G-ready RAN infrastructure and edge compute capability
- Could offer NFV services and will eventually support network slicing

COSMOS



Berlin Testbed



ADRENALINE in Spain [28] and RISE/JGN-X in Japan [29]

Conclusions

- End-to-end covers many possible applications and diverse data sets
- Fully service-based 5G deployment involves optimization across access/IP/optical/cloud
- NIST could be the go-to place for networking data sets crossing network layers
- Contribute to the cross-layer E2E breakout group
 - Refine use cases and target some of them
 - Define desired data sets to support use cases
 - Define data formats? How much structure do we impose on data sets?
 - Target potential data sources and collaborate with them

References

- [1] "Optical Network Virtualization," Reza Nejabati, Eduard Escalona, Shuping Peng, Dimitra Simeonidou, ONDM 2011.
- [2] "Error Awareness in a Multi-Layer Transport Network Operating System," Jesse E. Simsarian, Young-Jin Kim, Nakjung Choi, Catello Di Martino, Nisho k N. Mohanasamy, Peter J. Winzer and Marina Thottan, J. OPT. COMMUN. NETW., vol. 10, no. 3, pp. 152 – 161, March 2018.
- [3] "Seamless Optical Path Restoration with Just-in-Time Resource Allocation Leveraging Machine Learning," Fabien Boitier et al., ECOC 2018.
- [4] "Express Data Center Interconnection Using a Photonic Cross Connect," J. E. Simsarian, Y.-J. Kim, David T. Neilson, Flavio Pardo, Nagesh Basavanhally, Robert Farah, Rick Papazian, Mark Earnshaw, Ed Sutter, Sirun Xu, Marina Thottan, Proc. OFC 2019, M2C.1, 2019.
- [5] "Virtual Optical Network Embedding (VONE) Over Elastic Optical Networks," Long Gong and Zuqing Zhu, JLT, VOL. 32, NO. 3, FEBRUARY 1, 2014.
- [6] "Helios: A hybrid electrical/optical switch architecture for modular data centers," N. Farrington et al., Proc. ACM SIGCOMM (2010).
- [7] "Hadoop-based application triggered automatic flow switching in electrical/optical hybrid data-center network," M. Hirono, et al., Proc. ECOC'17, Session W.2.A (2017).
- [8] "5G Slicing and Management in the TM Forum," TM Forum ZOOM Project Team, online, April 26, 2018
- [9] "Slice as a Service (SlaaS) Optimal IoT Slice Resources Orchestration," Vincenzo Sciancalepore, Flavio Cirillo, Xavier Costa-Perez, GLOBECOM 2017.
- [10] "IoT Security Techniques Based on Machine Learning," Liang Xiao, Xiaoyue Wan, Xiaozhen Lu, Yanyong Zhang, and Di Wu, IEEE Signal Processing Magazine, September 2018.
- [11] "eCPRI Overview," Tero Mustala and Olivier Klein, Nokia.
<http://www.ieee802.org/1/files/public/docs2017/cm-mustala-eCPRI-Overview-0917.pdf>
<https://medium.com/5g-nr/cloud-ran-and-ecpri-fronthaul-in-5g-networks-a1f63d13df67>
- [12] "View on 5G Architecture," 5GPPP Architecture Working Group, Version 2.0, December 2017.
<https://5g-ppp.eu/wp-content/uploads/2018/01/5G-PPP-5G-Architecture-White-Paper-Jan-2018-v2.0.pdf>
- [13] <https://portal.linx.net/stats/lans>
- [14] <https://www.internet2.edu/news/detail/1934/>
- [15] "Packet-Level Traffic Measurements from the Sprint IP Backbone," Chuck Fraleigh, Sue Moon, Bryan Lyles, Chase Cotton, Mujahid Khan, Deb Moll, Rob Rockell, Ted Seely, Christophe Diot, IEEE Network (Volume: 17 , Issue: 6 , Nov.-Dec. 2003).
- [16] <http://www.topology-zoo.org/>
- [17] <http://sndlib.zib.de/home.action>

References

- [18] "Internet Atlas: A Geographic Database of the Internet," Ramakrishnan Durairajan et al., HotPlanet '13 Proceedings of the 5th ACM workshop on HotPlanet, Pages 15-20 2013.
- [19] <https://www.microsoft.com/en-us/research/project/microsofts-wide-area-optical-backbone/>
- [20] http://pages.cs.wisc.edu/~tbenson/IMC10_Data.html
- [21] <https://github.com/google/cluster-data>
- [22] <https://knowledgedefinednetworking.org>
- [23] <http://openconfig.net/projects/models/>
- [24] https://github.com/OpenROADM/OpenROADM_MSA_Public/tree/master/model
- [25] <https://tools.ietf.org/html/rfc7011>
- [26] "COSMOS: Optical Architecture and Prototyping," Jiakai Yu, Tingjun Chen, Craig Gutterman, Shengxiang Zhu, Gil Zussman, Ivan Seskar, and Daniel Kilper, OFC 2019, M3G.3.
- [27] "Photonics-Supported 5G Test Facilities for Low Latency Applications," Behnam Shariati, Kai Habel, Volker Jungnickel, Johannes Fischer, and Ronald Freund, ICTON 2019, Fr.D3.3.
- [28] "The ADRENALINE testbed: An SDN/NFV packet/optical transport network and edge/core cloud platform for end-to-end 5G and IoT services," Muñoz, Raul, et al., in Proc. IEEE EuCNC'17, 2017.
- [29] "RISE: A wide-area hybrid OpenFlow network testbed," Kanaumi, Yoshihiko, et al., IEICE Trans. Commun., 96.1 (2013): 108-118.

NOKIA